



US00D889166S

(12) **United States Design Patent**
Vertuca, III et al.

(10) **Patent No.:** **US D889,166 S**
(45) **Date of Patent:** **** Jul. 7, 2020**

- (54) **POSTURE SEAT**
- (71) Applicant: **BACKJOY ORTHOTICS, LLC**,
Niwot, CO (US)
- (72) Inventors: **Carl R. Vertuca, III**, Niwot, CO (US);
Peter C. Prust, Zionsville, IN (US)
- (73) Assignee: **BACKJOY ORTHOTICS, LLC**,
Niwot, CO (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/720,376**
- (22) Filed: **Jan. 13, 2020**

Related U.S. Application Data

- (62) Division of application No. 29/642,640, filed on Mar. 30, 2018, now Pat. No. Des. 875,435.
- (51) **LOC (12) Cl.** **06-09**
- (52) **U.S. Cl.**
USPC **D6/601**
- (58) **Field of Classification Search**
USPC D6/595-597, 601, 604-606
CPC A47C 27/00; A47C 27/08; A47C 27/12;
A47C 27/14; A47C 7/18; A47C 7/185;
A47C 7/20; A47C 23/00; A47C 27/001;
A47C 27/05; A47C 27/053; A47C
27/056; A47C 27/06; A47C 27/142; A47C
21/00; A47C 21/026; A47G 9/00; A47G
9/06; A47G 9/08; A47G 9/086; A47G
9/1009; A47G 9/10; A47G 9/1027; A47G
9/1054; A47G 9/1063; A47G 9/1072;
A47G 9/1045; A47G 9/1081; A47G
9/109; A47G 2009/1018; A47G 2009/003
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,750,996 A * 6/1956 Cramer A47C 7/185
267/145
- D734,959 S * 7/2015 Pong D6/601

- 10,034,548 B2 * 7/2018 Willingham A47C 7/425
- 2007/0294831 A1 * 12/2007 Siekman A61G 5/1043
5/653
- 2010/0314929 A1 * 12/2010 Hsu A47C 7/746
297/452.48
- 2012/0073056 A1 * 3/2012 Freund A47G 9/0253
5/639
- 2012/0299350 A1 * 11/2012 Willingham A47C 3/12
297/284.2

(Continued)

FOREIGN PATENT DOCUMENTS

- GB 2573857 A * 11/2019
- JP 2017121334 A * 7/2017
- KR 20040012382 A * 2/2004

Primary Examiner — R. Johnson

(74) *Attorney, Agent, or Firm* — Brooks Acordia IP Law,
PC; Michael Zarrabian


(57) **CLAIM**

The ornamental design for a posture seat, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a posture seat showing the new design;
 FIG. 2 is a bottom perspective view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a right side elevational view thereof;
 FIG. 7 is top plan view thereof; and,
 FIG. 8 is a bottom plan view thereof.
 Surface shading is used to shade FIGS. 1-8 to show clearly the character and contour of all surfaces of the 3-dimensional aspects of the design and form a part of the design sought to be protected.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2017/0065085 A1* 3/2017 Chan A47C 7/746
2019/0183249 A1* 6/2019 Oomen A47C 7/144

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8