



US00D623013S

(12) **United States Design Patent**
Alden et al.

(10) **Patent No.:** **US D623,013 S**
(45) **Date of Patent:** **** Sep. 7, 2010**

(54) **SEAR GRATE INSERT**

(75) Inventors: **Jay Alden**, Palatine, IL (US); **Erick Schlosser**, Barrington, IL (US); **Charles Choi**, Chicago, IL (US); **Daniel S. Choi**, Vernon Hills, IL (US)

(73) Assignee: **Weber-Stephen Products Co.**, Palatine, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/345,200**

(22) Filed: **Oct. 12, 2009**

(51) **LOC (9) Cl.** **07-02**

(52) **U.S. Cl.** **D7/409**

(58) **Field of Classification Search** D7/323,
D7/332, 334, 338, 352-361, 393-395, 402,
D7/407-410, 456, 688; D8/1; D9/456; D25/36;
D32/3; 99/349, 396, 400-402, 422, 425-426,
99/444-447, 449-450; 126/1 R, 9 A, 9 B,
126/25 A, 25 R, 39 N, 39 K, 41 R, 332, 390.1;
220/377, 573.1-573.3, 752-753, 755-759,
220/912; 428/116

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

63,753 A *	4/1867	Russell	99/402
96,973 A *	11/1869	Saxton	99/400
D27,673 S *	9/1897	Greger	D25/36
D31,043 S *	6/1899	Smith	D7/409
2,534,407 A *	12/1950	Bramberry, Jr.	126/390.1
2,868,189 A *	1/1959	Watrous	126/25 A
3,765,397 A *	10/1973	Henderson	126/25 R
5,069,196 A *	12/1991	Schlosser et al.	126/25 R
D338,750 S *	8/1993	Chandler	D32/3
D344,874 S *	3/1994	Howard et al.	D7/409
D361,468 S *	8/1995	Wilkes	D7/361

5,490,452 A	2/1996	Schlosser et al.	
D368,340 S *	3/1996	Mussmacher et al.	D32/3
D373,291 S *	9/1996	Auker	D8/1
D416,442 S *	11/1999	Gilchrist	D7/409
D431,151 S *	9/2000	Brunianyn	D7/359
D445,029 S *	7/2001	Niknafs	D9/456
6,699,562 B2 *	3/2004	Niknafs et al.	428/116
D559,051 S *	1/2008	Fleece	D8/1

OTHER PUBLICATIONS

Performer Owners' Guide # 78763, published by Weber-Stephen Products Co., Feb. 13, 2008.

* cited by examiner

Primary Examiner—Caron Veynar

Assistant Examiner—Ricky Pham

(74) *Attorney, Agent, or Firm*—David I. Roche; Baker & McKenzie LLP

(57) **CLAIM**

The ornamental design for a sear grate insert, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a sear grate insert for a cooking assembly;

FIG. 2 is a second perspective view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is front view thereof;

FIG. 5 is a right side view thereof, the left side being a mirror image thereof;

FIG. 6 is a rear view thereof; and,

FIG. 7 is a bottom view thereof.

The details shown in broken lines form no part of the claimed design.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7

