US00D800113S

(12) **United States Design Patent** (10) **Patent No.: US D800,113 S**
Wessman (45) **Date of Patent: ** Oct. 17, 2017**

(54) **VIRTUAL REALITY VIEWER**

(71) Applicant: **Gregory K. Wessman**, Newport Beach, CA (US)

(72) Inventor: **Gregory K. Wessman**, Newport Beach, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/563,130**

(22) Filed: **May 2, 2016**

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/372**

(58) **Field of Classification Search**
USPC D14/372, 496, 432, 371, 125, 126, 129, D14/299; D16/300–342; 351/158, 153, 351/144; 345/7–9, 905; 455/344; 348/115, 53, 121, 739
CPC G02B 27/017; G02B 27/0158; G02B 27/0161; G02B 27/0181; G02B 27/0185; G02B 27/0189
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D701,206 S		3/2014	Luckey et al.	
D750,074 S	*	2/2016	Coz	D14/372
D751,072 S	*	3/2016	Lyons	D14/372
D755,789 S	*	5/2016	Lyons	D14/372
D757,003 S	*	5/2016	Goossens	D14/372

(Continued)

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — Stetina Brunda Garred and Brucker


(57) **CLAIM**

The ornamental design for a virtual reality viewer, as shown and described.

DESCRIPTION

FIG. **1** is a front-top perspective view of a virtual reality viewer;
FIG. **2** is a front-top perspective view of a virtual reality viewer shown in FIG. **1** with a front cover in an opened configuration;
FIG. **3** is a bottom-rear perspective view of a virtual reality viewer shown in FIG. **1**;
FIG. **4** is a rear-top perspective view of a virtual reality viewer shown in FIG. **1**;
FIG. **5** is a top view of a virtual reality viewer shown in FIG. **1**;
FIG. **6** is a bottom view of a virtual reality viewer shown in FIG. **1**;
FIG. **7** is a front view of a virtual reality viewer shown in FIG. **1**;
FIG. **8** is a rear view of a virtual reality viewer shown in FIG. **1**;
FIG. **9** is a right-side view of a virtual reality viewer shown in FIG. **1**;
FIG. **10** is a left-side view of a virtual reality viewer shown in FIG. **1**;
FIG. **11** is a front perspective view of left and right adjustable lens fixtures with lenses of the virtual reality viewer shown in FIG. **1**;
FIG. **12** is a front-bottom perspective view of the right lens fixture in a partially unfolded configuration for the virtual reality viewer shown in FIG. **1**;
FIG. **13** is a front perspective view the lens of the right lens fixture of the virtual reality viewer shown in FIG. **11**;
FIG. **14** is a front perspective view of a virtual reality viewer shown in FIG. **1**; and,
FIG. **15** is a view of a die-cut pattern portion and the left and right adjustable lens fixtures of the virtual reality viewer shown in FIG. **1** as shown in an unfolded configuration.
Any broken lines in the drawings represent portions of the virtual reality viewer or represent environment that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D765,658	S *	9/2016	Spio	D14/372
D792,398	S *	7/2017	Costa	D14/372
D792,879	S *	7/2017	Nakamura	D14/372
D793,390	S *	8/2017	Huang	D14/372
2016/0180591	A1 *	6/2016	Shiu	G02B 27/0172 345/633
2016/0203642	A1 *	7/2016	Thomas	G02B 27/017 345/8
2016/0349836	A1 *	12/2016	Goossens	G06F 3/011
2017/0031164	A1 *	2/2017	Costa	G02B 27/028
2017/0031165	A1 *	2/2017	Costa	G02B 27/028

* cited by examiner




FIG. 2




FIG. 1




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 10




FIG. 9




FIG. 11




FIG. 13




FIG. 12




FIG. 14




FIG. 15