



US00D738896S

(12) **United States Design Patent**
Kanenari et al.

(10) **Patent No.:** **US D738,896 S**

(45) **Date of Patent:** **** Sep. 15, 2015**

(54) **DISPLAY DEVICE FOR TIRE PRESSURE MONITORING SYSTEM WITH GRAPHICAL USER INTERFACE**

(71) Applicant: **THE YOKOHAMA RUBBER CO., LTD.**, Tokyo (JP)

(72) Inventors: **Daisuke Kanenari**, Kanagawa (JP);
Yasuhiko Araki, Kanagawa (JP)

(73) Assignee: **The Yokohama Rubber Co., Ltd.** (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/454,882**

(22) Filed: **May 15, 2013**

(30) **Foreign Application Priority Data**

Nov. 16, 2012 (JP) 2012-028022

(51) **LOC (10) Cl.** **14-04**

(52) **U.S. Cl.**

USPC **D14/486**

(58) **Field of Classification Search**

USPC D14/485-495

CPC ... G06F 3/048; G06F 3/0481; G06F 3/04812;
G06F 3/04815; G06F 3/04817; G06F 3/0482;
G06F 3/0483; G06F 3/0484; G06F 3/04842;
G06F 3/04845; G06F 3/04847; G06F 3/0485;
G06F 3/04855; G06F 3/0486; G06F 3/0487;
G06F 3/0488; G06F 3/04883; G06F 3/04886

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D415,134 S * 10/1999 Culp et al. D14/488
D445,802 S * 7/2001 Greminger D14/487
D478,090 S * 8/2003 Nguyen et al. D14/486
D544,877 S * 6/2007 Sasser D14/486
D573,600 S * 7/2008 Kaminaga D14/486
D580,947 S * 11/2008 Onai et al. D14/486

D585,904 S * 2/2009 Hosokawa et al. D14/485
D589,528 S * 3/2009 Koh D14/486
D589,969 S * 4/2009 Shibata et al. D14/486
D590,415 S * 4/2009 Ball et al. D14/486
D593,108 S * 5/2009 Danton D14/485
D593,125 S * 5/2009 Danton D14/489
D593,126 S * 5/2009 Danton D14/489
D602,496 S * 10/2009 Takano et al. D14/486
D603,416 S * 11/2009 Poling et al. D14/485
D604,306 S * 11/2009 Chow D14/486
D605,657 S * 12/2009 Danton D14/487
D607,001 S * 12/2009 Ording D14/486

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/454,885, filed May 15, 2013.

(Continued)

Primary Examiner — Eric Goodman

Assistant Examiner — Bao-Yen Nguyen

(74) *Attorney, Agent, or Firm* — RatnerPrestia

(57) **CLAIM**

The ornamental design for a display device for tire pressure monitoring system with graphical user interface, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a display device for tire pressure monitoring system with graphical user interface showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;


FIG. 4 is a top plan view thereof;

FIG. 5 is an enlarged view of the display screen shown in the display device thereof; and,

FIG. 6 is an enlarged view of the second display screen shown in the display device thereof.

The broken lines showing the display device illustrate the environment and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D614,641 S * 4/2010 Vieggers et al. D14/486
D625,313 S * 10/2010 Jewitt et al. D14/485
D672,785 S * 12/2012 Rai et al. D14/486
D677,693 S * 3/2013 Koehn et al. D14/492
8,453,072 B2 * 5/2013 Breglio 715/833
D691,164 S * 10/2013 Lim et al. D14/486

D694,764 S * 12/2013 Talbot et al. D14/485
2013/0311938 A1 * 11/2013 Frazier et al. 715/781
2013/0332879 A1 * 12/2013 Lewis et al. 715/781

OTHER PUBLICATIONS

U.S. Appl. No. 29/454,889, filed May 15, 2013.
U.S. Appl. No. 29/454,892, filed May 15, 2013.

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

