



(86) Date de dépôt PCT/PCT Filing Date: 2012/04/17
(87) Date publication PCT/PCT Publication Date: 2013/07/04
(85) Entrée phase nationale/National Entry: 2014/03/26
(86) N° demande PCT/PCT Application No.: JP 2012/060366
(87) N° publication PCT/PCT Publication No.: 2013/099311
(30) Priorité/Priority: 2011/12/28 (JP2011-289777)

(51) Cl.Int./Int.Cl. *A01K 1/015* (2006.01)


(71) Demandeur/Applicant:
ITO, HIROSHI, JP

(72) Inventeurs/Inventors:
ITO, HIROSHI, JP;
HATANAKA SHINOBU, JP;
YOSHINAGA JUNJI, JP

(74) Agent: SMART & BIGGAR

(54) Titre : MATERIAU DE TRAITEMENT D'EXCREMENTS
(54) Title: EXCREMENT TREATMENT MATERIAL

[図1]



S1 Granulating step

S2 Coating step

S3 Sizing step

S4 Drying step

(57) Abrégé/Abstract:

[Problem] To provide an excrement treatment material which can be treated by hydrolysis after use. [Solution] A granulated excrement-treatment material including a bonding agent, a water-absorptive resin, and a water-retaining material configured from

(57) **Abrégé(suite)/Abstract(continued):**

at least one type of material from among paper, fibre, wood, plant-based material, plastic, rubber, organic sludge, and animal-based waste, is characterized in that: the water-retaining material has a grain size of 0.6mm or less; and the bonding agent is in the range of 5-20 wt% of the total weight of the excrement treatment material.

ABSTRACT

[Problem] To provide an excrement treatment material which can be treated by hydrolysis after use. [Solution] A granulated excrement treatment material including a bonding agent, a water-absorptive resin, and a
5 water-retaining material configured from at least one type of material from among paper, fibre, wood, plant-based material, plastic, rubber, organic sludge, and animal-based waste, is characterized in that: the water-retaining material has a grain size of 0.6mm or less; and the bonding agent is in the range of 5-20 wt% of the total weight of the excrement treatment material.

