



(22) Date de dépôt/Filing Date: 1996/03/22

(41) Mise à la disp. pub./Open to Public Insp.: 1996/09/25

(45) Date de délivrance/Issue Date: 2005/04/19

(30) Priorité/Priority: 1995/03/24 (195 10 737.3) DE

(51) Cl.Int.⁶/Int.Cl.⁶ H04N 7/14


(72) Inventeurs/Inventors:
PLATTE, HANS-JOACHIM, DE;
SPRUCK, MANFRED, FR

(73) Propriétaire/Owner:
DEUTSCHE THOMSON-BRANDT GMBH, DE

(74) Agent: FETHERSTONHAUGH & CO.

(54) Titre : TERMINAL DE COMMUNICATION

(54) Title: COMMUNICATIONS TERMINAL



(57) Abrégé/Abstract:

The invention is based on a communications terminal, in particular on a video telephone, for transmitting and receiving video and audio, which contains video recording means (2) and video reproduction means (1), it being possible to switch the video recording means (2) off by means of a flap (6). In order to use the transmission capacity of the communications terminal even when the flap (6) is closed, an image which exists in a video memory (3) is transmitted in this case. A changeover is automatically made to the video memory (3) by operation of the flap (6).



Abstract

The invention is based on a communications terminal, in particular on a video telephone, for transmitting and receiving video and audio, which contains video recording means (2) and video reproduction means (1), it being possible to switch the video recording means (2) off by means of a flap (6). In order to use the transmission capacity of the communications terminal even when the flap (6) is closed, an image which exists in a video memory (3) is transmitted in this case. A changeover is automatically made to the video memory (3) by operation of the flap (6).

Figure

- 1 -

Communications terminal

The invention is based on a communications terminal for transmitting and receiving video and audio, which contains video recording means and video reproduction means, it being possible to switch the video recording means off.

Communications terminals of this type are known, for example as a video telephone or videophone. These make it possible for a user to converse electronically with another user over a relatively long distance. Images of the users are in this case transmitted in both directions at the same time.

A video telephone in which the recording means, in this case a camera, can be switched off by means of a flap is known from the Zeitmagazin [Time Magazine], No. 10, 3.3.1995, pages 24-27.

In this context, the term communications terminal also means other equipment which makes it possible to transmit video and audio in two directions for communication via a telecommunications system. Thus, for example, personal computers can be retrofitted with video recording means and video reproduction means so that it is possible, using said means, to transmit video and audio between their users.

The problem arises for a user of the communications terminal that he can be called at any time of day by a known or unknown person and this person sees the user and his private environment, possibly at an undesirable point in time.

The object of the invention is thus to develop the communications terminal in such a manner that a caller is prevented from having undesired views of the private environment of a user, without this limiting the transmission capacity and the use of a communications terminal.

The communications terminal is therefore equipped in a known manner with means using which the video recording means (camera) can be switched off, for example when a call arrives and the user does not automatically want transmissions to be permitted live. However, since the user is interested in continuous video

27779-47

-2-

transmission an image of the user, which is stored in the communications terminal, is transmitted according to the invention, at least as long as the system is not switched to normal camera operation. A stored image can be transmitted
5 once or continuously, or else an image sequence can be transmitted.

An advantageous development of the communications terminal comprises said terminal containing a video memory in which images of a plurality of people, for example of a
10 family, a group or of individual members of said group are stored, and a user can look for a desired image, which is intended to be transmitted when a call arrives, before booting up the communications terminal.

The communications terminal can also be operated
15 in such a manner that an image from the video memory is automatically transmitted when the video recording means are switched off. A changeover to the video recording means can then be made, as desired, during operation.

The communications terminal, which is used by a
20 group of people, can be set, for example, such that a standard image, for example of this group, is transmitted first when a call arrives. A user from this group can then change over to his personal image, which is stored in the video memory, during operation. Alternatively, the
25 communications terminal can be equipped with speaker identification means, which automatically change over to the image of the person speaking. The communications terminal can also be equipped with means for image processing, using which the articulation and mimicking of the user speaking
30 are evaluated and are incorporated into the image of the video memory which is currently being transmitted.

2a

The images which are stored in the video memory can be produced in an advantageous manner using the communications terminal. The video recording means which are provided on the equipment are used for this purpose, it
5 being possible for the user to monitor the image on the associated monitor. The image can then be stored in the video memory by pressing a button, as desired.

The invention may be summarized as a communications terminal for transmitting and receiving video
10 and audio, which comprises video recording means, video reproduction means, and a flap, wherein the video recording means can be switched off by closing the flap, wherein the communication terminal further comprises: video storage means in which video information is stored; a processor for
15 connection to a telecommunication transmission system; a switch having an input switchable between an output of the video recording means and an output of the video storage means and having an output connected to the processor, the switch being connected to the flap such that upon closing of
20 the flap an automatic switching of the switch input from the video recording means to the video storage means occurs; the processor, when the switch input is connected to the video recording means, transmitting video information from the video receiving means and, when the switch input is
25 connected to the video storage means, transmitting video information stored in the video storage means.

An advantageous refinement of the invention is explained

- 3 -

in more detail with reference to the schematic figure.

The figure illustrates schematically a video telephone which contains a monitor 1 for video reproduction and a camera 2 for video recording. The video telephone makes it possible to communicate via a telecommunications transmission system between two remote users, video and audio being transmitted in both directions. The means for audio transmission correspond, for example, to a known telephone system and are not illustrated in the figure.

The video telephone also contains a video memory 3 and a processor 4, which is connected between the video memory 3 and the monitor 1 and via which the connection to the telecommunications transmission system NS is made. An image from the camera 2 or an image from the video memory 3 can be transmitted over the telecommunications transmission system NS, as desired, by means of the changeover switch 5.

A flap 6, which switches the camera 2 off when it is closed, is arranged on the camera 2. Closing the flap 6 automatically results in the switch 5 making a changeover to the video memory 3, which then transmits an image from the video memory 3 instead of the image from the camera 2.

The processor 4 can be used for widely different purposes, for example for controlling the changeover switch 5, for reading from the video memory 3, for speech identification or for image processing. Using it, it is also possible to record images of a person via the camera 2, and to store them in the video memory 3. If required, the video memory 3 can store a relatively large set of images. This video memory 3 is, for example, a semiconductor memory or a hard disk. The images remain in the memory 3 even after the video telephone is switched off or in the event of a power failure.

CLAIMS:

1. A communications terminal for transmitting and receiving video and audio, which comprises video recording means, video reproduction means, and a flap, wherein the video recording means can be switched off by closing the flap, wherein the communication terminal further comprises:

video storage means in which video information is stored;

a processor for connection to a telecommunication transmission system;

a switch having an input switchable between an output of the video recording means and an output of the video storage means and having an output connected to the processor, the switch being connected to the flap such that upon closing of the flap an automatic switching of the switch input from the video recording means to the video storage means occurs;

the processor, when the switch input is connected to the video recording means, transmitting video information from the video receiving means and, when the switch input is connected to the video storage means, transmitting video information stored in the video storage means.

2. A communications terminal according to claim 1, wherein one or more images of a person using the communications terminal is or are stored in the storage means.

3. A communications terminal according to claim 1 or 2, wherein the processor has an output connected to the video storage means for passing video information from the

video recording means to the video storage means thereby to store video information.

4. A communications terminal according to any one of claims 1 to 3, wherein said terminal can be used as a video
5 telephone, as a videophone or as a computer with a camera and a modem connection.

FETHERSTONHAUGH & CO

OTTAWA, CANADA

PATENT AGENTS

