



US006454665B2

(12) **United States Patent**
Antonious

(10) **Patent No.:** **US 6,454,665 B2**
(45) **Date of Patent:** **Sep. 24, 2002**

(54) **IRON TYPE GOLF CLUB HEAD**

(76) Inventor: **Anthony J. Antonious**, 7738 Calle
Facil, Sarasota, FL (US) 34238

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.

(21) Appl. No.: **09/725,024**

(22) Filed: **Nov. 29, 2000**

Related U.S. Application Data

(63) Continuation-in-part of application No. 09/447,711, filed on
Nov. 23, 1999.

(51) **Int. Cl.**⁷ **A63B 53/04**

(52) **U.S. Cl.** **473/346; 473/350**

(58) **Field of Search** 473/324, 325,
473/326, 327, 328, 329, 330-344, 347,
348, 349, 350, 290, 291, 292, 293, 345,
346; D21/747, 748, 749, 750, 751

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,814,437 A * 6/1974 Winquist
4,326,326 A * 4/1982 MacDonald

4,826,172 A * 5/1989 Antonious
4,938,470 A * 7/1990 Antonious
5,014,993 A * 5/1991 Antonious
D319,857 S * 9/1991 Antonious
5,048,835 A * 9/1991 Gorman
5,074,563 A * 12/1991 Gorman
D329,266 S * 9/1992 Antonious
D332,478 S * 1/1993 Antonious
5,290,032 A * 3/1994 Fenton
5,328,184 A * 7/1994 Antonious
5,390,924 A * 2/1995 Antonious
5,395,113 A * 3/1995 Antonious
5,435,559 A * 7/1995 Swisshelm
5,549,297 A * 8/1996 Mahaffey
6,027,415 A * 2/2000 Takeda

* cited by examiner


Primary Examiner—Sebastiano Passaniti


(74) *Attorney, Agent, or Firm*—Welsh & Flaxman LLC


(57) **ABSTRACT**


An iron type golf club head having a unique weighting,
stabilizing and reinforcing configuration for the rear face of
a cavity back, peripheral weight club head. At least one
dominant secondary weight member is combined with at
least one auxiliary reinforcing and stabilizing weight mem-
ber extending from an innermost secondary weight member
surface across the rear face of the rear cavity.


7 Claims, 9 Drawing Sheets





























IRON TYPE GOLF CLUB HEAD**RELATED APPLICATION**

The present application is a continuation-in-part of Ser. No. 09/447,711 filed Nov. 23, 1999 for IRON TYPE GOLF CLUB.

BACKGROUND AND SUMMARY OF THE INVENTION

The present invention relates to golf clubs and, in particular, to iron type golf club heads having an improved weight distribution at the rear club face.

Iron type golf club heads have been designed with a number of different weighting systems to improve the shot making characteristics of golf clubs. Examples of patents which disclose weighting systems for golf club heads include my own U.S. Pat. Nos. 5,395,113, 5,046,733, 5,014,993, 5,011,151, 4,938,470, 4,932,658, 4,919,431, 4,919,430, 4,915,386, 4,907,806 and 4,826,172. Bypass the U.S. Pat. No. 4,826,172. Additional patents of interest are U.S. Pat. No. 3,814,437 to Winqvist, U.S. Pat. No. 5,290,032 to Fenton et al. and U.S. Pat. No. 5,595,552 to Wright et al.

The present invention is directed to a weighting system for use within the boundaries of the rear peripheral weight and within the rear cavity of a peripheral weighted golf club head which represents an improvement over the known prior art. The iron type golf club of the present invention includes a golf club head having a hosel, a body portion including a heel, toe, sole, top ridge, ball striking face with a loft greater than 12 degrees, a leading edge defined by the inner section of the ball striking face and the forwardmost progression of the bottom sole, and a rear surface of the of club face. In the preferred embodiments, the rear surface of the club face includes a primary peripheral weight extending around the outer perimeter of the club head which forms an inner cavity having a recessed rear face and an inner ledge or shelf like surface around the inner periphery of the peripheral weight. The present invention contemplates the use of at least a single dominant controlling secondary weight member, in addition to the outer primary peripheral weight, located on the inner peripheral shelf and having at least one auxiliary reinforcing and stabilizing weight member extending outwardly therefrom. The present invention further provides a unique secondary weighting system that includes two opposing, dominant secondary weighting members that are unitized by at least one connecting auxiliary weight and reinforcing member. This creates a formidable barbell shaped structure for placing substantial mass at preferred exact locations on the back of the club face surface. The barbell shaped weight distribution and reinforcing structure permits optimum transfer of energy when a golf ball is struck while simultaneously providing a reinforcing and stabilizing structure behind the width of the club face where ball contact occurs. Adverse effects from twisting, torquing and knock-back, are minimized or completely eliminated when a golf ball is struck off center. The barbell weight distribution and reinforcing structure permits all caliber of golfers to greatly improve their shot making. Golfers quickly gain confidence that the unique design of this invention is a substantial improvement over other conventional golf clubs they may have been familiar with. The present invention provides a more solid feel and a resistance to adverse effects created by off center hits such that golf balls travel further and straighter on a more consistent basis. Most noteworthy, the barbell, weight and reinforcing structure is very impressive with or without adding heavier or more dense materials to the club head.

A still further improvement is the use of high density metal material such as tungsten inserts as a part of a secondary weight and reinforcing system in certain embodiments of the present invention.

Furthermore, this invention permits controlling or avoiding any trampoline effect on golf club faces because of the increased strength and stability of the multiple auxiliary reinforcing and stabilizing weight members, thus allowing the club face to be made with variable thicknesses while still keeping within the guidelines relating to golf club conformances as set forth in the Rules of Golf.

The present invention creates the formation of an improved variably located, dominant secondary weighting and reinforcing system within the back cavity of a golf club including at least one cooperating auxiliary reinforcing member extending outwardly from the secondary weight member. Embodiments in accordance with this invention also uniquely locate substantially more effective weight in an upper portion of the cavity at the rear of the club head in back of the ball striking face. This secondary weight member and the cooperating auxiliary reinforcing and stabilizing weight members, extending inwardly into the rear cavity, place substantial weight closer to the center of the club face creating a larger more supporting and forgiving impact zone, especially when off-center ball contacts occurs. This capability permits the production of club heads with club faces that are more responsive for controlling shots that produce a variety of preferred shot making results such as lower trajectory, desired distances and accurate ball flight while minimizing or overcoming penalizing, negative lateral direction, as occurs when a ball is sliced or hooked. Improved direction and distance control and other playing advantages are experienced especially around the greens. The club head in accordance with the present invention produces a better feel and enhances executing critical shots requiring touch and finesse when the club is used for chip or pitch shots close to the green.

The unique innovation of a dominant secondary weight member located adjacent the peripheral weight mass and the cooperating auxiliary reinforcing and stabilizing weight members, extending outwardly therefrom, provides an extraordinary combination of mass closer to the center of the club head and/or behind the impact zone where ball contact occurs on the club face. Much more concentrated mass is available, precisely where it is most needed at impact. This structure transfers significantly greater energy that produces the optimum force that results in increased club head control and stability for increased distance and repeating accuracy.

In summary, the basic concept of the present invention provides more versatility than any prior art for iron-type club heads. It functions in a different manner to produce different results. The unique overall structural design, can be formed within the back cavity, at four opposing sections of the club head . . . upper or lower section, toe or heel section.

Each adaptation produces various preferred results. Forming the concept at the lower location, in the cavity, enhances the higher handicap golfers' performance . . . facilitates getting balls airborne, in a higher trajectory and also produce better results when "thin" ball contacts occur.

Forming the concept at the upper location, within the cavity, produces a much lower ball trajectory preferred by the lower handicap golfers. Forming the concept at the toe section, within the cavity, increases the "feeling of the club head's closing rotation", as it makes ball contact. This enhances the chances of higher handicap golfers making more "square face" solid-ball contacts.

Forming the concept at the heel section, within the cavity, provides an unusual amount of mass, particularly located, adjacent the base of the hosel. Providing this considerable mass at this critical location on the club head, dramatically resists the negative effects from twisting, torquing and even optimizes the Moment of Inertia, when off-center balls contacts occur. Since the hosel is the "axis" of the club head, as it is swung, the substantial additional mass available for awry-hits, provides a formidable built-in means to effectively minimize the margin of human error for all caliber of golfers.

The concept of this invention provides a considerably larger mass of the dominant secondary weighting system, including auxiliary cooperating reinforcing and stabilizing members, all located within the back cavity of the club head. The cooperating auxiliary reinforcing and stabilizing members extend from the dominant secondary weight and form probe-like extensions to the back of the impact area of the club face. The reinforcing and stabilizing members act as energizing conduits to expand the most effective hitting area, directly behind the impact area. The system permits a faster acceleration of energy transfer, directly to the precise point and at the exact instant ball contact occurs, on the club face. This creates a greater energized impact area on the club face that produces a larger "sweet spot" for optimum results, even for off-center hits.

Several of the preferred embodiments include three elongated probe like auxiliary reinforcing and stabilizing members. They extend angularly from and are combined with the dominant larger mass secondary weighting member, to create a much larger premium hitting area on the club face at impact. The concept of the present invention permits increased flexible adaptation for individual specialty wedge-type club heads or producing iron type club heads, combining the preferred functional design requirements, for complete sets of club heads.

Other embodiments disclose secondary weight members and auxiliary reinforcing and stabilizing weight configurations in various multiples, sizes and variable placements, located on the rear surface behind the club face.

An object of the present invention is the provision of an iron type golf club head having at least one dominant secondary weight, and at least two auxiliary reinforcing and stabilizing weight member formed within the rear cavity of a peripheral weighted golf club.

Another object is the provision of an improved type golf club head having a unique weighting system which provides better feel, more stability and club head control with considerable increased energy transfer to a golf ball during the execution of a golf shot.

Another object is the provision of an improved type golf club head having a dominant secondary weight which provides mass and auxiliary reinforcing and stabilizing members extending in a variety of preferred directions onto the central rear section of the club head at the back of the club head face.

Other objects and advantages of the present invention will become apparent from the following detailed description when viewed in conjunction with the accompanying drawings, which set forth certain embodiments of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGS. 1-17 are rear perspective views of seventeen embodiments of iron type golf club heads in accordance with the present invention.

FIG. 18 is a front elevational view of an iron type golf club head in accordance with the present invention.

FIGS. 19 to 33 are rear views of fifteen additional embodiments in accordance with the present invention.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

The detailed embodiments of the present invention are disclosed herein. It should be understood, however, that the disclosed embodiments are merely exemplary of the invention, which may be embodied in various forms. Therefore, the details disclosed herein are not to be interpreted as limited, but merely as the basis for the claims and as a basis for teaching one skilled in the art how to make and/or use the invention.

FIG. 18 illustrates an iron type golf club head in accordance with the present invention including, a club head body 12, a hosel 14, heel 16, toe 18, ball striking face 20, having a golf ball impact zone generally located at the center of the ball striking face 20 further defined as a center of gravity C. G. centrally located thereon, top ridge surface 22 and bottom sole 24. It will be appreciated that each of the embodiments described in FIGS. 1-17 and 19-33 include all conventional features and structural characteristics of the iron club head 10 described in this paragraph.

FIG. 1 illustrates a first embodiment of a golf club head 100 made in accordance with the present invention. While the illustrated golf club head is a cavity back, weighted club head with a primary perimeter weighting around the entire circumference, the present invention can also be applied to other iron type golf club heads having, for example reduced peripheral weight or no peripheral weight, as for example, the well known muscle back type golf irons. The club head body 114 includes a rear of primary peripheral weight 126, a rear face 128 and a rear cavity 130 formed by the peripheral weight 126. The inner edges of the primary peripheral weight 126 form a shelf 132 along the bottom, sides and upper portion of the rear cavity 130. In this embodiment, a secondary weight member 134, having a significant controlling mass, is located on and formed integrally with the rear face 128 and the peripheral shelf 132 of the peripheral weight 126 between the heel 116 and toe 118. An auxiliary stabilizing and reinforcing weight 136 is integrally formed with and extends upwardly from the secondary weight member 134 into the cavity 130 toward the center of the cavity 130 in a direction to the top ridge of the club head 100. Preferably, the auxiliary weight and reinforcing member 136 is located at or closely adjacent the center of gravity CG of the club head 100. The lower surfaces of the secondary and auxiliary weight members 134, and 136 reinforcing member and are integrally formed with the rear face 128 of the cavity 130 to provide a solid, more stabilized unitary structure at the rear of the club head 100.

FIG. 2 shows a second embodiment of an iron type golf club head 200 in accordance with the present invention. In this embodiment, a dominant secondary weight 234 lies on a lower shelf 232 within a rear cavity 230 and includes an auxiliary, weight and reinforcing member 236 extending outwardly and upwardly from the dominant secondary weight member 234 toward the heel 216. This provides additional weight and reinforcing means toward the heel 216 for a golfer having a tendency to hit the ball at this location.

FIG. 3 shows a third embodiment of an iron type golf club head 300 in accordance with the present invention including a dominant secondary weight member 334 disposed on lower peripheral weight shelf 332 in a rear cavity 330 of club

head **300**. In this embodiment, an auxiliary weight **336** extends upwardly toward the toe **318** of the club head **300** and provides additional weight for golfers who tend to hit the ball at this location.

FIG. 4 shows a fourth embodiment of an iron type golf club head **400** with a heel **416**, toe **418** and having a peripheral weight **426** forming a rear cavity **430** with a rear face **428**. A dominant secondary weight member **434** has a first portion **422** located at and integrally formed on lower peripheral weight shelf **432** in rear cavity **430**. A second upper portion **440** of dominant secondary weight member **434** extends outwardly from the peripheral weight **426** toward the center of the rear cavity **430**. In this embodiment a plurality of three auxiliary reinforcing and stabilizing weights **436, 437, 438** are attached to and extend upwardly and outwardly in diverging angular directions from the second portion **440** closest to the center of the cavity **430** and generally opposite the impact zone at the center of the ball striking face (not shown) on the opposite side of the club head **400** for optimum transfer of energy from the club head to a golf ball during impact. The three auxiliary reinforcing and stabilizing weights **436, 437, 438** extend toward the heel **416**, the center of the cavity **430** and the toe **418** on the rear face **428** of the club head **400**. Preferably the three auxiliary reinforcing and stabilizing weights **436, 437, 438** are elongated and taper to a point at the distal end farthest from the second portion of the secondary weight member **434**. These auxiliary reinforcing and stabilizing weights **436, 437, 438** span a large part of the surface area of the rear face **428** of the club head **400** providing additional weight while acting as reinforcing and stabilizing members. The auxiliary reinforcing and stabilizing members **436, 437, and 438**, extend from the dominant secondary weight member **434** attached to a portion of the primary peripheral weight **426**, across the rear club face **428**, toward but not touching, opposite portions of the primary peripheral weight **426**.

FIG. 5 shows a fifth embodiment of an iron type golf club head **500** in accordance with the present invention. A dominant, secondary weight member **534** is located on lower peripheral weight shelf **532** near the toe **518** of the club head **500**. Auxiliary reinforcing and stabilizing weights **536, 537, 538** extend in opposing directions upwardly and outwardly from the dominant secondary weight **534** into cavity **530** of the club head **500**.

FIG. 6 shows a sixth embodiment of an iron type golf club head **600** in accordance with the present invention. A dominant secondary weight member **634** is located on peripheral weight shelf **632** at the upper toe portion **618** of the club head **600**. A series of tapered auxiliary reinforcing and stabilizing weights **636, 637, 638** extend outwardly and downwardly in diverging directions from the secondary weight **634** across the rear face **628** behind the sweet spot, or center of gravity on the ball striking face, not shown of the cavity **630**.

FIG. 7 shows a seventh embodiment of an iron type golf club head **700** in accordance with the present invention and includes a dominant secondary weight member **734** located on an upper peripheral weight shelf **732** and located adjacent the heel **716** of the club head **700**. A series of elongated and tapered auxiliary reinforcing and stabilizing weights **736, 737, 738** extend outwardly in diverging directions across the rear face **728** into cavity **730** of the club head.

FIG. 8 shows an eighth embodiment of an iron type golf club head **800** in accordance with the present invention including a dominant secondary weight member **834** located along an upper shelf **815** of peripheral weight **832**. A series

of auxiliary reinforcing and stabilizing weights **836, 837, 838** extend downwardly from the secondary weight **834** across the rear face **828** into the cavity **830**.

FIG. 9 shows a ninth embodiment of an iron type golf club head **900** in accordance with the present invention which is similar in structure to the embodiment shown in FIG. 4. In this embodiment, a dominant secondary weight member **934** lies on a lower peripheral weight shelf **932** and extends between the heel **916** and the toe **918** of the club head **900**. In this embodiment, the secondary weight member **934** extends most of the way between the toe **918** and heel **916** along the shelf **932**. Auxiliary reinforcing and stabilizing weights **936, 937, 938** extend upwardly and outwardly across the rear face **928** toward the heel **916**, center and toe **918** of the club head **900** respectively.

FIG. 10 shows a tenth embodiment of an iron type golf club head **1000** in accordance with the present invention and includes two opposing, dominant secondary weight members **1034** and **1035** located on an upper portion of cavity **1030** at the heel **1016** and toe **1018** of the club head **1000** respectively. The opposing secondary weight members **1034** and **1035** are connected by a single arcuate auxiliary reinforcing and stabilizing weight member **1036**.

FIG. 11 shows an eleventh embodiment of an iron type golf club head **1100**, in accordance with the present invention which is similar to the embodiment shown in FIG. 10. In this embodiment a pair of dominant secondary weight members **1134** and **1135** are located on a lower portion of an inner shelf **1132** formed by the peripheral weight **1126** and located adjacent the heel **1104** and toe **1106** respectively. The opposing secondary weight members **1134** and **1135** are connected by an arcuate auxiliary reinforcing and stabilizing weight **1136** across rear face **1128** of the rear cavity **1130**.

FIG. 12 shows a twelfth embodiment of a golf club head **1200** in accordance with the present invention and includes two opposing, dominant secondary weight members **1234** and **1235** formed at the heel **1216** and toe **1218** of the club head **1200** respectively. The secondary weight members **1234** and **1235** are integrally formed on a lower peripheral weight shelf **1232** and rear face **1228** of cavity **1230**. In this embodiment auxiliary reinforcing and stabilizing weights **1236** and **1237** extend upwardly in diverging, inward directions across the rear face **1228** into the cavity **1230** from a top surface **1222** of the respective secondary weights **1234** and **1235**.

FIG. 13 illustrates a thirteenth embodiment of an iron type golf club head **1300** in accordance with present invention and includes a single dominant secondary weight member **1334** formed on a lower peripheral weight shelf **1332** and integral with rear face **1328** midway along the length of a lower portion of the cavity **1330**. In this embodiment two auxiliary reinforcing and stabilizing weights **1336** and **1337** extend from an upper surface **1335** of the secondary weight **1334** to the heel **1316** and toe **1318** of the club head **1300** respectively.

FIG. 14 shows a fourteenth embodiment of a iron type golf club head **1400** in accordance with the present invention including a pair of opposing dominant secondary weight members **1434** and **1435** formed adjacent peripheral weight shelf **1432** at the top and bottom of rear cavity **1430** integral with rear face **1428**. In this embodiment opposing arcuate auxiliary reinforcing and stabilizing weights **1436** and **1437** are attached to and interconnect weight members **1434** and **1435**.

FIG. 15 illustrates a fifteenth embodiment of an iron type golf club head **1500** in accordance with the present inven-

tion. In this embodiment a single, dominant, secondary weight member **1534**, generally trapezoidal in shape, is located on peripheral weight shelf **1532** in the cavity **1530** and integral with rear wall **1528** approximately midway between heel **1516** and toe **1518**. Auxiliary reinforcing and stabilizing weights **1536** and **1537** extend upwardly toward the toe **1516** and heel **1518** respectively.

FIG. **16** shows a sixteenth embodiment of an iron type golf head **1600** in accordance with the present invention. In this embodiment a single secondary weight member **1634** is positioned on lower peripheral weight shelf **1632** approximately midway between heel **1616** and toe **1618** on rear face **1628** in cavity **1630**. A pair of opposing arcuate auxiliary reinforcing and stabilizing weights **1636** and **1637** extend from edges of the weight member **1634** toward the heel **1616** and toe **1618** respectively.

FIG. **17** illustrates still another embodiment of an iron type golf club head **1700** in accordance with the present invention including a pair of opposing dominant secondary weight members **1734** and **1735** formed on lower peripheral weight shelf **1732**. In this embodiment, a single arcuate, auxiliary reinforcing and stabilizing weight member **1736** connects the top surfaces of secondary weights **1734** and **1735**.

FIGS. **19**, **20**, **21**, **22** and **23** all show various embodiments of golf club heads **1900**, **2000**, **2100**, **2200** and **2300** which use a variety of different shaped tungsten secondary weight inserts or molten tungsten forming a matrix retained in a cavity provided in the secondary weighting structure, in combination with auxiliary reinforcing members as described hereinabove. The tungsten inserts provide heavier weights than would normally exist if the weight member were integrally formed with the rear of the club head from the same material.

FIG. **19** shows a club head **1900** having a dominant secondary weight member **1930**, formed on upper peripheral weight **1931**, which is generally arcuate in shape with a cavity **1935**. A tungsten insert **1932** is secured in the cavity **1935** by mechanical means, suitable adhesive or bonding materials. Auxiliary reinforcing and stabilizing weights **1940**, **1942** and **1944** radiate downwardly from the upper secondary weight member **1930**.

FIG. **20** shows a club head **2000** having a dominant secondary weight member **2030**, generally arcuate in shape and formed with a cavity **2035**. A tungsten insert is secured in the cavity **2035** on a lower portion of rear face **2040**. A trapezoidal auxiliary reinforcing and stabilizing weight member **2045** extends upwardly from the top surface **2022** secondary weight member **2030** on rear face **2038** of rear cavity **2040**.

FIG. **21** shows a golf club head **2100** having a dominant secondary weight member **2130** generally arcuate in shape and formed with a cavity **2135**. A tungsten insert **2132** is secured in the cavity **2135** located on a lower portion of rear face **2140**. Auxiliary reinforcing and stabilizing weights **2145** and **2146** extend upwardly from an outer surface of secondary weight member **2130** across the rear face **2140**.

FIG. **22** shows a golf club head **2200** having a dominant secondary weight member **2230**, generally round in shape and formed with a cavity **2235** and located on a heel portion of rear face **2240**. A tungsten insert **2232** is secured in the cavity **2235**. Auxiliary reinforcing and stabilizing members **2245** and **2246**, having different lengths respectively extend outwardly from secondary weight member **2230** across rear face **2238** of rear cavity **2240**.

FIG. **23** shows a golf club head **2300** having a dominant secondary weight member **2320**, and formed with a cavity

2322 generally round in shape and located on rear face **2324** adjacent upper toe portion **2326** of the club head **2300**. A tungsten insert **2323** is secured in the cavity **2322**. Auxiliary reinforcing and stabilizing weights **2328** and **2330** of different lengths extend across rear face **2324** from the secondary weight member **2320**.

FIG. **24** shows a golf club head **2400** in accordance with the present invention including a pair of opposing secondary weight members **2434** and **2435** which form a split trapezoidal shape. Auxiliary reinforcing and stabilizing weights **2436** and **2437** extend from secondary weight members **2434** and **2435** respectively toward the heel **2416** and toe **2418** of the club head **2400**.

FIGS. **25** and **26** show still another embodiment of a golf club head **2500** in accordance with the present invention. A secondary weight member **2520** is integrally formed with peripheral weight **2522** at an upper toe area **2524** of the club head **2500**. The secondary weight member **2520** includes a round cavity **2528** and a tungsten insert **2526**, which fits into the cavity **2528**. An arcuate auxiliary reinforcing and stabilizing weight member **2530** is integrally formed on rear face **2532** and extends downwardly between secondary weight member **2520** and a shelf **2534** on a lower portion of peripheral weight **2522**.

FIG. **27** shows an embodiment of a golf club head **2700** having a dominant secondary weight member **2720** integrally formed with peripheral weight **2722** at an upper toe area **2724**. An auxiliary reinforcing and stabilizing member **2726**, integrally formed on rear face **2728**, extends downwardly between the secondary weight member **2720** and a shelf **2730** of peripheral weight **2722**. The auxiliary reinforcing and stabilizing member **2726** includes a curved, arcuate surface **2732** which forms an upper side edge thereof.

FIG. **28** shows an embodiment of a golf club head **2800** having a dominant secondary weight member **2820** integrally formed with peripheral weight **2822** at an upper toe area **2824**. An auxiliary reinforcing and stabilizing member **2826**, integrally formed on rear face **2828**, extends downwardly between the secondary weight member **2820** and a lower shelf **2830** of peripheral weight **2822**. The auxiliary reinforcing and stabilizing member **2826** includes a curved surface **2832** which forms a lower side edge thereof.

FIG. **29** shows an embodiment of a golf club head **2900** having a dominant secondary weight member **2920** integrally formed with peripheral weight **2922** at an upper toe area **2924**. An auxiliary reinforcing and stabilizing weight member **2926**, integrally formed on rear face **2928**, downwardly from the secondary weight member **2920** and a lower shelf **2930** of peripheral weight **2922**. The auxiliary reinforcing and stabilizing member **2926** includes upper and lower side edges **2932** and **2934** which are linear and which taper upwardly toward the secondary weight member **2920**.

FIG. **30** shows an embodiment of a golf club head **3000** including a secondary weight member **3020** integrally formed with peripheral weight **3022** at an upper toe area **3024** of the club head **3000**. An auxiliary reinforcing and stabilizing member **3030** is formed on the rear face **3032** between secondary weight member **3020** and a shelf **3034** on a lower portion of peripheral weight **3022**.

FIG. **31** shows a bar-bell shaped embodiment of a golf club head **3100** including a dominant secondary weight member **3120** integrally formed at an upper toe area **3124** of the club head **3100** and another dominant secondary weight member **3126** formed on a lower shelf **3134** of peripheral weight **3122** of the club head **3100**. An auxiliary reinforcing

and stabilizing member 3130 is formed on the rear face 3132 between secondary weight member 3120 and secondary weight member 3126.

FIG. 32 shows an embodiment of a golf club head 3200 including a secondary weight member 3220 integrally formed at an upper toe area 3224 of the club head 3200. An auxiliary reinforcing and stabilizing member 3226 is formed on the rear face 3232 extending downwardly from secondary weight 3220 toward, but not touching, lower peripheral weight 3222.

FIG. 33 shows an embodiment of a golf club head 3300 including four opposing, secondary weight members 3320, 3322, 3324 and 3326 integrally formed on rear face 3328 adjacent heel 3330, toe 3332 area, upper top ridge 3334, and bottom sole 3336 of the club head 3300. Four opposing auxiliary reinforcing and stabilizing weight members 3338 extend outwardly onto the rear face 3328 from each of the four opposing, secondary weight members 3320, 3322, 3324 and 3326.

While various preferred embodiments have been shown and described, it will be understood that there is no intent to limit the invention by such disclosure, but rather, is intended to cover all modifications and alternate constructions falling within the spirit and scope of the invention as defined in the claims.

What is claimed is:

1. An iron type golf club head including a hosel, heel, toe, bottom sole, top ridge surface, ball striking face having a centrally located ball impact zone and a primary peripheral weight formed rearwardly on said club head creating a back cavity having a rear face and upper, side and lower shelf surfaces wherein the improvement comprises:

- a secondary weight and reinforcing system including a dominant secondary weight member and at least two smaller auxiliary, reinforcing and stabilizing weight members, in combination therewith; said secondary weight and reinforcing system located on said rear face; said dominant secondary weight member located adjacent to a portion of said primary peripheral weight and

said auxiliary, reinforcing and stabilizing weight members extending from said dominant secondary weight member onto said rear face within said back cavity toward and spaced from portions of said primary peripheral weight opposite said dominant secondary weight member; said auxiliary, reinforcing and stabilizing weight members formed with an elongated shape, extending away from said dominant secondary weight member into said back cavity of said rear face;

and, at least one of said plurality of auxiliary, reinforcing and stabilizing weight members being centrally located adjacent a center area of said rear cavity behind said centrally located impact zone of said ball striking face, and at least one additional of said auxiliary, reinforcing and stabilizing weight members extending onto said rear cavity in a direction away from said center area of said rear cavity.

2. The golf club head of claim 1 wherein said dominant secondary weight member is integrally formed with said primary peripheral weight.

3. The golf club head of claim 1 wherein said auxiliary, reinforcing and stabilizing weight members are tapered in a direction away from said dominant secondary weight member.

4. The golf club head of claim 2 wherein said dominant secondary weight member is located on said lower shelf surface of said primary peripheral weight approximately midway between said heel and said toe.

5. The golf club head of claim 2 wherein said dominant secondary weight member is located on a toe side shelf surface of said primary peripheral weight.

6. The golf club head of claim 2 wherein said dominant secondary weight member is located on a heel side shelf surface of said primary peripheral weight.

7. The golf club head of claim 2 wherein said dominant secondary weight member is located on said upper shelf surface of said primary peripheral weight.

* * * * *