



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : B01J 31/02	A1	(11) International Publication Number: WO 96/18459 (43) International Publication Date: 20 June 1996 (20.06.96)
(21) International Application Number: PCT/GB95/02781 (22) International Filing Date: 28 November 1995 (28.11.95) (30) Priority Data: 9425105.5 13 December 1994 (13.12.94) GB (71) Applicant (for all designated States except US): BP CHEMICALS LIMITED [GB/GB]; Britannic House, 1 Finsbury Circus, London EC2M 7BA (GB). (72) Inventor; and (75) Inventor/Applicant (for US only): ELLIS, Brian [GB/GB]; 44 Sunmead Road, Lower Sunbury, Middlesex TW16 7LN (GB). (74) Agent: KRISHNAN, Suryanarayana, Kalyana; BP International Limited, Group Patents & Agreements, Chertsey Road, Sunbury-on-Thames, Middlesex TW16 7LN (GB).		(81) Designated States: AL, AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT, UA, UG, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, LS, MW, SD, SZ, UG). Published <i>With international search report.</i>
(54) Title: IONIC LIQUIDS (57) Abstract This invention relates to a process for making ionic liquids by reacting a solution of a lead salt of an anion desired in the ionic liquid with a solution of a halide of a cation desired in said ionic liquid, separating the precipitate of the lead halide so formed to leave behind a solution of the desired ionic liquid. Ionic liquids are versatile and can be used as catalysts in a number of hydrocarbon conversion reaction such as e.g. alkylation, oligomerisation, isomerisation and polymerisation.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

IONIC LIQUIDS

This invention relates to a method of making ionic liquids using relatively inexpensive reactants.

Ionic liquids are primarily salts or mixtures of salts which melt below room temperature. Such salts or mixtures comprise a cation and an anion and the anion
5 itself may be a salt such as eg haloaluminate. Thus, ionic liquids include in various combinations one or more anions such as eg haloaluminates, nitrates, sulphates, fluoroborates and acetates in combination with one or more cations such as imidazolium, pyridinium and phosphonium cations each of which may carry hydrocarbonyl substituents. Examples of the source of cations include one or more
10 of 1-methyl-3-butyl imidazolium halides, 1-butyl pyridinium halide and tetrabutyl phosphonium halides.

It is known to prepare such ionic liquids by various methods. For instance, in J Chem. Soc. Chem. Comm. 965 (1992), Wilkes et al describe a method of preparing ionic liquids which involves:

15 (i) mixing a methanol-water solution of a silver salt of an anion such as the acetate, tetrafluoroborate, nitrate or sulphate with a methanol-water solution of an equimolar amount of 1-ethyl, 3-methyl-imidazolium chloride, (ii) filtering off the resultant precipitate of silver chloride and (iii) evaporating the solvent to leave behind the ionic liquid so formed. Whilst the process is very efficient, it is
20 relatively uneconomic in that silver salts are relatively expensive. It has now been found that such ionic liquids can be prepared by using relatively inexpensive raw materials.

Accordingly, the present invention is a method for making ionic liquids said process comprising reacting a solution of a lead salt of an anion desired in the ionic
25 liquid with a solution of a halide of a cation desired in said ionic liquid, separating

the precipitate of the lead halide so formed to leave behind a solution of the desired ionic liquid.

The lead salt used to make the desired ionic liquid may be selected from the group comprising acetate, fluoroborate, nitrate and sulphate. The salt of the cation
5 reacted with the lead salt may be selected from the group comprising an imidazolium chloride, a pyridinium chloride, a phosphonium chloride, and hydrocarbyl substituted derivatives of such cations. Examples of such cations include H-pyridinium; alkyl pyridinium; alkyl, alkyl imidazolium; trialkyl, alkyl phosphonium; and trialkyl, alkyl ammonium. Each of the hydrocarbyl groups such
10 as alkyl groups in such cations may contain 2-20 carbon atoms.

The two salts, suitably in equimolar proportions, are suitably reacted together in the form of their respective solutions, suitably an aqueous alcoholic solutions eg in aqueous methanol. The aqueous alcoholic solution suitably contains alcohol and water in a volume ratio of about 4:1. The reaction can be
15 carried out at ambient temperature and the resultant precipitate of lead chloride can be separated from the solution by filtration. In order to enable completion of the reaction, it is preferable to allow the filtrate resulting from separation of the initial deposit of lead chloride precipitate to stand for a further period of time. This is suitably carried out by leaving the solution to stand overnight in a cool place such
20 as eg a refrigerator so that any lead chloride (which has a small solubility in water at ambient temperature) remaining in solution can separate out and is removed by a further filtration. Thereafter, the solvent component of the filtrate can be removed by conventional methods such as eg distillation or rotary evaporation to leave behind the desired ionic liquid.

25 The method described above can be used to make ionic liquids from any cations derivable from a cation selected from imidazolium, pyridinium or phosphonium halides or the hydrocarbyl substituted derivatives thereof, especially those cations which include H-pyridinium; alkyl pyridinium; alkyl, alkyl imidazolium; trialkyl, alkyl phosphonium; and trialkyl, alkyl ammonium.

30 Ionic liquids made by the method of the present invention can be used in all known reactions where such ionic liquids function as catalysts such as eg oligomerization, polymerization and alkylation reactions.

The present invention is further illustrated with reference to the following Examples.

EXAMPLE 1:**Preparation of 1-Butyl, 3-methylimidazolium nitrate:**

Lead nitrate (0.2 M) was dissolved in a solution (400 ml) of methanol in water (4:1 v/v). Not all the solid dissolved so a further 100 ml of distilled water was added
5 and the solution refluxed until all the white solid had dissolved. Butyl, methyl imidazolium chloride (0.2 M) was also dissolved in a solution (100 ml) of methanol in water (4:1 v/v) and then added to the lead nitrate solution. A white precipitate was formed. The mixture was then refluxed at 70-100°C approximately for 30 minutes and then left to cool to ambient temperature. The cooled solution was
10 filtered to separate the precipitate and the filtrate was then left in a refrigerator to allow further precipitation of any dissolved lead chloride. This was then filtered again and the filtrate recovered. The aqueous methanol solvent was removed from the second filtrate by evaporation under vacuum at about 100°C for approximately 90 minutes. A yellow ionic liquid comprising 1-butyl, 3-methyl imidazolium nitrate
15 substantially free of solvent was recovered.

20

25

30

35

Claims:

1. A process for making ionic liquids said process comprising reacting a solution of a lead salt of an anion desired in the ionic liquid with a solution of a halide of a cation desired in said ionic liquid, separating the precipitate of the lead halide so formed to leave behind a solution of the desired ionic liquid.
- 5 2. A process according to Claim 1 wherein the lead salt used to make the desired ionic liquid is selected from the acetate, fluoroborate, nitrate and sulphate.
3. A process according to Claim 1 or 2 wherein the salt of the cation reacted with the lead salt is selected from an imidazolium chloride, a pyridinium chloride, a phosphonium chloride and the hydrocarbyl substituted derivatives of such cations.
- 10 4. A process according to any one of the preceding Claims wherein the cation reacted with the lead salt is selected from the group: H-pyridinium; alkyl pyridinium; alkyl, alkyl imidazolium; trialkyl, alkyl phosphonium; and trialkyl, alkyl ammonium.
5. A process according to Claim 3 or 4 wherein each of the hydrocarbyl groups in the cations contain from 2-20 carbon atoms.
- 15 6. A process according to any one of the preceding Claims wherein the lead salt and the salt of the cation are reacted together in equimolar proportions in the form of their respective solutions.
7. A process according to Claim 6 wherein the salts are in the form of their aqueous alcoholic solutions.
- 20 8. A process according to Claim 6 wherein the aqueous alcoholic solutions contain the alcohol and water in a volume ratio of about 4:1.
9. A process according to any one of the preceding Claims 6-8 wherein the reaction is carried out at ambient temperature and the resultant precipitate of lead chloride can be separated from the solution by filtration.
- 25

10. A process for producing ionic liquid according to any one of the preceding Claims and as hereinbefore described with reference to the Examples.

5

10

15

20

25

30

35

INTERNATIONAL SEARCH REPORT

 Interna Application No
 PCT/GB 95/02781

 A. CLASSIFICATION OF SUBJECT MATTER
 IPC 6 B01J31/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

 Minimum documentation searched (classification system followed by classification symbols)
 IPC 6 B01J C07C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	JOURNAL OF THE CHEMICAL SOCIETY, CHEMICAL COMMUNICATIONS, 1992 LETCHWORTH GB, pages 965-967, WILKES J S ET AL. 'Air and Water Stable 1-Ethyl-3-methylimidazolium Based Ionic Liquids' see the whole document ---	1-10
A	FR,A,1 318 190 (ARMOUR AND CO.) 10 May 1963 see claims 1-6 ---	1,2,4,5, 7,9,10
A	EP,A,0 443 167 (BAYER AG) 28 August 1991 see column 3, line 12 - column 5, line 23 --- -/--	1,3-10

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

28 February 1996

Date of mailing of the international search report

11.03.96

Name and mailing address of the ISA

 European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
 Fax (+ 31-70) 340-3016

Authorized officer

Eijkenboom, A

INTERNATIONAL SEARCH REPORT

Intern: al Application No
PCT/GB 95/02781

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP,A,0 558 187 (BP CHEMICALS LTD.) 1 September 1993 see page 2, line 1 - line 15 see page 3, line 12 - line 21; claims 1-10 ---	1,3-5
A	FR,A,2 626 572 (INSTITUT FRANCAIS DU PETROLE) 4 August 1989 see page 1, line 32 - page 3, line 32 ---	1,3-5
A	EP,A,0 448 445 (INSTITUT FRANCAIS DU PETROLE) 25 September 1991 see claims 1-20 ---	1,3-5
A	EP,A,0 101 239 (MEIDENSHA ELECTRIC MFG.CO. LTD.) 22 February 1984 see page 4, paragraph 5; claims 1-7 -----	1-6,10

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 95/02781

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR-A-1318190	10-05-63	NONE	
EP-A-443167	28-08-91	DE-A- 4005762 CA-A- 2034622 JP-A- 4211673	29-08-91 24-08-91 03-08-92
EP-A-558187	01-09-93	JP-A- 5279422 US-A- 5304615	26-10-93 19-04-94
FR-A-2626572	04-08-89	NONE	
EP-A-448445	25-09-91	FR-A- 2659871 CA-A- 2038712 JP-A- 4217633 US-A- 5104840	27-09-91 21-09-91 07-08-92 14-04-92
EP-A-101239	22-02-84	JP-C- 1754656 JP-B- 4041473 JP-A- 59028588 CA-A- 1228325 US-A- 4479856	23-04-93 08-07-92 15-02-84 20-10-87 30-10-84