US00D560552S

(12) United States Design Patent

Saitsu

(10) Patent No.: US D560,552 S
(45) Date of Patent: ** Jan. 29, 2008

(54) **BUCKLE**

(75) Inventor: **Natsuko Saitsu**, Kurobe (JP)

(73) Assignee: **YKK Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/265,214**

(22) Filed: **Aug. 28, 2006**

(30) **Foreign Application Priority Data**

Mar. 6, 2006 (JP) 2006-005473

(51) **LOC (8) Cl.** **02-07**
(52) **U.S. Cl.** **D11/216**
(58) **Field of Classification Search** ..... D11/200–201, D11/206–210, 214–216, 218; 24/163 R, 24/169–171, 173, 177–179, 191, 194, 195, 24/200, 197, 615
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D468,233	S	*	1/2003	Della Valle	D11/216
D484,070	S		12/2003	Buscart	
D519,878	S	*	5/2006	Anscher	D11/216
D524,693	S	*	7/2006	Uehara et al.	D11/216
D535,915	S	*	1/2007	Yang	D11/216
D536,641	S	*	2/2007	Yang	D11/216
D543,897	S	*	6/2007	Anscher	D11/218

FOREIGN PATENT DOCUMENTS

JP	1241822	6/2005
JP	1242530	6/2005
JP	1258296	12/2005

* cited by examiner

Primary Examiner—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Everest Intellectual Property Law Group; Michael S. Leonard

(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. **1** is a front view of a buckle of the claimed design.

FIG. **2** is a rear view of the buckle of FIG. **1**.

FIG. **3** is a plan view of the buckle of FIG. **1**.

FIG. **4** is a base view of the buckle of FIG. **1**.

FIG. **5** is a right side view of the buckle of FIG. **1**.

FIG. **6** is a perspective view of the buckle of FIG. **1**.

FIG. **7** is a front view of a male member of the buckle of FIG. **1**.

FIG. **8** is a rear view of the male member of FIG. **7**.

FIG. **9** is a plan view of the male member of FIG. **7**.

FIG. **10** is a base view of the male member of FIG. **7**.

FIG. **11** is a right side view of the male member of FIG. **7**.

FIG. **12** is a perspective view of the male member of FIG. **7**.

FIG. **13** is a front view of a female member of the buckle of FIG. **1**.

FIG. **14** is a rear view of the female member of FIG. **13**.

FIG. **15** is a plan view of the female member of FIG. **13**.

FIG. **16** is a base view of the female member of FIG. **13**.

FIG. **17** is a right side view of the female member of FIG. **13**; and,

FIG. **18** is a perspective view of the female member of FIG. **13**.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18

