



US00D710798S

(12) **United States Design Patent**
Awiszus et al.

(10) **Patent No.:** **US D710,798 S**

(45) **Date of Patent:** **** Aug. 12, 2014**

(54) **HEADSET BATTERY CHARGER**

(71) Applicant: **3M Innovative Properties Company**,
St. Paul, MN (US)

(72) Inventors: **Steven T. Awiszus**, Woodbury, MN (US);
Johan M. Sallander, Jönköping (SE)

(73) Assignee: **3M Innovative Properties Company**,
St. Paul, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/470,542**

(22) Filed: **Oct. 22, 2013**

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**

USPC **D13/107**

(58) **Field of Classification Search**

CPC Y02E 60/12; Y02T 90/14; Y02T 90/122;
Y02T 90/128; Y02T 90/163; H02J 7/025;
H02J 7/0042; H02J 7/0044; H02J 7/0045;
H02J 7/0003; H01F 38/14; H01R 13/6675;
H01M 2/1022; H01M 2/1055; H01M 10/44;
H01M 10/46; H01M 10/425; B60L 11/182
USPC D13/107-110, 118-119, 184, 199;
D14/251, 253, 432, 434; 320/107-115
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D241,555 S * 9/1976 Goldman et al. D13/107
D278,704 S * 5/1985 Claxton et al. D13/107
D397,084 S * 8/1998 Siddoway D13/107

D509,788 S * 9/2005 Schlieffers et al. D13/108
D510,562 S * 10/2005 Lodato et al. D13/108
D519,921 S * 5/2006 Claxton et al. D13/108
D520,447 S * 5/2006 Liu D13/108
D523,810 S * 6/2006 Doong D13/108
D530,667 S * 10/2006 Viduya et al. D13/107
D588,536 S * 3/2009 Wahl et al. D13/108
D601,953 S * 10/2009 Asai D13/107
8,169,191 B2 * 5/2012 Werthman et al. 320/132
D680,066 S * 4/2013 Kinoshita et al. D13/107
8,482,251 B2 * 7/2013 McGary et al. 320/114
2007/0216352 A1 * 9/2007 Shaddle 320/114
2009/0212738 A1 * 8/2009 Coonan et al. 320/113
2011/0193523 A1 * 8/2011 Law 320/113
2013/0328523 A1 * 12/2013 Ota et al. 320/107

* cited by examiner

Primary Examiner — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — David B. Patchett


(57) **CLAIM**

The ornamental design for a headset battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing the new design for a headset battery charger;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and
FIG. 7 is a bottom view thereof.
The broken lines in the drawings are shown for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7