



US 20030191290A1

(19) **United States**

(12) **Patent Application Publication**

Eaton et al.

(10) **Pub. No.: US 2003/0191290 A1**

(43) **Pub. Date: Oct. 9, 2003**

- (54) **SECRETED AND TRANSMEMBRANE POLYPEPTIDES AND NUCLEIC ACIDS ENCODING THE SAME**
- (75) Inventors: **Dan L. Eaton**, San Rafael, CA (US); **Ellen Filvaroff**, San Francisco, CA (US); **Mary E. Gerritsen**, San Mateo, CA (US); **Audrey Goddard**, San Francisco, CA (US); **Paul J. Godowski**, Hillsborough, CA (US); **J. Christopher Grimaldi**, San Francisco, CA (US); **Austin L. Gurney**, Belmont, CA (US); **Colin K. Watanabe**, Moraga, CA (US); **William I. Wood**, Hillsborough, CA (US)

- Correspondence Address:
KNOBBE, MARTENS, OLSON & BEAR, LLP
2040 MAIN STREET
FOURTEENTH FLOOR
IRVINE, CA 92614 (US)
- (73) Assignee: **Genentech, Inc.**, South San Francisco, CA (US)
- (21) Appl. No.: **10/063,668**
- (22) Filed: **May 7, 2002**

Related U.S. Application Data

- (63) Continuation of application No. 10/006,867, filed on Dec. 6, 2001, which is a continuation of application No. 09/908,827, filed on Jul. 18, 2001, which is a continuation of application No. 09/869,599, filed on Jun. 29, 2001, now abandoned, which is a continuation of application No. 09/874,503, filed on Jun. 5, 2001, which is a continuation of application No. 09/870,574, filed on May 30, 2001, now Pat. No. 6,551,799, which is a continuation of application No. 09/854,280, filed on May 10, 2001, which is a continuation of application No. 09/854,208, filed on May 10, 2001, which is a continuation of application No. 09/816,744, filed on Mar. 22, 2001, now Pat. No.

6,579,520, which is a continuation of application No. 09/747,259, filed on Dec. 20, 2000, now Pat. No. 6,569,645, which is a continuation of application No. 09/709,238, filed on Nov. 8, 2000, now abandoned, which is a continuation of application No. 09/664,610, filed on Sep. 18, 2000, now abandoned, which is a continuation of application No. 09/665,350, filed on

(List continued on next page.)

(30) **Foreign Application Priority Data**

Mar. 8, 1999	(WO)		PCT/US99/05028
May 14, 1999	(WO)		PCT/US99/10733
Dec. 30, 1999	(WO)		PCT/US99/31274
Feb. 18, 2000	(WO)		PCT/US00/04341
Mar. 1, 2000	(WO)		PCT/US00/05601
Mar. 2, 2000	(WO)		PCT/US00/05841
Mar. 21, 2000	(WO)		PCT/US00/07532
Jun. 2, 2000	(WO)		PCT/US00/15264
Aug. 24, 2000	(WO)		PCT/US00/23328
Nov. 10, 2000	(WO)		PCT/US00/30873
Dec. 1, 2000	(WO)		PCT/US00/32678
Dec. 20, 2000	(WO)		PCT/US00/34956
Feb. 28, 2001	(WO)		PCT/US01/06520
Dec. 30, 1998	(KR)		1998-62142
Jun. 1, 2001	(WO)		PCT/US01/17800
May 22, 2000	(WO)		PCT/US00/14042

Publication Classification

- (51) **Int. Cl.⁷** **C07K 16/40**
- (52) **U.S. Cl.** **530/388.1**

(57) **ABSTRACT**

The present invention is directed to novel polypeptides and to nucleic acid molecules encoding those polypeptides. Also provided herein are vectors and host cells comprising those nucleic acid sequences, chimeric polypeptide molecules comprising the polypeptides of the present invention fused to heterologous polypeptide sequences, antibodies which bind to the polypeptides of the present invention and to methods for producing the polypeptides of the present invention.

GGGGCTTCGGCGCCAGCGGCCAGCGCTAGTCGGTCTGGTAAGGATTACAAAAGTGCAGGTATG
AGCAGGCTGAGAGCTAACATTTGTGAAGTTGTAABACAGAAAACCTGTTAGAAATGTGGTGGT
TTCAGCAGGCGCTCAGTTTCCCTTCAGCCCTTGTAATTTGGACATCTGCTGCTTTCATATTT
TCATACATTACTGCAGTAACACTCCACCATATAGACCGGCTTACCTTATATCAGTGACATGG
TACAGTAGCTCCAGAAAATGCTTATTTGGGGCAATGCTAAATATTGGGCGAGTTTATGCATTG
CTACAGTTATGTTGCTTATAAGCAAGTTTCATGCTCTGAGTCTGAGAGAACGTTATCATCAA
TTAAACAGGCTGGCCTTGTAAGTGAATACTGAGTTGTTAGGACTTTCTATTGTGCAAACTT
CCAGAAAACAAACCTTTTGTGTCACATGTAAGTGGAGCTGTGCTTACCTTTGGTATGGGCTCAT
TATATATGTTTGTTCAGACCATCTTCTCTACCAATGCAGCCAAAATCCATGGCAACAGCTC
TCTCGGATCAGACTGTTGTTGGTTATCTGGTGGAGTAAGTGCACTAGCATGCTGACTTGTCTC
ATCATTTTGCACAGTGGCAATTTTGGGACTGATTTAGAACAGAACTCCATTGAACCCCGAGG
ACAAAGGTTATGTGCTTCACATGATCACTACTGCAGCAGAAATGCTCTATGTCATTTCTCTCTT
GGTTTTTCTGACTTACATTCGTGATTTTCAGAAAATTTCTTTACGGGTGGAAGCCAAATTTACA
TGGATTAAACCTCTATGACACTGCACCTTGCCCTATTAAACATGAACAAACGCGCTACTTTCCA
GAGATATTGATGAAGGATAAAATATTCTGTAATGATTATGATTTCTCAGGGATTGGGGAAGG
TTCACAGAGTTGCTTATCTCTCTGAAATTTTCAACCACCTAATCAAGGCTGACAGTAACACT
GATGATGCTGATATCAGGAACATGAAGAAGCCATTTGATAGATTATTCTAAAGGATATCAT
CAAGAAGACTATTAAACACCTATGCCTATACTTTTATCTCAGAAAATAAGTCAAAAGACT
ATG

Related U.S. Application Data

Sep. 18, 2000, which is a continuation of application No. 09/644,848, filed on Aug. 22, 2000, which is a continuation of application No. 09/423,844, filed on Nov. 12, 1999, now abandoned, which is a continuation of application No. 09/403,297, filed on Oct. 18, 1999, now abandoned, which is a continuation of application No. 09/397,342, filed on Sep. 15, 1999,

which is a continuation of application No. 09/380,142, filed on Aug. 25, 1999, now abandoned, which is a continuation of application No. 09/380,138, filed on Aug. 25, 1999, now abandoned, which is a continuation of application No. 09/380,137, which is a continuation of application No. 09/311,832, filed on May 14, 1999, which is a continuation of application No. 09/380,139, filed on Aug. 25, 1999, now abandoned.

FIGURE 1

GGGGCTTCGGCGCCAGCGGCCAGCGCTAGTCGGTCTGGTAAGGATTTACAAAAGGTGCAGGTATG
AGCAGGTCTGAAGACTAACATTTTGTGAAGTTGTAAACAGAAAACCTGTTAGAAATGTGGTGGT
TTCAGCAAGGCCTCAGTTTCCTTCCTTCAGCCCTTGTAATTTGGACATCTGCTGCTTTCATATTT
TCATACATTACTGCAGTAACACTCCACCATATAGACCCGGCTTTACCTTATATCAGTGACACTGG
TACAGTAGCTCCAGAAAAATGCTTATTTGGGGCAATGCTAAATATTGCGGCAGTTTTATGCATTG
CTACCATTTATGTTTCGTTATAAGCAAGTTCATGCTCTGAGTCCTGAAGAGAACGTTATCATCAA
TTAAACAAGGCTGGCCTTGCTACTTGGAATACTGAGTTGTTTAGGACTTCTATTGTGGCAAACCTT
CCAGAAAACAACCCCTTTTTTGCTGCACATGTAAGTGGAGCTGTGCTTACCTTTGGTATGGGCTCAT
TATATATGTTTGTTCAGACCATCCTTTCCTACCAAATGCAGCCCCAAATCCATGGCAAACAAGTC
TTCTGGATCAGACTGTTGTTGGTTATCTGGTGTGGAGTAAGTGCACTTAGCATGCTGACTTGCTC
ATCAGTTTTGCACAGTGGCAATTTTGGGACTGATTTAGAACAGAACTCCATTGGAACCCCGAGG
ACAAAGGTTATGTGCTTCACATGATCACTACTGCAGCAGAATGGTCTATGTCATTTTCCTTCTTT
GGTTTTTTCCTGACTTACATTCGTGATTTTCAGAAAATTTCTTTACGGGTGGAAGCCAATTTACA
TGGATTAACCTCTATGACACTGCACCTTGCCCTATTAACAATGAACGAACACGGCTACTTTCCA
GAGATATTTGATGAAAGGATAAAATATTTCTGTAATGATTATGATTCTCAGGGATTGGGGAAAGG
TTCACAGAAGTTGCTTATTCTTCTCTGAAATTTTCAACCACTTAATCAAGGCTGACAGTAACACT
GATGAATGCTGATAATCAGGAAACATGAAAGAAGCCATTTGATAGATTATTCTAAAGGATATCAT
CAAGAAGACTATTAAAAACACCTATGCCTATACTTTTTTATCTCAGAAAATAAAGTCAAAAGACT
ATG

FIGURE 2

<subunit 1 of 1, 266 aa, 1 stop

<MW: 29766, pI: 8.39, NX(S/T): 0

MWWFQQGLSFLPSALVIWTSAAFIISYITAVTLHHIDPALPYISDTGTVAPEKCLFGAMLNIAAV
LCIATIIYVRYKQVHALSPEENVIIKLNKAGLVLGILSCLGLSIVANFQKTTLFAAHVSGAVLTFG
MGSLYMFVQTILSYQMOPKIHGKQVFWIRLLLVIWCGVSALSMLTCSSVLHSGNFGTDLEQKLHW
NPEDKGYVLHMITTAAEWSMSFSFFGFFLTYYIRDFQKISLRVEANLHGLTLYDTAPCPINNERTR
LLSRDI

Important features:

Type II transmembrane domain:

amino acids 13-33

Other Transmembrane domains:

amino acids 54-73, 94-113, 160-180, 122-141

N-myristoylation sites.

amino acids 57-63, 95-101, 99-105, 124-130, 183-189

FIGURE 3

CGGACGCGTGGGCGGACGCGTGGGGGAGAGCCGCGAGTCCCGGCTGCAGCACCTGGGAGAAGGCAGACC
GTGTGAGGGGGCCGTGTGGCCCCAGCGTGCTGTGGCCTCGGGGAGTGGGAAGTGGAGGCAGGAGCCTTC
CTTACACTTCGCCATGAGTTTCCTCATCGACTCCAGCATCATGATTACCTCCCAGATACTATTTTTTG
GATTTGGGTGGCTTTTCTTCATGCGCCAATTGTTTAAAGACTATGAGATACGTGAGTATGTTGTACAG
GTGATCTTCTCCGTGACGTTTGCATTTTCTTGACCATGTTTGAGCTCATCATCTTTGAAATCTTAGG
AGTATTGAATAGCAGCTCCCGTTATTTTCACTGGAAATGAACCTGTGTGTAATTCTGCTGATCCTGG
TTTTCATGGTGCCTTTTTACATTGGCTATTTTATTGTGAGCAATATCCGACTACTGCATAAACAACGA
CTGCTTTTTTCTGTCTCTTATGGCTGACCTTTATGTATTTCTTCTGGAACTAGGAGATCCCTTTCC
CATTCTCAGCCCAAACATGGGATCTTATCCATAGAACAGCTCATCAGCCGGGTGGTGTGATTGGAG
TGACTCTCATGGCTCTTCTTTCTGGATTGGTGCTGTCAACTGCCCATACACTTACATGTCTTACTTC
CTCAGGAATGTGACTGACACGGATATTCTAGCCCTGGAACGGCGACTGCTGCAAACCATGGATATGAT
CATAAGCAAAAAGAAAAGGATGGCAATGGCACGGAGAACAATGTTCCAGAAGGGGGGAAGTGCATAACA
AACCATCAGGTTTTCTGGGAATGATAAAAAGTGTTACCACTTCAGCATCAGGAAGTGAAAATCTTACT
CTTATTCAACAGGAAGTGGATGCTTTGGAAGAATTAAGCAGGCAGCTTTTTCTGGAAACAGCTGATCT
ATATGCTACCAAGGAGAGAATAGAATACTCCAAAACCTTCAAGGGGAAATATTTTAAATTTTCTGGTT
ACTTTTTCTCTATTTACTGTGTTTGGAAAATTTTCATGGCTACCATCAATATTGTTTTTGATCGAGTT
GGGAAAACGGATCCTGTCAAGAGGCATTGAGATCACTGTGAATTATCTGGGAATCCAATTTGATGT
GAAGTTTGGTCCCAACACATTTCTTCATTCTTGTGGAATAATCATCGTCACATCCATCAGAGGAT
TGCTGATCACTCTTACCAAGTTCTTTTATGCCATCTCTAGCAGTAAGTCCCTCCAATGTCATTGTCCTG
CTATTAGCACAGATAATGGGCATGTACTTTGTCTCCTCTGTGCTGCTGATCCGAATGAGTATGCCTTT
AGAATACCGCACCATAATCACTGAAGTCCTTGGAGAACTGCAGTTCAACTTCTATCACCGTTGGTTTTG
ATGTGATCTTCTGGTCAGCGCTCTCTCTAGCATACTCTTCTCTATTTGGCTCACAAACAGGCACCA
GAGAAGCAAATGGCACCTTGAACTTAAGCCTACTACAGACTGTTAGAGGCCAGTGGTTTCAAATTTA
GATATAAGAGGGGGGAAAAATGGAACCAGGGCCTGACATTTTATAAACAAACAAAATGCTATGGTAGC
ATTTTTACCTTCATAGCATACTCCTTCCCCGTGAGGTGATACTATGACCATGAGTAGCATCAGCCAG
AACATGAGAGGGAGAACTAACTCAAGACAATACTCAGCAGAGAGCATCCCGTGTGGATATGAGGCTGG
TGTAGAGGCGGAGAGGAGCCAAGAACTAAAGGTGAAAAATACACTGGAACCTCTGGGGCAAGACATGT
CTATGGTAGCTGAGCCAAACACGTAGGATTTCCGTTTAAAGTTTACATGGAAAAGTTATAGCTTTG
CCTTGAGATTGACTCATTAATCAGAGACTGTAACAAAAAAAAAAAAAAAAAAAAAGGGCGGCCGCG
ACTCTAGAGTCGACCTGCAGAAGCTTGGCCGCCATGGCCCACTTGTTTATTGCAGCTTATAATG

FIGURE 4

MSFLIDSSIMITSQILFFGFGWLFFMRQLFKDYEIRQYVVQVIFSVTFAFSCTMFELIIFEILGV
LNSSSRYPFHWMNLCVILLILVFMVPFYIGYFIVSNIRLLHKQRLLFSCLLWLTFMYFFWKLGBP
FPILSPKHGILSIEQLISRVGVIGVTLMALLSGFGAVNCPYTYMSYFLRNVTDTDILALERLLQ
TMDMIISKKKRMAMARRTMFQKGEVHNKPSGFWGMIKSVTTSASGSENLTLIQQEVDAL EELSRO
LFLETADLYATKERIEYSKTFKGKYNFLGYFFSIYCVWKIFMATINIVFDRVGKTDVPVTRGIEI
TVNYLGIQFDVKFWSQHISFILVGIIIVTSIRGLLITLTKFFYAISSSKSSNVIVLLLAQIMGY
FVSSVLLIRMSMPLEYRTIITEVLGELQNFYHRWFDVIFLVSA LSSILFLYLAHKQAPEKQMAP

Important features:**Signal peptide:**

amino acids 1-23

Potential transmembrane domains:

amino acids 37-55, 81-102, 150-168, 288-311, 338-356, 375-398,
425-444

N-glycosylation sites.

amino acids 67-70, 180-183 and 243-246

Eukaryotic cobalamin-binding proteins

amino acids 151-160

FIGURE 5

AGCAGGGAAATCCGGATGTCTCGGTATGAAGTGGAGCAGTGAGTGTGAGCCTCAACATAGTTCC
AGAACTCTCCATCCGGACTAGTTATTGAGCATCTGCCTCTCATATCACCAGTGGCCATCTGAGGT
GTTTCCCTGGCTCTGAAGGGGTAGGCACGATGGCCAGGTGCTTCAGCCTGGTGTGCTTCTCACT
TCCATCTGGACCACGAGGCTCCTGGTCCAAGGCTCTTTGCGTGCAGAAGAGCTTTCCATCCAGGT
GTCATGCAGAATTATGGGGATCACCTTGTGAGCAAAAAGGCGAACCAGCAGCTGAATTTACAG
AAGCTAAGGAGGCCTGTAGGCTGCTGGGACTAAGTTTGGCCGGCAAGGACCAAGTTGAAACAGCC
TTGAAAGCTAGCTTTGAAACTTGCAGCTATGGCTGGGTTGGAGATGGATTTCGTGGTCATCTCTAG
GATTAGCCCAAACCCCAAGTGTGGGAAAAATGGGGTGGGTGTCTGATTTGGAAGGTTCCAGTGA
GCCGACAGTTTGCAGCCTATTGTTACAACCTCATCTGATACTTGGACTAACTCGTGCATTCCAGAA
ATTATCACCACCAAAGATCCCATATTCAACACTCAAACGCAACACAAACAAGAATTTATTGT
CAGTGACAGTACCTACTCGGTGGCATCCCCTTACTCTACAATACCTGCCCCTACTACTACTCCTC
CTGCTCCAGCTTCCACTTCTATTCCACGGAGAAAAAATTGATTTGTGTACAGAAGTTTTTATG
GAACTAGCACCATGTCTACAGAACTGAACCATTTGTTGAAAATAAAGCAGCATTCAAGAATGA
AGCTGCTGGGTTTGGAGGTGTCCCCACGGCTCTGCTAGTGCTTGCTCTCCTCTTCTTTGGTGCTG
CAGCTGGTCTTGGATTTTGCTATGTCAAAGGTATGTGAAGGCCTTCCCTTTTACAAACAAGAAT
CAGCAGAAGGAAATGATCGAAACCAAAGTAGTAAAGGAGGAGAAGGCCAATGATAGCAACCCTAA
TGAGGAATCAAAGAAAACCTGATAAAAACCCAGAAGAGTCCAAGAGTCCAAGCAAAACTACCGTGC
GATGCCCTGGAAGCTGAAGTTTAGATGAGACAGAAATGAGGAGACACACCTGAGGCTGGTTTTCTTT
CATGCTCCTTACCCTGCCCCAGCTGGGGAAATCAAAGGGCCAAAGAACCAAAGAAGAAAGTCCA
CCCTTGGTTCCTAACTGGAATCAGCTCAGGACTGCCATTGGACTATGGAGTGCACCAAAGAGAAT
GCCCTTCTCCTTATTGTAACCCTGTCTGGATCCTATCCTCCTACCTCCAAAGCTTCCCACGGCCT
TTCTAGCCTGGCTATGTCTAATAATATCCCACTGGGAGAAAGGAGTTTTGCAAAGTGAAGGAC
CTAAACATCTCATCAGTATCCAGTGGTAAAAAGGCCTCCTGGCTGTCTGAGGCTAGGTGGGTTG
AAAGCCAAGGAGTCACTGAGACCAAGGCTTTCTCTACTGATTCCGCAGCTCAGACCCTTTCTTCA
GCTCTGAAAGAGAAACACGTATCCCACCTGACATGTCTTCTGAGCCCCGTAAGAGCAAAAGAAT
GGCAGAAAAGTTTAGCCCCTGAAAGCCATGGAGATTCTCATAACTTGAGACCTAATCTCTGTAAG
GCTAAAAATAAGAAATAGAACAAGGCTGAGGATACGACAGTACACTGTCAGCAGGGACTGTAAAC
ACAGACAGGGTCAAAGTGTTTTCTCTGAACACATTGAGTTGGAATCACTGTTTAGAACACACACA
CTTACTTTTTCTGGTCTCTACCACTGCTGATATTTTCTCTAGGAAATATACTTTTACAAGTAACA
AAAAATAAAACTCTTATAAATTTCTATTTTTATCTGAGTTACAGAAATGATTACTAAGGAAGATT
ACTCAGTAATTTGTTTAAAAAGTAATAAAATTCACAAACATTTGCTGAATAGCTACTATATGTC
AAGTGCTGTGCAAGGTATTACACTCTGTAATTGAATATTATTCCTCAAAAAATTGCACATAGTAG
AACGCTATCTGGGAAGCTATTTTTTTCAGTTTTGATATTTCTAGCTTATCTACTTCCAAACTAAT
TTTTATTTTTGCTGAGACTAATCTTATTCATTTTCTCTAATATGGCAACCATTATAACCTTAATT
TATTATTAACATACCTAAGAAGTACATTGTTACCTCTATATACCAAAGCACATTTTAAAAGTGCC
ATTAACAAATGTATCACTAGCCCTCCTTTTTTCCAACAAGAAGGGACTGAGAGATGCAGAAATATT
TGTGACAAAAAATTAAAGCATTTAGAAAACCTT

FIGURE 6

MARCFSLVLLLTISIWTTRLLVQGSLRAEELSIQVSCRIMGITLVSKKANQQLNFTEAKEACRLLG
LSLAGKDQVETALKASFETCSYGWVGDFVVISRISPNPKCGKNGVGVLWKVPVSRQFAAYCYN
SSDTWTNSCIPEIITTKDPIFNTQTATQTTEFIVSDSTYSVASPYSTIPAPTTTPPAPASTSIPR
RKKLICVTEVFMETSTMSTETEPFVENKAAAFKNEAAGFGGVPTALLVLALLFFGAAAGLGFCYVK
RYVKAFPFNTKNQOKEMIETKVVKEEKANDSNPNEESKKTDKNPESKSPSKTTVRCLEAEV

Signal sequence:

amino acids 1-16

Transmembrane domain:

amino acids 235-254

N-glycosylation site.

amino acids 53-57, 130-134, 289-293

Casein kinase II phosphorylation site.

amino acids 145-149, 214-218

Tyrosine kinase phosphorylation site.

amino acids 79-88

N-myristoylation site.

amino acids 23-29, 65-71, 234-240, 235-239, 249-255, 253-259

FIGURE 7

CGCCGCGCTCCCGCACCCGCGGCCCCGCCACCGCGCGCTCCCGCATCTGCACCCGCAGCCCGGC
GGCCTCCCGGCGGGAGCGAGCAGATCCAGTCCGGCCCCGCAGCGCAACTCGGTCCAGTCCGGGCGG
CGGCTGCGGGCGCAGAGCGGAGATGCAGCGGCTTGGGGCCACCCTGCTGTGCTGCTGCTGGCGG
CGGCGGTCCCCACGGCCCCCGCGCCGCTCCGACGGCGACCTCGGCTCCAGTCAAGCCCCGGCCG
GCTCTCAGCTACCCGCAGGAGGAGGCCACCCCTCAATGAGATGTTCCGCGAGGTTGAGGAAGTATGAT
GGAGGACACGCAGCACAAATTGCGCAGCGCGGTGGAAGAGATGGAGGCAGAAGAAGCTGCTGCTA
AAGCATCATCAGAAGTGAACCTGGCAAACCTTACCTCCCAGCTATCACAATGAGACCAACACAGAC
ACGAAGGTTGGAAATAATACCATCCATGTGCACCGAGAAATTCACAAGATAACCAACAACCAGAC
TGGACAAATGGTCTTTTTCAGAGACAGTTATCACATCTGTGGGAGACGAAGAAGGCAGAAGGAGCC
ACGAGTGCATCATCGACGAGGACTGTGGGCCAGCATGTACTGCCAGTTTGCCAGCTTCCAGTAC
ACCTGCCAGCCATGCCGGGGCCAGAGGATGCTCTGCACCCGGGACAGTGAGTGCTGTGGAGACCA
GCTGTGTGTCTGGGGTCACTGCACCAAATGGCCACCAGGGGCAGCAATGGGACCATCTGTGACA
ACCAGAGGGACTGCCAGCCGGGGCTGTGCTGTGCCTTCCAGAGAGGCTGCTGTTCCCTGTGTGC
ACACCCCTGCCCGTGGAGGGCGAGCTTTGCCATGACCCGCCAGCCGGCTTCTGGACCTCATCAC
CTGGGAGCTAGAGCCTGATGGAGCCTTGGACCGATGCCCTTGTGCCAGTGGCCTCCTCTGCCAGC
CCCACAGCCACAGCCTGGTGTATGTGTGCAAGCCGACCTTCGTGGGGAGCCGTGACCAAGATGGG
GAGATCCTGCTGCCCAGAGAGGTCCCCGATGAGTATGAAGTTGGCAGCTTCATGGAGGAGGTGCG
CCAGGAGCTGGAGGACCTGGAGAGGAGCCTGACTGAAGAGATGGCGCTGGGGGAGCCTGCGGCTG
CCGCCGCTGCACTGCTGGGAGGGGAAGAGATTAGATCTGGACCAGGCTGTGGGTAGATGTGCAA
TAGAAATAGCTAATTTATTTCCCCAGGTGTGTGCTTTAGGCGTGGGCTGACCAGGCTTCTTCCCTA
CATCTTCTTCCCAGTAAGTTTCCCCTCTGGCTTGACAGCATGAGGTGTTGTGCATTTGTTTCAGCT
CCCCCAGGCTGTTCTCCAGGCTTCACAGTCTGGTGCTTGGGAGAGTCAGGCAGGGTTAAACTGCA
GGAGCAGTTTGCCACCCCTGTCCAGATTATTGGCTGCTTTGCCTCTACCAAGTTGGCAGACAGCCG
TTTGTTCTACATGGCTTTTGATAATTGTTTGGGGGAGGAGATGGAACAATGTGGAGTCTCCCTC
TGATTGGTTTTGGGGAAATGTGGAGAAGAGTGCCCTGCTTTGCAAACATCAACCTGGCAAAAATG
CAACAAATGAATTTTCCACGCAGTTCTTTCCATGGGCATAGGTAAGCTGTGCCTTCAGCTGTTGC
AGATGAAATGTTCTGTTCCACCTGCATTACATGTGTTTATTCATCCAGCAGTGTGCTCAGCTCC
TACCTCTGTGCCAGGGCAGCATTTTTCATATCCAAGATCAATTCCCTCTCTCAGCACAGCCTGGGG
AGGGGGTCATTGTTCTCCTCGTCCATCAGGGATCTCAGAGGCTCAGAGACTGCAAGCTGCTTGCC
CAAGTCACACAGCTAGTGAAGACCAGAGCAGTTTTCATCTGGTTGTGACTCTAAGCTCAGTGCTCT
CTCCACTACCCACACCAGCCTTGGTGCCACCAAAAGTGCTCCCCAAAAGGAAGGAGAATGGGAT
TTTTCTTGAGGCATGCACATCTGGAATTAAGGTCAAACCTAATTCTCACATCCCTCTAAAAGTAAA
CTACTGTTAGGAACAGCAGTGTCTCACAGTGTGGGGCAGCCGTCCTTCTAATGAAGACAATGAT
ATTGACACTGTCCCTCTTGGCAGTTGCATTAGTAACCTTTGAAAGGTATATGACTGAGCGTAGCA
TACAGGTTAACCTGCAGAAACAGTACTTAGGTAATTGTAGGGCGAGGATTATAAATGAAATTTGC
AAAATCACTTAGCAGCAACTGAAGACAATTATCAACCACGTGGAGAAAATCAAACCGAGCAGGGC
TGTGTGAAACATGGTTGTAATATGCGACTGCGAACACTGAACTCTACGCCACTCCACAAATGATG
TTTTCAGGTGTCATGGACTGTTGCCACCATGTATTATCCAGAGTCTTAAAGTTTAAAGTTGCA
CATGATTGTATAAGCATGCTTTCTTTGAGTTTTAAATTATGTATAAACATAAGTTGCATTTAGAA
ATCAAGCATAAATCACTTCAACTGCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 8

MQRLGATLLCLLLAAVPTAPAPAPTATSAPVKPGPALSYPQEEATLNEMFREVEELMEDTQHKL
RSAVEEMEAEAAKASSEVNLANLPSPYHNETNTDTKVGNNTIHVHREIHKITNNQTGQMFSE
TVITSVGDEEGRRSHECIIDEDCGPSMYCQFASFQYTCQPCRQRMCLTRDSECCGDQLCVWGHC
TKMATRGSNGTICDNQRDCQPLCCAFQGRLLFPVCTPLPVEGELCHDPASRLDLITWELEPDG
ALDRPCASGLLCQPHSHSLVYVCKPTFVGSRDQDGEILLPREVPDEYEVGSFMEEVRQELEDLE
RSLTEEMALGEPAAAAAALLGGEI

Signal sequence:

amino acids 1-19

N-glycosylation site.

amino acids 96-100, 106-110, 121-125, 204-208

Casein kinase II phosphorylation site.

amino acids 46-50, 67-71, 98-102, 135-139, 206-210, 312-316,
327-331

N-myristoylation site.

amino acids 202-208, 217-223

Amidation site.

amino acids 140-144

FIGURE 9

CGGACGCGTGGGCGGACGCGTGGGGGCTGTGAGAAAGTGCCAATAAATACATCATGCAACCCAC
GGCCACCTTGTGAACCTCCTCGTGCCAGGGCTGATGTGCGTCTTCCAGGGCTACTCATCAAAG
GCCTAATCCAACGTTCTGTCTTCAATCTGCAAATCTATGGGGTCCTGGGGCTCTTCTGGACCCCT
AACTGGGTACTGGCCCTGGGCCAATGCGTCCTCGCTGGAGCCTTTGCCTCCTTCTACTGGGCCTT
CCACAAGCCCCAGGACATCCCTACCTTCCCCTTAATCTCTGCCTTCATCCGCACACTCCGTTACC
ACACTGGGTCATTGGCATTGAGCCCTCATCCTGACCCTTGTGCAGATAGCCGGGTCATCTTG
GAGTATATTGACCACAAGCTCAGAGGAGTGCAGAACCTGTAGCCCGCTGCATCATGTGCTGTTT
CAAGTGCTGCCTCTGGTGTCTGGAAAAATTTATCAAGTTCCTAAACCGCAATGCATACATCATGA
TCGCCATCTACGGGAAGAATTTCTGTGTCTCAGCCAAAAATGCGTTCATGCTACTCATGCGAAAC
ATTGTCAGGGTGGTCGTCCTGGACAAAGTCACAGACCTGCTGCTGTTCTTTGGGAAGCTGCTGGT
GGTCGGAGGCGTGGGGGTCCTGTCCTTCTTTTTTTCTCCGGTCGCATCCCGGGGCTGGGTAAAG
ACTTTAAGAGCCCCACCTCAACTATTACTGGCTGCCCATCATGACCTCCATCCTGGGGGCCTAT
GTCATCGCCAGCGGCTTCTTCAGCGTTTTTCGGCATGTGTGTGGACACGCTCTTCTCTGCTTCCT
GGAAGACCTGGAGCGGAACAACGGCTCCCTGGACCGGCCCTACTACATGTCCAAGAGCCTTCTAA
AGATTCTGGGCAAGAAGAACGAGGCGCCCCCGGACAACAAGAAGAGGAAGAAGTGACAGCTCCGG
CCCTGATCCAGGACTGCACCCCCACCCACCGTCCAGCCATCCAACCTCACTTCGCCTTACAGGT
CTCCATTTTGTGGTAAAAAAGGTTTTAGGCCAGGCGCCGTGGCTCACGCCTGTAATCCAACACT
TTGAGAGGCTGAGGCGGGCGGATCACCTGAGTCAGGAGTTCGAGACCAGCCTGGCCAACATGGTG
AAACCTCCGTCTCTATTAAAAATACAAAAATTAGCCGAGAGTGGTGGCATGCACCTGTCATCCCA
GCTACTCGGGAGGCTGAGGCAGGAGAATCGCTTGAACCGGGAGGCAGAGGTTGCAGTGAGCCGA
GATCGCGCCACTGCACTCCAACCTGGGTGACAGACTCTGTCTCCAAAACAAAACAAACAAA
AAGATTTTATTAAAGATATTTTGTTAACTC

FIGURE 10

RTRGRTRGGCEKVPINTSCNPHTAHLVNSSCPGLMCVFQGYSSKGLIQRSVFNLQIYGVLGGLFWTL
NWVLALGQCVLGAFASFYWAFHKPQDIPTFPLISAFIRTLRYHTGSLAFGALILTLVQIARVIL
EYIDHKLRGVQNPVARCIMCCFKCCLWCLEKFIKFLNRNAYIMIAIYGKNFCVSAKNAFMLLMRN
IVRVVVLDDKVTDLLLFFGKLLVVGGVGLSFFFFSGRIPGLGKDFKSPHLNYYWLPIMTSILGAY
VIASGFFSVFGMCVDTLFLCFLEDLERNNGSLDRPYMSKSLKILGKKNEAPPDNKKRKK

Important features:

Transmembrane domains:

amino acids 57-80 (type II), 110-126, 215-231, 254-274

N-glycosylation sites.

amino acids 16-20, 27-31, 289-293

Hypothetical YBR002c family proteins.

amino acids 276-288

Ammonium transporters proteins.

amino acids 204-231

N-myristoylation sites.

amino acids 60-66, 78-84

Amidation site.

amino acids 306-310

FIGURE 11

GCCCCGCGCCCGGCGCCGGGCGCCCGAAGCCGGGAGCCACCGCCATGGGGGCCTGCCTGGGAGCCTGC
TCCCTGCTCAGCTGCGCGTCCTGCCTCTGCGGCTCTGCCCCCTGCATCCTGTGCAGCTGCTGCCCCGC
CAGCCGCAACTCCACCGTGAGCCGCTCATCTTCACGTTCTTCCTCTTCCTGGGGTGCTGGTGTCCA
TCATTATGCTGAGCCCGGGCGTGGAGAGTCAGCTCTACAAGCTGCCCTGGGTGTGTGAGGAGGGGGCC
GGGATCCCCACCGTCCTGCAGGGCCACATCGACTGTGGCTCCCTGCTTGGCTACCGCGCTGTCTACCG
CATGTGCTTCGCCACGGCGGCCTTCTTCTTCTTCTTTTACCCCTGCTCATGCTCTGCGTGAGCAGCA
GCCGGGACCCCCGGGCTGCCATCCAGAATGGGTTTTGGTTCTTTAAGTTCCTGATCCTGGTGGGCCTC
ACCGTGGGTGCCTTCTACATCCCTGACGGCTCCTTCACCAACATCTGGTTCTACTTCGGCGTCGTGGG
CTCCTTCTCTTTCATCCTCATCCAGCTGGTGTGCTCATCGACTTTGCGCACTCCTGGAACCAGCGGT
GGCTGGGCAAGGCCGAGGAGTGGATTCCCGTGCTGGTACGCAGGCCTCTTCTTCTTCACTCTCCTC
TTCTACTTGCTGTGCATCGCGGCCGTGGCGCTGATGTTTCTGTACTTACTGAGCCAGCGGCTGCCA
CGAGGGCAAGGTCTTCATCAGCCTCAACCTCACCTTCTGTGTCTGCGTGTCCATCGCTGCTGTCTGCTG
CCAAGGTCCAGGACGCCCAGCCCAACTCGGGTCTGCTGCAGGCCTCGGTTCATCACCTCTACACCATG
TTTGTACCTGGTCAGCCCTATCCAGTATCCCTGAACAGAAATGCAACCCCCATTTGCCAACCCAGCT
GGGCAACGAGACAGTTGTGGCAGGCCCCGAGGGCTATGAGACCCAGTGGTGGGATGCCCCGAGCATTG
TGGGCCTCATCATCTTCTCCTGTGCACCTCTTCATCAGTCTGCGCTCCTCAGACCACCGGCAGGTG
AACAGCCTGATGCAGACCGAGGAGTGCCACCTATGCTAGACGCCACACAGCAGCAGCAGCAGCAGGT
GGCAGCCTGTGAGGGCCGGGCTTTGACAACGAGCAGGACGGCGTCACCTACAGCTACTCCTTCTTCC
ACTTCTGCCTGGTGTGCTGGCCTCACTGCACGTATGATGACGCTCACCAACTGGTACAAGCCCGGTGAG
ACCCGGAAGATGATCAGCACGTGGACCGCGTGTGGGTGAAGATCTGTGCCAGCTGGGCAGGGCTGCT
CCTCTACCTGTGGACCTGGTAGCCCCACTCCTCCTGCGCAACCGCGACTTCAGCTTGAGGCAGCCTCA
CAGCCTGCCATCTGGTGCCTCCTGCCACCTGGTGCCTCTCGGCTCGGTGACAGCCAACCTGCCCCCTC
CCCACACCAATCAGCCAGGCTGAGCCCCACCCCTGCCCCAGCTCCAGGACCTGCCCCTGAGCCGGG
CTTCTAGTCGTAGTGCCTTCAGGGTCCGAGGAGCATCAGGCTCCTGCAGAGCCCCATCCCCCGCCAC
ACCCACACGGTGGAGCTGCCTCTTCCCTTCCCTCCTCCTGTTGCCATACTCAGCATCTCGGATGAA
AGGGCTCCCTTGTCTCAGGCTCCACGGGAGCGGGGCTGCTGGAGAGAGCGGGGAACCTCCACACAG
TGGGGCATCCGGCACTGAAGCCCTGGTGTCTTGGTTCAGTCCCCCAGGGGACCTGCCCCCTTCTCTG
GACTTCGTGCCTTACTGAGTCTCTAAGACTTTTTCTAATAACAAGCCAGTGCCTGTAAAAA

FIGURE 12

MGACLGACSLSCASCLCGSAPCILSCCPASRNSTVSRIFTFFLFLGVLVSIIMLSPGVESQL
YKLPWVCEEGAGIPTVLQGHIDCGSLLGYRAVYRMCFATAAFFFFFFFFTLLMLCVSSSRDPRAAIQ
NGFWFFKFLILVGLTVGAFYIPDGSFTNIWFYFGVVGSFLFILIQLVLLIDFAHSWNQRWLKAE
ECDSRAWYAGLFFFTLLFYLLSIAAVALMFMYYTEPSGCHEGKVFISLNLTFVCVVSIAAVLPKV
QDAQPNSGLLQASVITLYTMEVFTWSALSSIPEQKCNPHLPTQLGNETVVAGPEGYETQWWDAPSI
VGLIIFLLCTLFISLRSSDHRQVNSLMQTEECPPMLDATQQQQQQVAACEGRAFDNEQDGVITYSY
SFFHFCLVLASLHVMMTLTNWYKPGETRKMISTWTAVVWKICASWAGLLLYLWTLVAPLLLRNRD
FS

Signal sequence:

amino acids 1-20

Transmembrane domains:

amino acids 40-58, 101-116, 134-150, 162-178, 206-223, 240-257,
272-283, 324-340, 391-406, 428-444

FIGURE 13

CGGGCCAGCCTGGGGCGGGCCGGCCAGGAACCAACCCGTTAAGGTGTCTTCTCTTTAGGGATGGTGA
GGTTGGAAAAAGACTCCTGTAACCCCTCCTCCAGGATGAACCACCTGCCAGAAGACATGGAGAACG
CTCTCACCGGGAGCCAGAGCTCCCATGCTTCTCTGCGCAATATCCATTCCATCAACCCACACAA
CTCATGGCCAGGATTGAGTCCTATGAAGGAAGGGAAAAGAAAGGCATATCTGATGTCAGGAGGAC
TTTCTGTTTGTGTTGTCACCTTTGACCTCTTATTTCGTAACATTACTGTGGATAATAGAGTTAAATG
TGAATGGAGGCATTGAGAACACATTAGAGAAGGAGGTGATGCAGTATGACTACTATTCTTCATAT
TTTGATATATTTCTTCTGGCAGTTTTTCGATTTAAAGTGTTAATACTTGCAATATGCTGTGTGCAG
ACTGCGCCATTGGTGGGCAATAGCGTTGACAACGGCAGTGACCAGTGCCTTTTTACTAGCAAAAG
TGATCCTTTCGAAGCTTTTCTCTCAAGGGGCTTTTGCTATGTGCTGCCCATCATTTTCATTCATC
CTTGCCTGGATTGAGACGTGTTTCTGGATTTCAAAGTGTTACCTCAAGAAGCAGAAGAAGAAAA
CAGACTCCTGATAGTTCAGGATGCTTCAGAGAGGGCAGCACTTATACCTGGTGGTCTTTCTGATG
GTCAGTTTTATTCCCTCCTGAATCCGAAGCAGGATCTGAAGAAGCTGAAGAAAAACAGGACAGT
GAGAAACCACTTTTAGAACTATGAGTACTACTTTTGTTAAATGTGAAAAACCCCTCACAGAAAGTC
ATCGAGGCCAAAAGAGGCAGGCAGTGGAGTCTCCCTGTGACAGTAAAGTTGAAATGGTGACGTC
CACTGCTGGCTTTATTGAACAGCTAATAAAGATTTATTTATTGTAATACCTCACAAACGTTGTAC
CATATCCATGCACATTTAGTTGCCTGCCTGTGGCTGGTAAGGTAATGTCATGATTCATCCTCTCT
TCAGTGAGACTGAGCCTGATGTGTTAACAAATAGGTGAAGAAAGTCTTGTGCTGTATTCTTAATC
AAAAGACTTAATATATTGAAGTAACACTTTTTTAGTAAGCAAGATACCTTTTTATTTCATTCAC
AGAATGGAATTTTTTTGTTTCATGCTCAGATTTATTTGTATTTCTTTTTTAACACTCTACATT
TCCCTTGTTTTTTAACTCATGCACATGTGCTCTTTGTACAGTTTTAAAAAGTGAATAAAATCTG
ACATGTCAATGTGGCTAGTTTTATTTTTCTGTTTTGTCATTATGTGTATGGCCTGAAGTGTGGA
CTTGCAAAAGGGGAAGAAAGGAATTGCGAATACATGTAAAATGTCACCAGACATTTGTATTATTT
TTATCATGAAATCATGTTTTTCTCTGATTGTTCTGAAATGTTCTAAATACTCTATTTTGAATGC
ACAAAATGACTTAAACCATTATATCATGTTTCCTTTGCGTTGAGCCAATTTCAATTAAAAATGAA
CTAAATTAAAAA

FIGURE 14

MNHLPEDMENALTGSQSSHASLRNIHSINPTQLMARIESYEGREKKGISDVRRTFCLFVTFDLLF
VTLLWIIELNVNGGIENTLEKEVMQYDYSSYFDIFLLAVFRFKVLILAYAVCRLRHWWAIALTT
AVTSAFLLAKVILSKLFSQGAFGYVLPPIISFILAWIETWFLDFKVLQPQEAEEENRLLIVQDASER
AALIPGGLSDGQFYSPPESEAGSEEAEEKQDSEKPLLEL

Important features of the protein:

Signal peptide:

amino acids 1-20

Transmembrane domains:

amino acids 54-72, 100-118, 130-144, 146-166

N-myristoylation sites.

amino acids 14-20, 78-84, 79-85, 202-208, 217-223

FIGURE 15

ACTCGAACGCAGTTGCTTCGGGACCCAGGACCCCTCGGGCCCGACCCGCCAGGAAAGACTGAGG
CCGCGGCCTGCCCCGCCCCGGCTCCCTGCGCCGCCGCCCTCCCGGGACAGAAGATGTGCTCCAG
GGTCCCTCTGCTGCTGCTGCCGCTGCTCCTGCTACTGGCCCTGGGGCCTGGGGTGACAGGGCTGCCCAT
CCGGCTGCCAGTGACGCCAGCCACAGACAGTCTTCTGCACTGCCCGCCAGGGGACCACGGTGCCC
CGAGACGTGCCACCCGACACGGTGGGGCTGTACGTCTTTGAGAACGGCATCACCATGCTCGACGC
AGGCAGCTTTGCCGGCCTGCCGGGCTGCAGCTCCTGGACCTGTACAGAACCAGATCGCCAGCC
TGCCCAGCGGGGTCTTCCAGCCACTCGCCAACCTCAGCAACCTGGACCTGACGGCCAACAGGCTG
CATGAAATCACCAATGAGACCTTCCGTGGCCTGCGGGCCCTCGAGCGCCTCTACCTGGGCAAGAA
CCGCATCCGCCACATCCAGCCTGGTGCCTTCGACACGCTCGACCGCCTCCTGGAGCTCAAGCTGC
AGGACAACGAGCTGCGGGCACTGCCCCGCTGCGCCTGCCCGCCTGCTGCTGCTGGACCTCAGC
CACAACAGCTCCTTGGCCCTGGAGCCCGGCATCCTGGACACTGCCAACCTGGAGGCGCTGCGGCT
GGTGGTGTGGGGTGACAGCTGGACGAGGGGCTCTCAGCCGCTTGCGCAACCTCCACGACC
TGGATGTGTCCGACAACCAGCTGGAGCGAGTGCCACCTGTGATCCGAGGCCTCCGGGGCCTGACG
CGCCTGCGGCTGGCCGGCAACACCCGCATTGCCAGCTGCGGCCCGAGGACCTGGCCGGCCTGGC
TGCCCTGCAGGAGCTGGATGTGAGCAACCTAAGCCTGCAGGCCCTGCCTGGCGACCTCTCGGGCC
TCTTCCCCCGCCTGCGGCTGCTGGCAGCTGCCCGCAACCCCTTCAACTGCGTGTGCCCCCTGAGC
TGGTTTGGCCCTGGGTGCGCGAGAGCCACGTACACTGGCCAGCCCTGAGGAGACGCGCTGCCA
CTTCCCGCCCAAGAACGCTGGCCGGCTGCTCCTGGAGCTTGACTACGCCGACTTTGGCTGCCAG
CCACCACCACACAGCCACAGTGCCACCACGAGGCCCTGGTGCGGGAGCCACAGCCTTGTCT
TCTAGCTTGGCTCCTACCTGGCTTAGCCCCACAGCGCCGGCCACTGAGGCCCCCAGCCCGCCCTC
CACTGCCCCACCGACTGTAGGGCCTGTCCCCAGCCCCAGGACTGCCACCCGTCCACCTGCCTCA
ATGGGGGCACATGCCACCTGGGGACACGGCACCACCTGGCGTGCTTGTGCCCCGAAGGCTTCACG
GGCCTGTACTGTGAGAGCCAGATGGGGCAGGGGACACGGCCAGCCCTACACCAGTCACGCCGAG
GCCACCACGGTCCCTGACCCTGGGCATCGAGCCGGTGAGCCCCACCTCCCTGCGCGTGGGGCTGC
AGCGCTACCTCCAGGGGAGCTCCGTGCAGCTCAGGAGCCCTCCGTCTCACTATCGCAACCTATCG
GGCCTGATAAGCGGCTGGTGACGCTGCGACTGCCCTGCCCTCGCTCGCTGAGTACACGGTCACCCA
GCTGCGGCCCCAACGCCACTTACTCCGTCTGTGTATGCCCTTTGGGGCCCGGGCGGGTGCCGGAGG
GCGAGGAGGCCTGCGGGGAGGGCCATACACCCCGAGCCGTCCACTCCAACCACGCCCCAGTCACC
CAGGCCCGCGAGGGCAACCTGCCGCTCCTCATTTGCCCGCCGCTGGCCGCGGTGCTCCTGGCCGC
GCTGGCTGCGGTGGGGGCAGCCTACTGTGTGCGGCGGGGGCGGGCCATGCCAGCAGCGGCTCAGG
ACAAAGGGCAGGTGGGGCCAGGGGCTGGGCCCTGGAACTGGAGGGAGTGAAGGTCCCCTTGGAG
CCAGGCCCGAAGGCAACAGAGGGCGGTGGAGAGGCCCTGCCAGCGGTCTGAGTGTGAGGTGCC
ACTCATGGGCTTCCCAGGGCCTGGCCTCCAGTCACCCCTCCACGCAAGCCCTACATCTAAGCCA
GAGAGAGACAGGGCAGCTGGGGCCGGGCTCTCAGCCAGTGAGATGGCCAGCCCCCTCCTGCTGCC
ACACCACGTAAGTTCTCAGTCCCAACCTCGGGGATGTGTGCAGACAGGGCTGTGTGACCACAGCT
GGGCCCTGTTCCTCTGGACCTCGGTCTCCTCATCTGTGAGATGCTGTGGCCAGCTGACGAGCC
CTAACGTCCCCAGAACCAGTGCCTATGAGGACAGTGTCCGCCCTGCCCTCCGCAACGTGCAGTC
CCTGGGCACGGCGGGCCCTGCCATGTGCTGGTAACGCATGCCCTGGGTCTCTGCTGGGCTCTCCAC
TCCAGGCGGACCCTGGGGGCCAGTGAAGGAAGCTCCCGGAAAGAGCAGAGGGAGAGCGGGTAGGC
GGCTGTGTGACTCTAGTCTTGGCCCCAGGAAGCGAAGGAACAAAAGAACTGGAAAGGAAGATGC
TTTAGGAACATGTTTTGCTTTTTTAAATATATATATTTATAAGAGATCCTTTCCCATTTATTCT
GGGAAGATGTTTTCAAACCTCAGAGACAAGGACTTTGGTTTTTGTAAAGACAAACGATGATATGAA
GGCCTTTTGTAAAGAAAAATAAAAGATGAAGTGTGAAA

FIGURE 16

MCSRVP LLLPL LLLLLALGPGVQGCPSGCQCSQPQTVFCTARQGT TVPRDVPPDTVGLYVFENGIT
MLDAGSFAGLPGLQLLDLSQNQIASLPSGVFQPLANLSNLDLTANRLHEITNETFRGLRRLERLY
LGKNRIRHIQPGAFDTLDRLLLEKLQDNELRALPPLRLPRLLLLDLSHNSLLALEPGILD TANVE
ALRLAGLGLQQLDEGLFSRLRNLDLDVSDNQLERVPPVIRGLRGLTRLRLAGNTRIAQLRPEDL
AGLAALQELDVSNSLSLQALPGDLSGLFPRLRLLAAARNPFNCVCPLSWFGPWVRESHVTLASPEE
TRCHFPPKNAGRLLLELDYADFGCPATTTTATVPTTRPVVREPTALSSSLAPT WLSPTAPATEAP
SPPSTAPPTVGPVPQPD CPPSTCLNGGTCHLGRHHLACLCPEGFTGLYCESQMGQTRPSPTF
VTPRPPRS LTLGIEPVSP TSLRVGLQRYLQGSSVQLRSLRLTYRNLSGPDKRLVTLRLPASLAEY
TVTQLRPNATYSVCVMP LGPRVPEGEEACGEAHTPPAVHSNHAPVTQAREGNLPLLIAPALAAV
LLAALAAVGAAYCVRRRGRAMAAAQDKGQVGP GAGPLELEGVKVPLEPGPKATEGGGEALPSGSE
CEVPLMGFP GPGGLQSPLHAKPYI

Important features:

Signal peptide:

amino acids 1-23

Transmembrane domain:

amino acids 579-599

EGF-like domain cysteine pattern signature.

amino acids 430-442

Leucine zipper pattern.

amino acids 197-219, 269-291

N-glycosylation sites.

amino acids 101-105, 117-121, 273-277, 500-504, 528-532

Tyrosine kinase phosphorylation sites.

amino acids 124-131, 337-345

N-myristoylation sites.

amino acids 23-29, 27-33, 70-76, 142-148, 187-193, 348-354,
594-600, 640-646

FIGURE 17

[illegible]

FIGURE 18

MRVRIGLTLLLCVLLSLIASASSDEEGSQDES LDKTTLTSDSVKDHTTAGRVVAGQIFLDSEESSEL
ESSIQEEEDSLKSQEGESVTEDISFLESPNPENKDYEPPKKVRKPALTAIEGTAHGEPCHFPFLFDK
EYDECTSDGREDGRLWCATTYDYKADEKWGFCETEEEEAAKRRQMGEAEMMYQTGMKILNGSNKKSQKR
EAYRYLQKAASMNHTKALERVSYALLFGDYLPQNIQAAREMFELKTEEGSPKGQTALGFLYASGLGVN
SSQAKALVYYTTFGALGGNLI AHMVLVSRL

Important features:

Signal peptide:

amino acids 1-21

N-glycosylation sites.

amino acids 195-199, 217-221, 272-276

Tyrosine kinase phosphorylation site.

amino acids 220-228

N-myristoylation sites.

amino acids 120-126, 253-259, 268-274, 270-274, 285-291, 289-295

Glycosaminoglycan attachment site.

amino acids 267-271

Microbodies C-terminal targeting signal.

amino acids 299-303

Type II fibronectin collagen-binding domain protein.

amino acids 127-169

Fructose-bisphosphate aldolase class-II protein.

amino acids 101-119

FIGURE 19

AATTCAGATTTTAAGCCCATTCTGCAGTGGAATTCATGAACTAGCAAGAGGACACCATCTTCTT
GTATTATACAAGAAAGGAGTGTACCTATCACACACAGGGGGAAAAATGCTCTTTTGGGTGCTAGG
CCTCCTAATCCTCTGTGGTTTTCTGTGGACTCGTAAAGGAAACTAAAGATTGAAGACATCACTG
ATAAGTACATTTTTATCACTGGATGTGACTCGGGCTTTGGAACTTGGCAGCCAGAAGCTTTTGAT
AAAAAGGGATTTTCATGTAATCGCTGCCTGTCTGACTGAATCAGGATCAACAGCTTTAAAGGCAGA
AACCTCAGAGAGACTTCGTACTGTGCTTCTGGATGTGACCGACCCAGAGAATGTCAAGAGGACTG
CCAGTGGGTGAAGAACCAAGTTGGGGAGAAAGGTCTCTGGGGTCTGATCAATAATGCTGGTGT
CCCGGCGTGCTGGCTCCCACTGACTGGCTGACACTAGAGGACTACAGAGAACCTATTGAAGTGAA
CCTGTTTGGACTCATCAGTGTGACACTAAATATGCTTCCTTTGGTCAAGAAAGCTCAAGGGAGAG
TTATTAATGTCTCCAGTGTGGAGGTCGCCTTGCAATCGTTGGAGGGGGCTATACTCCATCCAAA
TATGCAGTGGAAGGTTTCAATGACAGCTTAAGACGGGACATGAAAGCTTTTGGTGTGCACGTCTC
ATGCATTGAACCAGGATTGTTCAAAACAACTTGGCAGATCCAGTAAAGGTAATTGAAAAAAAC
TCGCCATTTGGGAGCAGCTGTCTCCAGACATCAAACAACAATATGGAGAAGGTTACATTGAAAAA
AGTCTAGACAACTGAAAGGCAATAAATCCTATGTGAACATGGACCTCTCTCCGGTGGTAGAGTG
CATGGACCACGCTCTAACAAGTCTCTTCCCTAAGACTCATTATGCCGCTGGAAAAGATGCCAAAA
TTTTCTGGATACCTCTGTCTCACATGCCAGCAGCTTTGCAAGACTTTTTATTGTTGAAACAGAAA
GCAGAGCTGGCTAATCCCAAGGCAGTGTGACTCAGCTAACCACAAATGTCTCCTCCAGGCTATGA
AATTGGCCGATTTCAAGAACACATCTCCTTTTCAACCCCATTCCTTATCTGCTCCAACCTGGACT
CATTTAGATCGTGCTTATTTGGATTGCAAAAGGGAGTCCCACCATCGCTGGTGGTATCCCAGGGT
CCCTGCTCAAGTTTTCTTTGAAAAGGAGGGCTGGAATGGTACATCACATAGGCAAGTCCTGCCCT
GTATTTAGGCTTTGCCTGCTTGGTGTGATGTAAGGGAAATTGAAAGACTTGCCCATTCAAAATGA
TCTTTACCGTGGCCTGCCCCATGCTTATGGTCCCCAGCATTTACAGTAACTTGTGAATGTTAAGT
ATCATCTCTTATCTAAATATTAAAAGATAAGTCAACCCAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAA

FIGURE 20

MLFWVLGLLILCGFLWTRKGKLIKIEDITDKYIFITGCDSGFGNLAARTFDKKG FHVIAACLTESG
STALKAETSERLRTVLLDVTDPENVKRTAQWVKNQVGEKGLWGLINNAGVPGVLAPTDWLTLEDY
REPIEVNLFGLISVTNLNMLPLVKKAQGRVINVSSVGGRLAIVGGGYTPSKYAVEGFNDSLRRDMK
AFGVHVS CIEPGLFKTNLADPVK VIEKKLAIWEQLSPDIKQQYGE GYIEKSLDKLKGNKSYVNMD
LSPVVECMDHALTSLFPKTHYAAGKDAKIFWIPLSHMPAALQDFLLLKQKAE LANPKAV

Important features of the protein:

Signal peptide:

amino acids 1-17

Transmembrane domain:

amino acids 136-152

N-glycosylation sites.

amino acids 161-163, 187-190 and 253-256

Glycosaminoglycan attachment site.

amino acids 39-42

N-myristoylation sites.

amino acids 36-41, 42-47, 108-113, 166-171, 198-203 and 207-212

FIGURE 21

CTGAGGCGGCGGTAGCATGGAGGGGAGAGTACGTCGGCGGTGCTCTCGGGCTTTGTGCTCGGCG
 CACTCGCTTTCCAGCACCTCAACACGGACTCGGACACGGAAGGTTTTCTTCTTGGGGAAGTAAAA
 GGTGAAGCCAAGAACAGCATTACTGATTCCCAAATGGATGATGTTGAAGTTGTTTATACAATTGA
 CATTTCAGAAATATATTCCATGCTATCAGCTTTTTAGCTTTTATAATTCTTCAGGCGAAGTAAATG
 AGCAAGCACTGAAGAAAATATTATCAAATGTCAAAAAGAATGTGGTAGGTTGGTACAAATTCGGT
 CGTCATTTCAGATCAGATCATGACGTTTAGAGAGAGGCTGCTTCACAAAACTTGCAGGAGCATT
 TTCAAACCAAGACCTTGTTTTTCTGCTATTAACACCAAGTATAATAACAGAAAAGCTGCTCTACTC
 ATCGACTGGAACATTTCCTTATATAAACCTCAAAAAGGACTTTTTTCACAGGGTACCTTTAGTGTT
 GCCAATCTGGGCATGTCTGAACAACTGGGTTATAAACTGTATCAGGTTCCCTGTATGTCCACTGG
 TTTTAGCCGAGCAGTACAAACACACAGCTCTAAATTTTTTGAAGAAGATGGATCCTTAAAGGAGG
 TACATAAGATAAATGAAATGTATGCTTCATTACAAGAGGAATTAAAGAGTATATGCAAAAAAGTG
 GAAGACAGTGAACAAGCAGTAGATAAACTAGTAAAGGATGTAAACAGATTAAACGAGAAATTGA
 GAAAAGGAGAGGAGCACAGATTCAGGCAGCAAGAGAGAAGAACATCCAAAAAGACCCTCAGGAGA
 ACATTTTTCTTTGTTCAGGCATTACGGACCTTTTTTCCAAATTCTGAATTTCTTCATTTCATGTGT
 ATGCTTTTAAAAAATAGACATGTTTCTAAAAGTAGCTGTAACACCAACCACCTCTCGATGTAGT
 AGACAATCTGACCTTAATGGTAGAACACACTGACATTCCTGAAGCTAGTCCAGCTAGTACACCAC
 AAATCATTAAGCATAAAGCCTTAGACTTAGATGACAGATGGCAATTCAAGAGATCTCGGTTGTTA
 GATACACAAGACAAACGATCTAAAGCAAATACTGGTAGTAGTAACCAAGATAAAGCATCCAAAT
 GAGCAGCCCAGAAACAGATGAAGAAATTGAAAAGATGAAGGGTTTTGGTGAATATTCACGGTCTC
 CTACATTTTGATCCTTTTAACCTTACAAGGAGATTTTTTTATTTGGCTGATGGGTAAAGCCAAAC
 ATTTCTATTGTTTTTACTATGTTGAGCTACTTGCAGTAAGTTCATTTGTTTTTACTATGTTTCACC
 TGTTTGCAGTAATACACAGATAACTCTTAGTGCAATTTACTTCACAAAGTACTTTTTCAAACATCA
 GATGCTTTTATTTCCAAACCTTTTTTTCACCTTTCACTAAGTTGTTGAGGGGAAGGCTTACACAG
 ACACATTCCTTTAGAATTGGAAAAGTGAGACCAGGCACAGTGGCTCACACCTGTAATCCCAGCACT
 TAGGGAAGACAAGTCAGGAGGATTGATTGAAGCTAGGAGTTAGAGACCAGCCTGGGCAACGTATT
 GAGACCATGTCTATTAAAAAATAAAATGAAAAGCAAGAATAGCCTTATTTTCAAATATGGAAA
 GAAATTTATATGAAAATTTATCTGAGTCATTAAAATTCCTTAAGTGATACTTTTTTAGAAGTA
 CATTATGGCTAGAGTTGCCAGATAAAATGCTGGATATCATGCAATAAATTTGCAAAACATCATCT
 AAAATTTAAAAAAAAAAAAAAAAAAAAA

FIGURE 22

MEGESTSAVLSGFVLGALAFQHLNTDSDTEGFLGGEVKGEAKNSITDSQMDDVEVVYTIDIQKYI
PCYQLFSFYNSSGEVNEQALKKILSNVKKNVVGWYKFRRHSDQIMTFRERLLHKNLQEHFSNQDL
VFLLLTPSIITESCSTHRLEHSLYKPQKGLFHRVPLVVANLGMSEQLGYKTVSGSCMSTGFSSRAV
QTHSSKFFEEEDGSLKEVHKINEMYASLQEELKSICKKVEDSEQAVDKLVKDVNRLKREIEKRRGA
QIQAAAREKNIQKDPQENIFLCQALRTFFPNSEFLHSCVMSLKNRHVSKSSCNYNHHLDVVDNLTL
MVEHTDIPEASPASTPQIIKHKALDLDDRWFKRSRLLDTDQKRSKANTGSSNQDKASKMSSPET
DEEIEKMKGFGEYSRSPTF

Important features:

Signal peptide:

amino acids 1-19

N-glycosylation sites.

amino acids 75-79, 322-326

N-myristoylation site.

amino acids 184-154

Growth factor and cytokines receptors family.

amino acids 134-150

FIGURE 23

GGCACAGCCGCGCGGCGGAGGGCAGAGTCAGCCGAGCCGAGTCCAGCCGGACGAGCGGACCAGCGCAGGGCAGCCCAA
GCAGCGCGCAGCGAACGCCCGCCGCCGCCACACCCTCTGCGGTCCCCGCGGCGCCTGCCACCCTTCCCTCCTTCCCC
GCGTCCCCGCTCGCCGGCCAGTCAGCTTGCCGGGTTGCTGCCCGCGAAACCCGAGGTCACCAGCCGCGCCTCT
GCTTCCCTGGGCGCGCGCCCTCCACGCCCTCCTTCTCCCTGGCCCGGCGCCTGGCACCGGGGACCGTTGCCTGA
CGCGAGGCCAGCTCTACTTTTGGCCCCGCTCTCTCCGCTGCTCGCTCTTCCACCAACTCCAACCTCTTCTCCC
TCCAGTCCACTCGCTAGTCCCCGACTCCGCCAGCCCTCGGCCCGCTGCCGTAGCGCCGCTTCCCGTCCGGTCCCAAA
GGTGGGAACGCGTCCGCCCGGCGCCGACCAATGGCACGGTTGCGCTTGCCCGCGCTTCTCTGCACCCTGGCAGTGCTC
AGCGCGCGCTGCTGGCTGCCGAGCTCAAGTCGAAAAGTTGCTCGGAAGTGGCAGCTCTTTACGTGTCCAAAGGCTTC
AACAAGAACGATGCCCCCTCCACGAGATCAACGGTGATCATTTGAAGATCTGTCCCCAGGGTTCTACCTGCTGCTCT
CAAGAGATGGAGGAGAAGTACAGCCTGCAAAGTAAAGATGATTTCAAAGTGTGGTCAGCGAACAGTGAATCATTTG
CAAGCTGTCTTTGCTTACGTTACAAGAAGTTTGATGAATTTCTCAAAGAACTACTTGAAAATGCAGAGAAAATCCCTG
AATGATATGTTTGTGAAGACATATGGCCATTTATACATGCAAAATTCTGAGCTATTTAAAGATCTCTTCGTAGAGTTG
AAACGTTACTACGTGGTGGGAAATGTGAACCTGGAAGAAATGCTAAATGACTTCTGGGCTCGCTCCTGGAGCGGATG
TTCCGCTGGTGAACCTCCAGTACCACTTTACAGATGAGTATCTGGAATGTGTGAGCAAGTATACGGAGCAGCTGAAG
CCCTTCGGAGATGTCCCTCGCAAATTGAAGCTCCAGGTTACTCGTGCTTTTGTAGCAGCCGTACTTTTCGCTCAAGGC
TTAGCGGTTGCGGGAGATGTCGTGAGCAAGGTCCTCGTGGAACCCACAGCCAGTGTACCATGCCCTGTTGAAG
ATGATCTACTGCTCCCACTGCCGGGCTCTCGTGACTGTGAAGCCATGTTACAATACTGCTCAAACATCATGAGAGGC
TGTTTGCCAACCAAGGGGATCTCGATTTTGAATGGAACAATTTATAGATGCTATGCTGATGGTGGCAGAGAGGCTA
GAGGGTCTTTCAACATTGAATCGGTCATGGATCCCATCGATGTGAAGATTTCTGATGCTATTATGAACATGCAGGAT
AATAGTGTTCAAGTGTCTCAGAAGGTTTCCAGGGATGTGGACCCCCAAGCCCCCTCCAGCTGGACGAATTTCTCGT
TCCATCTCTGAAAGTGCCTTCAGTGCTCGCTTCAGACCACATCACCCCGAGGAACGCCCAACCACAGCAGCTGGCACT
AGTTTGAGCCGACTGGTTACTGATGTCAAGGAGAACTGAAACAGGCCAAGAAATTTCTGGTCTCCCTTCCGAGCAAC
GTTTGCAACGATGAGAGGATGGCTGCAGGAAACGGCAATGAGGATGACTGTTGGAATGGGAAAGGCAAAAGCAGGTAC
CTGTTTGCACTGACAGGAAATGGATTAGCCAACCAAGGGCAACAACCCAGAGGTCCAGGTTGACACCAGCAAACAGAC
ATACTGATCCTTCGTCAAATCATGGCTCTTCGAGTGATGACCAGCAAGATGAAGAATGCATACAATGGGAACGACGTG
GACTTCTTTGATATCAGTGATGAAAGTAGTGGAGAAGGAAGTGAAGTGGCTGTGAGTATCAGCAGTGCCCTTCAGAG
TTTGACTACAATGCCACTGACCATGCTGGGAAGAGTGCCAATGAGAAAGCCGACAGTGCTGGTGTCCGTCTGGGGCA
CAGGCCTACCTCCTCACTGTCTTCTGCATCTTGTTCTGTTATGCAGAGAGAGTGGAGATTAATTCTCAAACCTCTGAG
AAAAAGTGTTATCAAAAAGTTAAAAGGCACAGTTATCACTTTTCTACCATCCTAGTGACTTTGCTTTTAAATGAA
TGGACAACAATGTACAGTTTTTACTATGTGGCCACTGGTTTAAAGAGTGTGACTTTGTTTTCTCATTGAGTTTTGGG
AGGAAAAGGGACTGTGCATTGAGTTGGTTCTGCTCCCCCAAACCATGTTAAACGTGGCTAACAGTGTAGGTACAGAA
CTATAGTTAGTTGTGATTTGTGATTTTATCACTCTATTATTTGTTTGTATGTTTTTTCTCATTTCGTTTGTGGGTT
TTTTTTTCCAACGTGATCTCGCCTTGTTCCTTACAAGCAAACCAAGGTCCTTCTGGCACGTAACATGTACGTATT
TCTGAAATATTAAATAGCTGTACAGAAGCAGGTTTTATTATCATGTTATCTATTAAAAAGAAAAAGCCCAAAAGC

FIGURE 24

MARFGLPALLCTLAVLSAALLAAELKSKSCSEVRRLYVSKGFNKNDAPLHEINGDHLKICPQGST
CCSQEMEKEYSLQSKDDFKSVVSEQCNHLQAVFASRYKKFDEFFKELLENAEKSLNDMFVKTYGH
LYMQNSELFKDLFVELKRYVVGNNLEEMLNDFWARLLERMFRLVNSQYHFTDEYLECVSKYTE
QLKPFQGDVPRKLKLQVTRAFVAARTFAQGLAVAGDVVSKVSVVNPTAQCTHALLKMIYCSHCRGL
VTVKPCYNYCSNIMRGCLANQGDLD FEWNNFIDAMLMVAERLEGPFNIESVMDPIDVKISDAIMN
MQDNSVQVSQKVFQCGPPKPLPAGRISRSISESAFSARFRPHHPEERPTTAAGTSLDRLVTDVK
EKLKQAKKFWSLPSNVCNDERMAAGNGNEDDCWNGKGKSRYLEAVTGNGLANQGNNPEVQVDTSE
KPDILILRQIMALRVMTSKMKNAYNGNDVDFDISDESSGEGSGSGCEYQQCPSEFDYNATDHAG
KSANEKADSAGVRPGAQAYLLTVFCILFLVMQREWR

Important features:

Signal peptide:

amino acids 1-22

ATP/GTP-binding site motif A (P-loop).

amino acids 515-524

N-glycosylation site.

amino acids 514-518

Glycosaminoglycan attachment sites.

amino acids 494-498, 498-502

N-myristoylation sites.

amino acids 63-69, 224-230, 276-282, 438-444, 497-503, 531-537

Glypicans proteins.

amino acids 54-75, 105-157, 238-280, 309-346, 423-460, 468-506

FIGURE 25

CTCGCCCTCAAATGGGAACGCTGGCCTGGGACTAAAGCATAGACCACCAGGCTGAGTATCCTGAC
CTGAGTCATCCCCAGGGATCAGGAGCCTCCAGCAGGGAACCTTCCATTATATTCTTCAAGCAACT
TACAGCTGCACCGACAGTTGCGATGAAGTTCTAATCTCTTCCCTCCTCCTGTTGCTGCCACTAA
TGCTGATGTCCATGGTCTCTAGCAGCCTGAATCCAGGGGTCGCCAGAGGCCACAGGGACCGAGGC
CAGGCTTCTAGGAGATGGCTCCAGGAAGGCGGCCAAGAATGTGAGTGCAAAGATTGGTTCCTGAG
AGCCCCGAGAAGAAAATTCATGACAGTGTCTGGGCTGCCAAAGAAGCAGTGCCCCCTGTGATCATT
TCAAGGGCAATGTGAAGAAAACAAGACACCAAAGGCACCACAGAAAGCCAAACAAGCATTCCAGA
GCCTGCCAGCAATTTCTCAAACAATGTCTAGCTAAGAAGCTTTGCTCTGCCTTTGTAGGAGCTCTG
AGCGCCCACTCTTCCAATTAAACATTCTCAGCCAAGAAGACAGTGAGCACACCTACCAGACACTC
TTCTTCTCCCACCTCACTCTCCCCTGTACCCACCCCTAAATCATTCCAGTGCTCTCAAAAAGCA
TGTTTTTCAAGATCATTTTGTGTTGTTGCTCTCTCTAGTGTCTTCTTCTCTCGTCAGTCTTAGCCT
GTGCCCTCCCCTTACCCAGGCTTAGGCTTAATTACCTGAAAGATTCCAGGAAACTGTAGCTTCCT
AGCTAGTGTCAATTTAACCTTAAATGCAATCAGGAAAGTAGCAAACAGAAGTCAATAAATATTTTT
AAATGTCAAAAAAAAAAAAAAAAAAAA

FIGURE 26

MKVLISLLLLLLPLMLMSMVSSSLNPGVARGHRDRGQASRRWLQEGGQECECKDWFLRAPRRKFM
TVSGLPKKQCPDHFKNVKKTRHQRHHRKPNKHSRACQQFLKQCQLRSFALPL

Important features:

Signal peptide:

amino acids 1-22

N-myristoylation sites.

amino acids 27-33, 46-52

FIGURE 27

GGACGCCAGCGCCTGCAGAGGCTGAGCAGGGAAAAAGCCAGTGCCCCAGCGGAAGCACAGCTCAG
 AGCTGGTCTGCCATGGACATCCTGGTCCCCTCCTGCAGCTGCTGGTGCTGCTTCTTACCCTGCC
 CCTGCACCTCATGGCTCTGCTGGGCTGCTGGCAGCCCCCTGTGCAAAAGCTACTTCCCCCTACCTGA
 TGGCCGTGCTGACTCCCCAAGAGCAACCGCAAGATGGAGAGCAAGAAACGGGAGCTCTTCAGCCAG
 ATAAAGGGGCTTACAGGAGCCTCCGGGAAAGTGGCCCTACTGGAGCTGGGCTGCGGAACCGGAGC
 CAACTTTCAGTTCTACCCACCGGGCTGCAGGGTCACCTGCCTAGACCCAAATCCCCACTTTGAGA
 AGTTCCTGACAAAGAGCATGGCTGAGAACAGGCACCTCCAATATGAGCGGTTTGTGGTGGCTCCT
 GGAGAGGACATGAGACAGCTGGCTGATGGCTCCATGGATGTGGTGGTCTGCACCTCTGGTGCTGTG
 CTCTGTGCAGAGCCCAAGGAAGTCTGCAGGAGGTCCGGAGAGTACTGAGACCGGGAGGTGTGC
 TCTTTTCTGGGAGCATGTGGCAGAACCATATGGAAGCTGGGCCTTCATGTGGCAGCAAGTTTTC
 GAGCCCACCTGGAACACATTGGGGATGGCTGCTGCCTCACCAGAGAGACCTGGAAGGATCTTGA
 GAACGCCCAGTTCTCCGAAATCCAAATGGAACGACAGCCCCCTCCCTTGAAGTGGCTACCTGTTG
 GGCCCCACATCATGGGAAAGGCTGTCAAACAATCTTTCCCAAGCTCCAAGGCACTCATTTGCTCC
 TTCCCCAGCCTCCAATTAGAACAAGCCACCCACCAGCCTATCTATCTTCCACTGAGAGGGACCTTA
GCAGAATGAGAGAAGACATTCTATGTACCACCTACTAGTCCCTCTCTCCCCAACCTCTGCCAGGGC
 AATCTCTAACTTCAATCCCGCCTTCGACAGTGAAAAAGCTCTACTTCTACGCTGACCCAGGGAGG
 AAACACTAGGACCCTGTTGTATCCTCAACTGCAAGTTTCTGGACTAGTCTCCCAACGTTTGCCTC
 CCAATGTTGTCCCTTTCCTTCGTTCCCATGGTAAAGCTCCTCTCGCTTTCCTCCTGAGGCTACAC
 CCATGCGTCTCTAGGAAGTGGTCACAAAAGTCATGGTGCCTGCATCCCTGCCAAGCCCCCCTGAC
 CCTCTCTCCCCACTACCACCTTCTTCTGAGCTGGGGGCACCAGGGAGAATCAGAGATGCTGGGG
 ATGCCAGAGCAAGACTCAAAGAGGCAGAGGTTTTGTTCTCAAATATTTTTTAATAAATAGACGAA
 ACCACG

FIGURE 28

MDILVPLLQLLVLLLTLPPLHMLLGCWQPLCKSYFPYLMVLTPKSNRKMESKKRELFSSQIKGL
TGASGKVALLELGCGTGANFQFYPPGCRVTCCLDPNPHFEKFLTKSMAENRHLQYERFVVAPGEDM
RQLADGSMDVVVCTLVLCVQSPRKVLQEVRRVLRPGGVLEFFWEHVAEPYGSWAFMWQQVFEPW
KHIGDGCCLTRETWKDLNAQFSEIQMERQPPPLKWLPVGPVHMGKAVKQSFSSKALICSFPSL
QLEQATHQPIYLPLRGT

Important features:

Signal peptide:

amino acids 1-23

Leucine zipper pattern.

amino acids 10-32

N-myristoylation sites.

amino acids 64-70, 78-84, 80-86, 91-97, 201-207

FIGURE 29

CAATGTTTGCCTATCCACCTCCCCCAAGCCCCTTTACCTATGCTGCTGCTAACGCTGCTGCTGCT
GCTGCTGCTGCTTAAAGGCTCATGCTTGGAGTGGGGACTGGTCGGTGCCCAGAAAGTCTCTTCTG
CCACTGACGCCCCCATCAGGGATTGGGCCTTCTTTCCCCCTTCCTTTCTGTGTCTCCTGCCTCAT
CGGCCTGCCATGACCTGCAGCCAAGCCCAGCCCCGTGGGGAAGGGGAGAAAGTGGGGGATGGCTA
AGAAAGCTGGGAGATAGGGAACAGAAGAGGGTAGTGGGTGGGCTAGGGGGGCTGCCTTATTTAAA
GTGGTTGTTTATGATTCTTATACTAATTTATACAAAGATATTAAGGCCCTGTTTATTAAAGAAATT
GTTCCCTTCCCCTGTGTTCAATGTTTGTAAGATTGTTCTGTGTAAATATGTCTTTATAATAAAC
AGTTAAAAGCTGAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 30

MLLLTLLLLLLLLLLKGSCLEWGLVGAQKVSSATDAPIRDWAFFPPSFLCLLPHRPAMTCSQAQPRG
EGEKVGDG

Important features:

Signal peptide:

amino acids 1-15

Growth factor and cytokines receptors family:

amino acids 3-18

FIGURE 31

GTTTGAATTCCTTCAACTATACCCACAGTCCAAAAGCAGACTCACTGTGTCCCAGGCTACCAAGTT
 CCTCCAAGCAAGTCATTTCCCTTATTTAACCGATGTGTCCCTCAAACACCTGAGTGCTACTCCCT
 ATTTGCATCTGTTTTGATAAATGATGTTGACACCCTCCACCGAATTCTAAGTGGAAATCATGTCGG
 GAAGAGATACAATCCTTGGCCTGTGTATCCTCGCATTAGCCTTGTCTTTGGCCATGATGTTTACC
 TTCAGATTCATCACCACCCTTCTGGTTCACATTTTCATTTTCATTGGTTATTTTGGGATTGTTGTT
 TGTCTGCGGTGTTTTATGGTGGCTGTATTATGACTATACCAACGACCTCAGCATAGAATTGGACA
 CAGAAAGGGAAAAATATGAAGTGCGTGCTGGGGTTTGCTATCGTATCCACAGGCATCACGGCAGTG
 CTGCTCGTCTTGATTTTTGTTCTCAGAAAGAGAATAAAATTGACAGTTGAGCTTTTCCAAATCAC
 AAATAAAGCCATCAGCAGTGCTCCCTTCCTGCTGTTCCAGCCACTGTGGACATTTGCCATCCTCA
 TTTTCTTCTGGGTCCTCTGGGTGGCTGTGCTGCTGAGCCTGGGAACTGCAGGAGCTGCCCAGGTT
 ATGGAAGGCGGCCAAGTGAATATAAGCCCCCTTTCGGGCATTCCGTACATGTGGTCGTACCATTT
 AATTGGCCTCATCTGGACTAGTGAATTCATCCTTGCGTGCCAGCAAATGACTATAGCTGGGGCAG
 TGGTTACTTGTTATTTCAACAGAAGTAAAAATGATCCTCCTGATCATCCCATCCTTTTCGTCTCTC
 TCCATTCTCTTCTTCTACCATCAAGGAACCGTTGTGAAAGGGTCATTTTTAATCTCTGTGGTGAG
 GATTCCGAGAATCATTGTCATGTACATGCAAAACGCACTGAAAGAACAGCAGCATGGTGCATTGT
 CCAGGTACCTGTTCCGATGCTGCTACTGCTGTTTCTGGTGTCTTGACAAATACCTGCTCCATCTC
 AACCAGAATGCATATACTACAACCTGCTATTAATGGGACAGATTTCTGTACATCAGCAAAAGATGC
 ATTCAAAATCCTGTCCAAGAACTCAAGTCACTTTACATCTATTAAGTCTTTGGAGACTTCATAA
 TTTTCTAGGAAAGGTGTTAGTGGTGTGTTTCACTGTTTTTGGAGGACTCATGGCTTTTAACTAC
 AATCGGGCATTCAGGTGTGGGCAGTCCCTCTGTTATTGGTAGCTTTTTTGCCTACTTAGTAGC
 CCATAGTTTTTTATCTGTGTTTGAAACTGTGCTGGATGCACTTTTCCTGTGTTTTGCTGTTGATC
 TGGAACAAATGATGGATCGTCAGAAAAGCCCTACTTTATGGATCAAGAATTTCTGAGTTTCGTA
 AAAAGGAGCAACAAATTAAACAATGCAAGGGCACAGCAGGACAAGCACTCATTAAGGAATGAGGA
 GGGAACAGAACTCCAGGCCATTGTGAGATAGATACCCATTTAGGTATCTGTACCTGGAAAACATT
 TCCTTCTAAGAGCCATTTACAGAATAGAAGATGAGACCACTAGAGAAAAGTTAGTGAATTTTTTT
 TTAAAAGACCTAATAAACCTATTCTTCCTCAAAA

FIGURE 32

MSGRDTILGLCILALALSLAMMFTFRFITLLVHIFISLVILGLLFVCGVLWWLYDYDTNDLSIE
LDTERENMKCVLGFAIVSTGITAVLLVLIFVLRKRIKLTVELFQITNKAISSAPFLLFQPLWTFA
ILIFFWVLWVAVLLSLGTAGAAQVMEGGQVEYKPLSGIRYMWSYHLIGLIWTSEFILACQOMTIA
GAVVTCYFNRSKNDPPDHPILSSLSILFFYHQGTVVKGSFLISVVRIIPRIIVMYMQNALKEQQHG
ALSRYLFRCCYCCFWCLDKYLLHLNQAYTTTAINGTDFCTSAKDAFKILSKNSSHFTSINCFGD
FIIIFLGKVLVVCFTVFGGLMAFNYNRAFQVWAVPLLLVAFFAYLVAHSFLSVFETVLDALFLCFA
VDLETNDGSSEKPYFMDQEFLSFVKRSNKLNNARAQQDKHSLRNEEGTELQAIVR

Important features:

Signal peptide:

amino acids 1-20

Putative transmembrane domains:

amino acids 35-54, 75-97, 126-146, 185-204, 333-350, 352-371

N-glycosylation sites.

amino acids 204-208, 295-299, 313-317

N-myristoylation sites.

amino acids 147-153, 178-184, 196-202, 296-275, 342-348

FIGURE 33

FIGURE 34

MRTVVLTMKASVIEMFLVLLVTGVHSNKETAKKIKRPKFTVPQINCVDKAGKIIDPEFIVKCPAG
CQDPKYHVGTDVYASYSSVCGAAVHSGVLDNSGGKILVRKVAGQSGYKGSYSNGVQSLSLPRWR
ESFIVLESKPKKGVITYPSALTYSSSKSPAAQAGETTKAYQRPPIPGTTAQPVTLMQLLAVTVAVA
TPTTLPRPSPSAASTTSIPRPQSVGHRSEQEMDLWSTATYTSSQNRPRADPGIQRQDPSGAAFQKP
VGADVSLGLVPKEELSTQSLEPVSLGDPNCKIDLSFLIDGSTSIGKRRFRIQKQLLADVAQALDI
GPAGPLMGVVQYGDNPATHFNLKTHTNRDLKTAIEKITQRGGLSNVGRAISFVTKNFFSKANGN
RSGAPNVVVVMVDGWPTDKVEEASRLARESGINIFFITIEGAAENEKQYVVEPNFANKAVCRTNG
FYSLHVQSWFGLHKTLOPLVKRVCDTDRILACSKTCLNSADIGFVIDGSSSVGTGNFRTVLQFVTN
LTKEFEISDTRIGAVQYTYEQRLFEGFDKYSSKPDILNAIKRVGYWSGGTSTGAAINFALEQL
FKKSKPNKRKLMILITDGRSYDDVRIPAMAAHLKGVITYAIGVAWAAQEELEVIATHPARDHSFF
VDEFDNLHQYVPRIIQNICTEFNSQPRN

Important features:

Signal peptide:

amino acids 1-26

Transmembrane domain:

amino acids 181-200

N-glycosylation sites.

amino acids 390-394, 520-524

N-myristoylation sites.

amino acids 23-29, 93-99, 115-121, 262-268, 367-373, 389-395,
431-437, 466-472, 509-515, 570-576, 571-577, 575-581, 627-633

Amidation site.

amino acids 304-308

FIGURE 35

CCGAGCACAGGAGATTGCCTGCGTTTAGGAGGTGGCTGCGTTGTGGGAAAAGCTATCAAGGAAGAAATTGC
CAAACCATGTCTTTTTTTCTGTTTTTCAGAGTAGTTCACAACAGATCTGAGTGTTTTAATTAAGCATGGAAT
ACAGAAAACAACAAAAAACTTAAGCTTTAATTTTCATCTGGAATTCACAGTTTTCTTAGCTCCCTGGACCC
GGTTGACCTGTTGGCTCTTCCCGCTGGCTGCTCTATCACGTGGTGCTCTCCGACTACTCACCCCGAGTGTA
AAGAACCTTCGGCTCGCGTGCTTCTGAGCTGCTGTGGATGGCCTCGGCTCTCTGGACTGTCTTCCGAGTA
GGATGTCACTGAGATCCCTCAAATGGAGCCTCCTGCTGCTGTCACCTCCTGAGTTTTCTTTGTGATGTGGTAC
CTCAGCCTTCCCCACTACAATGTGATAGAACGCGTGAAGTGGATGTACTTCTATGAGTATGAGCCGATTTA
CAGACAAGACTTTCACTTCACACTTCGAGAGCATTCAAAGTCTCTCATCAAAATCCATTTCTGGTCATTC
TGGTGACCTCCCACCCTTCAGATGTGAAAGCCAGGCAGGCCATTAGAGTTACTTGGGGTGAAAAAAGTCT
TGGTGGGGATATGAGGTTCTTACATTTTTCTTATTAGGCCAAGAGGCTGAAAAGGAAGACAAAATGTTGGC
ATTGTCCTTAGAGGATGAACACCTTCTTTATGGTGACATAATCCGACAAGATTTTTTAGACACATATAATA
ACCTGACCTTGAAAACCATTATGGCATTTCAGGTGGGTAAGTGAAGTTTTGCCCCAATGCCAAGTACGTAATG
AAGACAGACACTGATGTTTTTCATCAATACTGGCAATTTAGTGAAGTATCTTTTAAACCTAAACCACTCAGA
GAAGTTTTTCACAGGTTATCCTCTAATTGATAATTATTCCTATAGAGGATTTTACCAAAAAACCCATATTT
CTTACCAGGAGTATCCTTTCAAGGTGTTCCCTCCATACTGCAGTGGGTGGGTATATAATGTCCAGAGAT
TTGGTGCCAAGGATCTATGAAATGATGGGTACGTAAGCAACCCATCAAGTTGAAGATGTTTATGTGGGAT
CTGTTTGAATTTATTTAAAGTGAACATTTCATATTCCAGAAGACACAAATCTTTTCTTCTATATAGAATCC
ATTTGGATGTCTGTCAACTGAGACGTGTGATTGCAGCCCATGGCTTTTCTTCCAAGGAGATCATCACTTTT
TGGCAGGTGATGCTAAGGAACACCACATGCCATTATTAAGTTCACATTCTACAAAAAGCCTAGAAGGACAG
GATACCTTGTGGAAAGTGTTAAATAAGTAGGTACTGTGGAAATTCATGGGGAGGTGAGTGCTGGCTT
ACACTGAACTGAACTCATGAAAAACCCAGACTGGAGACTGGAGGGTTACACTTGTGATTTATTAGTCAGG
CCCTTCAAAGATGATATGTGGAGGAATTAATATAAGGAATTGGAGGTTTTTGCTAAAGAAATTAATAGG
ACCAACAATTTGGACATGTCATTCTGTAGACTAGAATTTCTTAAAGGGTGTTACTGAGTTATAAGCTCA
CTAGGCTGTAAAAACAAAACAATGTAGAGTTTTATTTATTGAACAATGTAGTCACTTGAAGGTTTTGTGTA
TATCTTATGTGGATTACCAATTTAAAAATATATGTAGTTCTGTGTCAAAAACTTCTTCACTGAAGTTATA
CTGAACAAAATTTTACCTGTTTTTGGTCATTTATAAGTACTTCAAGATGTTGCAGTATTTACAGTTATT
ATTATTTAAATTAAGTCAACTTTGTGTTTTTAAATGTTTTGACGATTTCAATACAAGATAAAAAGGATAG
TGAATCATTCTTTACATGCAACATTTCCAGTTACTTAACTGATCAGTTTATTATTGATACATCACTCCA
TTAATGTAAAGTCATAGGTCAATTATTGCATATCAGTAATCTCTGGACTTTGTTAAATATTTTACTGTGGT
AATATAGAGAAGAATTAAAGCAAGAAAATCTGAAAA

FIGURE 36

MASALWTVLPSRMSLRSLKWSLLLLLSLLSFFVMWYLSLPHYNVIERVNWMYFYEYEPiYRQDFHF
TLREHSNCSHQNPFLVILVTSHPSDVKARQAIRVTWGEKKSWWGYEVLTFLLGQEA EKEDKMLA
LSLEDEHLLYGDIIRQDFLDTYNNLTLKTIMAFRWVTEFCPNAKYVMKTD TDVFINTGNLVKYL
NLNHSEKFFTGYPLIDNYSYRGFYQKTHISYQEYPFKVFPPYCSGLGYIMSRDLVPRIYEMMGHV
KPIKFEDVYVGICLNLLKVNIIHIPEDTNLFFLYRIHLDVCQLRRVIAAHGFSSKEIITFWQVMLR
NTTCHY

Important features:

Type II transmembrane domain:

amino acids 20-39

N-glycosylation sites.

amino acids 72-76, 154-158, 198-202, 212-216, 326-330

Glycosaminoglycan attachment site.

amino acids 239-243

Ly-6 / u-PAR domain proteins.

amino acids 23-37

N-myristoylation site.

amino acids 271-277

FIGURE 37

CGCTCGGGCACCAGCCGCGGCAAGGATGGAGCTGGGTTGCTGGACGCAGTTGGGGCTCACTTTTCTTCAGCTCCTTCTCATC
TCGTCCCTTGCCAAGAGAGTACACAGTCATTAATGAAGCCTGCCCTGGAGCAGAGTGGAATATCATGTGTGGGAGTGCTGTG
AATATGATCAGATTGAGTGCGTCTGCCCCGGAAGAGGGAAGTCGTGGGTTATACCATCCCTTGCTGCAGGAATGAGGAGAA
TGAGTGTGACTCCTGCCTGATCCACCCAGGTTGTACCATCTTTGAAAACGCAAGAGCTGCCGAAATGGCTCATGGGGGGGT
ACCTTGGATGACTTCTATGTGAAGGGGTCTACTGTGCAGAGTGCCGAGCAGGCTGGTACGGAGGAGACTGCATGCGATGTG
GCCAGGTTCTGCGAGCCCCAAAGGGTCAGATTTTGTGGAAAGCTATCCCCATAATGCTCACTGTGAATGGACCATTTCATGC
TAAACCTGGGTTTGTTCATCCAACATAAGATTTGTTCATGTTGAGTCTGGAGTTTGACTACATGTGCCAGTATGACTATGTTGAG
GTTGCTGTGAGAGACAACCGGATGGCCAGATCATCAAGCGTGTCTGTGGCAACGAGCGGCCAGCTCCTATCCAGAGCATAG
GATCCTCACTCCACGTCCTCTTCCACTCCGATGGCTCCAAGAATTTTGACGGTTTCCATGCCATTATGAGGAGATCACAGC
ATGCTCCTCATCCCCTTGTTTCCATGACGGCACGTGCGTCCCTGACAAGGCTGGATCTTACAAGTGTGCCTGCTTGGCAGGC
TATACTGGGCGAGCGCTGTGAAAATCTCCTTGAAGAAAGAACTGCTCAGACCCTGGGGGGCCAGTCAATGGGTACCAGAAAA
TAACAGGGGGCCCTGGGCTTATCAACGGACGCCATGCTAAAATTGGCACCGTGGTGTCTTTCTTTTGTAACTCCTATGT
TCTTAGTGGAATGAGAAAAGAACTTGCCAGCAGAATGGAGAGTGGTCAGGGAAACAGCCCATCTGCATAAAAGCCTGCCGA
GAACCAAAGATTTAGACCTGGTGAGAAGGAGAGTTCTTCCGATGCAGGTTCACTCAAGGGAGACACCATTACACCAGCTAT
ACTCAGCGGCCCTTCAGCAAGCAGAACTGCAGAGTGCCCCTACCAAGAAGCCAGCCCTTCCCTTTGGAGATCTGCCCATGGG
ATACCAACATCTGCATACCCAGCTCCAGTATGAGTGCATCTCACCCTTCTACCGCCGCTGGGCAGCAGCAGGAGGACATGT
CTGAGGACTGGGAAGTGGAGTGGGCGGGCACCATCTGCATCCCTATCTGCGGGAAAATTGAGAACATCACTGCTCCAAGA
CCCAAGGGTTGCGCTGGCCGTGGCAGGCAGCCATCTACAGGAGGACCAGCGGGGTGCATGACGGCAGCCTACACAAGGGAGC
GTGGTTCTTAGTCTGCAGCGGTGCCCTGGTGAATGAGCGCACTGTGGTGGTGGCTGCCACTGTGTTACTGACCTGGGGAG
GTCACCATGATCAAGACAGCAGACCTGAAAGTTGTTTGGGGAAATTCTACCGGGATGATACCGGGATGAGAAGACCATCC
AGAGCCTACAGATTTCTGCTATCATTCTGCATCCCACTATGACCCCATCTGCTTGATGCTGACATCGCCATCTGAAGCT
CCTAGACAAGGCCGTATCAGCACCAGTCCAGCCCATCTGCTCGCTGCCAGTCGGGATCTCAGCACTTCTTCCAGGAG
TCCCACATCACTGTGGCTGGCTGGAATGTCTTGGCAGACGTGAGGAGCCCTGGCTTCAAGAACGACACACTGCGCTCTGGGG
TGGTCAGTGTGGTGGACTCGCTGCTGTGTGAGGAGCAGCATGAGGACCATGGCATCCAGTGAGTGTCACTGATAACATGTT
CTGTGCCAGCTGGGAACCCACTGCCCTTCTGATATCTGCATCTGCAGAGACAGGAGGCATCGCGGCTGTGCTTCCCGGA
CGAGCATCTCTGAGCCACGCTGGCATCTGATGGGACTGGTCAGCTGGAGCTATGATAAAACATGCAGCCACAGGCTCTCCA
CTGCCCTCACCAAGGTGCTGCTTTTAAAGACTGGATTGAAAGAAATATGAAATGAACCATGCTCATGCACCTCTTGAGAAG
TGTTTCTGTATATCCGCTCTGTACGTGTCTCATTTGCGTGAAGCAGTGTGGGCTGAAGTGTGATTTGGCCTGTGAACTTGGCT
GTGCCAGGGCTTCTGACTTCAGGGACAAAACCTCAGTGAAGGGTGAGTAGACCTCCATGTGCTGGTAGGCTGATGCCGCGTCCA
CTACTAGGACAGCCAATTGGAAGATGCCAGGGCTTGCAAGAAGTAAGTTTCTTCAAGAAGACCATATACAAAACCTCTCCA
CTCCACTGACCTGGTGGTCTTCCCCAATTTTCAGTTATACGAATGCCATCAGCTTGACCAGGGAAGATCTGGGCTTCATGAG
GCCCCTTTGGAGCTCTCAAGTTCTAGAGAGCTGCCTGTGGGACAGCCAGGGCAGCAGAGCTGGGATGTGGTGCATGCCTT
TGTGTACATGGCCACAGTACAGTCTGGTCCCTTTCCCTCCCCATCTCTGTGTACACATTTTAAATAAAATAAGGGTTGGCTTCT
GAACTACAAAAA
AAAAA

FIGURE 38

MELGCWTQLGLTFLQLLLISSLPREYTVINEACPGAENIMCRECCEYDQIECVCPGKREVVGYT
IPCCRNEENECDSCLIHPGCTIFENCKSCRNGSWGGLDDFYVKGFYCAECRAGWYGGDCMRGQ
VLRAPKGQILLESYPLNAHCEWTIHAKPGFVIQLRFVMLSLEFDYMCQYDYVEVRDGDNRDGQII
KRVCGNERPAPIQSIGSSLHVLFHSDGSKNFDGFAIYEEITACSSSPCFHDGTCVLDKAGSYKC
ACLAGYTGQRCENLLEERNCSDFGGPVNGYQKITGGPGLINGRHAKIGTVVSFFCNNSYVLSGNE
KRTCQQNGEWSGKQPICIKACREPKISDLVRRRVLPMQVQSRETPHLQLYSAAFSKQKLQSAPTK
KPALPFGDLPMGYQHLHTQLQYECISPFYRRLGSSRRTCLRTGKWSGRAPSCIPICGKIENITAP
KTQGLRWPWQAIIYRRTSGVHDGSLHKGAWFLVCSGALVNERTVVVAAHCVTDLGKVTMIKTADL
KVVLGKFYRDDDRDEKTIQSLQISAILHPNYDPILLDADIAILKLLDKARISTRVQPICLAASR
DLSTSFOESHITVAGWNVLADVRSPGFKNDTLRSGVVSVDSSLCEEQHEDHGIPVSVTDNMFCA
SWEPTAPSDICTAETGGIAAVSFPGRASPEPRWHLMGLVSWSYDKTCSHRLSTAFTKVLFPFKDWI
ERNMK

Important features of the protein:

Signal peptide:

amino acids 1-23

EGF-like domain cysteine pattern signature.

amino acids 260-272

N-glycosylation sites.

amino acids 96-100, 279-283, 316-320, 451-455, 614-618

N-myristoylation sites.

amino acids 35-41, 97-103, 256-262, 284-290, 298-304, 308-314,
474-480, 491-497, 638-644, 666-672

Amidation site.

amino acids 56-60

Serine proteases, trypsin family.

amino acids 489-506

CUB domain proteins profile.

amino acids 150-167

FIGURE 39

GGTTCTACATCCTCTCATCTGAGAATCAGAGAGCATAATCTTCTTACGGGCCCCGTGATTTATTAACGTGGCTTAATC
 TGAAGGTTCTCAGTCAAATTCTTTGTGATCTACTGATTGTGGGGGCATGGCAAGGTTTGCTTAAAGGAGCTTGGCTGG
 TTTGGGCCCTTGTAGCTGACAGAAGGTGGCCAGGGAGAATGCAGCACACTGCTCGGAGAAATGAAGGCGCTTCTGTTGC
 TGGTCTTGCCCTGGCTCAGTCCTGCTAACTACATTGACAATGTGGGCAACCTGCACCTTCCTGTATTTCAGAACTCTGTA
 AAGGTGCCTCCCACTACGGCCTGACCAAAGATAGGAAGAGGCGCTCACAAAGATGGCTGTCCAGACGGCTGTGCGAGCC
 TCACAGCCACGGCTCCCTCCCCAGAGGTTTCTGCAGCTGCCACCATCTCCTTAATGACAGACGAGCCTGGCCTAGACA
 ACCCTGCCTACGTGTCTCTCGGCAGAGGACGGGCAGCCAGCAATCAGCCCAGTGGACTCTGGCCGGAGCAACCGAACTA
 GGGCACGGCCCTTTGAGAGATCCACTATTAGAAGCAGATCATTAAAAAAATAAATCGAGCTTTGAGTGTTCTTCGAA
 GGACAAAGAGCGGGAGTGCACTTGCCAACCATGCCGACCAGGGCAGGGAAAAATCTGAAAACACCACTGCCCTGAAG
 TCTTTCCAAGGTTGTACCACCTGATTCCAGATGGTGAAATTACCAGCATCAAGATCAATCGAGTAGATCCCAGTGAAA
 GCCTCTCTATTAGGCTGGTGGGAGGTAGCGAAACCCCACTGGTCCATATCATTATCCAACACATTTATCGTGATGGGG
 TGATCGCCAGAGACGGCCGGCTACTGCCAGGAGACATCATTCTAAAGGTCAACGGGATGGACATCAGCAATGTCCCTC
 ACACTACGCTGTGCGTCTCTGCGGCAGCCCTGCCAGGTGCTGTGGCTGACTGTGATGCGTGAACAGAAGTTCGCA
 GCAGGAACAATGGACAGGCCCCGGATGCCTACAGACCCCGAGATGACAGCTTTCATGTGATTCTCAACAAAAGTAGCC
 CCGAGGAGCAGCTTGGAATAAACTGGTGCGCAAGGTGGATGAGCCTGGGGTTTTTCATCTTCAATGTGCTGGATGGCG
 GTGTGGCATATCGACATGGTCAGCTTGAGGAGAATGACCGTGTGTAGCCATCAATGGACATGATCTTCGATATGGCA
 GCCCAGAAAGTGGGCTCATCTGATTGAGGCCAGTGAAAGACGTGTTACCTCGTGTGTCGCCAGGTTTCGGCAGC
 GGAGCCCTGACATCTTTCAGGAAGCCGGCTGGAACAGCAATGGCAGCTGGTCCCCAGGGCCAGGGGAGAGGAGCAACA
 CTCCCAAGCCCCCTCCATCTTACAATTACTTGTGATGAGAAGGTGGTAAATATCCAAAAAGACCCCGGTGAATCTCTCG
 GCATGACCGTTCGACGGGGGAGCATCACATAGAGAATGGGATTTGCCTATCTATGTATCAGTGTTGAGCCCGGAGGAG
 TCATAAGCAGAGATGGAAGAATAAAAACAGGTGACATTTTGTGTAATGTGGATGGGGTCGAACTGACAGAGGTGAGCC
 GGAGTGAGGCAGTGGCATTATTGAAAAGAACATCATCTCGATAGTACTCAAAGCTTTGGAAAGTCAAAGAGTATGAGC
 CCCAGGAAGACTGCAGCAGCCAGCAGCCCTGGACTCCAACCACAACATGGCCCCACCCAGTGAATGGTCCCCATCCT
 GGGTCACTGTGGCTGGAATTACCACGGTGCTTGTATAACTGTAAAGATATTGTATTACGAAGAAACACAGCTGGAAGTC
 TGGGCTTCTGCATTGTAGGAGGTTATGAAGAATACAATGGAACAAACCTTTTTTTCATCAAATCCATTGTTGAAGGAA
 CACCAGCATACAATGATGGAAGAATTAGATGTGGTGATATTCTTCTGCTGTCAATGGTAGAAGTACATCAGGAATGA
 TACATGCTTGCTTGCAAGACTGCTGAAAGAACTTAAAGGAAGAATTACTCTAACTATTGTTTCTTGGCCTGGCACTT
 TTTTATAGAAATCAATGATGGGTCAGAGGAAAACAGAAAAATCACAAATAGGCTAAGAAGTTGAAACACTATATTTATC
 TTGTGAGTTTTTATATTTAAAGAAAGAATACATTGTAAAAATGTCAGGAAAAGTATGATCATTAATGAAAGCCAGTT
 ACACCTCAGAAAATATGATTCCAAAAAATAAACTACTAGTTTTTTTTTCAGTGTGGAGGATTTCTCATTACTCTAC
 AACATTGTTTATATTTTTTCTATTCAATAAAAAGCCCTAAAACAATAAAATGATTGATTGTATACCCCACTGAATT
 CAAGCTGATTTAAATTTAAATTTGGTATATGCTGAAGTCTGCCAAGGGTACATTATGGCCATTTTAAATTTACAGCT
 AAAATATTTTTTAAATGCAATGCTGAGAAACGTTGCTTTCATCAAACAAGAATAAATATTTTTCAGAAGTTAAA

FIGURE 40

MKALLLLVLPWLSPANYIDNVGNLHFLYSELCKGASHYGLTKDRKRRSQDGCPDGCASLTATAPS
PEVSAAATISLMTDEPGLDNPAYVSSAEDGQPAISPVDSGRSNRTRARPFERSTIRSRSFKKINR
ALSVLRRTKSGSAVANHADQGRESENTTAPEVFPRLYHLIPDGEITSIKINRVDPSESLSIRLV
GGSETPLVHIIIIQHIIYRDGVIARDGRLLPGDIILKVNGMDISNVPHNYAVRLLRQPCQVLWLTVM
REQKFRSRNNGQAPDAYRPRDDSFHVILNKSSPEEQLGIKLVRKVDEPGVFIENVLDGGVAYRHG
QLEENDRVLAINGHDLRYGSPESA AHLIQASERRVHLVVSQRQRSPDIFQEAGWNSNGSWSPG
PGERSTPKPLHPTITCHEKVNIQKDPGESLGMTVAGGASHREWDLPIYVISVEPGGVISRDGR
IKTGDILLNV DGVELTEVSRSEAVALLKRTSSSIVLKALEVKEYEPQEDCSSPAALDSNHNMAPP
SDWSPSWVMWLELPRCLYNCKDIVLRRNTAGSLGFCIVGGYEEYNGNKPFFIKSIVEGTPAYNDG
RIRCGDILLAVNGRSTSGMIHACLARLLKELKGRITLTIVSWPGTFL

Important features:

Signal peptide:

amino acids 1-15

N-glycosylation sites.

amino acids 108-112, 157-161, 289-293, 384-388

Tyrosine kinase phosphorylation sites.

amino acids 433-441, 492-500

N-myristoylation sites.

amino acids 51-57, 141-147, 233-239, 344-350, 423-429, 447-453,
467-473, 603-609

FIGURE 41

ACCAGGCATTGTATCTTCAGTTGTTCATCAAGTTCGCAATCAGATTGGAAAAGCTCAACTTGAAGCTTT
 CTTGCCTGCAGTGAAGCAGAGAGATAGATATTATTCACGTAATAAAAAACATGGGCTTCAACCTGACT
 TTCCACCTTTTCTACAAATTCGATTACTGTTGCTGTTGACTTTGTGCCTGACAGTGGTTGGGTGGGC
 CACCAGTAACTACTTCGTGGGTGCCATTCAAGAGATTCTTAAAGCAAAGGAGTTCATGGCTAATTTCC
 ATAAGACCCTCATTTTGGGGAAGGGAAAACTCTGACTAATGAAGCATCCACGAAGAAGGTAGAACTT
 GACAACTGTCTTCTGTGTCTCTTACCTCAGAGGCCAGAGCAAGCTCATTTTCAAACAGATCTCAC
 TTTGGAAGAGGTACAGGCAGAAAATCCCAAAGTGCCAGAGGCCGGTATCGCCCTCAGGAATGTAAAG
 CTTTACAGAGGGTCGCCATCCTCGTTCCCCACCGGAACAGAGAGAAACACCTGATGTACCTGCTGGAA
 CATCTGCATCCCTTCTGCAGAGGCAGCAGCTGGATTATGGCATCTACGTATCCACCAGGCTGAAGG
 TAAAAAGTTTAAATCGAGCCAACTCTTGAATGTGGGCTATCTAGAAGCCCTCAAGGAAGAAAATTGGG
 ACTGCTTTATATTCCACGATGTGGACCTGGTACCCGAGAATGACTTTAACCTTTACAAGTGTGAGGAG
 CATCCCAAGCATCTGGTGGTTGGCAGGAACAGCACTGGGTACAGGTTACGTTACAGTGGATATTTTGG
 GGGTGTACTGCCCTAAGCAGAGAGCAGTTTTTCAAGGTGAATGGATTCTCTAACAATACTGGGGAT
 GGGGAGGCGAAGACGATGACCTCAGACTCAGGGTTGAGCTCCAAAGAATGAAAATTTCCCGGCCCTG
 CCTGAAGTGGGTAAATATACAATGGTCTTCCACACTAGAGACAAAGGCAATGAGGTGAACGCAGAACG
 GATGAAGCTCTTACACCAAGTGTACGAGTCTGGAGAACAGATGGGTTGAGTAGTTGTTCTTATAAAT
 TAGTATCTGTGGAACACAATCCTTTATATATCAACATCACAGTGGATTTCTGGTTTGGTGCATTGACCC
 TGGATCTTTTGGTGATGTTTGGGAAGAACTGATTCTTTGTTTGAATAATTTTGGCCTAGAGACTTCAA
 ATAGTAGCACACATTAAGAACCTGTTACAGCTCATTGTTGAGCTGAATTTTTCTTTTTGTATTTTCT
 TAGCAGAGCTCCTGGTGATGTAGAGTATAAAACAGTTGTAACAAGACAGCTTTCTTAGTCATTTTGAT
 CATGAGGGTTAAATATTGTAATATGGATACTTGAAGGACTTTATATAAAAGGATGACTCAAAGGATAA
 AATGAACGCTATTTGAGGACTCTGGTTGAAGGAGATTTATTTAAATTTGAAGTAATATATTATGGGAT
 AAAAGGCCACAGGAAATAAGACTGCTGAATGTCTGAGAGAACCAGAGTTGTTCTCGTCCAAGGTAGAA
 AGGTACGAAGATACAATACTGTTATTCATTTATCCTGTACAATCATCTGTGAAGTGGTGGTGTGAGGT
 GAGAAGGCGTCCACAAAAGAGGGGAGAAAAGGCGACGAATCAGGACACAGTGAAGTGGGAATGAAGA
 GGTAGCAGGAGGGTGGAGTGTGGCTGCAAAGGCAGCAGTAGCTGAGCTGGTTGCAGGTGCTGATAGC
 CTTACAGGGGAGGACCTGCCCAGGTATGCCTTCCAGTGATGCCACCAGAGAATACATTCTCTATTAGT
 TTTTAAAGAGTTTTTGTAAAATGATTTTGTACAAGTAGGATATGAATTAGCAGTTTACAAGTTTACAT
 ATTAATAATAATAATATGTCTATCAAATACCTCTGTAGTAAAATGTGAAAAAGCAAAA

FIGURE 42

MGFNLT FHLSYKFRL LLLLTLC LTVVGWATS NYFVGAIQEIPKAKEFMANFHKTLILGKGKTLTN
EASTKKVELDNCPSVSPYLRGQSKLIFKPDLTLEEVQAENPKVSRGRYPQECKALQRVAILVPH
RNREKHLMYLLEHLHPFLQRQQLDYGIYVIHQAEKKFNRAKLLNVGYLEALKEENWDCFI FHDV
DLVPENDFNLYKCEEHPKHLVVGRNSTGYRLRYSGYFGGVTALSREQFFKVNGFSNNYWGWGGE
DDLRLRVELQRMKISRPLPEVGKYTMVFHTRDKGNEVNAERMKLLHQVSRVWRTDGLSSCSYKLV
SVEHNPLYINITVDFWFGA

Important features:

Signal peptide:

amino acids 1-27

N-glycosylation sites.

amino acids 4-8, 220-224, 335-339

Xylose isomerase proteins.

amino acids 191-202

FIGURE 43

[illegible]

FIGURE 44

MALSSQIWAACLLLLLLLLASLTSGSVFPQQTGQLAELQPQDRAGARASWMPMFQRRRRRDTHFPI
CIFCCGCCHRSKCGMCCKT

Important features:

Signal peptide:

amino acids 1-24

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 58-59

N-myristoylation site.

amino acids 44-50

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 1-12

FIGURE 45

GTGGCTTCATTTCA GTGGCTGACTTCCAGAGAGCAATAATGGCTGGTTCCCCAACATGCCTCACCC
TCATCTATATCCTTTGGCAGCTCACAGGGTCAGCAGCCTCTGGACCCGTGAAAGAGCTGGTCGGT
TCCGTTGGTGGGGCCGTGACTTTCCCCCTGAAGTCCAAAGTAAAGCAAGTTGACTCTATTGTCTG
GACCTTCAACACAACCCCTCTTGTCACCATACAGCCAGAAGGGGGCACTATCATAGTGACCCAAA
ATCGTAATAGGGAGAGAGTAGACTTCCCAGATGGAGGCTACTCCCTGAAGCTCAGCAAAGTGAAG
AAGAATGACTCAGGGATCTACTATGTGGGGATATACAGCTCATCACTCCAGCAGCCCTCCACCCA
GGAGTACGTGCTGCATGTCTACGAGCACCTGTCAAAGCCTAAAGTCACCATGGGTCTGCAGAGCA
ATAAGAATGGCACCTGTGTGACCAATCTGACATGCTGCATGGAACATGGGGAAGAGGATGTGATT
TATACCTGGAAGGCCCTGGGGCAAGCAGCCAATGAGTCCCATAATGGGTCCATCCTCCCCATCTC
CTGGAGATGGGGAGAAAGTGATATGACCTTCATCTGCGTTGCCAGGAACCCTGTCAGCAGAACT
TCTCAAGCCCCATCCTTGCCAGGAAGCTCTGTGAAGGTGCTGCTGATGACCCAGATTCTCCATG
GTCTCTCTGTGTCTCCTGTTGGTGCCCCCTCTGCTCAGTCTCTTTGTACTGGGGCTATTTCTTTG
GTTTCTGAAGAGAGAGAGACAAGAAGAGTACATTGAAGAGAAGAAGAGAGTGGACATTTGTCGGG
AAACTCCTAACATATGCCCCATTCTGGAGAGAACACAGAGTACGACACAATCCCTCACACTAAT
AGAACAATCCTAAAGGAAGATCCAGCAAATACGGTTTACTCCACTGTGGAAATACCGAAAAAGAT
GGAAAATCCCCACTCACTGCTCACGATGCCAGACACACCAAGGCTATTTGCCTATGAGAATGTTA
TCTAGACAGCAGTGCACTCCCCTAAGTCTCTGCTCA

FIGURE 46

MAGSPTCLTLIYILWQLTGSAAAGPVKELVGSVGGAVTFPLKSKVKQVDSIVWTFNTTPLVTIQP
EGGTIIIVTQNRNRERVDFFDGGYSLKLSKLKKNDSGIYYVGIYSSSLQQPSTQEYVLHVYEHLSK
PKVTMGLQSNKNGTCVTNLTCCMEHGEEDVIYTWKALGQAANESHNGSILPISWRWGESDMTFIC
VARNPVSRNFSSPILARKLCCEGAADDPDSSMVLLCLLLVPLLLSLFVLGLFLWFLKRERQEEYIE
EKKRVDICRETPNICPHSGENTEYDTIPHTNRTILKEDPANTVYSTVEIPKKMENPHSLLTMPDT
PRLFAYENVI

Important features:

Signal peptide:

amino acids 1-22

Transmembrane domain:

amino acids 224-250

Leucine zipper pattern.

amino acids 229-251

N-glycosylation sites.

amino acids 98-102, 142-146, 148-152, 172-176, 176-180, 204-208,
291-295

FIGURE 47

GGCTCGAGCGTTTCTGAGCCAGGGGTGACCATGACCTGCTGCCAAGGATGGACATCCTGCAATGG
ATTCAGCCTGCTGGTTCTACTGCTGTTAGGAGTAGTTCTCAATGCGATACCTCTAATTGTCAGCT
TAGTTGAGGAAGACCAATTTTCTCAAAACCCCATCTCTTGCTTTGAGTGGTGGTTCCCAGGAATT
ATAGGAGCAGGTCTGATGGCCATTCCAGCAACAACAATGTCCTTGACAGCAAGAAAAAGAGCGTG
CTGCAACAACAGAACTGGAATGTTTCTTTCATCATTTTTTCAGTGTGATCACAGTCATTGGTGCTC
TGTATTGCATGCTGATATCCATCCAGGCTCTCTTAAAGGTCCTCTCATGTGTAATTCTCCAAGC
AACAGTAATGCCAATTGTGAATTTTCATTGAAAAACATCAGTGACATTTCATCCAGAATCCTTCAA
CTTGCAGTGGTTTTTCAATGACTCTTGTGCACCTCCTACTGGTTTCAATAAACCCACCAGTAACG
ACACCATGGCGAGTGGCTGGAGAGCATCTAGTTTCCACTTCGATTCTGAAGAAAACAAACATAGG
CTTATCCACTTCTCAGTATTTTATAGGTCTATTGCTTGTTGGAATTCTGGAGGTCCTGTTTGGGCT
CAGTCAGATAGTCATCGGTTTCCTTGGCTGTCTGTGTGGAGTCTCTAAGCGAAGAAGTCAAATTG
TGTAGTTTAATGGGAATAAAATGTAAGTATCAGTAGTTTGAAAAAAAAA

FIGURE 48

MTCCEGWTSCNGFSLLVLLLLGVVLNAIPLIVSLVEEDQFSQNPISCFEWWFPGIIGAGLMAIPA
TTMSLTARKKRACCNRTGMFLSSFFSVITVIGALYCLISIQALLKGPLMCNPSNSNANCEFSL
KNISDIHPESFNLQWFFNDSCAPPTGFNKPTSNDTMASGWRASSFHFDSEENKHRLIHFSVFLGL
LLVGILEVLFGLSQIVIGFLGCLCGVSKRRSQIV

Important features:

Transmembrane domains:

amino acids 10-31 (type II), 50-72, 87-110, 191-213

N-glycosylation sites.

amino acids 80-84, 132-136, 148-152, 163-167

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 223-227

N-myristoylation sites.

amino acids 22-28, 54-60, 83-89, 97-103, 216-222

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 207-218

TNFR/NGFR family cysteine-rich region protein.

amino acids 4-12

FIGURE 49

ATCCGTTCTCTGCGCTGCCAGCTCAGGTGAGCCCTCGCCAAGGTGACCTCGCAGGACACTGGTGA
AGGAGCAGTGAGGAACCTGCAGAGTCACACAGTTGCTGACCAATTGAGCTGTGAGCCTGGAGCAG
ATCCGTGGGCTGCAGACCCCCGCCCCAGTGCCCTCTCCCCCTGCAGCCCTGCCCCCTCGAACTGTGA
CATGGGAGAGAGTGACCCTGGCCCTTCTCCTACTGGCAGGCCTGACTGCCTTGGAAGCCAATGACC
CATTTGCCAATAAAGACGATCCCTTCTACTATGACTGGAAAAACCTGCAGCTGAGCGGACTGATC
TGCGGAGGGCTCCTGGCCATTGCTGGGATCGCGGCAGTTCTGAGTGGCAAATGCAAATACAAGAG
CAGCCAGAAGCAGCACAGTCCTGTACCTGAGAAGGCCATCCCACTCATCACTCCAGGCTCTGCCA
CTACTTGCTTGAGCACAGGACTGGCCTCCAGGGATGGCCTGAAGCCTAACACTGGCCCCCAGCACC
TCCTCCCCCTGGGAGGCCTTATCCTCAAGGAAGGACTTCTCTCCAAGGGCAGGCTGTTAGGCCCCCT
TTCTGATCAGGAGGCTTCTTTATGAATTAAACTCGCCCCACCACCCCCTCA

FIGURE 50

MERVTLALLLLAGLTALEANDPFANKDDPFYYDWKNLQLSGLICGGLLAIAGIAAVLSGKCKYKS
SQKQHSPVPEKAIPLITPGSATTC

Important features:

Signal peptide:

amino acids 1-16

Transmembrane domain:

amino acids 36-59

N-myristoylation sites.

amino acids 41-47, 45-51, 84-90

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7.

amino acids 54-67

FIGURE 51

[illegible]

FIGURE 52

MKFQGPLACLLLLALCLGSGEAGPLQSGEESTGTNIGEALGHGLGDALSEG VGKAIGKEAGGAAGSKVS
 EALGQGTREAVGTGVRQVPFGAADALGNRVGEAAHALGNTGHEIGRQAEDVIRHGADAVRGSWQGVF
 GHSGAWETSGGHGIFGSGQGLGGQGGQGNPGLGTPWVHGYPGNSAGSFGMNPQGAPWQGQGGNGGPPNF
 GTNTQGAVAQPGYGSVRASNQNEGCTNPPPSGSGGSSNSGGGSGSGSGSSGSGSNGDNMNGSSSGGS
 SSGSSSGSSSGSSSGSSSGSSSGNSGGSRGDSGSESSWGSSTGSSSGNHGGSGGGNGHKPGCEKPGNE
 ARGSGESGIQGFRGQGVSSNMREISKEGNRLLGSGDNYRGQSSSWGSGGGDAVGGVNTVNSETPGM
 FNFDTFWKNFKSKLGFINWDAINKDQRSSRIP

Signal peptide:

amino acids 1-21

N-glycosylation site.

amino acids 265-269

Glycosaminoglycan attachment site.

amino acids 235-239, 237-241, 244-248, 255-259, 324-328, 388-392

Casein kinase II phosphorylation site.

amino acids 26-30, 109-113, 259-263, 300-304, 304-308

N-myristoylation site.

amino acids 17-23, 32-38, 42-48, 50-56, 60-66, 61-67, 64-70, 74-80,
90-96, 96-102, 130-136, 140-146, 149-155, 152-158, 155-161,
159-165, 163-169, 178-184, 190-196, 194-200, 199-205, 218-224,
236-242, 238-244, 239-245, 240-246, 245-251, 246-252, 249-252,
253-259, 256-262, 266-272, 270-276, 271-277, 275-281, 279-285,
283-289, 284-290, 287-293, 288-294, 291-297, 292-298, 295-301,
298-304, 305-311, 311-317, 315-321, 319-325, 322-328, 323-329,
325-331, 343-349, 354-360, 356-362, 374-380, 381-387, 383-389,
387-393, 389-395, 395-401

Cell attachment sequence.

amino acids 301-304

FIGURE 53

GGAGAAGAGGTTGTGTGGGACAAGCTGCTCCCGACAGAAGGATGTGCTGCTGAGCCTGCCCTGG
CTGGGCCTCAGACCGGTGGCAATGTCCCATGGCTACTCCTGCTGCTGGTTGTGGGCTCCTGGCT
ACTCGCCCGCATCCTGGCTTGGACCTATGCCTTCTATAACAAC TGCCGCCGGCTCCAGTGTTTCC
CACAGCCCCCAAACGGAAGTGGTTTTGGGGTCACCTGGGCCTGATCACTCCTACAGAGGAGGGC
TTGAAGGACTCGACCCAGATGTGCGCCACCTATTCCAGGGCTTTACGGTATGGCTGGGTCCCAT
CATCCCCCTTCATCGTTTTATGCCACCCTGACACCATCCGGTCTATCACCAATGCCTCAGCTGCCA
TTGCACCCAAGGATAATCTCTTCATCAGGTTCCCTGAAGCCCTGGCTGGGAGAAGGGATACTGCTG
AGTGGCGGTGACAAGTGGAGCCGCCACCGTCGGATGCTGACGCCCGCCTTCCATTTC AACATCCT
GAAGTCCTATATAACGATCTTCAACAAGAGTGCAAACATCATGCTTGACAAGTGGCAGCACCTGG
CCTCAGAGGGCAGCAGTCGTCTGGACATGTTTGAGCACATCAGCCTCATGACCTTGGACAGTCTA
CAGAAATGCATCTTCAGCTTTGACAGCCATTGTCAGGAGAGGCCCAGTGAATATATTGCCACCAT
CTTGAGCTCAGTGCCCTTGTAGAGAAAAGAAGCCAGCATATCCTCCAGCACATGGACTTTCTGT
ATTACCTCTCCCATGACGGGCGGCGCTTCCACAGGGCCTGCCGCCTGGTGATGACTTCACAGAC
GCTGTGATCCGGGAGCGGCGTGCACCCCTCCCACTCAGGGTATTGATGATTTTTTCAAAGACAA
AGCCAAGTCCAAGACTTTGGATTTTATTGATGTGCTTCTGCTGAGCAAGGATGAAGATGGGAAGG
CATTGTCAGATGAGGATATAAGAGCAGAGGCTGACACCTTCATGTTTGAGAGCCATGACACCACG
GCCAGTGGCCTCTCCTGGGTCTGTACAACCTTGCGAGGCACCCAGAATACCAGGAGCGCTGCCG
ACAGGAGGTGCAAGAGCTTCTGAAGGACCGGATCCTAAAGAGATTGAATGGGACGACCTGGCCC
AGCTGCCCTTCTTGACCATGTGCGTGAAGGAGAGCCTGAGGTTACATCCCCCAGCTCCCTTCATC
TCCCGATGCTGCACCCAGGACATTGTTCTCCAGATGGCCGAGTCATCCCCAAAGGCATTACCTG
CCTCATCGATATTATAGGGGTCCATCACAAACCAACTGTGTGGCCGGATCCTGAGGTCTACGACC
CCTTCCGCTTTGACCCAGAGAACAGCAAGGGGAGGTCACCTCTGGCTTTTATTCCTTTCTCCGCA
GGGCCCAGGAAGTGCATCGGGCAGGCGTTGCCATGGCGGAGATGAAAGTGGTCTCTGGCGTTGAT
GCTGCTGCACTTCCGGTTCTGCCAGACCACACTGAGCCCCGAGGAAGCTGGAATTGATCATGC
GCGCCGAGGGCGGGCTTTGGCTGCGGGTGGAGCCCCTGAATGTAGGCTTGCACTGACTTTCTGAC
CCATCCACCTGTTTTTTTTGCAGATTGTCATGAATAAAACGGTGCTGTCAAA

FIGURE 54

MSLLSLPWLGLRPVAMSPWLLLLLVGSWLLARILAWTYAFYNNCRRLQCFPQPPKRNWFWGHLG
LITPTEEGLKDSTQMSATYSQGFTVWLGPIIPFIVLCHPDTIRSITNASAAIAPKDNLFIRFLKP
WLGE GILLSGGDKWSRHRRLTPAFHFNILKSYITIFNKSANIMLDKWQHLASEGSSRLDMFEHI
SLMTLDSLQKCIFSFDSHCQERPSEYIATILELSALVEKRSQHILQHMDFLYYLSHDGRRFHRAC
RLVHDFTDVIRERRRTLPTQGIDDFFKDKAKSKTLD FIDVLLLSKDEDGKALSDEDIRAEADTF
MFGGHDTTASGLSWVLYNLARHPEYQERCQEVQELLKDRDPKEIEWDDLAQLPFLTMCVKESLR
LHPPAPFISRCCTQDIVLPDGRVIPKGITCLIDIIGVHHNPTVWPDPEVYDPFRFDPENSKGRSP
LAFIPFSAGPRNCIGQAFAMAEMKVVLALMLLHFRFLPDHTEPRRKLELIMRAEGGLWLRVEPLN
VGLQ

Important features:

Transmembrane domains:

amino acids 13-32 (type II), 77-102

Cytochrome P450 cysteine heme-iron ligand signature.

amino acids 461-471

N-glycosylation sites.

amino acids 112-116, 168-172

FIGURE 55

[illegible]

FIGURE 56

MGPVKQLKRMFEPTRLIATIMVLLCFALTLCSAFWWHNKGLALIFCILQSLALTWYSLSFIPFAR
DAVKKCFVCLA

Important features:

Signal peptide:

amino acids 1-33

Type II fibronectin collagen-binding domain protein.

amino acids 30-72

[illegible]

FIGURE 58

MLCLCLYVPVIGEAQTEFQYFESKGLPAELKSIFKLSVFIPSQEFSTYRQWKQKIVQAGDKDLDG
QLDFEEFVHYLQDHEKKLRLVFKILDKKNDGRIDAQEIMQSLRDLGVKISEQQAEEKILKSMDKNG
TMTIDWNEWRDYHLLHPVENIPEIILYWKHSTIFDVGENLTVPDEFTVEERQTGMWWRHLVAGGG
AGAVSRTCTAPLDRCLKVLMQVHASRSNNMGIVGGFTQMIREGGARSLWRGNGINVLKIAPESAIK
FMAYEQIKRLVGSDQETLRIHERLVAGSLAGAIQAQSSIYPMEVLKTRMALRKTGQYSGMLDCARR
ILAREGVAAFYKGYVPNMLGIIPYAGIDLAVYETLKNAWLQHYAVNSADPGVFVLLACGTMSSTC
GQLASYPLALVRTRMQAQASIEGAPEVTMSSSLFKHILRTEGAFGLYRGLAPNFMKVIPAVSISYV
VYENLKITLGVQSR

Important features:

Signal peptide:

amino acids 1-16

Putative transmembrane domains:

amino acids 284-304, 339-360, 376-394

Mitochondrial energy transfer proteins signature.

amino acids 206-215, 300-309

N-glycosylation sites.

amino acids 129-133, 169-173

Elongation Factor-hand calcium-binding protein.

amino acids 54-73, 85-104, 121-140

FIGURE 59

GGAAGGCAGCGGCAGCTCCACTCAGCCAGTACCCAGATACGCTGGGAACCTTCCCCAGCCATGGC
TTCCCTGGGGCAGATCCTCTTCTGGAGCATAATTAGCATCATCATTATTCTGGCTGGAGCAATTG
CACTCATCATTTGGCTTTGGTATTTTCAGGGAGACACTCCATCACAGTCACTACTGTGCGCTCAGCT
GGGAACATTGGGGAGGATGGAATCCTGAGCTGCACCTTTTGAACCTGACATCAAACCTTTCTGATAT
CGTGATACAATGGCTGAAGGAAGGTGTTTTAGGCTTGGTCCATGAGTTCAAAGAAGGCAAAGATG
AGCTGTGCGAGCAGGATGAAATGTTTCAGAGGCCGGACAGCAGTGTTCGCTGATCAAGTGATAGTT
GGCAATGCCTCTTTGCGGCTGAAAAACGTGCAACTCACAGATGCTGGCACCTACAAATGTTATAT
CATCACTTCTAAAGGCAAGGGGAATGCTAACCTTGAGTATAAACTGGAGCCTTCAGCATGCCGG
AAGTGAATGTGGACTATAATGCCAGCTCAGAGACCTTGCGGTGTGAGGCTCCCCGATGGTTCCCC
CAGCCCACAGTGGTCTGGGCATCCCAAGTTGACCAGGGAGCCAACCTCTCGGAAGTCTCCAATAC
CAGCTTTGAGCTGAACTCTGAGAATGTGACCATGAAGGTTGTGTCTGTGCTCTACAATGTTACGA
TCAACAACACATACTCCTGTATGATTGAAAATGACATTGCCAAAGCAACAGGGGATATCAAAGTG
ACAGAATCGGAGATCAAAGGCGGAGTCACCTACAGCTGCTAAACTCAAAGGCTTCTCTGTGTGT
CTCTTCTTTCTTTGCCATCAGCTGGGCACTTCTGCCTCTCAGCCCTTACCTGATGCTAAAATAAT
GTGCCTTGGCCACAAAAAAGCATGCAAAGTCATTGTTACAACAGGGATCTACAGAACTATTTAC
CACCAGATATGACCTAGTTTTATATTTCTGGGAGGAAATGAATTCATATCTAGAAGTCTGGAGTG
AGCAAACAAGAGCAAGAAACAAAAAGAAGCCAAAAGCAGAAGGCTCCAATATGAACAAGATAAAT
CTATCTTCAAAGACATATTAGAAGTTGGGAAAATAATTCATGTGAAGTACAGCAAGTGTGTTAAGA
GTGATAAGTAAATGCACGTGGAGACAAGTGCATCCCAGATCTCAGGGACCTCCCCCTGCCTGT
CACCTGGGGAGTGAGAGGACAGGATAGTGCATGTTCTTTGTCTCTGAATTTTGTATATGTGC
TGTAATGTTGCTCTGAGGAAGCCCTGGAAAGTCTATCCCAACATATCCACATCTTATATTCAC
AAATTAAGCTGTAGTATGTACCCTAAGACGCTGCTAATTGACTGCCACTTCGCAACTCAGGGGCG
GCTGCATTTTAGTAATGGGTCAAATGATTCACCTTTTATGATGCTTCCAAAGGTGCCTTGGCTTC
TCTTCCCAACTGACAAATGCCAAAGTTGAGAAAAATGATCATAATTTTAGCATAAACAGAGCAGT
CGGGGACACCGATTTTATAAATAAACTGAGCACCTTCTTTTTAAACAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 6o

MASLGQILFWSIISIIIIILAGAIALIIGFGISGRHSITVTTVASAGNIGEDGILSCTFEPDIKLS
DIVIQWLKEGVLGLVHEFKEGKDELSEQDEMFRGRTAVFADQVIVGNASRLKKNVQLTDAGTYKC
YIITSKKGKGNANLEYKTGAFSMPEVNVVDYNASSETLRCEAPRWFPQPTVVWASQVDQGANFSEVS
NTSFELNSENVTMKVVSVLNVNTINNTYSCMIENDIAKATGDIKVTSEIKRRSHLQLLNSKASL
CVSSFFAISWALLPLSPYMLK

Important features:

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 258-281

N-glycosylation sites.

amino acids 112-116, 160-164, 190-194, 196-200, 205-209, 216-220,
220-224

N-myristoylation sites.

amino acids 52-58, 126-132, 188-194

FIGURE 61

TGACGTCAGAATCACCATGGCCAGCTATCCTTACCGGCAGGGCTGCCCAGGAGCTGCAGGACAAG
CACCAGGAGCCCCCTCCGGGTAGCTACTACCCTGGACCCCCCAATAGTGGAGGGCAGTATGGTAGT
GGGCTACCCCCTGGTGGTGGTTATGGGGGTCTGCCCCTGGAGGGCCTTATGGACCACCAGCTGG
TGGAGGGCCCTATGGACACCCCAATCCTGGGATGTTCCCCCTCTGGAATCCAGGAGGACCATATG
GCGGTGCAGCTCCCGGGGGCCCCCTATGGTCAGCCACCTCCAAGTTCCTACGGTGCCAGCAGCCT
GGGCTTTATGGACAGGGTGGCGCCCCCTCCCAATGTGGATCCTGAGGCCTACTCCTGGTTCCAGTC
GGTGGACTCAGATCACAGTGGCTATATCTCCATGAAGGAGCTAAAGCAGGCCCTGGTCAACTGCA
ATTGGTCTTCATTCAATGATGAGACCTGCCTCATGATGATAAACATGTTTGACAAGACCAAGTCA
GGCCGCATCGATGTCTACGGCTTCTCAGCCCTGTGGAAATTCATCCAGCAGTGAAGAACCTCTT
CCAGCAGTATGACCGGGACCGCTCGGGCTCCATTAGCTACACAGAGCTGCAGCAAGCTCTGTCCC
AAATGGGCTACAACCTGAGCCCCAGTTACCCAGCTTCTGGTCTCCCGCTACTGCCACGCTCT
GCCAATCCTGCCATGCAGCTTGACCGCTTCATCCAGGTGTGCACCCAGCTGCAGGTGCTGACAGA
GGCCTTCCGGGAGAAGGACACAGCTGTACAAGGCAACATCCGGCTCAGCTTCGAGGACTTCGTCA
CCATGACAGCTTCTCGGATGCTATGACCCCAACCATCTGTGGAGAGTGGAGTGCACCAGGGACCTT
TCCTGGCTTCTTAGAGTGAGAGAAGTATGTGGACATCTCTTCTTTTCTGTCCCTCTAGAAGAAC
ATTCTCCCTTGCTTGATGCAACACTGTTCCAAAAGAGGGTGGAGAGTCCTGCATCATAGCCACCA
AATAGTGAGGACCGGGGCTGAGGCCACACAGATAGGGGCCTGATGGAGGAGAGGATAGAAGTTGA
ATGTCCTGATGGCCATGAGCAGTTGAGTGGCACAGCCTGGCACCAGGAGCAGGTCTTGTAATGG
AGTTAGTGTCCAGTCAGCTGAGCTCCACCCTGATGCCAGTGGTGAGTGTTTCATCGGCCTGTTACC
GTTAGTACCTGTGTTCCCTCACCAGGCCATCCTGTCAAACGAGCCCATTTTCTCCAAAGTGAAT
CTGACCAAGCATGAGAGAGATCTGTCTATGGGACCAGTGGCTTGGATTCTGCCACACCCATAAAT
CCTTGTTGTGTTAACTTCTAGCTGCCTGGGGCTGGCCCTGCTCAGACAAATCTGCTCCCTGGGCAT
CTTTGGCCAGGCTTCTGCCCCCTGCAGCTGGGACCCCTCACTTGCTGCCATGCTCTGCTCGGCT
TCAGTCTCCAGGAGACAGTGGTCACCTCTCCCTGCCAATACTTTTTTTAATTTGCATTTTTTTTC
ATTTGGGGCCAAAAGTCCAGTGAAATTGTAAGCTTCAATAAAAGGATGAACTCTGA

FIGURE 62

MASYPYRQGCPGAAGQAPGAPPGSYYPGPPNSGGQYGSGLPPGGGYGGPAPGGPYGPPAGGGPYG
HPNPGMFPSGTPGGPYGGAAPGGPYGQPPSSYGAQQPGLYGQGGAPPNVDPEAYSWFQSVDSDH
SGYISMKELKQALVNCNWSSFNDETCLMMINMFDKTKSGRIDVYGFSALWKFIQQWKNLFQQYDR
DRSGSISYTELQQALSQMGYNLSPQFTQLLVSRYCPRSANPAMQLDRFIQVCTQLQVLTEAFREK
DTAVQGNIRLSFEDFVTMTASRML

Important features of the protein:

Signal peptide:

amino acids 1-19

N-glycosylation site.

amino acids 147-150

Casein kinase II phosphorylation sites.

amino acids 135-138, 150-153, 202-205, 271-274

N-myristoylation sites.

amino acids 9-14, 15-20, 19-24, 33-38, 34-39, 39-44, 43-48, 61-
66, 70-75, 78-83, 83-88, 87-92, 110-115

FIGURE 63

[illegible]

FIGURE 64

MQGRVAGSCAPLGLLLVCLHLPGLFARSIGVVEEKVSQNFGTNLPQLGQPSSTGPSNSEHPQPAL
DPRSNDLARVPLKLSVPPSDGFPFAGGSAVQRWPPSWGLPAMDSWPPEDPWQMMAAAEDRLGEA
LPEELSYLSSAAALAPGSGPLPGESSPDATGLSPEASLLHQDSESRRLPRSNLGGAGGKILSQRP
PWSLIHRVLPDHPWGTLNPSVSWGGGGPGTGWGTRMPHPEGIWGINNQPPGTSWGNINRYPGGS
WGNINRYPGGSWGNINRYPGGSWGNIHLYPGINNPFPPGVLRPPGSSWNIPAGFPNPPSPRLQWG

Important features of the protein:

Signal peptide:

amino acids 1-26

Casein kinase II phosphorylation sites.

amino acids 56-59, 155-158

N-myristoylation sites.

amino acids 48-53, 220-225, 221-226, 224-229, 247-252, 258-263,
259-264, 269-274, 270-275, 280-285, 281-286, 305-310

FIGURE 65

AAGGAGAGGCCACCGGGACTTCAGTGTCTCCTCCATCCCAGGAGCGCAGTGGCCACTATGGGGTC
TGGGCTGCCCCCTTGTCTCCTCTTGACCTCCTTGGCAGCTCACATGGAACAGGGCCGGGTATGA
CTTTGCAACTGAAGCTGAAGGAGTCTTTTCTGACAAATTCCTCCTATGAGTCCAGCTTCCTGGAA
TTGCTTGAAAAGCTCTGCCTCCTCCTCCATCTCCCTTCAGGGACCAGCGTCACCTCCACCATGC
AAGATCTCAACACCATGTTGTCTGCAACACATGACAGCCATTGAAGCCTGTGTCTTCTTGGCCC
GGGCTTTTGGGCCGGGGATGCAGGAGGCAGGCCCCGACCCTGTCTTTCAGCAGGCCCCCACCCTC
CTGAGTGGCAATAAATAAAATTCGGTATGCTG

FIGURE 66

MGSGPLVLVLLLTLLGSSHGTGPGMTLQLKLKESFLTNSSESSFLELLEKLCLLLHLPSGTSVTL
HHARSQHHVVCNT

Important features:

Signal peptide:

amino acids 1-19

N-glycosylation site.

amino acids 37-41

N-myristoylation sites.

amino acids 15-21, 19-25, 60-66

FIGURE 67

ACGGACCGAGGGTTTCGAGGGAGGGACACGGACCAGGAACCTGAGCTAGGTCAAAGACGCCCCGGGC
CAGGTGCCCCGTTCGCAGGTGCCCCCTGGCCGGAGATGCGGTAGGAGGGGCGAGCGCGAGAAGCCCC
TTCCTCGGCGCTGCCAACCCGCCACCCAGCCCATGGCGAACCCCGGGCTGGGGCTGCTTCTGGCG
CTGGGCCTGCCGTTCTTGCTGGCCCGCTGGGGCCGAGCCTGGGGGCAAATACAGACCACTTCTGC
AAATGAGAATAGCACTGTTTTGCCTTCATCCACCAGCTCCAGCTCCGATGGCAACCTGCGTCCGG
AAGCCATCACTGCTATCATCGTGGTCTTCTCCCTCTTGGCTGCCTTGCTCCTGGCTGTGGGGCTG
GCACTGTTGGTGCGGAAGCTTCGGGAGAAGCGGCAGACGGAGGGCACCTACCGGCCCAGTAGCGA
GGAGCAGTTCTCCCATGCAGCCGAGGCCCGGGCCCCCTCAGGACTCCAAGGAGACGGTGCAGGGCT
GCCTGCCCATCTAGGTCCCCTCTCCTGCATCTGTCTCCCTTCATTGCTGTGTGACCTTGGGGAAA
GGCAGTGCCCTCTCTGGGCAGTCAGATCCACCCAGTGCTTAATAGCAGGGAAGAAGGTACTTCAA
AGACTCTGCCCCTGAGGTCAAGAGAGGATGGGGCTATTCACCTTTATATATTTATATAAAATTAG
TAGTGAGATGTAAAAAAAAAAAAAAAAAAAA

FIGURE 68

MANPGLGLLLALGLPFLLARWGRAWGQIQTTSANENSTVLPSSSTSSSSDGNLRPEAITAIIVVFS
LLAALLLAVGLALLVRKLRQTEGTYRPSSEEQFSHAAEARAPQDSKETVQGCLPI

Important features:

Signal peptide:

amino acids 1-19

Transmembrane domain:

amino acids 56-80

N-glycosylation site.

amino acids 36-40

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 86-90

Tyrosine kinase phosphorylation site.

amino acids 86-94

N-myristoylation sites.

amino acids 7-13, 26-32

FIGURE 70

MGLFRGFVFLVLCLLHQSNSTFIKLNNNGFEDIVIVIDPSVPEDEKIIIEQIEDMVTTASTYLFE
ATEKRFFFKNVSILIPENWKENPQYKRPKHENHKHADVIVAPPTLPGRDEPYTKQFTECGEKGEY
IHFTPDLLLGGKQNEYGPPGKLFVHEWAHLRWGVFDEYNEDQPFYRAKSKKIEATRCISAGISGRN
RVYKCQGGSCLSRACRIDSTTKLYGKDCQFFPDQVQTEKASIMFMQSIDSVVEFCNEKTHNQEAP
SLQNIKCNFRSTWEVISNSEDFKNTIPMVTPPPPPVFSLKISQRIVCLVLDKSGSMGGKDRLNR
MNQAAKHFLLOTVENGSWVGMVHFDSTATIVNKLIQIKSSDERNTLMAGLPTYPLGGTSICSGIK
YAFQVIGELHSQLDGSEVLLLLTDGEDNTASSCIDEVKQSGAIVHFIALGRAADEAVIEMSKITGG
SHFYVSDEAQNNGLIDAFGALTSGNTDLSQKSLQLESKGLTLNSNAWMNDTVIIDSTVGKDTFFL
ITWNSLPPSISLWDPSGTIMENFTVDATSKMAYLSIPGTAKVGTWAYNLQAKANPETLTITVTSR
AANSSVPPITVNAKMNDVNSFPSPMIVYAEILQGYVPVLGANVTAFIESQNGHTEVLELLDNGA
GADSFKNDBGVYSRYFTAYTENGRYSLKVRAGGANTARLKLRPPLNRAAYIPGWVVNGEIEANPP
RPEIDEDTQTTLEDFSRASGGAFVVSQVPSLPLPDQYPPSQITDL DATVHEDKIILTWTAPGDN
FDVGKVQRYIIRISASILDLRDSFDDALQVNTTDLSPKEANSKESFAFKPENISEENATHIFIAI
KSIDKSNLTSKVSNIAQVTLFIPQANPDDIDPTPTPTPTPTPKSHNSGVNISTLVLSVIGSVVI
VNFILSTTI

Signal peptide:

amino acids 1-21

Putative transmembrane domains:

amino acids 284-300, 617-633

Leucine zipper pattern.

amino acids 469-491, 476-498

N-glycosylation site.

amino acids 20-24, 75-79, 340-344, 504-508, 542-546, 588-592,
628-632, 811-815, 832-836, 837-841, 852-856, 896-900

FIGURE 71

CTCCTTAGGTGGAAACCCTGGGAGTAGAGTACTGACAGCAAAGACCGGGAAAGACCATACGTCCCCGGGCAGGGGTGA
 CAACAGGTGTCACTCTTTTGTATCTCGTGTGTGGCTGCCCTCCTATTCAAGGAAAGACGCCAAGGTAATTTTGACCCA
 GAGGAGCAATGATGTAGCCACCTCCTAACCTTCCCTTCTTGAACCCCCAGTTATGCCAGGATTTACTAGAGAGTGTCA
 ACTCAACCAGCAAGCGGCTCCTTCGGCTTAACCTGTGGTTGGAGGAGAGAACCCTTGTGGGGTGCCTTCTCTTAGCA
 GTGCTCAGAAGTGACTTGCCTGAGGGTGGACCAGAAGAAAGGATCCCTCTTGCTGTTGGCTGCACATCAGGAA
 GGCTGTGATGGGAATGAAGGTGAAAACCTTGAGATTTCACTTCAGTCATTGCTTCTGCCTGCAAGATCATCCTTTAAA
 AGTAGAGAAGCTGCTCTGTGTGGTGGTTAACTCCAAGAGGCAGAACTCGTTCTAGAAGGAAATGGATGCAAGCAGCTC
 CGGGGGCCCCAAACGCATGCTTCTGTGGTCTAGCCCAGGGAAGCCCTTCCGTGGGGGGCCCGGCTTTGAGGGATGCC
 ACCGTTCTGGACGCATGGCTGATTCTGAATGATGATGGTTCCGCCGGGGCTGCTTGCCTGGATTTCGGGGTGGT
 GTTTTGCTGGTGTCTCTGCTGTGCTATCTCTGTCTGTACATGTTGGCCTGCACCCCAAAAGGTGACGAGGAGCAG
 CTGGCACTGCCAGGGCCAAACAGCCCCACGGGAAGGGGTACCAGGCCGTCTTCAGGAGTGGGAGGAGCAGCAG
 CGCAACTACGTGAGCAGCCTGAAGCGGCAGATCGCACAGCTCAAGGAGGAGCTGCAGGAGAGGAGTGAGCAGCTCAGG
 AATGGGCAGTACCAAGCCAGCGATGCTGCTGGCCTGGGTCTGGACAGGAGCCCCCAGAGAAAACCCAGGCCGACCTC
 CTGGCCTTCTGCACTCGCAGGTGGACAAGGCAGAGTGAATGCTGGCGTCAAGCTGGCCACAGAGTATGCAGCAGTG
 CCTTCGATAGCTTTACTCTACAGAAGGTGTACCAGCTGGAGACTGGCCTTACCCGCCACCCCGAGGAGAAGCCTGTG
 AGGAAGGACAAGCGGGATGAGTTGGTGGAAAGCCATTGAATCAGCCTTGGAGACCCTGAACAATCCTGCAGAGAACGC
 CCCAATCACCGTCTTACACGGCCTCTGATTTCATAGAAGGGATCTACCGAACAGAAAGGGACAAAGGGACATTGTAT
 GAGCTCACCTTCAAAGGGGACCACAAACAGGAATTCAAACGGCTCATCTTATTTTCGACCATTCAGCCCCATCATGAAA
 GTGAAAAATGAAAAGCTCAACATGGGCAACACGCTTATCAATGTTATCGTGCCTCTAGCAAAAAGGGTGGACAAGTTC
 CGGCAGTTTCATGCAGAATTTCAAGGAGATGTGCATTGAGCAGGATGGGAGAGTCCATCTCACTGTTGTTTACTTTGGG
 AAAGAAGAAATAAATGAAGTCAAAGGAATACTTGAAAACACTTCCAAAGCTGCCAATTCAGGAACCTTTACCTTCATC
 CAGCTGAATGGAGAATTTTCTCGGGGAAAGGGACTTGATGTTGGAGCCCGCTTCTGGAAGGGAAGCAACGTCTTCTC
 TTTTCTGTGATGTGGACATCTACTTCACATCTGAATTCCTCAATACGTGTAGGCTGAATACACAGCCAGGGAAGAG
 GTATTTTATCCAGTCTCTTTTCAGTCAGTACAATCCTGGCATAATATACGGCCACCATGATGCAGTCCCTCCCTTGGAA
 CAGCAGCTGGTCAAAAGAAGGAAACTGGATTTTGGAGAGACTTTGGATTGGGATGACGTGTGATATCGGTGAGAC
 TTCATCAATATAGTGGGTTTGATCTGGACATCAAAGGCTGGGGCGGAGAGGATGTGCACCTTTATCGCAAGTATCTC
 CACAGCAACCTCATAGTGGTACGGACGCCTGTGCGAGGACTCTTCCACCTCTGGCATGAGAAGCGCTGCATGGACGAG
 CTGACCCCCGAGCAGTACAAGATGTGCATGCAGTCCAAGGCCATGAACGAGGCATCCACCGCCAGCTGGGCATGCTG
 GTGTTCAAGGCACGAGATAGAGGCTCACCTTCGCAACAGAAACAGAAAGACAAGTAGCAAAAAACATGAACTCCCGA
 GAAGGATTGTGGGAGACACTTTTCTTTCTTTTGTCAATTAAGTGAAGTGGCTGCAACAGAGAAAAGACTTCCATAAA
 GGACGACAAAAGAATTGGACTGATGGGTGAGAGTGAAGAGCCTCCGATTTCTCTCTGTTGGGCTTTTACAAACAGA
 AATCAAAATCTCCGCTTTCCTGCAAAAGTAACCCAGTTGCACCTGTGAAGTGTCTGACAAAGGCAGAAATGCTTGTG
 AGATTATAAGCCTAATGGTGTGGAGGTTTTGATGGTGTTTACAATACACTGAGACCTGTGTTTTGTGTGCTCATTGA
 AATATTATGATTTTAAAGCAGTTTTGTAAAAAATTCATTAGCATGAAAGGCAAGCATATTTCTCCTCATATGAATGA
 GCCTATCAGCAGGGCTCTAGTTTCTAGGAATGCTAAATATCAGAAGGCAGGAGAGGAGATAGGCTTATTATGATACT
 AGTGAGTACATTAAGTAAAATAAAATGGACCAGAAAAGAAAAGAAACCATAAATATCGTGCATATTTCCCCAAGAT
 TAACCAAAAATAATCTGCTTATCTTTTGGTTGTCTTTTAACTGTCTCCGTTTTTTCTTTTATTTAAAAATGCACT
 TTTTTTCCCTTGTGAGTTATAGTCTGCTTATTTAATTACCCTTTGCAAGCCTTACAAGAGAGCACAACTTGGCCTAC
 ATTTTATATTTTTTAAAGAAGATACTTTGAGATGCATTATGAGAACTTTCAGTTCAAAGCATCAAATTGATGCCATAT
 CCAAGGCATGCCAATGCTGATTCTGTGAGGCACTGAATGTGAGGCATTGAGACATAGGGAAGGAATGGTTTGTACT
 AATACAGACGTACAGATACTTCTCTGAAGAGTATTTTGAAGAGGAGCAACTGAACACTGGAGGAAAAGAAAATGAC
 ACTTTCTGCTTTACAGAAAAGGAACTCATTGAGCTGGTGATATCGTGATGTACCTAAAAGTCAGAAACCCATTTT
 CTCTCAGAAGTAGGGACCGCTTTCTTACCTGTTTAAATAAACCAAGTATACCGTGTGAACCAACAACTCTCTTTTC
 AAAACAGGGTGTCTCTCTGGCTTCTGGCTTCCATAAGAAGAAATGGAGAAAAATATATATATATATATATATTGT
 GAAAGATCAATCCATCTGCCAGAATCTAGTGGGATGGAAGTTTTTGTACATGTTATCCACCCAGGCCAGGTGGAAG
 TAACTGAATTATTTTTTAAATTAAGCAGTTCTACTCAATCACCAGATGCTTCTGAAAATTGCATTTTATTACCATT
 CAACTATTTTTTAAAAATAAATACAGTTAATATAGAGTGGTTTCTTCATTGATGTGAAAATTATTAGCCAGCACCAG
 ATGCATGAGCTAATTTATCTTTGAGTCCTTGCTTCTGTTTGTCTCACAGTAACTCATTGTTTAAAGCTTCAAGAAC
 ATTCAGCTGTTGGTGTGTTAAAAATGCATTGTATTGATTTGTACTGGTAGTTTAAATTAATTAACACAGG
 CCATGAATGGAAGGTGGTATTGCACAGCTAATAAATATGATTGTGGATATGAA

FIGURE 72

MMVRRGLLAWISRVVLLVLLCCAISVLYMLACTPKGDEEQLALPRANSPTGKEGYQAVLQEW
EQHRNYVSSLKRQIAQLKEELQERSEQLRNGQYQASDAAGLGLDRSPPEKTQADLLAFLHSQVDK
AEVNAGVKLATEYAAVPFDSFTLQKVYQLETGLTRHPPEKPVKDKRDELVEAIESALETNNPA
ENSPNHRPYTASDFIEGIYRTERDKGTLYELTFKGDHKHEFKRLILFRPFSPIMKVKNEKLNMAN
TLINVIVPLAKRVDKFRQFMQNFREMCIEQDGRVHLTVVYFGKEEINEVKGILENTSKAANFRNF
TFIQLNGEFSRGKGLDVGARFWKGSNVLLFFCDVDIYFTSEFLNTCRLNTQPGKKVFYPVLFSQY
NPGIIYGHHDVAPPLEQQLVIKKETGFWRDFGFGMTCQYRSDFINIGGFDDIKGWGGEDVHLYR
KYLHSNLIVVRTPVRLFHLWHEKRCMDLTPQYKMCMQSKAMNEASHGQLGMLVFRHEIEAHL
RKQKQKTSSKKT

Important features:

Signal peptide:

amino acids 1-27

N-glycosylation sites.

amino acids 315-319, 324-328

N-myristoylation sites.

amino acids 96-102, 136-142, 212-218, 311-317, 339-345, 393-399

Amidation site.

amino acids 377-381

FIGURE 73

[illegible]

FIGURE 74

MLFSALLLEVIWILAADGGQHWTYEGPHGQDHPASYPECGNNAQSPIDIQTDSVTFDPLPALQ
PHGYDQPGTEPLDLHNNGHTVQLSLPSTLYLGGLPRKYVAAQLHLHWGQKGSPPGGSEHQINSEAT
FAELHIVHYDSDSYDSLSEAAERPQGLAVLGILIEVGETKNIAYEHILSHLHEVRHKDQKTSVPP
FNLRELLPKQLGQYFRYNGSLTTPPCYQSVLWTVFYRRSQISMEQLEKLQGTLFSTEEEPSKLLV
QNYRALQPLNQRMVFASFQAGSSYTTGEMLSLGVGILVGCLCLLLAVYFIARKIRKKRLENRKS
VVFTSAQATTEA

Important features of the protein:

Signal peptide:

amino acids 1-15

Transmembrane domain:

amino acids 291-310

N-glycosylation site.

amino acids 213-216

Eukaryotic-type carbonic anhydrases proteins

amino acids 197-245, 104-140, 22-69

FIGURE 75

TGCCGCTGCCGCCGCTGCTGCTGTTGCTCCTGGCGGCGCCTTGGGGACGGGCAGTTCCTGTGTC
TCTGGTGGTTTGCCTAAACCTGCAAACATCACCTTCTTATCCATCAACATGAAGAATGTCCTACA
ATGGACTCCACCAGAGGGTCTTCAAGGAGTTAAAGTTACTTACACTGTGCAGTATTCATCACAA
ATTGGCCCCACCAGAGGTGGCACTGACTACAGATGAGAAGTCCATTTCTGTTGTCTTGACAGCTCC
AGAGAAGTGGAAGAGAAATCCAGAAGACCTTCCTGTTTCCATGCAACAAATATACTCCAATCTGA
AGTATAACGTGTCTGTGTTGAATACTAAATCAAACAGAACGTGGTCCCAGTGTGTGACCAACCAC
ACGCTGGTGCTCACCTGGCTGGAGCCGAACACTCTTTACTGCGTACACGTGGAGTCCTTCGTCCC
AGGGCCCCCTCGCCGTGCTCAGCCTTCTGAGAAGCAGTGTGCCAGGACTTTGAAAGATCAATCAT
CAGAGTTCAAGGCTAAAATCATCTTCTGGTATGTTTTGCCCATATCTATTACCGTGTTTCTTTTT
TCTGTGATGGGCTATTCCATCTACCGATATATCCACGTTGGCAAAGAGAAACACCCAGCAAATTT
GATTTTGATTTATGGAAATGAATTTGACAAAAGATTCTTTGTGCCTGCTGAAAAATCGTGATTA
ACTTTATCACCTCAATATCTCGGATGATTCTAAAATTTCTCATCAGGATATGAGTTTACTGGGA
AAAAGCAGTGATGTATCCAGCCTTAATGATCCTCAGCCCAGCGGGAACCTGAGGCCCCCTCAGGA
GGAAGAGGAGGTGAAACATTTAGGGTATGCTTCGCATTTGATGGAAATTTTTTGTGACTCTGAAG
AAAACACGGAAGGTACTTCTCTCACCCAGCAAGAGTCCCTCAGCAGAACAATACCCCCGGATAAA
ACAGTCATTGAATATGAATATGATGTGAGAACCCTGACATTTGTGCGGGGCTGAAGAGCAGGA
GCTCAGTTTGCAGGAGGAGGTGTCCACACAAGGAACATTATTGGAGTCGCAGGCAGCGTTGGCAG
TCTTGGGCCCCGAAACGTTACAGTACTCATAACCCCTCAGCTCCAAGACTTAGACCCCTGGCG
CAGGAGCACACAGACTCGGAGGAGGGGCCGAGGAAGAGCCATCGACGACCCTGGTCGACTGGGA
TCCCCAACTGGCAGGCTGTGTATTCCCTTCGCTGTCCAGCTTCGACCAGGATTGAGAGGGCTGCG
AGCCTTCTGAGGGGGATGGGCTCGGAGAGGAGGGTCTTCTATCTAGACTCTATGAGGAGCCGGCT
CCAGACAGGCCACCAGGAGAAAATGAAACCTATCTCATGCAATTCATGGAGGAATGGGGGTATA
TGTGCAGATGGAAAACTGATGCCAACACTTCCTTTTGCCTTTTGTTCCTGTGCAAACAAGTGAG
TCACCCCTTTGATCCCAGCCATAAAGTACCTGGGATGAAAGAAGTTTTTCCAGTTTGTGAGTGT
CTGTGAGAATTACTTATTTCTTTTCTCTATTCTCATAGCACGTGTGTGATTGGTTTCATGCATGTA
GGTCTCTTAACAATGATGGTGGGCCTCTGGAGTCCAGGGCTGGCCGGTTGTTCTATGCAGAGAA
AGCAGTCAATAAATGTTTGCCAGACTGGGTGCAGAATTTATTCAGGTGGGTGT

FIGURE 76

MSYNGLHQRVFKELKLLTLCSSISQIGPPEVALTTDEKSSISVVLTAPEKWKRNPEDLPVSMQQIY
SNLKYNVSVLNTKSNRTWSQCVTNHTLVLTWLEPNTLYCVHVESFVPGPPRAQPSEKQCARTLK
DQSSEFKAKIIFWYVLPISITVFLFSVMGYSIYRYIHVGKEKHPANLILIIYGNEFDKRFFVPAEK
IVINFITLNISSDDSKISHQDMSLLGKSSDVSSLNDPQPSGNLRPPQEEEEVKHLGYASHLMEIFC
DSEENTEGTSLTQQESLSRTIPDPKTVIEYEYDVRTTDICAGPEEQELSLQEEVSTQGTLLESQA
ALAVLGPQTLQYSYTPQLQDLPLAQEHTDSEEGPEEEPPSTTLVDWDPQTGRLCIPSLSSFDQDS
EGCEPSEGDGLGEEGLLSRLYEPPAPDRPPGENETYLMQFMEEWGLYVQMEN

Important features:

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 140-163

N-glycosylation sites.

amino acids 71-74, 80-83, 89-92, 204-207, 423-426

FIGURE 77

GAGGAGCGGGCCGAGGACTCCAGCGTGCCAGGTCTGGCATCCTGCACTTGCTGCCCTCTGACAC
 CTGGGAAGATGGGCCGGCCCGTGGACCTTCACCCTTCTCTGTGGTTTGCTGGCAGCCACCTTGATC
 CAAGCCACCCTCAGTCCCAGTGCAGTTCTCATCCTCGGCCCAAAGTCATCAAAGAAAAGCTGAC
 ACAGGAGCTGAAGGACCACAACGCCACCAGCATCCTGCAGCAGCTGCCGCTGCTCAGTGCCATGC
 GGGAAAAGCCAGCCGGAGGCATCCCTGTGCTGGGCAGCCTGGTGAACACCGTCCTGAAGCACATC
 ATCTGGCTGAAGGTCATCACAGCTAACATCCTCCAGCTGCAGGTGAAGCCCTCGGCCAATGACCA
 GGAGCTGCTAGTCAAGATCCCCCTGGACATGGTGGCTGGATTCAACACGCCCTGGTCAAGACCA
 TCGTGGAGTTCCACATGACGACTGAGGCCCAAGCCACCATCCGCATGGACACCAGTGCAAGTGGC
 CCCACCCGCCTGGTCCTCAGTGACTGTGCCACCAGCCATGGGAGCCTGCGCATCCAAGTCTGTGTA
 TAAGCTCTCCTTCCTGGTGAACGCCTTAGCTAAGCAGGTCATGAACCTCCTAGTGCCATCCCTGC
 CCAATCTAGTGAAAAACCAGCTGTGTCCCCTGATCGAGGCTTCCTTCAATGGCATGTATGCAGAC
 CTCCTGCAGCTGGTGAAGGTGCCATTTCCCTCAGCATTGACCGTCTGGAGTTTGACCTTCTGTA
 TCCTGCCATCAAGGGTGACACCATTAGCTCTACCTGGGGGCCAAGTTGTTGGACTCACAGGGAA
 AGGTGACCAAGTGGTTCAATAACTCTGCAGCTTCCTTGACAATGCCACCCTGGACAACATCCCG
 TTCAGCCTCATCGTGAGTCAGGACGTGGTGAAAGCTGCAGTGGCTGCTGTGCTCTCTCCAGAAGA
 ATTCATGGTCCTGTTGGACTCTGTGCTTCCTGAGAGTGCCCATCGGCTGAAGTCAAGCATCGGGC
 TGATCAATGAAAAGGCTGCAGATAAGCTGGGATCTACCCAGATCGTGAAGATCCTAACTCAGGAC
 ACTCCCGAGTTTTTTATAGACCAAGGCCATGCCAAGGTGGCCCAACTGATCGTGCTGGAAGTGTT
 TCCCTCCAGTGAAGCCCTCCGCCCTTTGTTACCCTGGGCATCGAAGCCAGCTCGGAAGCTCAGT
 TTTACACCAAAGGTGACCAACTTATACTCAACTGAATAACATCAGCTCTGATCGGATCCAGCTG
 ATGAACTCTGGGATTGGCTGGTTCCAACCTGATGTTCTGAAAAACATCATCACTGAGATCATCCA
 CTCCATCCTGCTGCCGAACCAGAATGGCAAATTAAGATCTGGGGTCCCAGTGTCATTGGTGAAGG
 CCTTGGGATTTCGAGGCAGCTGAGTCCTCACTGACCAAGGATGCCCTTGTGCTTACTCCAGCCTCC
 TTGTGGAAACCCAGCTCTCCTGTCTCCAGTGAAAGACTTGGATGGCAGCCATCAGGGAAGGCTGG
 GTCCCAGCTGGGAGTATGGGTGTGAGCTCTATAGACCATCCCTCTCTGCAATCAATAAACACTTG
 CCTGTGAAAAA

FIGURE 78

MAGPWTFTLLCGLLAATLIQATLSPTAVLILGPKVIKEKLTQELKDNATSILQQLPILLSAMREK
PAGGIPVLGSLVNTVLKHIWLKVITANILQLQVKPSANDQELLVKIPLDMVAGFNTPLVKTIVE
FHMTTEAQATIRMDTSASGPTRLVLSDCATSHGSLRIQLLYKLSFLVNALAKQVMNLLVPSLPNL
VKNQLCPVIEASFNGMYADLLQLVKVPISLSIDRLEFDLLYPAIKGDTIQLYLGAKLLDSQGKVT
KWFNNSAASLTMPITLDNIPFSLIVSQDVVKAAVAVALSPEEFMVLLDSVLPESAHLKSSIGLIN
EKAADKLGSTQIVKILTQDTPEFFIDQGHAKVAQLIVLEVFPSSSEALRPLFTLGIEASSEAQFYT
KGDQLILNLNNISSDRIQLMNSGIGWFQPDVLKNIITEIIHSILLPNQNGKLRSGVPVSLVKALG
FEAAESSLTKDALVLTPASLWKPPSPVSQ

Important features of the protein:

Signal peptide:

amino acids 1-21

N-glycosylation sites.

amino acids 48-51, 264-267, 401-404

Glycosaminoglycan attachment site.

amino acids 412-415

LBP / BPI / CETP family proteins.

amino acids 407-457

FIGURE 79

GAGAGAAGTCAGCCTGGCAGAGAGACTCTGAAATGAGGGATTAGAGGTGTTCAAGGAGCAAGAGC
TTCAGCCTGAAGACAAGGGAGCAGTCCCTGAAGACGCTTCTACTGAGAGGTCTGCCATGGCCTCT
CTTGGCCTCCAACTTGTGGGCTACATCCTAGGCCTTCTGGGGCTTTTGGGCACACTGGTTGCCAT
GCTGCTCCCCAGCTGGAAAACAAGTTCTTATGTCGGTGCCAGCATTGTGACAGCAGTTGGCTTCT
CCAAGGGCCTCTGGATGGAATGTGCCACACACAGCACAGGCATCACCCAGTGTGACATCTATAGC
ACCCTTCTGGGGCTGCCCCGCTGACATCCAGGCTGCCCAGGCCATGATGGTGACATCCAGTGCAAT
CTCCTCCCTGGCCTGCATTATCTCTGTGGTGGGCATGAGATGCACAGTCTTCTGCCAGGAATCCC
GAGCCAAAGACAGAGTGGCGGTAGCAGGTGGAGTCTTTTTTCATCCTTGGAGGCCTCCTGGGATTC
ATTCTGTGCTGGAATCTTCATGGGATCCTACGGGACTTCTACTCACCACTGGTGCCTGACAG
CATGAAATTTGAGATTGGAGAGGCTCTTTACTTGGGCATTATTTCTTCCCTGTTCTCCCTGATAG
CTGGAATCATCCTCTGCTTTTCTGCTCATCCCAGAGAAATCGCTCCAATACTACTACGATGCCTAC
CAAGCCCAACCTCTTGCCACAAGGAGCTCTCCAAGGCCTGGTCAACCTCCCAAAGTCAAGAGTGA
GTTCAATTCCTACAGCCTGACAGGGTATGTGTGAAGAACCAGGGGCCAGAGCTGGGGGGTGGCTG
GGTCTGTGAAAAACAGTGGACAGCACCCCGAGGGCCACAGGTGAGGGACACTACCACTGGATCGT
GTCAGAAGGTGCTGCTGAGGATAGACTGACTTTGGCCATTGGATTGAGCAAAGGCAGAAATGGGG
GCTAGTGTAACAGCATGCAGGTTGAATTGCCAAGGATGCTCGCCATGCCAGCCTTTCTGTTTTCC
TCACCTTGCTGCTCCCCTGCCCTAAGTCCCCAACCCCTCAACTTGAAACCCCATTCCTTAAGCCA
GGACTCAGAGGATCCCTTTGCCCTCTGGTTTACCTGGGACTCCATCCCCAAACCCACTAATCACA
TCCCACTGACTGACCCTCTGTGATCAAAGACCCTCTCTCTGGCTGAGGTTGGCTCTTAGCTCATT
GCTGGGGATGGGAAGGAGAAGCAGTGGCTTTTGTGGGCATTGCTCTAACCTACTTCTCAAGCTTC
CCTCCAAAGAACTGATTGGCCCTGGAACCTCCATCCCACTCTTGTTATGACTCCACAGTGTCCA
GACTAATTTGTGCATGAACTGAAATAAAACCATCCTACGGTATCCAGGGAACAGAAAGCAGGATG
CAGGATGGGAGGACAGGAAGGCAGCCTGGGACATTTAAAAAATA

FIGURE 8o

MASLGLQLVG YILGLLGLLGLTLVAMLLPSWKTSSYVGASIVTAVGFSKGLWMECATHSTGITQCD
IYSTLLGLPADIQAAQAMMTSSAIISSLACIIISVVGMRCTVFCQESRAKDRVAVAGGVFFILGGL
LGFIPVAWNLHGILRDFYSPLVPDSMKFEIGEALYLGIISSLFSLIAGIILCFSCSSQRNRSNYY
DAYQAQPLATRSSPRGQPPKVKSEFNSYSLTGYV

Important features of the protein:

Signal peptide:

amino acids 1-24

Transmembrane domains:

amino acids 82-102, 117-140, 163-182

N-glycosylation site.

amino acids 190-193

PMP-22 / EMP / MP20 family proteins.

amino acids 46-59

FIGURE 81

CCCACGCGTCCGCGCCTCTCCCTTCTGCTGGACCTTCCTTCGTCTCTCCATCTCTCCCTCCTTTC
 CCCGCGTTCTCTTTCCACCTTTCTCTTCTTCCCACCTTAGACCTCCCTTCCTGCCCTCCTTTCTCT
 GCCACCGCTGCTTCCTGGCCCTTCTCCGACCCCGCTCTAGCAGCAGACCTCCTGGGGTCTGTGG
 GTTGATCTGTGGCCCTGTGCCTCCGTGTCTTTTCGTCTCCCTTCCTCCCGACTCCGCTCCCGG
 ACCAGCGGCCTGACCCTGGGGAAAGGATGGTTCCCCGAGGTGAGGGTCTCTCCTCCTTGCTGGGA
 CTCGCGCTGCTCTGGTTCCCCCTGGACTCCCACGCTCGAGCCCGCCAGACATGTTCTGCCTTTT
 CCATGGGAAGAGATACTCCCCCGCGAGAGCTGGCACCCCTACTTGAGGCCACAAGGCCTGATGT
 ACTGCCTGCGCTGTACCTGCTCAGAGGGCGCCCATGTGAGTTGTTACCGCTCCACTGTCCGCCT
 GTCCACTGCCCCCAGCCTGTGACGGAGCCACAGCAATGCTGTCCCAAGTGTGTGGAACCTCACAC
 TCCCTCTGGACTCCGGGCCCCACCAAAGTCTGCCAGCACAAACGGGACCATGTACCAACACGGAG
 AGATCTTCAGTGCCCATGAGCTGTTCCCTCCCGCCTGCCCAACCAGTGTGTCTCTGCAGCTGC
 ACAGAGGGCCAGATCTACTGCGGCCTCACAACCTGCCCCGAACCAGGCTGCCCAGCACCCCTCCC
 ACTGCCAGACTCCTGCTGCCAAGCCTGCAAAGATGAGGCAAGTGAGCAATCGGATGAAGAGGACA
 GTGTGCAGTCGCTCCATGGGGTGAGACATCTCAGGATCCATGTTCCAGTGATGCTGGGAGAAAG
 AGAGGCCCCGGGCACCCCAGCCCCACTGGCCTCAGCGCCCTCTGAGCTTCATCCCTCGCCACTT
 CAGACCCAAGGGAGCAGGCAGCACAACTGTCAAGATCGTCTGAAGGAGAAACATAAGAAAGCCT
 GTGTGCATGGCGGGAAGACGTACTCCCACGGGGAGGTGTGGCACCCGGCCTTCCGTGCCTTCGGC
 CCCTTGCCCTGCATCCTATGCACCTGTGAGGATGGCCGCCAGGACTGCCAGCGTGTGACCTGTCC
 CACCGAGTACCCCTGCCGTACCCCCGAGAAAGTGGCTGGGAAGTGCTGCAAGATTTGCCCAGAGG
 ACAAAGCAGACCTGGCCACAGTGAGATCAGTTCTACCAGGTGTCCAAGGCACCGGGCCGGGTC
 CTCGTCCACACATCGGTATCCCCAAGCCCAGACAACCTGCGTCGCTTTGCCCTGGAACACGAGGC
 CTCGGACTTGTTGGAGATCTACCTCTGGAAGCTGGTAAAAGATGAGGAACTGAGGCTCAGAGAG
 GTGAAGTACCTGGCCCAAGGCCACACAGCCAGAATCTTCCACTTGAATCAGATCAAGAAAGTCAG
 GAAGCAAGACTTCCAGAAAGAGGCACAGCACTTCCGACTGCTCGCTGGCCCCCAGCAAGGTCACT
 GGAACGTCTTCCTAGCCCAGACCCTGGAGCTGAAGGTCACGGCCAGTCCAGACAAAGTGACCAAG
 ACATAACAAAGACCTAACAGTTGCAGATATGAGCTGTATAATTGTTGTTATTATATATTAATAAA
 TAAGAAGTGCATTACCCTCAAAAAAAAAAAAAAAAAAAAAA

FIGURE 82

MVPEVRVLSSLLGLALLWFPLDSHARARPDMFCLFHGKRYSPGESWHPYLEPQGLMYCLRCTCSE
GAHVSCYRLHCPPVHCPQPVTEPQQCCPKCVEPHTPSGLRAPPKSCQHNGTMYQHGEIFSAHELF
PSRLPNQCVLCSCTEGQIYCGLTTCPEPGCPAPLPLPDSCCQACKDEASEQSDEEDSVQSLHGVR
HPQDPCSSDAGRKRGPPTPAPTGLSAPLSFIPRHFRPKGAGSTTVKIVLKEKHKKACVHGGKTYS
HGEVWHPAFRAFGPLPCILCTCEDGRQDCQRVTCPTIYPCRHPKAGKCKICPEDKADPGHSE
ISSTRCPKAPGRVLVHTSVSPSPDNLRRALEHEASDLVEIYLWKLVKDEETEAQRGEVPGPRPH
SQNLPLDSDQESQEARLPERGTALPTARWPFRSLERLPSDPGAEGHGQSRQSDQDITKT

Signal peptide:

amino acids 1-25

FIGURE 83

GACAGCTGTGTCTCGATGGAGTAGACTCTCAGAACAGCGCAGTTTGGCCCTCCGCTCACGCAGAGCCTCTCC
 GTGGCTTCCGCACCTTGAGCATTAGGCCAGTTCTCCTCTTCTCTCTAATCCATCCGTCACCTCTCCTGTCA
 TCCGTTTCCATGCCGTGAGGTCCATTACAGAACACATCCATGGCTCTCATGCTCAGTTTGGTTCTGAGTC
 TCCTCAAGCTGGGATCAGGGCAGTGGCAGGTGTTTGGGCCAGACAAGCCTGTCCAGGCCTTGGTGGGGGAG
 GACGCAGCATTCTCCTGTTTCTGTCTCCTAAGACCAATGCAGAGGCCATGGAAGTGCAGTTTCTTCAGGGG
 CCAGTTCTCTAGCGTGGTCCACCTCTACAGGGACGGGAAGGACCAGCCATTTATGCAGATGCCACAGTATC
 AAGGCAGGACAAAACCTGGTGAAGGATTCTATTGCCGAGGGGCGCATCTCTCTGAGGCTGGAAAACATTACT
 GTGTTGGATGCTGGCCTCTATGGGTGCAGGATTAGTTCCTCAGTCTTACTACCAGAAGGCCATCTGGGAGCT
 ACAGGTGTCAGCACTGGGCTCAGTTCTCTCATTTCATCACGGGATATGTTGATAGAGACATCCAGCTAC
 TCTGTCTAGTCCCTCGGGCTGGTTCCTCCCGGGCCACAGCGAAGTGGAAAGGTCCACAAGGACAGGATTTGTCC
 ACAGACTCCAGGACAAACAGAGACATGCATGGCCTGTTTGATGTGGAGATCTCTCTGACCGTCCAAGAGAA
 CGCCGGGAGCATATCCTGTTCCATGCGGCATGCTCATCTGAGCCGAGAGGTGGAATCCAGGGTACAGATAG
 GAGATACCTTTTTTCGAGCCTATATCGTGGCACCTGGCTACCAAAGTACTGGGAATACTCTGCTGTGGCCTA
 TTTTTTGGCATTGTTGGACTGAAGATTTTCTTCTCCAAATTCAGTGGAAAATCCAGGCGGAAGTGGACTG
 GAGAAGAAAGCACGGACAGGCAGAAATTGAGAGACGCCCGGAAACACGCAGTGGAGGTGACTCTGGATCCAG
 AGACGGCTCACCCGAAGCTCTGCGTTTCTGATCTGAAACTGTAACCCATAGAAAAGCTCCCCAGGAGGTG
 CCTCACTCTGAGAAGAGATTTACAAGGAAGAGTGTGGTGGCTCTCAGAGTTTCCAAGCAGGGAAACATTA
 CTGGGAGGTGGACGGAGGACACAATAAAAGGTGGCGCTGGGAGTGTGCCGGGATGATGTGGACAGGAGGA
 AGGAGTACGTGACTTTGTCTCCCGATCATGGGTACTGGGTCTCAGACTGAATGGAGAACATTTGTATTTT
 ACATTAAATCCCCGTTTTATCAGCGTCTTCCCCAGGACCCACCTACAAAAATAGGGGTCTTCTCTGGACTA
 TGAGTGTGGGACCATCTCCTTCTTCAACATAAATGACCAGTCCCTTATTTATACCTGACATGTGGTTTG
 AAGGCTTATTGAGGCCCTACATTGAGTATCCGTCTATAATGAGCAAAATGGAATCCCATAGTCATCTGC
 CCAGTCAACCCAGGAATCAGAGAAAGAGGCCTCTTGGCAAAGGGCCTCTGCAATCCCAGAGACAAGCAACAG
 TGAGTCTCTCTACAGGCAACCACGCCCTTCTTCCCCAGGGGTGAAATGTAGGATGAATCACATCCCACAT
 TCTTCTTTAGGGATATTAAGGTCTCTCTCCCAGATCCAAAGTCCCGCAGCAGCCGGCCAAGGTGGCTTCCA
 GATGAAGGGGGACTGGCCTGTCCACATGGGAGTCAGGTGTCTGCTGCTGAGCTGGGAGGGAAGAAGG
 CTGACATTACATTTAGTTTGCTCTCACTCCATCTGGCTAAGTGTCTTGAAATACCACCTCTCAGGTGAAG
 AACCGTCAGGAATCCCATCTCACAGGCTGTGGTGTAGATTAAGTAGACAAGGAATGTGAATAATGCTTAG
 ATCTTATTGATGACAGAGTGTATCCTAATGGTTTGTTTATTATATTACACTTTCAGTAAAAAAA

FIGURE 84

MALMLSLVLSLLKLGSGQWQVFGPDKPVQALVGEDAAAFSCFLSPKTNAAEAMEVRFFRGQFSSVVH
LYRDGKDQPFMQMPQYQGRTKLVKDSIAEGRISLRLENITVLDAGLYGCRISQSYQKAIWELQ
VSALGSVPLISITGYVDRDIQLLCQSSGWFFRPTAKWKGPQGDLSTDSRTNRDMHGFLDVEISL
TVQENAGSISCSMRHAHLSREVESRVQIGDTFFEPISWHLATKVLGILCCGLEFFGIVGLKIFFSK
FQWKIQAELDWRRKHGQAEIRDARKHAVEVTLPETAHPKLCVSDLKTVTHRKAPOEVPHSEKRF
TRKSVVASQSFQAGKHYWEVDGGHNKRWRVGVCRDDVDRKEYVTLSPDHGYWVLRNLNGEHLFT
LNPRFISVFPRTPTTKIGVFLDYECGTISFFNINDQSLIYTLTCRFEGLLRPYIEYPSYNEQNGT
PIVICPVTQESEKEASWQRASAIPESTSNESSQATTPFLPRGEM

Signal peptide:

amino acids 1-17

Transmembrane domain:

amino acids 239-255

FIGURE 85

AACAGACGTTCCCTCGCGGCCCTGGCACCTCTAACCCCAGACATGCTGCTGCTGCTGCTGCTGCCCCCT
GCTCTGGGGGAGGGAGAGGGCGGAAGGACAGACAAGTAACTGCTGACGATGCAGAGTTCCGTGA
CGGTGCAGGAAGGCCTGTGTGTCCATGTGCCCTGCTCCTTCTCCTACCCCTCGCATGGCTGGATT
TACCCTGGCCCACTAGTTCATGGCTACTGGTTCGGGAAGGGGCCAATACAGACCAGGATGCTCC
AGTGGCCACAAACAACCCAGCTCGGGCAGTGTGGGAGGAGACTCGGGACCGATTCCACCTCCTTG
GGGACCCACATACCAAGAATTGCACCCTGAGCATCAGAGATGCCAGAAGAAGTGATGCGGGGAGA
TACTTCTTTCGTATGGAGAAAGGAAGTATAAAATGGAATTATAAACATCACCGGCTCTCTGTGAA
TGTGACAGCCTTGACCCACAGGCCCAACATCCTCATCCCAGGCACCCTGGAGTCCGGCTGCCCCC
AGAATCTGACCTGCTCTGTGCCCTGGGCCTGTGAGCAGGGGACACCCCTATGATCTCCTGGATA
GGGACCTCCGTGTCCCCCTGGACCCCTCCACCACCCGCTCCTCGGTGCTCACCTCATCCCACA
GCCCCAGGACCATGGCACCAGCCTCACCTGTGAGGTGACCTTCCCTGGGGCCAGCGTGACCACGA
ACAAGACCGTCCATCTCAACGTGTCTTACCCGCCTCAGAACTTGACCATGACTGTCTTCCAAGGA
GACGGCACAGTATCCACAGTCTTGGGAAATGGCTCATCTCTGTCACTCCCAGAGGGCCAGTCTCT
GCGCCTGGTCTGTGCAGTTGATGCAGTTGACAGCAATCCCCCTGCCAGGCTGAGCCTGAGCTGGA
GAGGCCTGACCCCTGTGCCCTCACAGCCCTCAAACCCGGGGGTGCTGGAGCTGCCTTGGGTGCAC
CTGAGGGATGCAGCTGAATTCACCTGCAGAGCTCAGAACCCTCTCGGCTCTCAGCAGGTCTACCT
GAACGTCTCCCTGCAGAGCAAAGCCACATCAGGAGTGACTCAGGGGGTGGTCCGGGGAGCTGGAG
CCACAGCCCTGGTCTTCTGTCTTCTGCGTCATCTTCGTTGTAGTGAGGTCTGCAGGAAGAAA
TCGGCAAGGCCAGCAGCGGGCGTGGGAGATACGGGCATAGAGGATGCAAACGCTGTGAGGGGTTC
AGCCTCTCAGGGGGCCCTGACTGAACCTTGGGCAGAAGACAGTCCCCCAGACCAGCCTCCCCCAG
CTTCTGCCCCTCCTCAGTGGGGGAAGGAGAGCTCCAGTATGCATCCCTCAGCTTCCAGATGGTG
AAGCCTTGGGACTCGCGGGGACAGGAGGCCACTGACACCGAGTACTCGGAGATCAAGATCCACAG
ATGAGAACTGCAGAGACTCACCTGATTGAGGGATCACAGCCCTCCAGGCAAGGGAGAAGTCA
GAGGCTGATTCTTGTAGAATTAACAGCCCTCAACGTGATGAGCTATGATAACACTATGAATTATG
TGCAGAGTGAAAAGCACACAGGCTTTAGAGTCAAAGTATCTCAAACCTGAATCCACACTGTGCCC
TCCCTTTTATTTTTTAACTAAAAGACAGACAAATTCCTA

FIGURE 86

MLLLLLPLLWGRERAEGQTSKLLTMQSSVTVQEGLCVHVPCSFSYPSHGWIYPGPVVHGYWFREG
ANTDQDAPVATNNPARAVWEETRDRFHLLGDPHTKNCTLSIRDARRSDAGRYFFRMEKGSIKWNY
KHHRLSVNVTALTHRPNILIPGTLESGCPQNLTCVWPWACEQGTPPMISWIGTSVSPLDPSTTRS
SVLTLIPQPQDHGTS LTCQVTFPGASVTTNKTVHLNVSYPPQNLMTVFQGDGTVSTVLGNGSSL
SLPEGQSLRLVCAVDAVDSNPPARLSLSWRGLTLCPSQPSNPGVLELPWVHLRDAAEFTCRAQNP
LGSQQVYLNVS LQSKATSGVTQGVVGGAGATALVFLSFCVIFVVVRSCRKKSARPAAGVGDTGIE
DANAVRG SASQGPLTEPWAEDSPPDQPPPASARSSVGEGELQYASLSFQMKPWDSRGQEATDTE
YSEIKIHR

Signal peptide:

amino acids 1-15

Transmembrane domain:

amino acids 351-370

FIGURE 87

AGAAAGCTGCACTCTGTTGAGCTCCAGGGCGCAGTGGAGGGAGGGAGTGAAGGAGCTCTCTGTAC
CCAAGGAAAGTGCACTGAGACTCAGACAAGATTACAATGAACCAACTCAGCTTCCTGCTGTTTC
TCATAGCGACCACCAGAGGATGGAGTACAGATGAGGCTAATACTTACTTCAAGGAATGGACCTGT
TCTTCGTCTCCATCTCTGCCCAGAAGCTGCAAGGAAATCAAAGACGAATGTCCTAGTGCAATTTGA
TGGCCTGTATTTTCTCCGCACTGAGAATGGTGTTATCTACCAGACCTTCTGTGACATGACCTCTG
GGGGTGGCGGCTGGACCCTGGTGGCCAGCGTG CATGAGAATGACATGCGTGGGAAGTGACGGTG
GGCGATCGCTGGTCCAGTCAGCAGGGCAGCAAAGCAGACTACCCAGAGGGGGACGGCAACTGGGC
CAACTACAACACCTTTGGATCTGCAGAGGCGGCCACGAGCGATGACTACAAGAACCCTGGCTACT
ACGACATCCAGGCCAAGGACCTGGGCATCTGGCACGTGCCCAATAAGTCCCCCATGCAGCACTGG
AGAAACAGCTCCCTGCTGAGGTACCGCACGGACACTGGCTTCCTCCAGACACTGGGACATAATCT
GTTTGGCATCTACCAGAAATATCCAGTGAAATATGGAGAAGGAAAGTGTGGACTGACAACGGCC
CGGTGATCCCTGTGGTCTATGATTTTGGCGACGCCCAGAAAACAGCATCTTATTACTCACCTTAT
GGCCAGCGGGAATTCAGTGCGGGATTTGTTTCACTTCAAGGTATTTAATAACGAGAGAGCAGCCAA
CGCCTTGTGTGCTGGAATGAGGGTCACCGGATGTAACACTGAGCATCACTGCATTGGTGGAGGAG
GATACTTTCCAGAGGCCAGTCCCCAGCAGTGTGGAGATTTTCTGGTTTTGATTGGAGTGGATAT
GGAACTCATGTTGGTTACAGCAGCAGCCGTGAGATAACTGAGGCAGCTGTGCTTCTATTCTATCG
TTGAGAGTTTTGTGGGAGGGAACCCAGACCTCTCCTCCCAACCATGAGATCCCAAGGATGGAGAA
CAACTTACCCAGTAGCTAGAATGTTAATGGCAGAAGAGAAAACAATAAATCATATTGACTCAAGA
AAAAAA

FIGURE 88

MNQLSFLLFLIATTRGWSTDEANTYFKEWTCSSSPSLPRSCKEIKDECPSAFDGLYFLRTENGVI
YQTFCDMTSGGGGWTLVASVHENDMRGKCTVGDRWSSQQGSKADYPEGDGNWANYNTFGSAEAAAT
SDDYKNPGYYDIQAKDLGIWHVPNKSPMQHWRNSSLLRYRTDTGFLQTLGHNLFGIYQKYPVKYG
EGKCWTDNGPVIPIVVYDFGDAQKTASYYSPIYGQREFTAGFVQFRVFNNERAANALCAGMRVTGCN
TEHHCIGGGGYFPEASPPQCGDFSGFDWSGYGTHVGYSRSSREITEAAVLLFYR

Important features:

Signal peptide:

amino acids 1-16

N-glycosylation site.

amino acids 163-167

Glycosaminoglycan attachment sites.

amino acids 74-78, 289-293

N-myristoylation sites.

amino acids 76-82, 115-121, 124-130, 253-259, 292-298

FIGURE 89

CTAGATTTGTCGGCTTGCGGGGAGACTTCAGGAGTCGCTGTCTCTGAACTTCCAGCCTCAGAGAC
CGCCGCCCTTGTCCTCCGAGGGCCATGGGCCGGGTCTCAGGGCTTGCGCCCTCTCGCTTCCTGACG
CTCCTGGCGCATCTGGTGGTCGTCATCACCTTATTCTGGTCCCGGGACAGCAACATACAGGCCTG
CCTGCCTCTCACGTTACCCCCGAGGAGTATGACAAGCAGGACATTCAGCTGGTGGCCGCGCTCT
CTGTCACCCTGGGCCTCTTTGCAGTGGAGCTGGCCGGTTTCTCTCAGGAGTCTCCATGTTCAAC
AGCACCCAGAGCCTCATCTCCATTGGGGCTCACTGTAGTGCATCCGTGGCCCTGTCCTTCTTCAT
ATTCGAGCGTTGGGAGTGCCTACGTATTGGTACATTTTGTCTTCTGCAGTGCCCTTCCAGCTG
TCACTGAAATGGCTTTATTTCGTCACCGTCTTTGGGCTGAAAAAGAAACCTTCTTGATTACCTTCA
TGACGGGAACCTAAGGACGAAGCCTACAGGGGCAAGGGCCGCTTCGTATTCTGGAAGAAGGAAG
GCATAGGCTTCGGTTTTCCCCTCGGAACTGCTTCTGCTGGAGGATATGTGTTGGAATAATTACG
TCTTGAGTCTGGGATTATCCGCATTGTATTTAGTGCTTTGTAATAAAATATGTTTGTAGTAACA
TTAAGACTTATATACAGTTTTAGGGGACAATTAAAAAAAAAAAA

FIGURE 90

MGRVSGLVPSRFLTLLAHLVVVITLFWSRDSNIQACLPLTFTPEEYDKQDIQLVAALSVTLGLFA
VELAGFLSGVSMFNSTQSLISIGAHCSASVALSFFIFERWECTTYWYIFVFCSALPAVTEMALEFV
TVFGLKKKPF

Transmembrane domain:

amino acids 12-28 (type II), 51-66, 107-124

FIGURE 91

CTGGGACCCCGAAAAGAGAAGGGGAGAGCGAGGGGACGAGAGCGGAGGAGGAAGATGCAACTGAC
TCGCTGCTGCTTCGTGTTCTGCTGTCAGGGTAGCCTCTATCTGGTCATCTGTGGCCAGGATGATG
GTCTCTCCCGGCTCAGAGGACCCTGAGCGTGATGACCACGAGGGCCAGCCCCGGCCCCGGGTGCCT
CGGAAGCGGGGCCACATCTCACCTAAGTCCCCGCCCCATGGCCAATTCCACTCTCCTAGGGCTGCT
GGCCCCGCTGGGGAGGCTTGGGGCATTTCTGGGCAGCCCCCAACCGCCCGAACCACAGCCCCC
CACCTCAGCCAAGGTGAAGAAAATCTTTGGCTGGGGCGACTTCTACTCCAACATCAAGACGGTG
GCCCTGAACCTGCTCGTCACAGGGAAGATTGTGGACCATGGCAATGGGACCTTCAGCGTCCACTT
CCAACACAATGCCACAGGCCAGGGAAACATCTCCATCAGCCTCGTGCCCCCAGTAAAGCTGTAG
AGTTCCACCAGGAACAGCAGATCTTCATCGAAGCCAAGGCCTCCAAAATCTTCAACTGCCGGATG
GAGTGGGAGAAGGTAGAACGGGGCCCGGACCTCGCTTTCACCCACGACCCAGCCAAGATCTG
CTCCCGAGACCACGCTCAGAGCTCAGCCACCTGGAGCTGCTCCCAGCCCTTCAAAGTCGTCTGTG
TCTACATCGCCTTCTACAGCACGGACTATCGGCTGGTCCAGAAGGTGTGCCAGATTACAACCTAC
CATAGTGATACCCCCTACTACCCATCTGGGTGACCCGGGGCAGGCCACAGAGGCCAGGCCAGGGC
TGGAAGGACAGGCCTGCCATGCAGGAGACCATCTGGACACCGGGCAGGGAAGGGGTGGGCCTC
AGGCAGGGAGGGGGGTGGAGACGAGGAGATGCCAAGTGGGGCCAGGGCCAAGTCTCAAGTGGCAG
AGAAAGGGTCCCAAGTGCTGGTCCCCAACCTGAAGCTGTGGAGTGAAGTAGATCACAGGAGCACTGG
AGGAGGAGTGGGCTCTCTGTGCAGCCTCACAGGGCTTTGCCACGGAGCCACAGAGAGATGCTGGG
TCCCCGAGGCCTGTGGGCAGGCCGATCAGTGTGGCCCCAGATCAAGTCATGGGAGGAAGCTAAGC
CCTTGTTCTTGCCATCCTGAGGAAAGATAGCAACAGGGAGGGGGAGATTTTCATCAGTGTGGACA
GCCTGTCAACTTAGGATGGATGGCTGAGAGGGCTTCTAGGAGCCAGTCAGCAGGGTGGGGTGGG
GCCAGAGGAGCTCTCCAGCCCTGCCTAGTGGGCGCCCTGAGCCCTTGTCTGTGTGAGCATGG
CATGAGGCTGAAGTGGCAACCCTGGGGTCTTTGATGTCTTGACAGATTGACCATCTGTCTCCAGC
CAGGCCACCCCTTTCCAAAATCCCTCTTCTGCCAGTACTCCCCCTGTACCACCCATTGCTGATG
GCACACCCATCCTTAAGCTAAGACAGGACGATTGTGGTCTCCACACTAAGGCCACAGCCCATC
CGCGTGCTGTGTGTCCCTCTTCCACCCCAACCCCTGCTGGCTCCTCTGGGAGCATCCATGTCCCG
GAGAGGGGTCCCTCAACAGTCAGCCTCACCTGTGACACGGGGTTCTCCCGGATCTGGATGGCGC
CGCCCTCTCAGCAGCGGGCACGGGTGGGGCGGGGCCGGCCGAGAGCATGTGCTGGATCTGTTC
TGTGTGTCTGTCTGTGGGTGGGGGAGGGGAGGGAAGTCTTGTGAAACCGCTGATTGCTGACTTT
TGTGTGAAGAATCGTGTTCTTGGAGCAGGAAATAAAGCTTGCCCCGGGGCA

FIGURE 92

MQLTRCCFVFLVQGSLYLVICGQDDGPPGSEDPERDDHEGQPRPRVPRKRGHISPKSRPMANSTL
LGLLAPPGEAWGILGQPPNRPNHSPPPSAKVKKIFGWGDFYSNIKTVALNLLVTGKIVDHGNGTF
SVHFQHNATGQGNISISLVPPSKAVEFHQEQQIFIEAKASKIFNCRMWEKVERGRRTSLCTHDP
AKICSRDHAQSSATWSCSQPFKVVCVYIAFYSTDYRLVQKVC PDYNYHSDTPYYPSG

Important features of the protein:

Signal peptide:

amino acids 1-14

N-glycosylation sites.

amino acids 62-65, 127-130, 137-140, 143-146

2-oxo acid dehydrogenases acyltransferase

amino acids 61-71

FIGURE 93

CGGTGGCCATGACTGCGGCCGTGTTCTTCGGCTGCGCCTTCATTGCCTTCGGGCCTGCGCTCGCC
CTTTATGTCTTCACCATCGCCATCGAGCCGTTGCGTATCATCTTCCTCATCGCCGAGCTTTCTT
CTGGTTGGTGTCTCTACTGATTTTCGTCCCTTGTTTGGTTCATGGCAAGAGTCATTATTGACAACA
AAGATGGACCAACACAGAAATATCTGCTGATCTTTGGAGCGTTTGTCTCTGTCTATATCCAAGAA
ATGTTCCGATTTGCATATTATAAACTCTTAAAAAAGCCAGTGAAGGTTTGAAGAGTATAAACCC
AGGTGAGACAGCACCCCTCTATGCGACTGCTGGCCTATGTTTCTGGCTTGGGCTTTGGAATCATGA
GTGGAGTATTTTCCTTTGTGAATACCCCTATCTGACTCCTTGGGGCCAGGCACAGTGGGCATTCAT
GGAGATTCTCCTCAATTCTTCCTTTATTCAGCTTTTCATGACGCTGGTCATTATCTTGCTGCATGT
ATTCTGGGGCATTGTATTTTTTGGATGGCTGTGAGAAGAAAAAGTGGGGCATCCTCCTTATCGTTC
TCCTGACCCACCTGCTGGTGTGAGCCAGACCTTCATAAGTTCTTATTATGGAATAAACCTGGCG
TCAGCATTTATAATCCTGGTGCTCATGGGCACCTGGGCATTCTTAGCTGCGGGAGGCAGCTGCCG
AAGCCTGAACTCTGCCTGCTCTGCCAAGACAAGAACTTTCTTCTTTACAACCAGCGCTCCAGAT
AACCTCAGGGAACCAGCACTTCCCAAACCGCAGACTACATCTTTAGAGGAAGCACAACTGTGCCT
TTTTCTGAAAATCCCTTTTTCTGGTGGAATTGAGAAAGAAATAAACTATGCAGATA

FIGURE 94

MTAAVFFGCAFIAGFPALALYVFTIAIEPLRIIFLIAGAFFWLVSLLISSLVWEMARVIIDNKDG
PTQKYLLIFGAFVSVYIQEMFRFAYYKLLKKASEGLKSINPGETAPSMRLLAYVSGLGFGIMSGV
FSFVNTLSDSLPGTVGIHGDSPOFFLYSAFMTLVIILLHVFWGIVFFDGCEKKKWGILLIVLLT
HLLVSAQTFISSYYGINLASAFIILVLMGTWAFLAAGGSCRSCLKCLLCQDKNFLLYNQSR

Important features of the protein:

Signal peptide:

amino acids 1-19

Transmembrane domains:

amino acids 32-51, 119-138, 152-169, 216-235

Glycosaminoglycan attachment site.

amino acids 120-123

Sodium:neurotransmitter symporter family protein

amino acids 31-65

FIGURE 95

AATTTTTCACCAGAGTAAACTTGAGAAACCAACTGGACCTTGAGTATTGTACATTTTGCCTCGTG
GACCCAAAGGTAGCAATCTGAAACATGAGGAGTACGATTCTACTGTTTTGTCTTCTAGGATCAAC
TCGGTCATTACCACAGCTCAAACCTGCTTTGGGACTCCCTCCCACAAAACCTGGCTCCGGATCAGG
GAACACTACCAAACCAACAGCAGTCAAATCAGGTCTTTCCTTCTTTAAGTCTGATACCATTAAACA
CAGATGCTCACACTGGGGCCAGATCTGCATCTGTTAAATCCTGCTGCAGGAATGACACCTGGTAC
CCAGACCCACCCATTGACCCTGGGAGGGTTGAATGTACAACAGCAACTGCACCCACATGTGTTAC
CAATTTTGTGCACACAACCTTGAGCCCAGGGCACTATCCTAAGCTCAGAGGAATTGCCACAAATC
TTCACGAGCCTCATCATCCATTCTTGTTCCTGGGAGGCATCCTGCCACCAGTCAGGCAGGGGC
TAATCCAGATGTCCAGGATGGAAGCCTTCAGCAGGAGGAGCAGGTGTAAATCCTGCCACCCAGG
GAACCCAGCAGGCCGCTCCCAACTCCCAGTGGCACAGATGACGACTTTGCAGTGACCACCCCT
GCAGGCATCCAAAGGAGCACACATGCCATCGAGGAAGCCACCACAGAATCAGCAAATGGAATTCA
GTAAGCTGTTTCAAATTTTTTCAACTAAGCTGCCTCGAATTTGGTGATACATGTGAATCTTTATC
ATTGATTATATTATGGAATAGATTGAGACACATTGGATAGTCTTAGAAGAAATTAATTCTTAATT
TACCTGAAAATATTCTTGAAATTCAGAAAATATGTTCTATGTAGAGAATCCCAACTTTTAAAAA
CAATAATTCAATGGATAAATCTGTCTTTGAAATATAACATTATGCTGCCTGGATGATATGCATAT
TAAACATATTTGGAAAACCTGGAAA
AAA

FIGURE 96

MRSTILLFCLLGSTRSLPQLKPALGLPPTKLAPDQGTLPNQQQSNQVFPSLSLIPLTQM
LTLGPDHLHLLNPAAGMTPGTQTHPLTLGGLNVQQQLHPHVLPIFVTQLGAQGTTLSSEE
LPQIFTSLLIHSLEFPGGILPTSQAGANPDVQDGSLPAGGAGVNPATQGTPAGRLPTPSG
TDDDFAVTTPAGIQRSTHAIEEATTESANGIQ

Signal peptide:

amino acids 1-16

FIGURE 97

GCTCAAGTGCCCTGCCTTGCCCCACCCAGCCCAGCCTGGCCAGAGCCCCCTGGAGAAGGAGCTCT
 CTTCTTGCTTGGCAGCTGGACCAAGGGAGCCAGTCTTGGGCGCTGGAGGGCCTGTCCTGACCATG
 GTCCCTGCCTGGCTGTGGCTGCTTTGTGTCTCCGTCCCCCAGGCTCTCCCCAAGGCCCCAGCCTGC
 AGAGCTGTCTGTGGAAGTTCCAGAAAACCTATGGTGGAAATTTCCCTTTATACCTGACCAAGTTGC
 CGCTGCCCCGTGAGGGGGCTGAAGGCCAGATCGTGCTGTCAGGGGACTCAGGCAAGGCAACTGAG
 GGCCCATTTGCTATGGATCCAGATTCTGGCTTCCTGCTGGTGACCAGGGGCCCTGGACCGAGAGGA
 GCAGGCAGAGTACCAGCTACAGGTCACCCCTGGAGATGCAGGATGGACATGTCTTGTGGGGTCCAC
 AGCCTGTGCTTGTGCACGTGAAGGATGAGAATGACCAGGTGCCCCATTTCTCTCAAGCCATCTAC
 AGAGCTCGGCTGAGCCGGGGTACCAGGCCTGGCATCCCCCTTCCTCTTCCTTGAGGCTTCAGACCG
 GGATGAGCCAGGCACAGCCAACTCGGATCTTCGATTCCACATCCTGAGCCAGGCTCCAGCCCAGC
 CTTCCCCAGACATGTTCCAGCTGGAGCCTCGGCTGGGGGCTCTGGCCCTCAGCCCCAAGGGGAGC
 ACCAGCCTTGACCACGCCCTGGAGAGGACCTACCAGCTGTTGGTACAGGTCAAGGACATGGGTGA
 CCAGGCCTCAGGCCACCAGGCCACTGCCACCGTGGAAGTCTCCATCATAGAGAGCACCTGGGTGT
 CCCTAGAGCCTATCCACCTGGCAGAGAATCTCAAAGTCTTATACCCGCACCACATGGCCCCAGGTA
 CACTGGAGTGGGGGTGATGTGCACTATCACCTGGAGAGCCATCCCCCGGGACCCCTTTGAAGTGAA
 TGCAGAGGGAAACCTCTACGTGACCAGAGAGCTGGACAGAGAAGCCAGGCTGAGTACCTGCTCC
 AGGTGCGGGCTCAGAATTTCCCATGGCGAGGACTATGCGGCCCTCTGGAGCTGCACGTGCTGGTG
 ATGGATGAGAATGACAACGTGCCTATCTGCCCTCCCCGTGACCCACAGTCAGCATCCCTGAGCT
 CAGTCCACCAGGTACTGAAGTGACTAGACTGTGAGCAGAGGATGCAGATGCCCCCGGCTCCCCCA
 ATTCCACCGTTGTGTATCAGCTCCTGAGCCCTGAGCCTGAGGATGGGGTAGAGGGGAGAGCCTTC
 CAGGTGGACCCCACTTCAGGCAGTGTGACGCTGGGGGTGCTCCCACTCCGAGCAGGCCAGAACAT
 CCTGCTTCTGGTGCTGGCCATGGACCTGGCAGGCGCAGAGGGTGGCTTCAGCAGCACGTGTGAAG
 TCGAAGTCGAGTCACAGATATCAATGATCACGCCCTGAGTTCATCACTTCCCAGATTGGGCCCT
 ATAAGCCTCCCTGAGGATGTGGAGCCCGGGACTCTGGTGGCCATGCTAACAGCCATTGATGCTGA
 CCTCGAGCCCGCCTTCGCGCTCATGGATTTTGCCATTGAGAGGGGAGACACAGAAGGGACTTTTG
 GCCTGGATTGGGAGCCAGACTCTGGGCATGTTAGACTCAGACTCTGCAAGAACCTCAGTTATGAG
 GCAGCTCCAAGTCATGAGGTGGTGGTGGTGGTGTCAGAGTGTGGCGAAGCTGGTGGGGCCAGGCCC
 AGGCCCTGGAGCCACCGCCACGGTGACTGTGCTAGTGGAGAGAGTGATGCCACCCCCCAAGTTGG
 ACCAGGAGAGCTACGAGGCCAGTGTCCCATCAGTGCCCCAGCCGGCTCTTTCTGCTGACCATC
 CAGCCCTCCGACCCCATCAGCCGAACCTCAGGTTCTCCCTAGTCAATGACTCAGAGGGCTGGCT
 CTGCATTGAGAAATTTCTCCGGGGAGGTGCACACCGCCAGTCCCTGCAGGGCGCCAGCCTGGGG
 ACACCTACACGGTGCTTGTGGAGGGCCAGGATACAGCCCTGACTCTTGCCCTGTGCCCTCCCAA
 TACCTCTGCACACCCCGCCAAGACCATGGCTTGATCGTGAGTGGAACCCAGCAAGGACCCCGATCT
 GGCCAGTGGGCACGGTCCCTACAGCTTCACCCCTGGTCCCAACCCACGGTGCAACGGGATTGGC
 GCCTCCAGACTCTCAATGGTTCCCATGCCTACCTCACCTTGGCCCTGCATTGGGTGGAGCCACGT
 GAACACATAATCCCCGTGGTGGTGAGCCACAATGCCAGATGTGGCAGCTCCTGGTTTCGAGTGAT
 CGTGTGTGCTGCAACGTGGAGGGGCAGTGCATGCGCAAGGTGGGCCGCTGAAGGGCATGCCCA
 CGAAGCTGTGCGCAGTGGGCATCCTTGTAGGCACCCCTGGTAGCAATAGGAATCTTCCTCATCCTC
 ATTTTCACCCACTGGACCATGTCAAGGAAGAAGGACCCGGATCAACCAGCAGACAGCGTGCCCT
 GAAGGCGACTGTCTGAATGGCCAGGCAGCTCTAGCTGGGAGCTTGGCCTCTGGCTCCATCTGAG
 TCCCCTGGGAGAGAGCCAGCACCCAAGATCCAGCAGGGGACAGGACAGAGTAGAAGCCCCCTCA
 TCTGCCCTGGGGTGGAGGCACCATCACCATCACCAGGCATGTCTGCAGAGCCTGGACACCAACTT
 TATGGACTGCCCATGGGAGTGCTCCAAATGTGAGGGTGTGTGCCCAATAATAAAGCCCCAGAGAA
 CTGGGCTGGGCCCTATGGGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAG

FIGURE 98

MVPAWLWLLCVSVPQALPKAQP AELSVEVPENYGGNFPLYLTKLPLPREGAEGQIVLSGDSGKAT
EGPFAMDPDSGFLLVTRALDREEQAEYQLQVTLEMQDGHVLWGPPQVVLVHVKDENDQVPHFSQAI
YRARLSRGTRPGIPFLFLEASDRDEPGTANSDLRFHILSQAPAQPSDFMQLEPRLGALALSPKG
STSLDHALERTYQLLVQVKMDGDAQSGHQATATVEVSI IESTWVSLEPIHLAENLKVLYPHHMAQ
VHWSGGDVHYHLESHPPGPFEVNAEGNLYVTRELDREAQAEYLLQVRAQNSHGEDIAAPLELHVL
VMDENDNVPICPPRDPTVSIPELSPPGTEVTRLAEDADAPGSPNSHVYQLLSPEPEDGVEGRA
FQVDPTSGSVTLGVLPLRAGQNILLVLAMDLAGAEGGFSSTCEVEVAVTDINDHAPEFITSQIG
PISLPEDVEPGTLVAMLT AIDADLEPAFRLMDFAIERGDTEGTFGLDWEPPDSGHVRLRLCKNLSY
EAAPSHEVVVVVQSVAKLVGPGPGGATATVTVLVERVMPPPKLDQESYEASVPISAPAGSFLLT
IQPSDPISRTLRFSLVNDSEGWLCIEKFSGEVHTAQSLQGAQPGDTYTVLVEAQDTALT LAPVPS
QYLCTPRQDHGLIVSGPSKDPDLASGHGPYSFTLGPNPTVQRDWRLQTLNGSHAYLTALHWVEP
REHIIPVVVSHNAQMWQLLVRVIVCRCNVEGQCMRKVGRMKGMPTKLSAVGILVGTILVAIGIFLI
LIFTHWTMSRKKDPDQPADSVPLKATV

Signal peptide:

amino acids 1-18

Transmembrane domain:

amino acids 762-784

FIGURE 99

GGCTGACCGTGCTACATTGCCTGGAGGAAGCCTAAGGAACCCAGGCATCCAGCTGCCCACGCCTG
 AGTCCAAGATTCTTCCCAGGAACACAAACGTAGGAGACCCACGCTCCTGGAAGCACCAGCCTTTA
 TCTCTTCACCTTCAAGTCCCCTTTCTCAAGAATCCTCTGTCTTTGCCCTCTAAAGTCTTGGTAC
 ATCTAGGACCCAGGCATCTTGCTTTCCAGCCACAAAGAGACAGATGAAGATGCAGAAAGGAAATG
 TTCTCCTTATGTTTGGTCTACTATTGCATTTAGAAGCTGCAACAAATTCCAATGAGACTAGCACC
 TCTGCCAACACTGGATCCAGTGTGATCTCCAGTGGAGCCAGCACAGCCACCAACTCTGGGTCCAG
 TGTGACCTCCAGTGGGGTCAGCACAGCCACCATCTCAGGGTCCAGCGTGACCTCCAATGGGGTCA
 GCATAGTCACCAACTCTGAGTTCATACAACCTCCAGTGGGATCAGCACAGCCACCAACTCTGAG
 TTCAGCACAGCGTCCAGTGGGATCAGCATAGCCACCAACTCTGAGTCCAGCACAACTCCAGTGG
 GGCCAGCACAGCCACCAACTCTGAGTCCAGCACACCCTCCAGTGGGGCCAGCACAGTCACCAACT
 CTGGGTCCAGTGTGACCTCCAGTGGAGCCAGCACTGCCACCAACTCTGAGTCCAGCACAGTGTCC
 AGTAGGGCCAGCACTGCCACCAACTCTGAGTCTAGCACACTCTCCAGTGGGGCCAGCACAGCCAC
 CAACTCTGACTCCAGCACAACTCCAGTGGGGCTAGCACAGCCACCAACTCTGAGTCCAGCACAA
 CCTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTAGGGCCAGCACT
 GCCACCAACTCTGAGTCCAGCACAACTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAG
 AACGACCTCCAATGGGGCTGGCACAGCCACCAACTCTGAGTCCAGCACGACCTCCAGTGGGGCCA
 GCACAGCCACCAACTCTGACTCCAGCACAGTGTCCAGTGGGGCCAGCACTGCCACCAACTCTGAG
 TCCAGCACGACCTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAGCACGACCTCCAGTGG
 GGCTAGCACAGCCACCAACTCTGACTCCAGCACAACTCCAGTGGGGCCGGGCACAGCCACCAACT
 CTGAGTCCAGCACAGTGTCCAGTGGGATCAGCACAGTCAACCAATTCTGAGTCCAGCACACCCTCC
 AGTGGGGCCAACACAGCCACCAACTCTGAGTCCAGTACGACCTCCAGTGGGGCCAACACAGCCAC
 CAACTCTGAGTCCAGCACAGTGTCCAGTGGGGCCAGCACTGCCACCAACTCTGAGTCCAGCACAA
 CCTCCAGTGGGGTCAGCACAGCCACCAACTCTGAGTCCAGCACAACTCCAGTGGGGCTAGCACA
 GCCACCAACTCTGACTCCAGCACAACTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCTAG
 CACAGTGTCCAGTGGGATCAGCACAGTCAACCAATTCTGAGTCCAGCACAACTCCAGTGGGGCCA
 ACACAGCCACCAACTCTGGGTCCAGTGTGACCTCTGCAGGCTCTGGAACAGCAGCTCTGACTGGA
 ATGCACACAACTTCCCATAGTGCATCTACTGCAGTGAGTGAGGCAAAGCCTGGTGGGTCCCTGGT
 GCCGTGGGAAATCTTCCTCATCACCCCTGGTCTCGGTTGTGGCGGCCGTGGGGCTCTTTGCTGGGC
 TCTTCTTCTGTGTGAGAAACAGCCTGTCCCTGAGAAACACCTTTAACACAGCTGTCTACCACCT
 CATGGCCTCAACCATGGCCTTGGTCCAGGCCCTGGAGGGAATCATGGAGCCCCCACAGGCCAG
 GTGGAGTCCTAACCTGGTTCTGGAGGAGACCAGTATCATCGATAGCCATGGAGATGAGCGGGAGGA
 ACAGCGGGCCCTGAGCAGCCCCGGAAGCAAGTGCCGCATTCTTCAGGAAGGAAGAGACCTGGGCA
 CCAAGACCTGGTTTCCCTTTCATTTCATCCAGGAGACCCCTCCCAGCTTTGTTTGAGATCCTGAA
 AATCTTGAAGAAGGTATTCCCTCACCTTTCTTGCCTTTACCAGACACTGGAAAGAGAATACTATAT
 TGCTCATTTAGCTAAGAAATAAATACATCTCATCTAACACACACGACAAAGAGAAGCTGTGCTTG
 CCCCAGGGTGGGTATCTAGCTCTGAGATGAACTCAGTTATAGGAGAAAACCTCCATGCTGGACTC
 CATCTGGCATTCAAAATCTCCACAGTAAATCCAAAGACCTCAAAAAAAAAAAAAAAAAAAAAAA
 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 100

MKMQKGNVLLMFGLLLHLEAATNSNETSTTSANTGSSVSSGASTATNSGSSVTSSGVSTATISGS
SVTSNGVSIVTNSEFHTTSSGISTATNSEFSTASSGISIATNSESSTTSSGASTATNSESSTPSS
GASTVTNSGSSVTSSGASTATNSESSTVSSRASTATNSESSTLSSGASTATNSDSSTTSSGASTA
TNSESSTTSSGASTATNSESSTVSSRASTATNSESSTTSSGASTATNSESRTTSNGAGTATNSES
STTSSGASTATNSDSSTVSSGASTATNSESSTTSSGASTATNSESSTTSSGASTATNSDSSTTSS
GAGTATNSESSTVSSGISTVTNSESSTPSSGANTATNSESSTTSSGANTATNSESSTVSSGASTA
TNSESSTTSSGVSTATNSESSTTSSGASTATNSDSSTTSSEASTATNSESSTVSSGISTVTNSES
STTSSGANTATNSGSSVTSAGSGTAALTGMHTTSHSASTAVSEAKPGGSLVPWEIFLITLVSVVA
AVGLFAGLFFCVRNLSLRNTFNTAVYHPGLNHGLGPGPGGNHGAPHRPRWSPNWFWRPVSII
AMEMSGRNSGP

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 510-532

FIGURE 101

GGCCGGACGCCTCCGCGTTACGGGATGAATTAACGGCGGGTTCGCGACGGAGGTTGTGACCCCTA
CGGAGCCCCAGCTTGCCACGCACCCCACTCGGCGTCGCGCGGCGTGCCCTGCTTGTACAGGTG
GGAGGCTGGAACATCAGGCTGAAAAACAGAGTGGGTACTCTCTTCTGGGAAGCTGGCAACAAAT
GGATGATGTGATATATGCAATTCAGGGGAAGGGAAATGTGGTGCTTCTGAACCCATGGTCAATT
AACGAGGCAGTTTCTAGCTACTGCACGTACTTCATAAAGCAGGACTCTAAAAGCTTTGGAATCAT
GGTGTGATGGAAAGGGATTTACTTTTATACTGACTCTGTTTTGGGGAAGCTTTTTTGGGAAGCATTT
TCATGCTGAGTCCCTTTTTTACCTTTGATGTTTGTAAACCCATCTTGGTATCGCTGGATCAACAAC
CGCCTTGTGGCAACATGGCTCACCTACCTGTGGCATTATTGGAGACCATGTTTGGTGTAAAAGT
GATTATAACTGGGGATGCATTTGTTCCCTGGAGAAAGAAGTGTCAATTATCATGAACCATCGGACAA
GAATGGACTGGATGTTCCCTGTGGAATTGCCTGATGCGATATAGCTACCTCAGATTGGAGAAAATT
TGCCTCAAAGCGAGTCTCAAAGGTGTTCCCTGGATTTGGTTGGGCCATGCAGGCTGCTGCCTATAT
CTTCATTCATAGGAAATGGAAGGATGACAAGAGCCATTTTGAAGACATGATTGATTACTTTTGTG
ATATTCACGAACCACCTCAACTCCTCATATTTCCAGAAGGGACTGATCTCACAGAAAACAGCAAG
TCTCGAAGTAATGCATTTGCTGAAAAAAATGGACTTCAGAAATATGAATATGTTTTACATCCAAG
AACTACAGGCTTTACTTTTGTGGTAGACCGTCTAAGAGAAGGTAAGAACCTTGATGCTGTCCATG
ATATCACTGTGGCGTATCCTCACAACATTCCTCAATCAGAGAAGCACCTCCTCCAAGGAGACTTT
CCCAGGGAAATCCACTTTCACGTCCACCGGTATCCAATAGACACCCTCCCCACATCCAAGGAGGA
CCTTCAACTCTGGTGCCACAAACGGTGGGAAGAGAAAGAAGAGAGGCTGCGTTCCCTCTATCAAG
GGGAGAAGAATTTTTATTTTACCGGACAGAGTGTCAATCCACCTTGCAAGTCTGAACTCAGGGTC
CTTGTGGTCAAATTGCTCTCTATACTGTATTGGACCCGTGTTAGCCCTGCAATGTGCCACTCAT
ATATTTGTACAGTCTTGTTAAGTGGTATTTTATAATCACCATTGTAATCTTTGTGCTGCAAGAGA
GAATATTTGGTGGACTGGAGATCATAGAACTTGCATGTTACCGACTTTTACACAAACAGCCACAT
TTAAATTCAAAGAAAAATGAGTAAGATTATAAGGTTTGCCATGTGAAAACCTAGAGCATATTTTG
GAAATGTTCTAAACCTTTCTAAGCTCAGATGCATTTTTGTCATGACTATGTGCAATATTTCTTACT
GCCATCATATTTGTTAAAGATATTTGCACTTAATTTTGTGGGAAAAATATTGCTACAATTTTT
TTTAATCTCTGAATGTAATTTTGATACTGTGTACATAGCAGGGAGTGATCGGGGTGAAATAACTT
GGGCCAGAAATATTATTAAACAATCATCAGGCTTTTAAA

FIGURE 102

MHSRGREIVVLLNPWSINEAVSSYCTYFIKQDSKSEFGIMVSWKGIYFILTLFWGSFFGSI FMLS P
FLPLMFVNPSWYRWINNRLVATWLTLPVALLETMFGVKVIITGDAFVPGERSVIIMNHRTRMDWM
FLWNCIMRYSYLRLKICLKASLKGVPFGFGWAMQAAAYIFIHRKWKDDKSHFEDMIDYFCDIHEP
LQLLI FPEGTDLTENSKSRSNFAEKNGLQKYEYVLHPRTTGFTFVVDRLREGKNLDAVHDITVA
YPHNIPQSEKHLLOGDFPREIH FHVHRYPIDTLPTS KEDLQLWCHKRWEEKEERLRSFYQGEKNF
YFTGQSVIPPCKSEL RVLVVKLLSILYWTLFSPAMCLLIYLYSLVKWYFIITIVIFVLQERIFGG
LEIIELACYRLLHKQPHLNSKKNE

Important features of the protein:

Signal peptide:

amino acids 1-22

Transmembrane domains:

amino acids 44-63, 90-108, 354-377

FIGURE 103

CGGCTCGAGCGGCTCGAGTGAAGAGCCTCTCCACGGCTCCTGCGCCTGAGACAGCTGGCCTGACC
TCCAAATCATCCATCCACCCCTGCTGTCATCTGTTTTTCATAGTGTGAGATCAACCCACAGGAATA
TCCATGGCTTTTGTGCTCATTTTGGTTCTCAGTTTCTACGAGCTGGTGTGAGGACAGTGGCAAGT
CACTGGACCGGGCAAGTTTGTCCAGGCCTTGGTGGGGGAGGACGCCGTGTTCTCCTGCTCCCTCT
TTCCTGAGACCAGTGCAGAGGCTATGGAAGTGCGGTTCTTCAGGAATCAGTTCCATGCTGTGGTC
CACCTCTACAGAGATGGGGAAGACTGGGAATCTAAGCAGATGCCACAGTATCGAGGGAGAAGTGA
GTTTGTGAAGGACTCCATTGTCAGGGGGGCGTGTCTCTCTAAGGCTAAAAACATCACTCCCTCGG
ACATCGGCCTGTATGGGTGCTGGTTTTCAGTTCCAGATTTACGATGAGGAGGCCACCTGGGAGCTG
CGGGTGGCAGCACTGGGCTCACTTCCTCTCATTTCATCGTGGGATATGTTGACGGAGGTATCCA
GTTACTCTGCCTGTCTCAGGCTGGTTCCCCCAGCCACAGCCAAGTGGAAAGGTCCACAAGGAC
AGGATTTGTCTTCAGACTCCAGAGCAAATGCAGATGGGTACAGCCTGTATGATGTGGAGATCTCC
ATTATAGTCCAGGAAAATGCTGGGAGCATATTGTGTTCATCCACCTTGCTGAGCAGAGTCATGA
GGTGAATCCAAGGTATTGATAGGAGAGACGTTTTTCCAGCCCTCACCTTGCGCCTGGCTTCTA
TTTTACTCGGGTTACTCTGTGGTGGCCTGTGTGGTGTGTGTCATGGGGATGATAATTGPTTTCTTC
AAATCCAAAGGGAAAATCCAGGCGGAAGTGGACTGGAGAAGAAAGCACGGACAGGCAGAATTGAG
AGACGCCCGGAAACACGCAGTGGAGGTGACTCTGGATCCAGAGACGGCTCACCCGAAGCTCTGCG
TTTCTGATCTGAAAAGTGAACCCATAGAAAAGCTCCCCAGGAGGTGCCTCACTCTGAGAAAGAGA
TTTACAAGGAAGAGTGTGGTGGCTTCTCAGGGTTTCCAAGCAGGGAGACATTACTGGGAGGTGGA
CGTGGGACAAAATGTAGGGTGGTATGTGGGAGTGTGTCGGGATGACGTAGACAGGGGGGAAGAAC
ATGTGACTTTGTCTCCCAACAATGGGTATTGGGTCTCAGACTGACAACAGAACATTTGTATTTC
ACATTCATCCCATTTTATCAGCCTCCCCCCCAGCACCCCTCCTACACGAGTAGGGGTCTTCCT
GGACTATGAGGGTGGGACCATCTCCTTCTTCAATACAAATGACCAGTCCCTTATTTATACCCTGC
TGACATGTGAGTTTGAAGGCTTGTGAGACCCTATATCCAGCATGCGATGTATGACGAGGAAAAG
GGGACTCCCATATTATATGTCCAGTGTCTGGGGATGAGACAGAGAAGACCCTGCTTAAAGGGC
CCCACACCACAGACCCAGACACAGCCAAGGGAGAGTGTCCCGACAGGTGGCCCCAGCTTCCTCT
CCGGAGCCTGCGCACAGAGAGTCACGCCCCCCTCTCCTTTAGGGAGCTGAGGTCTTCTGCCC
TGAGCCCTGCAGCAGCGGCAGTCACAGCTTCCAGATGAGGGGGGATTGGCCTGACCCTGTGGGAG
TCAGAAGCCATGGCTGCCCTGAAGTGGGGACGGAATAGACTCACATTAGGTTTAGTTGTGAAAA
CTCCATCCAGCTAAGCGATCTTGAACAAGTCACAACCTCCCAGGCTCCTCATTTGCTAGTCACGG
ACAGTGATTCTGCCTCACAGGTGAAGATTAAAGAGACAACGAATGTGAATCATGCTTGCAGGTT
TGAGGGCACAGTGTGCTAATGATGTGTTTTTATATTATACATTTTCCCACCATAAACTCTGTT
TGCTTATTCCACATTAATTTACTTTTCTCTATACCAAATCACCCATGGAATAGTTATTGAACACC
TGCTTTGTGAGGCTCAAAGAATAAAGAGGAGGTAGGATTTTTCTACTGATTCTATAAGCCCAGCAT
TACCTGATACAAAACCAGGCAAAGAAAACAGAAGAAGAGGAAGGAAAACCTACAGGTCCATATCC
CTCATTAACACAGACACAAAAATTCTAAATAAAATTTTAACAAATTAACTAAACAATATATTTA
AAGATGATATATACTACTCAGTGTGGTTTGTCCCACAAATGCAGAGTTGGTTTAAATATTTAAAT
ATCAACCAGTGTAATTCAGCACATTAATAAAGTAAAAAAGAAAACCATAAAAAAAAAAAAAA

FIGURE 104

MAFVLILVLSFYELVSGQWQVTGPGKFVQALVGEDAVFSCSLFPETSAEAMEVRFFRNQFHAVVH
LYRDGEDWESKQMPQYRGRTEFVKDSIAGGRVSLRLKNITPSDIGLYGCWFSSQIYDEEATWELR
VAALGSLPLISIVGYVDGGIQLLCLSSGWFPQPTAKWKGPQGQDLSSDSRANADGYSLYDVEISI
IVQENAGSILCSIHLEQSHEVESKVLIGETFFQPSPWRLASILLGLLCGALCGVVMGMIIVFFK
SKGKIQAELDWRRKHGQAELRDARKHAVEVTLPETAHPKLCVSDLKTVTHRKAQEVPHSEKRF
TRKSVVASQGFQAGRHYWEVDVGQNVGWYVGVCRDDVDRGKNNVTLSPNNGYWVLRLTTEHLYFT
FNPHFISLPPSTPPTRVGVFLDYEGGTISFFNTNDQSLIYTLTLCQFEGLLRPYIQHAMYDEEKG
TPIFICPVSWG

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 131-150, 235-259

FIGURE 105

CCTTCACAGGACTCTTCATTGCTGGTTGGCAATGATGTATCGGCCAGATGTGGTGAGGGCTAGGAAAAGAG
 TTTGTTGGGAACCCCTGGGTTATCGGCCTCGTCATCTTCATATCCCTGATTGTCTGGCAGTGTGCATTGGA
 CTCACTGTTTCATTATGTGAGATATAATCAAAAGAAGACCTACAATTACTATAGCACATTGTCAATTTACAAC
 TGACAAACTATATGCTGAGTTTGGCAGAGAGGCTTCTAACAATTTTACAGAAATGAGCCAGAGACTTGAAT
 CAATGGTGAAAAATGCATTTTATAAATCTCCATTAAGGGAAGAATTTGTCAAGTCTCAGGTTATCAAGTTC
 AGTCAACAGAAGCATGGAGTGTGGCTCATATGCTGTTGATTTGTAGATTTCACTCTACTGAGGATCCTGA
 AACTGTAGATAAAATTGTTCAACTGTTTTACATGAAAAGCTGCAAGATGCTGTAGGACCCCCCTAAAGTAG
 ATCCTCACTCAGTTAAATTAATAAATCAACAAGACAGAAACAGACAGCTATCTAAACCATTGCTGCGGA
 ACACGAAGAAGTAAACTCTAGGTCAGAGTCTCAGGATCGTTGGTGGGACAGAAAGTAGAAGAGGGTGAATG
 GCCCTGGCAGGCTAGCCTGCAGTGGGATGGGAGTCATCGCTGTGGAGCAACCTTAATTAATGCCACATGGC
 TTGTGAGTGCTGCTCACTGTTTTACAACATATAAGAACCCTGCCAGATGGACTGCTTCCTTTGGAGTAACA
 ATAAACCTTCGAAAATGAAACGGGGTCTCCGAGAATAATTGTCCATGAAAAATACAAACACCCATCACA
 TGACTATGATATTTCTCTTGAGAGCTTTCTAGCCCTGTTCCCTACACAAATGCAGTACATAGAGTTTGTC
 TCCCTGATGCATCCTATGAGTTTCAACCAGGTGATGTGATGTTTGTGACAGGATTTGGAGCACTGAAAAAT
 GATGGTTACAGTCAAAATCATCTTCGACAAGCACAGGTGACTCTCATAGACGCTACAACCTGCAATGAACC
 TCAAGCTTACAATGACGCCATAACTCCTAGAATGTTATGTGCTGGCTCCTTAGAAGGAAAAACAGATGCAT
 GCCAGGGTGACTCTGGAGGACCACTGGTTAGTTCAGATGCTAGAGATATCTGGTACCTTGCTGGAATAGTG
 AGCTGGGGAGATGAATGTGCGAAACCCAAACAAGCCTGGTGTTTATACTAGAGTTACGGCCTTGCGGGACTG
 GATTACTTCAAAAACCTGGTATCTAAGAGACAAAAGCCTCATGGAACAGATAACATTTTTTTTTGTTTTTTG
 GGTGTGGAGGCCATTTTGTAGAGATACAGAATTGGAGAAGACTTGCAAAACAGCTAGATTTGACTGATCTCA
 ATAAACTGTTTGCTTGATGCATGTATTTCTTCCCAGCTCTGTTCCGCACGTAAGCATCCTGCTTCTGCCA
 GATCAACTCTGTCTGTGAGCAATAGTTGAAACTTTATGTACATAGAGAAATAGATAATACAATATTAC
 ATTACAGCCTGTATTCATTTGTCTCTAGAAGTTTGTGAGAATTTTGACTTGTGACATAAATTTGTAAT
 GCATATATACAATTTGAAGCACTCCTTTCTTCAGTTCCTCAGCTCCTCTCATTTCAGCAAATATCCATTT
 TCAAGGTGCAGAACAGGAGTGAAAGAAAATATAAGAAGAAAAAATCCCCCTACATTTTATTGGCACAGAA
 AAGTATTAGGTGTTTTTCTTAGTGGAATATTAGAAATGATCATATTTCATTATGAAAGGTCAAGCAAAGACA
 GCAGAATACCAATCACTTCATCATTTAGGAAGTATGGGAACCTAAGTTAAGGAAGTCCAGAAAGAAGCCAAG
 ATATATCCTTATTTTCATTTCCAAACAACTACTATGATAAATGTGAAGAAGATTCTGTTTTTTTGTGACCT
 ATAATAATTATACAACTTCATGCAATGTACTGTCTAAGCAAATTAAAGCAAATATTTATTTAACATTG
 TTAAGTGGAGTGTCAACATATAACAATAAAATATAAATCACCCA

FIGURE 106

MMYRPDVVRARKRVCWEPWVIGLVIFISLIVLAVCIGLTVHYVRYNQKKTYNYYSTLSFTTDKLY
AEFGREASNNFTEMSQRLESMVKNAFYKSPLREEFVKSQVIKFSQQKHGVLAHMLLICREHSTED
PETVDKIVQLVLHEKLQDAVGPPKVDPHSVKIKKINKTETDSYLNHCCGTRRSKTLGQSLRIVGG
TEVEEGEWQASLQWDGSHRCGATLINATWLVSAAHCFITYKNPARWTASFGVTIKPSKMKRGL
RRIIVHEKYKHPSHDYDISLAELSSFPYTNVHRVCLPDASYEFQPGDVMFVTGFGALKNDGYS
QNHRLRQAQVTLIDATTCNEPQAYNDAITPRMLCAGSLEGKTDACQGDSSGGLVSSDARDIWYLAG
IVSWGDECAKPNKPGVYTRVTALRDWITSKTGI

Transmembrane domain:

amino acids 21-40 (type II)

FIGURE 107

AGAGAAAGAAGCGTCTCCAGCTGAAGCCAATGCAGCCCTCCGGCTCTCCGCGAAGAAGTTCCTTG
 CCCCAGATGAGCCCCCGCCGTGCGTCCCCGACTATCCCCAGGCGGGCGTGGGGCACCAGGGCCCAGC
 GCGGACGATCGCTGCCGTTTTGCCCTTGGGAGTAGGATGTGGTGAAAGGATGGGGCTTCTCCCTT
 ACGGGGCTCACAAATGCCAGAGAAGATTCCGTGAAGTGTCTGCGCTGCCTGCTCTACGCCCTCAA
 TCTGCTCTTTTGGTTAATGTCCATCAGTGTGTTGGCAGTTTCTGCTTGGATGAGGGACTACCTAA
 ATAATGTTCTCACTTTAACTGCAGAAACGAGGGTAGAGGAAGCAGTCATTTGACTTACTTTTCT
 GTGGTTTCATCCGGTCATGATTGCTGTTTGGCTGTTTCTTATCATTGTGGGGATGTTAGGATATTG
 TGAACGGTGAAAAGAAATCTGTTGCTTCTTGCATGGTACTTTGGAAGTTTGCTTGTCAATTTTCT
 GTGTAGAACTGGCTTGTGGCGTTTGGACATATGAACAGGAACCTTATGGTTCCAGTACAATGGTCA
 GATATGGTCACTTTGAAAGCCAGGATGACAAATTATGGATTACCTAGATATCGGTGGCTTACTCA
 TGCTTGAATTTTTTTCAGAGAGAGTTAAGTGCTGTGGAGTAGTATATTTCACTGACTGGTTGG
 AAATGACAGAGATGGACTGGCCCCCAGATTCTGCTGTGTTAGAGAATTTCCAGGATGTTCCAAA
 CAGGCCCCACCAGGAAGATCTCAGTGACCTTTATCAAGAGGGTTGTGGGAAGAAAATGTATTCCTT
 TTTGAGAGGAACCAAACAACCTGCAGGTGCTGAGGTTTCTGGGAATCTCCATTGGGGTGACACAAA
 TCCTGGCCATGATTCTCACCATTACTCTGCTCTGGGCTCTGTATTATGATAGAAGGGAGCCTGGG
 ACAGACCAAATGATGTCCTTGAAGAATGACAACCTCTCAGCACCTGTCATGTCCCTCAGTAGAACT
 GTTGAAACCAAGCCTGTCAAGAATCTTTGAACACACATCCATGGCAAACAGCTTTAATACACACT
 TTGAGATGGAGGAGTTATAAAAGAAATGTCACAGAAGAAAACCACAAACTTGTTTTATTGGACT
 TGTGAATTTTTTGTAGTACATACTATGTGTTTTCAGAAATATGTAGAAATAAAAATGTTGCCATAAAA
 TAACACCTAAGCATATACTATTCTATGCTTTAAATGAGGATGGAAAAGTTTCATGTCTAAGTC
 ACCACCTGGACAATAATTGATGCCCTTAAATGCTGAAGACAGATGTCATACCCACTGTGTAGCC
 TGTGTATGACTTTTACTGAACACAGTTATGTTTTGAGGCAGCATGGTTTGATTAGCATTTCGCA
 TCCATGCAAACGAGTCACATATGGTGGGACTGGAGCCATAGTAAAGGTTGATTTACTTCTACCAA
 CTAGTATATAAAGTACTAATTAATGCTAACATAGGAAGTTAGAAAATACTAATAACTTTTTATTA
 CTCAGCGATCTATTCTTCTGATGCTAAATAAATTATATATCAGAAAACCTTTCAATATTGGTGACT
 ACCTAAATGTGATTTTTGCTGGTTACTAAAATATTCTTACCCTTAAAAGAGCAAGCTAACACAT
 TGTCTTAAGCTGATCAGGGATTTTTTGTATATAAGTCTGTGTTAAATCTGTATAATTCAGTCGAT
 TTCAGTTCTGATAATGTTAAGAATAACCAATTATGAAAAGGAAAATTTGTCCTGTATAGCATCATT
 ATTTTTAGCCTTTCTGTAAATAAAGCTTTACTATTCTGTCCTGGGCTTATATTACACATATAAC
 TGTTATTTAAATACTTAACCACTAATTTTGAAAATTACCAGTGTGATACATAGGAATCATTATTC
 AGAATGTAGTCTGGTCTTTAGGAAGTATTAATAAGAAAATTTGCACATAACTTAGTTGATTTCAGA
 AAGGACTTGTATGCTGTTTTTCTCCCAAATGAAGACTCTTTTTGACACTAAACACTTTTTAAAAA
 GCTTATCTTTGCCTTCTCCAAACAAGAAGCAATAGTCTCCAAGTCAATATAAATTTCTACAGAAAA
 TAGTGTCTTTTTTCTCCAGAAAAATGCTTGTGAGAATCATTAACATGTGACAATTTAGAGATT
 CTTTGTTTTATTTCACTGATTAATATACTGTGGCAAATTACACAGATTATTAATTTTTTTACAA
 GAGTATAGTATATTTATTTGAAATGGGAAAAGTGCATTTTACTGTATTTTGTGTATTTTGTTTAT
 TTCTCAGAATATGGAAAGAAAATTAAAATGTGTCAATAAATATTTTCTAGAGAGTAA

FIGURE 108

MAREDSVKCLRCLLYALNLLFWLMSISVLAVSAWMRDYLNNVLTTLTAETRVEEAVILTYFPVVHP
VMIAVCCFLIIVGMLGYCGTVKRNLLLLAWYFGSLLVIFCVELACGVWTYEQELMVPVQWSDMVT
LKARMTNYGLPRYRWLTHAWNFFQREFKCCGVVYFTDWLEMTMDWPPDSCCVREFPGCSKQAHQ
EDLSDLYQEGCGKKMYSFLRGTKQLQVLRFLGISIGVTQILAMILTITLLWALYYDRREPSTDQM
MSLKNDNSQHLSCPSVELLKPSLSRIFEHTSMANSFNTHFEMEEL

Signal peptide:

amino acids 1-33

Transmembrane domains:

amino acids 12-35, 57-86, 94-114, 226-248

FIGURE 109

CCAAGGCCAGAGCTGTGGACACCTTATCCCACTCATCCTCATCCTCTTCTCTGATAAAGCCCCTACCAAGTGCCT
GATAAAGTCTTTCTCGTGAGAGCCTAGAGGCCTTAAAAAAGTGCCTTGAAAGAGAAGGGGACAAAGGAACA
CCAGTATTAAGAGGATTTTCCAGTGTCTTCTGGCAGTTGGTCCAGAAGGATGCCTCCATTCTCTGCTTCTCACCTG
CCTCTTCAATCACAGGCACCTCCGTGTACCCGTGGCCCTAGATCCTTGTCTGCTTACATCAGCCTGAATGAGC
CCTGGAGGAACACTGACCACCAAGTTGGATGAGTCTCAAGGTCCTCCTCTATGTGACAACCATGTGAATGGGGAG
TGGTACCACTTACGGGCATGGCGGGAGATGCCATGCCCTACCTTCTGCATACCAGAAAACCACTGTGGAACCCA
CGCACCTGTCTGGCTCAATGGCAGCCACCCCTAGAAAGCGCAGGCATTGTGCAACGCCAGGCTTGTGCCAGCT
TCAATGGGAAGTGTCTCTGGAACACCACGGTGGAAAGTCAAGGCTTGGCCCTGGAGGCTACTATGTGTATCGT
CTGACCAAGCCCAGCGTCTGCTTCCACGTCTACTGTGGTCATTTTATGACATCTGCGACGAGGACTGCCATGG
CAGCTGCTCAGATACCAGCGAGTGCACATGCCCTCCAGGAACTGTGCTAGGCCCTGACAGGCAGACATGCTTTG
ATGAAAATGAATGTGAGCAAAACACGGTGGCTGCAGTGAAGTCTGTGTGAACCTCAAAAACCTCCTACCGCTGT
GAGTGTGGGGTTGGCCGTGTGCTAAGAAGTGAAGTGGCAAGACTTGTGAAGACGTTGAAGGATGCCACAATAACAA
TGGTGGCTGCAGCCACTCTTGCCTTGGATCTGAGAAAGGCTACCAGTGTGAATGTCCCCGGGGCTGGTGTGT
CTGAGGATAACCACACTTGCCAAGTCCCTGTGTTGTGCAAATCAAATGCCATTGAAGTGAACATCCCCAGGGAG
CTGGTTGGTGGCCTGGAGCTCTTCTGACCAACACCTCCTGCCGAGGAGTGTCCAACGGCACCCATGTCAACAT
CCTCTTCTCTCAAGACATGTGTACAGTGGTTCGATGTGGTGAATGACAAGATTGTGGCCAGCAACCTCGTGA
CAGGTCTACCCAAGCAGACCCCGGGGAGCAGCGGGACTTCATCATCCGAACCAGCAAGCTGCTGATCCCGGTG
ACCTGCGAGTTTCCACGCTGTACACCATTTCTGAAGGATACGTTCCCAACCTTCGAAACTCCCCACTGGAAAT
CATGAGCCGAAATCATGGGATCTTCCCATCACTCTGGAGATCTTCAAGGACAATGAGTTTGAAGAGCCTTACC
GGGAAGCTCTGCCACCCTCAAGCTTCGTGACTCCCTCTACTTTGGCATTGAGCCCGTGGTGCACGTGAGCGGC
TTGGAAGCTTGGTGGAGAGCTGCTTTGCCACCCCCACCTCCAAGATCGACGAGGCTCTGAAATACTACCTCAT
CCGGGATGGCTGTGTTTCAGATGACTCGGTAAAGCAGTACACATCCCGGGATCACCTAGCAAAGCACTTCCAGG
TCCCTGTCTTCAAGTTTGTGGGCAAAGACCACAAGGAAGTGTCTTCTGCACTGCCGGGTCTTGTCTGTGGAGTG
TTGGACGAGCGTTCCCGCTGTGCCAGGGTTGCCACCGCGCAATGCGTCTGGGGCAGGAGGAGAGGACTCAGC
CGGTCTACAGGGCCAGACGCTAACAGGCGGCCCGATCCGCATCGACTGGGAGGACTAGTTCGTAGCCATACCTC
GAGTCCCTGCATTGGACGGCTCTGCTCTTTGGAGCTTCTCCCCCACCGCCCTCTAAGAACATCTGCCAACAGC
TGGGTTACAGACTTCACACTGTGAGTTCAGACTCCCAGCACCAACTCACTCTGATTCTGGTCCATTCACTGGGCA
CAGGTACAGCACTGCTGAACAATGTGGCCTGGGTGGGGTTTCATCTTTCTAGGGTTGAAAATAAATGTCCA
CCCAGAAAGACACTCACCCATTTCCCTCATTTCTTCTTACACTTAAATACCTCGTGTATGGTGCATCAGAC
CACAAAATCAGAAGCTGGGTATAATATTTCAAGTTACAAACCTAGAAAAATTAAACAGTTACTGAAATTATGA
CTTAAATACCAATGACTCCTTAAATATGTAAATTATAGTTATACCTTGAAATTTCAATTCAAATGCAGACTAA
TTATAGGGAATTTGGAAGTGTATCAATAAACAGTATATAATTTT

FIGURE 110

MPPFLLLTCLFITGTSVSPVALDPCSAYISLNEPWRNTDHQLDESQGPPLCDNHVNGEWYHFTGMAGDAMP
TFCIPENHCGTHAPVWLNGSHPLEGDGIVQRQACASFNGNCCLWNTTVEVKACPGGGYYVYRLTKPSVCFHV
YCGHFYDIEDCHGSCSDTSECTCAPGTVLGPDROTCTFDENECEQNNGGCSEICVNLKNSYRCECGVGRV
LRSDGKTCEDVEGCHNNNGGCSHSLGSEKGYQCECPRGLVLSNHTCQVPVLCKSNAIEVNIPRELVGG
LELFLTNTSCRGVSNNGTHVNILFSLKTCGTVVDVNDKIVASNLTGLPKQTPGSSGDFIIRTSKLLIPVT
CEFPRLYTISEGYVPNLRNSPLEIMSRNHGIFPFTLEIFKDNEFEPEPYREALPTLKLRLDSLYFGIEPVVHV
SGLESLVESCFATPTSKIDEVLKYYLIRDGCVSDDSVKQYTSRDHLAKHFQVPVFKFVGKDHKEVFLHCRV
LVCGVLDESRCAQGCCHRRMRGAGGEDSAGLQGQTLTGGPRIWDWED

Important features of the protein:

Signal peptide:

amino acids 1-16

N-glycosylation sites.

amino acids 89-93, 116-120, 259-263, 291-295, 299-303

Tyrosine kinase phosphorylation sites.

amino acids 411-418, 443-451

N-myristoylation sites.

amino acids 226-232, 233-239, 240-246, 252-258, 296-302, 300-306,
522-528, 531-537

Aspartic acid and asparagine hydroxylation site.

amino acids 197-209

ZP domain proteins.

amino acids 431-457

Calcium-binding EGF-like proteins.

amino acids 191-212, 232-253

FIGURE 111

GAGAGAGGCAGCAGCTTGCTCAGCGGACAAGGATGCTGGGCGTGAGGGACCAAGGCCTGCCCTGCACTCGG
 GCCTCCTCCAGCCAGTGCTGACCAGGGACTTCTGACCTGCTGGCCAGCCAGGACCTGTGTGGGGAGGCCCT
 CCTGCTGCCTTGGGGTGACAATCTCAGCTCCAGGCTACAGGGAGACCGGGAGGATCACAGAGCCAGCATGT
 TACAGGATCCTGACAGTGATCAACCTCTGAACAGCCTCGATGTCAAACCCCTGCGCAAACCCCGTATCCCC
 ATGGAGACCTTCAGAAAGGTGGGGATCCCCATCATCATAGCACTACTGAGCCTGGCGAGTATCATCATTGT
 GGTGTCTCATCAAGGTGATTCTGGATAAATACTACTTCTCTGCGGGCAGCCTCTCCACTTCATCCCGA
 GGAAGCAGCTGTGTGACGGAGAGCTGGACTGTCCCTTGGGGGAGGACGAGGAGCACTGTGTCAAGAGCTTC
 CCCGAAGGGCCTGCAGTGCCAGTCCGCCTCTCCAAGGACCGATCCACACTGCAGGTGCTGGACTCGGCCAC
 AGGGAAGTGGTTCTCTGCCTGTTTCGACAAGTTCACAGAAGCTCTCGTGAGACAGCCTGTAGGCAGATGG
 GCTACAGCAGAGCTGTGGAGATTGGCCCAGACCAGGATCTGGATGTTGTTGAAATCACAGAAAACAGCCAG
 GAGCTTCGCATGCGGAACTCAAGTGGGCCCTGTCTCTCAGGCTCCCTGGTCTCCCTGCACTGTCTTGCCCTG
 TGGGAAGAGCCTGAAGACCCCCCGTGTGGTGGGTGGGGAGGAGGCCTCTGTGGATTCTTGCCCTTGGCAGG
 TCAGCATCCAGTACGACAAACAGCACGTCTGTGGAGGGAGCATCCTGGACCCCCACTGGGTCTCACGGCA
 GCCCCTGCTTCAGGAAACATACCGATGTGTTCAACTGGAAGGTGCGGGCAGGCTCAGACAAACTGGGCAG
 CTTCCCATCCCTGGCTGTGGCCAAGATCATCATATTGAATTCAACCCCATGTACCCCAAAGACAATGACA
 TCGCCCTCATGAAGTGCAGTTCCCACTCACTTTCTCAGGCACAGTCAGGCCCATCTGTCTGCCCTTCTTT
 GATGAGGAGCTCACTCCAGCCACCCCACTCTGGATCATTGGATGGGGCTTTACGAAGCAGAATGGAGGGAA
 GATGTCTGACATACTGCTGCAGGCGTCAGTCCAGGTCATTGACAGCACACGGTGCAATGCAGACGATGCGT
 ACCAGGGGGAAGTACCGAGAAGATGATGTGTGCAGGCATCCCGGAAGGGGGTGTGGACACCTGCCAGGGT
 GACAGTGGTGGGGCCCTGATGTACCAATCTGACCAGTGGCATGTGGTGGGCATCGTTAGCTGGGGCTATGG
 CTGCGGGGGCCCCGAGCACCCCAGGAGTATACACCAAGGTCTCAGCCTATCTCAACTGGATCTACAATGTCT
 GGAAGGCTGAGCTGTTAATGCTGCTGCCCCCTTTGCAGTGCTGGGAGCCGCTTCCTTCCTGCCCTGCCACCT
 GGGGATCCCCCAAAGTCAGACACAGAGCAAGAGTCCCCTTGGGTACACCCCTCTGCCCACAGCCTCAGCAT
 TTCTTGGAGCAGCAAAGGGCCTCAATTCCTGTAAGAGACCCTCGCAGCCCAGAGGCGCCCAGAGGAAGTCA
 GCAGCCCTAGCTCGGCCACACTTGGTGCTCCAGCATCCCAGGGAGAGACACAGCCCCTGAACAAGGTCT
 CAGGGGTATTGCTAAGCCAAGAAGGAACTTTCCACACTACTGAATGGAAGCAGGCTGTCTTGTAAGGCC
 CAGATCACTGTGGGCTGGAGAGGAGAAGGAAAGGGTCTGCGCCAGCCCTGTCCGTCTTCACCCATCCCCAA
 GCCTACTAGAGCAAGAAACCAGTTGTAATATAAAATGCACTGCCCTACTGTTGGTATGACTACCGTTACCT
 ACTGTTGTCATTGTTATTACAGCTATGGCCACTATTATTAAAGAGCTGTGTAACATCTCTGGCAAAAAAAA
 AAAA

FIGURE 112

MLQDPDS DQPLNSLDVKPLRKPRIPMETFRKVGIP IIIALLSLASIIIVVLIKVILDKYYFLCG
QPLHFI PRKQLCDGELDCPLGEDEEHCVKSFPEGPAVAVRLSKDRSTLQV LDSATGNWFSACFDN
FTEALAE TACRQMGYSRAVEIGPDQDL DVVEITENSQELMRNSSGPCLSGSLVSLHCLACGKSL
KTPRVVG GEEASVDSWPWQVSIQYDKQHVC GGSILDPHWVLTAAHCFRKHTDVFNWKVRAGSDKL
GSFPSLA VAKIIIIIEFNPMYPKDNDIALMKLQFPLTFSGTVRPICLPFFDEELTPATPLWIIIGWG
FTKQNGG KMSDILLOASVQVIDSTRCNADDAYQGEVTEKMMCAGIPEGGV DTCQGDSSGGLMYQS
DQWHVVG IVSWGYGCGGPSTPGVYTKVSAYLNWIYNVWKAEL

Transmembrane domain:

amino acids 32-53 (typeII)

FIGURE 113

GGCTGGACTGGAACCTCCTGGTCCCAAGTGATCCACCCGCCTCAGCCTCCCAAGGTGCTGTGATTA
TAGGTGTAAGCCACCGTGTCTGGCCTCTGAACAACCTTTTTCAGCAACTAAAAAAGCCACAGGAGT
TGAAC TGCTAGGATTCTGACT ATGCTGTGGTGGCTAGTGCTCCTACTCCTACCTACATTAAAAATC
TGTTTTTTGTTCTCTTGTAAC TAGCCTTTACCTTCCTAACACAGAGGATCTGTCACTGTGGCTCT
GGCCCCAAACCTGACCTTCACTCTGGAACGAGAACAGAGGTTTCTACCCACACCGTCCCCCTCGAAG
CCGGGGACAGCCTCACCTTGCTGGCCTCTCGCTGGAGCAGTGCCCTCACCAACTGTCTCACGTCT
GGAGGCACTGACTCGGGCAGTGCAGGTAGCTGAGCCTCTTGGTAGCTGCGGCTTTCAAGGTGGGC
CTTGCCCTGGCCGTAGAAGGGAT TGACAAGCCCGAAGATTTTCATAGGCGATGGCTCCCACTGCCC
AGGCATCAGCCTTGCTGTAGTCAATCACTGCCCCGGGGCCAGGACGGGCGGTGGACACCTGCTCA
GAAGCAGTGGGTGAGACATCACGCTGCCCCGCCATCTAACCTTTTCATGTCTGTCACATCACCTG
ATCCATGGGCTAATCTGAACTCTGTCCCAAGGAACCCAGAGCTTGAGTGAGCTGTGGCTCAGACC
CAGAAGGGGTCTGCTTAGACCACCTGGTTTATGTGACAGGACTTGCATTCTCTGGAACATGAGG
GAACGCCGGAGGAAAGCAAAGTGGCAGGGGAAGGAACTTGTGCCAAATTATGGGTGAGAAAAGATG
GAGGTGTTGGGTTATCACAAGGCATCGAGTCTCTGCATTCACTGGACATGTGGGGGAAGGGCTG
CCGATGGCGCATGACACACTCGGGACTCACCTCTGGGGCCATCAGACAGCCGTTTCCGCCCCGAT
CCACGTACCAGCTGCTGAAGGGCAACTGCAGGCCGATGCTCTCATCAGCCAGGCAGCAGCCAAAA
TCTGCGATCACCAGCCAGGGGCAGCCGTCTGGGGAAGGAGCAAGCAAAGTGACCATTTCTCTCTCC
CTCCTTCCCTCTGAGAGGCCCTCCTATGTCCCTACTAAAGCCACCAGCAAGACATAGCTGACAGG
GGCTAATGGCTCAGTGTGGCCAGGAGGTGAGCAAGGCCTGAGAGCTGATCAGAAGGGCCTGCT
GTGCGAACACGGAAATGCCTCCAGTAAGCACAGGCTGCAAAATCCCAGGCAAAGGACTGTGTGG
CTCAATTTAAATCATGTTCTAGTAATTGGAGCTGTCCCCAAGACCAAAGGAGCTAGAGCTTGTT
CAAATGATCTCCAAGGGCCCTTATACCCAGGAGACTTTGATTTGAATTTGAAACCCCAAATCCA
AACCTAAGAACCAGGTGCATTAAAGAATCAGTTATTGCCGGGTGTGGTGGCCTGTAATGCCAACAT
TTTGGGAGGCCGAGGCGGGTAGATCACCTGAGGTGAGGAGTTCAAGACCAGCCTGGCCAACATGG
TGAAACCCCTGTCTCTACTAAAAATACAAAAAACTAGCCAGGCATGGTGGTGTGTGCCTGTATC
CCAGCTACTCGGGAGGCTGAGACAGGAGAATTACTTGAACCTGGGAGGTGAAGGAGGCTGAGACA
GGAGAATCACTTCAGCCTGAGCAACACAGCGAGACTCTGTCTCAGAAAAAATAAAAAAGAATTA
TGTTATTTGTAA

FIGURE 114

MLWWLVLLLLPTLKSVFCSLVTSLYLPNTEDLSLWLWPKPDLHSGTRTEVSTHTVPSKPGTASPC
WPLAGAVPSPPTVSRLEALTRAVQVAEPLGSCGFQGGPCPGRRRD

Signal peptide:

amino acids 1-15

FIGURE 115

CAGCAGTGGTCTCTCAGTCCTCTCAAAGCAAGGAAAGAGTACTGTGTGCTGAGAGACCATGGCAA
AGAATCCTCCAGAGAATTGTGAAGACTGTCACATTCTAAATGCAGAAGCTTTTAAATCCAAGAAA
ATATGTAAATCACTTAAGATTTGTGGACTGGTGTTGGTATCCTGGCCCTAACTCTAATTGTCCT
GTTTTGGGGGAGCAAGCACTTCTGGCCGGAGGTACCCAAAAAGCCTATGACATGGAGCACACTT
TCTACAGCAATGGAGAGAAGAAGATTTACATGGAAATTGATCCTGTGACCAGAACTGAAATA
TTCAGAAGCGGAAATGGCACTGATGAAACATTGGAAGTGCACGACTTTAAAAACGGATACACTGG
CATCTACTTCGTGGGTCTTCAAAAAATGTTTTATCAAACTCAGATTAAAGTGATTCTGAATTTT
CTGAACCAGAAGAGGAAATAGATGAGAATGAAGAAATTACCACAACCTTTCTTTGAACAGTCAGTG
ATTTGGGTCCCAGCAGAAAAGCCTATTGAAAACCGAGATTTCTTAAAAATTCCAAAATTCTGGA
GATTTGTGATAACGTGACCATGTATTGGATCAATCCCACTCTAATATCAGTTTCTGAGTTACAAG
ACTTTGAGGAGGAGGGAGAAGATCTTCACTTTCCTGCCAACGAAAAAAAAGGGATTGAACAAAAT
GAACAGTGGGTGGTCCCTCAAGTGAAAGTAGAGAAGACCCGTCACGCCAGACAAGCAAGTGAGGA
AGAACTTCCAATAAATGACTATACTGAAAATGGAATAGAATTTGATCCCATGCTGGATGAGAGAG
GTTATTGTTGTATTTACTGCCGTCGAGGCAACCGCTATTGCCGCCGCGTCTGTGAACCTTTACTA
GGCTACTACCCATATCCATACTGCTACCAAGGAGGACGAGTCATCTGTCGTGTCATCATGCCTTG
TAACTGGTGGGTGGCCCGCATGCTGGGGAGGGTCTTAATAGGAGGTTTGAGCTCAAATGCTTAAAC
TGCTGGCAACATATAATAAATGCATGCTATTCAATGAATTTCTGCCTATGAGGCATCTGGCCCCCT
GGTAGCCAGCTCTCCAGAATTACTTGTAGGTAATTCCTCTCTTCATGTTCTAATAAACTTCTACA
TTATCACCAAAAAAAAAAAAAAAAAAAAA

FIGURE 116

MAKNPPENCEDCHILNAEAFKSKICKSLKICGLVFGILALTLIVLFWGSKHFWPEVPKKAYDME
HTFYSNGEKKKIYMEIDPVT RTEIFRSGNGTDETLEVHDFKNGYTG IYFVGLQKCFIKTQIKVIP
EFSEPEEEIDENEEITTTFFEQSVIWVPAEKPIENRDFLKN SKILEICDNVTMYWINPTLISVSE
LQDFEEEGEDLHFPANEKKGIEQNEQWVVPQVKVEKTRHARQASEEELPINDYTENGIEFDPMLD
ERGYCCIYCRGNRYCRRVCEPLLGYYPYPYCYQGGRVICRVIMPCNWWVARMLGRV

Important features of the protein:

Signal peptide:

amino acids 1-40

Transmembrane domain:

amino acids 25-47 (type II)

N-glycosylation sites.

amino acids 94-97, 180-183

Glycosaminoglycan attachment sites.

amino acids 92-95, 70-73, 85-88, 133-136, 148-151, 192-195, 239-
242

N-myristoylation sites.

amino acids 33-38, 95-100, 116-121, 215-220, 272-277

Microbodies C-terminal targeting signal.

amino acids 315-317

Cytochrome c family heme-binding site signature.

amino acids 9-14

FIGURE 117

GAGCTCCCCTCAGGAGCGCGTTAGCTTCACACCTTCGGCAGCAGGAGGGCGGCAGCTTCTCGCAGGCGGCA
GGGCGGGCGGCCAGGATCATGTCCACCACCACATGCCAAGTGGTGGCGTTCCTCCTGTCCATCCTGGGGCT
GGCCGGCTGCATCGCGGCCACCGGGATGGACATGTGGAGCACCCAGGACCTGTACGACAACCCCGTCACCT
CCGTGTTCCAGTACGAAGGGCTCTGGAGGAGCTGCGTGAGGCAGAGTTCAGGCTTCACCGAATGCAGGCCC
TATTTACCATCCTGGGACTTCCAGCCATGCTGCAGGCAGTGCGAGCCCTGATGATCGTAGGCATCGTCCT
GGGTGCCATTGGCCTCCTGGTATCCATCTTTGCCCTGAAATGCATCCGCATTGGCAGCATGGAGGACTCTG
CCAAAGCCAACATGACACTGACCTCCGGGATCATGTTTCATTGTCTCAGGTCTTTGTGCAATTGCTGGAGTG
TCTGTGTTTGCCAACATGCTGGTGACTAACTTCTGGATGTCCACAGCTAACATGTACACCGGCATGGGTGG
GATGGTGACACTGTTTACAGCCAGGTACACATTTGGTGGCGCTCTGTTCTGGGGCTGGGTCTGGAGGCC
TCACACTAATTGGGGGTGTGATGATGTGCATCGCCTGCCGGGGCCTGGCACCAGAAGAAACCAACTACAAA
GCCGTTTCTTATCATGCCTCAGGCCACAGTGTTCCTTACAAGCCTGGAGGCTTCAAGGCCAGCACTGGCTT
TGGGTCCAACACCAAAACAAGAAGATATACGATGGAGGTGCCCGCACAGAGGACGAGGTACAATCTTATC
CTTCCAAGCACGACTATGTGTAATGCTCTAAGACCTCTCAGCACGGGCGGAAGAACTCCCGGAGAGCTCA
CCCAAAAACAAGGAGATCCCATCTAGATTTCTTCTTGCTTTTGGACTCACAGCTGGAAGTTAGAAAAGCCT
CGATTTTCTCTTGGAGAGGCCAAATGGTCTTAGCCTCAGTCTCTGTCTCTAAATATTCCACCATAAAACA
GCTGAGTTATTTATGAATTAGAGGCTATAGCTCACATTTTCAATCCTCTATTTCTTTTTTAAATATAACT
TTCTACTCTGATGAGAGAATGTGGTTTTAATCTCTCTCTCACATTTTGATGATTTAGACAGACTCCCCCTC
TTCTCCTAGTCAATAAACCCATTGATGATCTATTTCCCAGCTTATCCCCAAGAAAACCTTTTGAAAGGAAA
GAGTAGACCCAAAGATGTTATTTTCTGCTGTTTGAATTTTGTCTCCCCACCCCCAACTTGGCTAGTAATAA
ACACTTACTGAAGAAGAAGCAATAAGAGAAAGATATTTGTAATCTCTCCAGCCCATGATCTCGGTTTTCTT
ACACTGTGATCTTAAAAGTTACCAAACCAAAGTCATTTTCAGTTTGAGGCAACCAAACCTTTCTACTGCTG
TTGACATCTTCTTATTACAGCAACACCATTCTAGGAGTTTCTGAGCTCTCCACTGGAGTCCTCTTTCTGT
CGCGGGTCAGAAATTGTCCCTAGATGAATGAGAAAATTATTTTTTTAATTTAAGTCCTAAATATAGTTAA
AATAAATAATGTTTTAGTAAATGATACACTATCTCTGTGAAATAGCCTCACCCCTACATGTGGATAGAAG
GAAATGAAAAATAATTGCTTTGACATTGTCTATATGGTACTTTGTAAAGTCATGCTTAAGTACAAATCC
ATGAAAAGCTCACACCTGTAATCCTAGCACTTTGGGAGGCTGAGGAGGAAGGATCACTTGAGCCCAGAAGT
TCGAGACTAGCCTGGGCAACATGGAGAAGCCCTGTCTCTACAAAATACAGAGAGAAAAAATCAGCCAGTCA
TGGTGGCATAACCTGTAGTCCCAGCATTCGGGGAGGCTGAGGTGGGAGGATCACTTGAGCCCAGGGAGGT
TGGGGCTGCAGTGAGCCATGATCACACCACTGCACTCCAGCCAGGTGACATAGCGAGATCCTGTCTAAAAA
AATAAAAAATAAATAATGGAACACAGCAAGTCCTAGGAAGTAGGTTAAACTAATTCCTTAA

FIGURE 118

MSTTTCQVVAFLLSILGLAGCIAATGMDMWSTQDLYDNPVTSVFQYEGLRSCVRQSSGFTECRP
YFTILGLPAMLQAVRALMIVGIVLGAIGLLVSIFALKCIRIGSMEDSAKANMTLTSGIMFIVSGL
CAIAGVSVFANMLVTNFWMSTANMYTGMGGMVQTVQTRYTFGAALFVGWVAGGLTLIGGVMMCIA
CRGLAPEETNYKAVSYHASGHSVAYKPGGFKASTGFGSNTKNKKIYDGGARTEDEVQSYPSKHDY
V

Signal peptide:

amino acids 1-23

Transmembrane domains:

amino acids 81-100, 121-141, 173-194

FIGURE 119

GGAAAACTGTTCTCTTCTGTGGCACAGAGAACCCTGCTTCAAAGCAGAAGTAGCAGTTCGGGAGTCC
 AGCTGGCTAAAACTCATCCCAGAGGATAATGGCAACCCATGCCTTAGAAATCGCTGGGCTGTTTCTTG
 GTGGTGTGGAATGGTGGGCACAGTGGCTGTCACTGTCATGCCTCAGTGGAGAGTGTGGCCTTCATT
 GAAAACAACATCGTGGTTTTTGAAAACTTCTGGGAAGGACTGTGGATGAATTGCGTGAGGCAGGCTAA
 CATCAGGATGCAGTGCAAAATCTATGATTCCTGCTGGCTCTTCTCCGGACCTACAGGCAGCCAGAG
 GACTGATGTGTGCTGCTTCCGTGATGTCCTTCTTGGCTTTCATGATGGCCATCCTTGGCATGAAATGC
 ACCAGGTGCACGGGGGACAATGAGAAGGTGAAGGCTCACATTCTGCTGACGGCTGGAATCATCTTCAT
 CATCACGGGCATGGTGGTGTCTCATCCCTGTGAGCTGGGTTGCCAATGCCATCATCAGAGATTTCTATA
 ACTCAATAGTGAATGTTGCCCAAAAACGTGAGCTTGGAGAAGCTCTCTACTTAGGATGGACCACGGCA
 CTGGTGCTGATTGTTGGAGGAGCTCTGTTCTGCTGCGTTTTTTTGTGCAACGAAAAGAGCAGTAGCTA
 CAGATACTCGATACCTTCCCATCGCACAAACCCAAAAAAGTTATCACACCGGAAAGAAGTCACCGAGCG
 TCTACTCCAGAAGTCAGTATGTGTAGTTGTGTATGTTTTTTAACTTTACTATAAAGCCATGCAAATG
 ACAAAAATCTATATTACTTTCTCAAAATGGACCCCAAAGAACTTTGATTTACTGTTCTTAACTGCCT
 AATCTTAATTACAGGAACTGTGCATCAGCTATTTATGATTCTATAAGCTATTTAGCAGAATGAGATA
 TTAAACCCAATGCTTTGATTGTTCTAGAAAGTATAGTAATTTGTTTTCTAAGGTGGTTCAAGCATCTA
 CTCTTTTTATCATTACTTCAAAATGACATTGCTAAAGACTGCATTATTTTACTACTGTAATTTCTCC
 ACGACATAGCATTATGTACATAGATGAGTGTAACATTTATATCTCACATAGAGACATGCTTATATGGT
 TTTATTTAAATGAAATGCCAGTCCATTACACTGAATAAATAGAAGTCAACTATTGCTTTTCAGGGAA
 ATCATGGATAGGGTTGAAGAAGGTACTATTAATTGTTTTAAAAACAGCTTAGGGATTAATGTCCTCCA
 TTTATAATGAAGATTAATGAAGGCTTTAATCAGCATTGTAAAGGAAATTGAATGGCTTTCTGATAT
 GCTGTTTTTTAGCCTAGGAGTTAGAAATCCTAACTTCTTTATCCTCTTCTCCCAGAGGCTTTTTTTTT
 CTTGTGTATTAAATTAACATTTTTTAAACGCAGATATTTTGTCAAGGGGCTTTGCATTCAAAGTCTT
 TTCCAGGGCTATACTCAGAAGAAAGATAAAAGTGTGATCTAAGAAAAAGTGATGGTTTTAGGAAAGTG
 AAAATATTTTTGTTTTGTATTTGAAGAAGAATGATGCATTTTGACAAGAAATCATATATGTATGGAT
 ATATTTTAATAAGTATTTGAGTACAGACTTTGAGGTTTCATCAATATAAATAAAGAGCAGAAAAATA
 TGTCTTGGTTTTTCATTTGCTTACCAAAAAACAACAACAAAAAAGTTGTCCTTTGAGAACTTCACCT
 GCTCCTATGTGGGTACCTGAGTCAAAATGTGCATTTTGTCTGTGAAAAATAAATTTCTTCTTGTA
 CCATTTCTGTTTAGTTTTACTAAAATCTGTAAATACTGTATTTTTCTGTTTATCCAAATTTGATGAA
 ACTGACAATCCAATTTGAAAGTTTGTGTCGACGTCTGTCTAGCTTAAATGAATGTGTTCTATTTGCTT
 TATACATTTATATTAATAAATTTGTACATTTTCTAATT

FIGURE 120

MATHALEIAGLFLGGVGMVGTVAVTVMPPQWRVSAFIENNIVVFENFW EGLWMNCVRQANIRMQCK
IYDSL LALSPDLQAARGLMCAASVMSFLAFMMAILGMKCTRCTGDNEKVKAHILLTAGIIFIITG
MVLIPVSWVANAIIRDFYNSIVNVAQKRELGEALYLGWTTALVLIVGGALFCCVFCCNEKSSSY
RYSIPSHRTTQKSYHTGKKSPSVYSRSQYV

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 82-101, 118-145, 164-188

FIGURE 121

GGAGAGAGGCGCGCGGGTGAAAGGCGCATTGATGCAGCCTGCGGCGGCCTCGGAGCGCGGCGGAG
CCAGACGCTGACCACGTTCTCTCTCGGTCTCCTCCGCTCCAGCTCCGCGCTGCCCGGCAGCC
GGGAGCCATGCGACCCAGGGCCCCGCGCCTCCCCGCAGCGGCTCCGCGGCCTCCTGCTGCTCC
TGCTGCTGCAGCTGCCCGCGCCGTCGAGCGCCTCTGAGATCCCCAAGGGGAAGCAAAAGGCGCAG
CTCCGGCAGAGGGAGGTGGTGGACCTGTATAATGGAATGTGCTTACAAGGGCCAGCAGGAGTGCC
TGGTCGAGACGGGAGCCCTGGGGCCAATGTTATTCCGGGTACACCTGGGATCCCAGGTCTGGGATG
GATTCAAAGGAGAAAAGGGGAATGTCTGAGGGAAAGCTTTGAGGAGTCCTGGACACCCAACTAC
AAGCAGTGTTTCATGGAGTTCATTGAATTATGGCATAGATCTTGGGAAAATTGCGGAGTGATACATT
TACAAAGATGCGTTCAAATAGTGCTCTAAGAGTTTTGTTTCAGTGGCTCACTTCGGCTAAAATGCC
GAAATGCATGCTGTGCAGCGTTGGTATTTACATTCAATGGAGCTGAATGTTTCAGGACCTCTTCCC
ATTGAAGCTATAATTTATTTGGACCAAGGAAGCCCTGAAATGAATTCAACAATTAATATTCATCG
CACTTCTTCTGTGGAAGGACTTTGTGAAGGAATTGGTGTCTGGATTAGTGGATGTTGCTATCTGGG
TTGGCACTTGTTTCAGATTACCCAAAAGGAGATGCTTCTACTGGATGGAATTCAGTTTCTCGCATC
ATTATTGAAGAACTACCAAAATAAATGCTTTAATTTTCATTTGCTACCTCTTTTTTTATTATGCC
TTGGAATGGTTCACTTAAATGACATTTTAAATAAGTTTATGTATACATCTGAATGAAAAGCAAAG
CTAAATATGTTTACAGACCAAAGTGTGATTTCACTGTTTTTTAAATCTAGCATTATTCATTTTG
CTTCAATCAAAGTGGTTTCAATATTTTTTTTAGTTGGTTAGAATACTTTCTTCATAGTCACATT
CTCTCAACCTATAATTTGGAATATTGTTGTGGTCTTTTGTTTTTTCTCTTAGTATAGCATTTTTA
AAAAAATATAAAAGCTACCAATCTTTGTACAATTTGTAAATGTTAAGAATTTTTTTTATATCTGT
TAAATAAAAATTATTTCCAACA

FIGURE 122

MRPQGPAASPQRLRGLLLLLLLQLPAPSSASEIPKGKQKAQLRQREVVDLYNGMCLQGPAQVPGR
DGSPGANVIPGTPGIPGRDGFKEKGECLRESFEESWTPNYKQCSWSSLNYGIDLGKIAECTFTK
MRSNSALRVLFSGSLRLKCRNACCQRWYFTFNGAECSGPLPIEAIYLDQGSPEMNSTINIHRTS
SVEGLCEGIGAGLVDVAIWVGTCSDYPKGDASTGWNSVSRIIIIEELPK

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 195-217

FIGURE 123

GCTGAGCGTGTGCGCGGTACGGGGCTCTCCTGCCTTCTGGGCTCCAACGCAGCTCTGTGGCTGAA
 CTGGGTGCTCATCACGGGAACCTGCTGGGCTATGGAATACAGATGTGGCAGCTCAGGTAGCCCCAA
 ATTGCCTGGAAGAATACATCATGTTTTTCGATAAGAAGAAATTGTAGGATCCAGTTTTTTTTTTA
 ACCGCCCCCTCCCCACCCCCCAAAAAAAGTGTAAAGATGCAAAAACGTAATATCCATGAAGATCC
 TATTACCTAGGAAGATTTTGTATGTTTTGCTGCGAATGCGGTGTTGGGATTTATTTGTTCTTGGAG
 TGTTCTGCGTGGCTGGCAAAGAATAATGTTCCAAAATCGGTCCATCTCCCAAGGGGTCCAATTTT
 TCTTCTGGGTGTGAGCGAGCCCTGACTCACTACAGTGCAGCTGACAGGGGCTGTGATGCAACTG
 GCCCCAAGCCAAAGCAAAAGACCTAAGGACGACCTTTGAACAATACAAAGGATGGGTTTCAATG
 TAATTAGGCTACTGAGCGGATCAGCTGTAGCACTGGTTATAGCCCCACTGTCTTACTGACAAATG
 CTTTCTTCTGCCGAACGAGGATGCCCTAAGGGCTGTAGGTGTGAAGGCAAAATGGTATATTGTGA
 ATCTCAGAAATTACAGGAGATACCCTCAAGTATATCTGCTGGTTGCTTAGGTTTGTCCCTTCGCT
 ATAACAGCCTTCAAAAAGTAAAGTATAATCAATTTAAAGGGCTCAACCAGCTCACCTGGCTATAC
 CTTGACCATAACCATATCAGCAATATTGACGAAAATGCTTTTAAATGGAATACGCAGACTCAAAGA
 GCTGATTCTTAGTTCCAATAGAATCTCCTATTTTCTTAACAATACCTTCAGACCTGTGACAAAT
 TACGGAACCTGGATCTGTCCTATAATCAGCTGCATTCTCTGGGATCTGAACAGTTTCGGGGCTTG
 CGGAAGCTGTGAGTTTACATTTACGGTCTAAGTCCCTGAGAACCATCCCTGTGCGAATATTCCA
 AGACTGCCGCAACCTGGAACCTTTGGACCTGGGATATAACCGGATCCGAAGTTTAGCCAGGAATG
 TCTTTGCTGGCATGATCAGACTCAAAGAACTTCACCTGGAGCACAATCAATTTTCCAAGCTCAAC
 CTGGCCCTTTTTCCAAGGTTGGTCAGCCTTCAGAACCCTTACTTGCAGTGGAATAAAATCAGTGT
 CATAGGACAGACCATGTCTGGACCTGGAGCTCCTTACAAAGGCTTGATTTATCAGGCAATGAGA
 TCGAAGCTTTCAGTGGACCCAGTGTTTTCCAGTGTGTCCCGAATCTGCAGCGCCTCAACCTGGAT
 TCCAACAAGCTCACATTTATTGGTCAAGAGATTTTGGATTCTTGGATATCCCTCAATGACATCAG
 TCTTGCTGGGAATATATGGGAATGCAGCAGAAATATTTGCTCCCTTGTAAGTGGCTGAAAAGTT
 TTAAAGGTCTAAGGGAGAATACAATTATCTGTGCCAGTCCCAAAGAGCTGCAAGGAGTAAATGTG
 ATCGATGCAGTGAAGAACTACAGCATCTGTGGCAAAAGTACTACAGAGAGGTTTGATCTGGCCAG
 GGCTCTCCCAAAGCCGACGTTTAAAGCCCAAGCTCCCCAGGCCGAAGCATGAGAGCAAACCCCTT
 TGCCCCCGACGGTGGGAGCCACAGAGCCCGGCCAGAGACCGATGCTGACGCCGAGCACATCTCT
 TTCCATAAAATCATCGCGGGCAGCGTGGCGCTTTTCCTGTCCGTGCTCGTCATCCTGTGGTTAT
 CTACGTGTGATGGAAGCGGTACCCTGCGAGCATGAAGCAGCTGCAGCAGCGCTCCCTCATGCGAA
 GGCACAGGAAAAAGAAAAGACAGTCCCTAAAGCAAAATGACTCCAGCAGCCAGGAATTTTATGTA
 GATTATAAACCCACCAACACGGAGACCAGCGAGATGCTGCTGAATGGGACGGGACCCTGCACCTA
 TAACAAATCGGGCTCCAGGGAGTGTGAGGTATGAACCATTGTGATAAAAAGAGCTCTTAAAGCT
 GGGAAATAAGTGGTGCTTTTATTGAACTCTGGTGACTATCAAGGGAACGCGATGCCCCCCTCCCC
 TTCCCTCTCCCTCTCACTTTGGTGGCAAGATCCTTCCTTGTCGGTTTTAGTGCATTATAATACT
 GGTCAATTTTCTCTCATACATAATCAACCCATTGAAATTTAAATACCACAATCAATGTGAAGCTT
 GAACTCCGGTTTAAATATAATACCTATTGTATAAGACCTTTACTGATTCCATTAATGTCGCAATTT
 GTTTTAAGATAAAAAGTCTTTTCATAGGTAAAAA

FIGURE 124

MGFNVIRLLSGSAVALVIAPTIVLLTMLSSAERGCPKGCRCEGKMVYCESQKLQEIPSSISAGCLG
LSLRYNLSQKLKYNQFKGLNQLTWLYLDHNNHISNIDENAFNGIRRLKELILSSNRISYFLNNTFR
PVTNLRNLDSLQNQLHSLGSEQFRGLRKLLSLHLRSNSLRTIPVRIQDCRNLELLDLGYNRIRS
LARNVFAGMIRLKEHLEHNQFSKLNALFPRLVSLQNLYLQWNKISVIGQTMSWTWSSLQRLDL
SGNEIEAFSGPSVFQCPVNLQRLNLDNSNKLTFIGQEILDSWISLNDISLAGNIWECSRNICSLVN
WLKSFKGLRENTIICASPKELQGVNVIDAVKNYSICGKSTTERFDLARALPKPTFKPKLPRPKHE
SKPPLPPTVGATEPGPETDADAEHISFHKIIAGSVALFLSVLVILLVIYVSWKRYPASMKQLQQR
SLMRRHRKKKRQSLKQMTPTSTQEFYVDYKPTNTETSEMLLNGTGPCTYNKSGSRECEV

Important features of the protein:

Signal peptide:

amino acids 1-33

Transmembrane domain:

amino acids 420-442

N-glycosylation sites.

amino acids 126-129, 357-360, 496-499, 504-507

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 465-468

Tyrosine kinase phosphorylation site.

amino acids 136-142

N-myristoylation sites.

amino acids 11-16, 33-38, 245-250, 332-337, 497-502, 507-512

FIGURE 125

CCGTTATCGTCTTGCGCTACTGCTGAATGTCCGTCCCGAGGAGGAGGAGAGGCTTTTGCCGCTG
ACCCAGAGATGGCCCCGAGCGAGCAAATTCCTACTGTCCGGCTGCGCGGCTACCGTGCCCGAGCT
AGCAACCTTTCCCCTGGATCTCACAAAACTCGACTCCAAATGCAAGGAGAAGCAGCTCTTGCTC
GGTTGGGAGACGGTGCAAGAGAATCTGCCCCCTATAGGGGAATGGTGCGCACAGCCCTAGGGATC
ATTGAAGAGGAAGGCTTTCTAAAGCTTTGGCAAGGAGTGACACCCGCCATTTACAGACACGTAGT
GTATTCTGGAGGTCGAATGGTCACATATGAACATCTCCGAGAGGTTGTGTTTGGCAAAAGTGAAG
ATGAGCATTATCCCCTTTGGAAATCAGTCATTGGAGGGATGATGGCTGGTGTATTGGCCAGTTT
TTAGCCAATCCAAC TGACCTAGTGAAGGTT CAGATGCAAATGGAAGGAAAAGGAAACTGGAAGG
AAAACCAT TGCGATTT CGTGGTGTACATCATGCATTTGCAAAAATCTTAGCTGAAGGAGGAATAC
GAGGGCTTTGGGCAGGCTGGGTACCCAATATACAAAGAGCAGCACTGGTGAATATGGGAGATTTA
ACCACTTATGATACAGTGAAACACTACTTGGTATTGAATACACCACTTGAGGACAATATCATGAC
TCACGGTTTATCAAGTTTATGTTCTGGACTGGTAGCTTCTATTCTGGGAACACCAGCCGATGTCA
TCAAAAGCAGAATAATGAATCAACCACGAGATAAACAAGGAAGGGGACTTTTGTATAAATCATCG
ACTGACTGCTTGATTCAGGCTGTTCAAGGTGAAGGATTCATGAGTCTATATAAAGGCTTTTTACC
ATCTTGGCTGAGAAATGACCCCTTGGTCAATGGTGTCTGGCTTACTTATGAAAAAATCAGAGAGA
TGAGTGGAGTCAGTCCATTTTAA

FIGURE 126

MSVPEEEERLLPLTQRWPRASKFLLSGCAATVAELATFPLDLTKTRLQMGEAALARLGDGARES
APYRGMVRTALGIIIEEGFLKLWQGVTPAIYRHVVYSGGRMVTYEHLEVVFGKSEDEHYPLWKS
VIGGMMAGVIGQFLANPTDLVKVQMOMEGKRKLEGKPLRFRGVHHAFAKILAEGGIRGLWAGWVP
NIQRAALVNMGDLTTYDVKHYLVNLNTPLEDNIMTHGLSSLCSGLVASILGTPADVIKSRIMNQF
RDKQGRGLLYKSSTDCLIQAVOGEFMSLYKGFLPSWLRMTPWSMVFWLTYEKIREMSGVSPF

Transmembrane domains:

amino acids 25-38, 130-147, 233-248

FIGURE 127

CGCGGATCGGACCCAAGCAGGTGCGCGGCGGCGGCAGGAGAGCGGCCGGGCGTCAGCTCCTCGAC
CCCCGTGTCGGGCTAGTCCAGCGAGGCGGACGGGCGGCGTGGGCCCATGGCCAGGCCCGGCATGG
AGCGGTGGCGCGACCGGCTGGCGCTGGTGACGGGGGCGCTCGGGGGGCATCGGCGCGGCCGTGGCC
CGGGCCCTGGTCCAGCAGGGACTGAAGGTGGTGGGCTGCGCCCGCACTGTGGGCAACATCGAGGA
GCTGGCTGCTGAATGTAAGAGTGCAGGCTACCCCGGGACTTTGATCCCCTACAGATGTGACCTAT
CAAATGAAGAGGACATCCTCTCCATGTTCTCAGCTATCCGTTCTCAGCACAGCGGTGTAGACATC
TGCATCAACAATGCTGGCTTGGCCCGGCTGACACCCTGCTCTCAGGCAGCACCAGTGGTTGGAA
GGACATGTTCAATGTGAACGTGCTGGCCCTCAGCATCTGCACACGGGAAGCCTACCAGTCCATGA
AGGAGCGGAATGTGGACGATGGGCACATCATTAACATCAATAGCATGTCTGGCCACCGAGTGTTA
CCCCTGTCTGTGACCCACTTCTATAGTGCCACCAAGTATGCCGTCAGTGCCTGACAGAGGGACT
GAGGCAAGAGCTTCGGGAGGCCCCAGACCCACATCCGAGCCACGTGCATCTCTCCAGGTGTGGTGG
AGACACAATTGCGCTTCAAACCTCCACGACAAGGACCCTGAGAAGGCAGCTGCCACCTATGAGCAA
ATGAAGTGTCTCAAACCCGAGGATGTGGCCGAGGCTGTTATCTACGTCCTCAGCACCCCCGCACA
CATCCAGATTGGAGACATCCAGATGAGGCCCACGGAGCAGGTGACCTAGTGACTGTGGGAGCTCC
TCCTTCCCTCCCCACCTTCATGGCTTGCTCCTGCCTCTGGATTTTAGGTGTTGATTTCTGGAT
CACGGGATACCACTTCCTGTCCACACCCCGACCAGGGGCTAGAAAATTTGTTTGAGATTTTATA
TCATCTTGTCAAATTGCTTCAGTTGTAAATGTGAAAAATGGGCTGGGGAAAGGAGGTGGTGTCCC
TAATTGTTTTACTTGTTAACTTGTCTTGTCGCCCTGGGCACTTGGCCTTTGTCTGCTCTCAGTG
TCTTCCCTTTGACATGGGAAAGGAGTTGTGGCCAAAATCCCCATCTTCTTGACCTCAACGCTG
TGGCTCAGGGCTGGGGTGGCAGAGGGAGGCCTTACCTTATATCTGTGTTGTTATCCAGGGCTCC
AGACTTCCTCCTCTGCCTGCCCCACTGCACCTCTCCCCCTTATCTATCTCCTTCTCGGCTCCCC
AGCCCAGTCTTGGCTTCTTGTCCTCTCTGGGGTCATCCCTCCACTCTGACTCTGACTATGGCAG
CAGAACACCAGGGCTGGCCCACTGGATTTTCATGGTGATCATTAAAAAAGAAAAATCGCAACCAA
AAAAAAAAA

FIGURE 128

MARPGMERWRDRLALVTGASGGIGA A VARALVQOGLKVVG CARTVGNIEELAAECKSAGYPGTLLI
PYRCDLSNEEDILSMFSAIRSQHSGVDICINNAGLARPD TLLSGSTSGWKDMFNVNVLALSICTR
EAYQSMKERNVDDGHIININSMGHRVLP LSVTHFY SATKYAVTALTEGLRQELREAQTHIRATC
ISPGVVETQFAFKLHDKDPEKAAATYEQMKCLKPEDVAEAVIYVLSTPAHIQIGDIQMRPTEQVT

Important features of the protein:

Signal peptide:

amino acids 1-17

N-myristoylation sites.

amino acids 18-24, 21-27, 22-28, 24-30, 40-46, 90-96, 109-115,
199-205

Short-chain alcohol dehydrogenase.

amino acids 30-42, 104-114

FIGURE 129

AACTTCTACATGGGCCTCCTGCTGCTGGTGCTCTTCCTCAGCCTCCTGCCGGTGGCCTACACCAT
CATGTCCCTCCCACCCCTCCTTTGACTGCGGGCCGTTCAGGTGCAGAGTCTCAGTTGCCCGGGAGC
ACCTCCCCCTCCCGAGGCAGTCTGCTCAGAGGGCCTCGGCCCAAGTCCAGTTCTGGTTTCATGC
CAGCCTGTAAAAGGCCATGGAACTTTGGGTGAATCACCGATGCCATTTAAGAGGGTTTTCTGCCA
GGATGGAAATGTTAGGTCGTTCTGTGTCTGCGCTGTTCAATTCAGTAGCCACCAGCCACCTGTGG
CCGTTGAGTGCTTGAAATGAGGAACTGAGAAAATTAATTTCTCATGTATTTTTCTCATTTATTTA
TTAATTTTTTAAGTATAGTTGTACATATTTGGGGGTACATGTGATATTTGGATACATGTATACAA
TATATAATGATCAAATCAGGGTAACTGGGATATCCATCACATCAAACATTTATTTTTTTATCTTT
TTAGACAGAGTCTCACTCTGTCACCCAGGCTGGAGTGCAGTGGTGCCATCTCAGCTTACTGCAAC
CTCTGCCTGCCAGGTTCAAGCGATTCTCATGCCTCCACCTCCCAAGTAGCTGGGACTACAGGCAT
GCACCACAATGCCCAACTAATTTTTGTATTTTTAGTAGAGACGGGGTTTTGCCATGTTGCCCAGG
CTGGCCTTGAACTCCTGGCCTCAAACAATCCACTTGCCTCGGCCTCCCAAAGTGTTATGATTACA
GGCGTGAGCCACCGTGCCTGGCCTAAACATTTATCTTTTCTTTGTGTTGGGAACTTTGAAATTAT
ACAATGAATTATTGTAACTGTCATCTCCCTGCTGTGCTATGGAACACTGGGACTTCTTCCCTCT
ATCTAACTGTATATTTGTACCAGTTAACCAACCGTACTTCATCCCCACTCCTCTCTATCCTTCCC
AACCTCTGATCACCTCATTCTACTCTCTACCTCCATGAGATCCACTTTTTTAGCTCCCACATGTG
AGTAAGAAAATGCAATATTTGTCTTTCTGTGCCTGGCTTATTTCACTTAACATAATGACTTCCTG
TTCCATCCATGTTGCTGCAAATGACAGGATTTGTTCTTAATTTCAATTAAAATAACCACACATG
GCAAAAA

FIGURE 130

MGLLLLVLFLSLLPVAYTIMSLPPSFDCGPFRCRVSVAREHLPSRGSLLRGPRPRIPVLVSCQPV
KGGHTLGESEMPFVKRVFCQDGNVRSFCVCAVHFSSHQPPVAVECLK

Important features of the protein:

Signal peptide:

amino acids 1-18

N-myristoylation site.

amino acids 86-92

Zinc carboxypeptidases, zinc-binding region 2 signature.

amino acids 68-79

FIGURE 131

TTCTGAAGTAACGGAAGCTACCTTGTATAAAGACCTCAACACTGCTGACCATGATCAGCGCAGCCTGGAGC
 ATCTTCCTCATCGGGACTAAAATTGGGCTGTTCCCTCAAGTAGCACCTCTATCAGTTATGGCTAAATCCTG
 TCCATCTGTGTGTCGCTGCGATGCGGGTTTCATTTACTGTAATGATCGCTTTCTGACATCCATTCCAACAG
 GAATACCAGAGGATGCTACAACTCTCTACCTTCAGAACAACCAAATAAATAATGCTGGGATTCCTTCAGAT
 TTGAAAACTTGCTGAAAGTAGAAAGAATATACCTATACCACAACAGTTTAGATGAATTTCTTACCAACCT
 CCCAAAGTATGTAAAAGAGTTACATTTGCAAGAAAATAACATAAGGACTATCACTTATGATTCACTTTCAA
 AAATTCCTTATCTGGAAGAATTACATTTAGATGACAACCTCTGTCTCTGCAGTTAGCATAGAAGAGGGAGCA
 TTCCGAGACAGCAACTATCTCCGACTGCTTTTCTGTCCCGTAATCACCTTAGCACAATTCCTTGGGGTTT
 GCCCAGGACTATAGAAGAACTACGCTTGGATGATAATCGCATATCCACTATTTTCATCACCATCTCTTCAAG
 GTCTCACTAGTCTAAAACGCCTGGTTCTAGATGGAAACCTGTTGAACAATCATGGTTTAGGTGACAAAGTT
 TTCTTCAACCTAGTTAATTTGACAGAGCTGTCCCTGGTGCGGAATTCCTGACTGCTGCACCAGTAAACCT
 TCCAGGCACAAACCTGAGGAAGCTTTATCTTCAAGATAACCACATCAATCGGGTGCCCCCAAATGCTTTTT
 CTTATCTAAGGCAGCTCTATCGACTGGATATGTCCAATAATAACCTAAGTAATTTACCTCAGGGTATCTTT
 GATGATTTGGACAATATAACACAACCTGATTCTTCGCAACAATCCCTGGTATTGCGGGTGCAAGATGAAATG
 GGTACGTGACTGGTTACAATCACTACCTGTGAAGGTCAACGTGCGTGGGCTCATGTGCCAAGCCCCAGAAA
 AGGTTCTGTGGGATGGCTATTAAAGGATCTCAATGCAGAACCTGTTGATTGTAAGGACAGTGGGATTGTAAGC
 ACCATTAGATAAACCCTGCAATACCCAACACAGTGTATCCTGCCAAGGACAGTGGCCAGCTCCAGTGAC
 CAAACAGCCAGATATTAAGAACCCCAAGCTCACTAAGGATCAACAAACCACAGGGAGTCCCTCAAGAAAAA
 CAATTACAATTACTGTGAAGTCTGTACCTCTGATACCATTCATATCTCTTGGAACTTGCTCTACCTATG
 ACTGCTTTGAGACTCAGCTGGCTTAAACTGGGCCATAGCCCCGCATTTGGATCTATAACAGAAACAATTGT
 AACAGGGGAACGCAGTGAGTACTTGGTCACAGCCCTGGAGCCTGATTCACCCCTATAAAGTATGCATGGTTT
 CCATGGAAACCAGCAACCTCTACCTATTTGATGAAACTCCTGTTTGTATTGAGACTGAAACTGCACCCCTT
 CGAATGTACAACCCTACAACCACCTCAATCGAGAGCAAGAGAAAGAACCCTACAAAAACCCCAATTTACC
 TTTGGCTGCCATCATTGGTGGGGCTGTGGCCCTGGTTACCATTGCCCTTCTTGCTTTAGTGTGTTGGTATG
 TTCATAGGAATGGATCGCTCTCTCAAGGAACGTGCATATAGCAAAGGGAGGAGAAGAAAGGATGACTAT
 GCAGAAGCTGGCACTAAGAAGGACAACCTCTATCCTGGAAATCAGGGAACTTCTTTTCAGATGTTACCAAT
 AAGCAATGAACCCATCTCGAAGGAGGAGTTTGTAAATACACACCATATTTCTCCTAATGGAATGAATCTGT
 ACAAAAACAATCACAGTGAAAGCAGTAGTAACCGAAGCTACAGAGACAGTGGTATTCCAGACTCAGATCAC
 TCACACTCATGATGCTGAAGGACTCACAGCAGACTTGTGTTTTGGGTTTTTTAAACCTAAGGGAGGTGATG
 GT

FIGURE 132

MISAAWSIFLIGTKIGLFLQVAPLSVMAKSCPSVCRCDAGFIYCNDRFLTSIPTGIPEDATTLYL
QNNQINNAGIPSDLKNLLKVERIYLYHNSLDEFPTNLPKYVKELHLQENNIRTITYDSLSKIPYL
EELHLDDNSVSAVSIEEGAFRDSNYLRLLFLSRNHLSTIPWGLPRTIEELRLDDNRISTISSPSL
QGLTSLKRLVLDGNLLNNHGLGDKVFFNLVNLTELSLVRNSLTAAPVNLPGTNLRKLYLQDNHIN
RVPPNAFSYLRQLYRLDMSNNNLSNLPQGIFDDLDNITQLILRNNPWYCGCKMKWVRDWLQSLPV
KVNVRGLMCQAPEKVRGMAIKDLNAELFDCKDSGIVSTIQITTAIPNTVYPAQGQWPAPVTKQPD
IKNPKLTKDQQTGSPSRKTITITVKSVTSDTIHISWKLALPMTALRLSWLKLGHSPAFGSITET
IVTGERSEYLVTALEPDSPIYKVMVPMETSNLYLFDETPVCIETETAPLRMYNPTTTLNREQEKE
PYKNPNLPLAAIIGGAVALVTIALLALVCWYVHRNGSLFSRNCAYSKGRRRKDDYAEAGTKKDNS
ILEIRETSFQMLPISNEPISKEEFVIHTIFPPNGMNLKNNHSESSSNRSYRDSGIPDSDHSHS

Important features of the protein:

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 531-552

N-glycosylation sites.

amino acids 226-229, 282-285, 296-299, 555-558, 626-629, 633-636

Tyrosine kinase phosphorylation site.

amino acids 515-522

N-myristoylation sites.

amino acids 12-17, 172-177, 208-213, 359-364, 534-539, 556-561,
640-645

Amidation site.

amino acids 567-570

Leucine zipper pattern.

amino acids 159-180

Phospholipase A2 aspartic acid active site.

amino acids 34-44

FIGURE 133

CCGTCATCCCCCTGCAGCCACCCTTCCCAGAGTCCTTTGCCCAGGCCACCCAGGCTTCTTGCCA
GCCCTGCCGGGCCACTTGTCTTCATGTCTGCCAGGGGAGGTGGGAAGGAGGTGGGAGGAGGGCG
TGCAGAGGCAGTCTGGGCTTGCCAGAGCTCAGGGTGCTGAGCGTGTGACCAGCAGTGAGCAGAG
GCCGGCCATGGCCAGCCTGGGGCTGCTGCTCCTGCTCTTACTGACAGCACTGCCACCGCTGTGGT
CCTCCTCACTGCCTGGGCTGGACACTGCTGAAAGTAAAGCCACCATTGCAGACCTGATCCTGTCT
GCGCTGGAGAGAGCCACCGTCTTCCTAGAACAGAGGCTGCCTGAAATCAACCTGGATGGCATGGT
GGGGGTCCGAGTGCTGGAAGAGCAGCTAAAAAGTGTCGGGAGAAAGTGGGCCCAGGAGCCCCTGC
TGCAGCCGCTGAGCCTGCGCGTGGGGATGCTGGGGGAGAAGCTGGAGGCTGCCATCCAGAGATCC
CTCCACTACCTCAAGCTGAGTGATCCCAAGTACCTAAGAGAGTTCCAGCTGACCCTCCAGCCCGG
GTTTTGGAAGCTCCACATGCCTGGATCCACACTGATGCCTCCTTGGTGTACCCACGTTCCGGGC
CCCAGGACTCATTCTCAGAGGAGAGAAGTGACGTGTGCCTGGTGCAGTGCTGGGAACCGGGACG
GACAGCAGCGAGCCCTGCGGCCTCTCAGACCTCTGCAGGAGCCTCATGACCAAGCCCGGCTGCTC
AGGCTACTGCCTGTCCCACTGCTCTTCTTCTCTGGGCCAGAATGAGGGGATGCACACAGG
GACCACTCCAACAGAGCCAGGACTATATCAACCTCTTCTGCGCCAACATGATGGACTTGAACCGC
AGAGCTGAGGCCATCGGATACGCCTACCCTACCCGGGACATCTTCATGGAAAACATCATGTTCTG
TGGAATGGGCGGCTTCTCCGACTTCTACAAGCTCCGGTGGCTGGAGGCCATTCTCAGCTGGCAGA
AACAGCAGGAAGGATGCTTCGGGGAGCCTGATGCTGAAGATGAAGAATTATCTAAAGCTATTCAA
TATCAGCAGCATTTTTTCGAGGAGAGTGAAAGAGGCGAGAAAAACAATTTCCAGATTCTCGCTCTGT
TGCTCAGGCTGGAGTACAGTGGCGCAATCTCGGCTCACTGCAACCTTTGCCTCCTGGGTTCAAGC
AATTCTCTTGCTCATCTCTCCCGAGTAGCTGGGACTACAGGAGCGTGCCACCATACTGGCTAAT
TTTTATATTTTTTTAGTAGAGACAGGGTTTCATCATGTTGCTCATGCTGGTCTCGAACTCCTGAT
CTCAAGAGATCCGCCCACCTCAGGCTCCCAAAGTGTTGGGATTATTAGGTGTGAGCCACCGTGTCTG
GCTGAAAAGCACTTTCAAAGAGACTGTGTTGAATAAAGGGCCAAGGTTCTTGCCACCCAGCACTC
ATGGGGGCTCTCTCCCCTAGATGGCTGCTCCTCCCAACACAGCCACAGCAGTGGCAGCCCTGG
GTGGCTTCCTATACATCCTGGCAGAATAACCCCCAGCAAACAGAGAGCCACACCCATCCACACCG
CCACCACCAAGCAGCCGCTGAGACGGACGGTTCATGCCAGCTGCCTGGAGGAGGAACAGACCCC
TTTAGTCCTCATCCCTTAGATCCTGGAGGGCACGGATCACATCCTGGGAAGAAGGCATCTGGAGG
ATAAGCAAAGCCACCCGACACCCAATCTTGGAAGCCCTGAGTAGGCAGGGCCAGGGTAGGTGGG
GGCCGGGAGGGACCCAGGTGTGAACGGATGAATAAAGTTCAACTGCAACTGAAAAAAAAAAAA

FIGURE 134

MSARGRWEGGRRACRGS LGLARAQGAERVTSS EQR PAMAS LGLLLLLLLLTALPPLWSSSLPGLD
TAESKATIADLILSALERATVFLEQRLPEINLDGMVGVRVLEEQLKSVREKWAQEPLLQPLSLRV
GMLGEKLEAAIQ RSLHYLKLSDPKYLREFQLTLQPGFWKLPHAWIHTDASLVYPTFGPQDSFSEE
RSDVCLVQLLGTGTDSS EPCGLSDLCRSLMTKPGCSGYCLSHQLLFFLWARMRGCTQG PLQQSQD
YINLFCANMMDLNRRAEAIGYAYPTRDIFMENIMFCGMGGFSDFYKLRWLEAILSWQKQQEGCFG
EPDAEDEELSKAIIQYQQHFSRRVKRREKQFPDSRSVAQAGVQWRNLGSLQPLPPGFKQFSCILIP
SSWDYRSVPPYLANFYIFLVETGFHHVAHAGLELLIS RDPPTSGSQSVGL

Important features of the protein:

Signal peptide:

amino acids 1-26

Transmembrane domain:

amino acids 39-56

Tyrosine kinase phosphorylation sites.

amino acids 149-156, 274-282

N-myristoylation sites.

amino acids 10-16, 20-26, 63-69, 208-214

Amidation site.

amino acids 10-14

Glycoprotein hormones beta chain signature 1.

amino acids 230-237

FIGURE 135

GGTCTGAGTGCAGAGCTGCTGTCAATGGCGGCCGCTCTGTGGGGCTTCTTTCCCGTCCTGCTGCTG
CTGCTGCTATCGGGGGATGTCCAGAGCTCGGAGGTGCCCCGGGGCTGCTGCTGAGGGATCGGGAGG
GAGTGGGGTCGGCATAGGAGATCGCTTCAAGATTGAGGGCCGTGCAGTTGTTCCAGGGGTGAAGC
CTCAGGACTGGATCTCGGCGGCCCGAGTGCTGGTAGACGGAGAAGAGCACGTGCGTTTCCCTTAAG
ACAGATGGGAGTTTTGTGGTTCATGATATACCTTCTGGATCTTATGTAGTGGAAGTTGTATCTCC
AGCTTACAGATTTGATCCCGTTCGAGTGGATATCACTTCGAAAGGAAAAATGAGAGCAAGATATG
TGAATTACATCAAAACATCAGAGGTTGTGAGACTGCCCTATCCTCTCCAAATGAAATCTTCAGGT
CCACCTTCTTACTTTATTAAAAGGGAATCGTGGGGCTGGACAGACTTTCTAATGAACCCAATGGT
TATGATGATGGTTCTTCCTTTATTGATATTTGTGCTTCTGCCTAAAGTGGTCAACACAAGTGATC
CTGACATGAGACGGGAAATGGAGCAGTCAATGAATATGCTGAATTCCAACCATGAGTTGCCTGAT
GTTTCTGAGTTCATGACAAGACTCTTCTCTTCAAAATCATCTGGCAAATCTAGCAGCGGCAGCAG
TAAACAGGCCAAAAGTGGGGCTGGCAAAGGAGGTAGTCAGGCCGTCCAGAGCTGGCATTTCAC
AAACACGGCAACACTGGGTGGCATCCAAGTCTTGAAAAACCGTGTGAAGCAACTACTATAAACTT
GAGTCATCCCGACGTTGATCTCTTACAACGTGTATGTT
AACTTTTTAGCACATGTTTTGTACTTGGTACACGAGAAAACCCAGCTTTCATCTTTTGTCTGTAT
GAGGTCAATATTGATGTCAGTGAATTAATTACAGTGTCTTATAGAAAATGCCATTAATAAATTAT
ATGAACTACTATACATTATGTATATTAATTAACATCTTAATCCAGAAATCAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAA

FIGURE 136

MAAALWGFFPVLLLLLLSGDVQSSEVPGAAAEAGSGSGVGIGDRFKIEGRAVVPGVKPDWISAA
RVLVDGEEHVGFLKTDGSEFVVHDIPSGSYVVEVVS PAYRFDPVRVDITSKGKMRARYVNYIKTSE
VVRLPYPLOMKSSGPPSYFIKRESWGWTDFLMNPMVMMVLPLLI FVLLPKVVNTSDPDMRREME
QSMNMLNSNHELDPDVSEFMTRLFSSKSSGKSSSGSSKTGKSGAGKRR

Important features of the protein:

Signal sequence:

amino acids 1-23

Transmembrane domain:

amino acids 161-182

N-glycosylation site.

amino acids 184-187

Glycosaminoglycan attachment sites.

amino acids 37-40, 236-239

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 151-154

N-myristoylation sites.

amino acids 33-38, 36-41, 38-44, 229-234

Amidation site.

amino acids 238-241

ATP/GTP-binding site motif A (P-loop).

amino acids 229-236

FIGURE 137

GATGGCGCAGCCACAGCTTCTGTGAGATTGATTTCTCCCCAGTTCCCCTGTGGGTCTGAGGGGA
CCAGAAGGGTGAGCTACGTTGGCTTTCTGGAAGGGGAGGCTATATGCGTCAATTCCCCAAAACAA
GTTTTGACATTTCCCCTGAAATGTCATTCTCTATCTATTCACTGCAAGTGCCTGCTGTTCCAGGC
CTTACCTGCTGGGCACCTAACGGCGGAGCCAGGATGGGGACAGAATAAAGGAGCCACGACCTGTGC
CACCAACTCGCACTCAGACTCTGAACTCAGACCTGAAATCTTCTCTTCACGGGAGGCTTGGCAGT
TTTTCTTACTCCTGTGGTCTCCAGATTTCAGGCCTAAGATGAAAGCCTCTAGTCTTGCCTTCAGC
CTTCTCTCTGCTGCGTTTTATCTCCTATGGACTCCTTCCACTGGACTGAAGACACTCAATTTGGG
AAGCTGTGTGATCGCCACAAACCTTCAGGAAATACGAAATGGATTTTCTGAGATACGGGGCAGTG
TGCAAGCCAAAGATGGAAACATTGACATCAGAATCTTAAGGAGGACTGAGTCTTTGCAAGACACA
AAGCCTGCGAATCGATGCTGCCTCCTGCGCCATTTGCTAAGACTCTATCTGGACAGGGTATTTAA
AAACTACCAGACCCCTGACCATTATACTCTCCGGAAGATCAGCAGCCTCGCCAATTCCTTTCTTA
CCATCAAGAAGGACCTCCGGCTCTCTCATGCCACATGACATGCCATGTGGGGAGGAAGCAATG
AAGAAATACAGCCAGATTCTGAGTCACTTTGAAAAGCTGGAACCTCAGGCAGCAGTTGTGAAGGC
TTTGGGGGAACTAGACATTCTTCTGCAATGGATGGAGGAGACAGAATAGGAGGAAAGTGATGCTG
CTGCTAAGAATATTCGAGGTCAAGAGCTCCAGTCTTCAATACCTGCAGAGGAGGCATGACCCCAA
ACCACCATCTCTTTACTGTACTAGTCTTGTGCTGGTCACAGTGTATCTTATTTATGCATTACTTG
CTTCCTTGCAATGATTGTCTTTATGCATCCCCAATCTTAATTGAGACCATACTTGTATAAGATTTT
TGTAATATCTTTCTGCTATTGGATATATTTATTAGTTAATATATTTATTTATTTTTTGCTATTTA
ATGTATTTATTTTTTTTACTTGGACATGAACTTTAAAAAAATTACAGATTATATTTATAACCTG
ACTAGAGCAGGTGATGTATTTTTTATACAGTAAAAAATAAACCTTGTAATTCTAGAAGAGTGG
CTAGGGGGGTATTCAATTTGTATTCAACTAAGGACATATTTACTCATGCTGATGCTCTGTGAGAT
ATTTGAAATTGAACCAATGACTACTTAGGATGGGTGTGGAATAAGTTTTGATGTGGAATTGCAC
ATCTACCTTACAATTACTGACCATCCCCAGTAGACTCCCCAGTCCCATAATTGTGTATCTTCCAG
CCAGGAATCCTACACGGCCAGCATGTATTTCTACAAATAAAGTTTTCTTTGCATACCAAAAAAA
AAAAA

FIGURE 138

MRQFPKTSFDISPEMSFSIYSLQVPAVPGLTCWALTAEPGWGQNKGATTCATNSHSDSELRPEIF
SSREAWQFFLLWSPDFRPKMKASSLAFSLLSAAFYLLWTPSTGLKTLNLGSCVIATNLQEIRNG
FSEIRGSVQAKDGNIDIRILRRTESLQDTKPANRCCLLRHLLRLYLDRVFKNYQTPDHYTLRKIS
SLANSFLTIIKKDLRLSHAHMTCHCGEAMKKYSQILSHFEKLEPQAAVVKALGELDILLQWMEET
E

Important features of the protein:

Signal peptide:

amino acids 1-42

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 192-195, 225-228

N-myristoylation sites.

amino acids 42-47, 46-51, 136-141

FIGURE 139

CCTGGAGCCGGAAGCGCGGCTGCAGCAGGGCGAGGCTCCAGGTGGGGTTCGGTTCCGCATCCAGCC
TAGCGTGTCCACGATCGCGGCTGGGCTCCGGGACTTTCGCTACCTGTTGCGTAGCGATCGAGGTGC
TAGGGATCGCGGTCTTCTTCGGGGATTCTTCCCGGCTCCCGTTCGTTCTCTGCCAGAGCGGAA
CACGGAGCGGAGCCCCAGCGCCCGAACCCCTCGGCTGGAGCCAGTTCTAACTGGACCACGCTGCC
ACCACCTCTCTTCAGTAAAGTTGTTATTGTTCTGATAGATGCCTTGAGAGATGATTTTGTGTTTG
GGTCAAAGGGTGTGAAATTTATGCCCTACACAACCTTACCTTGTGGAAAAAGGAGCATCTCACAGT
TTTGTGGCTGAAGCAAAGCCACCTACAGTTACTATGCCTCGAATCAAGGCATTGATGACGGGGAG
CCTTCTGGCTTTGTGCGACGTCATCAGGAACCTCAATTCTCTGCACTGCTGGAAGACAGTGTGA
TAAGACAAGCAAAAGCAGCTGGAAAAAGAATAGTCTTTTATGGAGATGAAACCTGGGTAAATTA
TTCCCAAAGCATTTTGTGGAATATGATGGAACAACCTCATTTTTCGTGTGAGATTACACAGAGGT
GGATAATAATGTCACGAGGCATTTTGGATAAAGTATTAAAAAGAGGAGATTGGGACATATTAATCC
TCCACTACCTGGGGCTGGACCACATTGGCCACATTTTCAGGGCCCAACAGCCCCCTGATTGGGCAG
AAGCTGAGCGAGATGGACAGCGTGTGATGAAGATCCACACCTCACTGCAGTCGAAGGAGAGAGA
GACGCCTTTACCCAATTTGCTGGTCTTTTGTGGTGACCATGGCATGTCTGAAACAGGAAGTCACG
GGGCTCCTCCACCGAGGAGGTGAATACACCTCTGATTTTAATCAGTTCTGCGTTTGAAGGAAA
CCCGTGATATCCGACATCCAAAGCACGTCCAATAGACGGATGTGGCTGCGACACTGGCGATAGC
ACTTGGCTTACCGATTCCAAAGACAGTGTAGGGAGCCTCCTATTCCAGTTGTGGAAGGAAGAC
CAATGAGAGAGCAGTTGAGATTTTACATTTGAATACAGTGCAGCTTAGTAACTGTTGCAAGAG
AATGTGCCGTGATATGAAAAAGATCCTGGGTTTGTAGCAGTTTAAATGTGAGAAAGATTGCATGG
GAACTGGATCAGACTGTACTTGGAGGAAAAGCATTTCAGAAGTCCATTCAACCTGGGCTCCAAGG
TTCTCAGGCAGTACCTGGATGCTCTGAAGACGCTGAGCTTGTCCCTGAGTGCACAAGTGGCCCAG
TTCTCACCCCTGCTCCTGCTCAGCGTCCACAGGCACCTGCACAGAAAGGCTGAGCTGGAAGTCCCA
CTGTATCTCCTGGGTTTTCTCTGCTCTTTTATTTGGTGATCCTGGTTCTTTTCGGCCGTTCACGT
CATTTGTGTGCACCTCAGCTGAAAGTTTCGTGCTACTTCTGTGGCTCTCGTGGCTGGCGGCAGGCT
GCCTTTCGTTTACCAGACTCTGGTTGAACACCTGGTGTGTGCCAAGTGTGGCAGTGCCTTGGAC
AGGGGGCCTCAGGGAAGGACGTGGAGCAGCCTTATCCAGGCCTCTGGGTGTCCCGACACAGGTG
TTCACATCTGTGCTGTGAGGTGAGATGCCTCAGTTCTTGGAAAGCTAGGTTCTTCCGACTGTTAC
CAAGGTGATTGTAAAGAGCTGGCGGTACAGAGGAACAAGCCCCCAGCTGAGGGGTGTGTGAA
TCGGACAGCCTCCAGCAGAGGTGTGGGAGCTGCAGCTGAGGGAAGAAGAGACAATCGGCCTGGA
CACTCAGGAGGGTCAAAGGAGACTTGGTTCGCACTCATCCTGCCACCCCCAGAATGCATCCT
GCCTCATCAGGTCCAGATTTCTTTCCAAGGCGGACGTTTTCTGTGGAATTCTTAGTCCCTTGGCC
TCGGACACCTTCAATTCGTTAGCTGGGGAGTGGTGGTGAGGCAGTGAAGAAGAGGCGGATGGTCAC
ACTCAGATCCACAGAGCCCAGGATCAAGGGACCCACTGCAGTGGCAGCAGGACTGTTGGGCCCCC
ACCCCAACCTGCACAGCCCTCATCCCCCTCTTGGCTTGAGCCGTCAGAGGCCCTGTGCTGAGTGT
CTGACCGAGACACTCACAGCTTTGTTCATCAGGGCACAGGCTTCCTCGGAGCCAGGATGATCTGTG
CCACGCTTGACCTCGGGCCCATCTGGGCTCATGCTCTCTCTCTGCTATTGAATTAGTACCTAG
CTGCACACAGTATGTAGTTACCAAAGAATAAACGGCAATAATTGAGAAAAAAA

FIGURE 140

MRLGSGTFATCCVAIEVLGIAVFLRGFFPAPVRSSARAEGHGAEPPEPSAGASSNWTTLPPPLF
SKVVIVLIDALRDDFVFGSKGVKFMPTTYLVEKGASHSFVAEAKPPTVTMPRIKALMTGSLPGF
VDVIRNLNSPALLEDSEVIRQAKAAGKRIVFYGDETWVKLFPKHFVEYDGTTSFFVSDYTEVDNNV
TRHLDKVLKRGDWDILILHYLGLDGHIGHISGPN SPLIGQKLSEMDSVLMKIHTSLQSKERETPLP
NLLVLCGDHGMSETGSHGASSTEEVNTPLILISSAFERKPGDIRHPKHVQ

Important features of the protein:

Signal peptide:

amino acids 1-34

Transmembrane domain:

amino acids 58-76

N-glycosylation sites.

amino acids 56-60, 194-198

N-myristoylation sites.

amino acids 6-12, 52-58, 100-106, 125-131, 233-239, 270-276,
275-281, 278-284

Amidation site.

amino acids 154-158

Cell attachment sequence.

amino acids 205-208

FIGURE 141

GGCACGAGGCAAGCCTTCCAGGTTATCGTGACGCACCTTGAAAGTCTGAGAGCTACTGCCCTACA
GAAAGTTACTAGTGCCCTAAAGCTGGCGCTGGCACTGGATGTACTGCTGCTGTTGGAGTACAAC
TCCCTATAGAAAACAACCTGCCAGCACCTTAAGACCACTCACACCTTCAGAGTGAAGAACTTAAAC
CCGAAGAAATTCAGCATTTCATGACCAGGATCACAAAGTACTGGTCCTGGACTCTGGGAATCTCAT
AGCAGTTCCAGATAAAAACTACATACGCCCAGAGATCTTCTTTGCATTAGCCTCATCCTTGAGCT
CAGCCTCTGCGGAGAAAGGAAGTCCGATTCTCCTGGGGGTCTCTAAAGGGGAGTTTTGTCTCTAC
TGTGACAAGGATAAAGGACAAAGTCATCCATCCCTTCAGCTGAAGAAGGAGAACTGATGAAGCT
GGCTGCCCCAAAAGGAATCAGCACGCCGGCCCTTCATCTTTTATAGGGCTCAGGTGGGCTCCTGGA
ACATGCTGGAGTCGGCGGCTCACCCCGGATGGTTCATCTGCACCTCCTGCAATTGTAATGAGCCT
GTTGGGGTGACAGATAAATTTGAGAACAGGAAACACATTGAATTTTCATTTCAACCAGTTTGCAA
AGCTGAAATGAGCCCCAGTGAGGTCAGCGATTAGGAAACTGCCCCATTGAACGCCTTCCTCGCTA
ATTTGAAC TAATTGTATAAAAAACACCAAACCTGCTCACT

FIGURE 142

MLLLLLLEYNFPIENNCQHLKTTHTFRVKNLNPKKFSIHDQDHKVLVLDSGNLIAVPDKNYIRPEI
FFALASSLSSASAEKGSPIILLGVSKGEFCLYCDKDKGQSHPSLQLKKEKLMKLAAQKESARRPFI
FYRAQVGSWNMLESAAHPGWFICTSCNCNEPVGVTDKFENRKHIEFSFQPVCKAEMSPSEVSD

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 33-36

N-myristoylation site.

amino acids 50-55, 87-92

Interleukin-1

amino acids 37-182

FIGURE 143

[illegible]

FIGURE 144

MLGLPWKGGLSWALLLLLLLGSQILLIYAWHFHEQRDCDEHNVMARYLPATVEFAVHTFNQQSKDY
YAYRLGHILNSWKEQVESKTVFSMELLGRTRCGKFEDDIDNCHFQESTELNNTFTCFFTISTRP
WMTQFSLLNKTCLEGFH

Important features of the protein:

Signal peptide:

amino acids 1-25

N-glycosylation sites.

amino acids 117-121, 139-143

N-myristoylation site.

amino acids 9-15

FIGURE 145

CTGTGCAGCTCGAGGCTCCAGAGGCACACTCCAGAGAGAGCCAAGGTTCTGACGCGATGAGGAAG
CACCTGAGCTGGTGGTGGCTGGCCACTGTCTGCATGCTGCTCTTCAGCCACCTCTCTGCGGTCCA
GACGAGGGGCATCAAGCACAGAATCAAGTGGAACCGGAAGGCCCTGCCCAGCACTGCCCAGATCA
CTGAGGCCCAGGTGGCTGAGAACCGCCCGGGAGCCTTCATCAAGCAAGGCCGCAAGCTCGACATT
GACTTCGGAGCCGAGGGCAACAGGTACTACGAGGCCAACTACTGGCAGTTCCCCGATGGCATCCA
CTACAACGGCTGCTCTGAGGCTAATGTGACCAAGGAGGCATTTGTCACCGGCTGCATCAATGCCA
CCCAGGCGGCGAACCAGGGGGAGTTCCAGAAGCCAGACAACAAGCTCCACCAGCAGGTGCTCTGG
CGGCTGGTCCAGGAGCTCTGCTCCCTCAAGCATTGCGAGTTTGGTTGGAGAGGGGCGCAGGACT
TCGGGTCACCATGCACCAGCCAGTGTCTCTGCCTTCTGGCTTTGATCTGGCTCATGGTGAAATA
AGCTTGCCAGGAGGCTGGCAGTACAGAGCGCAGCAGCGAGCAAATCCTGGCAAGTGACCCAGCT
CTTCTCCCCCAAACCCACGCGTGTCTGAAGGTGCCCAGGAGCGGCGATGCACTCGCACTGCAAA
TGCCGCTCCACGTATGCGCCCTGGTATGTGCCTGCGTTCTGATAGATGGGGGACTGTGGCTTCT
CCGTCACTCCATTCTCAGCCCCTAGCAGAGCGTCTGGCACACTAGATTAGTAGTAAATGCTTGAT
GAGAAGAACACATCAGGCACTGCGCCACCTGCTTCACAGTACTTCCCAACAACCTCTTAGAGGTAG
GTGTATTCCCGTTTTACAGATAAGGAACTGAGGCCCAGAGAGCTGAAGTACTGCACCCAGCATC
ACCAGCTAGAAAGTGGCAGAGCCAGGATTCAACCCTGGCTTGTCTAACCCAGGTTTTCTGCTCT
GTCCAATTCCAGAGCTGTCTGGTGATCACTTTATGTCTCACAGGGACCCACATCCAACATGTAT
CTCTAATGAAATTGTGAAAGCTCCATGTTTAGAAATAAATGAAAACACCTGA

FIGURE 146

MRKHLSWWLATVCMLLFSHLSAVQTRGIKHRIKWNRKALPSTAQITEAQVAENRPGAFIKQGRK
LDIDFGAEGNRYYEANYWQFPDGIHYNGCSEANVTKEAFVTGCINATQAANQGEFQKPDNKLHQQ
VLWRLVQELCSLKHCEFWLERGAGLRVTMHQPVLCLLALIWLMMVK

Important features of the protein:

Signal peptide:

amino acids 1-26

Transmembrane domain:

amino acids 157-171

N-glycosylation sites.

amino acids 98-102, 110-114

Tyrosine kinase phosphorylation site.

amino acids 76-83

N-myristoylation sites.

amino acids 71-77, 88-94, 93-99, 107-113, 154-160

Amidation site.

amino acids 62-66

FIGURE 147

GCCTTGGCCTCCCAAAGGGCTGGGATTATAGGCGTGACCACCATGTCTGGTCCAGAGTCTCATTT
CCTGATGATTTATAGACTCAAAGAAAACTCATGTCAGAAGCTCTCTTCTCTTCTGGCCTCCTCT
CTGTCTTCTTTCCCTCTTTCTTCTTATTTTAATTAGTAGCATCTACTCAGAGTCATGCAAGCTGG
AAATCTTTCATTTTGCTTGTCAGTGGGGTAGGTCAGTCTTAGTTTTATTTTTGAAATTT
CAACTTTCAGATTCAGGGGTACATGTGAAGGTTTGTTTTATGAGTATATTGCATTGATGCTGAGG
TTTGGGGT

FIGURE 148

MFRSSLLFWPPLCLLSLFLILISSIYSESKLEIFHFACQWGRSLSLSFYFLKFQLSDSGGTCE
GLFYEYIA

Important features of the protein:

Signal peptide:

amino acids 1-25

N-myristoylation site.

amino acids 62-68

FIGURE 149

GTCTCCGCGTCACAGGAACCTTCAGCACCCACAGGGCGGACAGCGCTCCCCTCTACCTGGAGACTTGAC
TCCCGCGCGCCCCAACCCCTGCTTATCCCTTGACCGTCGAGTGTGACAGATCCTGCAGCCGCCAGTCC
CGGCCCCCTCTCCCGCCCCACACCCACCCTCCTGGCTCTTCTGTCTTTTACTCCTCCTTTTCATTGATA
ACAAAAGCTACAGCTCCAGGAGCCCAGCGCCGGGCTGTGACCCAAGCCGAGCGTGGAAGAATGGGGTT
CCTCGGGACCGGCACTTGGATTCTGGTGTAGTGCTCCCGATTCAAGCTTTCCCCAAACCTGGAGGAA
GCCAAGACAAATCTCTACATAATAGAGAATTAAGTGCAGAAAGACCTTTGAATGAACAGATTGCTGAA
GCAGAAGAAGACAAGATTAAAAAACATATCCTCCAGAAAAACAAGCCAGGTGAGAGCAACTATTCTTT
TGTGATAACTTGAACCTGCTAAAGGCAATAACAGAAAAGGAAAAAATTGAGAAAGAAAGACAATCTA
TAAGAAGCTCCCCACTTGATAATAAGTTGAATGTGGAAGATGTTGATTCAACCAAGAATCGAAAACCTG
ATCGATGATTATGACTCTACTAAGAGTGGATTGGATCATAAATTTCAAGATGATCCAGATGGTCTTCA
TCAACTAGACGGGACTCCTTTAACCGCTGAAGACATTGTCCATAAAATCGCTGCCAGGATTTATGAAG
AAAATGACAGAGCCGTGTTTGACAAGATTGTTTCTAAACTACTTAATCTCGGCCTTATCACAGAAAGC
CAAGCACATACACTGGAAGATGAAGTAGCAGAGGTTTACAAAAATTAATCTCAAAGGAAGCCAACAA
TTATGAGGAGGATCCCAATAAGCCACAAGCTGGACTGAGAATCAGGCTGGAAAAATACCAGAGAAAG
TGACTCCAATGGCAGCAATTCAAGATGGTCTTGCTAAGGGAGAAAAACGATGAAACAGTATCTAACACA
TTAACCTTGACAAATGGCTTGGAAGGAGAACTAAAACCTACAGTGAAGACAACCTTTGAGGAACTCCA
ATATTTCCCAAAATTTCTATGCGCTACTGAAAAGTATTGATTGAGAAAAAGAAGCAAAAGAGAAAGAAA
CACTGATTACTATCATGAAAACACTGATTGACTTTGTGAAGATGATGGTGAAATATGGAACAATATCT
CCAGAAGAAGGTGTTTCCTACCTTGAAAACCTGGATGAAATGATTGCTCTTCAGACCAAAAACAAGCT
AGAAAAAATGCTACTGACAATATAAGCAAGCTTTTCCAGCACCATCAGAGAAGAGTCATGAAGAAA
CAGACAGTACCAAGGAAGAAGCAGCTAAGATGGAAAAGGAATATGGAAGCTTGAAGGATTCCACAAAA
GATGATAACTCCAACCCAGGAGGAAAGACAGATGAACCCAAAGGAAAAACAGAAGCCTATTTGGAAGC
CATCAGAAAAAATATTGAATGGTTGAAGAAACATGACAAAAAGGGAAATAAAGAAGATTATGACCTTT
CAAAGATGAGAGACTTCATCAATAAACAAGCTGATGCTTATGTGGAGAAAGGCATCCTTGACAAGGAA
GAAGCCGAGGCCATCAAGCGCATTTATAGCAGCCTGTAAAAATGGCAAAGATCCAGGAGTCTTTCAA
CTGTTTCAGAAAAACATAATATAGCTTAAACACTTCTAATTCTGTGATTAAATTTTTTGACCCAAGG
GTTATTAGAAAGTGCTGAATTTACAGTAGTTAACCTTTTACAAGTGGTTAAACATAGCTTTCTTCCC
GTAAAAACTATCTGAAAGTAAAGTTGTATGTAAGCTGAAAAAAAAAAAAAAAAAAAAA

FIGURE 150

MGFLGTGTWILVLVLP IQAFPKPGGSQDKSLHNRELSAERPLNEQIAEAEEDKIKKTYPPENKPG
QSNYSFVDNLNLLKAITEKEKIEKERQSIRSSPLDNKLNVEDVDSTKNRKLIDDYDSTKSGLDHK
FQDDPDGLHQLDGTP LTAEDIVHKIAARIYEENDRAVFDKIVSKLLNLGLITESQAHTLEDEVAE
VLQKLISKEANNYEEDPNKPTSWTENQAGKIPKVT PMAAIQDGLAKGENDET VSNLT LTLTNGLE
RRTKTYS EDNFEELQYFPNFYALLKSIDSEKEAKEKETLITIMKTLIDFVKMMVKYGTISP EEGV
SYLENLDEMIALQTKNKLEKNATDNISKLF P PSEK SHEETDSTKEEAAKMEKEYGSLKDSTKDD
NSNPGGKTDEPKGKTEAYLEAIRKNIEWLKKHDKKGNKEDYDLSKMRDFINKQADAYVEKGILDK
EEAEAIKRIYSSL

N-glycosylation sites:

amino acids 68-71, 346-349, 350-353

Casein kinase II phosphorylation site:

amino acids 70-73, 82-85, 97-100, 125-128, 147-150, 188-191, 217-
220, 265-268, 289-292, 305-308, 320-323, 326-329, 362-365, 368-
341, 369-372, 382-385, 386-389, 387-390

N-myristoylation sites:

amino acids 143-148, 239-244

FIGURE 151

CGGCTCGAGGCTCCCGCCAGGAGAAAGGAACATTCTGAGGGGAGTCTACACCCTGTGGAGCTCAA
GATGGTCCTGAGTGGGGCGCTGTGCTTCCGAATGAAGGACTCGGCATTGAAGGTGCTTTATCTGC
ATAATAACCAGCTTCTAGCTGGAGGGCTGCATGCAGGGAAGGTCATTAAAGGTGAAGAGATCAGC
GTGGTCCCCAATCGGTGGCTGGATGCCAGCCTGTCCCCCGTCATCCTGGGTGTCCAGGGTGGAAG
CCAGTGCCTGTATGTGGGGTGGGGCAGGAGCCGACTCTAACACTAGAGCCAGTGAACATCATGG
AGCTCTATCTTGGTGCCAAAGGAATCCAAGAGCTTCACCTTCTACCGGCGGGACATGGGGCTCACC
TCCAGCTTCGAGTGGCTGCCTACCCGGGCTGGTTCCTGTGCACGGTGCCTGAAGCCGATCAGCC
TGTCAGACTCACCCAGCTTCCCGAGAATGGTGGCTGGAATGCCCCCATCACAGACTTCTACTTCC
AGCAGTGTGACTAGGGCAACGTGCCCCCAGAACTCCCTGGGCAGAGCCAGCTCGGGTGAGGGGT
GAGTGGAGGAGACCCATGGCGGACAATCACTCTCTCTGCTCTCAGGACCCCCACGTCTGACTTAG
TGGGCACCTGACCACTTTGTCTTCTGGTTCCTCAGTTTGGATAAATCTGAGATTTGGAGCTCAGT
CCACGGTCTTCCCCACTGGATGGTGTCTACTGCTGTGGAACCTTGTA AAAAACCATGTGGGGTAAA
CTGGGAATAACATGAAAAGATTCTGTGGGGGTGGGGTGGGGGAGTGGTGGAATCATTCTGTCT
TAATGGTAAGTACAAAGTGTACCCCTGAGCCCCGAGGCCAACCCATCCCCAGTTGAGCCTTATA
GGGTGAGTGTCTCCACATGAAGTCTGTCACTCACCCTGTGCAGGAGAGGGAGGTGGTGCATA
GAGTCAGGGATCTATGGCCCTTGGCCCAGCCCCACCCCTTCCCTTTAATCCTGCCACTGTCTATA
TGCTACCTTTCTATCTCTTCCCTCATCATCTTGTGTGGGCATGAGGAGGTGGTGATGTGAGAA
GAAATGGCTCGAGCTCAGAAGATAAAAGATAAGTAGGGTATGCTGATCCTCTTTTAAAAACCCAA
GATACAATCAAAATCCAGATGCTGGTCTCTATTCCCATGAAAAGTGTCTATGACATATTGAGA
AGACCTACTTACAAAGTGGCATATATTGCAATTTATTTTAAATTAAGATAACCTATTTATATAT
TCTTTATAGAAAAAGTCTGGAAGAGTTTACTTCAATTGTAGCAATGTGAGGGTGGTGGCAGTAT
AGGTGATTTTTCTTTTAAATCTGTAAATTTATCTGTATTTCCTAATTTTTCTACAATGAAGATGA
ATTCTTGTATAAAAAATAAGAAAAGAAATTAATCTTGAGGTAAGCAGAGCAGACATCATCTCTGA
TTGTCTCAGCCTCCACTTCCCAGAGTAAATTCAAATTGAATCGAGCTCTGCTGCTCTGGTTGG
TTGTAGTAGTGATCAGGAAACAGATCTCAGCAAAGCCACTGAGGAGGAGGCTGTGCTGAGTTTGT
GTGGCTGGAATCTCTGGGTAAAGGAACCTAAAGAACA AAAATCATCTGGTAATTTCTTCTAGAA
GATCACAGCCCCCTGGGATTCCAAGGCATTGGATCCAGTCTCTAAGAAGGCTGCTGTACTGGTTGA
ATTGTGTCCCCCTCAAATTCACATCCTTCTTGAATCTCAGTCTGTGAGTTTATTTGGAGATAAG
GTCTCTGCAGATGTAGTTAGTTAAGACAAGGTCTGCTGGATGAAGGTAGACCTAAATTCAATAT
GACTGGTTTCTTGTATGAAAAGGAGAGGACACAGAGACAGAGGAGACGCGGGGAAGACTATGTA
AAGATGAAGGCAGAGATCGGAGTTTTCAGCCACAAGCTAAGAAACACCAAGGATTGTGGCAACC
ATCAGAACTTGGAAAGAGGCAAGAAGAAATCTTCCCTAGAGGCTTTAGAGGGATAACGGCTCTG
CTGAAACCTTAATCTCAGACTTCAGCCTCCTGAACGAAGAAAGAAATAATTTGGGCTGTTTTAA
GCCACCAAGGATAATTGGTTACAGCAGCTCTAGGAACTAATACAGCTGCTAAAATGATCCCTGT
CTCCTCGTGTTTACATTTCTGTGTGTGTCCTTCCCAATGTACCAAAGTTGTCTTTGTGACCAA
TAGAATATGGCAGAAGTGATGGCATGCCACTTCCAAGATTAGGTTATAAAAGACACTGCAGCTTC
TACTTGAGCCCTCTCTCTCTGCCACCCACCGCCCCCAATCTATCTTGGCTCACTCGCTCTGGGGG
AAGCTAGCTGCCATGCTATGAGCAGGCCTATAAAGAGACTTACGTGGTAAAAAATGAAGTCTCCT
GCCCACAGCCACATTAGTGAACCTAGAAGCAGAGACTCTGTGAGATAATCGATGTTTGTGTTTT
AAGTTGCTCAGTTTTGGTCTAACTTGTTATGCAGCAATAGATAAATAATATGCAGAGAAAGAG

FIGURE 152

MVLSGALCFRMKDSALKVLYLHNNQLLAGGLHAGKVIKGEESISVVPNRWLDASLSPVILGVQGG
QCLSCGVGQEPTLTLEPVNIMELYLGAKESKSFTFYRRDMGLTSSFESAAYPGWFLCTVPEADQP
VRLTQLPENGGWNAPITDFYFQQCD

N-myristoylation sites.

amino acids 29-34, 30-35, 60-65, 63-68, 73-78, 91-96, 106-111

Interleukin-1 signature.

amino acids 111-131

Interleukin-1 proteins.

amino acids 8-29, 83-120, 95-134, 64-103

FIGURE 153

CTTCAGAACAGGTTCTCCTTCCCCAGTCACCAGTTGCTCGAGTTAGAATTGTCTGCAATGGCCGC
CCTGCAGAAATCTGTGAGCTCTTTCCCTTATGGGGACCCTGGCCACCAGCTGCCTCCTTCTCTTGG
CCCTCTTGGTACAGGGAGGAGCAGCTGCGCCCATCAGCTCCCAGTGCAGGCTTGACAAGTCCAAC
TTCCAGCAGCCCTATATCACCAACCGCACCTTCATGCTGGCTAAGGAGGCTAGCTTGGCTGATAA
CAACACAGACGTTTCGTCTCATTGGGGAGAACTGTTCCACGGAGTCAGTATGAGTGAGCGCTGCT
ATCTGATGAAGCAGGTGCTGAACTTACCCTTGAAGAAGTGCTGTTCCCTCAATCTGATAGGTTT
CAGCCTTATATGCAGGAGGTGGTGCCCTTCCTGGCCAGGCTCAGCAACAGGCTAAGCACATGTCA
TATTGAAGGTGATGACCTGCATATCCAGAGGAATGTGCAAAGCTGAAGGACACAGTGAAAAAGC
TTGGAGAGAGTGGAGAGATCAAAGCAATTGGAGAACTGGATTTGCTGTTTATGTCTCTGAGAAAT
GCCTGCATTTGACCAGAGCAAAGCTGAAAAATGAATAACTAACCCCTTTCCCTGCTAGAAATAA
CAATTAGATGCCCCAAAGCGATTTTTTTTTAACCAAAGGAAGATGGGAAGCCAAACTCCATCATG
ATGGGTGGATTCCAAATGAACCCCTGCGTTAGTTACAAAGGAAACCAATGCCACTTTTGTTTATA
AGACCAGAAGGTAGACTTTCTAAGCATAGATATTTATTGATAACATTTTCATTGTAAGTGGTGTTT
TATACACAGAAAACAATTTATTTTTTAAATAATTGTCTTTTCCATAAAAAAGATTACTTTCCAT
TCCTTTAGGGGAAAAAACCCTAAATAGCTTCATGTTCCATAATCAGTACTTTATATTTATAAA
TGTATTTATTATTATTATAAGACTGCATTTTATTTATATCATTTTATTAATATGGATTTATTTAT
AGAAACATCATTCGATATTGCTACTTGAGTGTAAGGCTAATATTGATATTTATGACAATAATTAT
AGAGCTATAACATGTTTATTTGACCTCAATAAACACTTGGATATCCC

FIGURE 154

MAALQKSVSSFLMGTLATSCLLLLALLVQGGAAAPISSHCRLDKSNFQQPYITNRTFMLAKEASL
ADNNTDVRLIGEKLFHGVSMSERCYLMKQVLNFTLEEVLFPPQSDRFQPYMQEVVPFLARLSNRLS
TCHIEGDDLHIQRNVQKLKDTVKKLGESGEIKAIGELDLLFMSLRNACI

Important features of the protein:

Signal peptide:

amino acids 1-33

N-glycosylation sites.

amino acids 54-58, 68-72, 97-101

N-myristoylation sites.

amino acids 14-20, 82-88

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 10-21

FIGURE 155

GGCTTGCTGAAAAATAAAATCAGGACTCCTAACCTGCTCCAGTCAGCCTGCTTCCACGAGGCCTGT
CAGTCAGTGCCCGACTTGTGACTGAGTGTGCAGTGCCCGAGCATGTACCAGGTCAGTGCAGAGGGC
TGCTTGAGGGCTGTGCTGAGAGGGAGAGGAGCAGAGATGCTGCTGAGGGTGAGGGAGGCCAAGC
TGCCAGGTTTGGGGCTGGGGGCCAAGTGGAGTGAGAACTGGGATCCCAGGGGGAGGGTGCAGAT
GAGGGAGCGACCCAGATTAGGTGAGGACAGTTCTCTCATTAGCCTTTTCTACAGGTGGTTGCAT
TCTTGGCAATGGTCATGGGAACCCACACCTACAGCCACTGGCCCAGCTGCTGCCCCAGCAAAGGG
CAGGACACCTCTGAGGAGCTGCTGAGGTGGAGCACTGTGCCTGTGCCTCCCCTAGAGCCTGCTAG
GCCCCAACCGCCACCCAGAGTCCTGTAGGGCCAGTGAAGATGGACCCCTCAACAGCAGGGCCATCT
CCCCCTGGAGATATGAGTTGGACAGAGACTTGAACCGGCTCCCCAGGACCTGTACCACGCCCGT
TGCTGTGCCCCGCACTGCGTCAGCCTACAGACAGGCTCCACATGGACCCCCGGGGCAACTCGGA
GCTGCTCTACCACAACCAGACTGTCTTCTACAGGCGGCCATGCCATGGCGAGAAGGGCACCCACA
AGGGCTACTGCCTGGAGCGCAGGCTGTACCGTGTTCCTTAGCTTGTGTGTGTGTGCGGCCCCGT
GTGATGGGCTAGCCGGACCTGCTGGAGGCTGGTCCCTTTTGGGAAACCTGGAGCCAGGTGTACA
ACCACTTGCCATGAAGGGCCAGGATGCCAGATGCTTGCCCCCTGTGAAGTGTGTCTGGAGCAG
CAGGATCCCGGGACAGGATGGGGGGCTTTGGGGAAAACCTGCACTTCTGCACATTTTGAAGAG
CAGCTGCTGCTTAGGGCCGCCGAAGCTGGTGTCTGTCAATTTCTCTCAGGAAAGGTTTCAAA
GTTCTGCCCATTTCTGGAGGCCACCACTCCTGTCTCTTCTCTTTTCCCATCCCCTGCTACCCCTG
GCCAGCACAGGCACTTTCTAGATATTTCCCCCTTGCTGGAGAAGAAAGAGCCCCCTGGTTTTATT
TGTTTGTTTACTCATCACTCAGTGAGCATCTACTTTGGGTGCATTCTAGTGTAGTTACTAGTCTT
TTGACATGGATGATTCTGAGGAGGAAGCTGTTATTGAATGTATAGAGATTTATCCAAATAAATAT
CTTTATTTAAAAATGAAAAA

FIGURE 156

MRERPRLGEDSSLISLFLQVVAFLAMVMGHTYSHWPSCCPSKGQDTSEELLRWSTVPVPPLEPA
RPNRHPESCRASEDGPLNSRAISPWRYELDRDLNRLFPQDLYHARCLCPHCVSLQTGSHMDPRGNS
ELLYHNQTVFYRRPCHGEKGTHKGYCLERRLYRVSLACVCVRPRVMG

Important features of the protein:

Signal peptide:

amino acids 1-32

N-glycosylation site.

amino acids 136-140

Tyrosine kinase phosphorylation site.

amino acids 127-135

N-myristoylation sites.

amino acids 44-50, 150-156

FIGURE 157

CCGGCGATGTCGCTCGTGCTGCTAAGCCTGGCCGCGCTGTGCAGGAGCGCCGTACCCCGAGAGCC
GACCGTTCAATGTGGCTCTGAACTGGGCCATCTCCAGAGTGGATGCTACAACATGATCTAATCC
CCGGAGACTTGAGGGACCTCCGAGTAGAACCTGTTACAACCTAGTGTTGCAACAGGGGACTATTCA
ATTTTGATGAATGTAAGCTGGGTACTCCGGGCAGATGCCAGCATCCGCTTGTTGAAGGCCACCAA
GATTTGTGTGACGGGCAAAAGCAACTTCCAGTCCTACAGCTGTGTGAGGTGCAATTACACAGAGG
CCTTCCAGACTCAGACCAGACCCCTCTGGTGGTAAATGGACATTTTCCTACATCGGCTTCCCTGTA
GAGCTGAACACAGTCTATTTTCATTGGGGCCCATAATATTCCTAATGCAAAATATGAATGAAGATGG
CCCTTCCATGTCTGTGAATTTACCTCACCAGGCTGCCTAGACCACATAATGAAATATAAAAAA
AGTGTGTCAAGGCCGGAAGCCTGTGGGATCCGAACATCACTGCTTGTAAGAAGAATGAGGAGACA
GTAGAAGTGAACCTTACAACCACTCCCCTGGGAAACAGATACATGGCTCTTATCCAACACAGCAC
TATCATCGGGTTTTCTCAGGTGTTTGAGCCACACCAGAAGAAACAAACGCGAGCTTCAGTGGTGA
TTCCAGTGACTGGGGATAGTGAAGTGCTACGGTGCAGCTGACTCCATATTTTCCTACTTGTGGC
AGCGACTGCATCCGACATAAAGGAACAGTTGTGCTCTGCCCACAAACAGGCGTCCCTTTCCCTCT
GGATAACAACAAAAGCAAGCCGGGAGGCTGGCTGCCTCTCCTCCTGCTGTCTCTGCTGGTGGCCA
CATGGGTGCTGGTGGCAGGGATCTATCTAATGTGGAGGCACGAAAGGATCAAGAAGACTTCCTTT
TCTACCACCACACTACTGCCCCCATTAAGGTTCTTGTGGTTTACCCATCTGAAATATGTTTCCA
TCACACAATTTGTTACTTCACTGAATTTCTTCAAAACCATTGCAGAAGTGAGGTCATCCTTGAAA
AGTGGCAGAAAAAGAAAATAGCAGAGATGGGTCCAGTGCAGTGGCTTGCCACTCAAAAGAAGGCA
GCAGACAAAGTCGTCTTCCTTCTTTCCAATGACGTCAACAGTGTGTGCGATGGTACCTGTGGCAA
GAGCGAGGGCAGTCCCAGTGAGAACTCTCAAGACCTCTTCCCCCTTGCCCTTTAACCTTTTCTGCA
GTGATCTAAGAAGCCAGATTCTCTGCACAAATACGTGGTGGTCTACTTTAGAGAGATTGATACA
AAAGACGATTACAATGCTCTCAGTGTCTGCCCCAAGTACCACCTCATGAAGGATGCCACTGCTTT
CTGTGCAGAACTTCTCCATGTCAAGCAGCAGGTGTCTCAGCAGGAAAAAGATCACAAGCCTGCCACG
ATGGCTGCTGCTCCTTGTAG

FIGURE 158

MSLVLLSLAALCRSAVPREPTVQCGSETGPSPEWMLQHDLPDGLRDLRVEPVTTTSVATGDYSILMNVS
WRADASIRLLKATKICVTGKSNFQSYSCVRCNYTEAFQTQTRPSGGKWTFSYIGFPVELNTVYFIGAHNIP
NANMNEDGPSMSVNFTSPGCLDHIMKYKKKCVKAGSLWDPNITACKKNEETVEVNFTTTPLGNRYMALIQH
STIIGFSQVFEPHQKKQTRASVVIPVTGDSEGATVQLTPYFPTCGSDCIRHKGTVVLCPTGVPFPLDNNK
SKPGGWLPLLLLSLLVATWVLVAGIYLMWRHERIKTSFSTTLLPPIKVLVVYPSEICFHHTICYFTEFL
QNHCRSEVILEKWQKKKIAEMGPVQWLATQKKAADKVVFLLSNDVNSVCDGTCGKSEGSPSENSQDLFPLA
FNLFCSDLRSQIHLHKYVVVYFREIDTKDDYNALSVCPKYHLMKDATAFCAELLHVKKQVSAGKRSQACHD
GCCSL

Important features of the protein:

Signal peptide:

amino acids 1-14

Transmembrane domain:

amino acids 290-309

N-glycosylation sites.

amino acids 67 - 71, 103 - 107, 156 - 160, 183 - 187, 197 - 201 and 283
- 287

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 228 - 232 and 319 - 323

Casein kinase II phosphorylation sites.

amino acids 178 - 182, 402 - 406, 414 - 418 and 453 - 457

N-myristoylation site.

amino acids 116-122

Amidation site.

amino acids 488-452

FIGURE 159

AGCCACCAGCGCAACATGACAGTGAAGAC¹CCTGCATGGCCCAGCCATGGTCAAGTACTTGCTGCT
GTCGATATTGGGGCTTGCCTTTCTGAGTGAGGCGGCAGCTCGGAAAATCCCCAAAGTAGGACATA
CTTTTTTCCAAAAGCCTGAGAGTTGCCCGCCTGTGCCAGGAGGTAGTATGAAGCTTGACATTGGC
ATCATCAATGAAAACCAGCGCGTTTCCATGTCACGTAACATCGAGAGCCGCTCCACCTCCCCCTG
GAATTACACTGTCACTTGGGACCCCAACCGGTACCCCTCGGAAGTTGTACAGGCCCAAGTGTAGGA
ACTTGGGCTGCATCAATGCTCAAGGAAAGGAAGACATCTCCATGAATTCCGTTCCCATCCAGCAA
GAGACCCTGGTCGTCCGGAGGAAGCACCAGGCTGCTCTGTTTCTTTCCAGTTGGAGAAGGTGCT
GGTGACTGTTGGCTGCACCTGCGTCACCCCTGTCATCCACCATGTGCAGTAAGAGGTGCATATCC
ACTCAGCTGAAGAAG

FIGURE 160

MTVKTLHGPMVKYLLLSILGLAFLSEAAARKIPKVGHTFFQKPESCPPVPGGSMKLDIGIINEN
QRVSMsrNIESRSTSPWNYTvtWDPNRYpSEVVQAQCRNLGCINAQGKEDISMNSVPIQQETLVV
RRKHQGCSVSFQLEKVLVTVGCTCVTPVIHHVQ

Signal sequence:

amino acids 1-30

N-glycosylation site.

amino acids 83-87

N-myristoylation sites.

amino acids 106-111, 136-141

FIGURE 161

ACACTGGCCAAACAAAAACGAAAGCACTCCGTGCTGGAAGTAGGAGGAGAGTCAGGACTCCCAGG
ACAGAGAGTGCACAAACTACCCAGCACAGCCCCCTCCGCCCCCTCTGGAGGCTGAAGAGGGATT
CAGCCCCCTGCCACCCACAGACACGGGCTGACTGGGGTGTCTGCCCCCTTGGGGGGGGGCAGCAC
AGGGCCTCAGGCCTGGGTGCCACCTGGCACCTAGAAGATGCCTGTGCCCTGGTTCTTGCTGTCT
TGGCACTGGGGCCGAAGCCCAGTGGTCTCTTCTCTGGAGAGGCTTGTGGGGCCTCAGGACGCTACC
CACTGCTCTCCGGGCCTCTCCTGCCGCCTCTGGGACAGTGACATACTCTGCCTGCCTGGGGACAT
CGTGCTGCTCCGGGCCCCGTGCTGGCGCCTACGCACCTGCAGACAGAGCTGGTGTCTGAGGTGCC
AGAAGGAGACCGACTGTGACCTCTGTCTGCGTGTGGCTGTCCACTTGGCCGTGCATGGGCACTGG
GAAGAGCCTGAAGATGAGGAAAAGTTTGGAGGAGCAGCTGACTCAGGGGTGGAGGAGCCTAGGAA
TGCTCTCTCCAGGCCCCAAGTCGTGCTCTCCTTCCAGGCCTACCCCTACTGCCCGCTGCGTCTCTGC
TGGAGGTGCAAGTGCTGCTGCCCTTGTGTCAGTTTGGTTCAGTCTGTGGGCTCTGTGGTATATGAC
TGCTTCGAGGCTGCCCTAGGGAGTGAGGTACGAATCTGGTCTATACTCAGCCCAGGTACGAGAA
GGAACCTCAACCACACACAGCAGCTGCCTGCCCTGCCCTGGCTCAACGTGTGAGCAGATGGTGACA
ACGTGCATCTGGTTCTGAATGTCTCTGAGGAGCAGCACTTCGGCCTCTCCCTGTACTGGAATCAG
GTCCAGGGCCCCCCCCAAAACCCCGGTGGCACAAAAACCTGACTGGACCGCAGATCATTACCTTGAA
CCACACAGACCTGGTTCCCTGCCTCTGTATTGAGGTGTGGCCTCTGGAACCTGACTCCGTTAGGA
CGAACATCTGCCCTTCAGGGAGGACCCCCGCGCACACCAGAACCTCTGGCAAGCCGCCCCGACTG
CGACTGCTGACCTGCAGAGCTGGCTGCTGGACGCACCGTGCTCGCTGCCCGCAGAAGCGGCACT
GTGCTGGCGGGCTCCGGGTGGGGACCCCTGCCAGCCACTGGTCCCACCGCTTTCCTGGGAGAACG
TCACTGTGGACAAGGTTCTCGAGTTCCCATTTGCTGAAAGGCCACCCTAACCTCTGTGTTTCAAGTG
AACAGCTCGGAGAAGCTGCAGCTGCAGGAGTGCTTGTGGGCTGACTCCCTGGGGCCTCTCAAAGA
CGATGTGCTACTGTTGGAGACACGAGGCCCCCAGGACAACAGATCCCTCTGTGCCCTTGGAAACCA
GTGGCTGTACTTCACTACCCAGCAAAGCCTCCACGAGGGCAGCTCGCCTTGGAGAGTACTTACTA
CAAGACCTGCAGTCAGGCCAGTGTCTGCAGCTATGGGACGATGACTTGGGAGCGCTATGGGCCTG
CCCCATGGACAAATACATCCACAAGCGCTGGGCCCTCGTGTGGCTGGCCTGCCTACTCTTTGCCG
CTGCGCTTTCCCTCATCCTCCTTCTCAAAAAGGATCACGCGAAAGGGTGGCTGAGGCTCTTGAAA
CAGGACGTCCGCTCGGGGGCGGGCCGACAGGGGCCGCGCGCTCTGCTCCTCTACTCAGCCGATGA
CTCGGGTTTCGAGCGCCTGGTGGGCGCCCTGGCGTCGGCCCTGTGCCAGCTGCCGCTGCGCGTGG
CCGTAGACCTGTGGAGCCGTGCTGAAGTGAAGCGCAGGGGCCCGTGGCTTGGTTTACGCGCAG
CGGCGCCAGACCTGTCAGGAGGGCGGCGTGGTGGTCTTGTCTTCTCTCCCGGTGCGGTGGCGCT
GTGCAGCGAGTGGCTACAGGATGGGGTGTCCGGGCCCGGGGCGCACGGCCCCGACGACGCTTCC
GCGCCTCGCTCAGCTGCGTGTGCCGACTTCTTGCAGGGCCGGGCGCCCGGCAGCTACGTGGGG
GCCTGCTTCGACAGGCTGCTCCACCCGGACGCGGTACCCGCCCTTTTCGCGACCGTGCCCGTCTT
CACACTGCCCTCCCAACTGCCAGACTTCTTGGGGGCCCTGCAGCAGCCTCGCGCCCCGCGTTCG
GGCGGCTCCAAGAGAGAGCGGAGCAAGTGTCCCGGGCCCTTCAGCCAGCCCTGGATAGCTACTTC
CATCCCCCGGGGACTCCCGCGCCGGGACGCGGGGTGGGACCAGGGCGGGACCTGGGGCGGGGA
CGGGACTTAAATAAAGGCAGACGCTGTTTTTCTAAAAAA

FIGURE 162

MPVPWFLLSLALGRSPVVLSELERLVGPQDATHCSFGLSCRLWDSILCLPGDIVPAPGPVLAPTHLQTELV
LRCQKETDCDLCLRVAVHLAVHGHWEPEDEEKFGGAADSGVEEPRNASLQAQVVLSTFQAYPTARCVLLEV
QVPAALVQFGQSVGSVVYDCFEAALGSEVRIWSYTPRYEKELNHTQQLPALFWLNVSADGDNVHLVLNVS
EEQHFGLSLYWNQVQGPPKPRWHKNLTGPGQIITLNHTDLVPCLCIQVWPLEPDSVRTNICPFREDPRAHQN
LWQAARLRLLTLQSWLLDAPCSLPAAALCWRAPGGDPCQPLVPPLSWENVTVDKVLEFPLLKGHPNLCVQ
VNSSEKLQEQECLWADSLGPLKDDVLLLETRGPQDNRSLEPSGCTSLPSKASTRAARLGEYLLQDLQS
GQCLQLWDDDLGALWACPMCKYIHKRWALVWLACILFAAALSLILLKKDHAKGWLRLKQDVRSGAAARG
RAALLYSADDSGFERLVGALASALCQLPLRVAVDLWSRRELSAQGPVAFHQRRTLQEGGVVLLFSP
GAVALCSEWLQDGVSGFGAHGPHDAFRASLSCVLPDFLQGRAPGSYVGACFDRLHHPDAVPALFRTVPVFT
LPSQLPDLFGALQPPRAPRSGRLQERAEQVSRALQPALDSYFHPPGTPAPGRGVGPGAGPGAGDGT

Signal sequence:

amino acids 1-20

Transmembrane domain.

amino acids 453-475

N-glycosylation sites.

amino acids 118-121, 186-189, 198-201, 211-214, 238-241, 248-251,
334-337, 357-360, 391-394

Glycosaminoglycan attachment site.

amino acids 583-586

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 552-555

N-myristoylation sites.

amino acids 107-112, 152-157, 319-324, 438-443, 516-521, 612-617,
692-697, 696-701, 700-705

FIGURE 163

GGGAGGGCTCTGTGCCAGCCCCGATGAGGACGCTGCTGACCATCTTGACTGTGGGATCCCTGGCT
GCTCAGGCCCTGAGGACCCCTCGGATCTGCTCCAGCACGTGAAATTCAGTCCAGCAACTTTGA
AAACATCCTGACGTGGGACAGCGGGCCAGAGGGCACCCAGACACGGTCTACAGCATCGAGTATA
AGACGTACGGAGAGAGGGACTGGGTGGCAAAGAAGGGCTGTCAGCGGATCACCCGGAAGTCTGC
AACCTGACGGTGGAGACGGGCAACCTCACGGAGCTCTACTATGCCAGGGTCACCGCT
GTCAGTGCAGGGAGGCCGGTCAGCCACCAAGATGACTGACAGGTTGAGTCTCTGACGACACTAC
CCTCAAGCCACCTGATGTGACCTGTATCTCCAAAGTGAGATCGATTGAGATGATTGTTTCATCCTA
CCCCCAGCCCAATCCGTGCAGGCGATGGCCACCGGCTAACCTTGAAGACATCTTCCATGACCTG
TTCTACCACTTAGAGCTCCAGGTCAACCGCACCTACCAAATGCACCTTGGAGGGAAGCAGAGAGA
ATATGAGTTCTTCGGCTGACCCCTGACACAGAGTTCCCTTGGCACCATCATGATTGCGTTCCCA
CCTGGGCCAAGGAGAGTGGCCCTACATGTGCCGAGTGAAGACACTGCCAGACCGGACATGGACC
TACTCCTTCTCCGGAGCCTTCTGTTCCTATGGGCTTCTCGTCGAGTACTCTGCTACCTGAG
CTACAGATATGTCACCAAGCCGCCTGCACCTCCCAACTCCCTGAACGTCCAGCGAGTCTGACTT
TCCAGCCGCTGCGCTTCATCCAGGAGCACGTCTGATCCCTGTCTTTGACCTCAGCGGCCCCAGC
AGTCTGGCCCAGCCTGTCCAGTACTCCAGATCAGGGTGTCTGGACCCAGGGAGCCCCGAGGAGC
TCCACAGCGGCATAGCCTGTCCGAGATCACCTACTTAGGGCAGCCAGACATCTCCATCCTCCAGC
CCTCCAACGTGCCACCTCCCCAGATCCTCTCCCCACTGTCTATGCCCCAAACGTGCCCCCTGAG
GTCGGGCCCCCATCTATGCACCTCAGGTGACCCCCGAAGCTCAATTCCCATTCTACGCCCCACA
GGCCATCTCTAAGGTCCAGCCTTCTCCTATGCCCCCTCAAGCCACTCCGGACAGCTGGCCTCCCT
CCTATGGGGTATGCATGGAAGGTTCTGGCAAAGACTCCCCCACTGGGACACTTTCTAGTCTAAA
CACCTTAGGCCATAAGGTGAGCTTCAGAAAGAGCCACCAGCTGGAAGCTGCATGTTAGGTGGCCT
TTCTCTGCAGGAGGTGACCTCCTTGGCTATGGAGGAATCCCAAGAAGCAAAATCATTCACCCAGC
CCCTGGGGATTTGCACAGACAGAACATCTGACCCAAATGTGCTACACAGTGGGGAGGAAGGACA
CCACAGTACCTAAAGGGCCAGCTCCCCCTCCTCTCCTCAGTCCAGATCGAGGGCCACCCCATGTC
CCTCCCTTTGCAACCTCCTTCCGGTCCATGTTCCCCCTCGGACCAAGGTCCAAGTCCCTGGGGCC
TGCTGGAGTCCCTTGTGTGTCCCAAGGATGAAGCCAAGAGCCCAGCCCCGAGACCTCAGACCTG
GAGCAGCCCACAGAAGTGGATTCTCTTTTCAGAGGCCTGGCCCTGACTGTGAGTGGGAGTCTG
AGGGGAATGGGAAAGGCTTGGTGCTTCCCTCCCTGTCCCTACCCAGTGTACATCCTTGGCTGTCA
ATCCCATGCCTGCCCATGCCACACACTCTGCGATCTGGCCTCAGACGGGTGCCCTTGAGAGAAGC
AGAGGGAGTGGCATGCAGGGCCCCCTGCCATGGGTGCGCTCCTCACCGGAACAAAGCAGCATGATA
AGGACTGCAGCGGGGGAGCTCTGGGGAGCAGCTTGTGTAGACAAGCGCGTGTCTGCTGAGCCCTG
CAAGGCAGAAATGACAGTGAAGGAGGAAATGCAGGGAACTCCCGAGGTCCAGAGCCCCACCTC
CTAACACCATGGATTCAAAGTGCTCAGGGAATTTGCCTCTCCTTGCCCCATTCTTGCCAGTTC
ACAATCTAGCTCGACAGAGCATGAGGCCCCCTGCCTCTTCTGTATTGTTCAAAGGTGGGAAGAGA
GCCTGGAAAAGAACCAGGCCTGGAAAAGAACCAGAAGGAGGCTGGGCAGAACCAAGAACCTGC
ACTTCTGCCAAGGCCAGGGCCAGCAGGACGGCAGGACTCTAGGGAGGGGTGTGGCCTGCAGCTCA
TTCCCAGCCAGGGCAACTGCCTGACGTTGCACGATTTGAGCTTCATTCCTCTGATAGAACAAAGC
GAAATGCAGGTCCACCAGGGAGGGAGACACACAAGCCTTTTCTGCAGGCAGGAGTTTCAGACCCT
ATCCTGAGAATGGGGTTTGAAGGAAGGTGAGGGCTGTGGCCCCCTGGACGGGTACAATAACACAC
TGTAATGATGTCAAACTTTGCAAGCTCTGCCTTGGGTTTCAGCCCATCTGGGCTCAAATTCAGC
CTCACCCTCACAAGCTGTGTGACTTCAAACAAATGAAATCAGTGCCAGAACCTCGGTTTCCTC
ATCTGTAATGTGGGGATCATAACACCTACCTCATGGAGTTGTGGTGAAGATGAAATGAAGTCATG
TCTTTAAAGTGCTTAATAGTGCTGTTACATGGGCAGTGCCCAATAAACGGTAGCTATTTAAAAA
AAAAAAA

FIGURE 164

MRTLLTILTVGSLAAHAPEDPSDLLQHVKFQSSNFENILTWDSGPEGTPDTVYSIEYKTYGERDW
VAKKGCQRITRKSCNLTVETGNLTLEYARVTAVSAGGRSATKMTDRFSSLQHTTLKPPDVTCTIS
KVRSIQMIVHPTPTPIRAGDGHRLTLEDIFHDLFYHLELQVNRTYQMHLGGKQREYEFFGLTPDT
EFLGTIMICVPTWAKESAPYMCRVKTLPDRTWTYSFSGAFLESMGFLVAVLCYLSYRYVTKPPAP
PNSLNVQRVLTFAQPLRFIQEHVLI PVFDLSGPSSLAQPVQYSQIRVSGPREPAGAPQRHSLSEIT
YLGQPDISILQPSNVPPPQILSPLSYAPNAAPEVGPPSYAPQVTPEAQFPFYAPQAISKVQPSSY
APQATPDSWPPSYGVCMEGSGKDSPTGTLSSPKHLRPKGQLQKEPPAGSCMLGGLSLQEVTSLAM
EESQEAQSLHQPLGICTDRTSDPNVLHSGEETGPQYLKGQLPLLSSVQIEGHPMSLPLQPPSGPC
SPSDQGPSPWGLLESVCPKDEAKSPAPETSDLEQPTELDSLFRGLALTVQWES

Signal sequence.

amino acids 1-17

Transmembrane domain.

amino acids 233-250

N-glycosylation sites.

amino acids 80-83, 87-90, 172-175

N-myristoylation sites.

amino acids 11-16, 47-52, 102-107, 531-536, 565-570

FIGURE 165

TGGCCTACTGGAAAAAAAAAAAAAAAAAAAAAGTCACCCGGGCCCGCGGTGGCCACAACATGG
CTGCGGCGCCGGGGCTGCTCTTCTGGCTGTTTCGTGCTGGGGGCGCTCTGGTGGGTCCC GGCCAG
TCGGATCTCAGCCACGGACGGCGTTTCTCGGACCTCAAAGTGTGCGGGGACGAAGAGTGCAGCAT
GTTAATGTACCGTGGGAAAGCTCTTGAAGACTTCACGGGCCCTGATTGTGTTTTGTGAATTTTA
AAAAAGGTGACGATGTATATGTCTACTACAACTGGCAGGGGGATCCCTTGAACTTTGGGCTGGA
AGTGTGTAACACAGTTTTGGATATTTCCAAAAGATTTGATCAAGGTACTTCATAAATACACGGA
AGAAGAGCTACATATTCCAGCAGATGAGACAGACTTTGTCTGCTTTGAAGGAGGAAGAGATGATT
TTAATAGTTATAATGTAGAAGAGCTTTTAGGATCTTTGGAACTGGAGGACTCTGTACCTGAAGAG
TCGAAGAAAGCTGAAGAAGTTTCTCAGCACAGAGAGAAATCTCCTGAGGAGTCTCGGGGGCGTGA
ACTTGACCCTGTGCCTGAGCCCGAGGCATTCAGAGCTGATTCAGAGGATGGAGAAGGTGCTTTCT
CAGAGAGCACCGAGGGGCTGCAGGGACAGCCCTCAGCTCAGGAGAGCCACCCTCACACCAGCGGT
CCTGCGGCTAACGCTCAGGGAGTGCAGTCTTCGTTGGACACTTTTGAAGAAATTCGCACGATAA
ATTGAAAGTGCCGGAAGCGAAAGCAGAACTGGCAATAGTTCTCCTGCCTCGGTGGAGCGGGAGA
AGACAGATGCTTACAAAGTCCTGAAAACAGAAATGAGTCAGAGAGGAAGTGGACAGTGCCTTATT
CATTACAGCAAAGGATTCGTTGGCATCAAATCTAAGTTTGTTTTACAAAGATTGTTTTTAGTA
CTAAGCTGCCTTGGCAGTTTGCATTTTTGAGCCAAACAAAAATATATTATTTCCCTTCTAAGTA
AAAAAAAAAAAAAAAAAAAA

FIGURE 166

MAAAPGLLFWLFVLGALWWVPGQSDLSHGRRFSDLKVCGDEECSMIMYRGKALEDFTGPD CRFVN
FKKGDVVYVYYKLAGGSLELWAGSVEHSFGYFPKDLIKVLHKYTEEELHIPADETDFVCFEGGRD
DFNSYNVEELLGSLELEDVPEESKKAEEVSQHREKSPPEESRGRELDPVPEPEAFRA DSEGE GA
FSESTEGLQGQPSAQESH PHTSGPAANAQGVQSSLDTFEEILHDKLKVP GSESRTGNSSPASVER
EKTDAYKVLKTEMSQRGSGQCVIHYSKGFRWHQNL SLFYKDCF

Important features of the protein:

Signal peptide:

amino acids 1-22

N-glycosylation site.

amino acids 294-298

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 30-34

Tyrosine kinase phosphorylation site.

amino acids 67-76

N-myristoylation sites.

amino acids 205-211, 225-231, 277-283

Amidation site.

amino acids 28-32

FIGURE 167

CCAGGACCAGGGCGCACCGGCTCAGCCTCTCACTTGTGTCAGAGGCCGGGGAAGAGAAGCAAAGCGC
AACGGTGTGGTCCAAGCCGGGGCTTCTGCTTCGCCCTCTAGGACATACACGGGACCCCCTAACTTC
AGTCCCCCAAACGCGCACCCCTCGAAGTCTTGAACCTCCAGCCCCGCACATCCACGCGCGGCACAGG
CGCGGCAGGCGGCAGGTCCCGGCCGAAGGCGATGCGCGCAGGGGGTCCGGGCAGCTGGGGCTCGGGC
GGCGGGAGTAGGGCCCCGGCAGGGAGGCAGGGAGGCTGCATATTAGAGTGCAGGGCTGCGCCCTG
GGCAGAGGCCCGCCCTCGCTCCACGCAACACCTGCTGCTGCCACCGCGCCCGCATGAGCCGCGTGG
TCTCGCTGCTGCTGGGCGCCGCGCTGCTCTGCGGCCACGGAGCCTTCTGCCGCCGCGTGGTCAGC
GGCCAAAAGGTGTGTTTTGCTGACTTCAAGCATCCCTGCTACAAAATGGCCTACTTCCATGAACT
GTCCAGCCGAGTGAGCTTTCAGGAGGCACGCCTGGCTTGTGAGAGTGAGGGAGGAGTCCTCCTCA
GCCTTGAGAATGAAGCAGAACAGAAGTTAATAGAGAGCATGTTGCAAAACCTGACAAAACCCGGG
ACAGGGATTCTGATGGTGATTCTTGGATAGGGCTTGGAGGAATGGAGATGGGCAACATCTGG
TGCCTGCCCAGATCTCTACCAAGTGGTCTGATGGAAGCAATTCCCAGTACCGAACTGGTACACAG
ATGAACCTTCTGCGGAAGTGAAGAGTGTGTTGTGATGTATCACCACCAACTGCCAATCCTGGC
CTTGGGGGTCCCTACCTTTACCAAGTGAATGATGACAGGTGTAACATGAAGCACAATTATATTTG
CAAGTATGAACCAGAGATTAATCCAACAGCCCCGTGAGAAAAGCCTTATCTTACAAATCAACCAG
GAGACACCCATCAGAATGTGGTTGTTACTGAAGCAGGTATAATTCCCAATCTAATTTATGTTGTT
ATACCAACAATACCCCTGCTCTTACTGATACTGGTTGCTTTTGGAACTGTGTTTCCAGATGCT
GCATAAAAGTAAAGGAAGAACAACAACTAGTCCAAACCAGTCTACACTGTGGATTTCAAAGAGTA
GCAGAAAAGAAAGTGGCATGGAAGTATAATAACTCATTGACTTGGTTCCAGAATTTTGTAAATTCT
GGATCTGTATAAGGAATGGCATCAGAACAAATAGCTTGGAAATGGCTTGAAATCACAAAGGATCTGC
AAGATGAAGCTGTAAGCTCCCCCTTGAGGCAAATATTAAGTAATTTTTATATGCTATTATTTCA
TTTTAAAGAATATGCTGTGCTAATAATGGAGTGAGACATGCTTATTTTGTAAAGGATGCACCCAA
ACTTCAAACCTCAAGCAAATGAAATGGACAATGCAGATAAAGTTGTTATCAACAGCTCGGGAGTA
TGTGTGTTAGAAGCAATTCCTTTTATTTCTTTCACCTTTCATAAGTTGTTATCTAGTCAATGTAA
TGTATATTGTATTGAAATTTACAGTGTGCAAAAGTATTTTACCTTTGCATAAGTGTGATAAAA
ATGAAGTGTCTAATATTTATTTTTATGGCATCTCAATTTTCAATACATGCTCTTTTGATTAAAG
AACTTATTACTGTTGTCAACTGAATTCACACACACACAAATATAGTACCATAGAAAAGTTTGT
TTTCTCGAAATAATTCATCTTTTACGCTTCTCTGCTTTTGGTCAATGTCTAGGAAATCTCTTCAGA
AATAAGAAGCTATTTTCAATTAAGTGTGATATAAACCTCCTCAAACATTTTACTTAGAGGCAAGGAT
TGTCTAATTTCAATTGTGCAAGACATGTGCCCTATAAATTATTTTAGCTTAAAATTAAACAGATT
TTGTAATAATGTAACCTTTGTTAATAGGTGCATAAACACTAATGCAGTCAATTTGAACAAAAGAAG
TGACATACACAATATAAATCATATGTCTTCACACGTTGCCCTATATAATGAGAAGCAGCTCTCTGA
GGGTTCTGAAATCAATGTGGTCCCTCTCTTGCCCACTAAACAAAGATGGTTGTTGGGGTTTGGG
ATTGACACTGGAGGCAGATAGTTGCAAAGTTAGTCTAAGGTTTCCCTAGCTGTATTTAGCCTCTG
ACTATATTAGTATACAAAGAGGTCATGTGGTTGAGACCAGGTGAATAGTCACTATCAGTGTGGAG
ACAAGCACAGCACACAGACATTTTAGGAAGGAAAGGAACTACGAAATCGTGTGAAAATGGGTTGG
AACCCTCAGTGATCGCATATTCAATTGATGAGGGTTTGCTTGAGATAGAAAATGGTGGCTCCTTT
CTGTCTTATCTCCTAGTTTCTTCAATGCTTACGCCCTGTTCTTCTCAAGAGAAAAGTTGTAACCTCT
CTGGTCTTCATATGTCCCTGTGCTCCTTTTAACCAAATAAAGAGTTCTTGTCTTGGGGGAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 168

MSRVVSLLLGAALLCGHGAFCCRVSQKVCFADFKHPCYKMAYFHELSSRVSFQEARLACESE
GGVLLSLENEAEQKLIESMLQNLTKEPTGISDGDGFWIGLWRNGDGTSGACPDLYQWSDGSNSQ
YRNWYTDEPSCGSEKCVVMYHQPTANPGLGGPYLYQWDDRCNMKHNKYCKYEPEINPTAPVEK
PYLTNQPGDTHQNVVVTEAGIIPNLIYVVIPTIPLLLLILVAFGTCCFQMLHKSKGRKTSPNQ
STLWISKSTRKESGMEV

Important features of the protein:

Signal peptide:

amino acids 1-21

Transmembrane domain:

amino acids 214-235

N-glycosylation sites.

amino acids 86-89, 255-258

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 266-269

N-myristoylation sites.

amino acids 27-32, 66-71, 91-96, 93-98, 102-107, 109-114, 140-
145, 212-217

**SECRETED AND TRANSMEMBRANE
POLYPEPTIDES AND NUCLEIC ACIDS
ENCODING THE SAME**

**CROSS REFERENCE TO RELATED
APPLICATIONS**

[0001] This is a continuation application claiming priority under 35 USC § 120 to U.S. Serial No. 10/006867 Filed Dec. 6, 2001, and which claims priority under 35 USC § 119 to U.S. provisional serial Nos. 60/063,435 Filed Oct. 29, 1997; 60/064,215 Filed Oct. 29, 1997; 60/082,797 Filed Apr. 22, 1998; 60/083,495 Filed Apr. 29, 1998; 60/085,579 Filed May 15, 1998; 60/087,759 Filed Jun. 2, 1998; 60/088,021 Filed Jun. 4, 1998; 60/088,029 Filed Jun. 4, 1998; 60/088,030 Filed Jun. 4, 1998; 60/088,734 Filed Jun. 10, 1998; 60/088,740 Filed Jun. 10, 1998; 60/088,811 Filed Jun. 10, 1998; 60/088,824 Filed Jun. 10, 1998; 60/088,825 Filed Jun. 10, 1998; 60/088,863 Filed Jun. 11, 1998; 60/089,105 Filed Jun. 12, 1998; 60/089,514 Filed Jun. 16, 1998; 60/089,653 Filed Jun. 17, 1998; 60/089,952 Filed Jun. 19, 1998; 60/090,246 Filed Jun. 22, 1998; 60/090,444 Filed Jun. 24, 1998; 60/090,688 Filed Jun. 25, 1998; 60/090,696 Filed Jun. 25, 1998; 60/090,862 Filed Jun. 26, 1998; 60/091,628 Filed Jul. 2, 1998; 60/096,012 Filed Aug. 10, 1998; 60/096,757 Filed Aug. 17, 1998; 60/096,949 Filed Aug. 18, 1998; 60/096,959 Filed Aug. 18, 1998; 60/097,954 Filed Aug. 26, 1998; 60/097,971 Filed Aug. 26, 1998; 60/097,979 Filed Aug. 26, 1998; 60/098,749 Filed Sep. 1, 1998; 60/099,741 Filed Sep. 10, 1998; 60/099,763 Filed Sep. 10, 1998; 60/099,792 Filed Sep. 10, 1998; 60/099,812 Filed Sep. 10, 1998; 60/099,815 Filed Sep. 10, 1998; 60/100,627 Filed Sep. 16, 1998; 60/100,662 Filed Sep. 16, 1998; 60/100,683 Filed Sep. 17, 1998; 60/100,684 Filed Sep. 17, 1998; 60/100,930 Filed Sep. 17, 1998; 60/101,279 Filed Sep. 22, 1998; 60/101,475 Filed Sep. 23, 1998; 60/101,738 Filed Sep. 24, 1998; 60/101,743 Filed Sep. 24, 1998; 60/101,916 Filed Sep. 24, 1998; 60/102,570 Filed Sep. 30, 1998; 60/103,449 Filed Oct. 6, 1998; 60/103,678 Filed Oct. 8, 1998; 60/103,679 Filed Oct. 8, 1998; 60/103,711 Filed Oct. 8, 1998; 60/105,000 Filed Oct. 20, 1998; 60/105,002 Filed Oct. 20, 1998; 60/105,881 Filed Oct. 27, 1998; 60/106,030 Filed Oct. 28, 1998; 60/106,464 Filed Oct. 30, 1998; 60/106,856 Filed Nov. 3, 1998; 60/108,807 Filed Nov. 17, 1998; 60/112,419 Filed Dec. 15, 1998; 60/112,422 Filed Dec. 15, 1998; 60/112,853 Filed Dec. 16, 1998; 60/113,011 Filed Dec. 16, 1998; 60/112,854 Filed Dec. 16, 1998; 60/113,300 Filed Dec. 22, 1998; 60/113,408 Filed Dec. 22, 1998; 60/113,430 Filed Dec. 23, 1998; 60/113,621 Filed Dec. 23, 1998; 60/114,223 Filed Dec. 30, 1998; 60/115,614 Filed Jan. 12, 1999; 60/116,527 Filed Jan. 20, 1999; 60/116,843 Filed Jan. 22, 1999; 60/119,285 Filed Feb. 9, 1999; 60/119,287 Filed Feb. 9, 1999; 60/119,525 Filed Feb. 10, 1999; 60/119,549 Filed Feb. 10, 1999; 60/120,014 Filed Feb. 11, 1999; 60/129,122 Filed Apr. 13, 1999; 60/129,674 Filed Apr. 16, 1999; 60/131,291 Filed Apr. 27, 1999; 60/138,387 Filed Jun. 9, 1999; 60/144,791 Filed Jul. 20, 1999; 60/169,495 Filed Dec. 7, 1999; 60/175,481 Filed Jan. 11, 2000; 60/191,007 Filed Mar. 21, 2000; 60/199,397 Filed Apr. 25, 2000 and which claims priority under 35 USC § 120 to U.S. patent Applications and PCT International Patent Application Serial Numbers 09/380,139 Filed Aug. 25, 1999; 09/311,832 Filed May 14, 1999; 09/380,137 Filed Aug. 25, 1999, now abandoned; 09/380,138 Filed Aug. 25, 1999, now abandoned; 09/380,142 Filed Aug. 25, 1999, now abandoned; 09/397,

342 Filed Sep. 15, 1999; 09/403,297 Filed Oct. 18, 1999, now abandoned; 09/423,844 Filed Nov. 12, 1999, now abandoned; 09/644,848 Filed Aug. 22, 2000; 09/665,350 Filed Sep. 18, 2000; 09/664,610 Filed Sep. 18, 2000, now abandoned; 09/709,238 Filed Nov. 8, 2000; 09/747,259 Filed Dec. 20, 2000; 09/816,744 Filed Mar. 22, 2001; 09/854,208 Filed May 10, 2001; 09/854,280 Filed May 10, 2001; 09/870,574 Filed May 30, 2001; 09/874,503 Filed Jun. 5, 2001; 09/908,827 Filed Jul. 18, 2001; 09/869,566 Filed Feb. 19, 2002; PCT/US98/19330 Filed Sep. 16, 1998; PCT/US99/05028 Filed Mar. 8, 1999; PCT/US99/10733 Filed May 14, 1999; PCT/US99/12252 Filed Jun. 2, 1999; PCT/US99/20111 Filed Sep. 1, 1999; PCT/US99/21090 Filed Sep. 15, 1999; PCT/US99/21194 Filed Sep. 15, 1999; PCT/US99/30720 Filed Dec. 22, 1999; PCT/US00/04341 Filed Feb. 18, 2000; PCT/US00/04342 Filed Feb. 18, 2000; PCT/US00/04414 Filed Feb. 22, 2000; PCT/US00/05601 Filed Mar. 1, 2000; PCT/US00/08439 Filed Mar. 30, 2000; PCT/US00/14042 Filed May 22, 2000; PCT/US00/15264 Filed Jun. 2, 2000; PCT/US00/23522 Filed Aug. 23, 2000; PCT/US00/23328 Filed Aug. 24, 2000; PCT/US00/30873 Filed Nov. 10, 2000; PCT/US00/32678 Filed Dec. 1, 2000; PCT/US00/34956 Filed Dec. 20, 2000; PCT/US01/06520 Filed Feb. 28, 2001; PCT/US01/06666 Filed Mar. 1, 2001; PCT/US01/17443 Filed May 30, 2001; PCT/US01/17800 Filed Jun. 1, 2001; PCT/US01/19692 Filed Jun. 20, 2001; PCT/US01/21066 Filed Jun. 29, 2001; PCT/US01/21735 Filed Jul. 9, 2001, the entire disclosures of which are hereby incorporated by reference.—

BACKGROUND OF THE INVENTION

[0002] The present invention relates generally to the identification and isolation of novel DNA and to the recombinant production of novel polypeptides.

[0003] Extracellular proteins play important roles in, among other things, the formation, differentiation and maintenance of multicellular organisms. The fate of many individual cells, e.g., proliferation, migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins. These secreted polypeptides or signaling molecules normally pass through the cellular secretory pathway to reach their site of action in the extracellular environment.

[0004] Secreted proteins have various industrial applications, including as pharmaceuticals, diagnostics, biosensors and bioreactors. Most protein drugs available at present, such as thrombolytic agents, interferons, interleukins, erythropoietins, colony stimulating factors, and various other cytokines, are secretory proteins. Their receptors, which are membrane proteins, also have potential as therapeutic or diagnostic agents. Efforts are being undertaken by both industry and academia to identify new, native secreted proteins. Many efforts are focused on the screening of mammalian recombinant DNA libraries to identify the coding sequences for novel secreted proteins. Examples of screening methods and techniques are described in the literature [see, for example, Klein et al., Proc. Natl. Acad. Sci. 93:7108-7113 (1996); U.S. Pat. No. 5,536,637)].

[0005] Membrane-bound proteins and receptors can play important roles in, among other things, the formation, differentiation and maintenance of multicellular organisms. The fate of many individual cells, e.g., proliferation, migration, differentiation, or interaction with other cells, is typically governed by information received from other cells and/or the immediate environment. This information is often transmitted by secreted polypeptides (for instance, mitogenic factors, survival factors, cytotoxic factors, differentiation factors, neuropeptides, and hormones) which are, in turn, received and interpreted by diverse cell receptors or membrane-bound proteins. Such membrane-bound proteins and cell receptors include, but are not limited to, cytokine receptors, receptor kinases, receptor phosphatases, receptors involved in cell-cell interactions, and cellular adhesion molecules like selectins and integrins. For instance, transduction of signals that regulate cell growth and differentiation is regulated in part by phosphorylation of various cellular proteins. Protein tyrosine kinases, enzymes that catalyze that process, can also act as growth factor receptors. Examples include fibroblast growth factor receptor and nerve growth factor receptor.

[0006] Membrane-bound proteins and receptor molecules have various industrial applications, including as pharmaceutical and diagnostic agents. Receptor immunoadhesins, for instance, can be employed as therapeutic agents to block receptor-ligand interactions. The membrane-bound proteins can also be employed for screening of potential peptide or small molecule inhibitors of the relevant receptor/ligand interaction.

[0007] Efforts are being undertaken by both industry and academia to identify new, native receptor or membrane-bound proteins. Many efforts are focused on the screening of mammalian recombinant DNA libraries to identify the coding sequences for novel receptor or membrane-bound proteins.

SUMMARY OF THE INVENTION

[0008] In one embodiment, the invention provides an isolated nucleic acid molecule comprising a nucleotide sequence that encodes a PRO polypeptide.

[0009] In one aspect, the isolated nucleic acid molecule comprises a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic

acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity to (a) a DNA molecule encoding a PRO polypeptide having a full-length amino acid sequence as disclosed herein, an amino acid sequence lacking the signal peptide as disclosed herein, an extracellular domain of a transmembrane protein, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of the full-length amino acid sequence as disclosed herein, or (b) the complement of the DNA molecule of (a).

[0010] In other aspects, the isolated nucleic acid molecule comprises a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity to (a) a DNA molecule comprising the coding sequence of a full-length PRO polypeptide cDNA as disclosed herein, the coding sequence of a PRO polypeptide lacking the signal peptide as disclosed herein, the coding sequence of an extracellular domain of a transmembrane PRO polypeptide, with or without the signal peptide, as disclosed herein or the coding sequence of any other specifically defined fragment of the full-length amino acid sequence as disclosed herein, or (b) the complement of the DNA molecule of (a).

[0011] In a further aspect, the invention concerns an isolated nucleic acid molecule comprising a nucleotide sequence having at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively

at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity to (a) a DNA molecule that encodes the same mature polypeptide encoded by any of the human protein cDNAs deposited with the ATCC as disclosed herein, or (b) the complement of the DNA molecule of (a).

[0012] Another aspect the invention provides an isolated nucleic acid molecule comprising a nucleotide sequence encoding a PRO polypeptide which is either transmembrane domain-deleted or transmembrane domain-inactivated, or is complementary to such encoding nucleotide sequence, wherein the transmembrane domain(s) of such polypeptide are disclosed herein. Therefore, soluble extracellular domains of the herein described PRO polypeptides are contemplated.

[0013] Another embodiment is directed to fragments of a PRO polypeptide coding sequence, or the complement thereof, that may find use as, for example, hybridization probes, for encoding fragments of a PRO polypeptide that may optionally encode a polypeptide comprising a binding site for an anti-PRO antibody or as antisense oligonucleotide probes. Such nucleic acid fragments are usually at least about 20 nucleotides in length, alternatively at least about 30 nucleotides in length, alternatively at least about 40 nucleotides in length, alternatively at least about 50 nucleotides in length, alternatively at least about 60 nucleotides in length, alternatively at least about 70 nucleotides in length, alternatively at least about 80 nucleotides in length, alternatively at least about 90 nucleotides in length, alternatively at least about 100 nucleotides in length, alternatively at least about 110 nucleotides in length, alternatively at least about 120 nucleotides in length, alternatively at least about 130 nucleotides in length, alternatively at least about 140 nucleotides in length, alternatively at least about 150 nucleotides in length, alternatively at least about 160 nucleotides in length, alternatively at least about 170 nucleotides in length, alternatively at least about 180 nucleotides in length, alternatively at least about 190 nucleotides in length, alternatively at least about 200 nucleotides in length, alternatively at least about 250 nucleotides in length, alternatively at least about 300 nucleotides in length, alternatively at least about 350 nucleotides in length, alternatively at least about 400 nucleotides in length, alternatively at least about 450 nucleotides in length, alternatively at least about 500 nucleotides in length, alternatively at least about 600 nucleotides in length, alternatively at least about 700 nucleotides in length, alternatively at least about 800 nucleotides in length, alternatively at least about 900 nucleotides in length and alternatively at least about 1000 nucleotides in length, wherein in this context the term "about" means the referenced nucleotide sequence length plus or minus 10% of that referenced length. It is noted that novel fragments of a PRO polypeptide-encoding nucleotide sequence may be determined in a routine manner by aligning the PRO polypeptide-encoding nucleotide sequence with other known nucleotide sequences using any of a number of well known sequence alignment programs and determining which PRO polypeptide-encoding nucleotide sequence fragment(s) are novel. All of such PRO polypeptide-encoding nucleotide sequences are contemplated herein. Also contemplated are the PRO polypeptide fragments encoded by these nucleotide molecule frag-

ments, preferably those PRO polypeptide fragments that comprise a binding site for an anti-PRO antibody.

[0014] In another embodiment, the invention provides isolated PRO polypeptide encoded by any of the isolated nucleic acid sequences hereinabove identified.

[0015] In a certain aspect, the invention concerns an isolated PRO polypeptide, comprising an amino acid sequence having at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83% amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to a PRO polypeptide having a full-length amino acid sequence as disclosed herein, an amino acid sequence lacking the signal peptide as disclosed herein, an extracellular domain of a transmembrane protein, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of the full-length amino acid sequence as disclosed herein.

[0016] In a further aspect, the invention concerns an isolated PRO polypeptide comprising an amino acid sequence having at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83% amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to an amino acid sequence encoded by any of the human protein cDNAs deposited with the ATCC as disclosed herein.

[0017] In a specific aspect, the invention provides an isolated PRO polypeptide without the N-terminal signal sequence and/or the initiating methionine and is encoded by a nucleotide sequence that encodes such an amino acid sequence as hereinbefore described. Processes for producing the same are also herein described, wherein those processes comprise culturing a host cell comprising a vector which comprises the appropriate encoding nucleic acid molecule under conditions suitable for expression of the PRO polypeptide and recovering the PRO polypeptide from the cell culture.

[0018] Another aspect the invention provides an isolated PRO polypeptide which is either transmembrane domain-deleted or transmembrane domain-inactivated. Processes for producing the same are also herein described, wherein those processes comprise culturing a host cell comprising a vector which comprises the appropriate encoding nucleic acid molecule under conditions suitable for expression of the PRO polypeptide and recovering the PRO polypeptide from the cell culture.

[0019] In yet another embodiment, the invention concerns agonists and antagonists of a native PRO polypeptide as defined herein. In a particular embodiment, the agonist or antagonist is an anti-PRO antibody or a small molecule.

[0020] In a further embodiment, the invention concerns a method of identifying agonists or antagonists to a PRO polypeptide which comprise contacting the PRO polypeptide with a candidate molecule and monitoring a biological activity mediated by said PRO polypeptide. Preferably, the PRO polypeptide is a native PRO polypeptide.

[0021] In a still further embodiment, the invention concerns a composition of matter comprising a PRO polypeptide, or an agonist or antagonist of a PRO polypeptide as herein described, or an anti-PRO antibody, in combination with a carrier. Optionally, the carrier is a pharmaceutically acceptable carrier.

[0022] Another embodiment of the present invention is directed to the use of a PRO polypeptide, or an agonist or antagonist thereof as hereinbefore described, or an anti-PRO antibody, for the preparation of a medicament useful in the treatment of a condition which is responsive to the PRO polypeptide, an agonist or antagonist thereof or an anti-PRO antibody.

[0023] In other embodiments of the present invention, the invention provides vectors comprising DNA encoding any of the herein described polypeptides. Host cell comprising any such vector are also provided. By way of example, the host cells may be CHO cells, *E. coli*, or yeast. A process for producing any of the herein described polypeptides is further provided and comprises culturing host cells under conditions suitable for expression of the desired polypeptide and recovering the desired polypeptide from the cell culture.

[0024] In other embodiments, the invention provides chimeric molecules comprising any of the herein described polypeptides fused to a heterologous polypeptide or amino acid sequence. Example of such chimeric molecules comprise any of the herein described polypeptides fused to an epitope tag sequence or a Fc region of an immunoglobulin.

[0025] In another embodiment, the invention provides an antibody which binds, preferably specifically, to any of the

above or below described polypeptides. Optionally, the antibody is a monoclonal antibody, humanized antibody, antibody fragment or single-chain antibody.

[0026] In yet other embodiments, the invention provides oligonucleotide probes useful for isolating genomic and cDNA nucleotide sequences or as antisense probes, wherein those probes may be derived from any of the above or below described nucleotide sequences.

[0027] In yet other embodiments, the present invention is directed to methods of using the PRO polypeptides of the present invention for a variety of uses based upon the functional biological assay data presented in the Examples below.

BRIEF DESCRIPTION OF DRAWINGS

[0028] **FIG. 1** shows a nucleotide sequence (SEQ ID NO: 1) of a native sequence PRO180 cDNA, wherein SEQ ID NO: 1 is a clone designated herein as "DNA26843-1389".

[0029] **FIG. 2** shows the amino acid sequence (SEQ ID NO: 2) derived from the coding sequence of SEQ ID NO: 1 shown in **FIG. 1**.

[0030] **FIG. 3** shows a nucleotide sequence (SEQ ID NO: 3) of a native sequence PRO218 cDNA, wherein SEQ ID NO: 3 is a clone designated herein as "DNA30867-1335".

[0031] **FIG. 4** shows the amino acid sequence (SEQ ID NO: 4) derived from the coding sequence of SEQ ID NO: 3 shown in **FIG. 3**.

[0032] **FIG. 5** shows a nucleotide sequence (SEQ ID NO: 5) of a native sequence PRO263 cDNA, wherein SEQ ID NO: 5 is a clone designated herein as "DNA34431-1177".

[0033] **FIG. 6** shows the amino acid sequence (SEQ ID NO: 6) derived from the coding sequence of SEQ ID NO: 5 shown in **FIG. 5**.

[0034] **FIG. 7** shows a nucleotide sequence (SEQ ID NO: 7) of a native sequence PRO295 cDNA, wherein SEQ ID NO: 7 is a clone designated herein as "DNA38268-1188".

[0035] **FIG. 8** shows the amino acid sequence (SEQ ID NO: 8) derived from the coding sequence of SEQ ID NO: 7 shown in **FIG. 7**.

[0036] **FIG. 9** shows a nucleotide sequence (SEQ ID NO: 9) of a native sequence PRO874 cDNA, wherein SEQ ID NO: 9 is a clone designated herein as "DNA40621-1440".

[0037] **FIG. 10** shows the amino acid sequence (SEQ ID NO: 10) derived from the coding sequence of SEQ ID NO: 9 shown in **FIG. 9**.

[0038] **FIG. 11** shows a nucleotide sequence (SEQ ID NO: 11) of a native sequence PRO300 cDNA, wherein SEQ ID NO: 11 is a clone designated herein as "DNA40625-1189".

[0039] **FIG. 12** shows the amino acid sequence (SEQ ID NO: 12) derived from the coding sequence of SEQ ID NO: 11 shown in **FIG. 11**.

[0040] **FIG. 13** shows a nucleotide sequence (SEQ ID NO: 13) of a native sequence PRO1864 cDNA, wherein SEQ ID NO: 13 is a clone designated herein as "DNA45409-2511".

[0041] FIG. 14 shows the amino acid sequence (SEQ ID NO: 14) derived from the coding sequence of SEQ ID NO: 13 shown in FIG. 13.

[0042] FIG. 15 shows a nucleotide sequence (SEQ ID NO: 15) of a native sequence PRO1282 cDNA, wherein SEQ ID NO: 15 is a clone designated herein as "DNA45495-1550".

[0043] FIG. 16 shows the amino acid sequence (SEQ ID NO: 16) derived from the coding sequence of SEQ ID NO: 15 shown in FIG. 15.

[0044] FIG. 17 shows a nucleotide sequence (SEQ ID NO: 17) of a native sequence PRO1063 cDNA, wherein SEQ ID NO: 17 is a clone designated herein as "DNA49820-1427".

[0045] FIG. 18 shows the amino acid sequence (SEQ ID NO: 18) derived from the coding sequence of SEQ ID NO: 17 shown in FIG. 17.

[0046] FIG. 19 shows a nucleotide sequence (SEQ ID NO: 19) of a native sequence PRO1773 cDNA, wherein SEQ ID NO: 19 is a clone designated herein as "DNA56406-1704".

[0047] FIG. 20 shows the amino acid sequence (SEQ ID NO: 20) derived from the coding sequence of SEQ ID NO: 19 shown in FIG. 19.

[0048] FIG. 21 shows a nucleotide sequence (SEQ ID NO: 21) of a native sequence PRO1013 cDNA, wherein SEQ ID NO: 21 is a clone designated herein as "DNA56410-1414".

[0049] FIG. 22 shows the amino acid sequence (SEQ ID NO: 22) derived from the coding sequence of SEQ ID NO: 21 shown in FIG. 21.

[0050] FIG. 23 shows a nucleotide sequence (SEQ ID NO: 23) of a native sequence PRO937 cDNA, wherein SEQ ID NO: 23 is a clone designated herein as "DNA56436-1448".

[0051] FIG. 24 shows the amino acid sequence (SEQ ID NO: 24) derived from the coding sequence of SEQ ID NO: 23 shown in FIG. 23.

[0052] FIG. 25 shows a nucleotide sequence (SEQ ID NO: 25) of a native sequence PRO842 cDNA, wherein SEQ ID NO: 25 is a clone designated herein as "DNA56855-1447".

[0053] FIG. 26 shows the amino acid sequence (SEQ ID NO: 26) derived from the coding sequence of SEQ ID NO: 25 shown in FIG. 25.

[0054] FIG. 27 shows a nucleotide sequence (SEQ ID NO: 27) of a native sequence PRO1180 cDNA, wherein SEQ ID NO: 27 is a clone designated herein as "DNA56860-1510".

[0055] FIG. 28 shows the amino acid sequence (SEQ ID NO: 28) derived from the coding sequence of SEQ ID NO: 27 shown in FIG. 27.

[0056] FIG. 29 shows a nucleotide sequence (SEQ ID NO: 29) of a native sequence PRO831 cDNA, wherein SEQ ID NO: 29 is a clone designated herein as "DNA56862-1343".

[0057] FIG. 30 shows the amino acid sequence (SEQ ID NO: 30) derived from the coding sequence of SEQ ID NO: 29 shown in FIG. 29.

[0058] FIG. 31 shows a nucleotide sequence (SEQ ID NO: 31) of a native sequence PRO1115 cDNA, wherein SEQ ID NO: 31 is a clone designated herein as "DNA56868-1478".

[0059] FIG. 32 shows the amino acid sequence (SEQ ID NO: 32) derived from the coding sequence of SEQ ID NO: 31 shown in FIG. 31.

[0060] FIG. 33 shows a nucleotide sequence (SEQ ID NO: 33) of a native sequence PRO1277 cDNA, wherein SEQ ID NO: 33 is a clone designated herein as "DNA56869-1545".

[0061] FIG. 34 shows the amino acid sequence (SEQ ID NO: 34) derived from the coding sequence of SEQ ID NO: 33 shown in FIG. 33.

[0062] FIG. 35 shows a nucleotide sequence (SEQ ID NO: 35) of a native sequence PRO1074 cDNA, wherein SEQ ID NO: 35 is a clone designated herein as "DNA57704-1452".

[0063] FIG. 36 shows the amino acid sequence (SEQ ID NO: 36) derived from the coding sequence of SEQ ID NO: 35 shown in FIG. 35.

[0064] FIG. 37 shows a nucleotide sequence (SEQ ID NO: 37) of a native sequence PRO1344 cDNA, wherein SEQ ID NO: 37 is a clone designated herein as "DNA58723-1588".

[0065] FIG. 38 shows the amino acid sequence (SEQ ID NO: 38) derived from the coding sequence of SEQ ID NO: 37 shown in FIG. 37.

[0066] FIG. 39 shows a nucleotide sequence (SEQ ID NO: 39) of a native sequence PRO1136 cDNA, wherein SEQ ID NO: 39 is a clone designated herein as "DNA57827-1493".

[0067] FIG. 40 shows the amino acid sequence (SEQ ID NO: 40) derived from the coding sequence of SEQ ID NO: 39 shown in FIG. 39.

[0068] FIG. 41 shows a nucleotide sequence (SEQ ID NO: 41) of a native sequence PRO1109 cDNA, wherein SEQ ID NO: 41 is a clone designated herein as "DNA58737-1473".

[0069] FIG. 42 shows the amino acid sequence (SEQ ID NO: 42) derived from the coding sequence of SEQ ID NO: 41 shown in FIG. 41.

[0070] FIG. 43 shows a nucleotide sequence (SEQ ID NO: 43) of a native sequence PRO1003 cDNA, wherein SEQ ID NO: 43 is a clone designated herein as "DNA58846-1409".

[0071] FIG. 44 shows the amino acid sequence (SEQ ID NO: 44) derived from the coding sequence of SEQ ID NO: 43 shown in FIG. 43.

[0072] FIG. 45 shows a nucleotide sequence (SEQ ID NO: 45) of a native sequence PRO1138 cDNA, wherein SEQ ID NO: 45 is a clone designated herein as "DNA58850-1495".

[0073] FIG. 46 shows the amino acid sequence (SEQ ID NO: 46) derived from the coding sequence of SEQ ID NO: 45 shown in FIG. 45.

[0074] FIG. 47 shows a nucleotide sequence (SEQ ID NO: 47) of a native sequence PRO994 cDNA, wherein SEQ ID NO: 47 is a clone designated herein as "DNA58855-1422".

[0075] FIG. 48 shows the amino acid sequence (SEQ ID NO: 48) derived from the coding sequence of SEQ ID NO: 47 shown in FIG. 47.

[0076] FIG. 49 shows a nucleotide sequence (SEQ ID NO: 49) of a native sequence PRO1069 cDNA, wherein SEQ ID NO: 49 is a clone designated herein as "DNA5921-1450".

[0077] FIG. 50 shows the amino acid sequence (SEQ ID NO: 50) derived from the coding sequence of SEQ ID NO: 49 shown in FIG. 49.

[0078] FIG. 51 shows a nucleotide sequence (SEQ ID NO: 51) of a native sequence PRO1411 cDNA, wherein SEQ ID NO: 51 is a clone designated herein as "DNA59212-1627".

[0079] FIG. 52 shows the amino acid sequence (SEQ ID NO: 52) derived from the coding sequence of SEQ ID NO: 51 shown in FIG. 51.

[0080] FIG. 53 shows a nucleotide sequence (SEQ ID NO: 53) of a native sequence PRO1129 cDNA, wherein SEQ ID NO: 53 is a clone designated herein as "DNA59213-1487".

[0081] FIG. 54 shows the amino acid sequence (SEQ ID NO: 54) derived from the coding sequence of SEQ ID NO: 53 shown in FIG. 53.

[0082] FIG. 55 shows a nucleotide sequence (SEQ ID NO: 55) of a native sequence PRO1027 cDNA, wherein SEQ ID NO: 55 is a clone designated herein as "DNA59605-1418".

[0083] FIG. 56 shows the amino acid sequence (SEQ ID NO: 56) derived from the coding sequence of SEQ ID NO: 55 shown in FIG. 55.

[0084] FIG. 57 shows a nucleotide sequence (SEQ ID NO: 57) of a native sequence PRO1106 cDNA, wherein SEQ ID NO: 57 is a clone designated herein as "DNA59609-1470".

[0085] FIG. 58 shows the amino acid sequence (SEQ ID NO: 58) derived from the coding sequence of SEQ ID NO: 57 shown in FIG. 57.

[0086] FIG. 59 shows a nucleotide sequence (SEQ ID NO: 59) of a native sequence PRO1291 cDNA, wherein SEQ ID NO: 59 is a clone designated herein as "DNA59610-1556".

[0087] FIG. 60 shows the amino acid sequence (SEQ ID NO: 60) derived from the coding sequence of SEQ ID NO: 59 shown in FIG. 59.

[0088] FIG. 61 shows a nucleotide sequence (SEQ ID NO: 61) of a native sequence PRO3573 cDNA, wherein SEQ ID NO: 61 is a clone designated herein as "DNA59837-2545".

[0089] FIG. 62 shows the amino acid sequence (SEQ ID NO: 62) derived from the coding sequence of SEQ ID NO: 61 shown in FIG. 61.

[0090] FIG. 63 shows a nucleotide sequence (SEQ ID NO: 63) of a native sequence PRO3566 cDNA, wherein SEQ ID NO: 63 is a clone designated herein as "DNA59844-2542".

[0091] FIG. 64 shows the amino acid sequence (SEQ ID NO: 64) derived from the coding sequence of SEQ ID NO: 63 shown in FIG. 63.

[0092] FIG. 65 shows a nucleotide sequence (SEQ ID NO: 65) of a native sequence PRO1098 cDNA, wherein SEQ ID NO: 65 is a clone designated herein as "DNA59854-1459".

[0093] FIG. 66 shows the amino acid sequence (SEQ ID NO: 66) derived from the coding sequence of SEQ ID NO: 65 shown in FIG. 65.

[0094] FIG. 67 shows a nucleotide sequence (SEQ ID NO: 67) of a native sequence PRO1158 cDNA, wherein SEQ ID NO: 67 is a clone designated herein as "DNA60625-1507".

[0095] FIG. 68 shows the amino acid sequence (SEQ ID NO: 68) derived from the coding sequence of SEQ ID NO: 67 shown in FIG. 67.

[0096] FIG. 69 shows a nucleotide sequence (SEQ ID NO: 69) of a native sequence PRO1124 cDNA, wherein SEQ ID NO: 69 is a clone designated herein as "DNA60629-1481".

[0097] FIG. 70 shows the amino acid sequence (SEQ ID NO: 70) derived from the coding sequence of SEQ ID NO: 69 shown in FIG. 69.

[0098] FIG. 71 shows a nucleotide sequence (SEQ ID NO: 71) of a native sequence PRO1287 cDNA, wherein SEQ ID NO: 71 is a clone designated herein as "DNA61755-1554".

[0099] FIG. 72 shows the amino acid sequence (SEQ ID NO: 72) derived from the coding sequence of SEQ ID NO: 71 shown in FIG. 71.

[0100] FIG. 73 shows a nucleotide sequence (SEQ ID NO: 73) of a native sequence PRO1335 cDNA, wherein SEQ ID NO: 73 is a clone designated herein as "DNA62812-1594".

[0101] FIG. 74 shows the amino acid sequence (SEQ ID NO: 74) derived from the coding sequence of SEQ ID NO: 73 shown in FIG. 73.

[0102] FIG. 75 shows a nucleotide sequence (SEQ ID NO: 75) of a native sequence PRO1315 cDNA, wherein SEQ ID NO: 75 is a clone designated herein as "DNA62815-1576".

[0103] FIG. 76 shows the amino acid sequence (SEQ ID NO: 76) derived from the coding sequence of SEQ ID NO: 75 shown in FIG. 75.

[0104] FIG. 77 shows a nucleotide sequence (SEQ ID NO: 77) of a native sequence PRO1357 cDNA, wherein SEQ ID NO: 77 is a clone designated herein as "DNA64881-1602".

[0105] FIG. 78 shows the amino acid sequence (SEQ ID NO: 78) derived from the coding sequence of SEQ ID NO: 77 shown in FIG. 77.

[0106] FIG. 79 shows a nucleotide sequence (SEQ ID NO: 79) of a native sequence PRO1356 cDNA, wherein SEQ ID NO: 79 is a clone designated herein as "DNA64886-1601".

[0107] FIG. 80 shows the amino acid sequence (SEQ ID NO: 80) derived from the coding sequence of SEQ ID NO: 79 shown in FIG. 79.

[0108] FIG. 81 shows a nucleotide sequence (SEQ ID NO: 81) of a native sequence PRO1557 cDNA, wherein SEQ ID NO: 81 is a clone designated herein as "DNA64902-1667".

[0109] FIG. 82 shows the amino acid sequence (SEQ ID NO: 82) derived from the coding sequence of SEQ ID NO: 81 shown in FIG. 81.

[0110] FIG. 83 shows a nucleotide sequence (SEQ ID NO: 83) of a native sequence PRO1347 cDNA, wherein SEQ ID NO: 83 is a clone designated herein as "DNA64950-1590".

[0111] FIG. 84 shows the amino acid sequence (SEQ ID NO: 84) derived from the coding sequence of SEQ ID NO: 83 shown in FIG. 83.

[0112] FIG. 85 shows a nucleotide sequence (SEQ ID NO: 85) of a native sequence PRO1302 cDNA, wherein SEQ ID NO: 85 is a clone designated herein as "DNA65403-1565".

[0113] FIG. 86 shows the amino acid sequence (SEQ ID NO: 86) derived from the coding sequence of SEQ ID NO: 85 shown in FIG. 85.

[0114] FIG. 87 shows a nucleotide sequence (SEQ ID NO: 87) of a native sequence PRO1270 cDNA, wherein SEQ ID NO: 87 is a clone designated herein as "DNA66308-1537".

[0115] FIG. 88 shows the amino acid sequence (SEQ ID NO: 88) derived from the coding sequence of SEQ ID NO: 87 shown in FIG. 87.

[0116] FIG. 89 shows a nucleotide sequence (SEQ ID NO: 89) of a native sequence PRO1268 cDNA, wherein SEQ ID NO: 89 is a clone designated herein as "DNA66519-1535".

[0117] FIG. 90 shows the amino acid sequence (SEQ ID NO: 90) derived from the coding sequence of SEQ ID NO: 89 shown in FIG. 89.

[0118] FIG. 91 shows a nucleotide sequence (SEQ ID NO: 91) of a native sequence PRO1327 cDNA, wherein SEQ ID NO: 91 is a clone designated herein as "DNA66521-1583".

[0119] FIG. 92 shows the amino acid sequence (SEQ ID NO: 92) derived from the coding sequence of SEQ ID NO: 91 shown in FIG. 91.

[0120] FIG. 93 shows a nucleotide sequence (SEQ ID NO: 93) of a native sequence PRO1328 cDNA, wherein SEQ ID NO: 93 is a clone designated herein as "DNA66658-1584".

[0121] FIG. 94 shows the amino acid sequence (SEQ ID NO: 94) derived from the coding sequence of SEQ ID NO: 93 shown in FIG. 93.

[0122] FIG. 95 shows a nucleotide sequence (SEQ ID NO: 95) of a native sequence PRO1329 cDNA, wherein SEQ ID NO: 95 is a clone designated herein as "DNA66660-1585".

[0123] FIG. 96 shows the amino acid sequence (SEQ ID NO: 96) derived from the coding sequence of SEQ ID NO: 95 shown in FIG. 95.

[0124] FIG. 97 shows a nucleotide sequence (SEQ ID NO: 97) of a native sequence PRO1340 cDNA, wherein SEQ ID NO: 97 is a clone designated herein as "DNA66663-1598".

[0125] FIG. 98 shows the amino acid sequence (SEQ ID NO: 98) derived from the coding sequence of SEQ ID NO: 97 shown in FIG. 97.

[0126] FIG. 99 shows a nucleotide sequence (SEQ ID NO: 99) of a native sequence PRO1342 cDNA, wherein SEQ ID NO: 99 is a clone designated herein as "DNA66674-1599".

[0127] FIG. 100 shows the amino acid sequence (SEQ ID NO: 100) derived from the coding sequence of SEQ ID NO: 99 shown in FIG. 99.

[0128] FIG. 101 shows a nucleotide sequence (SEQ ID NO: 101) of a native sequence PRO3579 cDNA, wherein SEQ ID NO: 101 is a clone designated herein as "DNA68862-2546".

[0129] FIG. 102 shows the amino acid sequence (SEQ ID NO: 102) derived from the coding sequence of SEQ ID NO: 101 shown in FIG. 101.

[0130] FIG. 103 shows a nucleotide sequence (SEQ ID NO: 103) of a native sequence PRO1472 cDNA, wherein SEQ ID NO: 103 is a clone designated herein as "DNA68866-1644".

[0131] FIG. 104 shows the amino acid sequence (SEQ ID NO: 104) derived from the coding sequence of SEQ ID NO: 103 shown in FIG. 103.

[0132] FIG. 105 shows a nucleotide sequence (SEQ ID NO: 105) of a native sequence PRO1461 cDNA, wherein SEQ ID NO: 105 is a clone designated herein as "DNA68871-1638".

[0133] FIG. 106 shows the amino acid sequence (SEQ ID NO: 106) derived from the coding sequence of SEQ ID NO: 105 shown in FIG. 105.

[0134] FIG. 107 shows a nucleotide sequence (SEQ ID NO: 107) of a native sequence PRO1568 cDNA, wherein SEQ ID NO: 107 is a clone designated herein as "DNA68880-1676".

[0135] FIG. 108 shows the amino acid sequence (SEQ ID NO: 108) derived from the coding sequence of SEQ ID NO: 107 shown in FIG. 107.

[0136] FIG. 109 shows a nucleotide sequence (SEQ ID NO: 109) of a native sequence PRO1753 cDNA, wherein SEQ ID NO: 109 is a clone designated herein as "DNA68883-1691".

[0137] FIG. 110 shows the amino acid sequence (SEQ ID NO: 110) derived from the coding sequence of SEQ ID NO: 109 shown in FIG. 109.

[0138] FIG. 111 shows a nucleotide sequence (SEQ ID NO: 111) of a native sequence PRO1570 cDNA, wherein SEQ ID NO: 11 is a clone designated herein as "DNA68885-1678".

[0139] FIG. 112 shows the amino acid sequence (SEQ ID NO: 112) derived from the coding sequence of SEQ ID NO: 111 shown in FIG. 111.

[0140] FIG. 113 shows a nucleotide sequence (SEQ ID NO: 113) of a native sequence PRO1446 cDNA, wherein SEQ ID NO: 113 is a clone designated herein as "DNA71277-1636".

[0141] FIG. 114 shows the amino acid sequence (SEQ ID NO: 114) derived from the coding sequence of SEQ ID NO: 13 shown in FIG. 113.

[0142] FIG. 115 shows a nucleotide sequence (SEQ ID NO: 115) of a native sequence PRO1565 cDNA, wherein SEQ ID NO: 115 is a clone designated herein as "DNA73727-1673".

[0143] FIG. 116 shows the amino acid sequence (SEQ ID NO: 116) derived from the coding sequence of SEQ ID NO: 115 shown in FIG. 115.

[0144] FIG. 117 shows a nucleotide sequence (SEQ ID NO: 117) of a native sequence PRO1572 cDNA, wherein SEQ ID NO: 117 is a clone designated herein as "DNA73734-1680".

[0145] FIG. 118 shows the amino acid sequence (SEQ ID NO: 118) derived from the coding sequence of SEQ ID NO: 117 shown in FIG. 117.

[0146] FIG. 119 shows a nucleotide sequence (SEQ ID NO: 119) of a native sequence PRO1573 cDNA, wherein SEQ ID NO: 119 is a clone designated herein as "DNA73735-1681".

[0147] FIG. 120 shows the amino acid sequence (SEQ ID NO: 120) derived from the coding sequence of SEQ ID NO: 119 shown in FIG. 119.

[0148] FIG. 121 shows a nucleotide sequence (SEQ ID NO: 121) of a native sequence PRO1550 cDNA, wherein SEQ ID NO: 121 is a clone designated herein as "DNA76393-1664".

[0149] FIG. 122 shows the amino acid sequence (SEQ ID NO: 122) derived from the coding sequence of SEQ ID NO: 121 shown in FIG. 121.

[0150] FIG. 123 shows a nucleotide sequence (SEQ ID NO: 123) of a native sequence PRO1693 cDNA, wherein SEQ ID NO: 123 is a clone designated herein as "DNA77301-1708".

[0151] FIG. 124 shows the amino acid sequence (SEQ ID NO: 124) derived from the coding sequence of SEQ ID NO: 123 shown in FIG. 123.

[0152] FIG. 125 shows a nucleotide sequence (SEQ ID NO: 125) of a native sequence PRO1566 cDNA, wherein SEQ ID NO: 125 is a clone designated herein as "DNA77568-1626".

[0153] FIG. 126 shows the amino acid sequence (SEQ ID NO: 126) derived from the coding sequence of SEQ ID NO: 125 shown in FIG. 125.

[0154] FIG. 127 shows a nucleotide sequence (SEQ ID NO: 127) of a native sequence PRO1774 cDNA, wherein SEQ ID NO: 127 is a clone designated herein as "DNA77626-1705".

[0155] FIG. 128 shows the amino acid sequence (SEQ ID NO: 128) derived from the coding sequence of SEQ ID NO: 127 shown in FIG. 127.

[0156] FIG. 129 shows a nucleotide sequence (SEQ ID NO: 129) of a native sequence PRO1928 cDNA, wherein SEQ ID NO: 129 is a clone designated herein as "DNA81754-2532".

[0157] FIG. 130 shows the amino acid sequence (SEQ ID NO: 130) derived from the coding sequence of SEQ ID NO: 129 shown in FIG. 129.

[0158] FIG. 131 shows a nucleotide sequence (SEQ ID NO: 131) of a native sequence PRO1865 cDNA, wherein SEQ ID NO: 131 is a clone designated herein as "DNA81757-2512".

[0159] FIG. 132 shows the amino acid sequence (SEQ ID NO: 132) derived from the coding sequence of SEQ ID NO: 131 shown in FIG. 131.

[0160] FIG. 133 shows a nucleotide sequence (SEQ ID NO: 133) of a native sequence PRO1925 cDNA, wherein SEQ ID NO: 133 is a clone designated herein as "DNA82302-2529".

[0161] FIG. 134 shows the amino acid sequence (SEQ ID NO: 134) derived from the coding sequence of SEQ ID NO: 133 shown in FIG. 133.

[0162] FIG. 135 shows a nucleotide sequence (SEQ ID NO: 135) of a native sequence PRO1926 cDNA, wherein SEQ ID NO: 135 is a clone designated herein as "DNA82340-2530".

[0163] FIG. 136 shows the amino acid sequence (SEQ ID NO: 136) derived from the coding sequence of SEQ ID NO: 135 shown in FIG. 135.

[0164] FIG. 137 shows a nucleotide sequence (SEQ ID NO: 137) of a native sequence PRO1801 cDNA, wherein SEQ ID NO: 137 is a clone designated herein as "DNA83500-2506".

[0165] FIG. 138 shows the amino acid sequence (SEQ ID NO: 138) derived from the coding sequence of SEQ ID NO: 137 shown in FIG. 137.

[0166] FIG. 139 shows a nucleotide sequence (SEQ ID NO: 139) of a native sequence PRO4405 cDNA, wherein SEQ ID NO: 139 is a clone designated herein as "DNA84920-2614".

[0167] FIG. 140 shows the amino acid sequence (SEQ ID NO: 140) derived from the coding sequence of SEQ ID NO: 139 shown in FIG. 139.

[0168] FIG. 141 shows a nucleotide sequence (SEQ ID NO: 141) of a native sequence PRO3435 cDNA, wherein SEQ ID NO: 141 is a clone designated herein as "DNA85066-2534".

[0169] FIG. 142 shows the amino acid sequence (SEQ ID NO: 142) derived from the coding sequence of SEQ ID NO: 141 shown in FIG. 141.

[0170] FIG. 143 shows a nucleotide sequence (SEQ ID NO: 143) of a native sequence PRO3543 cDNA, wherein SEQ ID NO: 143 is a clone designated herein as "DNA86571-2551".

[0171] FIG. 144 shows the amino acid sequence (SEQ ID NO: 144) derived from the coding sequence of SEQ ID NO: 143 shown in FIG. 143.

[0172] FIG. 145 shows a nucleotide sequence (SEQ ID NO: 145) of a native sequence PRO3443 cDNA, wherein SEQ ID NO: 145 is a clone designated herein as "DNA87991-2540".

[0173] FIG. 146 shows the amino acid sequence (SEQ ID NO: 146) derived from the coding sequence of SEQ ID NO: 145 shown in FIG. 145.

[0174] FIG. 147 shows a nucleotide sequence (SEQ ID NO: 147) of a native sequence PRO3442 cDNA, wherein SEQ ID NO: 147 is a clone designated herein as "DNA92238-2539".

[0175] FIG. 148 shows the amino acid sequence (SEQ ID NO: 148) derived from the coding sequence of SEQ ID NO: 147 shown in FIG. 147.

[0176] FIG. 149 shows a nucleotide sequence (SEQ ID NO: 149) of a native sequence PRO5990 cDNA, wherein SEQ ID NO: 149 is a clone designated herein as "DNA96042-2682".

[0177] FIG. 150 shows the amino acid sequence (SEQ ID NO: 150) derived from the coding sequence of SEQ ID NO: 149 shown in FIG. 149.

[0178] FIG. 151 shows a nucleotide sequence (SEQ ID NO: 151) of a native sequence PRO4342 cDNA, wherein SEQ ID NO: 151 is a clone designated herein as "DNA96787-2534".

[0179] FIG. 152 shows the amino acid sequence (SEQ ID NO: 152) derived from the coding sequence of SEQ ID NO: 151 shown in FIG. 151.

[0180] FIG. 153 shows a nucleotide sequence (SEQ ID NO: 153) of a native sequence PRO10096 cDNA, wherein SEQ ID NO: 153 is a clone designated herein as "DNA125185-2806".

[0181] FIG. 154 shows the amino acid sequence (SEQ ID NO: 154) derived from the coding sequence of SEQ ID NO: 153 shown in FIG. 153.

[0182] FIG. 155 shows a nucleotide sequence (SEQ ID NO: 155) of a native sequence PRO10272 cDNA, wherein SEQ ID NO: 155 is a clone designated herein as "DNA147531-2821".

[0183] FIG. 156 shows the amino acid sequence (SEQ ID NO: 156) derived from the coding sequence of SEQ ID NO: 155 shown in FIG. 155.

[0184] FIG. 157 shows a nucleotide sequence (SEQ ID NO: 157) of a native sequence PRO5801 cDNA, wherein SEQ ID NO: 157 is a clone designated herein as "DNA115291-2681".

[0185] FIG. 158 shows the amino acid sequence (SEQ ID NO: 158) derived from the coding sequence of SEQ ID NO: 157 shown in FIG. 157.

[0186] FIG. 159 shows a nucleotide sequence (SEQ ID NO: 159) of a native sequence PRO20110 cDNA, wherein SEQ ID NO: 159 is a clone designated herein as "DNA166819".

[0187] FIG. 160 shows the amino acid sequence (SEQ ID NO: 160) derived from the coding sequence of SEQ ID NO: 159 shown in FIG. 159.

[0188] FIG. 161 shows a nucleotide sequence (SEQ ID NO: 161) of a native sequence PRO20040 cDNA, wherein SEQ ID NO: 161 is a clone designated herein as "DNA164625-2890".

[0189] FIG. 162 shows the amino acid sequence (SEQ ID NO: 162) derived from the coding sequence of SEQ ID NO: 161 shown in FIG. 161.

[0190] FIG. 163 shows a nucleotide sequence (SEQ ID NO: 163) of a native sequence PRO20233 cDNA, wherein SEQ ID NO: 163 is a clone designated herein as "DNA165608".

[0191] FIG. 164 shows the amino acid sequence (SEQ ID NO: 164) derived from the coding sequence of SEQ ID NO: 163 shown in FIG. 163.

[0192] FIG. 165 shows a nucleotide sequence (SEQ ID NO: 165) of a native sequence PRO19670 cDNA, wherein SEQ ID NO: 165 is a clone designated herein as "DNA131639-2874".

[0193] FIG. 166 shows the amino acid sequence (SEQ ID NO: 166) derived from the coding sequence of SEQ ID NO: 165 shown in FIG. 165.

[0194] FIG. 167 shows a nucleotide sequence (SEQ ID NO: 167) of a native sequence. PRO1890 cDNA, wherein SEQ ID NO: 167 is a clone designated herein as "DNA79230-2525".

[0195] FIG. 168 shows the amino acid sequence (SEQ ID NO: 168) derived from the coding sequence of SEQ ID NO: 167 shown in FIG. 167.

DETAILED DESCRIPTION

[0196] I. Definitions

[0197] The terms "PRO polypeptide" and "PRO" as used herein and when immediately followed by a numerical designation refer to various polypeptides, wherein the complete designation (i.e., PRO/number) refers to specific polypeptide sequences as described herein. The terms "PRO/number polypeptide" and "PRO/number" wherein the term "number" is provided as an actual numerical designation as used herein encompass native sequence polypeptides and polypeptide variants (which are further defined herein). The PRO polypeptides described herein may be isolated from a variety of sources, such as from human tissue types or from another source, or prepared by recombinant or synthetic methods. The term "PRO polypeptide" refers to each individual PRO/number polypeptide disclosed herein. All disclosures in this specification which refer to the "PRO polypeptide" refer to each of the polypeptides individually as well as jointly. For example, descriptions of the prepa-

ration of, purification of, derivation of, formation of antibodies to or against, administration of, compositions containing, treatment of a disease with, etc., pertain to each polypeptide of the invention individually. The term "PRO polypeptide" also includes variants of the PRO/number polypeptides disclosed herein.

[0198] A "native sequence PRO polypeptide" comprises a polypeptide having the same amino acid sequence as the corresponding PRO polypeptide derived from nature. Such native sequence PRO polypeptides can be isolated from nature or can be produced by recombinant or synthetic means. The term "native sequence PRO polypeptide" specifically encompasses naturally-occurring truncated or secreted forms of the specific PRO polypeptide (e.g., an extracellular domain sequence), naturally-occurring variant forms (e.g., alternatively spliced forms) and naturally-occurring allelic variants of the polypeptide. In various embodiments of the invention, the native sequence PRO polypeptides disclosed herein are mature or full-length native sequence polypeptides comprising the full-length amino acids sequences shown in the accompanying figures. Start and stop codons are shown in bold font and underlined in the figures. However, while the PRO polypeptide disclosed in the accompanying figures are shown to begin with methionine residues designated herein as amino acid position 1 in the figures, it is conceivable and possible that other methionine residues located either upstream or downstream from the amino acid position 1 in the figures may be employed as the starting amino acid residue for the PRO polypeptides.

[0199] The PRO polypeptide "extracellular domain" or "ECD" refers to a form of the PRO polypeptide which is essentially free of the transmembrane and cytoplasmic domains. Ordinarily, a PRO polypeptide ECD will have less than 1% of such transmembrane and/or cytoplasmic domains and preferably, will have less than 0.5% of such domains. It will be understood that any transmembrane domains identified for the PRO polypeptides of the present invention are identified pursuant to criteria routinely employed in the art for identifying that type of hydrophobic domain. The exact boundaries of a transmembrane domain may vary but most likely by no more than about 5 amino acids at either end of the domain as initially identified herein. Optionally, therefore, an extracellular domain of a PRO polypeptide may contain from about 5 or fewer amino acids on either side of the transmembrane domain/extracellular domain boundary as identified in the Examples or specification and such polypeptides, with or without the associated signal peptide, and nucleic acid encoding them, are contemplated by the present invention.

[0200] The approximate location of the "signal peptides" of the various PRO polypeptides disclosed herein are shown in the present specification and/or the accompanying figures. It is noted, however, that the C-terminal boundary of a signal peptide may vary, but most likely by no more than about 5 amino acids on either side of the signal peptide C-terminal boundary as initially identified herein, wherein the C-terminal boundary of the signal peptide may be identified pursuant to criteria routinely employed in the art for identifying that type of amino acid sequence element (e.g., Nielsen et al., *Prot. Eng.* 10:1-6 (1997) and von Heinje et al., *Nucl. Acids. Res.* 14:4683-4690 (1986)). Moreover, it is also recognized that, in some cases, cleavage of a signal

sequence from a secreted polypeptide is not entirely uniform, resulting in more than one secreted species. These mature polypeptides, where the signal peptide is cleaved within no more than about 5 amino acids on either side of the C-terminal boundary of the signal peptide as identified herein, and the polynucleotides encoding them, are contemplated by the present invention.

[0201] "PRO polypeptide variant" means an active PRO polypeptide as defined above or below having at least about 80% amino acid sequence identity with a full-length native sequence PRO polypeptide sequence as disclosed herein, a PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Such PRO polypeptide variants include, for instance, PRO polypeptides wherein one or more amino acid residues are added, or deleted, at the N- or C-terminus of the full-length native amino acid sequence. Ordinarily, a PRO polypeptide variant will have at least about 80% amino acid sequence identity, alternatively at least about 81% amino acid sequence identity, alternatively at least about 82% amino acid sequence identity, alternatively at least about 83% amino acid sequence identity, alternatively at least about 84% amino acid sequence identity, alternatively at least about 85% amino acid sequence identity, alternatively at least about 86% amino acid sequence identity, alternatively at least about 87% amino acid sequence identity, alternatively at least about 88% amino acid sequence identity, alternatively at least about 89% amino acid sequence identity, alternatively at least about 90% amino acid sequence identity, alternatively at least about 91% amino acid sequence identity, alternatively at least about 92% amino acid sequence identity, alternatively at least about 93% amino acid sequence identity, alternatively at least about 94% amino acid sequence identity, alternatively at least about 95% amino acid sequence identity, alternatively at least about 96% amino acid sequence identity, alternatively at least about 97% amino acid sequence identity, alternatively at least about 98% amino acid sequence identity and alternatively at least about 99% amino acid sequence identity to a full-length native sequence PRO polypeptide sequence as disclosed herein, a PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other specifically defined fragment of a full-length PRO polypeptide sequence as disclosed herein. Ordinarily, PRO variant polypeptides are at least about 10 amino acids in length, alternatively at least about 20 amino acids in length, alternatively at least about 30 amino acids in length, alternatively at least about 40 amino acids in length, alternatively at least about 50 amino acids in length, alternatively at least about 60 amino acids in length, alternatively at least about 70 amino acids in length, alternatively at least about 80 amino acids in length, alternatively at least about 90 amino acids in length, alternatively at least about 100 amino acids in length, alternatively at least about 150 amino acids in length, alternatively at least about 200 amino acids in length, alternatively at least about 300 amino acids in length, or more.

[0202] "Percent (%) amino acid sequence identity" with respect to the PRO polypeptide sequences identified herein is defined as the percentage of amino acid residues in a

candidate sequence that are identical with the amino acid residues in the specific PRO polypeptide sequence, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity, and not considering any conservative substitutions as part of the sequence identity. Alignment for purposes of determining percent amino acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN or Megalign (DNASTAR) software. Those skilled in the art can determine appropriate parameters for measuring alignment, including any algorithms needed to achieve maximal alignment over the full length of the sequences being compared. For purposes herein, however, % amino acid sequence identity values are generated using the sequence comparison computer program ALIGN-2, wherein the complete source code for the ALIGN-2 program is provided in Table 1 below. The ALIGN-2 sequence comparison computer program was authored by Genentech, Inc. and the source code shown in Table 1 below has been filed with user documentation in the U.S. Copyright Office, Washington D.C., 20559, where it is registered under U.S. Copyright Registration No. TXU510087. The ALIGN-2 program is publicly available through Genentech, Inc., South San Francisco, Calif. or may be compiled from the source code provided in Table 1 below. The ALIGN-2 program should be compiled for use on a UNIX operating system, preferably digital UNIX V4.0D. All sequence comparison parameters are set by the ALIGN-2 program and do not vary.

[0203] In situations where ALIGN-2 is employed for amino acid sequence comparisons, the % amino acid sequence identity of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or comprises a certain % amino acid sequence identity to, with, or against a given amino acid sequence B) is calculated as follows:

100 times the fraction $\frac{X}{Y}$

[0204] where X is the number of amino acid residues scored as identical matches by the sequence alignment program ALIGN-2 in that program's alignment of A and B, and where Y is the total number of amino acid residues in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % amino acid sequence identity of A to B will not equal the % amino acid sequence identity of B to A. As examples of % amino acid sequence identity calculations using this method, Tables 2 and 3 demonstrate how to calculate the % amino acid sequence identity of the amino acid sequence designated "Comparison Protein" to the amino acid sequence designated "PRO", wherein "PRO" represents the amino acid sequence of a hypothetical PRO polypeptide of interest, "Comparison Protein" represents the amino acid sequence of a polypeptide against which the "PRO" polypeptide of interest is being compared, and "X", "Y" and "Z" each represent different hypothetical amino acid residues.

[0205] Unless specifically stated otherwise, all % amino acid sequence identity values used herein are obtained as described in the immediately preceding paragraph using the ALIGN-2 computer program. However, % amino acid sequence identity values may also be obtained as described

below by using the WU-BLAST-2 computer program (Altschul et al., *Methods in Enzymology* 266:460-480 (1996)). Most of the WU-BLAST-2 search parameters are set to the default values. Those not set to default values, i.e., the adjustable parameters, are set with the following values: overlap span=1, overlap fraction=0.125, word threshold (T)=11, and scoring matrix=BLOSUM62. When WU-BLAST-2 is employed, a % amino acid sequence identity value is determined by dividing (a) the number of matching identical amino acid residues between the amino acid sequence of the PRO polypeptide of interest having a sequence derived from the native PRO polypeptide and the comparison amino acid sequence of interest (i.e., the sequence against which the PRO polypeptide of interest is being compared which may be a PRO variant polypeptide) as determined by WU-BLAST-2 by (b) the total number of amino acid residues of the PRO polypeptide of interest. For example, in the statement "a polypeptide comprising an the amino acid sequence A which has or having at least 80% amino acid sequence identity to the amino acid sequence B", the amino acid sequence A is the comparison amino acid sequence of interest and the amino acid sequence B is the amino acid sequence of the PRO polypeptide of interest.

[0206] Percent amino acid sequence identity may also be determined using the sequence comparison program NCBI-BLAST2 (Altschul et al., *Nucleic Acids Res.* 25:3389-3402 (1997)). The NCBI-BLAST2 sequence comparison program may be downloaded from <http://www.ncbi.nlm.nih.gov> or otherwise obtained from the National Institute of Health, Bethesda, Md. NCBI-BLAST2 uses several search parameters, wherein all of those search parameters are set to default values including, for example, unmask=yes, strand=all, expected occurrences=10, minimum low complexity length=15/5, multi-pass e-value=0.01, constant for multi-pass=25, dropoff for final gapped alignment=25 and scoring matrix=BLOSUM62.

[0207] In situations where NCBI-BLAST2 is employed for amino acid sequence comparisons, the % amino acid sequence identity of a given amino acid sequence A to, with, or against a given amino acid sequence B (which can alternatively be phrased as a given amino acid sequence A that has or comprises a certain % amino acid sequence identity to, with, or against a given amino acid sequence B) is calculated as follows:

100 times the fraction $\frac{X}{Y}$

[0208] where X is the number of amino acid residues scored as identical matches by the sequence alignment program NCBI-BLAST2 in that program's alignment of A and B, and where Y is the total number of amino acid residues in B. It will be appreciated that where the length of amino acid sequence A is not equal to the length of amino acid sequence B, the % amino acid sequence identity of A to B will not equal the % amino acid sequence identity of B to A.

[0209] "PRO variant polynucleotide" or "PRO variant nucleic acid sequence" means a nucleic acid molecule which encodes an active PRO polypeptide as defined below and which has at least about 80% nucleic acid sequence identity with a nucleotide acid sequence encoding a full-length native sequence PRO polypeptide sequence as disclosed herein, a full-length native sequence PRO polypeptide sequence lacking the signal peptide as disclosed herein, an

extracellular domain of a PRO polypeptide, with or without the signal peptide, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Ordinarily, a PRO variant polynucleotide will have at least about 80% nucleic acid sequence identity, alternatively at least about 81% nucleic acid sequence identity, alternatively at least about 82% nucleic acid sequence identity, alternatively at least about 83% nucleic acid sequence identity, alternatively at least about 84% nucleic acid sequence identity, alternatively at least about 85% nucleic acid sequence identity, alternatively at least about 86% nucleic acid sequence identity, alternatively at least about 87% nucleic acid sequence identity, alternatively at least about 88% nucleic acid sequence identity, alternatively at least about 89% nucleic acid sequence identity, alternatively at least about 90% nucleic acid sequence identity, alternatively at least about 91% nucleic acid sequence identity, alternatively at least about 92% nucleic acid sequence identity, alternatively at least about 93% nucleic acid sequence identity, alternatively at least about 94% nucleic acid sequence identity, alternatively at least about 95% nucleic acid sequence identity, alternatively at least about 96% nucleic acid sequence identity, alternatively at least about 97% nucleic acid sequence identity, alternatively at least about 98% nucleic acid sequence identity and alternatively at least about 99% nucleic acid sequence identity with a nucleic acid sequence encoding a full-length native sequence PRO polypeptide sequence as disclosed herein, a full-length native sequence PRO polypeptide sequence lacking the signal peptide as disclosed herein, an extracellular domain of a PRO polypeptide, with or without the signal sequence, as disclosed herein or any other fragment of a full-length PRO polypeptide sequence as disclosed herein. Variants do not encompass the native nucleotide sequence.

[0210] Ordinarily, PRO variant polynucleotides are at least about 30 nucleotides in length, alternatively at least about 60 nucleotides in length, alternatively at least about 90 nucleotides in length, alternatively at least about 120 nucleotides in length, alternatively at least about 150 nucleotides in length, alternatively at least about 180 nucleotides in length, alternatively at least about 210 nucleotides in length, alternatively at least about 240 nucleotides in length, alternatively at least about 270 nucleotides in length, alternatively at least about 300 nucleotides in length, alternatively at least about 450 nucleotides in length, alternatively at least about 600 nucleotides in length, alternatively at least about 900 nucleotides in length, or more.

[0211] "Percent (%) nucleic acid sequence identity" with respect to PRO-encoding nucleic acid sequences identified herein is defined as the percentage of nucleotides in a candidate sequence that are identical with the nucleotides in the PRO nucleic acid sequence of interest, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity. Alignment for purposes of determining percent nucleic acid sequence identity can be achieved in various ways that are within the skill in the art, for instance, using publicly available computer software such as BLAST, BLAST-2, ALIGN or Megalign (DNASTAR) software. For purposes herein, however, % nucleic acid sequence identity values are generated using the sequence comparison computer program ALIGN-2, wherein the complete source code for the ALIGN-2 program is provided in Table 1 below. The ALIGN-2 sequence comparison computer program was authored by Genentech, Inc.

and the source code shown in Table 1 below has been filed with user documentation in the U.S. Copyright Office, Washington D.C., 20559, where it is registered under U.S. Copyright Registration No. TXU510087. The ALIGN-2 program is publicly available through Genentech, Inc., South San Francisco, Calif. or may be compiled from the source code provided in Table 1 below. The ALIGN-2 program should be compiled for use on a UNIX operating system, preferably digital UNIX V4.0D. All sequence comparison parameters are set by the ALIGN-2 program and do not vary.

[0212] In situations where ALIGN-2 is employed for nucleic acid sequence comparisons, the % nucleic acid sequence identity of a given nucleic acid sequence C to, with, or against a given nucleic acid sequence D (which can alternatively be phrased as a given nucleic acid sequence C that has or comprises a certain % nucleic acid sequence identity to, with, or against a given nucleic acid sequence D) is calculated as follows:

$$100 \text{ times the fraction } \frac{W}{Z}$$

[0213] where W is the number of nucleotides scored as identical matches by the sequence alignment program ALIGN-2 in that program's alignment of C and D, and where Z is the total number of nucleotides in D. It will be appreciated that where the length of nucleic acid sequence C is not equal to the length of nucleic acid sequence D, the % nucleic acid sequence identity of C to D will not equal the % nucleic acid sequence identity of D to C. As examples of % nucleic acid sequence identity calculations, Tables 4 and 5, demonstrate how to calculate the % nucleic acid sequence identity of the nucleic acid sequence designated "Comparison DNA" to the nucleic acid sequence designated "PRO-DNA", wherein "PRO-DNA" represents a hypothetical PRO-encoding nucleic acid sequence of interest, "Comparison DNA" represents the nucleotide sequence of a nucleic acid molecule against which the "PRO-DNA" nucleic acid molecule of interest is being compared, and "N", "L" and "V" each represent different hypothetical nucleotides.

[0214] Unless specifically stated otherwise, all % nucleic acid sequence identity values used herein are obtained as described in the immediately preceding paragraph using the ALIGN-2 computer program. However, % nucleic acid sequence identity values may also be obtained as described below by using the WU-BLAST-2 computer program (Altschul et al., Methods in Enzymology 266:460-480 (1996)). Most of the WU-BLAST-2 search parameters are set to the default values. Those not set to default values, i.e., the adjustable parameters, are set with the following values: overlap span=1, overlap fraction=0.125, word threshold (T)=11, and scoring matrix=BLOSUM62. When WU-BLAST-2 is employed, a % nucleic acid sequence identity value is determined by dividing (a) the number of matching identical nucleotides between the nucleic acid sequence of the PRO polypeptide-encoding nucleic acid molecule of interest having a sequence derived from the native sequence PRO polypeptide-encoding nucleic acid and the comparison nucleic acid molecule of interest (i.e., the sequence against which the PRO polypeptide-encoding nucleic acid molecule of interest is being compared which may be a variant PRO polynucleotide) as determined by WU-BLAST-2 by (b) the total number of nucleotides of the PRO polypeptide-encoding nucleic acid molecule of interest. For example, in the statement "an isolated nucleic acid

molecule comprising a nucleic acid sequence A which has or having at least 80% nucleic acid sequence identity to the nucleic acid sequence B", the nucleic acid sequence A is the comparison nucleic acid molecule of interest and the nucleic acid sequence B is the nucleic acid sequence of the PRO polypeptide-encoding nucleic acid molecule of interest.

[0215] Percent nucleic acid sequence identity may also be determined using the sequence comparison program NCBI-BLAST2 (Altschul et al., *Nucleic Acids Res.* 25:3389-3402 (1997)). The NCBI-BLAST2 sequence comparison program may be downloaded from <http://www.ncbi.nlm.nih.gov> or otherwise obtained from the National Institute of Health, Bethesda, Md. NCBI-BLAST2 uses several search parameters, wherein all of those search parameters are set to default values including, for example, unmask=yes, strand=all, expected occurrences=10, minimum low complexity length=15/5, multi-pass e-value=0.01, constant for multi-pass=25, dropoff for final gapped alignment=25 and scoring matrix=BLOSUM62.

[0216] In situations where NCBI-BLAST2 is employed for sequence comparisons, the % nucleic acid sequence identity of a given nucleic acid sequence C to, with, or against a given nucleic acid sequence D (which can alternatively be phrased as a given nucleic acid sequence C that has or comprises a certain % nucleic acid sequence identity to, with, or against a given nucleic acid sequence D) is calculated as follows:

$$100 \text{ times the fraction } \frac{W}{Z}$$

[0217] where W is the number of nucleotides scored as identical matches by the sequence alignment program NCBI-BLAST2 in that program's alignment of C and D, and where Z is the total number of nucleotides in D. It will be appreciated that where the length of nucleic acid sequence C is not equal to the length of nucleic acid sequence D, the % nucleic acid sequence identity of C to D will not equal the % nucleic acid sequence identity of D to C.

[0218] In other embodiments, PRO variant polynucleotides are nucleic acid molecules that encode an active PRO polypeptide and which are capable of hybridizing, preferably under stringent hybridization and wash conditions, to nucleotide sequences encoding a full-length PRO polypeptide as disclosed herein. PRO variant polypeptides may be those that are encoded by a PRO variant polynucleotide.

[0219] "Isolated," when used to describe the various polypeptides disclosed herein, means polypeptide that has been identified and separated and/or recovered from a component of its natural environment. Contaminant components of its natural environment are materials that would typically interfere with diagnostic or therapeutic uses for the polypeptide, and may include enzymes, hormones, and other proteinaceous or non-proteinaceous solutes. In preferred embodiments, the polypeptide will be purified (1) to a degree sufficient to obtain at least 15 residues of N-terminal or internal amino acid sequence by use of a spinning cup sequenator, or (2) to homogeneity by SDS-PAGE under non-reducing or reducing conditions using Coomassie blue or, preferably, silver stain. Isolated polypeptide includes polypeptide in situ within recombinant cells, since at least one component of the PRO polypeptide natural environment will not be present. Ordinarily, however, isolated polypeptide will be prepared by at least one purification step.

[0220] An "isolated" PRO polypeptide-encoding nucleic acid or other polypeptide-encoding nucleic acid is a nucleic acid molecule that is identified and separated from at least one contaminant nucleic acid molecule with which it is ordinarily associated in the natural source of the polypeptide-encoding nucleic acid. An isolated polypeptide-encoding nucleic acid molecule is other than in the form or setting in which it is found in nature. Isolated polypeptide-encoding nucleic acid molecules therefore are distinguished from the specific polypeptide-encoding nucleic acid molecule as it exists in natural cells. However, an isolated polypeptide-encoding nucleic acid molecule includes polypeptide-encoding nucleic acid molecules contained in cells that ordinarily express the polypeptide where, for example, the nucleic acid molecule is in a chromosomal location different from that of natural cells.

[0221] The term "control sequences" refers to DNA sequences necessary for the expression of an operably linked coding sequence in a particular host organism. The control sequences that are suitable for prokaryotes, for example, include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

[0222] Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence if it is positioned so as to facilitate translation. Generally, "operably linked" means that the DNA sequences being linked are contiguous, and, in the case of a secretory leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is accomplished by ligation at convenient restriction sites. If such sites do not exist, the synthetic oligonucleotide adaptors or linkers are used in accordance with conventional practice.

[0223] The term "antibody" is used in the broadest sense and specifically covers, for example, single anti-PRO monoclonal antibodies (including agonist, antagonist, and neutralizing antibodies), anti-PRO antibody compositions with polypeptidic specificity, single chain anti-PRO antibodies, and fragments of anti-PRO antibodies (see below). The term "monoclonal antibody" as used herein refers to an antibody obtained from a population of substantially homogeneous antibodies, i.e., the individual antibodies comprising the population are identical except for possible naturally-occurring mutations that may be present in minor amounts.

[0224] "Stringency" of hybridization reactions is readily determinable by one of ordinary skill in the art, and generally is an empirical calculation dependent upon probe length, washing temperature, and salt concentration. In general, longer probes require higher temperatures for proper annealing, while shorter probes need lower temperatures. Hybridization generally depends on the ability of denatured DNA to reanneal when complementary strands are present in an environment below their melting temperature. The higher the degree of desired homology between the probe and hybridizable sequence, the higher the relative temperature which can be used. As a result, it follows that

higher relative temperatures would tend to make the reaction conditions more stringent, while lower temperatures less so. For additional details and explanation of stringency of hybridization reactions, see Ausubel et al., *Current Protocols in Molecular Biology*, Wiley Interscience Publishers, (1995).

[0225] "Stringent conditions" or "high stringency conditions", as defined herein, may be identified by those that: (1) employ low ionic strength and high temperature for washing, for example 0.015 M sodium chloride/0.0015 M sodium citrate/0.1% sodium dodecyl sulfate at 50° C.; (2) employ during hybridization a denaturing agent, such as formamide, for example, 50% (v/v) formamide with 0.1% bovine serum albumin/0.1% Ficoll/0.1% polyvinylpyrrolidone/50 mM sodium phosphate buffer at pH 6.5 with 750 mM sodium chloride, 75 mM sodium citrate at 42° C.; or (3) employ 50% formamide, 5×SSC (0.75 M NaCl, 0.075 M sodium citrate), 50 mM sodium phosphate (pH 6.8), 0.1% sodium pyrophosphate, 5× Denhardt's solution, sonicated salmon sperm DNA (50 µg/ml), 0.1% SDS, and 10% dextran sulfate at 42° C., with washes at 42° C in 0.2×SSC (sodium chloride/sodium citrate) and 50% formamide at 55° C., followed by a high-stringency wash consisting of 0.1×SSC containing EDTA at 55° C.

[0226] "Moderately stringent conditions" may be identified as described by Sambrook et al., *Molecular Cloning: A Laboratory Manual*, New York: Cold Spring Harbor Press, 1989, and include the use of washing solution and hybridization conditions (e.g., temperature, ionic strength and % SDS) less stringent than those described above. An example of moderately stringent conditions is overnight incubation at 37° C. in a solution comprising: 20% formamide, 5×SSC (150 mM NaCl, 15 mM trisodium citrate), 50 mM sodium phosphate (pH 7.6), 5× Denhardt's solution, 10% dextran sulfate, and 20 mg/ml denatured sheared salmon sperm DNA, followed by washing the filters in 1×SSC at about 37-50° C. The skilled artisan will recognize how to adjust the temperature, ionic strength, etc. as necessary to accommodate factors such as probe length and the like.

[0227] The term "epitope tagged" when used herein refers to a chimeric polypeptide comprising a PRO polypeptide fused to a "tag polypeptide". The tag polypeptide has enough residues to provide an epitope against which an antibody can be made, yet is short enough such that it does not interfere with activity of the polypeptide to which it is fused. The tag polypeptide preferably also is fairly unique so that the antibody does not substantially cross-react with other epitopes. Suitable tag polypeptides generally have at least six amino acid residues and usually between about 8 and 50 amino acid residues (preferably, between about 10 and 20 amino acid residues).

[0228] As used herein, the term "immunoadhesin" designates antibody-like molecules which combine the binding specificity of a heterologous protein (an "adhesin") with the effector functions of immunoglobulin constant domains. Structurally, the immunoadhesins comprise a fusion of an amino acid sequence with the desired binding specificity which is other than the antigen recognition and binding site of an antibody (i.e., is "heterologous"), and an immunoglobulin constant domain sequence. The adhesin part of an immunoadhesin molecule typically is a contiguous amino acid sequence comprising at least the binding site of a receptor or a ligand. The immunoglobulin constant domain sequence in the immunoadhesin may be obtained from any

immunoglobulin, such as IgG-1, IgG-2, IgG-3, or IgG-4 subtypes, IgA (including IgA-1 and IgA-2), IgE, IgD or IgM.

[0229] "Active" or "activity" for the purposes herein refers to form(s) of a PRO polypeptide which retain a biological and/or an immunological activity of native or naturally-occurring PRO, wherein "biological" activity refers to a biological function (either inhibitory or stimulatory) caused by a native or naturally-occurring PRO other than the ability to induce the production of an antibody against an antigenic epitope possessed by a native or naturally-occurring PRO and an "immunological" activity refers to the ability to induce the production of an antibody against an antigenic epitope possessed by a native or naturally-occurring PRO.

[0230] The term "antagonist" is used in the broadest sense, and includes any molecule that partially or fully blocks, inhibits, or neutralizes a biological activity of a native PRO polypeptide disclosed herein. In a similar manner, the term "agonist" is used in the broadest sense and includes any molecule that mimics a biological activity of a native PRO polypeptide disclosed herein. Suitable agonist or antagonist molecules specifically include agonist or antagonist antibodies or antibody fragments, fragments or amino acid sequence variants of native PRO polypeptides, peptides, antisense oligonucleotides, small organic molecules, etc. Methods for identifying agonists or antagonists of a PRO polypeptide may comprise contacting a PRO polypeptide with a candidate agonist or antagonist molecule and measuring a detectable change in one or more biological activities normally associated with the PRO polypeptide.

[0231] "Treatment" refers to both therapeutic treatment and prophylactic or preventative measures, wherein the object is to prevent or slow down (lessen) the targeted pathologic condition or disorder. Those in need of treatment include those already with the disorder as well as those prone to have the disorder or those in whom the disorder is to be prevented.

[0232] "Chronic" administration refers to administration of the agent(s) in a continuous mode as opposed to an acute mode, so as to maintain the initial therapeutic effect (activity) for an extended period of time. "Intermittent" administration is treatment that is not consecutively done without interruption, but rather is cyclic in nature.

[0233] "Mammal" for purposes of treatment refers to any animal classified as a mammal, including humans, domestic and farm animals, and zoo, sports, or pet animals, such as dogs, cats, cattle, horses, sheep, pigs, goats, rabbits, etc. Preferably, the mammal is human.

[0234] Administration "in combination with" one or more further therapeutic agents includes simultaneous (concurrent) and consecutive administration in any order.

[0235] "Carriers" as used herein include pharmaceutically acceptable carriers, excipients, or stabilizers which are non-toxic to the cell or mammal being exposed thereto at the dosages and concentrations employed. Often the physiologically acceptable carrier is an aqueous pH buffered solution. Examples of physiologically acceptable carriers include buffers such as phosphate, citrate, and other organic acids; antioxidants including ascorbic acid; low molecular weight (less than about 10 residues) polypeptide; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids such as glycine, glutamine, asparagine, arginine or lysine; monosac-

charides, disaccharides, and other carbohydrates including glucose, mannose, or dextrans; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; salt-forming counterions such as sodium; and/or nonionic surfactants such as TWEENTM, polyethylene glycol (PEG), and PLURONICSTM.

[0236] "Antibody fragments" comprise a portion of an intact antibody, preferably the antigen binding or variable region of the intact antibody. Examples of antibody fragments include Fab, Fab', F(ab')₂, and Fv fragments; diabodies; linear antibodies (Zapata et al., Protein Eng. 8(10): 1057-1062[1995]); single-chain antibody molecules; and multispecific antibodies formed from antibody fragments.

[0237] Papain digestion of antibodies produces two identical antigen-binding fragments, called "Fab" fragments, each with a single antigen-binding site, and a residual "Fc" fragment, a designation reflecting the ability to crystallize readily. Pepsin treatment yields an F(ab')₂ fragment that has two antigen-combining sites and is still capable of cross-linking antigen.

[0238] "Fv" is the minimum antibody fragment which contains a complete antigen-recognition and -binding site. This region consists of a dimer of one heavy- and one light-chain variable domain in tight, non-covalent association. It is in this configuration that the three CDRs of each variable domain interact to define an antigen-binding site on the surface of the V_H-V_L dimer. Collectively, the six CDRs confer antigen-binding specificity to the antibody. However, even a single variable domain (or half of an Fv comprising only three CDRs specific for an antigen) has the ability to recognize and bind antigen, although at a lower affinity than the entire binding site.

[0239] The Fab fragment also contains the constant domain of the light chain and the first constant domain (CH1) of the heavy chain. Fab fragments differ from Fab' fragments by the addition of a few residues at the carboxy terminus of the heavy chain CH1 domain including one or more cysteines from the antibody hinge region. Fab'-SH is the designation herein for Fab' in which the cysteine residue(s) of the constant domains bear a free thiol group. F(ab')₂ antibody fragments originally were produced as pairs of Fab' fragments which have hinge cysteines between them. Other chemical couplings of antibody fragments are also known.

[0240] The "light chains" of antibodies (immunoglobulins) from any vertebrate species can be assigned to one of two clearly distinct types, called kappa and lambda, based on the amino acid sequences of their constant domains.

[0241] Depending on the amino acid sequence of the constant domain of their heavy chains, immunoglobulins can be assigned to different classes. There are five major classes of immunoglobulins: IgA, IgD, IgE, IgG, and IgM, and several of these may be further divided into subclasses (isotypes), e.g., IgG1, IgG2, IgG3, IgG4, IgA, and IgA2.

[0242] "Single-chain Fv" or "sFv" antibody fragments comprise the V_H and V_L domains of antibody, wherein these domains are present in a single polypeptide chain. Preferably, the Fv polypeptide further comprises a polypeptide linker between the V_H and V_L domains which enables the sFv to form the desired structure for antigen binding. For a review of sFv, see Pluckthun in *The Pharmacology of Monoclonal Antibodies*, vol. 113, Rosenberg and Moore eds., Springer-Verlag, New York, pp. 269-315 (1994).

[0243] The term "diabodies" refers to small antibody fragments with two antigen-binding sites, which fragments comprise a heavy-chain variable domain (V_H) connected to a light-chain variable domain (V_L) in the same polypeptide chain (V_H-V_L). By using a linker that is too short to allow pairing between the two domains on the same chain, the domains are forced to pair with the complementary domains of another chain and create two antigen-binding sites. Diabodies are described more fully in, for example, EP 404,097; WO 93/11161; and Hollinger et al., Proc. Natl. Acad. Sci. USA, 90:6444-6448 (1993).

[0244] An "isolated" antibody is one which has been identified and separated and/or recovered from a component of its natural environment. Contaminant components of its natural environment are materials which would interfere with diagnostic or therapeutic uses for the antibody, and may include enzymes, hormones, and other proteinaceous or nonproteinaceous solutes. In preferred embodiments, the antibody will be purified (1) to greater than 95% by weight of antibody as determined by the Lowry method, and most preferably more than 99% by weight, (2) to a degree sufficient to obtain at least 15 residues of N-terminal or internal amino acid sequence by use of a spinning cup sequenator, or (3) to homogeneity by SDS-PAGE under reducing or nonreducing conditions using Coomassie blue or, preferably, silver stain. Isolated antibody includes the antibody in situ within recombinant cells since at least one component of the antibody's natural environment will not be present. Ordinarily, however, isolated antibody will be prepared by at least one purification step.

[0245] An antibody that "specifically binds to" or is "specific for" a particular polypeptide or an epitope on a particular polypeptide is one that binds to that particular polypeptide or epitope on a particular polypeptide without substantially binding to any other polypeptide or polypeptide epitope.

[0246] The word "label" when used herein refers to a detectable compound or composition which is conjugated directly or indirectly to the antibody so as to generate a "labeled" antibody. The label may be detectable by itself (e.g. radioisotope labels or fluorescent labels) or, in the case of an enzymatic label, may catalyze chemical alteration of a substrate compound or composition which is detectable.

[0247] By "solid phase" is meant a non-aqueous matrix to which the antibody of the present invention can adhere. Examples of solid phases encompassed herein include those formed partially or entirely of glass (e.g., controlled pore glass), polysaccharides (e.g., agarose), polyacrylamides, polystyrene, polyvinyl alcohol and silicones. In certain embodiments, depending on the context, the solid phase can comprise the well of an assay plate; in others it is a purification column (e.g., an affinity chromatography column). This term also includes a discontinuous solid phase of discrete particles, such as those described in U.S. Pat. No. 4,275,149.

[0248] A "liposome" is a small vesicle composed of various types of lipids, phospholipids and/or surfactant which is useful for delivery of a drug (such as a PRO polypeptide or antibody thereto) to a mammal. The components of the liposome are commonly arranged in a bilayer formation, similar to the lipid arrangement of biological membranes.

[0249] A "small molecule" is defined herein to have a molecular weight below about 500 Daltons

TABLE 1

```

/*
 *
 * C—C increased from 12 to 15
 * Z is average of EQ
 * B is average of ND
 * match with stop is _M; stop—stop = 0; J (joker) match = 0
 */
#define _M -8 /* value of a match with a stop */
int
_day[26][26] = {
/* A B C D E F G H I J K L M N O P Q R S T U V W X Y Z */
/* A */ {2, 0, -2, 0, 0, -4, 1, -1, -1, 0, -1, -2, -1, 0, _M, 1, 0, -2, 1, 1, 0, 0, -6, 0, -3, 0},
/* B */ {0, 3, -4, 3, 2, -5, 0, 1, -2, 0, 0, -3, -2, 2, _M, -1, 1, 0, 0, 0, 0, -2, -5, 0, -3, 1},
/* C */ {-2, -4, 15, -5, -5, -4, -3, -3, -2, 0, -5, -6, -5, -4, _M, -3, -5, -4, 0, -2, 0, -2, -8, 0, 0, -5},
/* D */ {0, 3, -5, 4, 3, -6, 1, 1, -2, 0, 0, -4, -3, 2, _M, -1, 2, -1, 0, 0, 0, -2, -7, 0, -4, 2},
/* E */ {0, 2, -5, 3, 4, -5, 0, 1, -2, 0, 0, -3, -2, 1, _M, -1, 2, -1, 0, 0, 0, -2, -7, 0, -4, 3},
/* F */ {-4, -5, -4, -6, -5, 9, -5, -2, 1, 0, -5, 2, 0, -4, _M, -5, -5, -4, -3, -3, 0, -1, 0, 0, 7, -5},
/* G */ {1, 0, -3, 1, 0, -5, 5, -2, -3, 0, -2, -4, -3, 0, _M, -1, -1, -3, 1, 0, 0, -1, -7, 0, -5, 0},
/* H */ {-1, 1, -3, 1, 1, -2, -2, 6, -2, 0, 0, -2, -2, 2, _M, 0, 3, 2, -1, -1, 0, -2, -3, 0, 0, 2},
/* I */ {-1, -2, -2, -2, -2, 1, -3, -2, 5, 0, -2, 2, 2, -2, _M, -2, -2, -2, -1, 0, 0, 4, -5, 0, -1, -2},
/* J */ {0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0},
/* K */ {-1, 0, -5, 0, 0, -5, -2, 0, -2, 0, -2, 0, 5, -3, 0, 1, _M, -1, 1, 3, 0, 0, 0, -2, -3, 0, -4, 0},
/* L */ {-2, -3, -6, -4, -3, 2, -4, -2, 2, 0, -3, 6, 4, -3, _M, -3, -2, -3, -3, -1, 0, 2, -2, 0, -1, -2},
/* M */ {-1, -2, -5, -3, -2, 0, -3, -2, 2, 0, 0, 4, 6, -2, _M, -2, -1, 0, -2, -1, 0, 2, -4, 0, -2, -1},
/* N */ {0, 2, -4, 2, 1, -4, 0, 2, -2, 0, 1, -3, -2, 2, _M, -1, 1, 0, 1, 0, 0, -2, -4, 0, -2, 1},
/* O */ {_M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M, 0, _M, _M, _M, _M, _M, _M, _M, _M, _M, _M},
/* P */ {1, -1, -3, -1, -1, -5, -1, 0, -2, 0, -1, -3, -2, -1, _M, 6, 0, 0, 1, 0, 0, -1, -6, 0, -5, 0},
/* Q */ {0, 1, -5, 2, 2, -5, -1, 3, -2, 0, 1, -2, -1, 1, _M, 0, 4, 1, -1, -1, 0, -2, -5, 0, -4, 3},
/* R */ {-2, 0, -4, -1, -1, -4, -3, 2, -2, 0, 3, -3, 0, 0, _M, 0, 1, 6, 0, -1, 0, -2, 2, 0, -4, 0},
/* S */ {1, 0, 0, 0, -3, 1, -1, -1, 0, 0, -3, -2, 1, _M, 1, -1, 0, 2, 1, 0, -1, -2, 0, -3, 0},
/* T */ {1, 0, -2, 0, 0, -3, 0, -1, 0, 0, 0, -1, -1, 0, _M, 0, -1, -1, 1, 3, 0, 0, -5, 0, -3, 0},
/* U */ {0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0},
/* V */ {0, -2, -2, -2, -2, -1, -1, -2, 4, 0, -2, 2, 2, -2, _M, -1, -2, -2, -1, 0, 0, 4, -6, 0, -2, -2},
/* W */ {-6, -5, -8, -7, -7, 0, -7, -3, -5, 0, -3, -2, -4, -4, _M, -6, -5, 2, -2, -5, 0, -6, 17, 0, 0, -6},
/* X */ {0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, _M, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0},
/* Y */ {-3, -3, 0, -4, -4, 7, -5, 0, -1, 0, -4, -1, -2, -2, _M, -5, -4, -4, -3, -3, 0, -2, 0, 0, 10, -4},
/* Z */ {0, 1, -5, 2, 3, -5, 0, 2, -2, 0, 0, -2, -1, 1, _M, 0, 3, 0, 0, 0, 0, -2, -6, 0, -4, 4},
};
*/

#include <stdio.h>
#include <ctype.h>
#define MAXJMP 16 /* max jumps in a diag */
#define MAXGAP 24 /* don't continue to penalize gaps larger than this */
#define JMPS 1024 /* max jmps in an path */
#define MX 4 /* save if there's at least MX-1 bases since last jmp */
#define DMAT 3 /* value of matching bases */
#define DMIS 0 /* penalty for mismatched bases */
#define DINS0 8 /* penalty for a gap */
#define DINS1 1 /* penalty per base */
#define PINS0 8 /* penalty for a gap */
#define PINS1 4 /* penalty per residue */
struct jmp {
    short n[MAXJMP]; /* size of jmp (neg for dely) */
    unsigned short x[MAXJMP]; /* base no. of jmp in seq x */
    /* limits seq to 2^16-1 */
};

struct diag {
    int score; /* score at last jmp */
    long offset; /* offset of prev block */
    short ijmp; /* current jmp index */
    struct jmp jp; /* list of jmps */
};

struct path {
    int spc; /* number of leading spaces */
    short n[JMPS]; /* size of jmp (gap) */
    int x[JMPS]; /* loc of jmp (last elem before gap) */
};

char *ofile; /* output file name */
char *name[2]; /* seq names: getseqs() */
char *prog; /* prog name for err msgs */
char *seqs[2]; /* seqs: getseqs() */
int dmax; /* best diag: nw() */
int dmax0; /* final diag */
int dna; /* set if dna: main() */
int endgaps; /* set if penalizing end gaps */
int gapx, gapy; /* total gaps in seqs */

```

TABLE 1-continued

```

int      len0, len1;          /* seq lens */
int      ngapx, ngapy;        /* total size of gaps */
int      smax;                /* max score: nw() */
int      *xbm;                /* bitmap for matching */
long     offset;              /* current offset in jmp file */
struct   diag  *dx;           /* holds diagonals */
struct   path  pp[2];         /* holds path for seqs */
char      *calloc(), *malloc(), *index(), *strcpy();
char      *getseq(), *g_calloc();
/* Needleman-Wunsch alignment program
*
* usage: progs file1 file2
*   where file1 and file2 are two dna or two protein sequences.
*   The sequences can be in upper- or lower-case an may contain ambiguity
*   Any lines beginning with ';', '>' or '<' are ignored
*   Max file length is 65535 (limited by unsigned short x in the jmp struct)
*   A sequence with 1/3 or more of its elements ACGTU is assumed to be DNA
*   Output is in the file "align.out"
*
* The program may create a tmp file in /tmp to hold info about traceback.
* Original version developed under BSD 4.3 on a vax 8650
*/
#include "nw.h"
#include "day.h"
static  __dbval[26] = {
    1,14,2,13,0,0,4,11,0,0,12,0,3,15,0,0,0,5,6,8,8,7,9,0,10,0
};
static  __pbval[26] = {
    1, 2|(1<<('D'-'A'))|(1<<('N'-'A')), 4, 8, 16, 32, 64,
    128, 256, 0xFFFFFFF, 1<<10, 1<<11, 1<<12, 1<<13, 1<<14,
    1<<15, 1<<16, 1<<17, 1<<18, 1<<19, 1<<20, 1<<21, 1<<22,
    1<<23, 1<<24, 1<<25|(1<<('E'-'A'))|(1<<('Q'-'A'))
};
main(ac, av)
int      ac;
char      *av[];
{
    prog = av[0];
    if(ac != 3) {
        fprintf(stderr, "usage: %s file1 file2\n", prog);
        fprintf(stderr, "where file1 and file2 are two dna or two protein sequences.\n");
        fprintf(stderr, "The sequences can be in upper- or lower-case\n");
        fprintf(stderr, "Any lines beginning with ';' or '<' are ignored\n");
        fprintf(stderr, "Output is in the file \"align.out\"\n");
        exit(1);
    }
    namex[0] = av[1];
    namex[1] = av[2];
    seqx[0] = getseq(namex[0], &len0);
    seqx[1] = getseq(namex[1], &len1);
    xbm = (dna)? __dbval : __pbval;
    endgaps = 0;          /* 1 to penalize endgaps */
    ofile = "align.out";  /* output file */
    nw();                /* fill in the matrix, get the possible jmps */
    readjmps();          /* get the actual jmps */
    print();             /* print stats, alignment */
    cleanup(0);          /* unlink any tmp files */
}
/* do the alignment, return best score: main()
* dna: values in Fitch and Smith, PNAS, 80, 1382-1386, 1983
* pro: PAM 250 values
* When scores are equal, we prefer mismatches to any gap, prefer
* a new gap to extending an ongoing gap, and prefer a gap in seqx
* to a gap in seq y.
*/
nw()
{
    char      *px, *py;      /* seqs and ptrs */
    int      *ndely, *dely;  /* keep track of dely */
    int      ndelx, delx;    /* keep track of delx */
    int      *tmp;          /* for swapping row0, row1 */
    int      mis;           /* score for each type */
    int      ins0, ins1;     /* insertion penalties */
    register  id;            /* diagonal index */
    register  ij;           /* jmp index */
    register  *col0, *col1;  /* score for curr, last row */

```

TABLE 1-continued

```

register  xx, yy;          /* index into seqs */
dx = (struct diag *)g_calloc("to get diags", len0+len1+1, sizeof(struct diag));
ndely = (int *)g_calloc("to get ndely", len1+1, sizeof(int));
dely = (int *)g_calloc("to get dely", len1+1, sizeof(int));
col0 = (int *)g_calloc("to get col0", len1+1, sizeof(int));
col1 = (int *)g_calloc("to get col1", len1+1, sizeof(int));
ins0 = (dna)? DINS0 : PINS0;
ins1 = (dna)? DINS1 : PINS1;
smax = -10000;
if (endgaps) {
    for (col0[0] = dely[0] = -ins0, yy = 1; yy <= len1; yy++) {
        col0[yy] = dely[yy] = col0[yy-1] - ins1;
        ndely[yy] = yy;
    }
    col0[0] = 0;      /* Waterman Bull Math Biol 84 */
}
else
    for (yy = 1; yy <= len1; yy++)
        dely[yy] = -ins0;
/* fill in match matrix
*/
for (px = seqx[0], xx = 1; xx <= len0; px++, xx++) {
    /* initialize first entry in col
    */
    if (endgaps) {
        if (xx == 1)
            col1[0] = delx = -(ins0+ins1);
        else
            col1[0] = delx = col0[0]-ins1;
        ndelx = xx;
    }
    else {
        col1[0] = 0;
        delx = -ins0;
        ndelx = 0;
    }
}

for (py = seqx[1], yy = 1; yy <= len1; py++, yy++) {
    mis = col0[yy-1];
    if (dna)
        mis += (xbm["px-'A'"]&xbm["py-'A'"])? DMAT : DMIS;
    else
        mis += _day["px-'A'"]*py-'A'];
    /* update penalty for del in x seq;
    * favor new del over ongong del
    * ignore MAXGAP if weighting endgaps
    */
    if (endgaps || ndely[yy] < MAXGAP) {
        if (col0[yy] - ins0 >= dely[yy]) {
            dely[yy] = col0[yy] - (ins0+ins1);
            ndely[yy] = 1;
        } else {
            dely[yy] -= ins1;
            ndely[yy]++;
        }
    }
    else {
        if (col0[yy] - (ins0+ins1) >= dely[yy]) {
            dely[yy] = col0[yy] - (ins0+ins1);
            ndely[yy] = 1;
        } else
            ndely[yy]++;
    }
    /* update penalty for del in y seq;
    * favor new del over ongong del
    */
    if (endgaps || ndelx < MAXGAP) {
        if (col1[yy-1] - ins0 >= delx) {
            delx = col1[yy-1] - (ins0+ins1);
            ndelx = 1;
        } else {
            delx -= ins1;
            ndelx++;
        }
    }
    else {
        if (col1[yy-1] - (ins0+ins1) >= delx) {
            delx = col1[yy-1] - (ins0+ins1);

```

TABLE 1-continued

```

        ndelx = 1;
    } else
        ndelx++;
}
/* pick the maximum score; we're favoring
 * mis over any del and delx over dely
 */

id = xx - yy + len1 - 1;
if (mis >= delx && mis >= dely[yy])
    col1[yy] = mis;
else if (delx >= dely[yy]) {
    col1[yy] = delx;
    ij = dx[id].ijmp;
    if (dx[id].jp.n[0] && (!dna || (ndelx >= MAXJMP
    && xx > dx[id].jp.x[ij]+MX) || mis > dx[id].score+DINS0)) {
        dx[id].ijmp++;
        if (++ij >= MAXJMP) {
            writeimps(id);
            ij = dx[id].ijmp = 0;
            dx[id].offset = offset;
            offset += sizeof(struct jmp) + sizeof(offset);
        }
    }
    dx[id].jp.n[ij] = ndelx;
    dx[id].jp.x[ij] = xx;
    dx[id].score = delx;
}
else {
    col1[yy] = dely[yy];
    ij = dx[id].ijmp;
    if (dx[id].jp.n[0] && (!dna || (ndely[yy] >= MAXJMP
    && xx > dx[id].jp.x[ij]+MX) || mis > dx[id].score+DINS0)) {
        dx[id].ijmp++;
        if (++ij >= MAXJMP) {
            writeimps(id);
            ij = dx[id].ijmp = 0;
            dx[id].offset = offset;
            offset += sizeof(struct jmp) + sizeof(offset);
        }
    }
    dx[id].jp.n[ij] = ndely[yy];
    dx[id].jp.x[ij] = xx;
    dx[id].score = dely[yy];
}
if (xx == len0 && yy < len1) {
    /* last col
    */
    if (endgaps)
        col1[yy] -= ins0+ins1*(len1-yy);
    if (col1[yy] > smax) {
        smax = col1[yy];
        dmax = id;
    }
}
}
if (endgaps && xx < len0)
    col1[yy-1] -= ins0+ins1*(len0-xx);
if (col1[yy-1] > smax) {
    smax = col1[yy-1];
    dmax = id;
}
tmp = col0; col0 = col1; col1 = tmp;
}
(void) free((char *)ndely);
(void) free((char *)dely);
(void) free((char *)col0);
(void) free((char *)col1);
}

/*
 *
 * print() -- only routine visible outside this module
 *
 * static:
 * getmat() -- trace back best path, count matches; print()
 * pr_align() -- print alignment of described in array p[]; print()

```

TABLE 1-continued

<pre>* dumpblock() -- dump a block of lines with numbers, stars: pr_align() * nums() -- put out a number line: dumpblock() * putline() -- put out a line (name, [num], seq, [num]): dumpblock() * stars() - -put a line of stars: dumpblock() * stripname() -- strip any path and prefix from a seqname */ #include "nw.h" #define SPC 3 #define P__LINE 256 /* maximum output line */ #define P__SPC 3 /* space between name or num and seq */ extern _day[26][26]; int olen; /* set output line length */ FILE *fx; /* output file */ print() { int lx, ly, firstgap, lastgap; /* overlap */ if ((fx = fopen(ofile, "w")) == 0) { fprintf(stderr, "%s: can't write %s\n", prog, ofile); cleanup(1); } fprintf(fx, "<first sequence: %s (length = %d)\n", namex[0], len0); fprintf(fx, "<second sequence: %s (length = %d)\n", namex[1], len1); olen = 60; lx = len0; ly = len1; firstgap = lastgap = 0; if (dmax < len1 - 1) { /* leading gap in x */ pp[0].spc = firstgap = len1 - dmax - 1; ly -= pp[0].spc; } else if (dmax > len1 - 1) { /* leading gap in y */ pp[1].spc = firstgap = dmax - (len1 - 1); lx -= pp[1].spc; } if (dmax0 < len0 - 1) { /* trailing gap in x */ lastgap = len0 - dmax0 - 1; lx -= lastgap; } else if (dmax0 > len0 - 1) { /* trailing gap in y */ lastgap = dmax0 - (len0 - 1); ly -= lastgap; } getmat(lx, ly, firstgap, lastgap); pr_align(); } /* * trace back the best path, count matches */ static getmat(lx, ly, firstgap, lastgap) int lx, ly; /* "core" (minus endgaps) */ int firstgap, lastgap; /* leading trailing overlap */ { int nm, i0, i1, siz0, siz1; char outx[32]; double pct; register n0, n1; register char *p0, *p1; /* get total matches, score */ i0 = i1 = siz0 = siz1 = 0; p0 = seqx[0] + pp[1].spc; p1 = seqx[1] + pp[0].spc; n0 = pp[1].spc + 1; n1 = pp[0].spc + 1; nm = 0; while (*p0 && *p1) { if (siz0) { p1++; n1++; siz0--; } else if (siz1) { p0++; n0++; siz1--; } } }</pre>		print
		getmat

TABLE 1-continued

```

    }
    else {
        if (xbm[*p0-'A']&xbm[*p1-'A'])
            nm++;
        if (n0++ == pp[0].x[i0])
            siz0 = pp[0].n[i0++];
        if (n1++ == pp[1].x[i1])
            siz1 = pp[1].n[i1++];
        p0++;
        p1++;
    }
}
/* pct homology:
 * if penalizing endgaps, base is the shorter seq
 * else, knock off overhangs and take shorter core
 */
if (endgaps)
    lx = (len0 < len1)? len0 : len1;
else
    lx = (lx < ly)? lx : ly;
pct = 100.*(double)nm/(double)lx;
fprintf(fx, "\n");
fprintf(fx, "< %d match%s in an overlap of %d: %.2f percent similarity\n",
        nm, (nm == 1)? "" : "es", lx, pct);
fprintf(fx, "< gaps in first sequence: %d", gapx);
if (gapx) {
    (void) sprintf(outx, "(%d %s%s)",
        gapx, (dna)? "base": "residue", (gapx == 1)? "" : "s");
    fprintf(fx, "%s", outx);
    fprintf(fx, ", gaps in second sequence: %d", gapy);
    if (gapy) {
        (void) sprintf(outx, "(%d %s%s)",
            gapy, (dna)? "base": "residue", (gapy == 1)? "" : "s");
        fprintf(fx, "%s", outx);
    }
}
if (dna)
    fprintf(fx,
        "\n<score: %d (match = %d, mismatch = %d, gap penalty = %d + %d per base)\n",
        smax, DMAT, DMIS, DINS0, DINS1);
else
    fprintf(fx,
        "\n<score: %d (Dayhoff PAM 250 matrix, gap penalty = %d + %d per residue)\n",
        smax, PINS0, PINS1);
if (endgaps)
    fprintf(fx,
        "<endgaps penalized. left endgap: %d %s%s, right endgap: %d %s%s\n",
        firstgap, (dna)? "base" : "residue", (firstgap == 1)? "" : "s",
        lastgap, (dna)? "base" : "residue", (lastgap == 1)? "" : "s");
else
    fprintf(fx, "<endgaps not penalized\n");
}
static      nm;          /* matches in core -- for checking */
static      lmax;        /* lengths of stripped file names */
static      ij[2];       /* jmp index for a path */
static      nc[2];       /* number at start of current line */
static      ni[2];       /* current elem number -- for gapping */
static      siz[2];
static char  *ps[2];      /* ptr to current element */
static char  *po[2];      /* ptr to next output char slot */
static char  out[2][P_LINE]; /* output line */
static char  star[P_LINE]; /* set by stars() */
/*
 * print alignment of described in struct path pp[]
 */
static
pr_align()
{
    int      nn;          /* char count */
    int      more;
    register  i;
    for (i = 0, lmax = 0; i < 2; i++) {
        nn = stripname(namex[i]);
        if (nn > lmax)
            lmax = nn;
        nc[i] = 1;
        ni[i] = 1;
    }
}

```

TABLE 1-continued

```

        siz[i] = ij[i] = 0;
        ps[i] = seqx[i];
        po[i] = out[i];
    }
    for (nn = nm = 0, more = 1; more;) {
        for (i = more = 0; i < 2; i++) {
            /*
             * do we have more of this sequence?
             */
            if (!*ps[i])
                continue;
            more++;
            if (pp[i].spc) { /* leading space */
                *po[i]++ = ' ';
                pp[i].spc--;
            }
            else if (siz[i]) { /* in a gap */
                *po[i]++ = '-';
                siz[i]--;
            }
            else { /* we're putting a seq element
             */
                *po[i] = *ps[i];
                if (islower(*ps[i]))
                    *ps[i] = toupper(*ps[i]);
                po[i]++;
                ps[i]++;
                /*
                 * are we at next gap for this seq?
                 */
                if (ni[i] == pp[i].x[ij[i]]) {
                    /*
                     * we need to merge all gaps
                     * at this location
                     */
                    siz[i] == pp[i].n[ij[i]++];
                    while (ni[i] == pp[i].x[ij[i]])
                        siz[i] += pp[i].n[ij[i]++];
                }
                ni[i]++;
            }
        }
        if (++nn == olen || !more && nn) {
            dumpblock();
            for (i = 0; i < 2; i++)
                po[i] = out[i];
            nn = 0;
        }
    }
}
/*
 * dump a block of lines, including numbers, stars: pr_align()
 */
static
dumpblock()
{
    register i;
    for(i = 0; i < 2; i++)
        *po[i]-- = '\0';

    (void) puts("\n", fx);
    for (i = 0; i < 2; i++) {
        if (*out[i] && (*out[i] != ' ' || *(po[i]) != ' ')) {
            if (i == 0)
                nums(i);
            if (i == 0 && *out[1])
                stars();
            putline(i);
            if (i == 0 && *out[1])
                fprintf(fx, star);
            if (i == 1)
                nums(i);
        }
    }
}
}
/*

```

...pr_align

dumpblock

...dumpblock

TABLE 1-continued

```

/* put out a number line: dumpblock()
*/
static
nums(ix)                                     nums
{
    int    ix;          /* index in out[] holding seq line */

    char    nline[P__LINE];
    register i, j;
    register char *pn, *px, *py;
    for(pn = nline, i = 0; i < lmax+P__SPC; i++, pn++)
        *pn = ' ';
    for (i = nc[ix], py = out[ix]; *py; py++, pn++) {
        if (*py == ' ' || *py == '-')
            *pn = ' ';
        else {
            if (i%10 == 0 || (i == 1 && nc[ix] != 1)) {
                j = (i < 0)? -i : i;
                for (px = pn; j; j/= 10, px--)
                    *px = j%10 + '0';
                if (i < 0)
                    *px = '-';
            }
            else
                *pn = ' ';
            i++;
        }
    }
    *pn = '\0';
    nc[ix] = i;
    for (pn = nline; *pn; pn++)
        (void) putc(*pn, fx);
    (void) putc('\n', fx);
}
/*
* put out a line (name, [num], seq. [num]): dumpblock()
*/
static
putline(ix)                                   putline
                                           ...putline
{
    int    ix;          {

    int    i;
    register char *px;
    for (px = namex[ix], i = 0; *px && *px != '.'; px++, i++)
        (void) putc(*px, fx);
    for (i < lmax+P__SPC; i++)
        (void) putc(' ', fx);
    /* these count from 1:
    * ni[] is current element (from 1)
    * nc[] is number at start of current line
    */
    for (px = out[ix]; *px; px++)
        (void) putc(*px&0x7F, fx);
    (void) putc('\n', fx);
}
/*
* put a line of stars (seqs always in out[0], out[1]): dumpblock()
*/
static
stars()                                       stars
{
    int    i;
    register char *p0, *p1, cx, *px;
    if (!(*out[0] || (*out[0] == ' ' && *(p0[0]) == ' ') ||
        !(*out[1] || (*out[1] == ' ' && *(p0[1]) == ' ')))
        return;
    px = star;
    for (i = lmax+P__SPC; i; i--)
        *px++ = ' ';
    for (p0 = out[0], p1 = out[1]; *p0 && *p1; p0++, p1++) {
        if (isalpha(*p0) && isalpha(*p1)) {
            if (xbm[*p0-'A']&xbm[*p1-'A']) {
                cx = '*';
                nm++;
            }
            else if (!dna && __day[*p0-'A'][*p1-'A'] > 0)
                cx = '.';
        }
    }
}

```

TABLE 1-continued

<pre> else cx = ' '; } else cx = ' '; *px++ = cx; } *px++ = '\n'; *px = '\0'; } /* * strip path or prefix from pn, return len: pr_align() */ static stripname(pn) char *pn; /* file name (may be path) */ { register char *px, *py; py = 0; for (px = pn; *px; px++) if (*px == '/') py = px + 1; if (py) (void) strcpy(pn, py); return(strlen(pn)); } /* * cleanup() -- cleanup any tmp file * getseq() -- read in seq, set dna, len, maxlen * g_calloc() -- calloc() with error checkin * readjumps() -- get the good jumps, from tmp file if necessary * writejumps() -- write a filled array of jumps to a tmp file: nw() */ #include "nw.h" #include <sys/file.h> char *jname = "/tmp/homgXXXXXX"; /* tmp file for jumps */ FILE *fj; int cleanup(); /* cleanup tmp file */ long lseek(); /* * remove any tmp file if we blow */ cleanup(i) int i; { if (fj) (void) unlink(jname); exit(i); } /* * read, return ptr to seq, set dna, len, maxlen * skip lines starting with ';', '<', or '>' * seq in upper or lower case */ char * getseq(file, len) char *file; /* file name */ int *len; /* seq len */ { char line[1024], *pseq; register char *px, *py; int natgc, tlen; FILE *fp; if ((fp = fopen(file, "r")) == 0) { fprintf(stderr, "%s: can't read %s\n", prog, file); exit(1); } tlen = natgc = 0; while (fgets(line, 1024, fp)) { if (*line == ';' *line == '<' *line == '>') continue; for (px = line; *px != '\n'; px++) if (isupper(*px) islower(*px)) tlen++; } if ((pseq = malloc((unsigned)(tlen+6))) == 0) {</pre>		stripname
		cleanup
		getseq

TABLE 1-continued

```

        fprintf(stderr, "%s: malloc() failed to get %d bytes for %s\n", prog, tlen+6, file);
        exit(1);
    }
    pseq[0] = pseq[1] = pseq[2] = pseq[3] = '\0';
    py = pseq + 4;
    *len = tlen;
    rewind(fp);
    while (fgets(line, 1024, fp)) {
        if (*line == ';' || *line == '<' || *line == '>')
            continue;
        for (px = line; *px != '\n'; px++) {
            if (isupper(*px))
                *py++ = *px;
            else if (islower(*px))
                *py++ = toupper(*px);
            if (index("ATGCU", *(py-1)))
                natgc++;
        }
        *py++ = '\0';
        *py = '\0';
        (void) fclose(fp);
        dna = natgc > (tlen/3);
        return(pseq+4);
    }
}
char *
g__calloc(msg, nx, sz)
char *msg;          /* program, calling routine */
int nx, sz;          /* number and size of elements */
{
    char *px, *calloc();
    if ((px = calloc((unsigned)nx, (unsigned)sz)) == 0) {
        if (*msg) {
            fprintf(stderr, "%s: g__calloc() failed %s (n= %d, sz= %d)\n", prog, msg, nx, sz);
            exit(1);
        }
    }
    return(px);
}
/*
 * get final jmps from dx[] or tmp file, set pp[], reset dmax: main()
 */
readjmps()
{
    int fd = -1;
    int siz, i0, i1;
    register i, j, xx;
    if (fj) {
        (void) fclose(fj);
        if ((fd = open(jname, O_RDONLY, 0)) < 0) {
            fprintf(stderr, "%s: can't open() %s\n", prog, jname);
            cleanup(1);
        }
    }
    for (i = i0 = i1 = 0, dmax0 = dmax, xx = len0; i++) {
        while (1) {
            for (j = dx[dmax].ijmp; j >= 0 && dx[dmax].jp.x[j] >= xx; j--)
                ;
            if (j < 0 && dx[dmax].offset && fj) {
                (void) lseek(fd, dx[dmax].offset, 0);
                (void) read(fd, (char *)&dx[dmax].jp, sizeof(struct jmp));
                (void) read(fd, (char *)&dx[dmax].offset, sizeof(dx[dmax].offset));
                dx[dmax].ijmp = MAXJMP-1;
            }
            else
                break;
        }
        if (i >= JMPS) {

```

...getseq

g__calloc

readjmps

...readjmps

TABLE 1-continued

```

        fprintf(stderr, "%s: too many gaps in alignment\n", prog);
        cleanup(1);
    }
    if (j >= 0) {
        siz = dx[dmax].jp.n[j];
        xx = dx[dmax].jp.x[j];
        dmax += siz;
        if (siz < 0) { /* gap in second seq */
            pp[1].n[i1] = -siz;
            xx += siz;
            /* id = xx - yy + len1 - 1
            */
            pp[1].x[i1] = xx - dmax + len1 - 1;
            gapy++;
            ngapy -= siz;
/* ignore MAXGAP when doing endgaps */
            siz = (-siz < MAXGAP || endgaps)? -siz : MAXGAP;
            i1++;
        }
        else if (siz > 0) { /* gap in first seq */
            pp[0].n[i0] = siz;
            pp[0].x[i0] = xx;
            gapx++;
            ngapx += siz;
/* ignore MAXGAP when doing endgaps */
            siz = (siz < MAXGAP || endgaps)? siz : MAXGAP;
            i0++;
        }
    }
    else
        break;
}
/* reverse the order of jmps
*/
for (j = 0, i0--; j < i0; j++, i0--) {
    i = pp[0].n[j]; pp[0].n[j] = pp[0].n[i0]; pp[0].n[i0] = i;
    i = pp[0].x[j]; pp[0].x[j] = pp[0].x[i0]; pp[0].x[i0] = i;
}
for (j = 0, i1--; j < i1; j++, i1--) {
    i = pp[1].n[j]; pp[1].n[j] = pp[1].n[i1]; pp[1].n[i1] = i;
    i = pp[1].x[j]; pp[1].x[j] = pp[1].x[i1]; pp[1].x[i1] = i;
}
if (fd >= 0)
    (void) close(fd);
if (fj) {
    (void) unlink(jname);
    fj = 0;
    offset = 0;
}
}

/*
 * write a filled jmp struct offset of the prev one (if any): nw()
 */
writejmps(ix)
    int    ix;
{
    char    *mktemp();
    if (!fj) {
        if (mktemp(jname) < 0) {
            fprintf(stderr, "%s: can't mktemp() %s\n", prog, jname);
            cleanup(1);
        }
        if ((fj = fopen(jname, "w")) == 0) {
            fprintf(stderr, "%s: can't write %s\n", prog, jname);
            exit(1);
        }
    }
    (void) fwrite((char *)&dx[ix].jp, sizeof(struct jmp), 1, fj);
    (void) fwrite((char *)&dx[ix].offset, sizeof(dx[ix].offset), 1, fj);
}

```

writejmps

[0250]

TABLE 2

PRO	XXXXXXXXXXXXXXXXX	(Length = 15 amino acids)
Comparison Protein	XXXXXXXXYYYYYYY	(Length = 12 amino acids)

% amino acid sequence identity = (the number of identically matching amino acid residues between the two polypeptide sequences as determined by ALIGN-2) divided by (the total number of amino acid residues of the PRO polypeptide) = 5 divided by 15 = 33.3%

[0251]

TABLE 3

PRO	XXXXXXXXXX	(Length = 10 amino acids)
Comparison Protein	XXXXXXXXYYYZZYZ	(Length = 15 amino acids)

% amino acid sequence identity = (the number of identically matching amino acid residues between the two polypeptide sequences as determined by ALIGN-2) divided by (the total number of amino acid residues of the PRO polypeptide) = 5 divided by 10 = 50%

[0252]

TABLE 4

PRO-DNA	NNNNNNNNNNNN	(Length = 14 nucleotides)
Comparison DNA	NNNNNLLLLLLLL	(Length = 16 nucleotides)

% nucleic acid sequence identity = (the number of identically matching nucleotides between the two nucleic acid sequences as determined by ALIGN-2) divided by (the total number of nucleotides of the PRO-DNA nucleic acid sequence) = 6 divided by 14 = 42.9%

[0253]

TABLE 5

PRO-DNA	NNNNNNNNNNNN	(Length = 12 nucleotides)
Comparison DNA	NNNNLLLVV	(Length = 9 nucleotides)

% nucleic acid sequence identity = (the number of identically matching nucleotides between the two nucleic acid sequences as determined by ALIGN-2) divided by (the total number of nucleotides of the PRO-DNA nucleic acid sequence) = 4 divided by 12 = 33.3%

[0254] II. Compositions and Methods of the Invention

[0255] A. Full-Length PRO Polypeptides

[0256] The present invention provides newly identified and isolated nucleotide sequences encoding polypeptides referred to in the present application as PRO polypeptides. In particular, cDNAs encoding various PRO polypeptides have been identified and isolated, as disclosed in further detail in the Examples below. It is noted that proteins produced in separate expression rounds may be given different PRO numbers but the UNQ number is unique for any given DNA and the encoded protein, and will not be changed. However, for sake of simplicity, in the present specification the protein encoded by the full length native nucleic acid molecules disclosed herein as well as all further native homologues and variants included in the foregoing definition of PRO, will be referred to as "PRO/number", regardless of their origin or mode of preparation.

[0257] As disclosed in the Examples below, various cDNA clones have been deposited with the ATCC. The actual

nucleotide sequences of those clones can readily be determined by the skilled artisan by sequencing of the deposited clone using routine methods in the art. The predicted amino acid sequence can be determined from the nucleotide sequence using routine skill. For the PRO polypeptides and encoding nucleic acids described herein, Applicants have identified what is believed to be the reading frame best identifiable with the sequence information available at the time.

[0258] B. PRO Polypeptide Variants

[0259] In addition to the full-length native sequence PRO polypeptides described herein, it is contemplated that PRO variants can be prepared. PRO variants can be prepared by introducing appropriate nucleotide changes into the PRO DNA, and/or by synthesis of the desired PRO polypeptide. Those skilled in the art will appreciate that amino acid changes may alter post-translational processes of the PRO, such as changing the number or position of glycosylation sites or altering the membrane anchoring characteristics.

[0260] Variations in the native full-length sequence PRO or in various domains of the PRO described herein, can be made, for example, using any of the techniques and guidelines for conservative and non-conservative mutations set forth, for instance, in U.S. Pat. No. 5,364,934. Variations may be a substitution, deletion or insertion of one or more codons encoding the PRO that results in a change in the amino acid sequence of the PRO as compared with the native sequence PRO. Optionally the variation is by substitution of at least one amino acid with any other amino acid in one or more of the domains of the PRO. Guidance in determining which amino acid residue may be inserted, substituted or deleted without adversely affecting the desired activity may be found by comparing the sequence of the PRO with that of homologous known protein molecules and minimizing the number of amino acid sequence changes made in regions of high homology. Amino acid substitutions can be the result of replacing one amino acid with another amino acid having similar structural and/or chemical properties, such as the replacement of a leucine with a serine, i.e., conservative amino acid replacements. Insertions or deletions may optionally be in the range of about 1 to 5 amino acids. The variation allowed may be determined by systematically making insertions, deletions or substitutions of amino acids in the sequence and testing the resulting variants for activity exhibited by the full-length or mature native sequence.

[0261] PRO polypeptide fragments are provided herein. Such fragments may be truncated at the N-terminus or C-terminus, or may lack internal residues, for example, when compared with a full length native protein. Certain fragments lack amino acid residues that are not essential for a desired biological activity of the PRO polypeptide.

[0262] PRO fragments may be prepared by any of a number of conventional techniques. Desired peptide fragments may be chemically synthesized. An alternative approach involves generating PRO fragments by enzymatic digestion, e.g., by treating the protein with an enzyme known to cleave proteins at sites defined by particular amino acid residues, or by digesting the DNA with suitable restriction enzymes and isolating the desired fragment. Yet another suitable technique involves isolating and amplifying a DNA fragment encoding a desired polypeptide fragment, by poly-

merase chain reaction (PCR). Oligonucleotides that define the desired termini of the DNA fragment are employed at the 5' and 3' primers in the PCR. Preferably, PRO polypeptide fragments share at least one biological and/or immunological activity with the native PRO polypeptide disclosed herein.

[0263] In particular embodiments, conservative substitutions of interest are shown in Table 6 under the heading of preferred substitutions. If such substitutions result in a change in biological activity, then more substantial changes, denominated exemplary substitutions in Table 6, or as further described below in reference to amino acid classes, are introduced and the products screened.

TABLE 6

Original Residue	Exemplary Substitutions	Preferred Substitutions
Ala (A)	val; leu; ile	val
Arg (R)	lys; gln; asn	lys
Asn (N)	gln; his; lys; arg	gln
Asp (D)	glu	glu
Cys (C)	ser	ser
Gln (Q)	asn	asn
Glu (E)	asp	asp
Gly (G)	pro; ala	ala
His (H)	asn; gln; lys; arg	arg
Ile (I)	leu; val; met; ala; phe; norleucine	leu
Leu (L)	norleucine; ile; val; met; ala; phe	ile
Lys (K)	arg; gln; asn	arg
Met (M)	leu; phe; ile	leu
Phe (F)	leu; val; ile; ala; tyr	leu
Pro (P)	ala	ala
Ser (S)	thr	thr
Thr (T)	ser	ser
Trp (W)	tyr; phe	tyr
Tyr (Y)	trp; phe; thr; ser	phe
Val (V)	ile; leu; met; phe; ala; norleucine	leu

[0264] Substantial modifications in function or immunological identity of the PRO polypeptide are accomplished by selecting substitutions that differ significantly in their effect on maintaining (a) the structure of the polypeptide backbone in the area of the substitution, for example, as a sheet or helical conformation, (b) the charge or hydrophobicity of the molecule at the target site, or (c) the bulk of the side chain. Naturally occurring residues are divided into groups based on common side-chain properties:

- [0265] (1) hydrophobic: norleucine, met, ala, val, leu, ile;
- [0266] (2) neutral hydrophilic: cys, ser, thr;
- [0267] (3) acidic: asp, glu;
- [0268] (4) basic: asn, gln, his, lys, arg;
- [0269] (5) residues that influence chain orientation: gly, pro; and
- [0270] (6) aromatic: trp, tyr, phe.

[0271] Non-conservative substitutions will entail exchanging a member of one of these classes for another class. Such substituted residues also may be introduced into the conservative substitution sites or, more preferably, into the remaining (non-conserved) sites.

[0272] The variations can be made using methods known in the art such as oligonucleotide-mediated (site-directed) mutagenesis, alanine scanning, and PCR mutagenesis. Site-directed mutagenesis [Carter et al., Nucl. Acids Res., 13:4331 (1986); Zoller et al., Nucl. Acids Res., 10:6487 (1987)], cassette mutagenesis [Wells et al., Gene, 34:315 (1985)], restriction selection mutagenesis [Wells et al., Philos. Trans. R. Soc. London SerA, 317:415 (1986)] or other known techniques can be performed on the cloned DNA to produce the PRO variant DNA.

[0273] Scanning amino acid analysis can also be employed to identify one or more amino acids along a contiguous sequence. Among the preferred scanning amino acids are relatively small, neutral amino acids. Such amino acids include alanine, glycine, serine, and cysteine. Alanine is typically a preferred scanning amino acid among this group because it eliminates the side-chain beyond the beta-carbon and is less likely to alter the main-chain conformation of the variant [Cunningham and Wells, Science, 244: 1081-1085 (1989)]. Alanine is also typically preferred because it is the most common amino acid. Further, it is frequently found in both buried and exposed positions [Creighton, The Proteins, (W. H. Freeman & Co., N.Y.); Chothia, J. Mol. Biol., 150:1 (1976)]. If alanine substitution does not yield adequate amounts of variant, an isoteric amino acid can be used.

[0274] C. Modifications of PRO

[0275] Covalent modifications of PRO are included within the scope of this invention. One type of covalent modification includes reacting targeted amino acid residues of a PRO polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N- or C-terminal residues of the PRO. Derivatization with bifunctional agents is useful, for instance, for crosslinking PRO to a water-insoluble support matrix or surface for use in the method for purifying anti-PRO antibodies, and vice-versa. Commonly used crosslinking agents include, e.g., 1,1-bis-(diazocetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, for example, esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-[(p-azidophenyl)dithio]propioimide.

[0276] Other modifications include deamidation of glutamyl and asparaginy residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl or threonyl residues, methylation of the α -amino groups of lysine, arginine, and histidine side chains [T. E. Creighton, Proteins: Structure and Molecular Properties, W. H. Freeman & Co., San Francisco, pp. 79-86 (1983)], acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

[0277] Another type of covalent modification of the PRO polypeptide included within the scope of this invention comprises altering the native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended for purposes herein to mean deleting one or more carbohydrate moieties found in native sequence PRO (either by removing the underlying glycosylation site or by deleting the glycosylation by chemical and/or enzymatic means),

and/or adding one or more glycosylation sites that are not present in the native sequence PRO. In addition, the phrase includes qualitative changes in the glycosylation of the native proteins, involving a change in the nature and proportions of the various carbohydrate moieties present.

[0278] Addition of glycosylation sites to the PRO polypeptide may be accomplished by altering the amino acid sequence. The alteration may be made, for example, by the addition of, or substitution by, one or more serine or threonine residues to the native sequence PRO (for O-linked glycosylation sites). The PRO amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding the PRO polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

[0279] Another means of increasing the number of carbohydrate moieties on the PRO polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330 published Sep. 11, 1987, and in Aplin and Wriston, CRC Crit. Rev. Biochem., pp. 259-306 (1981).

[0280] Removal of carbohydrate moieties present on the PRO polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, et al., Arch. Biochem. Biophys., 259:52 (1987) and by Edge et al., Anal. Biochem., 118:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo- and exo-glycosidases as described by Thotakura et al., Meth. Enzymol., 138:350 (1987).

[0281] Another type of covalent modification of PRO comprises linking the PRO polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol (PEG), polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Pat. Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

[0282] The PRO of the present invention may also be modified in a way to form a chimeric molecule comprising PRO fused to another, heterologous polypeptide or amino acid sequence.

[0283] In one embodiment, such a chimeric molecule comprises a fusion of the PRO with a tag polypeptide which provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino- or carboxyl-terminus of the PRO. The presence of such epitope-tagged forms of the PRO can be detected using an antibody against the tag polypeptide. Also, provision of the epitope tag enables the PRO to be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. Various tag polypeptides and their respective antibodies are well known in the art. Examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; the flu HA tag polypeptide and its antibody 12CA5 [Field et al., Mol. Cell. Biol., 8:2159-2165 (1988)]; the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies thereto [Evan et al., Molecular and Cellular Biology, 5:3610-3616 (1985)]; and the *Herpes Simplex* virus glycoprotein D (gD) tag and its antibody [Paborsky et al., Protein Engineering, 3(6):547-553

(1990)]. Other tag polypeptides include the Flag-peptide [Hopp et al., BioTechnology, 6:1204-1210 (1988)]; the KT3 epitope peptide [Martin et al., Science, 255:192-194 (1992)]; an α -tubulin epitope peptide [Skinner et al., J. Biol. Chem., 266:15163-15166(1991)]; and the T7 gene 10 protein peptide tag [Lutz-Freyermuth et al., Proc. Natl. Acad. Sci. USA, 87:6393-6397 (1990)].

[0284] In an alternative embodiment, the chimeric molecule may comprise a fusion of the PRO with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule (also referred to as an "immunoadhesin"), such a fusion could be to the Fc region of an IgG molecule. The Ig fusions preferably include the substitution of a soluble (transmembrane domain deleted or inactivated) form of a PRO polypeptide in place of at least one variable region within an Ig molecule. In a particularly preferred embodiment, the immunoglobulin fusion includes the hinge, CH2 and CH3, or the hinge, CH1, CH2 and CH3 regions of an IgG1 molecule. For the production of immunoglobulin fusions see also U.S. Pat. No. 5,428,130 issued Jun. 27, 1995.

[0285] D. Preparation of PRO

[0286] The description below relates primarily to production of PRO by culturing cells transformed or transfected with a vector containing PRO nucleic acid. It is, of course, contemplated that alternative methods, which are well known in the art, may be employed to prepare PRO. For instance, the PRO sequence, or portions thereof, may be produced by direct peptide synthesis using solid-phase techniques [see, e.g., Stewart et al., Solid-Phase Peptide Synthesis, W. H. Freeman Co., San Francisco, Calif. (1969); Merrifield, J. Am. Chem. Soc., 85:2149-2154 (1963)]. In vitro protein synthesis may be performed using manual techniques or by automation. Automated synthesis may be accomplished, for instance, using an Applied Biosystems Peptide Synthesizer (Foster City, Calif.) using manufacturer's instructions. Various portions of the PRO may be chemically synthesized separately and combined using chemical or enzymatic methods to produce the full-length PRO.

[0287] 1. Isolation of DNA Encoding PRO

[0288] DNA encoding PRO may be obtained from a cDNA library prepared from tissue believed to possess the PRO mRNA and to express it at a detectable level. Accordingly, human PRO DNA can be conveniently obtained from a cDNA library prepared from human tissue, such as described in the Examples. The PRO-encoding gene may also be obtained from a genomic library or by known synthetic procedures (e.g., automated nucleic acid synthesis).

[0289] Libraries can be screened with probes (such as antibodies to the PRO or oligonucleotides of at least about 20-80 bases) designed to identify the gene of interest or the protein encoded by it. Screening the cDNA or genomic library with the selected probe may be conducted using standard procedures, such as described in Sambrook et al., Molecular Cloning: A Laboratory Manual (New York: Cold Spring Harbor Laboratory Press, 1989). An alternative means to isolate the gene encoding PRO is to use PCR methodology [Sambrook et al., supra; Dieffenbach et al., PCR Primer: A Laboratory Manual (Cold Spring Harbor Laboratory Press, 1995)].

[0290] The Examples below describe techniques for screening a cDNA library. The oligonucleotide sequences selected as probes should be of sufficient length and sufficiently unambiguous that false positives are minimized. The oligonucleotide is preferably labeled such that it can be detected upon hybridization to DNA in the library being screened. Methods of labeling are well known in the art, and include the use of radiolabels like ^{32}P -labeled ATP, biotinylation or enzyme labeling. Hybridization conditions, including moderate stringency and high stringency, are provided in Sambrook et al., supra.

[0291] Sequences identified in such library screening methods can be compared and aligned to other known sequences deposited and available in public databases such as GenBank or other private sequence databases. Sequence identity (at either the amino acid or nucleotide level) within defined regions of the molecule or across the full-length sequence can be determined using methods known in the art and as described herein.

[0292] Nucleic acid having protein coding sequence may be obtained by screening selected cDNA or genomic libraries using the deduced amino acid sequence disclosed herein for the first time, and, if necessary, using conventional primer extension procedures as described in Sambrook et al., supra, to detect precursors and processing intermediates of mRNA that may not have been reverse-transcribed into cDNA.

[0293] 2. Selection and Transformation of Host Cells

[0294] Host cells are transfected or transformed with expression or cloning vectors described herein for PRO production and cultured in conventional nutrient media modified as appropriate for inducing promoters, selecting transformants, or amplifying the genes encoding the desired sequences. The culture conditions, such as media, temperature, pH and the like, can be selected by the skilled artisan without undue experimentation. In general, principles, protocols, and practical techniques for maximizing the productivity of cell cultures can be found in Mammalian Cell Biotechnology: a Practical Approach, M. Butler, ed. (IRL Press, 1991) and Sambrook et al., supra.

[0295] Methods of eukaryotic cell transfection and prokaryotic cell transformation are known to the ordinarily skilled artisan, for example, CaCl_2 , CaPO_4 , liposome-mediated and electroporation. Depending on the host cell used, transformation is performed using standard techniques appropriate to such cells. The calcium treatment employing calcium chloride, as described in Sambrook et al., supra, or electroporation is generally used for prokaryotes. Infection with *Agrobacterium tumefaciens* is used for transformation of certain plant cells, as described by Shaw et al., Gene, 23:315 (1983) and WO 89/05859 published Jun. 29, 1989. For mammalian cells without such cell walls, the calcium phosphate precipitation method of Graham and van der Eb, Virology, 52:456-457 (1978) can be employed. General aspects of mammalian cell host system transfections have been described in U.S. Pat. No. 4,399,216. Transformations into yeast are typically carried out according to the method of Van Solingen et al., J. Bact., 130:946 (1977) and Hsiao et al., Proc. Natl. Acad. Sci. (USA), 76:3829 (1979). However, other methods for introducing DNA into cells, such as by nuclear microinjection, electroporation, bacterial protoplast fusion with intact cells, or polycations, e.g., polybrene,

polyornithine, may also be used. For various techniques for transforming mammalian cells, see Keown et al., Methods in Enzymology, 185:527-537 (1990) and Mansour et al., Nature, 336:348-352 (1988).

[0296] Suitable host cells for cloning or expressing the DNA in the vectors herein include prokaryote, yeast, or higher eukaryote cells. Suitable prokaryotes include but are not limited to eubacteria, such as Gram-negative or Gram-positive organisms, for example, Enterobacteriaceae such as *E. coli*. Various *E. coli* strains are publicly available, such as *E. coli* K12 strain MM294 (ATCC 31,446); *E. coli* X1776 (ATCC 31,537); *E. coli* strain W3110 (ATCC 27,325) and K5 772 (ATCC 53,635). Other suitable prokaryotic host cells include Enterobacteriaceae such as *Escherichia*, e.g., *E. coli*, *Enterobacter*, *Erwinia*, *Klebsiella*, *Proteus*, *Salmonella*, e.g., *Salmonella typhimurium*, *Serratia*, e.g., *Serratia marcescans*, and *Shigella*, as well as *Bacilli* such as *B. subtilis* and *B. licheniformis* (e.g., *B. licheniformis* 41P disclosed in DD 266,710 published Apr. 12, 1989), *Pseudomonas* such as *P. aeruginosa*, and *Streptomyces*. These examples are illustrative rather than limiting. Strain W3110 is one particularly preferred host or parent host because it is a common host strain for recombinant DNA product fermentations. Preferably, the host cell secretes minimal amounts of proteolytic enzymes. For example, strain W3110 may be modified to effect a genetic mutation in the genes encoding proteins endogenous to the host, with examples of such hosts including *E. coli* W3110 strain 1A2, which has the complete genotype tonA; *E. coli* W3110 strain 9E4, which has the complete genotype tonA ptr3; *E. coli* W3110 strain 27C7 (ATCC 55,244), which has the complete genotype tonA ptr3 phoA E15 (argF-lac)169 degP ompT kan^r; *E. coli* W3110 strain 37D6, which has the complete genotype tonA ptr3 phoA E15 (argF-lac)169 degP ompT rbs7 ilvG kan^r; *E. coli* W3110 strain 40B4, which is strain 37D6 with a non-kanamycin resistant degP deletion mutation; and an *E. coli* strain having mutant periplasmic protease disclosed in U.S. Pat. No. 4,946,783 issued Aug. 7, 1990. Alternatively, in vitro methods of cloning, e.g., PCR or other nucleic acid polymerase reactions, are suitable.

[0297] In addition to prokaryotes, eukaryotic microbes such as filamentous fungi or yeast are suitable cloning or expression hosts for PRO-encoding vectors. *Saccharomyces cerevisiae* is a commonly used lower eukaryotic host microorganism. Others include *Schizosaccharomyces pombe* (Beach and Nurse, Nature, 290: 140 [1981]; EP 139,383 published May 2, 1985); *Kluyveromyces* hosts (U.S. Pat. No. 4,943,529; Fleer et al., Bio/Technology, 9:968-975 (1991)) such as, e.g., *K. lactis* (MW98-8C, CBS683, CBS4574; Louvencourt et al., J. Bacteriol., 154(2):737-742 [1983]), *K. fragilis* (ATCC 12,424), *K. bulgaricus* (ATCC 16,045), *K. wickerhamii* (ATCC 24,178), *K. waltii* (ATCC 56,500), *K. drosophilum* (ATCC 36,906; Van den Berg et al., Bio/Technology, 8:135 (1990)), *K. thermotolerans*, and *K. marxianus*; *Yarrowia* (EP 402,226); *Pichia pastoris* (EP 183,070; Sreekrishna et al., J. Basic Microbiol., 28:265-278 [1988]); *Candida*; *Trichoderma reesia* (EP 244,234); *Neurospora crassa* (Case et al., Proc. Natl. Acad. Sci. USA, 76:5259-5263 [1979]); *Schwanniomyces* such as *Schwanniomyces occidentalis* (EP 394,538 published Oct. 31, 1990); and filamentous fungi such as, e.g., *Neurospora*, *Penicillium*, *Tolypocladium* (WO 91/00357 published Jan. 10, 1991), and *Aspergillus* hosts such as *A. nidulans* (Balanice et al., Biochem. Biophys. Res. Commun., 112:284-289

[1983]; Tilburn et al., *Gene*, 26:205-221 [1983]; Yelton et al., *Proc. Natl. Acad. Sci. USA*, 81: 1470-1474 [1984]) and *A. niger* (Kelly and Hynes, *EMBO J.*, 4:475-479 [1985]). Methylophilic yeasts are suitable herein and include, but are not limited to, yeast capable of growth on methanol selected from the genera consisting of *Hansenula*, *Candida*, *Kloeckera*, *Pichia*, *Saccharomyces*, *Torulopsis*, and *Rhodotorula*. A list of specific species that are exemplary of this class of yeasts may be found in C. Anthony, *The Biochemistry of Methylophilic Yeasts*, 269 (1982).

[0298] Suitable host cells for the expression of glycosylated PRO are derived from multicellular organisms. Examples of invertebrate cells include insect cells such as *Drosophila* S2 and *Spodoptera* Sf9, as well as plant cells. Examples of useful mammalian host cell lines include Chinese hamster ovary (CHO) and COS cells. More specific examples include monkey kidney CV1 line transformed by SV40 (COS-7, ATCC CRL 1651); human embryonic kidney line (293 or 293 cells subcloned for growth in suspension culture, Graham et al., *J. Gen. Virol.*, 36:59 (1977)); Chinese hamster ovary cells/DHFR (CHO, Urlaub and Chasin, *Proc. Natl. Acad. Sci. USA*, 77:4216 (1980)); mouse sertoli cells (TM4, Mather, *Biol. Reprod.*, 23:243-251 (1980)); human lung cells (W138, ATCC CCL 75); human liver cells (Hep G2, HB 8065); and mouse mammary tumor (MMT 060562, ATCC CCL51). The selection of the appropriate host cell is deemed to be within the skill in the art.

[0299] 3. Selection and Use of a Replicable Vector

[0300] The nucleic acid (e.g., cDNA or genomic DNA) encoding PRO may be inserted into a replicable vector for cloning (amplification of the DNA) or for expression. Various vectors are publicly available. The vector may, for example, be in the form of a plasmid, cosmid, viral particle, or phage. The appropriate nucleic acid sequence may be inserted into the vector by a variety of procedures. In general, DNA is inserted into an appropriate restriction endonuclease site(s) using techniques known in the art. Vector components generally include, but are not limited to, one or more of a signal sequence, an origin of replication, one or more marker genes, an enhancer element, a promoter, and a transcription termination sequence. Construction of suitable vectors containing one or more of these components employs standard ligation techniques which are known to the skilled artisan.

[0301] The PRO may be produced recombinantly not only directly, but also as a fusion polypeptide with a heterologous polypeptide, which may be a signal sequence or other polypeptide having a specific cleavage site at the N-terminus of the mature protein or polypeptide. In general, the signal sequence may be a component of the vector, or it may be a part of the PRO-encoding DNA that is inserted into the vector. The signal sequence may be a prokaryotic signal sequence selected, for example, from the group of the alkaline phosphatase, penicillinase, lpp, or heat-stable enterotoxin II leaders. For yeast secretion the signal sequence may be, e.g., the yeast invertase leader, alpha factor leader (including *Saccharomyces* and *Kluyveromyces* α -factor leaders, the latter described in U.S. Pat. No. 5,010,182), or acid phosphatase leader, the *C. albicans* glucoamylase leader (EP 362,179 published Apr. 4, 1990), or the signal described in WO 90/13646 published Nov. 15, 1990. In mammalian cell expression, mammalian signal sequences

may be used to direct secretion of the protein, such as signal sequences from secreted polypeptides of the same or related species, as well as viral secretory leaders.

[0302] Both expression and cloning vectors contain a nucleic acid sequence that enables the vector to replicate in one or more selected host cells. Such sequences are well known for a variety of bacteria, yeast, and viruses. The origin of replication from the plasmid pBR322 is suitable for most Gram-negative bacteria, the 2μ plasmid origin is suitable for yeast, and various viral origins (SV40, polyoma, adenovirus, VSV or BPV) are useful for cloning vectors in mammalian cells.

[0303] Expression and cloning vectors will typically contain a selection gene, also termed a selectable marker. Typical selection genes encode proteins that (a) confer resistance to antibiotics or other toxins, e.g., ampicillin, neomycin, methotrexate, or tetracycline, (b) complement auxotrophic deficiencies, or (c) supply critical nutrients not available from complex media, e.g., the gene encoding D-alanine racemase for *Bacilli*.

[0304] An example of suitable selectable markers for mammalian cells are those that enable the identification of cells competent to take up the PRO-encoding nucleic acid, such as DHFR or thymidine kinase. An appropriate host cell when wild-type DHFR is employed is the CHO cell line deficient in DHFR activity, prepared and propagated as described by Urlaub et al., *Proc. Natl. Acad. Sci. USA*, 77:4216 (1980). A suitable selection gene for use in yeast is the trp 1 gene present in the yeast plasmid YRp7 [Stinchcomb et al., *Nature*, 282:39 (1979); Kingsman et al., *Gene*, 7:141 (1979); Tschemper et al., *Gene*, 10:157 (1980)]. The trp 1 gene provides a selection marker for a mutant strain of yeast lacking the ability to grow in tryptophan, for example, ATCC No. 44076 or PEP4-1 [Jones, *Genetics*, 85:12 (1977)].

[0305] Expression and cloning vectors usually contain a promoter operably linked to the PRO-encoding nucleic acid sequence to direct mRNA synthesis. Promoters recognized by a variety of potential host cells are well known. Promoters suitable for use with prokaryotic hosts include the β -lactamase and lactose promoter systems [Chang et al., *Nature*, 275:615 (1978); Goeddel et al., *Nature*, 281:544 (1979)], alkaline phosphatase, a tryptophan (trp) promoter system [Goeddel, *Nucleic Acids Res.*, 8:4057 (1980); EP 36,776], and hybrid promoters such as the tac promoter [deBoer et al., *Proc. Natl. Acad. Sci. USA*, 80:21-25 (1983)]. Promoters for use in bacterial systems also will contain a Shine-Dalgarno (S. D.) sequence operably linked to the DNA encoding PRO.

[0306] Examples of suitable promoting sequences for use with yeast hosts include the promoters for 3-phosphoglycerate kinase [Hitzeman et al., *J. Biol. Chem.*, 255:2073 (1980)] or other glycolytic enzymes [Hess et al., *J. Adv. Enzyme Reg.*, 7:149 (1968); Holland, *Biochemistry*, 17:4900 (1978)], such as enolase, glyceraldehyde-3-phosphate dehydrogenase, hexokinase, pyruvate decarboxylase, phosphofructokinase, glucose-6-phosphate isomerase, 3-phosphoglycerate mutase, pyruvate kinase, triosephosphate isomerase, phosphoglucose isomerase, and glucokinase.

[0307] Other yeast promoters, which are inducible promoters having the additional advantage of transcription

controlled by growth conditions, are the promoter regions for alcohol dehydrogenase 2, isocytochrome C, acid phosphatase, degradative enzymes associated with nitrogen metabolism, metallothionein, glyceraldehyde-3-phosphate dehydrogenase, and enzymes responsible for maltose and galactose utilization. Suitable vectors and promoters for use in yeast expression are further described in EP 73,657.

[0308] PRO transcription from vectors in mammalian host cells is controlled, for example, by promoters obtained from the genomes of viruses such as polyoma virus, fowlpox virus (UK 2,211,504 published Jul. 5, 1989), adenovirus (such as Adenovirus 2), bovine papilloma virus, *avian sarcoma* virus, cytomegalovirus, a retrovirus, hepatitis-B virus and Simian Virus 40 (SV40), from heterologous mammalian promoters, e.g., the actin promoter or an immunoglobulin promoter, and from heat-shock promoters, provided such promoters are compatible with the host cell systems.

[0309] Transcription of a DNA encoding the PRO by higher eukaryotes may be increased by inserting an enhancer sequence into the vector. Enhancers are cis-acting elements of DNA, usually about from 10 to 300 bp, that act on a promoter to increase its transcription. Many enhancer sequences are now known from mammalian genes (globin, elastase, albumin, α -fetoprotein, and insulin). Typically, however, one will use an enhancer from a eukaryotic cell virus. Examples include the SV40 enhancer on the late side of the replication origin (bp 100-270), the cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, and adenovirus enhancers. The enhancer may be spliced into the vector at a position 5' or 3' to the PRO coding sequence, but is preferably located at a site 5' from the promoter.

[0310] Expression vectors used in eukaryotic host cells (yeast, fungi, insect, plant, animal, human, or nucleated cells from other multicellular organisms) will also contain sequences necessary for the termination of transcription and for stabilizing the mRNA. Such sequences are commonly available from the 5' and, occasionally 3', untranslated regions of eukaryotic or viral DNAs or cDNAs. These regions contain nucleotide segments transcribed as polyadenylated fragments in the untranslated portion of the mRNA encoding PRO.

[0311] Still other methods, vectors, and host cells suitable for adaptation to the synthesis of PRO in recombinant vertebrate cell culture are described in Gething et al., *Nature*, 293:620-625 (1981); Mantei et al., *Nature*, 281:40-46 (1979); EP 117,060; and EP 117,058.

[0312] 4. Detecting Gene Amplification/Expression

[0313] Gene amplification and/or expression may be measured in a sample directly, for example, by conventional Southern blotting, Northern blotting to quantitate the transcription of mRNA [Thomas, *Proc. Natl. Acad. Sci. USA*, 77:5201(1980)], dot blotting (DNA analysis), or in situ hybridization, using an appropriately labeled probe, based on the sequences provided herein. Alternatively, antibodies may be employed that can recognize specific duplexes, including DNA duplexes, RNA duplexes, and DNA-RNA hybrid duplexes or DNA-protein duplexes. The antibodies in turn may be labeled and the assay may be carried out where the duplex is bound to a surface, so that upon the formation of duplex on the surface, the presence of antibody bound to the duplex can be detected.

[0314] Gene expression, alternatively, may be measured by immunological methods, such as immunohistochemical staining of cells or tissue sections and assay of cell culture or body fluids, to quantitate directly the expression of gene product. Antibodies useful for immunohistochemical staining and/or assay of sample fluids may be either monoclonal or polyclonal, and may be prepared in any mammal. Conveniently, the antibodies may be prepared against a native sequence PRO polypeptide or against a synthetic peptide based on the DNA sequences provided herein or against exogenous sequence fused to PRO DNA and encoding a specific antibody epitope.

[0315] 5. Purification of Polypeptide

[0316] Forms of PRO may be recovered from culture medium or from host cell lysates. If membrane-bound, it can be released from the membrane using a suitable detergent solution (e.g. Triton-X 100) or by enzymatic cleavage. Cells employed in expression of PRO can be disrupted by various physical or chemical means, such as freeze-thaw cycling, sonication, mechanical disruption, or cell lysing agents.

[0317] It may be desired to purify PRO from recombinant cell proteins or polypeptides. The following procedures are exemplary of suitable purification procedures: by fractionation on an ion-exchange column; ethanol precipitation; reverse phase HPLC; chromatography on silica or on a cation-exchange resin such as DEAE; chromatofocusing; SDS-PAGE; ammonium sulfate precipitation; gel filtration using, for example, Sephadex G-75; protein A Sepharose columns to remove contaminants such as IgG; and metal chelating columns to bind epitope-tagged forms of the PRO. Various methods of protein purification may be employed and such methods are known in the art and described for example in Deutscher, *Methods in Enzymology*, 182 (1990); Scopes, *Protein Purification: Principles and Practice*, Springer-Verlag, New York (1982). The purification step(s) selected will depend, for example, on the nature of the production process used and the particular PRO produced.

[0318] E. Uses for PRO

[0319] Nucleotide sequences (or their complement) encoding PRO have various applications in the art of molecular biology, including uses as hybridization probes, in chromosome and gene mapping and in the generation of anti-sense RNA and DNA. PRO nucleic acid will also be useful for the preparation of PRO polypeptides by the recombinant techniques described herein.

[0320] The full-length native sequence PRO gene, or portions thereof, may be used as hybridization probes for a cDNA library to isolate the full-length PRO cDNA or to isolate still other cDNAs (for instance, those encoding naturally-occurring variants of PRO or PRO from other species) which have a desired sequence identity to the native PRO sequence disclosed herein. Optionally, the length of the probes will be about 20 to about 50 bases. The hybridization probes may be derived from at least partially novel regions of the full length native nucleotide sequence wherein those regions may be determined without undue experimentation or from genomic sequences including promoters, enhancer elements and introns of native sequence PRO. By way of example, a screening method will comprise isolating the coding region of the PRO gene using the known DNA sequence to synthesize a selected probe of about 40 bases.

Hybridization probes may be labeled by a variety of labels, including radionucleotides such as ^{32}P or ^{35}S , or enzymatic labels such as alkaline phosphatase coupled to the probe via avidin/biotin coupling systems. Labeled probes having a sequence complementary to that of the PRO gene of the present invention can be used to screen libraries of human cDNA, genomic DNA or mRNA to determine which members of such libraries the probe hybridizes to. Hybridization techniques are described in further detail in the Examples below.

[0321] Any EST sequences disclosed in the present application may similarly be employed as probes, using the methods disclosed herein.

[0322] Other useful fragments of the PRO nucleic acids include antisense or sense oligonucleotides comprising a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target PRO mRNA (sense) or PRO DNA (antisense) sequences. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment of the coding region of PRO DNA. Such a fragment generally comprises at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein is described in, for example, Stein and Cohen (Cancer Res. 48:2659, 1988) and van der Krol et al. (BioTechniques 6:958, 1988).

[0323] Binding of antisense or sense oligonucleotides to target nucleic acid sequences results in the formation of duplexes that block transcription or translation of the target sequence by one of several means, including enhanced degradation of the duplexes, premature termination of transcription or translation, or by other means. The antisense oligonucleotides thus may be used to block expression of PRO proteins. Antisense or sense oligonucleotides further comprise oligonucleotides having modified sugar-phosphodiester backbones (or other sugar linkages, such as those described in WO 91/06629) and wherein such sugar linkages are resistant to endogenous nucleases. Such oligonucleotides with resistant sugar linkages are stable in vivo (i.e., capable of resisting enzymatic degradation) but retain sequence specificity to be able to bind to target nucleotide sequences.

[0324] Other examples of sense or antisense oligonucleotides include those oligonucleotides which are covalently linked to organic moieties, such as those described in WO 90/10048, and other moieties that increases affinity of the oligonucleotide for a target nucleic acid sequence, such as poly-(L-lysine). Further still, intercalating agents, such as ellipticine, and alkylating agents or metal complexes may be attached to sense or antisense oligonucleotides to modify binding specificities of the antisense or sense oligonucleotide for the target nucleotide sequence.

[0325] Antisense or sense oligonucleotides may be introduced into a cell containing the target nucleic acid sequence by any gene transfer method, including, for example, CaPO_4 mediated DNA transfection, electroporation, or by using gene transfer vectors such as Epstein-Barr virus. In a preferred procedure, an antisense or sense oligonucleotide is inserted into a suitable retroviral vector. A cell containing the target nucleic acid sequence is contacted with the recombinant retroviral vector, either in vivo or ex vivo. Suitable retroviral vectors include, but are not limited to, those derived from the murine retrovirus M-MuLV, N2 (a retro-

virus derived from M-MuLV), or the double copy vectors designated DCT5A, DCT5B and DCT5C (see WO 90/13641).

[0326] Sense or antisense oligonucleotides also may be introduced into a cell containing the target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell.

[0327] Alternatively, a sense or an antisense oligonucleotide may be introduced into a cell containing the target nucleic acid sequence by formation of an oligonucleotide-lipid complex, as described in WO 90/10448. The sense or antisense oligonucleotide-lipid complex is preferably dissociated within the cell by an endogenous lipase.

[0328] Antisense or sense RNA or DNA molecules are generally at least about 5 bases in length, about 10 bases in length, about 15 bases in length, about 20 bases in length, about 25 bases in length, about 30 bases in length, about 35 bases in length, about 40 bases in length, about 45 bases in length, about 50 bases in length, about 55 bases in length, about 60 bases in length, about 65 bases in length, about 70 bases in length, about 75 bases in length, about 80 bases in length, about 85 bases in length, about 90 bases in length, about 95 bases in length, about 100 bases in length, or more.

[0329] The probes may also be employed in PCR techniques to generate a pool of sequences for identification of closely related PRO coding sequences.

[0330] Nucleotide sequences encoding a PRO can also be used to construct hybridization probes for mapping the gene which encodes that PRO and for the genetic analysis of individuals with genetic disorders. The nucleotide sequences provided herein may be mapped to a chromosome and specific regions of a chromosome using known techniques, such as in situ hybridization, linkage analysis against known chromosomal markers, and hybridization screening with libraries.

[0331] When the coding sequences for PRO encode a protein which binds to another protein (example, where the PRO is a receptor), the PRO can be used in assays to identify the other proteins or molecules involved in the binding interaction. By such methods, inhibitors of the receptor/ligand binding interaction can be identified. Proteins involved in such binding interactions can also be used to screen for peptide or small molecule inhibitors or agonists of the binding interaction. Also, the receptor PRO can be used to isolate correlative ligand(s). Screening assays can be designed to find lead compounds that mimic the biological activity of a native PRO or a receptor for PRO. Such screening assays will include assays amenable to high-throughput screening of chemical libraries, making them particularly suitable for identifying small molecule drug candidates. Small molecules contemplated include synthetic organic or inorganic compounds. The assays can be performed in a variety of formats, including protein-protein

binding assays, biochemical screening assays, immunoassays and cell based assays, which are well characterized in the art.

[0332] Nucleic acids which encode PRO or its modified forms can also be used to generate either transgenic animals or “knock out” animals which, in turn, are useful in the development and screening of therapeutically useful reagents. A transgenic animal (e.g., a mouse or rat) is an animal having cells that contain a transgene, which transgene was introduced into the animal or an ancestor of the animal at a prenatal, e.g., an embryonic stage. A transgene is a DNA which is integrated into the genome of a cell from which a transgenic animal develops. In one embodiment, cDNA encoding PRO can be used to clone genomic DNA encoding PRO in accordance with established techniques and the genomic sequences used to generate transgenic animals that contain cells which express DNA encoding PRO. Methods for generating transgenic animals, particularly animals such as mice or rats, have become conventional in the art and are described, for example, in U.S. Pat. Nos. 4,736,866 and 4,870,009. Typically, particular cells would be targeted for PRO transgene incorporation with tissue-specific enhancers. Transgenic animals that include a copy of a transgene encoding PRO introduced into the germ line of the animal at an embryonic stage can be used to examine the effect of increased expression of DNA encoding PRO. Such animals can be used as tester animals for reagents thought to confer protection from, for example, pathological conditions associated with its overexpression. In accordance with this facet of the invention, an animal is treated with the reagent and a reduced incidence of the pathological condition, compared to untreated animals bearing the transgene, would indicate a potential therapeutic intervention for the pathological condition.

[0333] Alternatively, non-human homologues of PRO can be used to construct a PRO “knock out” animal which has a defective or altered gene encoding PRO as a result of homologous recombination between the endogenous gene encoding PRO and altered genomic DNA encoding PRO introduced into an embryonic stem cell of the animal. For example, cDNA encoding PRO can be used to clone genomic DNA encoding PRO in accordance with established techniques. A portion of the genomic DNA encoding PRO can be deleted or replaced with another gene, such as a gene encoding a selectable marker which can be used to monitor integration. Typically, several kilobases of unaltered flanking DNA (both at the 5' and 3' ends) are included in the vector [see e.g., Thomas and Capecchi, *Cell*, 51:503 (1987) for a description of homologous recombination vectors]. The vector is introduced into an embryonic stem cell line (e.g., by electroporation) and cells in which the introduced DNA has homologously recombined with the endogenous DNA are selected [see e.g., Li et al., *Cell*, 69:915 (1992)]. The selected cells are then injected into a blastocyst of an animal (e.g., a mouse or rat) to form aggregation chimeras [see e.g., Bradley, in *Teratocarcinomas and Embryonic Stem Cells: A Practical Approach*, E. J. Robertson, ed. (IRL, Oxford, 1987), pp. 113-152]. A chimeric embryo can then be implanted into a suitable pseudopregnant female foster animal and the embryo brought to term to create a “knock out” animal. Progeny harboring the homologously recombined DNA in their germ cells can be identified by standard techniques and used to breed animals in which all cells of the animal contain the homologously recombined DNA. Knock-

out animals can be characterized for instance, for their ability to defend against certain pathological conditions and for their development of pathological conditions due to absence of the PRO polypeptide.

[0334] Nucleic acid encoding the PRO polypeptides may also be used in gene therapy. In gene therapy applications, genes are introduced into cells in order to achieve in vivo synthesis of a therapeutically effective genetic product, for example for replacement of a defective gene. “Gene therapy” includes both conventional gene therapy where a lasting effect is achieved by a single treatment, and the administration of gene therapeutic agents, which involves the one time or repeated administration of a therapeutically effective DNA or mRNA. Antisense RNAs and DNAs can be used as therapeutic agents for blocking the expression of certain genes in vivo. It has already been shown that short antisense oligonucleotides can be imported into cells where they act as inhibitors, despite their low intracellular concentrations caused by their restricted uptake by the cell membrane. (Zamecnik et al., *Proc. Natl. Acad. Sci. USA* 83:4143-4146 [1986]). The oligonucleotides can be modified to enhance their uptake, e.g. by substituting their negatively charged phosphodiester groups by uncharged groups.

[0335] There are a variety of techniques available for introducing nucleic acids into viable cells. The techniques vary depending upon whether the nucleic acid is transferred into cultured cells in vitro, or in vivo in the cells of the intended host. Techniques suitable for the transfer of nucleic acid into mammalian cells in vitro include the use of liposomes, electroporation, microinjection, cell fusion, DEAE-dextran, the calcium phosphate precipitation method, etc. The currently preferred in vivo gene transfer techniques include transfection with viral (typically retroviral) vectors and viral coat protein-liposome mediated transfection (Dzau et al., *Trends in Biotechnology* 11, 205-210 [1993]). In some situations it is desirable to provide the nucleic acid source with an agent that targets the target cells, such as an antibody specific for a cell surface membrane protein or the target cell, a ligand for a receptor on the target cell, etc. Where liposomes are employed, proteins which bind to a cell surface membrane protein associated with endocytosis may be used for targeting and/or to facilitate uptake, e.g. capsid proteins or fragments thereof tropic for a particular cell type, antibodies for proteins which undergo internalization in cycling, proteins that target intracellular localization and enhance intracellular half-life. The technique of receptor-mediated endocytosis is described, for example, by Wu et al., *J. Biol. Chem.* 262, 4429-4432 (1987); and Wagner et al., *Proc. Natl. Acad. Sci. USA* 87, 3410-3414 (1990). For review of gene marking and gene therapy protocols see Anderson et al., *Science* 256, 808-813 (1992).

[0336] The PRO polypeptides described herein may also be employed as molecular weight markers for protein electrophoresis purposes and the isolated nucleic acid sequences may be used for recombinantly expressing those markers.

[0337] The nucleic acid molecules encoding the PRO polypeptides or fragments thereof described herein are useful for chromosome identification. In this regard, there exists an ongoing need to identify new chromosome markers, since relatively few chromosome marking reagents, based upon actual sequence data are presently available. Each PRO nucleic acid molecule of the present invention can be used as a chromosome marker.

[0338] The PRO polypeptides and nucleic acid molecules of the present invention may also be used diagnostically for tissue typing, wherein the PRO polypeptides of the present invention may be differentially expressed in one tissue as compared to another, preferably in a diseased tissue as compared to a normal tissue of the same tissue type. PRO nucleic acid molecules will find use for generating probes for PCR, Northern analysis, Southern analysis and Western analysis.

[0339] The PRO polypeptides described herein may also be employed as therapeutic agents. The PRO polypeptides of the present invention can be formulated according to known methods to prepare pharmaceutically useful compositions, whereby the PRO product hereof is combined in admixture with a pharmaceutically acceptable carrier vehicle. Therapeutic formulations are prepared for storage by mixing the active ingredient having the desired degree of purity with optional physiologically acceptable carriers, excipients or stabilizers (Remington's Pharmaceutical Sciences 16th edition, Osol, A. Ed. (I 980)), in the form of lyophilized formulations or aqueous solutions. Acceptable carriers, excipients or stabilizers are nontoxic to recipients at the dosages and concentrations employed, and include buffers such as phosphate, citrate and other organic acids; antioxidants including ascorbic acid; low molecular weight (less than about 10 residues) polypeptides; proteins, such as serum albumin, gelatin or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone, amino acids such as glycine, glutamine, asparagine, arginine or lysine; monosaccharides, disaccharides and other carbohydrates including glucose, mannose, or dextrans; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; salt-forming counterions such as sodium; and/or nonionic surfactants such as TWEEN™, PLURONICS™ or PEG.

[0340] The formulations to be used for in vivo administration must be sterile. This is readily accomplished by filtration through sterile filtration membranes, prior to or following lyophilization and reconstitution.

[0341] Therapeutic compositions herein generally are placed into a container having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

[0342] The route of administration is in accord with known methods, e.g. injection or infusion by intravenous, intraperitoneal, intracerebral, intramuscular, intraocular, intraarterial or intralesional routes, topical administration, or by sustained release systems.

[0343] Dosages and desired drug concentrations of pharmaceutical compositions of the present invention may vary depending on the particular use envisioned. The determination of the appropriate dosage or route of administration is well within the skill of an ordinary physician. Animal experiments provide reliable guidance for the determination of effective doses for human therapy. Interspecies scaling of effective doses can be performed following the principles laid down by Mordenti, J. and Chappell, W. "The use of interspecies scaling in toxicokinetics" In Toxicokinetics and New Drug Development, Yacobi et al., Eds., Pergamon Press, New York 1989, pp. 42-96.

[0344] When in vivo administration of a PRO polypeptide or agonist or antagonist thereof is employed, normal dosage

amounts may vary from about 10 ng/kg to up to 100 mg/kg of mammal body weight or more per day, preferably about 1 μ g/kg/day to 10 mg/kg/day, depending upon the route of administration. Guidance as to particular dosages and methods of delivery is provided in the literature; see, for example, U.S. Pat. Nos. 4,657,760; 5,206,344; or 5,225,212. It is anticipated that different formulations will be effective for different treatment compounds and different disorders, that administration targeting one organ or tissue, for example, may necessitate delivery in a manner different from that to another organ or tissue.

[0345] Where sustained-release administration of a PRO polypeptide is desired in a formulation with release characteristics suitable for the treatment of any disease or disorder requiring administration of the PRO polypeptide, microencapsulation of the PRO polypeptide is contemplated. Microencapsulation of recombinant proteins for sustained release has been successfully performed with human growth hormone (rhGH), interferon-(rhIFN—), interleukin-2, and MN rgp120. Johnson et al., Nat. Med., 2:795-799 (1996); Yasuda, Biomed. Ther., 27:1221-1223 (1993); Hora et al., Bio/Technology, 8:755-758 (1990); Cleland, "Design and Production of Single Immunization Vaccines Using Poly-lactide Polyglycolide Microsphere Systems," in Vaccine Design: The Subunit and Adjuvant Approach, Powell and Newman, eds, (Plenum Press: New York, 1995), pp. 439-462; WO 97/03692, WO 96/40072, WO 96/07399; and U.S. Pat. No. 5,654,010.

[0346] The sustained-release formulations of these proteins were developed using poly-lactic-coglycolic acid (PLGA) polymer due to its biocompatibility and wide range of biodegradable properties. The degradation products of PLGA, lactic and glycolic acids, can be cleared quickly within the human body. Moreover, the degradability of this polymer can be adjusted from months to years depending on its molecular weight and composition. Lewis, "Controlled release of bioactive agents from lactide/glycolide polymer," in: M. Chasin and R. Langer (Eds.), Biodegradable Polymers as Drug Delivery Systems (Marcel Dekker: New York, 1990), pp.1-41.

[0347] This invention encompasses methods of screening compounds to identify those that mimic the PRO polypeptide (agonists) or prevent the effect of the PRO polypeptide (antagonists). Screening assays for antagonist drug candidates are designed to identify compounds that bind or complex with the PRO polypeptides encoded by the genes identified herein, or otherwise interfere with the interaction of the encoded polypeptides with other cellular proteins. Such screening assays will include assays amenable to high-throughput screening of chemical libraries, making them particularly suitable for identifying small molecule drug candidates.

[0348] The assays can be performed in a variety of formats, including protein-protein binding assays, biochemical screening assays, immunoassays, and cell-based assays, which are well characterized in the art.

[0349] All assays for antagonists are common in that they call for contacting the drug candidate with a PRO polypeptide encoded by a nucleic acid identified herein under conditions and for a time sufficient to allow these two components to interact.

[0350] In binding assays, the interaction is binding and the complex formed can be isolated or detected in the reaction

mixture. In a particular embodiment, the PRO polypeptide encoded by the gene identified herein or the drug candidate is immobilized on a solid phase, e.g., on a microtiter plate, by covalent or non-covalent attachments. Non-covalent attachment generally is accomplished by coating the solid surface with a solution of the PRO polypeptide and drying. Alternatively, an immobilized antibody, e.g., a monoclonal antibody, specific for the PRO polypeptide to be immobilized can be used to anchor it to a solid surface. The assay is performed by adding the non-immobilized component, which may be labeled by a detectable label, to the immobilized component, e.g., the coated surface containing the anchored component. When the reaction is complete, the non-reacted components are removed, e.g., by washing, and complexes anchored on the solid surface are detected. When the originally non-immobilized component carries a detectable label, the detection of label immobilized on the surface indicates that complexing occurred. Where the originally non-immobilized component does not carry a label, complexing can be detected, for example, by using a labeled antibody specifically binding the immobilized complex.

[0351] If the candidate compound interacts with but does not bind to a particular PRO polypeptide encoded by a gene identified herein, its interaction with that polypeptide can be assayed by methods well known for detecting protein-protein interactions. Such assays include traditional approaches, such as, e.g., cross-linking, co-immunoprecipitation, and co-purification through gradients or chromatographic columns. In addition, protein-protein interactions can be monitored by using a yeast-based genetic system described by Fields and co-workers (Fields and Song, *Nature* (London), 340:245-246 (1989); Chien et al., *Proc. Natl. Acad. Sci. USA*, 88:9578-9582 (1991)) as disclosed by Chevray and Nathans, *Proc. Natl. Acad. Sci. USA*, 89: 5789-5793 (1991). Many transcriptional activators, such as yeast GAL4, consist of two physically discrete modular domains, one acting as the DNA-binding domain, the other one functioning as the transcription-activation domain. The yeast expression system described in the foregoing publications (generally referred to as the "two-hybrid system") takes advantage of this property, and employs two hybrid proteins, one in which the target protein is fused to the DNA-binding domain of GAL4, and another, in which candidate activating proteins are fused to the activation domain. The expression of a GAL1-lacZ reporter gene under control of a GAL4-activated promoter depends on reconstitution of GAL4 activity via protein-protein interaction. Colonies containing interacting polypeptides are detected with a chromogenic substrate for β -galactosidase. A complete kit (MATCHMAKER™) for identifying protein-protein interactions between two specific proteins using the two-hybrid technique is commercially available from Clontech. This system can also be extended to map protein domains involved in specific protein interactions as well as to pinpoint amino acid residues that are crucial for these interactions.

[0352] Compounds that interfere with the interaction of a gene encoding a PRO polypeptide identified herein and other intra- or extracellular components can be tested as follows: usually a reaction mixture is prepared containing the product of the gene and the intra- or extracellular component under conditions and for a time allowing for the interaction and binding of the two products. To test the ability of a candidate compound to inhibit binding, the

reaction is run in the absence and in the presence of the test compound. In addition, a placebo may be added to a third reaction mixture, to serve as positive control. The binding (complex formation) between the test compound and the intra- or extracellular component present in the mixture is monitored as described hereinabove. The formation of a complex in the control reaction(s) but not in the reaction mixture containing the test compound indicates that the test compound interferes with the interaction of the test compound and its reaction partner.

[0353] To assay for antagonists, the PRO polypeptide may be added to a cell along with the compound to be screened for a particular activity and the ability of the compound to inhibit the activity of interest in the presence of the PRO polypeptide indicates that the compound is an antagonist to the PRO polypeptide. Alternatively, antagonists may be detected by combining the PRO polypeptide and a potential antagonist with membrane-bound PRO polypeptide receptors or recombinant receptors under appropriate conditions for a competitive inhibition assay. The PRO polypeptide can be labeled, such as by radioactivity, such that the number of PRO polypeptide molecules bound to the receptor can be used to determine the effectiveness of the potential antagonist. The gene encoding the receptor can be identified by numerous methods known to those of skill in the art, for example, ligand panning and FACS sorting. Coligan et al., *Current Protocols in Immun.*, 1(2): Chapter 5 (1991). Preferably, expression cloning is employed wherein polyadenylated RNA is prepared from a cell responsive to the PRO polypeptide and a cDNA library created from this RNA is divided into pools and used to transfect COS cells or other cells that are not responsive to the PRO polypeptide. Transfected cells that are grown on glass slides are exposed to labeled PRO polypeptide. The PRO polypeptide can be labeled by a variety of means including iodination or inclusion of a recognition site for a site-specific protein kinase. Following fixation and incubation, the slides are subjected to autoradiographic analysis. Positive pools are identified and sub-pools are prepared and re-transfected using an interactive sub-pooling and re-screening process, eventually yielding a single clone that encodes the putative receptor.

[0354] As an alternative approach for receptor identification, labeled PRO polypeptide can be photoaffinity-linked with cell membrane or extract preparations that express the receptor molecule. Cross-linked material is resolved by PAGE and exposed to X-ray film. The labeled complex containing the receptor can be excised, resolved into peptide fragments, and subjected to protein micro-sequencing. The amino acid sequence obtained from micro-sequencing would be used to design a set of degenerate oligonucleotide probes to screen a cDNA library to identify the gene encoding the putative receptor.

[0355] In another assay for antagonists, mammalian cells or a membrane preparation expressing the receptor would be incubated with labeled PRO polypeptide in the presence of the candidate compound. The ability of the compound to enhance or block this interaction could then be measured.

[0356] More specific examples of potential antagonists include an oligonucleotide that binds to the fusions of immunoglobulin with PRO polypeptide, and, in particular, antibodies including, without limitation, poly- and monoclonal antibodies and antibody fragments, single-chain anti-

bodies, anti-idiotypic antibodies, and chimeric or humanized versions of such antibodies or fragments, as well as human antibodies and antibody fragments. Alternatively, a potential antagonist may be a closely related protein, for example, a mutated form of the PRO polypeptide that recognizes the receptor but imparts no effect, thereby competitively inhibiting the action of the PRO polypeptide.

[0357] Another potential PRO polypeptide antagonist is an antisense RNA or DNA construct prepared using antisense technology, where, e.g., an antisense RNA or DNA molecule acts to block directly the translation of mRNA by hybridizing to targeted mRNA and preventing protein translation. Antisense technology can be used to control gene expression through triple-helix formation or antisense DNA or RNA, both of which methods are based on binding of a polynucleotide to DNA or RNA. For example, the 5' coding portion of the polynucleotide sequence, which encodes the mature PRO polypeptides herein, is used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is designed to be complementary to a region of the gene involved in transcription (triple helix—see Lee et al., *Nucl. Acids Res.*, 6:3073 (1979); Cooney et al., *Science*, 241: 456 (1988); Dervan et al., *Science*, 251:1360 (1991)), thereby preventing transcription and the production of the PRO polypeptide. The antisense RNA oligonucleotide hybridizes to the mRNA in vivo and blocks translation of the mRNA molecule into the PRO polypeptide (antisense—Okano, *Neurochem.*, 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression (CRC Press: Boca Raton, Fla., 1988). The oligonucleotides described above can also be delivered to cells such that the antisense RNA or DNA may be expressed in vivo to inhibit production of the PRO polypeptide. When antisense DNA is used, oligodeoxyribonucleotides derived from the translation-initiation site, e.g., between about -10 and +10 positions of the target gene nucleotide sequence, are preferred.

[0358] Potential antagonists include small molecules that bind to the active site, the receptor binding site, or growth factor or other relevant binding site of the PRO polypeptide, thereby blocking the normal biological activity of the PRO polypeptide. Examples of small molecules include, but are not limited to, small peptides or peptide-like molecules, preferably soluble peptides, and synthetic non-peptidyl organic or inorganic compounds.

[0359] Ribozymes are enzymatic RNA molecules capable of catalyzing the specific cleavage of RNA. Ribozymes act by sequence-specific hybridization to the complementary target RNA, followed by endonucleolytic cleavage. Specific ribozyme cleavage sites within a potential RNA target can be identified by known techniques. For further details see, e.g., Rossi, *Current Biology*, 4:469-471 (1994), and PCT publication No. WO 97/33551 (published Sep. 18, 1997).

[0360] Nucleic acid molecules in triple-helix formation used to inhibit transcription should be single-stranded and composed of deoxynucleotides. The base composition of these oligonucleotides is designed such that it promotes triple-helix formation via Hoogsteen base-pairing rules, which generally require sizeable stretches of purines or pyrimidines on one strand of a duplex. For further details see, e.g., PCT publication No. WO 97/33551, supra.

[0361] These small molecules can be identified by any one or more of the screening assays discussed hereinabove and/or by any other screening techniques well known for those skilled in the art.

[0362] Diagnostic and therapeutic uses of the herein disclosed molecules may also be based upon the positive functional assay hits disclosed and described below.

[0363] F. Anti-PRO Antibodies

[0364] The present invention further provides anti-PRO antibodies. Exemplary antibodies include polyclonal, monoclonal, humanized, bispecific, and heteroconjugate antibodies.

[0365] 1. Polyclonal Antibodies

[0366] The anti-PRO antibodies may comprise polyclonal antibodies. Methods of preparing polyclonal antibodies are known to the skilled artisan. Polyclonal antibodies can be raised in a mammal, for example, by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include the PRO polypeptide or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Examples of adjuvants which may be employed include Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in the art without undue experimentation.

[0367] 2. Monoclonal Antibodies

[0368] The anti-PRO antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler and Milstein, *Nature*, 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized in vitro.

[0369] The immunizing agent will typically include the PRO polypeptide or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene glycol, to form a hybridoma cell [Goding, *Monoclonal Antibodies: Principles and Practice*, Academic Press, (1986) pp. 59-103]. Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl

transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

[0370] Preferred immortalized cell lines are those that fuse efficiently, support stable high level expression of antibody by the selected antibody-producing cells, and are sensitive to a medium such as HAT medium. More preferred immortalized cell lines are murine myeloma lines, which can be obtained, for instance, from the Salk Institute Cell Distribution Center, San Diego, Calif. and the American Type Culture Collection, Manassas, Va. Human myeloma and mouse-human heteromyeloma cell lines also have been described for the production of human monoclonal antibodies [Kozbor, J. Immunol., 133:3001 (1984); Brodeur et al., Monoclonal Antibody Production Techniques and Applications, Marcel Dekker, Inc., New York, (1987) pp. 51-63].

[0371] The culture medium in which the hybridoma cells are cultured can then be assayed for the presence of monoclonal antibodies directed against PRO. Preferably, the binding specificity of monoclonal antibodies produced by the hybridoma cells is determined by immunoprecipitation or by an in vitro binding assay, such as radioimmunoassay (RIA) or enzyme-linked immunoabsorbent assay (ELISA). Such techniques and assays are known in the art. The binding affinity of the monoclonal antibody can, for example, be determined by the Scatchard analysis of Munson and Pollard, Anal. Biochem., 107:220 (1980).

[0372] After the desired hybridoma cells are identified, the clones may be subcloned by limiting dilution procedures and grown by standard methods [Goding, supra]. Suitable culture media for this purpose include, for example, Dulbecco's Modified Eagle's Medium and RPMI-1640 medium. Alternatively, the hybridoma cells may be grown in vivo as ascites in a mammal.

[0373] The monoclonal antibodies secreted by the subclones may be isolated or purified from the culture medium or ascites fluid by conventional immunoglobulin purification procedures such as, for example, protein A-Sepharose, hydroxylapatite chromatography, gel electrophoresis, dialysis, or affinity chromatography.

[0374] The monoclonal antibodies may also be made by recombinant DNA methods, such as those described in U.S. Pat. No. 4,816,567. DNA encoding the monoclonal antibodies of the invention can be readily isolated and sequenced using conventional procedures (e.g., by using oligonucleotide probes that are capable of binding specifically to genes encoding the heavy and light chains of murine antibodies). The hybridoma cells of the invention serve as a preferred source of such DNA. Once isolated, the DNA may be placed into expression vectors, which are then transfected into host cells such as simian COS cells, Chinese hamster ovary (CHO) cells, or myeloma cells that do not otherwise produce immunoglobulin protein, to obtain the synthesis of monoclonal antibodies in the recombinant host cells. The DNA also may be modified, for example, by substituting the coding sequence for human heavy and light chain constant domains in place of the homologous murine sequences [U.S. Pat. No. 4,816,567; Morrison et al., supra] or by covalently joining to the immunoglobulin coding sequence all or part of the coding sequence for a non-immunoglobulin polypeptide. Such a non-immunoglobulin polypeptide can be substituted

for the constant domains of an antibody of the invention, or can be substituted for the variable domains of one antigen-combining site of an antibody of the invention to create a chimeric bivalent antibody.

[0375] The antibodies may be monovalent antibodies. Methods for preparing monovalent antibodies are well known in the art. For example, one method involves recombinant expression of immunoglobulin light chain and modified heavy chain. The heavy chain is truncated generally at any point in the Fc region so as to prevent heavy chain crosslinking. Alternatively, the relevant cysteine residues are substituted with another amino acid residue or are deleted so as to prevent crosslinking.

[0376] In vitro methods are also suitable for preparing monovalent antibodies. Digestion of antibodies to produce fragments thereof, particularly, Fab fragments, can be accomplished using routine techniques known in the art.

[0377] 3. Human and Humanized Antibodies

[0378] The anti-PRO antibodies of the invention may further comprise humanized antibodies or human antibodies. Humanized forms of non-human (e.g., murine) antibodies are chimeric immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')₂ or other antigen-binding subsequences of antibodies) which contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include human immunoglobulins (recipient antibody) in which residues from a complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a non-human species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, the humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the FR regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin Hones et al., Nature, 321:522-525 (1986); Riechmann et al., Nature, 332:323-329 (1988); and Presta, Curr. Op. Struct. Biol., 2:593-596 (1992)].

[0379] Methods for humanizing non-human antibodies are well known in the art. Generally, a humanized antibody has one or more amino acid residues introduced into it from a source which is non-human. These non-human amino acid residues are often referred to as "import" residues, which are typically taken from an "import" variable domain. Humanization can be essentially performed following the method of Winter and co-workers [Jones et al., Nature, 321:522-525 (1986); Riechmann et al., Nature, 332:323-327 (1988); Verhoeven et al., Science, 239:1534-1536 (1988)], by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such "humanized" antibodies are chimeric antibodies (U.S. Pat. No. 4,816,567), wherein substantially less than an intact human variable domain has been substituted by the corre-

sponding sequence from a non-human species. In practice, humanized antibodies are typically human antibodies in which some CDR residues and possibly some FR residues are substituted by residues from analogous sites in rodent antibodies.

[0380] Human antibodies can also be produced using various techniques known in the art, including phage display libraries [Hoogenboom and Winter, *J. Mol. Biol.*, 227:381 (1991); Marks et al., *J. Mol. Biol.*, 222:581 (1991)]. The techniques of Cole et al. and Boerner et al. are also available for the preparation of human monoclonal antibodies (Cole et al., *Monoclonal Antibodies and Cancer Therapy*, Alan R. Liss, p. 77 (1985) and Boerner et al., *J. Immunol.*, 147(1):86-95 (1991)]. Similarly, human antibodies can be made by introducing of human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, for example, in U.S. Pat. Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks et al., *Bio/Technology* 10, 779-783 (1992); Lonberg et al., *Nature* 368 856-859 (1994); Morrison, *Nature* 368, 812-13 (1994); Fishwild et al., *Nature Biotechnology* 14, 845-51 (1996); Neuberger, *Nature Biotechnology* 14, 826 (1996); Lonberg and Huszar, *Intern. Rev. Immunol.* 1365-93 (1995).

[0381] The antibodies may also be affinity matured using known selection and/or mutagenesis methods as described above. Preferred affinity matured antibodies have an affinity which is five times, more preferably 10 times, even more preferably 20 or 30 times greater than the starting antibody (generally murine, humanized or human) from which the matured antibody is prepared.

[0382] 4. Bispecific Antibodies

[0383] Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens. In the present case, one of the binding specificities is for the PRO, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit.

[0384] Methods for making bispecific antibodies are known in the art. Traditionally, the recombinant production of bispecific antibodies is based on the co-expression of two immunoglobulin heavy-chain/light-chain pairs, where the two heavy chains have different specificities [Milstein and Cuello, *Nature*, 305:537-539 (1983)]. Because of the random assortment of immunoglobulin heavy and light chains, these hybridomas (quadromas) produce a potential mixture of ten different antibody molecules, of which only one has the correct bispecific structure. The purification of the correct molecule is usually accomplished by affinity chromatography steps. Similar procedures are disclosed in WO 93/08829, published May 13, 1993, and in Traunecker et al., *EMBO J.*, 10:3655-3659 (1991).

[0385] Antibody variable domains with the desired binding specificities (antibody-antigen combining sites) can be fused to immunoglobulin constant domain sequences. The fusion preferably is with an immunoglobulin heavy-chain

constant domain, comprising at least part of the hinge, CH2, and CH3 regions. It is preferred to have the first heavy-chain constant region (CH1) containing the site necessary for light-chain binding present in at least one of the fusions. DNAs encoding the immunoglobulin heavy-chain fusions and, if desired, the immunoglobulin light chain, are inserted into separate expression vectors, and are co-transfected into a suitable host organism. For further details of generating bispecific antibodies see, for example, Suresh et al., *Methods in Enzymology*, 121:210 (1986).

[0386] According to another approach described in WO 96/27011, the interface between a pair of antibody molecules can be engineered to maximize the percentage of heterodimers which are recovered from recombinant cell culture. The preferred interface comprises at least a part of the CH3 region of an antibody constant domain. In this method, one or more small amino acid side chains from the interface of the first antibody molecule are replaced with larger side chains (e.g. tyrosine or tryptophan). Compensatory "cavities" of identical or similar size to the large side chain(s) are created on the interface of the second antibody molecule by replacing large amino acid side chains with smaller ones (e.g. alanine or threonine). This provides a mechanism for increasing the yield of the heterodimer over other unwanted end-products such as homodimers.

[0387] Bispecific antibodies can be prepared as full length antibodies or antibody fragments (e.g. F(ab')₂ bispecific antibodies). Techniques for generating bispecific antibodies from antibody fragments have been described in the literature. For example, bispecific antibodies can be prepared using chemical linkage. Brennan et al., *Science* 229:81 (1985) describe a procedure wherein intact antibodies are proteolytically cleaved to generate F(ab')₂ fragments. These fragments are reduced in the presence of the dithiol complexing agent sodium arsenite to stabilize vicinal dithiols and prevent intermolecular disulfide formation. The Fab' fragments generated are then converted to thionitrobenzoate (TNB) derivatives. One of the Fab'-TNB derivatives is then reconverted to the Fab'-thiol by reduction with mercaptoethylamine and is mixed with an equimolar amount of the other Fab'-TNB derivative to form the bispecific antibody. The bispecific antibodies produced can be used as agents for the selective immobilization of enzymes.

[0388] Fab' fragments may be directly recovered from *E. coli* and chemically coupled to form bispecific antibodies. Shalaby et al., *J. Exp. Med.* 175:217(1992) describe the production of a fully humanized bispecific antibody F(ab')₂ molecule. Each Fab' fragment was separately secreted from *E. coli* and subjected to directed chemical coupling in vitro to form the bispecific antibody. The bispecific antibody thus formed was able to bind to cells overexpressing the ErbB2 receptor and normal human T cells, as well as trigger the lytic activity of human cytotoxic lymphocytes against human breast tumor targets.

[0389] Various technique for making and isolating bispecific antibody fragments directly from recombinant cell culture have also been described. For example, bispecific antibodies have been produced using leucine zippers. Kostelny et al., *J. Immunol.* 148 (5):1547-1553(1992). The leucine zipper peptides from the Fos and Jun proteins were linked to the Fab' portions of two different antibodies by gene fusion. The antibody homodimers were reduced at the

hinge region to form monomers and then re-oxidized to form the antibody heterodimers. This method can also be utilized for the production of antibody homodimers. The "diabody" technology described by Hollinger et al., Proc. Natl. Acad. Sci. USA 90:6444-6448(1993) has provided an alternative mechanism for making bispecific antibody fragments. The fragments comprise a heavy-chain variable domain (V_H) connected to a light-chain variable domain (V_L) by a linker which is too short to allow pairing between the two domains on the same chain. Accordingly, the V_H and V_L domains of one fragment are forced to pair with the complementary V_L and V_H domains of another fragment, thereby forming two antigen-binding sites. Another strategy for making bispecific antibody fragments by the use of single-chain Fv (sFv) dimers has also been reported. See, Gruber et al., J. Immunol. 152:5368 (1994). Antibodies with more than two valencies are contemplated. For example, trispecific antibodies can be prepared. Tutt et al., J. Immunol. 147:60 (1991).

[0390] Exemplary bispecific antibodies may bind to two different epitopes on a given PRO polypeptide herein. Alternatively, an anti-PRO polypeptide arm may be combined with an arm which binds to a triggering molecule on a leukocyte such as a T-cell receptor molecule (e.g. CD2, CD3, CD28, or B7), or Fc receptors for IgG (Fc γ R), such as Fc γ RI (CD64), Fc γ RII (CD32) and Fc γ RIII (CD16) so as to focus cellular defense mechanisms to the cell expressing the particular PRO polypeptide. Bispecific antibodies may also be used to localize cytotoxic agents to cells which express a particular PRO polypeptide. These antibodies possess a PRO-binding arm and an arm which binds a cytotoxic agent or a radionuclide chelator, such as EOTUBE, DPTA, DOTA, or TETA. Another bispecific antibody of interest binds the PRO polypeptide and further binds tissue factor (TF).

[0391] 5. Heteroconjugate Antibodies

[0392] Heteroconjugate antibodies are also within the scope of the present invention. Heteroconjugate antibodies are composed of two covalently joined antibodies. Such antibodies have, for example, been proposed to target immune system cells to unwanted cells [U.S. Pat. No. 4,676,980], and for treatment of HIV infection [WO 91/00360; WO 92/200373; EP 03089]. It is contemplated that the antibodies may be prepared in vitro using known methods in synthetic protein chemistry, including those involving crosslinking agents. For example, immunotoxins may be constructed using a disulfide exchange reaction or by forming a thioether bond. Examples of suitable reagents for this purpose include iminothiolate and methyl-4-mercaptobutyrimide and those disclosed, for example, in U.S. Pat. No. 4,676,980.

[0393] 6. Effector Function Engineering

[0394] It may be desirable to modify the antibody of the invention with respect to effector function, so as to enhance, e.g., the effectiveness of the antibody in treating cancer. For example, cysteine residue(s) may be introduced into the Fc region, thereby allowing interchain disulfide bond formation in this region. The homodimeric antibody thus generated may have improved internalization capability and/or increased complement-mediated cell killing and antibody-dependent cellular cytotoxicity (ADCC). See Caron et al., J. Exp Med., 176: 1191-1195 (1992) and Shopes, J. Immunol., 148: 2918-2922 (1992), Homodimeric antibodies with

enhanced anti-tumor activity may also be prepared using heterobifunctional cross-linkers as described in Wolff et al. Cancer Research, 53: 2560-2565 (1993). Alternatively, an antibody can be engineered that has dual Fc regions and may thereby have enhanced complement lysis and ADCC capabilities. See Stevenson et al., Anti-Cancer Drug Design, 3: 219-230 (1989).

[0395] 7. Immunoconjugates

[0396] The invention also pertains to immunoconjugates comprising an antibody conjugated to a cytotoxic agent such as a chemotherapeutic agent, toxin (e.g., an enzymatically active toxin of bacterial, fungal, plant, or animal origin, or fragments thereof), or a radioactive isotope (i.e., a radioconjugate).

[0397] Chemotherapeutic agents useful in the generation of such immunoconjugates have been described above. Enzymatically active toxins and fragments thereof that can be used include diphtheria A chain, nonbinding active fragments of diphtheria toxin, exotoxin A chain (from *Pseudomonas aeruginosa*), ricin A chain, abrin A chain, modeccin A chain, alpha-sarcin, *Aleurites fordii* proteins, dianthin proteins, *Phytolacca americana* proteins (PAPI, PAPII, and PAP-S), momordica charantia inhibitor, curcin, crotin, *sapaonaria officinalis* inhibitor, gelonin, mitogellin, restrictocin, phenomycin, enomycin, and the tricothecenes. A variety of radionuclides are available for the production of radioconjugated antibodies. Examples include ^{212}Bi , ^{131}I , ^{131}In , ^{90}Y , and ^{186}Re . Conjugates of the antibody and cytotoxic agent are made using a variety of bifunctional protein-coupling agents such as N-succinimidyl-3-(2-pyridyldithiol)propionate (SPDP), iminothiolane (IT), bifunctional derivatives of imidoesters (such as dimethyl adipimide HCL), active esters (such as disuccinimidyl suberate), aldehydes (such as glutaraldehyde), bis-azido compounds (such as bis (p-azidobenzoyl)hexanediamine), bis-diazonium derivatives (such as bis-(p-diazoniumbenzoyl)-ethylenediamine), diisocyanates (such as tolyene 2,6-diisocyanate), and bis-active fluorine compounds (such as 1,5-difluoro-2,4-dinitrobenzene). For example, a ricin immunotoxin can be prepared as described in Vitetta et al., Science, 238: 1098 (1987). Carbon-14-labeled 1-isothiocyanatobenzyl-3-methyldiethylene triaminepentaacetic acid (MX-DTPA) is an exemplary chelating agent for conjugation of radionuclide to the antibody. See WO 94/11026.

[0398] In another embodiment, the antibody may be conjugated to a "receptor" (such streptavidin) for utilization in tumor pretargeting wherein the antibody-receptor conjugate is administered to the patient, followed by removal of unbound conjugate from the circulation using a clearing agent and then administration of a "ligand" (e.g., avidin) that is conjugated to a cytotoxic agent (e.g., a radionuclide).

[0399] 8. Immunoliposomes

[0400] The antibodies disclosed herein may also be formulated as immunoliposomes. Liposomes containing the antibody are prepared by methods known in the art, such as described in Epstein et al., Proc. Natl. Acad. Sci. USA, 82: 3688 (1985); Hwang et al., Proc. Natl. Acad. Sci. USA, 77: 4030 (1980); and U.S. Pat. Nos. 4,485,045 and 4,544,545. Liposomes with enhanced circulation time are disclosed in U.S. Pat. No. 5,013,556.

[0401] Particularly useful liposomes can be generated by the reverse-phase evaporation method with a lipid compo-

sition comprising phosphatidylcholine, cholesterol, and PEG-derivatized phosphatidylethanolamine (PEG-PE). Liposomes are extruded through filters of defined pore size to yield liposomes with the desired diameter. Fab' fragments of the antibody of the present invention can be conjugated to the liposomes as described in Martin et al., *J. Biol. Chem.*, 257: 286-288 (1982) via a disulfide-interchange reaction. A chemotherapeutic agent (such as Doxorubicin) is optionally contained within the liposome. See Gabizon et al., *J. National Cancer Inst.*, 81(19): 1484 (1989).

[0402] 9. Pharmaceutical Compositions of Antibodies

[0403] Antibodies specifically binding a PRO polypeptide identified herein, as well as other molecules identified by the screening assays disclosed hereinbefore, can be administered for the treatment of various disorders in the form of pharmaceutical compositions.

[0404] If the PRO polypeptide is intracellular and whole antibodies are used as inhibitors, internalizing antibodies are preferred. However, lipofections or liposomes can also be used to deliver the antibody, or an antibody fragment, into cells. Where antibody fragments are used, the smallest inhibitory fragment that specifically binds to the binding domain of the target protein is preferred. For example, based upon the variable-region sequences of an antibody, peptide molecules can be designed that retain the ability to bind the target protein sequence. Such peptides can be synthesized chemically and/or produced by recombinant DNA technology. See, e.g., Marasco et al., *Proc. Natl. Acad. Sci. USA*, 90: 7889-7893 (1993). The formulation herein may also contain more than one active compound as necessary for the particular indication being treated, preferably those with complementary activities that do not adversely affect each other. Alternatively, or in addition, the composition may comprise an agent that enhances its function, such as, for example, a cytotoxic agent, cytokine, chemotherapeutic agent, or growth-inhibitory agent. Such molecules are suitably present in combination in amounts that are effective for the purpose intended.

[0405] The active ingredients may also be entrapped in microcapsules prepared, for example, by coacervation techniques or by interfacial polymerization, for example, hydroxymethylcellulose or gelatin-microcapsules and poly(methylmethacrylate) microcapsules, respectively, in colloidal drug delivery systems (for example, liposomes, albumin microspheres, microemulsions, nano-particles, and nano-capsules) or in macroemulsions. Such techniques are disclosed in Remington's *Pharmaceutical Sciences*, supra.

[0406] The formulations to be used for in vivo administration must be sterile. This is readily accomplished by filtration through sterile filtration membranes.

[0407] Sustained-release preparations may be prepared. Suitable examples of sustained-release preparations include semipermeable matrices of solid hydrophobic polymers containing the antibody, which matrices are in the form of shaped articles, e.g., films, or microcapsules. Examples of sustained-release matrices include polyesters, hydrogels (for example, poly(2-hydroxyethyl-methacrylate), or poly(vinylalcohol)), polylactides (U.S. Pat. No. 3,773,919), copolymers of L-glutamic acid and γ ethyl-L-glutamate, non-degradable ethylene-vinyl acetate, degradable lactic acid-glycolic acid copolymers such as the LUPRON DEPOT™

(injectable microspheres composed of lactic acid-glycolic acid copolymer and leuprolide acetate), and poly-D(-)-3-hydroxybutyric acid. While polymers such as ethylene-vinyl acetate and lactic acid-glycolic acid enable release of molecules for over 100 days, certain hydrogels release proteins for shorter time periods. When encapsulated antibodies remain in the body for a long time, they may denature or aggregate as a result of exposure to moisture at 37° C., resulting in a loss of biological activity and possible changes in immunogenicity. Rational strategies can be devised for stabilization depending on the mechanism involved. For example, if the aggregation mechanism is discovered to be intermolecular S—S bond formation through thio-disulfide interchange, stabilization may be achieved by modifying sulfhydryl residues, lyophilizing from acidic solutions, controlling moisture content, using appropriate additives, and developing specific polymer matrix compositions.

[0408] G. Uses for Anti-PRO Antibodies

[0409] The anti-PRO antibodies of the invention have various utilities. For example, anti-PRO antibodies may be used in diagnostic assays for PRO, e.g., detecting its expression (and in some cases, differential expression) in specific cells, tissues, or serum. Various diagnostic assay techniques known in the art may be used, such as competitive binding assays, direct or indirect sandwich assays and immunoprecipitation assays conducted in either heterogeneous or homogeneous phases [Zola, *Monoclonal Antibodies: A Manual of Techniques*, CRC Press, Inc. (1987) pp.147-158]. The antibodies used in the diagnostic assays can be labeled with a detectable moiety. The detectable moiety should be capable of producing, either directly or indirectly, a detectable signal. For example, the detectable moiety may be a radioisotope, such as ^3H , ^{14}C , ^{32}P , ^{35}S , or ^{125}I , a fluorescent or chemiluminescent compound, such as fluorescein isothiocyanate, rhodamine, or luciferin, or an enzyme, such as alkaline phosphatase, beta-galactosidase or horseradish peroxidase. Any method known in the art for conjugating the antibody to the detectable moiety may be employed, including those methods described by Hunter et al., *Nature*, 144:945 (1962); David et al., *Biochemistry*, 13:1014 (1974); Pain et al., *J. Immunol. Meth.*, 40:219 (1981); and Nygren, *J. Histochem. and Cytochem.*, 30:407 (1982).

[0410] Anti-PRO antibodies also are useful for the affinity purification of PRO from recombinant cell culture or natural sources. In this process, the antibodies against PRO are immobilized on a suitable support, such as Sephadex resin or filter paper, using methods well known in the art. The immobilized antibody then is contacted with a sample containing the PRO to be purified, and thereafter the support is washed with a suitable solvent that will remove substantially all the material in the sample except the PRO, which is bound to the immobilized antibody. Finally, the support is washed with another suitable solvent that will release the PRO from the antibody.

[0411] The following examples are offered for illustrative purposes only, and are not intended to limit the scope of the present invention in any way.

[0412] All patent and literature references cited in the present specification are hereby incorporated by reference in their entirety.

EXAMPLES

[0413] Commercially available reagents referred to in the examples were used according to manufacturer's instructions unless otherwise indicated. The source of those cells identified in the following examples, and throughout the specification, by ATCC accession numbers is the American Type Culture Collection, Manassas, Va.

Example 1

[0414] Extracellular Domain Homology Screening to Identify Novel Polypeptides and cDNA Encoding Therefor

[0415] The extracellular domain (ECD) sequences (including the secretion signal sequence, if any) from about 950 known secreted proteins from the Swiss-Prot public database were used to search EST databases. The EST databases included public databases (e.g., Dayhoff, GenBank), and proprietary databases (e.g., LIFESEQ™, Incyte Pharmaceuticals, Palo Alto, Calif.). The search was performed using the computer program BLAST or BLAST-2 (Altschul et al., *Methods in Enzymology* 266:460-480 (1996)) as a comparison of the ECD protein sequences to a 6 frame translation of the EST sequences. Those comparisons with a BLAST score of 70 (or in some cases 90) or greater that did not encode known proteins were clustered and assembled into consensus DNA sequences with the program "phrap" (Phil Green, University of Washington, Seattle, Wash.).

[0416] Using this extracellular domain homology screen, consensus DNA sequences were assembled relative to the other identified EST sequences using phrap. In addition, the consensus DNA sequences obtained were often (but not always) extended using repeated cycles of BLAST or BLAST-2 and phrap to extend the consensus sequence as far as possible using the sources of EST sequences discussed above.

[0417] Based upon the consensus sequences obtained as described above, oligonucleotides were then synthesized and used to identify by PCR a cDNA library that contained the sequence of interest and for use as probes to isolate a clone of the full-length coding sequence for a PRO polypeptide. Forward and reverse PCR primers generally range from 20 to 30 nucleotides and are often designed to give a PCR product of about 100-1000 bp in length. The probe sequences are typically 40-55 bp in length. In some cases, additional oligonucleotides are synthesized when the consensus sequence is greater than about 1-1.5 kbp. In order to screen several libraries for a full-length clone, DNA from the libraries was screened by PCR amplification, as per Ausubel et al., *Current Protocols in Molecular Biology*, with the PCR primer pair. A positive library was then used to isolate clones encoding the gene of interest using the probe oligonucleotide and one of the primer pairs.

[0418] The cDNA libraries used to isolate the cDNA clones were constructed by standard methods using commercially available reagents such as those from Invitrogen, San Diego, Calif. The cDNA was primed with oligo dT containing a NotI site, linked with blunt to SalI hemikinased adaptors, cleaved with NotI, sized appropriately by gel electrophoresis, and cloned in a defined orientation into a suitable cloning vector (such as pRKB or pRKD; pRK5B is a precursor of pRK5D that does not contain the SfiI site; see, Holmes et al., *Science*, 253:1278-1280 (1991)) in the unique XhoI and NotI sites.

Example 2

[0419] Isolation of cDNA Clones by Amylase Screening

[0420] 1. Preparation of Oligo dT Primed cDNA Library

[0421] mRNA was isolated from a human tissue of interest using reagents and protocols from Invitrogen, San Diego, Calif. (Fast Track 2). This RNA was used to generate an oligo dT primed cDNA library in the vector pRK5D using reagents and protocols from Life Technologies, Gaithersburg, Md. (Super Script Plasmid System). In this procedure, the double stranded cDNA was sized to greater than 1000 bp and the SalI/NotI linker cDNA was cloned into XhoI/NotI cleaved vector. pRK5D is a cloning vector that has an sp6 transcription initiation site followed by an SfiI restriction enzyme site preceding the XhoI/NotI cDNA cloning sites.

[0422] 2. Preparation of Random Primed cDNA Library

[0423] A secondary cDNA library was generated in order to preferentially represent the 5' ends of the primary cDNA clones. Sp6 RNA was generated from the primary library (described above), and this RNA was used to generate a random primed cDNA library in the vector pSST-AMY.0 using reagents and protocols from Life Technologies (Super Script Plasmid System, referenced above). In this procedure the double stranded cDNA was sized to 500-1000 bp, Tinkered with blunt to NotI adaptors, cleaved with SfiI, and cloned into SfiI/NotI cleaved vector. pSST-AMY.0 is a cloning vector that has a yeast alcohol dehydrogenase promoter preceding the cDNA cloning sites and the mouse amylase sequence (the mature sequence without the secretion signal) followed by the yeast alcohol dehydrogenase terminator, after the cloning sites. Thus, cDNAs cloned into this vector that are fused in frame with amylase sequence will lead to the secretion of amylase from appropriately transfected yeast colonies.

[0424] 3. Transformation and Detection

[0425] DNA from the library described in paragraph 2 above was chilled on ice to which was added electrocompetent DH10B bacteria (Life Technologies, 20 ml). The bacteria and vector mixture was then electroporated as recommended by the manufacturer. Subsequently, SOC media (Life Technologies, 1 ml) was added and the mixture was incubated at 37° C. for 30 minutes. The transformants were then plated onto 20 standard 150 mm LB plates containing ampicillin and incubated for 16 hours (37° C.). Positive colonies were scraped off the plates and the DNA was isolated from the bacterial pellet using standard protocols, e.g. CsCl-gradient. The purified DNA was then carried on to the yeast protocols below.

[0426] The yeast methods were divided into three categories: (1) Transformation of yeast with the plasmid/cDNA combined vector; (2) Detection and isolation of yeast clones secreting amylase; and (3) PCR amplification of the insert directly from the yeast colony and purification of the DNA for sequencing and further analysis.

[0427] The yeast strain used was HD56-5A (ATCC-90785). This strain has the following genotype: MAT^{alpha}, ura3-52, leu2-3, leu2-112, his3-11, his3-15, MAL⁺, SUC⁺, GAL⁺. Preferably, yeast mutants can be employed that have deficient post-translational pathways. Such mutants may have translocation deficient alleles in sec 71, sec 72, sec 62, with truncated sec 71 being most preferred. Alternatively,

antagonists (including antisense nucleotides and/or ligands) which interfere with the normal operation of these genes, other proteins implicated in this post translation pathway (e.g., SEC61p, SEC72p, SEC62p, SEC63p, TDJ1 p or SSA1p-4p) or the complex formation of these proteins may also be preferably employed in combination with the amylase-expressing yeast.

[0428] Transformation was performed based on the protocol outlined by Gietz et al., Nucl. Acid. Res., 20:1425 (1992). Transformed cells were then inoculated from agar into YEPD complex media broth (100 ml) and grown overnight at 30° C. The YEPD broth was prepared as described in Kaiser et al., Methods in Yeast Genetics, Cold Spring Harbor Press, Cold Spring Harbor, N.Y., p. 207 (1994). The overnight culture was then diluted to about 2×10^7 cells/ml (approx. $OD_{600}=0.1$) into fresh YEPD broth (500 ml) and regrown to 1×10^7 cells/ml (approx. $OD_{600}=0.4-0.5$).

[0429] The cells were then harvested and prepared for transformation by transfer into GS3 rotor bottles in a Sorval GS3 rotor at 5,000 rpm for 5 minutes, the supernatant discarded, and then resuspended into sterile water, and centrifuged again in 50 ml falcon tubes at 3,500 rpm in a Beckman GS-6KR centrifuge. The supernatant was discarded and the cells were subsequently washed with LiAc/TE (10 ml, 10 mM Tris-HCl, 1 mM EDTA pH 7.5, 100 mM Li_2 OOCCH₃), and resuspended into LiAc/TE (2.5 ml).

[0430] Transformation took place by mixing the prepared cells (100 μ l) with freshly denatured single stranded salmon testes DNA (Lofstrand Labs, Gaithersburg, Md.) and transforming DNA (1 μ g, vol. <10 μ l) in microfuge tubes. The mixture was mixed briefly by vortexing, then 40% PEG/TE (600 μ l, 40% polyethylene glycol-4000, 10 mM Tris-HCl, 1 mM EDTA, 100 mM Li_2 OOCCH₃, pH 7.5) was added. This mixture was gently mixed and incubated at 30° C. while agitating for 30 minutes. The cells were then heat shocked at 42° C. for 15 minutes, and the reaction vessel centrifuged in a microfuge at 12,000 rpm for 5-10 seconds, decanted and resuspended into TE (500 μ l, 10 mM Tris-HCl, 1 mM EDTA pH 7.5) followed by recentrifugation. The cells were then diluted into TE (1 ml) and aliquots (200 μ l) were spread onto the selective media previously prepared in 150 mm growth plates (VWR).

[0431] Alternatively, instead of multiple small reactions, the transformation was performed using a single, large scale reaction, wherein reagent amounts were scaled up accordingly.

[0432] The selective media used was a synthetic complete dextrose agar lacking uracil (SCD-Ura) prepared as described in Kaiser et al., Methods in Yeast Genetics, Cold Spring Harbor Press, Cold Spring Harbor, N.Y., p. 208-210 (1994). Transformants were grown at 30° C. for 2-3 days.

[0433] The detection of colonies secreting amylase was performed by including red starch in the selective growth media. Starch was coupled to the red dye (Reactive Red-120, Sigma) as per the procedure described by Biely et al., Anal. Biochem., 172:176-179 (1988). The coupled starch was incorporated into the SCD-Ura agar plates at a final concentration of 0.15% (w/v), and was buffered with potassium phosphate to a pH of 7.0 (50-100 mM final concentration).

[0434] The positive colonies were picked and streaked across fresh selective media (onto 150 mm plates) in order to obtain well isolated and identifiable single colonies. Well isolated single colonies positive for amylase secretion were detected by direct incorporation of red starch into buffered SCD-Ura agar. Positive colonies were determined by their ability to break down starch resulting in a clear halo around the positive colony visualized directly.

[0435] 4. Isolation of DNA by PCR Amplification

[0436] When a positive colony was isolated, a portion of it was picked by a toothpick and diluted into sterile water (30 μ l) in a 96 well plate. At this time, the positive colonies were either frozen and stored for subsequent analysis or immediately amplified. An aliquot of cells (5 μ l) was used as a template for the PCR reaction in a 25 μ l volume containing: 0.5 μ l KlenTaq (Clontech, Palo Alto, Calif.); 4.0 μ l 10 mM dNTP's (Perkin Elmer-Cetus); 2.5 μ l Kentaq buffer (Clontech); 0.25 μ l forward oligo 1; 0.25 μ l reverse oligo 2; 12.5 μ l distilled water. The sequence of the forward oligonucleotide 1 was:

[0437] 5'-TGTA AACGACGGCCAGTTAAATA-GACCTGCAATTATTAATCT-3' (SEQ ID NO: 169)

[0438] The sequence of reverse oligonucleotide 2 was:

[0439] 5'-CAGGAAACAGCTATGACCACCTG-CACACCTGCAAATCCATT-3' (SEQ ID NO: 170)

[0440] PCR was then performed as follows:

a.		Denature	92° C.,	5 minutes
b.	3 cycles of:	Denature	92° C.,	30 seconds
		Anneal	59° C.,	30 seconds
		Extend	72° C.,	60 seconds
c.	3 cycles of:	Denature	92° C.,	30 seconds
		Anneal	57° C.,	30 seconds
		Extend	72° C.,	60 seconds
d.	25 cycles of:	Denature	92° C.,	30 seconds
		Anneal	55° C.,	30 seconds
		Extend	72° C.,	60 seconds
e.		Hold	4° C.	

[0441] The underlined regions of the oligonucleotides annealed to the ADH promoter region and the amylase region, respectively, and amplified a 307 bp region from vector pSST-AMY.0 when no insert was present. Typically, the first 18 nucleotides of the 5' end of these oligonucleotides contained annealing sites for the sequencing primers. Thus, the total product of the PCR reaction from an empty vector was 343 bp. However, signal sequence-fused cDNA resulted in considerably longer nucleotide sequences.

[0442] Following the PCR, an aliquot of the reaction (5 μ l) was examined by agarose gel electrophoresis in a 1% agarose gel using a Tris-Borate-EDTA (TBE) buffering system as described by Sambrook et al., supra. Clones resulting in a single strong PCR product larger than 400 bp were further analyzed by DNA sequencing after purification with a 96 Qiaquick PCR clean-up column (Qiagen Inc., Chatsworth, Calif.).

Example 3

[0443] Isolation of cDNA Clones Using Signal Algorithm Analysis

[0444] Various polypeptide-encoding nucleic acid sequences were identified by applying a proprietary signal sequence finding algorithm developed by Genentech, Inc. (South San Francisco, Calif.) upon ESTs as well as clustered and assembled EST fragments from public (e.g., GenBank) and/or private (LIFESeq®, Incyte Pharmaceuticals, Inc., Palo Alto, Calif.) databases. The signal sequence algorithm computes a secretion signal score based on the character of the DNA nucleotides surrounding the first and optionally the second methionine codon(s) (ATG) at the 5'-end of the sequence or sequence fragment under consideration. The nucleotides following the first ATG must code for at least 35 unambiguous amino acids without any stop codons. If the first ATG has the required amino acids, the second is not examined. If neither meets the requirement, the candidate sequence is not scored. In order to determine whether the EST sequence contains an authentic signal sequence, the DNA and corresponding amino acid sequences surrounding the ATG codon are scored using a set of seven sensors (evaluation parameters) known to be associated with secretion signals. Use of this algorithm resulted in the identification of numerous polypeptide-encoding nucleic acid sequences.

Example 4

[0445] Isolation of cDNA Clones Encoding Human PRO Polypeptides

[0446] Using the techniques described in Examples 1 to 3 above, numerous full-length cDNA clones were identified as encoding PRO polypeptides as disclosed herein. These cDNAs were then deposited under the terms of the Budapest Treaty with the American Type Culture Collection, 10801 University Blvd., Manassas, Va. 20110-2209, USA (ATCC) as shown in Tabl 7 below.

TABLE 7

Material	ATCC Dep. No.	Deposit Date
DNA26843-1389	203099	Aug. 4, 1998
DNA30867-1335	209807	Apr. 28, 1998
DNA34431-1177	209399	Oct. 17, 1997
DNA38268-1188	209421	Oct. 28, 1997
DNA40621-1440	209922	Jun. 2, 1998
DNA40625-1189	209788	Apr. 21, 1998
DNA45409-2511	203579	Jan. 12, 1999
DNA45495-1550	203156	Aug. 25, 1998
DNA49820-1427	209932	Jun. 2, 1998
DNA56406-1704	203478	Nov. 17, 1998
DNA56410-1414	209923	Jun. 2, 1998
DNA56436-1448	209902	May 27, 1998
DNA56855-1447	203004	Jun. 23, 1998
DNA56860-1510	209952	Jun. 9, 1998
DNA56862-1343	203174	Sep. 1, 1998
DNA56868-1478	203024	Jun. 23, 1998
DNA56869-1545	203161	Aug. 25, 1998
DNA57704-1452	209953	Jun. 9, 1998
DNA58723-1588	203133	Aug. 18, 1998
DNA57827-1493	203045	Jul. 1, 1998
DNA58737-1473	203136	Aug. 18, 1998
DNA58846-1409	209957	Jun. 9, 1998
DNA58850-1495	209956	Jun. 9, 1998
DNA58855-1422	203018	Jun. 23, 1998
DNA59211-1450	209960	Jun. 9, 1998

TABLE 7-continued

Material	ATCC Dep. No.	Deposit Date
DNA59212-1627	203245	Sep. 9, 1998
DNA59213-1487	209959	Jun. 9, 1998
DNA59605-1418	203005	Jun. 23, 1998
DNA59609-1470	209963	Jun. 9, 1998
DNA59610-1556	209990	Jun. 16, 1998
DNA59837-2545	203658	Feb. 9, 1999
DNA59844-2542	203650	Feb. 9, 1999
DNA59854-1459	209974	Jun. 16, 1998
DNA60625-1507	209975	Jun. 16, 1998
DNA60629-1481	209979	Jun. 16, 1998
DNA61755-1554	203112	Aug. 11, 1998
DNA62812-1594	203248	Sep. 9, 1998
DNA62815-1576	203247	Sep. 9, 1998
DNA64881-1602	203240	Sep. 9, 1998
DNA64886-1601	203241	Sep. 9, 1998
DNA64902-1667	203317	Oct. 6, 1998
DNA64950-1590	203224	Sep. 15, 1998
DNA65403-1565	203230	Sep. 15, 1998
DNA66308-1537	203159	Aug. 25, 1998
DNA66519-1535	203236	Sep. 15, 1998
DNA66521-1583	203225	Sep. 15, 1998
DNA66658-1584	203229	Sep. 15, 1998
DNA66660-1585	203279	Sep. 22, 1998
DNA66663-1598	203268	Sep. 22, 1998
DNA66674-1599	203281	Sep. 22, 1998
DNA68862-2546	203652	Feb. 9, 1999
DNA68866-1644	203283	Sep. 22, 1998
DNA68871-1638	203280	Sep. 22, 1998
DNA68880-1676	203319	Oct. 6, 1998
DNA68883-1691	203535	Dec. 15, 1998
DNA68885-1678	203311	Oct. 6, 1998
DNA71277-1636	203285	Sep. 22, 1998
DNA73727-1673	203459	Nov. 3, 1998
DNA73734-1680	203363	Oct. 20, 1998
DNA73735-1681	203356	Oct. 20, 1998
DNA76393-1664	203323	Oct. 6, 1998
DNA77301-1708	203407	Oct. 27, 1998
DNA77568-1626	203134	Aug. 18, 1998
DNA77626-1705	203536	Dec. 15, 1998
DNA81754-2532	203542	Dec. 15, 1998
DNA81757-2512	203543	Dec. 15, 1998
DNA82302-2529	203534	Dec. 15, 1998
DNA82340-2530	203547	Dec. 22, 1998
DNA83500-2506	203391	Oct. 29, 1998
DNA84920-2614	203966	Apr. 27, 1999
DNA85066-2534	203588	Jan. 12, 1999
DNA86571-2551	203660	Feb. 9, 1999
DNA87991-2540	203656	Feb. 9, 1999
DNA92238-2539	203602	Jan. 20, 1999
DNA96042-2682	PTA-382	Jul. 20, 1999
DNA96787-2534	203589	Jan. 12, 1999
DNA125185-2806	PTA-1031	Dec. 7, 1999
DNA147531-2821	PTA-1185	Jan. 11, 2000
DNA115291-2681	PTA-202	Jun. 8, 1999
DNA164625-28890	PTA-1535	Mar. 21, 2000
DNA131639-2874	PTA-1784	Apr. 25, 2000
DNA79230-2525	203549	Dec. 22, 1998

[0447] These deposits were made under the provisions of the Budapest Treaty on the International Recognition of the Deposit of Microorganisms for the Purpose of Patent Procedure and the Regulations thereunder (Budapest Treaty). This assures maintenance of a viable culture of the deposit for 30 years from the date of deposit. The deposits will be made available by ATCC under the terms of the Budapest Treaty, and subject to an agreement between Genentech, Inc. and ATCC, which assures permanent and unrestricted availability of the progeny of the culture of the deposit to the public upon issuance of the pertinent U.S. patent or upon laying open to the public of any U.S. or foreign patent

application, whichever comes first, and assures availability of the progeny to one determined by the U.S. Commissioner of Patents and Trademarks to be entitled thereto according to 35 USC § 122 and the Commissioner's rules pursuant thereto (including 37 CFR § 1.14 with particular reference to 886 OG 638).

[0448] The assignee of the present application has agreed that if a culture of the materials on deposit should die or be lost or destroyed when cultivated under suitable conditions, the materials will be promptly replaced on notification with another of the same. Availability of the deposited material is not to be construed as a license to practice the invention in contravention of the rights granted under the authority of any government in accordance with its patent laws.

Example 5

[0449] Use of PRO as a Hybridization Probe

[0450] The following method describes use of a nucleotide sequence encoding PRO as a hybridization probe.

[0451] DNA comprising the coding sequence of full-length or mature PRO as disclosed herein is employed as a probe to screen for homologous DNAs (such as those encoding naturally-occurring variants of PRO) in human tissue cDNA libraries or human tissue genomic libraries.

[0452] Hybridization and washing of filters containing either library DNAs is performed under the following high stringency conditions. Hybridization of radiolabeled PRO-derived probe to the filters is performed in a solution of 50% formamide, 5×SSC, 0.1% SDS, 0.1% sodium pyrophosphate, 50 mM sodium phosphate, pH 6.8, 2× Denhardt's solution, and 10% dextran sulfate at 42° C. for 20 hours. Washing of the filters is performed in an aqueous solution of 0.1×SSC and 0.1% SDS at 42° C.

[0453] DNAs having a desired sequence identity with the DNA encoding full-length native sequence PRO can then be identified using standard techniques known in the art.

Example 6

[0454] Expression of PRO in *E. coli*

[0455] This example illustrates preparation of an unglycosylated form of PRO by recombinant expression in *E. coli*.

[0456] The DNA sequence encoding PRO is initially amplified using selected PCR primers.

[0457] The primers should contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector. A variety of expression vectors may be employed. An example of a suitable vector is pBR322 (derived from *E. coli*; see Bolivar et al., *Gene*, 2:95 (1977)) which contains genes for ampicillin and tetracycline resistance. The vector is digested with restriction enzyme and dephosphorylated. The PCR amplified sequences are then ligated into the vector. The vector will preferably include sequences which encode for an antibiotic resistance gene, a trp promoter, a polyhis leader (including the first six STII codons, polyhis sequence, and enterokinase cleavage site), the PRO coding region, lambda transcriptional terminator, and an argU gene.

[0458] The ligation mixture is then used to transform a selected *E. coli* strain using the methods described in Sambrook et al., *supra*. Transformants are identified by their ability to grow on LB plates and antibiotic resistant colonies

are then selected. Plasmid DNA can be isolated and confirmed by restriction analysis and DNA sequencing.

[0459] Selected clones can be grown overnight in liquid culture medium such as LB broth supplemented with antibiotics. The overnight culture may subsequently be used to inoculate a larger scale culture. The cells are then grown to a desired optical density, during which the expression promoter is turned on.

[0460] After culturing the cells for several more hours, the cells can be harvested by centrifugation. The cell pellet obtained by the centrifugation can be solubilized using various agents known in the art, and the solubilized PRO protein can then be purified using a metal chelating column under conditions that allow tight binding of the protein.

[0461] PRO may be expressed in *E. coli* in a poly-His tagged form, using the following procedure. The DNA encoding PRO is initially amplified using selected PCR primers. The primers will contain restriction enzyme sites which correspond to the restriction enzyme sites on the selected expression vector, and other useful sequences providing for efficient and reliable translation initiation, rapid purification on a metal chelation column, and proteolytic removal with enterokinase. The PCR-amplified, poly-His tagged sequences are then ligated into an expression vector, which is used to transform an *E. coli* host based on strain 52 (W3110 fuhA(tonA) Ion galE rpoHts (htpRts) clpP(lacIq)). Transformants are first grown in LB containing 50 mg/ml carbenicillin at 30° C. with shaking until an O.D.600 of 3-5 is reached. Cultures are then diluted 50-100 fold into CRAP media (prepared by mixing 3.57 g (NH₄)₂SO₄, 0.71 g sodium citrate-2H₂O, 1.07 g KCl, 5.36 g Difco yeast extract, 5.36 g Sheffield hycase SF in 500 mL water, as well as 110 mM MPOS, pH 7.3, 0.55% (w/v) glucose and 7 mM MgSO₄) and grown for approximately 20-30 hours at 30° C. with shaking. Samples are removed to verify expression by SDS-page analysis, and the bulk culture is centrifuged to pellet the cells. Cell pellets are frozen until purification and refolding.

[0462] *E. coli* paste from 0.5 to 1 L fermentations (6-10 g pellets) is resuspended in 10 volumes (w/v) in 7 M guanidine, 20 mM Tris, pH 8 buffer. Solid sodium sulfite and sodium tetrathionate is added to make final concentrations of 0.1 M and 0.02 M, respectively, and the solution is stirred overnight at 4° C. This step results in a denatured protein with all cysteine residues blocked by sulfitolization. The solution is centrifuged at 40,000 rpm in a Beckman Ultracentrifuge for 30 min. The supernatant is diluted with 3-5 volumes of metal chelate column buffer (6 M guanidine, 20 mM Tris, pH 7.4) and filtered through 0.22 micron filters to clarify. The clarified extract is loaded onto a 5 ml Qiagen Ni—NTA metal chelate column equilibrated in the metal chelate column buffer. The column is washed with additional buffer containing 50 mM imidazole (Calbiochem, Utrol grade), pH 7.4. The protein is eluted with buffer containing 250 mM imidazole. Fractions containing the desired protein are pooled and stored at 4° C. Protein concentration is estimated by its absorbance at 280 nm using the calculated extinction coefficient based on its amino acid sequence.

[0463] The proteins are refolded by diluting the sample slowly into freshly prepared refolding buffer consisting of: 20 mM Tris, pH 8.6, 0.3 M NaCl, 2.5 M urea, 5 mM cysteine, 20 mM glycine and 1 mM EDTA. Refolding

volumes are chosen so that the final protein concentration is between 50 to 100 micrograms/ml. The refolding solution is stirred gently at 4° C. for 12-36 hours. The refolding reaction is quenched by the addition of TFA to a final concentration of 0.4% (pH of approximately 3). Before further purification of the protein, the solution is filtered through a 0.22 micron filter and acetonitrile is added to 2-10% final concentration. The refolded protein is chromatographed on a Poros R1 /H reversed phase column using a mobile buffer of 0.1% TFA with elution with a gradient of acetonitrile from 10 to 80%. Aliquots of fractions with A280 absorbance are analyzed on SDS polyacrylamide gels and fractions containing homogeneous refolded protein are pooled. Generally, the properly refolded species of most proteins are eluted at the lowest concentrations of acetonitrile since those species are the most compact with their hydrophobic interiors shielded from interaction with the reversed phase resin. Aggregated species are usually eluted at higher acetonitrile concentrations. In addition to resolving misfolded forms of proteins from the desired form, the reversed phase step also removes endotoxin from the samples.

[0464] Fractions containing the desired folded PRO polypeptide are pooled and the acetonitrile removed using a gentle stream of nitrogen directed at the solution. Proteins are formulated into 20 mM Hepes, pH 6.8 with 0.14 M sodium chloride and 4% mannitol by dialysis or by gel filtration using G25 Superfine (Pharmacia) resins equilibrated in the formulation buffer and sterile filtered.

[0465] Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

Example 7

[0466] Expression of PRO in Mammalian Cells

[0467] This example illustrates preparation of a potentially glycosylated form of PRO by recombinant expression in mammalian cells.

[0468] The vector, pRK5 (see EP 307,247, published Mar. 15, 1989), is employed as the expression vector. Optionally, the PRO DNA is ligated into pRK5 with selected restriction enzymes to allow insertion of the PRO DNA using ligation methods such as described in Sambrook et al., supra. The resulting vector is called pRK5-PRO.

[0469] In one embodiment, the selected host cells may be 293 cells. Human 293 cells (ATCC CCL 1573) are grown to confluence in tissue culture plates in medium such as DMEM supplemented with fetal calf serum and optionally, nutrient components and/or antibiotics. About 10 μ g pRK5-PRO DNA is mixed with about 1 μ g DNA encoding the VA RNA gene [Thimmappaya et al., Cell, 31:543 (1982)] and dissolved in 500 μ l of 1 mM Tris-HCl, 0.1 mM EDTA, 0.227 M CaCl₂. To this mixture is added, dropwise, 500 μ l of 50 mM HEPES (pH 7.35), 280 mM NaCl, 1.5 mM NaPO₄, and a precipitate is allowed to form for 10 minutes at 25° C. The precipitate is suspended and added to the 293 cells and allowed to settle for about four hours at 37° C. The culture medium is aspirated off and 2 ml of 20% glycerol in PBS is added for 30 seconds. The 293 cells are then washed with serum free medium, fresh medium is added and the cells are incubated for about 5 days.

[0470] Approximately 24 hours after the transfections, the culture medium is removed and replaced with culture

medium (alone) or culture medium containing 200 μ Ci/ml ³⁵S-cysteine and 200 μ Ci/ml ³⁵S-methionine. After a 12 hour incubation, the conditioned medium is collected, concentrated on a spin filter, and loaded onto a 15% SDS gel. The processed gel may be dried and exposed to film for a selected period of time to reveal the presence of PRO polypeptide. The cultures containing transfected cells may undergo further incubation (in serum free medium) and the medium is tested in selected bioassays.

[0471] In an alternative technique, PRO may be introduced into 293 cells transiently using the dextran sulfate method described by Somparyrac et al., Proc. Natl. Acad. Sci., 12:7575 (1981). 293 cells are grown to maximal density in a spinner flask and 700 μ g pRK5-PRO DNA is added. The cells are first concentrated from the spinner flask by centrifugation and washed with PBS. The DNA-dextran precipitate is incubated on the cell pellet for four hours. The cells are treated with 20% glycerol for 90 seconds, washed with tissue culture medium, and re-introduced into the spinner flask containing tissue culture medium, 5 μ g/ml bovine insulin and 0.1 μ g/ml bovine transferrin. After about four days, the conditioned media is centrifuged and filtered to remove cells and debris. The sample containing expressed PRO can then be concentrated and purified by any selected method, such as dialysis and/or column chromatography.

[0472] In another embodiment, PRO can be expressed in CHO cells. The pRK5-PRO can be transfected into CHO cells using known reagents such as CaPO₄ or DEAE-dextran. As described above, the cell cultures can be incubated, and the medium replaced with culture medium (alone) or medium containing a radiolabel such as ³⁵S-methionine. After determining the presence of PRO polypeptide, the culture medium may be replaced with serum free medium. Preferably, the cultures are incubated for about 6 days, and then the conditioned medium is harvested. The medium containing the expressed PRO can then be concentrated and purified by any selected method.

[0473] Epitope-tagged PRO may also be expressed in host CHO cells. The PRO may be subcloned out of the pRK5 vector. The subclone insert can undergo PCR to fuse in frame with a selected epitope tag such as a poly-his tag into a Baculovirus expression vector. The poly-his tagged PRO insert can then be subcloned into a SV40 driven vector containing a selection marker such as DHFR for selection of stable clones. Finally, the CHO cells can be transfected (as described above) with the SV40 driven vector. Labeling may be performed, as described above, to verify expression. The culture medium containing the expressed poly-His tagged PRO can then be concentrated and purified by any selected method, such as by Ni²⁺-chelate affinity chromatography.

[0474] PRO may also be expressed in CHO and/or COS cells by a transient expression procedure or in CHO cells by another stable expression procedure.

[0475] Stable expression in CHO cells is performed using the following procedure. The proteins are expressed as an IgG construct (immunoadhesin), in which the coding sequences for the soluble forms (e.g. extracellular domains) of the respective proteins are fused to an IgG1 constant region sequence containing the hinge, CH2 and CH2 domains and/or is a poly-His tagged form.

[0476] Following PCR amplification, the respective DNAs are subcloned in a CHO expression vector using

standard techniques as described in Ausubel et al., *Current Protocols of Molecular Biology*, Unit 3.16, John Wiley and Sons (1997). CHO expression vectors are constructed to have compatible restriction sites 5' and 3' of the DNA of interest to allow the convenient shuttling of cDNA's. The vector used expression in CHO cells is as described in Lucas et al., *Nucl. Acids Res.* 24:9 (1774-1779) (1996), and uses the SV40 early promoter/enhancer to drive expression of the cDNA of interest and dihydrofolate reductase (DHFR). DHFR expression permits selection for stable maintenance of the plasmid following transfection.

[0477] Twelve micrograms of the desired plasmid DNA is introduced into approximately 10 million CHO cells using commercially available transfection reagents Superfect® (Quiagen), Dosper® or Eugene® (Boehringer Mannheim). The cells are grown as described in Lucas et al., *supra*. Approximately 3×10^7 cells are frozen in an ampule for further growth and production as described below.

[0478] The ampules containing the plasmid DNA are thawed by placement into water bath and mixed by vortexing. The contents are pipetted into a centrifuge tube containing 10 mLs of media and centrifuged at 1000 rpm for 5 minutes. The supernatant is aspirated and the cells are resuspended in 10 mL of selective media (0.2 μ m filtered PS20 with 5% 0.2 μ m diafiltered fetal bovine serum). The cells are then aliquoted into a 100 mL spinner containing 90 mL of selective media. After 1-2 days, the cells are transferred into a 250 mL spinner filled with 150 mL selective growth medium and incubated at 37° C. After another 2-3 days, 250 mL, 500 mL and 2000 mL spinners are seeded with 3×10^5 cells/mL. The cell media is exchanged with fresh media by centrifugation and resuspension in production medium. Although any suitable CHO media may be employed, a production medium described in U.S. Pat. No. 5,122,469, issued Jun. 16, 1992 may actually be used. A 3L production spinner is seeded at 1.2×10^6 cells/mL. On day 0, the cell number pH is determined. On day 1, the spinner is sampled and sparging with filtered air is commenced. On day 2, the spinner is sampled, the temperature shifted to 33° C., and 30 mL of 500 g/L glucose and 0.6 mL of 10% antifoam (e.g., 35% polydimethylsiloxane emulsion, Dow Corning 365 Medical Grade Emulsion) taken. Throughout the production, the pH is adjusted as necessary to keep it at around 7.2. After 10 days, or until the viability dropped below 70%, the cell culture is harvested by centrifugation and filtering through a 0.22 μ m filter. The filtrate was either stored at 4° C. or immediately loaded onto columns for purification.

[0479] For the poly-His tagged constructs, the proteins are purified using a Ni—NTA column (Qiagen). Before purification, imidazole is added to the conditioned media to a concentration of 5 mM. The conditioned media is pumped onto a 6 ml Ni—NTA column equilibrated in 20 mM Hepes, pH 7.4, buffer containing 0.3 M NaCl and 5 mM imidazole at a flow rate of 4-5 ml/min. at 4° C. After loading, the column is washed with additional equilibration buffer and the protein eluted with equilibration buffer containing 0.25 M imidazole. The highly purified protein is subsequently desalted into a storage buffer containing 10 mM Hepes, 0.14 M NaCl and 4% mannitol, pH 6.8, with a 25 ml G25 Superfine (Pharmacia) column and stored at -80° C.

[0480] Immunoadhesin (Fc-containing) constructs are purified from the conditioned media as follows. The condi-

tioned medium is pumped onto a 5 ml Protein A column (Pharmacia) which had been equilibrated in 20 mM Na phosphate buffer, pH 6.8. After loading, the column is washed extensively with equilibration buffer before elution with 100 mM citric acid, pH 3.5. The eluted protein is immediately neutralized by collecting 1 ml fractions into tubes containing 275 μ L of 1 M Tris buffer, pH 9. The highly purified protein is subsequently desalted into storage buffer as described above for the poly-His tagged proteins. The homogeneity is assessed by SDS polyacrylamide gels and by N-terminal amino acid sequencing by Edman degradation.

[0481] Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

Example 8

[0482] Expression of PRO in Yeast

[0483] The following method describes recombinant expression of PRO in yeast.

[0484] First, yeast expression vectors are constructed for intracellular production or secretion of PRO from the ADH2/GAPDH promoter. DNA encoding PRO and the promoter is inserted into suitable restriction enzyme sites in the selected plasmid to direct intracellular expression of PRO. For secretion, DNA encoding PRO can be cloned into the selected plasmid, together with DNA encoding the ADH2/GAPDH promoter, a native PRO signal peptide or other mammalian signal peptide, or, for example, a yeast alpha-factor or invertase secretory signal/leader sequence, and linker sequences (if needed) for expression of PRO.

[0485] Yeast cells, such as yeast strain AB110, can then be transformed with the expression plasmids described above and cultured in selected fermentation media. The transformed yeast supernatants can be analyzed by precipitation with 10% trichloroacetic acid and separation by SDS-PAGE, followed by staining of the gels with Coomassie Blue stain.

[0486] Recombinant PRO can subsequently be isolated and purified by removing the yeast cells from the fermentation medium by centrifugation and then concentrating the medium using selected cartridge filters. The concentrate containing PRO may further be purified using selected column chromatography resins.

[0487] Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

Example 9

[0488] Expression of PRO in Baculovirus-Infected Insect Cells

[0489] The following method describes recombinant expression of PRO in Baculovirus-infected insect cells.

[0490] The sequence coding for PRO is fused upstream of an epitope tag contained within a baculovirus expression vector. Such epitope tags include poly-his tags and immunoglobulin tags (like Fc regions of IgG). A variety of plasmids may be employed, including plasmids derived from commercially available plasmids such as pVL1393 (Novagen). Briefly, the sequence encoding PRO or the desired portion of the coding sequence of PRO such as the sequence encoding the extracellular domain of a transmembrane protein or the sequence encoding the mature protein if

the protein is extracellular is amplified by PCR with primers complementary to the 5' and 3' regions. The 5' primer may incorporate flanking (selected) restriction enzyme sites. The product is then digested with those selected restriction enzymes and subcloned into the expression vector.

[0491] Recombinant baculovirus is generated by co-transfecting the above plasmid and BaculoGold™ virus DNA (Pharmingen) into *Spodoptera frugiperda* ("Sf9") cells (ATCC CRL 1711) using lipofectin (commercially available from GIBCO-BRL). After 4-5 days of incubation at 28° C., the released viruses are harvested and used for further amplifications. Viral infection and protein expression are performed as described by O'Reilley et al., *Baculovirus expression vectors: A Laboratory Manual*, Oxford: Oxford University Press (1994).

[0492] Expressed poly-his tagged PRO can then be purified, for example, by Ni²⁺-chelate affinity chromatography as follows. Extracts are prepared from recombinant virus-infected Sf9 cells as described by Rupert et al., *Nature*, 362:175-179 (1993). Briefly, Sf9 cells are washed, resuspended in sonication buffer (25 mL Hepes, pH 7.9; 12.5 mM MgCl₂; 0.1 mM EDTA; 10% glycerol; 0.1% NP-40; 0.4 M KCl), and sonicated twice for 20 seconds on ice. The sonicates are cleared by centrifugation, and the supernatant is diluted 50-fold in loading buffer (50 mM phosphate, 300 mM NaCl, 10% glycerol, pH 7.8) and filtered through a 0.45 μ m filter. A Ni²⁺-NTA agarose column (commercially available from Qiagen) is prepared with a bed volume of 5 mL, washed with 25 mL of water and equilibrated with 25 mL of loading buffer. The filtered cell extract is loaded onto the column at 0.5 mL per minute. The column is washed to baseline A₂₈₀ with loading buffer, at which point fraction collection is started. Next, the column is washed with a secondary wash buffer (50 mM phosphate; 300 mM NaCl, 10% glycerol, pH 6.0), which elutes nonspecifically bound protein. After reaching A₂₈₀ baseline again, the column is developed with a 0 to 500 mM Imidazole gradient in the secondary wash buffer. One mL fractions are collected and analyzed by SDS-PAGE and silver staining or Western blot with Ni²⁺-NTA-conjugated to alkaline phosphatase (Qiagen). Fractions containing the eluted His₁₀-tagged PRO are pooled and dialyzed against loading buffer.

[0493] Alternatively, purification of the IgG tagged (or Fc tagged) PRO can be performed using known chromatography techniques, including for instance, Protein A or protein G column chromatography.

[0494] Many of the PRO polypeptides disclosed herein were successfully expressed as described above.

Example 10

[0495] Preparation of Antibodies that Bind PRO

[0496] This example illustrates preparation of monoclonal antibodies which can specifically bind PRO.

[0497] Techniques for producing the monoclonal antibodies are known in the art and are described, for instance, in Goding, supra. Immunogens that may be employed include purified PRO, fusion proteins containing PRO, and cells expressing recombinant PRO on the cell surface. Selection of the immunogen can be made by the skilled artisan without undue experimentation.

[0498] Mice, such as Balb/c, are immunized with the PRO immunogen emulsified in complete Freund's adjuvant and injected subcutaneously or intraperitoneally in an amount

from 1-100 micrograms. Alternatively, the immunogen is emulsified in MPL-TDM adjuvant (Ribi Immunochemical Research, Hamilton, Mont.) and injected into the animal's hind foot pads. The immunized mice are then boosted 10 to 12 days later with additional immunogen emulsified in the selected adjuvant. Thereafter, for several weeks, the mice may also be boosted with additional immunization injections. Serum samples may be periodically obtained from the mice by retro-orbital bleeding for testing in ELISA assays to detect anti-PRO antibodies.

[0499] After a suitable antibody titer has been detected, the animals "positive" for antibodies can be injected with a final intravenous injection of PRO. Three to four days later, the mice are sacrificed and the spleen cells are harvested. The spleen cells are then fused (using 35% polyethylene glycol) to a selected murine myeloma cell line such as P3X63AgU.1, available from ATCC, No. CRL 1597. The fusions generate hybridoma cells which can then be plated in 96 well tissue culture plates containing HAT (hypoxanthine, aminopterin, and thymidine) medium to inhibit proliferation of non-fused cells, myeloma hybrids, and spleen cell hybrids.

[0500] The hybridoma cells will be screened in an ELISA for reactivity against PRO. Determination of "positive" hybridoma cells secreting the desired monoclonal antibodies against PRO is within the skill in the art.

[0501] The positive hybridoma cells can be injected intraperitoneally into syngeneic Balb/c mice to produce ascites containing the anti-PRO monoclonal antibodies. Alternatively, the hybridoma cells can be grown in tissue culture flasks or roller bottles. Purification of the monoclonal antibodies produced in the ascites can be accomplished using ammonium sulfate precipitation, followed by gel exclusion chromatography. Alternatively, affinity chromatography based upon binding of antibody to protein A or protein G can be employed.

Example 11

[0502] Purification of PRO Polypeptides Using Specific Antibodies

[0503] Native or recombinant PRO polypeptides may be purified by a variety of standard techniques in the art of protein purification. For example, pro-PRO polypeptide, mature PRO polypeptide, or pre-PRO polypeptide is purified by immunoaffinity chromatography using antibodies specific for the PRO polypeptide of interest. In general, an immunoaffinity column is constructed by covalently coupling the anti-PRO polypeptide antibody to an activated chromatographic resin.

[0504] Polyclonal immunoglobulins are prepared from immune sera either by precipitation with ammonium sulfate or by purification on immobilized Protein A (Pharmacia LKB Biotechnology, Piscataway, N.J.). Likewise, monoclonal antibodies are prepared from mouse ascites fluid by ammonium sulfate precipitation or chromatography on immobilized Protein A. Partially purified immunoglobulin is covalently attached to a chromatographic resin such as CnBr-activated SEPHAROSE™ (Pharmacia LKB Biotechnology). The antibody is coupled to the resin, the resin is blocked, and the derivative resin is washed according to the manufacturer's instructions.

[0505] Such an immunoaffinity column is utilized in the purification of PRO polypeptide by preparing a fraction from cells containing PRO polypeptide in a soluble form.

This preparation is derived by solubilization of the whole cell or of a subcellular fraction obtained via differential centrifugation by the addition of detergent or by other methods well known in the art. Alternatively, soluble PRO polypeptide containing a signal sequence may be secreted in useful quantity into the medium in which the cells are grown.

[0506] A soluble PRO polypeptide-containing preparation is passed over the immunoaffinity column, and the column is washed under conditions that allow the preferential absorbance of PRO polypeptide (e.g., high ionic strength buffers in the presence of detergent). Then, the column is eluted under conditions that disrupt antibody/PRO polypeptide binding (e.g., a low pH buffer such as approximately pH 2-3, or a high concentration of a chaotrope such as urea or thiocyanate ion), and PRO polypeptide is collected.

Example 12

[0507] Drug Screening

[0508] This invention is particularly useful for screening compounds by using PRO polypeptides or binding fragment thereof in any of a variety of drug screening techniques. The PRO polypeptide or fragment employed in such a test may either be free in solution, affixed to a solid support, borne on a cell surface, or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the PRO polypeptide or fragment. Drugs are screened against such transformed cells in competitive binding assays. Such cells, either in viable or fixed form, can be used for standard binding assays. One may measure, for example, the formation of complexes between PRO polypeptide or a fragment and the agent being tested. Alternatively, one can examine the diminution in complex formation between the PRO polypeptide and its target cell or target receptors caused by the agent being tested.

[0509] Thus, the present invention provides methods of screening for drugs or any other agents which can affect a PRO polypeptide-associated disease or disorder. These methods comprise contacting such an agent with a PRO polypeptide or fragment thereof and assaying (i) for the presence of a complex between the agent and the PRO polypeptide or fragment, or (ii) for the presence of a complex between the PRO polypeptide or fragment and the cell, by methods well known in the art. In such competitive binding assays, the PRO polypeptide or fragment is typically labeled. After suitable incubation, free PRO polypeptide or fragment is separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability of the particular agent to bind to PRO polypeptide or to interfere with the PRO polypeptide/cell complex.

[0510] Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to a polypeptide and is described in detail in WO 84/03564, published on Sep. 13, 1984. Briefly stated, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. As applied to a PRO polypeptide, the peptide test compounds are reacted with PRO polypeptide and washed. Bound PRO polypeptide is detected by methods well known in the art. Purified PRO polypeptide can also be coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies can be used to capture the peptide and immobilize it on the solid support.

[0511] This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding PRO polypeptide specifically compete with a test compound for binding to PRO polypeptide or fragments thereof. In this manner, the antibodies can be used to detect the presence of any peptide which shares one or more antigenic determinants with PRO polypeptide.

Example 13

[0512] Rational Drug Design

[0513] The goal of rational drug design is to produce structural analogs of biologically active polypeptide of interest (i.e., a PRO polypeptide) or of small molecules with which they interact, e.g., agonists, antagonists, or inhibitors. Any of these examples can be used to fashion drugs which are more active or stable forms of the PRO polypeptide or which enhance or interfere with the function of the PRO polypeptide in vivo (c.f., Hodgson, *Bio/Technology*, 9: 19-21(1991)).

[0514] In one approach, the three-dimensional structure of the PRO polypeptide, or of a PRO polypeptide-inhibitor complex, is determined by X-ray crystallography, by computer modeling or, most typically, by a combination of the two approaches. Both the shape and charges of the PRO polypeptide must be ascertained to elucidate the structure and to determine active site(s) of the molecule. Less often, useful information regarding the structure of the PRO polypeptide may be gained by modeling based on the structure of homologous proteins. In both cases, relevant structural information is used to design analogous PRO polypeptide-like molecules or to identify efficient inhibitors. Useful examples of rational drug design may include molecules which have improved activity or stability as shown by Braxton and Wells, *Biochemistry*, 31:7796-7801(1992) or which act as inhibitors, agonists, or antagonists of native peptides as shown by Athauda et al., *J. Biochem.*, 113:742-746(1993).

[0515] It is also possible to isolate a target-specific antibody, selected by functional assay, as described above, and then to solve its crystal structure. This approach, in principle, yields a pharmacore upon which subsequent drug design can be based. It is possible to bypass protein crystallography altogether by generating anti-idiotypic antibodies (anti-ids) to a functional, pharmacologically active antibody. As a mirror image of a mirror image, the binding site of the anti-ids would be expected to be an analog of the original receptor. The anti-id could then be used to identify and isolate peptides from banks of chemically or biologically produced peptides. The isolated peptides would then act as the pharmacore.

[0516] By virtue of the present invention, sufficient amounts of the PRO polypeptide may be made available to perform such analytical studies as X-ray crystallography. In addition, knowledge of the PRO polypeptide amino acid sequence provided herein will provide guidance to those employing computer modeling techniques in place of or in addition to X-ray crystallography.

Example 14

[0517] Pericyte c-Fos Induction (Assay 93)

[0518] This assay shows that certain polypeptides of the invention act to induce the expression of c-fos in pericyte cells and, therefore, are useful not only as diagnostic markers for particular types of pericyte-associated tumors but

also for giving rise to antagonists which would be expected to be useful for the therapeutic treatment of pericyte-associated tumors. Induction of c-fos expression in pericytes is also indicative of the induction of angiogenesis and, as such, PRO polypeptides capable of inducing the expression of c-fos would be expected to be useful for the treatment of conditions where induced angiogenesis would be beneficial including, for example, wound healing, and the like. Specifically, on day 1, pericytes are received from VEC Technologies and all but 5 ml of media is removed from flask. On day 2, the pericytes are trypsinized, washed, spun and then plated onto 96 well plates. On day 7, the media is removed and the pericytes are treated with 100 μ l of PRO polypeptide test samples and controls (positive control=DME+5% serum $\pm$ PDGF at 500 ng/ml; negative control=protein 32). Replicates are averaged and SD/CV are determined. Fold increase over Protein 32 (buffer control) value indicated by chemiluminescence units (RLU) luminometer reading verses frequency is plotted on a histogram. Two-fold above Protein 32 value is considered positive for the assay. ASY Matrix: Growth media=low glucose DMEM=20% FBS +1 $\times$ pen strep+1 $\times$ fungizone. Assay Media=low glucose DMEM+5% FBS.

[0519] The following polypeptides tested positive in this assay: PRO1347 and PRO1340.

Example 15

[0520] Ability of PRO Polypeptides to Stimulate the Release of Proteoglycans from Cartilage (Assay 97)

[0521] The ability of various PRO polypeptides to stimulate the release of proteoglycans from cartilage tissue was tested as follows.

[0522] The metacarpophalangeal joint of 4-6 month old pigs was aseptically dissected, and articular cartilage was removed by free hand slicing being careful to avoid the underlying bone. The cartilage was minced and cultured in bulk for 24 hours in a humidified atmosphere of 95% air, 5% CO₂ in serum free (SF) media (DME/F12 1:1) with 0.1% BSA and 100 U/ml penicillin and 100 μ g/ml streptomycin. After washing three times, approximately 100 mg of articular cartilage was aliquoted into micronics tubes and incubated for an additional 24 hours in the above SF media. PRO polypeptides were then added at 1% either alone or in combination with 18 ng/ml interleukin-1 α , a known stimulator of proteoglycan release from cartilage tissue. The supernatant was then harvested and assayed for the amount of proteoglycans using the 1,9-dimethyl-methylene blue (DMB) colorimetric assay (Farndale and Buttle, *Biochem. Biophys. Acta* 883:173-177 (1985)). A positive result in this assay indicates that the test polypeptide will find use, for example, in the treatment of sports-related joint problems, articular cartilage defects, osteoarthritis or rheumatoid arthritis.

[0523] When various PRO polypeptides were tested in the above assay, the polypeptides demonstrated a marked ability to stimulate release of proteoglycans from cartilage tissue both basally and after stimulation with interleukin-1 α and at 24 and 72 hours after treatment, thereby indicating that these PRO polypeptides are useful for stimulating proteoglycan release from cartilage tissue. As such, these PRO polypeptides are useful for the treatment of sports-related joint problems, articular cartilage defects, osteoarthritis or rheumatoid arthritis. The polypeptides testing positive in this assay are: PRO1565, PRO1693, PRO1801 and PRO10096.

Example 16

[0524] Detection of Polypeptides that Affect Glucose or FFA Uptake in Skeletal Muscle (Assay 106)

[0525] This assay is designed to determine whether PRO polypeptides show the ability to affect glucose or FFA uptake by skeletal muscle cells. PRO polypeptides testing positive in this assay would be expected to be useful for the therapeutic treatment of disorders where either the stimulation or inhibition of glucose uptake by skeletal muscle would be beneficial including, for example, diabetes or hyper- or hypo-insulinemia.

[0526] In a 96 well format, PRO polypeptides to be assayed are added to primary rat differentiated skeletal muscle, and allowed to incubate overnight. Then fresh media with the PRO polypeptide and $\pm$ insulin are added to the wells. The sample media is then monitored to determine glucose and FFA uptake by the skeletal muscle cells. The insulin will stimulate glucose and FFA uptake by the skeletal muscle, and insulin in media without the PRO polypeptide is used as a positive control, and a limit for scoring. As the PRO polypeptide being tested may either stimulate or inhibit glucose and FFA uptake, results are scored as positive in the assay if greater than 1.5 times or less than 0.5 times the insulin control.

[0527] The following PRO polypeptides tested positive as either stimulators or inhibitors of glucose and/or FFA uptake in this assay: PRO4405.

Example 17

[0528] Identification of PRO Polypeptides that Stimulate TNF- α Release in Human Blood (Assay 728)

[0529] This assay shows that certain PRO polypeptides of the present invention act to stimulate the release of TNF- α in human blood. PRO polypeptides testing positive in this assay are useful for, among other things, research purposes where stimulation of the release of TNF- α would be desired and for the therapeutic treatment of conditions wherein enhanced TNF- α release would be beneficial. Specifically, 200 μ l of human blood supplemented with 50 mM Hepes buffer (pH 7.2) is aliquotted per well in a 96 well test plate. To each well is then added 300 μ l of either the test PRO polypeptide in 50 mM Hepes buffer (at various concentrations) or 50 mM Hepes buffer alone (negative control) and the plates are incubated at 37° C. for 6 hours. The samples are then centrifuged and 50 μ l of plasma is collected from each well and tested for the presence of TNF- α by ELISA assay. A positive in the assay is a higher amount of TNF- α in the PRO polypeptide treated samples as compared to the negative control samples.

[0530] The following PRO polypeptides tested positive in this assay: PRO263, PRO295, PRO1282, PRO1063, PRO1356, PRO3543, and PRO5990.

Example 18

[0531] Tumor Versus Normal Differential Tissue Expression Distribution

[0532] Oligonucleotide probes were constructed from some of the PRO polypeptide-encoding nucleotide sequences shown in the accompanying figures for use in quantitative PCR amplification reactions. The oligonucleotide probes were chosen so as to give an approximately 200-600 base pair amplified fragment from the 3' end of its

associated template in a standard PCR reaction. The oligo-nucleotide probes were employed in standard quantitative PCR amplification reactions with cDNA libraries isolated from different human tumor and normal human tissue samples and analyzed by agarose gel electrophoresis so as to obtain a quantitative determination of the level of expression of the PRO polypeptide-encoding nucleic acid in the various tumor and normal tissues tested. β -actin was used as a control to assure that equivalent amounts of nucleic acid was used in each reaction. Identification of the differential expression of the PRO polypeptide-encoding nucleic acid in one or more tumor tissues as compared to one or more normal tissues of the same tissue type renders the molecule useful diagnostically for the determination of the presence or absence of tumor in a subject suspected of possessing a tumor as well as therapeutically as a target for the treatment of a tumor in a subject possessing such a tumor. These assays provided the following results.

Molecule	is more highly expressed in:	as compared to:
DNA26843-1389	normal lung	lung tumor
	rectum tumor	normal rectum
DNA30867-1335	normal kidney	kidney tumor
DNA40621-1440	normal lung	lung tumor
DNA40625-1189	normal lung	lung tumor
DNA45409-2511	melanoma tumor	normal akin
DNA56406-1704	kidney tumor	normal kidney
	normal skin	melanoma tumor
DNA56410-1414	normal stomach	stomach tumor
DNA56436-1448	normal skin	melanoma tumor
DNA56855-1447	normal esophagus	esophageal tumor
	rectum tumor	normal rectum
DNA56860-1510	normal kidney	kidney tumor
	rectum tumor	normal rectum
DNA56862-1343	kidney tumor	normal kidney
	normal lung	lung tumor
DNA56868-1478	normal stomach	stomach tumor
	normal lung	lung tumor
DNA56869-1545	normal esophagus	esophageal tumor
	normal skin	melanoma tumor
DNA57704-1452	normal stomach	stomach tumor
	rectum tumor	normal rectum
DNA58723-1588	normal stomach	stomach tumor
	kidney tumor	normal kidney
	normal skin	melanoma tumor
DNA57827-1493	normal stomach	stomach tumor
	normal skin	melanoma tumor
DNA58737-1473	esophageal tumor	normal esophagus
	normal stomach	stomach tumor
DNA58846-1409	lung tumor	normal lung
DNA58850-1495	esophageal tumor	normal esophagus
	kidney tumor	normal kidney
DNA58855-1422	normal stomach	stomach tumor
	rectum tumor	normal rectum
DNA59211-1450	normal kidney	kidney tumor
DNA59212-1627	normal skin	melanoma tumor
DNA59213-1487	normal stomach	stomach tumor
	normal skin	melanoma tumor
DNA59605-1418	melanoma tumor	normal skin
DNA59609-1470	esophageal tumor	normal esophagus
DNA59610-1556	esophageal tumor	normal esophagus
	lung tumor	normal lung
	normal skin	melanoma tumor
DNA59837-2545	normal skin	melanoma tumor
DNA59844-2542	normal skin	melanoma tumor
	esophageal tumor	normal esophagus
DNA59854-1459	normal esophagus	esophageal tumor
	stomach tumor	normal stomach
	normal lung	lung tumor
DNA60625-1507	normal lung	lung tumor

-continued		
Molecule	is more highly expressed in:	as compared to:
DNA60629-1481	normal esophagus	esophageal tumor
	normal rectum	rectum tumor
DNA61755-1554	normal stomach	stomach tumor
	kidney tumor	normal kidney
DNA62812-1594	normal stomach	stomach tumor
	normal lung	lung tumor
	normal rectum	rectum tumor
	normal skin	melanoma tumor
DNA62815-1576	esophageal tumor	normal esophagus
DNA64881-1602	normal stomach	stomach tumor
	normal lung	lung tumor
DNA64902-1667	esophageal tumor	normal esophagus
	kidney tumor	normal kidney
DNA65403-1565	normal esophagus	esophageal tumor
DNA66308-1537	normal lung	lung tumor
DNA66519-1535	kidney tumor	normal kidney
DNA66521-1583	normal esophagus	esophageal tumor
	normal stomach	stomach tumor
	normal lung	lung tumor
	normal rectum	rectum tumor
	normal skin	melanoma tumor
DNA66658-1584	normal lung	lung tumor
	melanoma tumor	normal skin
DNA66660-1585	lung tumor	normal lung
DNA66674-1599	kidney tumor	normal kidney
	normal lung	lung tumor
DNA68862-2546	melanoma tumor	normal skin
DNA68866-1644	normal stomach	stomach tumor
DNA68871-1638	lung tumor	normal lung
	normal skin	melanoma tumor
DNA68880-1676	normal lung	lung tumor
	normal skin	melanoma tumor
DNA68883-1691	esophageal tumor	normal esophagus
DNA68885-1678	lung tumor	normal lung
DNA71277-1636	normal stomach	stomach tumor
DNA73734-1680	normal lung	lung tumor
DNA73735-1681	esophageal tumor	normal esophagus
	normal kidney	kidney tumor
	lung tumor	normal lung
	normal skin	melanoma tumor
DNA76393-1664	esophageal tumor	normal esophagus
	stomach tumor	normal stomach
	lung tumor	normal lung
	rectum tumor	normal rectum
DNA77568-1626	normal stomach	stomach tumor
	lung tumor	normal lung
DNA77626-1705	normal rectum	rectum tumor
DNA81754-2532	normal skin	melanoma tumor
DNA81757-2512	esophageal tumor	normal esophagus
	normal stomach	stomach tumor
	melanoma tumor	normal skin
DNA82302-2529	normal stomach	stomach tumor
	normal lung	lung tumor
DNA82340-2530	normal esophagus	esophageal tumor
DNA85066-2534	lung tumor	normal lung
	normal skin	melanoma tumor
DNA87991-2540	esophageal tumor	normal esophagus
DNA92238-2539	normal skin	melanoma tumor
DNA96787-2534	normal kidney	kidney tumor

Example 19

[0533] Identification of Receptor/Ligand Interactions

[0534] In this assay, various PRO polypeptides are tested for ability to bind to a panel of potential receptor or ligand molecules for the purpose of identifying receptor/ligand interactions. The identification of a ligand for a known receptor, a receptor for a known ligand or a novel receptor/ligand pair is useful for a variety of indications including, for example, targeting bioactive molecules (linked to the ligand or receptor) to a cell known to express the receptor or ligand,

use of the receptor or ligand as a reagent to detect the presence of the ligand or receptor in a composition suspected of containing the same, wherein the composition may comprise cells suspected of expressing the ligand or receptor, modulating the growth of or another biological or immunological activity of a cell known to express or respond to the receptor or ligand, modulating the immune response of cells or toward cells that express the receptor or ligand, allowing the preparation of agonists, antagonists and/or antibodies directed against the receptor or ligand which will modulate the growth of or a biological or immunological activity of a cell expressing the receptor or ligand, and various other indications which will be readily apparent to the ordinarily skilled artisan.

[0535] The assay is performed as follows. A PRO polypeptide of the present invention suspected of being a ligand for a receptor is expressed as a fusion protein containing the Fc domain of human IgG (an immunoadhesin). Receptor-ligand binding is detected by allowing interaction of the immunoadhesin polypeptide with cells (e.g. Cos cells) expressing candidate PRO polypeptide receptors and visualization of bound immunoadhesin with fluorescent reagents directed toward the Fc fusion domain and examination by microscope. Cells expressing candidate receptors are produced by transient transfection, in parallel, of defined subsets of a library of cDNA expression vectors encoding PRO polypeptides that may function as receptor molecules. Cells are then incubated for 1 hour in the presence of the PRO polypeptide immunoadhesin being tested for possible receptor binding. The cells are then washed and fixed with paraformaldehyde. The cells are then incubated with fluorescent conjugated antibody directed against the Fc portion of the PRO polypeptide immunoadhesin (e.g. FITC conjugated goat anti-human-Fc antibody). The cells are then washed again and examined by microscope. A positive interaction is judged by the presence of fluorescent labeling of cells transfected with cDNA encoding a particular PRO polypeptide receptor or pool of receptors and an absence of similar fluorescent labeling of similarly prepared cells that have been transfected with other cDNA or pools of cDNA. If a defined pool of cDNA expression vectors is judged to be positive for interaction with a PRO polypeptide immunoadhesin, the individual cDNA species that comprise the pool are tested individually (the pool is “broken down”) to

determine the specific cDNA that encodes a receptor able to interact with the PRO polypeptide immunoadhesin.

[0536] In another embodiment of this assay, an epitope-tagged potential ligand PRO polypeptide (e.g. 8 histidine “His” tag) is allowed to interact with a panel of potential receptor PRO polypeptide molecules that have been expressed as fusions with the Fc domain of human IgG (immunoadhesins). Following a 1 hour co-incubation with the epitope tagged PRO polypeptide, the candidate receptors are each immunoprecipitated with protein A beads and the beads are washed. Potential ligand interaction is determined by western blot analysis of the immunoprecipitated complexes with antibody directed towards the epitope tag. An interaction is judged to occur if a band of the anticipated molecular weight of the epitope tagged protein is observed in the western blot analysis with a candidate receptor, but is not observed to occur with the other members of the panel of potential receptors.

[0537] Using these assays, the following receptor/ligand interactions have been herein identified:

- [0538] (1) PRO10272 binds to PRO5801.
- [0539] (2) PRO20110 binds to the human IL-17 receptor (Yao et al., *Cytokine* 9(11):794-800(1997); also herein designated as PRO1) and to PRO20040.
- [0540] (3) PRO10096 binds to PRO20233.
- [0541] (4) PRO19670 binds to PRO1890.

[0542] The foregoing written specification is considered to be sufficient to enable one skilled in the art to practice the invention. The present invention is not to be limited in scope by the construct deposited, since the deposited embodiment is intended as a single illustration of certain aspects of the invention and any constructs that are functionally equivalent are within the scope of this invention. The deposit of material herein does not constitute an admission that the written description herein contained is inadequate to enable the practice of any aspect of the invention, including the best mode thereof, nor is it to be construed as limiting the scope of the claims to the specific illustrations that it represents. Indeed, various modifications of the invention in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description and fall within the scope of the appended claims.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 170

<210> SEQ ID NO 1
<211> LENGTH: 1173
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 1

ggggcttcgg cgccagcggc cagcgctagt cggctctgga aggatttaca 50

aaaggtgcag gtatgagcag gtctgaagac taacattttg tgaagttgta 100

aaacagaaaa cctgttagaa atgtggtggt ttcagcaagg cctcagtttc 150

cttctctcag ccottgtaat ttggacatct gctgctttca tattttcata 200

-continued

cattactgca gtaacactcc accatataga cccggcttta ccttatatca	250
gtgacactgg tacagtagct ccagaaaaat gcttatttgg ggcaatgcta	300
aatattgctg cagttttatg cattgctacc atttatgttc gttataagca	350
agttcatgct ctgagtcctg aagagaacgt tatcatcaaa ttaaacaagg	400
ctggccttgt acttgaata ctgagttgtt taggactttc tattgtggca	450
aacttccaga aaacaaccct ttttgctgca catgtaagtg gagctgtgct	500
taccttttgg atgggctcat tatatatgtt tgttcagacc atcctttcct	550
acccaaatgca gcccaaaatc catggcaaac aagtcttctg gatcagactg	600
ttgttggtta tctggtgtgg agtaagtgca cttagcatgc tgacttgctc	650
atcagttttg cacagtggca attttgggac tgatttagaa cagaaactcc	700
attggaaccc cgaggacaaa ggttatgtgc ttcacatgat cactactgca	750
gcgaatgggt ctatgtcatt ttccttcttt ggttttttcc tgacttacat	800
tcgtgatttt cagaaaatth ctttacgggt ggaagccaat ttacatggat	850
taaccttcta tgacactgca ccttgcccta ttaacaatga acgaacacgg	900
ctactttcca gagatatttg atgaaaggat aaaatatthc tgtaatgatt	950
atgattctca gggattgggg aaaggttcac agaagttgct tattcttctc	1000
tgaaattttt aaccacttaa tcaaggctga cagtaacact gatgaatgct	1050
gataatcagg aaacatgaaa gaagccattt gatagattat tctaaaggat	1100
atcatcaaga agactattaa aaacacctat gcctatactt ttttatctca	1150
gaaaataaag tcaaaagact atg	1173

<210> SEQ ID NO 2
<211> LENGTH: 266
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 2

Met Trp Trp Phe Gln Gln Gly Leu Ser Phe Leu Pro Ser Ala Leu	1	5	10	15
Val Ile Trp Thr Ser Ala Ala Phe Ile Phe Ser Tyr Ile Thr Ala	20	25	30	
Val Thr Leu His His Ile Asp Pro Ala Leu Pro Tyr Ile Ser Asp	35	40	45	
Thr Gly Thr Val Ala Pro Glu Lys Cys Leu Phe Gly Ala Met Leu	50	55	60	
Asn Ile Ala Ala Val Leu Cys Ile Ala Thr Ile Tyr Val Arg Tyr	65	70	75	
Lys Gln Val His Ala Leu Ser Pro Glu Glu Asn Val Ile Ile Lys	80	85	90	
Leu Asn Lys Ala Gly Leu Val Leu Gly Ile Leu Ser Cys Leu Gly	95	100	105	
Leu Ser Ile Val Ala Asn Phe Gln Lys Thr Thr Leu Phe Ala Ala	110	115	120	
His Val Ser Gly Ala Val Leu Thr Phe Gly Met Gly Ser Leu Tyr	125	130	135	

-continued

Met	Phe	Val	Gln	Thr	Ile	Leu	Ser	Tyr	Gln	Met	Gln	Pro	Lys	Ile
			140						145				150	
His	Gly	Lys	Gln	Val	Phe	Trp	Ile	Arg	Leu	Leu	Leu	Val	Ile	Trp
			155						160				165	
Cys	Gly	Val	Ser	Ala	Leu	Ser	Met	Leu	Thr	Cys	Ser	Ser	Val	Leu
			170						175				180	
His	Ser	Gly	Asn	Phe	Gly	Thr	Asp	Leu	Glu	Gln	Lys	Leu	His	Trp
			185						190				195	
Asn	Pro	Glu	Asp	Lys	Gly	Tyr	Val	Leu	His	Met	Ile	Thr	Thr	Ala
			200						205				210	
Ala	Glu	Trp	Ser	Met	Ser	Phe	Ser	Phe	Phe	Gly	Phe	Phe	Leu	Thr
			215						220				225	
Tyr	Ile	Arg	Asp	Phe	Gln	Lys	Ile	Ser	Leu	Arg	Val	Glu	Ala	Asn
			230						235				240	
Leu	His	Gly	Leu	Thr	Leu	Tyr	Asp	Thr	Ala	Pro	Cys	Pro	Ile	Asn
			245						250				255	
Asn	Glu	Arg	Thr	Arg	Leu	Leu	Ser	Arg	Asp	Ile				
			260						265					

<210> SEQ ID NO 3
<211> LENGTH: 2037
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 3

cggacgcgtg ggcggacgcg tgggggagag cgcagtcgcc ggctgcagca	50
cctggggagaa ggcagaccgt gtgagggggc ctgtggcccc agcgtgctgt	100
ggcctcgggg agtgggaagt ggaggcagga gccttcctta cacttcgcca	150
tgagtttcct catcgactcc agcatcatga ttacctccca gatactattt	200
tttggaattg ggtggctttt cttcatgcgc caattgttta aagactatga	250
gatacgtcag tatgtgttac aggtgatctt ctccgtgacg tttgcatttt	300
cttgaccat gtttgagctc atcatctttg aaatcttagg agtattgaat	350
agcagctccc gttattttca ctggaaaatg aacctgtgtg taattctgct	400
gatcctgggt ttcatgggtg ctttttacat tggctatttt attgtgagca	450
atatccgact actgcataaa caacgactgc ttttttcctg tctcttatgg	500
ctgaccttta tgtatttctt ctggaaacta ggagatccct tccccattct	550
cagcccaaaa catgggatct tatccataga acagctcatc agccggggtg	600
gtgtgattgg agtgactctc atggctcttc tttctggatt tgggtgctgc	650
aactgcccat acacttacat gtcttacttc ctgaggaatg tgactgacac	700
ggatattcta gccctggaac ggcgactgct gcaaaccatg gatatgatca	750
taagcaaaaa gaaaaggatg gcaatggcac ggagaacaat gttccagaag	800
ggggaagtgc ataacaacc atcaggtttc tggggaatga taaaaagtgt	850
taccacttca gcatcaggaa gtgaaaatct tactcttatt caacaggaag	900
tggtgctttt ggaagaatta agcaggcagc tttttctgga aacagctgat	950
ctatatgcta ccaaggagag aatagaatac tccaaaacct tcaaggggaa	1000
atattttaat tttcttggtt actttttctc tatttactgt gtttgaaaaa	1050

-continued

ttttcatggc taccatcaat attgtttttg atcgagttgg gaaaacggat	1100
cctgtcacaa gaggcattga gatcactgtg aattatctgg gaatccaatt	1150
tgatgtgaag ttttggcccc aacacatttc cttcattctt gttggaataa	1200
tcacgtgcac atccatcaga ggattgctga tcactcttac caagttcttt	1250
tatgccatct ctagcagtaa gtccctccaat gtcattgtcc tgctattagc	1300
acagataatg ggcatgtact ttgtctcctc tgtgctgctg atccgaatga	1350
gtatgccttt agaataccgc accataatca ctgaagtcct tggagaactg	1400
cagttcaact tctatcaccg ttggtttgat gtgatcttcc tggtcagcgc	1450
tctctctagc atactcttcc tctatttggc tcacaaacag gcaccagaga	1500
agcaaatggc accttgaact taagcctact acagactggt agaggccagt	1550
ggtttcaaaa tttagatata agagggggga aaaatggaac cagggcctga	1600
cattttataa acaaacaaaa tgctatggta gcatttttca ccttcatagc	1650
atactccttc cccgtcaggt gatactatga ccatgagtag catcagccag	1700
aacatgagag ggagaactaa ctcaagacaa tactcagcag agagcatccc	1750
gtgtggatat gaggctggtg tagaggcgga gaggagccaa gaaactaaag	1800
gtgaaaaata cactggaact ctggggcaag acatgtctat ggtagctgag	1850
ccaaacacgt aggatttccg ttttaaggtt cacatggaaa aggttatagc	1900
tttgcttga gattgactca ttaaaatcag agactgtaac aaaaaaaaaa	1950
aaaaaaaaa agggcgggccg cgactctaga gtcgacctgc agaagcttgg	2000
cgcctatggc ccaacttggt tatttgcagct tataatg	2037

<210> SEQ ID NO 4
<211> LENGTH: 455
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 4

Met Ser Phe Leu Ile Asp Ser Ser Ile Met Ile Thr Ser Gln Ile	
1 5 10 15	
Leu Phe Phe Gly Phe Gly Trp Leu Phe Phe Met Arg Gln Leu Phe	
20 25 30	
Lys Asp Tyr Glu Ile Arg Gln Tyr Val Val Gln Val Ile Phe Ser	
35 40 45	
Val Thr Phe Ala Phe Ser Cys Thr Met Phe Glu Leu Ile Ile Phe	
50 55 60	
Glu Ile Leu Gly Val Leu Asn Ser Ser Ser Arg Tyr Phe His Trp	
65 70 75	
Lys Met Asn Leu Cys Val Ile Leu Leu Ile Leu Val Phe Met Val	
80 85 90	
Pro Phe Tyr Ile Gly Tyr Phe Ile Val Ser Asn Ile Arg Leu Leu	
95 100 105	
His Lys Gln Arg Leu Leu Phe Ser Cys Leu Leu Trp Leu Thr Phe	
110 115 120	
Met Tyr Phe Phe Trp Lys Leu Gly Asp Pro Phe Pro Ile Leu Ser	
125 130 135	

-continued

Pro	Lys	His	Gly	Ile	Leu	Ser	Ile	Glu	Gln	Leu	Ile	Ser	Arg	Val
				140					145					150
Gly	Val	Ile	Gly	Val	Thr	Leu	Met	Ala	Leu	Leu	Ser	Gly	Phe	Gly
				155					160					165
Ala	Val	Asn	Cys	Pro	Tyr	Thr	Tyr	Met	Ser	Tyr	Phe	Leu	Arg	Asn
				170					175					180
Val	Thr	Asp	Thr	Asp	Ile	Leu	Ala	Leu	Glu	Arg	Arg	Leu	Leu	Gln
				185					190					195
Thr	Met	Asp	Met	Ile	Ile	Ser	Lys	Lys	Lys	Arg	Met	Ala	Met	Ala
				200					205					210
Arg	Arg	Thr	Met	Phe	Gln	Lys	Gly	Glu	Val	His	Asn	Lys	Pro	Ser
				215					220					225
Gly	Phe	Trp	Gly	Met	Ile	Lys	Ser	Val	Thr	Thr	Ser	Ala	Ser	Gly
				230					235					240
Ser	Glu	Asn	Leu	Thr	Leu	Ile	Gln	Gln	Glu	Val	Asp	Ala	Leu	Glu
				245					250					255
Glu	Leu	Ser	Arg	Gln	Leu	Phe	Leu	Glu	Thr	Ala	Asp	Leu	Tyr	Ala
				260					265					270
Thr	Lys	Glu	Arg	Ile	Glu	Tyr	Ser	Lys	Thr	Phe	Lys	Gly	Lys	Tyr
				275					280					285
Phe	Asn	Phe	Leu	Gly	Tyr	Phe	Phe	Ser	Ile	Tyr	Cys	Val	Trp	Lys
				290					295					300
Ile	Phe	Met	Ala	Thr	Ile	Asn	Ile	Val	Phe	Asp	Arg	Val	Gly	Lys
				305					310					315
Thr	Asp	Pro	Val	Thr	Arg	Gly	Ile	Glu	Ile	Thr	Val	Asn	Tyr	Leu
				320					325					330
Gly	Ile	Gln	Phe	Asp	Val	Lys	Phe	Trp	Ser	Gln	His	Ile	Ser	Phe
				335					340					345
Ile	Leu	Val	Gly	Ile	Ile	Ile	Val	Thr	Ser	Ile	Arg	Gly	Leu	Leu
				350					355					360
Ile	Thr	Leu	Thr	Lys	Phe	Phe	Tyr	Ala	Ile	Ser	Ser	Ser	Lys	Ser
				365					370					375
Ser	Asn	Val	Ile	Val	Leu	Leu	Leu	Ala	Gln	Ile	Met	Gly	Met	Tyr
				380					385					390
Phe	Val	Ser	Ser	Val	Leu	Leu	Ile	Arg	Met	Ser	Met	Pro	Leu	Glu
				395					400					405
Tyr	Arg	Thr	Ile	Ile	Thr	Glu	Val	Leu	Gly	Glu	Leu	Gln	Phe	Asn
				410					415					420
Phe	Tyr	His	Arg	Trp	Phe	Asp	Val	Ile	Phe	Leu	Val	Ser	Ala	Leu
				425					430					435
Ser	Ser	Ile	Leu	Phe	Leu	Tyr	Leu	Ala	His	Lys	Gln	Ala	Pro	Glu
				440					445					450
Lys	Gln	Met	Ala	Pro										
				455										

<210> SEQ ID NO 5
<211> LENGTH: 2372
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 5

agcagggaaa tccggatgtc tcggttatga agtggagcag tgagtgtgag

-continued

cctcaacata gttccagaac tctccatccg gactagtatt tgagcatctg	100
cctctcatat caccagtggc catctgaggt gtttccctgg ctctgaaggg	150
gtaggcacga tggccaggtg cttcagcctg gtgttgcttc tcacttccat	200
ctggaccacg aggcctcctg tccaaggctc tttgcgtgca gaagagcttt	250
ccatccaggt gtcatgcaga attatgggga tcacccttgt gagcaaaaag	300
gcgaaccagc agctgaattt cacagaagct aaggaggcct gtaggctgct	350
gggactaagt ttggccggca aggaccaagt tgaacagcc ttgaaagcta	400
gttttgaaac ttgcagctat ggctgggttg gagatggatt cgtggtcac	450
tctaggatta gcccaaacc caagtgtggg aaaaatggg tgggtgtcct	500
gatttgaag gttccagtga gccgacagtt tgcagcctat tgttacaact	550
catctgatac ttggactaac tcgtgcattc cagaaattat caccacaaa	600
gatcccatat tcaacactca aactgaaca caaacaacag aatttattgt	650
cagtgcagct acctactcgg tggcatcccc ttactctaca atacctgcc	700
ctactactac tcctcctgct ccagcttcca cttctattcc acggagaaaa	750
aaattgattt gtgtcacaga agtttttatg gaaactagca ccatgtctac	800
agaaactgaa ccatttggtt aaaataaagc agcattcaag aatgaagctg	850
ctgggtttgg aggtgtcccc acggctctgc tagtgcttgc tctcctcttc	900
tttggtgctg cagctggtct tggattttgc tatgtcaaaa ggtatgtgaa	950
ggccttccct tttaaaaaca agaactagca gaaggaaatg atcgaacca	1000
aagtagtaaa ggaggagaag gccaatgata gcaaccctaa tgaggaaatca	1050
aagaaaactg ataaaaacc agaagagtcc aagagtccaa gcaaaactac	1100
cgtgcgctgc ctggaagctg aagtttagat gagacagaaa tgaggagaca	1150
cacctgaggc tggtttcttt catgctcctt accctgcccc agctggggaa	1200
atcaaaaggg ccaaagaacc aaagaagaaa gtccaccctt ggttcctaac	1250
tggaatcagc tcaggactgc cattggacta tggagtgcac caaagagaat	1300
gcccttctcc ttattgtaac cctgtctgga tcctatcctc ctacctcaa	1350
agcttccac gccctttcta gcctggctat gtcctaataa tatccactg	1400
ggagaaagga gttttgcaa gtgcaaggac ctaaacatc tcatcagtat	1450
ccagtggtaa aaaggcctcc tggctgtctg aggctagtg ggttgaaagc	1500
caaggagtca ctgagaccaa ggctttctct actgattccg cagctcagac	1550
cctttcttca gctctgaaag agaaacacgt atcccactg acatgtcctt	1600
ctgagcccgg taagagcaaa agaatggcag aaaagttag cccctgaaag	1650
ccatggagat tctcataact tgagacctaa tctctgtaaa gctaaaataa	1700
agaaatagaa caaggctgag gatacgacag tactactgtca gcagggactg	1750
taaacacaga cagggtcaaa gtgttttctc tgaacacatt gagttggaat	1800
cactgtttag aacacacaca cttacttttt ctggtctcta ccaactgctga	1850
tattttctct aggaaatata cttttacaag taacaaaaat aaaaactctt	1900
ataaatctct atttttatct gagttacaga aatgattact aaggaagatt	1950

-continued

actcagtaat ttgtttaaaa agtaataaaa ttcaacaaac atttgctgaa	2000
tagctactat atgtcaagtg ctgtgcaagg tattacactc tgtaattgaa	2050
tattattcct caaaaaattg cacatagtag aacgctatct gggaagctat	2100
ttttttcagt ttgatatatt ctagcttata tacttccaaa ctaattttta	2150
tttttgctga gactaatctt attcattttc tctaatatgg caaccattat	2200
aaccttaatt tattattaac atacctaaga agtacattgt tacctctata	2250
taccaaagca cattttaaaa gtgccattaa caaatgtatc actagccctc	2300
ctttttccaa caagaaggga ctgagagatg cagaaatatt tgtgacaaaa	2350
aattaaagca tttagaaaac tt	2372

<210> SEQ ID NO 6
<211> LENGTH: 322
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 6

Met Ala Arg Cys Phe Ser Leu Val Leu Leu Leu Thr Ser Ile Trp	1	5	10	15
Thr Thr Arg Leu Leu Val Gln Gly Ser Leu Arg Ala Glu Glu Leu	20	25	30	
Ser Ile Gln Val Ser Cys Arg Ile Met Gly Ile Thr Leu Val Ser	35	40	45	
Lys Lys Ala Asn Gln Gln Leu Asn Phe Thr Glu Ala Lys Glu Ala	50	55	60	
Cys Arg Leu Leu Gly Leu Ser Leu Ala Gly Lys Asp Gln Val Glu	65	70	75	
Thr Ala Leu Lys Ala Ser Phe Glu Thr Cys Ser Tyr Gly Trp Val	80	85	90	
Gly Asp Gly Phe Val Val Ile Ser Arg Ile Ser Pro Asn Pro Lys	95	100	105	
Cys Gly Lys Asn Gly Val Gly Val Leu Ile Trp Lys Val Pro Val	110	115	120	
Ser Arg Gln Phe Ala Ala Tyr Cys Tyr Asn Ser Ser Asp Thr Trp	125	130	135	
Thr Asn Ser Cys Ile Pro Glu Ile Ile Thr Thr Lys Asp Pro Ile	140	145	150	
Phe Asn Thr Gln Thr Ala Thr Gln Thr Thr Glu Phe Ile Val Ser	155	160	165	
Asp Ser Thr Tyr Ser Val Ala Ser Pro Tyr Ser Thr Ile Pro Ala	170	175	180	
Pro Thr Thr Thr Pro Pro Ala Pro Ala Ser Thr Ser Ile Pro Arg	185	190	195	
Arg Lys Lys Leu Ile Cys Val Thr Glu Val Phe Met Glu Thr Ser	200	205	210	
Thr Met Ser Thr Glu Thr Glu Pro Phe Val Glu Asn Lys Ala Ala	215	220	225	
Phe Lys Asn Glu Ala Ala Gly Phe Gly Gly Val Pro Thr Ala Leu	230	235	240	
Leu Val Leu Ala Leu Leu Phe Phe Gly Ala Ala Ala Gly Leu Gly	245	250	255	

-continued

Phe	Cys	Tyr	Val	Lys	Arg	Tyr	Val	Lys	Ala	Phe	Pro	Phe	Thr	Asn
				260					265					270
Lys	Asn	Gln	Gln	Lys	Glu	Met	Ile	Glu	Thr	Lys	Val	Val	Lys	Glu
				275					280					285
Glu	Lys	Ala	Asn	Asp	Ser	Asn	Pro	Asn	Glu	Glu	Ser	Lys	Lys	Thr
				290					295					300
Asp	Lys	Asn	Pro	Glu	Glu	Ser	Lys	Ser	Pro	Ser	Lys	Thr	Thr	Val
				305					310					315
Arg	Cys	Leu	Glu	Ala	Glu	Val								
				320										

<210> SEQ ID NO 7
<211> LENGTH: 2586
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 7

cgccgcgctc ccgcaccgcg ggcccgccca ccgcgcgct cccgcattctg	50
caccgcgcgc ccggcgccct ccggcgggga gcgagcagat ccagtccggc	100
ccgcagcgca actcgggtcca gtcggggcg cggtgcggg cgcagagcgg	150
agatgcagcg gcttggggcc acctgctgt gctgctgct ggcggcgcg	200
gtccccacgg ccccgcgcc cgctccgacg gcgacctcg ctccagtcaa	250
gccccggccc gctctcagct acccgcagga ggaggccacc ctcaatgaga	300
tggtccgcga ggttgaggaa ctgatggagg acacgcagca caaattgcgc	350
agcgcggtgg aagagatgga ggcagaagaa gctgctgcta aagcatcatc	400
agaagtgaac ctggcaaaact tacctcccag ctatcacaaat gagaccaaca	450
cagacacgaa ggttggaat aataccatcc atgtgcaccg agaaattcac	500
aagataacca acaaccagac tggacaaatg gtcttttcag agacagttaa	550
cacatctgtg ggagacgaag aaggcagaag gagccacgag tgcattcatc	600
acgaggactg tgggcccagc atgtactgcc agtttgccag cttccagtac	650
acctgccagc catgccgggg ccagaggatg ctctgcaccc gggacagtga	700
gtgctgtgga gaccagctgt gtgtctgggg tcaactgcacc aaaatggcca	750
ccaggggcag caatgggacc atctgtgaca accagaggga ctgccagccg	800
gggctgtgct gtgccttcca gagaggcctg ctgttcctg tgtgcacacc	850
cctgccctg gagggcgagc ttgccaatga ccccgccagc cggcttctg	900
acctcatcac ctgggagcta gagcctgatg gagccttga ccgatgccct	950
tgtgccagtg gcctcctctg ccagccccac agccacagcc tgggtatgt	1000
gtgcaagccg accttcgtgg ggagccgtga ccaagatggg gagatccctg	1050
tgccacgaga ggtccccgat gagtatgaag ttggcagctt catggaggag	1100
gtgcgccagg agctggagga cctggagagg agcctgactg aagagatggc	1150
gctgggggag cctgcggctg ccgccgctgc actgctggga ggggaagaga	1200
tttagatctg gaccaggctg tgggtagatg tgcaatagaa atagctaatt	1250
tatttcccca ggtgtgtgct ttaggcgtgg gctgaccagg cttcttcta	1300

-continued	
catcttcttc ccagtaagtt tcccctcttg cttgacagca tgaggtggtg	1350
tgcatttggt cagctcccc aggctgttct ccaggcttca cagtctggtg	1400
cttgggagag tcaggcaggg ttaaactgca ggagcagttt gccacccctg	1450
tccagattat tggctgcttt gcctctacca gttggcagac agccgtttgt	1500
tctacatggc tttgataatt gtttgagggg aggagatgga aacaatgtgg	1550
agtctccctc tgattggttt tggggaaatg tggagaagag tgccctgctt	1600
tgcaaacatc aacctggcaa aaatgcaaca aatgaatttt ccacgcagtt	1650
ctttccatgg gcataggtaa gctgtgcctt cagctgttgc agatgaaatg	1700
ttctgttcac cctgcattac atgtgtttat tcatccagca gtgttgctca	1750
gctcctacct ctgtgccagg gcagcatttt catatccaag atcaattccc	1800
tctctcagca cagcctgggg agggggtcat tgttctcctc gtccatcagg	1850
gatctcagag gctcagagac tgcaagctgc ttgcccaagt cacacagcta	1900
gtgaagacca gagcagtttc atctggttgt gactctaagc tcagtgtctt	1950
ctccactacc ccacaccagc cttggtgccca ccaaaagtgc tccccaaaag	2000
gaaggagaat gggatttttc ttgaggcatg cacatctgga attaaggtca	2050
aactaattct cacatccctc taaaagtaaa ctactgttag gaacagcagt	2100
gttctcacag tgtggggcag ccgtccttct aatgaagaca atgatattga	2150
cactgtccct ctttggcagt tgcattagta actttgaaag gtatatgact	2200
gagcgtagca tacagggttaa cctgcagaaa cagtacttag gtaattgtag	2250
ggcgaggatt ataaatgaaa ttgcaaaaat cacttagcag caactgaaga	2300
caattatcaa ccacgtggag aaaatcaaac cgagcagggc tgtgtgaaac	2350
atggttgtaa tatgcgactg cgaacactga actctacgcc actccacaaa	2400
tgatgttttc aggtgtcatg gactgttgcc accatgtatt catccagagt	2450
tcttaaagtt taaagttgca catgattgta taagcatgct ttctttgagt	2500
tttaaattat gtataaacat aagttgcatt tagaaatcaa gcataaatca	2550
cttcaactgc aaaaaaaaaa aaaaaaaaaa aaaaaa	2586
<210> SEQ ID NO 8	
<211> LENGTH: 350	
<212> TYPE: PRT	
<213> ORGANISM: Homo Sapien	
<400> SEQUENCE: 8	
Met Gln Arg Leu Gly Ala Thr Leu Leu Cys Leu Leu Leu Ala Ala	
1 5 10 15	
Ala Val Pro Thr Ala Pro Ala Pro Ala Pro Thr Ala Thr Ser Ala	
20 25 30	
Pro Val Lys Pro Gly Pro Ala Leu Ser Tyr Pro Gln Glu Glu Ala	
35 40 45	
Thr Leu Asn Glu Met Phe Arg Glu Val Glu Glu Leu Met Glu Asp	
50 55 60	
Thr Gln His Lys Leu Arg Ser Ala Val Glu Glu Met Glu Ala Glu	
65 70 75	
Glu Ala Ala Ala Lys Ala Ser Ser Glu Val Asn Leu Ala Asn Leu	

-continued

80										85										90									
Pro	Pro	Ser	Tyr	His	Asn	Glu	Thr	Asn	Thr	Asp	Thr	Lys	Val	Gly															
				95						100				105															
Asn	Asn	Thr	Ile	His	Val	His	Arg	Glu	Ile	His	Lys	Ile	Thr	Asn															
				110						115				120															
Asn	Gln	Thr	Gly	Gln	Met	Val	Phe	Ser	Glu	Thr	Val	Ile	Thr	Ser															
				125						130				135															
Val	Gly	Asp	Glu	Glu	Gly	Arg	Arg	Ser	His	Glu	Cys	Ile	Ile	Asp															
				140						145				150															
Glu	Asp	Cys	Gly	Pro	Ser	Met	Tyr	Cys	Gln	Phe	Ala	Ser	Phe	Gln															
				155						160				165															
Tyr	Thr	Cys	Gln	Pro	Cys	Arg	Gly	Gln	Arg	Met	Leu	Cys	Thr	Arg															
				170						175				180															
Asp	Ser	Glu	Cys	Cys	Gly	Asp	Gln	Leu	Cys	Val	Trp	Gly	His	Cys															
				185						190				195															
Thr	Lys	Met	Ala	Thr	Arg	Gly	Ser	Asn	Gly	Thr	Ile	Cys	Asp	Asn															
				200						205				210															
Gln	Arg	Asp	Cys	Gln	Pro	Gly	Leu	Cys	Cys	Ala	Phe	Gln	Arg	Gly															
				215						220				225															
Leu	Leu	Phe	Pro	Val	Cys	Thr	Pro	Leu	Pro	Val	Glu	Gly	Glu	Leu															
				230						235				240															
Cys	His	Asp	Pro	Ala	Ser	Arg	Leu	Leu	Asp	Leu	Ile	Thr	Trp	Glu															
				245						250				255															
Leu	Glu	Pro	Asp	Gly	Ala	Leu	Asp	Arg	Cys	Pro	Cys	Ala	Ser	Gly															
				260						265				270															
Leu	Leu	Cys	Gln	Pro	His	Ser	His	Ser	Leu	Val	Tyr	Val	Cys	Lys															
				275						280				285															
Pro	Thr	Phe	Val	Gly	Ser	Arg	Asp	Gln	Asp	Gly	Glu	Ile	Leu	Leu															
				290						295				300															
Pro	Arg	Glu	Val	Pro	Asp	Glu	Tyr	Glu	Val	Gly	Ser	Phe	Met	Glu															
				305						310				315															
Glu	Val	Arg	Gln	Glu	Leu	Glu	Asp	Leu	Glu	Arg	Ser	Leu	Thr	Glu															
				320						325				330															
Glu	Met	Ala	Leu	Gly	Glu	Pro	Ala	Ala	Ala	Ala	Ala	Ala	Leu	Leu															
				335						340				345															
Gly	Gly	Glu	Glu	Ile																									
				350																									

<210> SEQ ID NO 9
<211> LENGTH: 1395
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 9

cggacgcgtg ggcggacgcg tgggggctgt gagaaagtgc caataaatac	50
atcatgcaac cccacggccc accttgtaga ctcctcgtgc ccagggctga	100
tgtgcgtctt ccagggctac tcatccaaag gcctaatacca acgttctgtc	150
ttcaatctgc aaatctatgg ggtcctgggg ctcttctgga cccttaactg	200
ggtactggcc ctggggccaat gcgtcctcgc tggagccttt gcctccttct	250
actgggcctt ccacaagccc caggacatcc ctacottccc cttaatatct	300

-continued

gccttcatcc gcacactccg ttaccacact gggtcattgg catttggagc	350
cctcatcctg acccttgtgc agatagcccg ggtcatcttg gagtatattg	400
accacaagct cagaggagtg cagaaccttg tagcccgtg catcatgtgc	450
tgtttcaaagt gctgcctctg gtgtctggaa aaatttatca agttcctaaa	500
ccgcaatgca tacatcatga tcgccatcta cgggaagaat ttctgtgtct	550
cagccaaaaa tgcgttcatg ctactcatgc gaaacattgt caggggtggtc	600
gtctcggaca aagtcacaga cctgtgtctg ttctttggga agctgtctgt	650
ggtcggaggc gtgggggtcc tgtccttctt ttttttctcc ggtcgcatcc	700
cggggctggg taaagacttt aagagccccc acctcaacta ttactggctg	750
cccctcatga cctccatcct gggggcctat gtcatcgcca gcggcttctt	800
cagcgttttc ggcatgtgtg tggacacgct cttcctctgc ttcttggaag	850
acctggagcg gaacaacggc tccctggacc ggccctacta catgtccaag	900
agccttctaa agattctggg caagaagaac gaggcgcccc cggacaacaa	950
gaagagggaag aagtgcacgc tccggccctg atccaggact gcacccacc	1000
cccaccgtcc agccatccaa cctcacttcg ccttacaggt ctccattttg	1050
tggtaaaaaa aggttttagg ccaggcgccg tggctcacgc ctgtaatcca	1100
acacttttag aggctgaggc gggcgcatca cctgagtcag gagttcgaga	1150
ccagcctggc caacatgggtg aaacctccgt ctctattaaa aatacaaaaa	1200
ttagccgaga gtggtggcat gcacctgtca tcccagctac tcgggaggct	1250
gaggcgagg aatcgcttga acccgggagg cagaggttgc agtgagccga	1300
gatcgcgcca ctgcactcca acctgggtga cagactctgt ctccaaaaca	1350
aaacaaacaa acaaaaagat ttatttaaag atattttggt aactc	1395

<210> SEQ ID NO 10

<211> LENGTH: 321

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 10

Arg	Thr	Arg	Gly	Arg	Thr	Arg	Gly	Gly	Cys	Glu	Lys	Val	Pro	Ile
1				5					10					15
Asn	Thr	Ser	Cys	Asn	Pro	Thr	Ala	His	Leu	Val	Asn	Ser	Ser	Cys
			20						25					30
Pro	Gly	Leu	Met	Cys	Val	Phe	Gln	Gly	Tyr	Ser	Ser	Lys	Gly	Leu
			35						40					45
Ile	Gln	Arg	Ser	Val	Phe	Asn	Leu	Gln	Ile	Tyr	Gly	Val	Leu	Gly
			50						55					60
Leu	Phe	Trp	Thr	Leu	Asn	Trp	Val	Leu	Ala	Leu	Gly	Gln	Cys	Val
			65						70					75
Leu	Ala	Gly	Ala	Phe	Ala	Ser	Phe	Tyr	Trp	Ala	Phe	His	Lys	Pro
			80						85					90
Gln	Asp	Ile	Pro	Thr	Phe	Pro	Leu	Ile	Ser	Ala	Phe	Ile	Arg	Thr
			95						100					105
Leu	Arg	Tyr	His	Thr	Gly	Ser	Leu	Ala	Phe	Gly	Ala	Leu	Ile	Leu
			110						115					120

-continued

Thr	Leu	Val	Gln	Ile	Ala	Arg	Val	Ile	Leu	Glu	Tyr	Ile	Asp	His
			125						130				135	
Lys	Leu	Arg	Gly	Val	Gln	Asn	Pro	Val	Ala	Arg	Cys	Ile	Met	Cys
			140						145				150	
Cys	Phe	Lys	Cys	Cys	Leu	Trp	Cys	Leu	Glu	Lys	Phe	Ile	Lys	Phe
			155						160				165	
Leu	Asn	Arg	Asn	Ala	Tyr	Ile	Met	Ile	Ala	Ile	Tyr	Gly	Lys	Asn
			170						175				180	
Phe	Cys	Val	Ser	Ala	Lys	Asn	Ala	Phe	Met	Leu	Leu	Met	Arg	Asn
			185						190				195	
Ile	Val	Arg	Val	Val	Val	Leu	Asp	Lys	Val	Thr	Asp	Leu	Leu	Leu
			200						205				210	
Phe	Phe	Gly	Lys	Leu	Leu	Val	Val	Gly	Gly	Val	Gly	Val	Leu	Ser
			215						220				225	
Phe	Phe	Phe	Phe	Ser	Gly	Arg	Ile	Pro	Gly	Leu	Gly	Lys	Asp	Phe
			230						235				240	
Lys	Ser	Pro	His	Leu	Asn	Tyr	Tyr	Trp	Leu	Pro	Ile	Met	Thr	Ser
			245						250				255	
Ile	Leu	Gly	Ala	Tyr	Val	Ile	Ala	Ser	Gly	Phe	Phe	Ser	Val	Phe
			260						265				270	
Gly	Met	Cys	Val	Asp	Thr	Leu	Phe	Leu	Cys	Phe	Leu	Glu	Asp	Leu
			275						280				285	
Glu	Arg	Asn	Asn	Gly	Ser	Leu	Asp	Arg	Pro	Tyr	Tyr	Met	Ser	Lys
			290						295				300	
Ser	Leu	Leu	Lys	Ile	Leu	Gly	Lys	Lys	Asn	Glu	Ala	Pro	Pro	Asp
			305						310				315	
Asn	Lys	Lys	Arg	Lys	Lys									
			320											

<210> SEQ ID NO 11
<211> LENGTH: 1901
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 11

gccccgcgcc	cggcgcggg	cgccccgaagc	cgggagccac	cgccatgggg	50
gcctgcctgg	gagcctgctc	cctgctcagc	tgcgcgtcct	gcctctgagg	100
ctctgcccc	tgcctcctgt	gcagctgctg	ccccgccagc	cgcaactcca	150
ccgtgagccg	cctcatcttc	acgttcttcc	tcttctctgg	ggtgctgggtg	200
tccatcatta	tgctgagccc	gggcgtggag	agtcagctct	acaagctgcc	250
ctgggtgtgt	gaggaggggg	ccgggatccc	caccgtcctg	cagggccaca	300
tcgactgtgg	ctccctgctt	ggctaccg	ctgtctaccg	catgtgcttc	350
gccacggcgg	ccttcttctt	cttctttttc	accctgctca	tgctctgcgt	400
gagcagcagc	cgggaccccc	gggctgcat	ccagaatggg	ttttggttct	450
ttaagtctct	gacctggtg	ggcctcaccg	tgggtgcctt	ctacatccct	500
gacggctcct	tcaccaacat	ctggttctac	ttcggcgctg	tgggctcctt	550
cctcttctac	ctcatccagc	tggtgctgct	catcgacttt	gcgcactcct	600
ggaaccagcg	gtggctgggg	aaggccgagg	agtgcgattc	ccgtgcctgg	650

-continued	
tacgcaggcc tcttcttctt cactctcttc ttctacttgc tgcgatcgc	700
ggccgtggcg ctgatgttca tgtactacac tgagcccagc ggctgccacg	750
agggcaaggt cttcatcagc ctcaacctca cttctgtgt ctgcgtgtcc	800
atcgctgctg tcctgcccaa ggtccaggac gccagccca actcgggtct	850
gctgcaggcc tcggtcatca ccctctacac catgtttgtc acctggtcag	900
ccctatccag tatccctgaa cagaaatgca acccccattt gccaacccag	950
ctgggcaacg agacagtgt ggcaggcccc gagggctatg agaccagtg	1000
gtgggatgcc ccgagcattg tgggcctcat catcttcctc ctgtgcaccc	1050
tcttcatcag tctgcgtccc tcagaccacc ggcaggtgaa cagcctgatg	1100
cagaccgagg agtcccacc tatgctagac gccacacagc agcagcagca	1150
gcaggtggca gcctgtgagg gccgggcctt tgacaacgag caggacggcg	1200
tcacctacag ctactccttc ttccacttct gcctggtgct ggcctcactg	1250
cacgtcatga tgacgctcac caactggtac aagcccggtg agaccggaa	1300
gatgatcagc acgtggaccg ccgtgtgggt gaagatctgt gccagctggg	1350
cagggtgct cctctacctg tggaccctgg tagcccact cctcctgcgc	1400
aaccgcgact tcagctgagg cagcctcaca gcctgccatc tggtcctcc	1450
tgccacctgg tgcctctcgg ctcggtgaca gccaacctgc cccctcccca	1500
caccaatcag ccaggctgag cccccacccc tgcccagct ccaggacctg	1550
cccctgagcc gggccttcta gtctagtgc cttcagggtc cgaggagcat	1600
caggctcctg cagagcccca tccccccgcc acaccacac ggtggagctg	1650
cctcttcctt cccctcctcc ctggtgcccc tactcagcat ctcgatgaa	1700
agggctccct tgtcctcagg ctccacggga gcggggctgc tggagagagc	1750
ggggaaactcc caccacagtg gggcatccgg cactgaagcc ctggtgttcc	1800
tggtcacgtc ccccagggga ccctgcccc ttctggact tcgtgcctta	1850
ctgagtctct aagacttttt ctaataaaca agccagtgcg tgtaaaaaaa	1900
a	1901

<210> SEQ ID NO 12
<211> LENGTH: 457
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 12

Met Gly Ala Cys Leu Gly Ala Cys Ser Leu Leu Ser Cys Ala Ser	
1 5 10 15	
Cys Leu Cys Gly Ser Ala Pro Cys Ile Leu Cys Ser Cys Cys Pro	
20 25 30	
Ala Ser Arg Asn Ser Thr Val Ser Arg Leu Ile Phe Thr Phe Phe	
35 40 45	
Leu Phe Leu Gly Val Leu Val Ser Ile Ile Met Leu Ser Pro Gly	
50 55 60	
Val Glu Ser Gln Leu Tyr Lys Leu Pro Trp Val Cys Glu Glu Gly	
65 70 75	
Ala Gly Ile Pro Thr Val Leu Gln Gly His Ile Asp Cys Gly Ser	

-continued

<210> SEQ ID NO 13

<211> LENGTH: 1572

<212> TYPE: DNA

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 13

cgggccagcc tggggcggcc ggccaggaac caccggttaa ggtgtcttct	50
ctttagggat ggtgaggttg gaaaagact cctgtaacc tcctccagga	100
tgaaccacct gccagaagac atggagaacg ctctcaccgg gagccagagc	150
tcccatgctt ctctgcgcaa tatccattcc atcaaccca cacaactcat	200
ggccaggatt gagtccatg aaggaaggga aaagaaaggc atatctgatg	250
tcaggaggac tttctgtttg ttgtcacct ttgacctt attcgtaaca	300
ttactgtgga taatagagtt aaatgtgaat ggaggcattg agaacacatt	350
agagaaggag gtgatgcagt atgactacta ttcttcatat ttgatatat	400
ttctcttggc agtttttcga tttaaagtgt taatacttgc atatgctgtg	450
tgcagactgc gccattggtg ggcaatagcg ttgacaacgg cagtgaccag	500
tgccctttta ctagcaaaag tgatcccttc gaagcttttc tctcaagggg	550
cttttggtta tgtgctgccc atcatttcat tcacacctgc ctggattgag	600
acgtgggttc tggatttcaa agtgttacct caagaagcag aagaagaaaa	650
cagactcctg atagtccagg atgcttcaga gagggcagca cttatacctg	700
gtggtctttc tgatggtcag ttttattccc ctctgaatc cgaagcagga	750
tctgaagaag ctgaagaaaa acaggacagt gagaaccac ttttagaact	800
atgagtacta cttttgttaa atgtgaaaa ccctcacaga aagtcacga	850
ggcaaaaaga ggcaggcagt ggagtctccc tgtcgacagt aaagttgaaa	900
tggtgacgtc cactgctggc tttattgaac agctaataa gattttatta	950
ttgtaatacc tcacaaacgt tgtaccatat ccatgcacat ttagttgcct	1000
gcctgtggct ggtaaggtaa tgtcatgatt catcctctct tcagtgagac	1050
tgagcctgat gtgttaacaa ataggtgaag aaagtcttgt gctgtattcc	1100
taatcaaaag acttaatata ttgaagtaac acttttttag taagcaagat	1150
acctttttat ttcaattcac agaatggaat tttttgttt catgtctcag	1200
atttattttg tatttctttt ttaacactct acatttcctt tgttttttaa	1250
ctcatgcaca tgtgctcttt gtacagtttt aaaaagtga ataaaatctg	1300
acatgtcaat tgggctagtt ttatttttct tgttttgcatt tatgtgtatg	1350
gcctgaagtg ttggacttgc aaaaggggaa gaaaggaatt gcgaatacat	1400
gtaaaaatgt accagacatt tgtattattt ttatcatgaa atcatgtttt	1450
tctctgattg ttctgaaatg ttctaaatac tcttattttg aatgcacaaa	1500
atgacttaaa ccattcatat catgtttcct ttgcgttcag ccaatttcaa	1550
ttaaaatgaa ctaaattaaa aa	1572

<210> SEQ ID NO 14

<211> LENGTH: 234

-continued

<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 14

Met Asn His Leu Pro Glu Asp Met Glu Asn Ala Leu Thr Gly Ser
1 5 10 15

Gln Ser Ser His Ala Ser Leu Arg Asn Ile His Ser Ile Asn Pro
20 25 30

Thr Gln Leu Met Ala Arg Ile Glu Ser Tyr Glu Gly Arg Glu Lys
35 40 45

Lys Gly Ile Ser Asp Val Arg Arg Thr Phe Cys Leu Phe Val Thr
50 55 60

Phe Asp Leu Leu Phe Val Thr Leu Leu Trp Ile Ile Glu Leu Asn
65 70 75

Val Asn Gly Gly Ile Glu Asn Thr Leu Glu Lys Glu Val Met Gln
80 85 90

Tyr Asp Tyr Tyr Ser Ser Tyr Phe Asp Ile Phe Leu Leu Ala Val
95 100 105

Phe Arg Phe Lys Val Leu Ile Leu Ala Tyr Ala Val Cys Arg Leu
110 115 120

Arg His Trp Trp Ala Ile Ala Leu Thr Thr Ala Val Thr Ser Ala
125 130 135

Phe Leu Leu Ala Lys Val Ile Leu Ser Lys Leu Phe Ser Gln Gly
140 145 150

Ala Phe Gly Tyr Val Leu Pro Ile Ile Ser Phe Ile Leu Ala Trp
155 160 165

Ile Glu Thr Trp Phe Leu Asp Phe Lys Val Leu Pro Gln Glu Ala
170 175 180

Glu Glu Glu Asn Arg Leu Leu Ile Val Gln Asp Ala Ser Glu Arg
185 190 195

Ala Ala Leu Ile Pro Gly Gly Leu Ser Asp Gly Gln Phe Tyr Ser
200 205 210

Pro Pro Glu Ser Glu Ala Gly Ser Glu Glu Ala Glu Glu Lys Gln
215 220 225

Asp Ser Glu Lys Pro Leu Leu Glu Leu
230

<210> SEQ ID NO 15
<211> LENGTH: 2768
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 15

actcgaacgc agttgcttcg ggaccacagga cccctcggg ccgacccgc 50

caggaaagac tgaggccgcg gcctgccccg cccggctccc tgcgccgcg 100

ccgcctcccg ggacagaaga tgtgtccag ggtccctctg ctgctgccg 150

tgctcctgct actggccctg gggcctgggg tgcagggctg cccatccggc 200

tgccagtgca gccagccaca gacagtcttc tgcaactgcc gccaggggac 250

cacggtgcc cgagacgtgc caccgcacac ggtggggctg tacgtctttg 300

agaacggcat caccatgctc gacgcaggca gcttgccgg cctgccgggc 350

ctgcagctcc tggacctgtc acagaaccag atcgccagcc tgcccagcg 400

-continued

ggtcttccag ccactcgcca acctcagcaa cctggacctg acggccaaca	450
ggctgcatga aatcaccaat gagaccttcc gtggcctgcg gcgcctcgag	500
cgctcttacc tgggcaagaa ccgcattccg cacatccagc ctggtgcctt	550
cgacacgctc gaccgcctcc tggagctcaa gctgcaggac aacgagctgc	600
gggcactgcc cccgctgcgc ctgccccgcc tgetgctgct ggacctcagc	650
cacaacagcc tcctggccct ggagcccgcc atcctggaca ctgccaacgt	700
ggaggcgctg cggctggctg gtctggggct gcagcagctg gacgaggggc	750
tcttcagcgc cttgcgcaac ctccacgacc tggatgtgtc cgacaaccag	800
ctggagcgag tgccacctgt gatccgaggc ctccggggcc tgacgcgcct	850
gcggctggcc ggcaacaccc gattgcccc gctgcggccc gaggacctgg	900
ccggcctggc tgccctgcag gagctggatg tgagcaacct aagcctgcag	950
gccctgcctg gcgacctctc ggccctcttc ccccgccctg ggctgctggc	1000
agctgccccg aaccccttca actgcgtgtg cccctgagc tggtttgccc	1050
cctgggtgcg cgagagccac gtcacactgg ccagccctga ggagacgcgc	1100
tgccacttcc cgccaagaa cgctggcccg ctgctcctgg agcttgacta	1150
cgccgacttt ggctgcccag ccaccaccac cacagccaca gtgcccacca	1200
cgaggcccggt ggtgcgggag ccacagccct tgtcttctag cttggctcct	1250
acctggctta gcccacagc gccggccact gaggccccca gcccgccctc	1300
cactgcccga ccgactgtag ggctgttccc ccagcccag gactgcccac	1350
cgctccactg cctcaatggg ggacatgcc acctggggac acggcaccac	1400
ctggcgctgt tgtgccccga aggcttcacg ggctgtact gtgagagcca	1450
gatggggcag gggacacggc ccagccctac accagtacg ccgaggccac	1500
cacggtccct gaccctgggc atcgagccgg tgagccccac ctccctgcgc	1550
gtggggctgc agcgctacct ccaggggagc tccgtgcagc tcaggagcct	1600
ccgtctcacc tatcgcaacc tatcgggccc tgataagcgg ctggtgacgc	1650
tgcgactgcc tgcctcgctc gctgagtaca cggtcaccca gctgcggccc	1700
aacgccactt actccgtctg tgtcatgcct ttggggcccg ggcgggtgcc	1750
ggagggcgag gaggcctgcg gggaggccca tacaccccca gccgtccact	1800
ccaaccacgc ccagtcacc caggcccgcg agggcaacct gccgtcctc	1850
attgcgcccg ccctggccgc ggtgctcctg gccgcgctgg ctgcggtggg	1900
ggcagcctac tgtgtgcggc gggggcgggc catggcagca gcggctcagg	1950
acaaagggca ggtggggcca ggggctgggc ccctggaact ggagggagtg	2000
aagggtccct tggagccagg ccgaaggca acagaggcg gtggagaggc	2050
cctgcccagc gggctctgagt gtgaggtgcc actcatgggc tccccagggc	2100
ctggcctcca gtcaccctc caccgaaagc cctacatcta agccagagag	2150
agacagggca gctggggccg ggctctcagc cagtgagatg gccagcccc	2200
tcctgctgcc acaccacgta agttctcagt cccaacctcg gggatgtgtg	2250
cagacagggc tgtgtgacca cagctgggccc ctgttccctc tggacctcgg	2300

-continued

tctcctcatc tgtgagatgc tgtggcccag ctgacgagcc ctaacgtccc	2350
cagaaccgag tgcctatgag gacagtgtcc gccctgccct ccgcaacgtg	2400
cagtcctctgg gcacggcggg ccctgccatg tgctggtaac gcatgcctgg	2450
gtcctgtctgg gctctccac tccagcgga ccctgggggc cagtgaagga	2500
agctcccga aagagcagag ggagagcggg taggcggctg tgtgactcta	2550
gtcttgggcc caggaagcga aggaacaaaa gaaactggaa aggaagatgc	2600
tttaggaaca tgttttgctt ttttaaaata tatatattta taagagatcc	2650
tttcccattt attctgggaa gatgtttttc aaactcagag acaaggactt	2700
tggtttttgt aagacaaacg atgatatgaa ggccttttgt aagaaaaaat	2750
aaaagatgaa gtgtgaaa	2768

<210> SEQ ID NO 16

<211> LENGTH: 673

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 16

Met Cys Ser Arg Val Pro Leu Leu Leu Pro Leu Leu Leu Leu Leu	1 5 10 15
Ala Leu Gly Pro Gly Val Gln Gly Cys Pro Ser Gly Cys Gln Cys	20 25 30
Ser Gln Pro Gln Thr Val Phe Cys Thr Ala Arg Gln Gly Thr Thr	35 40 45
Val Pro Arg Asp Val Pro Pro Asp Thr Val Gly Leu Tyr Val Phe	50 55 60
Glu Asn Gly Ile Thr Met Leu Asp Ala Gly Ser Phe Ala Gly Leu	65 70 75
Pro Gly Leu Gln Leu Leu Asp Leu Ser Gln Asn Gln Ile Ala Ser	80 85 90
Leu Pro Ser Gly Val Phe Gln Pro Leu Ala Asn Leu Ser Asn Leu	95 100 105
Asp Leu Thr Ala Asn Arg Leu His Glu Ile Thr Asn Glu Thr Phe	110 115 120
Arg Gly Leu Arg Arg Leu Glu Arg Leu Tyr Leu Gly Lys Asn Arg	125 130 135
Ile Arg His Ile Gln Pro Gly Ala Phe Asp Thr Leu Asp Arg Leu	140 145 150
Leu Glu Leu Lys Leu Gln Asp Asn Glu Leu Arg Ala Leu Pro Pro	155 160 165
Leu Arg Leu Pro Arg Leu Leu Leu Leu Asp Leu Ser His Asn Ser	170 175 180
Leu Leu Ala Leu Glu Pro Gly Ile Leu Asp Thr Ala Asn Val Glu	185 190 195
Ala Leu Arg Leu Ala Gly Leu Gly Leu Gln Gln Leu Asp Glu Gly	200 205 210
Leu Phe Ser Arg Leu Arg Asn Leu His Asp Leu Asp Val Ser Asp	215 220 225
Asn Gln Leu Glu Arg Val Pro Pro Val Ile Arg Gly Leu Arg Gly	230 235 240

-continued

Leu Thr Arg Leu Arg Leu Ala Gly Asn Thr Arg Ile Ala Gln Leu	245	250	255
Arg Pro Glu Asp Leu Ala Gly Leu Ala Ala Leu Gln Glu Leu Asp	260	265	270
Val Ser Asn Leu Ser Leu Gln Ala Leu Pro Gly Asp Leu Ser Gly	275	280	285
Leu Phe Pro Arg Leu Arg Leu Leu Ala Ala Ala Arg Asn Pro Phe	290	295	300
Asn Cys Val Cys Pro Leu Ser Trp Phe Gly Pro Trp Val Arg Glu	305	310	315
Ser His Val Thr Leu Ala Ser Pro Glu Glu Thr Arg Cys His Phe	320	325	330
Pro Pro Lys Asn Ala Gly Arg Leu Leu Leu Glu Leu Asp Tyr Ala	335	340	345
Asp Phe Gly Cys Pro Ala Thr Thr Thr Thr Ala Thr Val Pro Thr	350	355	360
Thr Arg Pro Val Val Arg Glu Pro Thr Ala Leu Ser Ser Ser Leu	365	370	375
Ala Pro Thr Trp Leu Ser Pro Thr Ala Pro Ala Thr Glu Ala Pro	380	385	390
Ser Pro Pro Ser Thr Ala Pro Pro Thr Val Gly Pro Val Pro Gln	395	400	405
Pro Gln Asp Cys Pro Pro Ser Thr Cys Leu Asn Gly Gly Thr Cys	410	415	420
His Leu Gly Thr Arg His His Leu Ala Cys Leu Cys Pro Glu Gly	425	430	435
Phe Thr Gly Leu Tyr Cys Glu Ser Gln Met Gly Gln Gly Thr Arg	440	445	450
Pro Ser Pro Thr Pro Val Thr Pro Arg Pro Pro Arg Ser Leu Thr	455	460	465
Leu Gly Ile Glu Pro Val Ser Pro Thr Ser Leu Arg Val Gly Leu	470	475	480
Gln Arg Tyr Leu Gln Gly Ser Ser Val Gln Leu Arg Ser Leu Arg	485	490	495
Leu Thr Tyr Arg Asn Leu Ser Gly Pro Asp Lys Arg Leu Val Thr	500	505	510
Leu Arg Leu Pro Ala Ser Leu Ala Glu Tyr Thr Val Thr Gln Leu	515	520	525
Arg Pro Asn Ala Thr Tyr Ser Val Cys Val Met Pro Leu Gly Pro	530	535	540
Gly Arg Val Pro Glu Gly Glu Glu Ala Cys Gly Glu Ala His Thr	545	550	555
Pro Pro Ala Val His Ser Asn His Ala Pro Val Thr Gln Ala Arg	560	565	570
Glu Gly Asn Leu Pro Leu Leu Ile Ala Pro Ala Leu Ala Ala Val	575	580	585
Leu Leu Ala Ala Leu Ala Ala Val Gly Ala Ala Tyr Cys Val Arg	590	595	600
Arg Gly Arg Ala Met Ala Ala Ala Ala Gln Asp Lys Gly Gln Val	605	610	615

-continued

Gly	Pro	Gly	Ala	Gly	Pro	Leu	Glu	Leu	Glu	Gly	Val	Lys	Val	Pro
				620					625					630
Leu	Glu	Pro	Gly	Pro	Lys	Ala	Thr	Glu	Gly	Gly	Gly	Glu	Ala	Leu
				635					640					645
Pro	Ser	Gly	Ser	Glu	Cys	Glu	Val	Pro	Leu	Met	Gly	Phe	Pro	Gly
				650					655					660
Pro	Gly	Leu	Gln	Ser	Pro	Leu	His	Ala	Lys	Pro	Tyr	Ile		
				665					670					

<210> SEQ ID NO 17
<211> LENGTH: 1672
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 17

gcagcggcga ggcggcggtg gtggctgagt ccgtgggtggc agaggcgaag	50
gcgacagctc atgcgggtcc ggatagggtc gacgtgctg ctgtgtgcgg	100
tgctgctgag cttggcctcg gcgtcctcgg atgaagaagg cagccaggat	150
gaatccttag attccaagac tactttgaca tcagatgagt cagtaaagga	200
ccatactact gcaggcagag tagttgctgg tcaaatatth cttgattcag	250
aagaatctga attagaatcc tctattcaag aagaggaaga cagcctcaag	300
agccaagagg gggaaagtgt cacagaagat atcagctttc tagagtctcc	350
aaatccagaa aacaaggact atgaagagcc aaagaaagta cggaaaccag	400
ctttgaccgc cattgaaggc acagcacatg gggagccctg ccacttcct	450
tttcttttcc tagataagga gtatgatgaa tgtacatcag atgggaggga	500
agatggcaga ctgtggtgtg ctacaaccta tgactacaaa gcagatgaaa	550
agtggggctt ttgtgaaact gaagaagagg ctgctaagag acggcagatg	600
caggaagcag aaatgatgta tcaaactgga atgaaaatcc ttaatggaag	650
caataagaaa agccaaaaaa gagaagcata tcggtatctc caaaaggcag	700
caagcatgaa ccataccaaa gccctggaga gagtgtcata tgctctttta	750
tttggtgatt acttgccaca gaatatccag gcagcgagag agatgtttga	800
gaagctgact gaggaaggct ctccaaggg acagactgct cttggctttc	850
tgtagtcctc tggacttggt gttaattcaa gtcaggcaaa ggctcttgta	900
tattatacat ttggagctct tgggggcaat ctaatagccc acatggtttt	950
ggtaagtaga ctttagtgga aggctaataa tattaacatc agaagaatth	1000
gtgggtttata gcggccacaa ctttttcagc tttcatgata cagatttgct	1050
tgtattaaga ccaaatattc agttgaactt ccttcaaatt cttgttaatg	1100
gatataacac atggaatcta catgtaaag aaagttggtg gaggccacaa	1150
ttttctttta aaatgattag ttggctgat tgcccctaaa aagagagatc	1200
tgataaatgg ctctttttta attttctctg agttggaatt gtcagaatca	1250
ttttttacat tagattatca taattttaaa aatttttctt tagtttttca	1300
aaattttgta aatggtggct atagaaaaac aacatgaaat attatacaat	1350
attttgcaac aatgccctaa gaattgttaa aattcatgga gttatttggtg	1400

-continued

cagaatgact ccagagagct ctactttctg ttttttactt ttcattgattg	1450
gctgtcttcc catttattct ggctatttat tgctagtgac actgtgcctg	1500
cttcacgtag tctcattttc cctattttgc taatttgta ctttttcttt	1550
gctaatttgg aagattaact catttttaaat aaaattatgt ctaagattaa	1600
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	1650
aaaaaaaaa aaaaaaaaaa aa	1672

<210> SEQ ID NO 18

<211> LENGTH: 301

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 18

Met Arg Val Arg Ile Gly Leu Thr Leu Leu Leu Cys Ala Val Leu	1	5	10	15
Leu Ser Leu Ala Ser Ala Ser Ser Asp Glu Glu Gly Ser Gln Asp	20	25	30	
Glu Ser Leu Asp Ser Lys Thr Thr Leu Thr Ser Asp Glu Ser Val	35	40	45	
Lys Asp His Thr Thr Ala Gly Arg Val Val Ala Gly Gln Ile Phe	50	55	60	
Leu Asp Ser Glu Glu Ser Glu Leu Glu Ser Ser Ile Gln Glu Glu	65	70	75	
Glu Asp Ser Leu Lys Ser Gln Glu Gly Glu Ser Val Thr Glu Asp	80	85	90	
Ile Ser Phe Leu Glu Ser Pro Asn Pro Glu Asn Lys Asp Tyr Glu	95	100	105	
Glu Pro Lys Lys Val Arg Lys Pro Ala Leu Thr Ala Ile Glu Gly	110	115	120	
Thr Ala His Gly Glu Pro Cys His Phe Pro Phe Leu Phe Leu Asp	125	130	135	
Lys Glu Tyr Asp Glu Cys Thr Ser Asp Gly Arg Glu Asp Gly Arg	140	145	150	
Leu Trp Cys Ala Thr Thr Tyr Asp Tyr Lys Ala Asp Glu Lys Trp	155	160	165	
Gly Phe Cys Glu Thr Glu Glu Glu Ala Ala Lys Arg Arg Gln Met	170	175	180	
Gln Glu Ala Glu Met Met Tyr Gln Thr Gly Met Lys Ile Leu Asn	185	190	195	
Gly Ser Asn Lys Lys Ser Gln Lys Arg Glu Ala Tyr Arg Tyr Leu	200	205	210	
Gln Lys Ala Ala Ser Met Asn His Thr Lys Ala Leu Glu Arg Val	215	220	225	
Ser Tyr Ala Leu Leu Phe Gly Asp Tyr Leu Pro Gln Asn Ile Gln	230	235	240	
Ala Ala Arg Glu Met Phe Glu Lys Leu Thr Glu Glu Gly Ser Pro	245	250	255	
Lys Gly Gln Thr Ala Leu Gly Phe Leu Tyr Ala Ser Gly Leu Gly	260	265	270	
Val Asn Ser Ser Gln Ala Lys Ala Leu Val Tyr Tyr Thr Phe Gly	275	280	285	

-continued

Ala Leu Gly Gly Asn Leu Ile Ala His Met Val Leu Val Ser Arg
290 295 300

Leu

<210> SEQ ID NO 19
<211> LENGTH: 1508
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 19

aattcagatt ttaagcccat tctgcagtgg aatttcatga actagcaaga	50
ggacaccatc ttcttgtatt atacaagaaa ggagtgtacc tatcacacac	100
agggggaaaa atgctctttt ggggtgctagg cctcctaate cttgtgtggt	150
ttctgtggac tcgtaaagga aaactaaaga ttgaagacat cactgataag	200
tacattttta tcaactggatg tgactcgggc tttggaaact tggcagccag	250
aactttttagt aaaaagggat ttcattgtaac cgctgcctgt ctgactgaat	300
caggatcaac agctttaaag gcagaaacct cagagagact tcgtactgtg	350
cttctggatg tgaccgaccc agagaatgtc aagaggactg cccagtgggt	400
gaagaaccaa gttggggaga aaggtctctg gggctctgac aataatgctg	450
gtgttcccgg cgtgctggct cccactgact ggctgacact agaggactac	500
agagaacctt ttgaagtga cctgtttgga ctcattcagt tgacactaaa	550
tatgcttcct ttggtcaaga aagctcaagg gagagttatt aatgtctcca	600
gtgttgaggg tcgccttgca atcgttgagg ggggtctaac tccatccaaa	650
tatgcagtgg aagggttcaa tgacagctta agacgggaca tgaaagcttt	700
tggtgtgcac gtctcatgca ttgaaccagg attgttcaa acaaaacttg	750
cagatccagt aaaggtaatt gaaaaaaaac tcgccatttg ggagcagctg	800
tctccagaca tcaaacaaca atatggagaa gggtacattg aaaaaagtct	850
agacaaactg aaaggcaata aatcctatgt gaacatggac ctctctccgg	900
tggttagagt catggaccac gctctaacaa gtctcttccc taagactcat	950
tatgccgctg gaaaagatgc caaaattttc tggatacctc tgtctcacat	1000
gccagcagct ttgcaagact ttttattgtt gaaacagaaa gcagagctgg	1050
ctaattcccaa ggaggtgtga ctcagctaac cacaatgtc tcctccaggc	1100
tatgaaattg gccgatttca agaacacatc tccttttcaa cccatttcct	1150
tatctgtctc aacctggact cathtagatc gtgcttattt ggattgcaaa	1200
agggagtccc accatcgctg gtggtatccc agggctcctg ctcaagtttt	1250
ctttgaaaag gagggctgga atggtacatc acataggcaa gtcctgccct	1300
gtatttaggc tttgcctgct tgggtgtgat taagggaat tgaaagactt	1350
gcccattcaa aatgatcttt accgtggcct gcccattgct tatggtcccc	1400
agcattttaca gtaacttgtg aatgttaagt atcatctctt atctaaatat	1450
taaaagataa gtcaacccaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	1500
aaaaaaaaa	1508

-continued

<210> SEQ ID NO 20

<211> LENGTH: 319

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 20

Met Leu Phe Trp Val Leu Gly Leu Leu Ile Leu Cys Gly Phe Leu
1 5 10 15

Trp Thr Arg Lys Gly Lys Leu Lys Ile Glu Asp Ile Thr Asp Lys
20 25 30

Tyr Ile Phe Ile Thr Gly Cys Asp Ser Gly Phe Gly Asn Leu Ala
35 40 45

Ala Arg Thr Phe Asp Lys Lys Gly Phe His Val Ile Ala Ala Cys
50 55 60

Leu Thr Glu Ser Gly Ser Thr Ala Leu Lys Ala Glu Thr Ser Glu
65 70 75

Arg Leu Arg Thr Val Leu Leu Asp Val Thr Asp Pro Glu Asn Val
80 85 90

Lys Arg Thr Ala Gln Trp Val Lys Asn Gln Val Gly Glu Lys Gly
95 100 105

Leu Trp Gly Leu Ile Asn Asn Ala Gly Val Pro Gly Val Leu Ala
110 115 120

Pro Thr Asp Trp Leu Thr Leu Glu Asp Tyr Arg Glu Pro Ile Glu
125 130 135

Val Asn Leu Phe Gly Leu Ile Ser Val Thr Leu Asn Met Leu Pro
140 145 150

Leu Val Lys Lys Ala Gln Gly Arg Val Ile Asn Val Ser Ser Val
155 160 165

Gly Gly Arg Leu Ala Ile Val Gly Gly Gly Tyr Thr Pro Ser Lys
170 175 180

Tyr Ala Val Glu Gly Phe Asn Asp Ser Leu Arg Arg Asp Met Lys
185 190 195

Ala Phe Gly Val His Val Ser Cys Ile Glu Pro Gly Leu Phe Lys
200 205 210

Thr Asn Leu Ala Asp Pro Val Lys Val Ile Glu Lys Lys Leu Ala
215 220 225

Ile Trp Glu Gln Leu Ser Pro Asp Ile Lys Gln Gln Tyr Gly Glu
230 235 240

Gly Tyr Ile Glu Lys Ser Leu Asp Lys Leu Lys Gly Asn Lys Ser
245 250 255

Tyr Val Asn Met Asp Leu Ser Pro Val Val Glu Cys Met Asp His
260 265 270

Ala Leu Thr Ser Leu Phe Pro Lys Thr His Tyr Ala Ala Gly Lys
275 280 285

Asp Ala Lys Ile Phe Trp Ile Pro Leu Ser His Met Pro Ala Ala
290 295 300

Leu Gln Asp Phe Leu Leu Leu Lys Gln Lys Ala Glu Leu Ala Asn
305 310 315

Pro Lys Ala Val

<210> SEQ ID NO 21

<211> LENGTH: 1849

-continued

<212> TYPE: DNA

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 21

ctgaggcggc ggtagcatgg agggggagag tacgtcggcg gtgctctcgg	50
gctttgtgct cggcgcactc gctttccagc acctcaacac ggactcggac	100
acggaaggtt ttcttcttgg ggaagtaaaa ggtgaagcca agaacagcat	150
tactgattcc caaatggatg atgttgaagt tgtttatata attgacattc	200
agaaatatat tccatgctat cagcttttta gcttttataa ttcttcaggc	250
gaagtaaatg agcaagcact gaagaaaata ttatcaaatg tcaaaaagaa	300
tgtggtaggt tggtaacaaat tccgtcgtca ttcagatcag atcatgacgt	350
ttagagagag gctgcttcac aaaaacttgc aggagcattt ttcaaaccac	400
gacctgtgtt ttctgctatt aacaccaagt ataataacag aaagctgctc	450
tactcatcga ctggaacatt ccttatataa acctcaaaaa ggactttttc	500
acagggatcc tttagtgggt gccaatctgg gcatgtctga acaactgggt	550
tataaaactg tatcaggttc ctgtatgtcc actggtttta gccgagcagt	600
acaaacacac agctctaaat tttttgaaga agatggatcc ttaaaggagg	650
tacataagat aaatgaaatg tatgcttcat tacaagagga attaaagagt	700
atatgcaaaa aagtgaaga cagtgaaca gcagtagata aactagtaaa	750
ggatgtaaac agattaaaac gagaaattga gaaaaggaga ggagcacaga	800
ttcaggcagc aagagagaag aacatccaaa aagaccctca ggagaacatt	850
tttctttgtc aggcattacg gacctttttt ccaaattctg aatttcttca	900
ttcatgtgtt atgtctttaa aaaatagaca tgtttctaaa agtagctgta	950
actacaacca ccactctgat gtagtagaca atctgacctt aatggtagaa	1000
cacactgaca ttctgaagc tagtccagct agtacaccac aaatcattaa	1050
gcataaagcc ttagacttag atgacagatg gcaattcaag agatctcggg	1100
tgtagatata acaagacaaa cgaatctaaag caaatactgg tagtagtaac	1150
caagataaag catccaaaat gagcagccca gaaacagatg aagaaattga	1200
aaagatgaag ggttttggtg aatattcacg gtctcctaca ttttgatcct	1250
tttaacctta caaggagatt tttttatttg gctgatgggt aaagccaaac	1300
atttctattg tttttactat gttgagctac ttgcagtaag ttcatattgt	1350
tttactatgt tcacctgttt gcagtaatac acagataact cttagtgcac	1400
ttacttcaca aagtactttt tcaaacatca gatgctttta tttccaaacc	1450
tttttttcac ctttcactaa gttgttgagg ggaaggctta cacagacaca	1500
ttcttttagaa ttggaaggt gagaccagc acagtggctc acacctgtaa	1550
tcccagcact tagggaagac aagtcaggag gattgattga agctaggagt	1600
tagagaccag cctgggcaac gtattgagac catgtctatt aaaaaataaa	1650
atggaagagc aagaatagcc ttattttcaa aatatggaaa gaaatttata	1700
tgaaaattta tctgagtcac taaaattctc ctttaagtga acttttttag	1750
aagtacatta tggctagagt tgccagataa aatgctggat atcatgcaat	1800

-continued

aaatttgcaa aacatcatct aaaatttaaa aaaaaaaaaa aaaaaaaaaa

1849

<210> SEQ ID NO 22

<211> LENGTH: 409

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 22

Met	Glu	Gly	Glu	Ser	Thr	Ser	Ala	Val	Leu	Ser	Gly	Phe	Val	Leu
1				5					10					15
Gly	Ala	Leu	Ala	Phe	Gln	His	Leu	Asn	Thr	Asp	Ser	Asp	Thr	Glu
				20					25					30
Gly	Phe	Leu	Leu	Gly	Glu	Val	Lys	Gly	Glu	Ala	Lys	Asn	Ser	Ile
				35					40					45
Thr	Asp	Ser	Gln	Met	Asp	Asp	Val	Glu	Val	Val	Tyr	Thr	Ile	Asp
				50					55					60
Ile	Gln	Lys	Tyr	Ile	Pro	Cys	Tyr	Gln	Leu	Phe	Ser	Phe	Tyr	Asn
				65					70					75
Ser	Ser	Gly	Glu	Val	Asn	Glu	Gln	Ala	Leu	Lys	Lys	Ile	Leu	Ser
				80					85					90
Asn	Val	Lys	Lys	Asn	Val	Val	Gly	Trp	Tyr	Lys	Phe	Arg	Arg	His
				95					100					105
Ser	Asp	Gln	Ile	Met	Thr	Phe	Arg	Glu	Arg	Leu	Leu	His	Lys	Asn
				110					115					120
Leu	Gln	Glu	His	Phe	Ser	Asn	Gln	Asp	Leu	Val	Phe	Leu	Leu	Leu
				125					130					135
Thr	Pro	Ser	Ile	Ile	Thr	Glu	Ser	Cys	Ser	Thr	His	Arg	Leu	Glu
				140					145					150
His	Ser	Leu	Tyr	Lys	Pro	Gln	Lys	Gly	Leu	Phe	His	Arg	Val	Pro
				155					160					165
Leu	Val	Val	Ala	Asn	Leu	Gly	Met	Ser	Glu	Gln	Leu	Gly	Tyr	Lys
				170					175					180
Thr	Val	Ser	Gly	Ser	Cys	Met	Ser	Thr	Gly	Phe	Ser	Arg	Ala	Val
				185					190					195
Gln	Thr	His	Ser	Ser	Lys	Phe	Phe	Glu	Glu	Asp	Gly	Ser	Leu	Lys
				200					205					210
Glu	Val	His	Lys	Ile	Asn	Glu	Met	Tyr	Ala	Ser	Leu	Gln	Glu	Glu
				215					220					225
Leu	Lys	Ser	Ile	Cys	Lys	Lys	Val	Glu	Asp	Ser	Glu	Gln	Ala	Val
				230					235					240
Asp	Lys	Leu	Val	Lys	Asp	Val	Asn	Arg	Leu	Lys	Arg	Glu	Ile	Glu
				245					250					255
Lys	Arg	Arg	Gly	Ala	Gln	Ile	Gln	Ala	Ala	Arg	Glu	Lys	Asn	Ile
				260					265					270
Gln	Lys	Asp	Pro	Gln	Glu	Asn	Ile	Phe	Leu	Cys	Gln	Ala	Leu	Arg
				275					280					285
Thr	Phe	Phe	Pro	Asn	Ser	Glu	Phe	Leu	His	Ser	Cys	Val	Met	Ser
				290					295					300
Leu	Lys	Asn	Arg	His	Val	Ser	Lys	Ser	Ser	Cys	Asn	Tyr	Asn	His
				305					310					315
His	Leu	Asp	Val	Val	Asp	Asn	Leu	Thr	Leu	Met	Val	Glu	His	Thr
				320					325					330

-continued

Asp Ile Pro Glu Ala Ser Pro Ala Ser Thr Pro Gln Ile Ile Lys
335 340 345
His Lys Ala Leu Asp Leu Asp Asp Arg Trp Gln Phe Lys Arg Ser
350 355 360
Arg Leu Leu Asp Thr Gln Asp Lys Arg Ser Lys Ala Asn Thr Gly
365 370 375
Ser Ser Asn Gln Asp Lys Ala Ser Lys Met Ser Ser Pro Glu Thr
380 385 390
Asp Glu Glu Ile Glu Lys Met Lys Gly Phe Gly Glu Tyr Ser Arg
395 400 405
Ser Pro Thr Phe

<210> SEQ ID NO 23
<211> LENGTH: 2651
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 23

ggcacagccg cgcgggcgag ggcagagtca gccgagccga gtccagccgg 50
acgagcgggac cagcgccagg cagcccaagc agcgcgccagc gaacgcccgc 100
cgccgcccac accctctgcg gtcccgcgg cgctgccac cttccctcc 150
ttccccgcgt ccccgctcg ccggccagtc agcttgccgg gttcgctgcc 200
ccgcaaaacc ccgaggtcac cagcccgcg ctctgcttcc ctgggcccgcg 250
cgccgcctcc acgcccctct tctcccctgg cccggcgccct ggcaccgggg 300
accgttgccct gacgagaggc ccagctctac ttttcgcccc gcgtctcttc 350
cgctgtctcg cctcttccac caactccaac tcttctctcc tccagctcca 400
ctcgctagtc cccgactccg ccagccctcg gccgctgcc gtagcgccgc 450
ttcccgctcg gtcccaaagg tgggaacgcg tccgcccgg cccgcacccat 500
ggcaccggttc ggcttgcccg cgcttctctg caccctggca gtgctcagcg 550
ccgcgctgct ggctgccgag ctcaagtcga aaagtgtctc ggaagtgcga 600
cgtcttttacg tgtccaaagg cttcaacaag aacgatgccc ccctccacga 650
gatcaacgggt gatcatttga agatctgtcc ccagggttct acctgtgtgt 700
ctcaagagat ggaggagaag tacagcctgc aaagtaaaga tgatttcaa 750
agtgtgggtca gcgaacagtg caatcatttg caagctgtct ttgcttcacg 800
ttacaagaag tttgatgaat tcttcaaaga actacttgaa aatgcagaga 850
aatccctgaa tgatatgttt gtgaagacat atggccatth atacatgcaa 900
aattctgagc tatttaaaaga tctcttcgta gagttgaaac gttactacgt 950
gggtgggaaat gtgaacctgg aagaaatgct aaatgacttc tgggctcgcc 1000
tcctggagcg gatgttccgc ctgggtgaact ccagtagcca ctttacagat 1050
gagtatctgg aatgtgtgag caagtatacg gagcagctga agcccttcgg 1100
agatgtccct cgcaaattga agctccaggt tactcgtgct tttgtagcag 1150
cccgtacttt cgctcaaggc ttagcgggtg cgggagatgt cgtgagcaag 1200
gtctccgtgg taaacccac agccagtggt acccatgccc tgttgaagat 1250

-continued	
gatctactgc tccactgcc ggggtctcgt gactgtgaag ccatgttaca	1300
actactgctc aaacatcatg agaggtgtt tggccaacca aggggatctc	1350
gattttgaat ggaacaattt catagatgct atgctgatgg tggcagagag	1400
gctagagggg ctttcaaca ttgaatcggg catggatccc atcgatgtga	1450
agatttctga tgctattatg aacatgcagg ataatagtgt tcaagtgtct	1500
cagaaggttt tccagggatg tggaccccc aagcccctcc cagctggacg	1550
aatttctcgt tccatctctg aaagtgcctt cagtgtctcg ttcagaccac	1600
atcacccccg ggaacgcca accacagcag ctggcactag tttggaccga	1650
ctggttactg atgtcaagga gaaactgaaa caggccaaga aattctggtc	1700
ctcccttcog agcaacgttt gcaacgatga gaggatggct gcaggaaacg	1750
gcaatgagga tgactgttgg aatgggaaa gcaaaagcag gtacctgttt	1800
gcagtgcagc gaaatggatt agccaaccag ggcaacaacc cagaggtcca	1850
ggttgcaccc agcaaaccag acatactgat ccttcgtcaa atcatggctc	1900
ttcagtgatg gaccagcaag atgaagaatg catacaatgg gaacgcagtg	1950
gacttctttg atatcagtga tgaaagtagt ggagaaggaa gtggaagtgg	2000
ctgtgagtat cagcagtgcc cttcagagtt tgactacaat gccactgacc	2050
atgctgggaa gagtgccaat gagaaagccg acagtgtctg tgtccgtcct	2100
ggggcacagg cctacctcct cactgtcttc tgcactctgt tcttggttat	2150
gcagagagag tggagataat tctcaaactc tgagaaaaag tgttcatcaa	2200
aaagttaaaa ggcaccagtt atcacttttc taccatccta gtgactttgc	2250
tttttaaatg aatggacaac aatgtacagt ttttactatg tggccactgg	2300
tttaagaagt gctgactttg ttttctcatt cagttttggg aggaaaaggg	2350
actgtgcatt gagtgggtc ctgctcccc aaaccatgtt aaacgtggct	2400
aacagtgtag gtacagaact atagttagtt gtgcatttgt gattttatca	2450
ctctattatt tgtttgtatg ttttttctc atttcgtttg tgggtttttt	2500
tttccaactg tgatctcgcc ttgtttctta caagcaaacc agggtccttt	2550
cttggcacgt aacatgtacg tatttctgaa atattaaata gctgtacaga	2600
agcagggtttt atttatcatg ttatcttatt aaaagaaaa gcccaaaaag	2650
c	2651

<210> SEQ ID NO 24
<211> LENGTH: 556
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 24

Met Ala Arg Phe Gly Leu Pro Ala Leu Leu Cys Thr Leu Ala Val
1 5 10 15

Leu Ser Ala Ala Leu Leu Ala Ala Glu Leu Lys Ser Lys Ser Cys
20 25 30

Ser Glu Val Arg Arg Leu Tyr Val Ser Lys Gly Phe Asn Lys Asn
35 40 45

Asp Ala Pro Leu His Glu Ile Asn Gly Asp His Leu Lys Ile Cys

-continued

50					55					60				
Pro	Gln	Gly	Ser	Thr	Cys	Cys	Ser	Gln	Glu	Met	Glu	Glu	Lys	Tyr
				65					70					75
Ser	Leu	Gln	Ser	Lys	Asp	Asp	Phe	Lys	Ser	Val	Val	Ser	Glu	Gln
				80					85					90
Cys	Asn	His	Leu	Gln	Ala	Val	Phe	Ala	Ser	Arg	Tyr	Lys	Lys	Phe
				95					100					105
Asp	Glu	Phe	Phe	Lys	Glu	Leu	Leu	Glu	Asn	Ala	Glu	Lys	Ser	Leu
				110					115					120
Asn	Asp	Met	Phe	Val	Lys	Thr	Tyr	Gly	His	Leu	Tyr	Met	Gln	Asn
				125					130					135
Ser	Glu	Leu	Phe	Lys	Asp	Leu	Phe	Val	Glu	Leu	Lys	Arg	Tyr	Tyr
				140					145					150
Val	Val	Gly	Asn	Val	Asn	Leu	Glu	Glu	Met	Leu	Asn	Asp	Phe	Trp
				155					160					165
Ala	Arg	Leu	Leu	Glu	Arg	Met	Phe	Arg	Leu	Val	Asn	Ser	Gln	Tyr
				170					175					180
His	Phe	Thr	Asp	Glu	Tyr	Leu	Glu	Cys	Val	Ser	Lys	Tyr	Thr	Glu
				185					190					195
Gln	Leu	Lys	Pro	Phe	Gly	Asp	Val	Pro	Arg	Lys	Leu	Lys	Leu	Gln
				200					205					210
Val	Thr	Arg	Ala	Phe	Val	Ala	Ala	Arg	Thr	Phe	Ala	Gln	Gly	Leu
				215					220					225
Ala	Val	Ala	Gly	Asp	Val	Val	Ser	Lys	Val	Ser	Val	Val	Asn	Pro
				230					235					240
Thr	Ala	Gln	Cys	Thr	His	Ala	Leu	Leu	Lys	Met	Ile	Tyr	Cys	Ser
				245					250					255
His	Cys	Arg	Gly	Leu	Val	Thr	Val	Lys	Pro	Cys	Tyr	Asn	Tyr	Cys
				260					265					270
Ser	Asn	Ile	Met	Arg	Gly	Cys	Leu	Ala	Asn	Gln	Gly	Asp	Leu	Asp
				275					280					285
Phe	Glu	Trp	Asn	Asn	Phe	Ile	Asp	Ala	Met	Leu	Met	Val	Ala	Glu
				290					295					300
Arg	Leu	Glu	Gly	Pro	Phe	Asn	Ile	Glu	Ser	Val	Met	Asp	Pro	Ile
				305					310					315
Asp	Val	Lys	Ile	Ser	Asp	Ala	Ile	Met	Asn	Met	Gln	Asp	Asn	Ser
				320					325					330
Val	Gln	Val	Ser	Gln	Lys	Val	Phe	Gln	Gly	Cys	Gly	Pro	Pro	Lys
				335					340					345
Pro	Leu	Pro	Ala	Gly	Arg	Ile	Ser	Arg	Ser	Ile	Ser	Glu	Ser	Ala
				350					355					360
Phe	Ser	Ala	Arg	Phe	Arg	Pro	His	His	Pro	Glu	Glu	Arg	Pro	Thr
				365					370					375
Thr	Ala	Ala	Gly	Thr	Ser	Leu	Asp	Arg	Leu	Val	Thr	Asp	Val	Lys
				380					385					390
Glu	Lys	Leu	Lys	Gln	Ala	Lys	Lys	Phe	Trp	Ser	Ser	Leu	Pro	Ser
				395					400					405
Asn	Val	Cys	Asn	Asp	Glu	Arg	Met	Ala	Ala	Gly	Asn	Gly	Asn	Glu
				410					415					420
Asp	Asp	Cys	Trp	Asn	Gly	Lys	Gly	Lys	Ser	Arg	Tyr	Leu	Phe	Ala
				425					430					435

-continued

Val Thr Gly Asn Gly Leu Ala Asn Gln Gly Asn Asn Pro Glu Val	440	445	450
Gln Val Asp Thr Ser Lys Pro Asp Ile Leu Ile Leu Arg Gln Ile	455	460	465
Met Ala Leu Arg Val Met Thr Ser Lys Met Lys Asn Ala Tyr Asn	470	475	480
Gly Asn Asp Val Asp Phe Phe Asp Ile Ser Asp Glu Ser Ser Gly	485	490	495
Glu Gly Ser Gly Ser Gly Cys Glu Tyr Gln Gln Cys Pro Ser Glu	500	505	510
Phe Asp Tyr Asn Ala Thr Asp His Ala Gly Lys Ser Ala Asn Glu	515	520	525
Lys Ala Asp Ser Ala Gly Val Arg Pro Gly Ala Gln Ala Tyr Leu	530	535	540
Leu Thr Val Phe Cys Ile Leu Phe Leu Val Met Gln Arg Glu Trp	545	550	555

Arg

<210> SEQ ID NO 25
<211> LENGTH: 870
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 25

ctcgccctca aatgggaacg ctggcctggg actaaagcat agaccaccag	50
gctgagtatc ctgacctgag tcatccccag ggatcaggag cctccagcag	100
ggaaccttcc attatattct tcaagcaact tacagctgca ccgacagttg	150
cgatgaaagt tctaattctct tccctcctcc tgttgctgcc actaatgctg	200
atgtccatgg tctctagcag cctgaatcca ggggtcgcca gaggccacag	250
ggaccgaggc caggcttcta ggagatggct ccaggaaggc ggccaagaat	300
gtgagtgcaa agattggttc ctgagagccc cgagaagaaa attcatgaca	350
gtgtctgggc tgccaaagaa gcagtgcccc tgtgatcatt tcaagggcaa	400
tgtgaagaaa acaagacacc aaaggcacca cagaaagcca aacaagcatt	450
ccagagcctg ccagcaattt ctcaaacaat gtcagctaag aagctttgct	500
ctgcctttgt aggagctctg agcgcccact cttccaatta aacattctca	550
gccaagaaga cagtgagcac acctaccaga cactcttctt ctcccacctc	600
actctcccac tgtaccaccc cctaaatcat tccagtgtct tcaaaaagca	650
tgtttttcaa gatcattttg ttgtttgctc tctctagtgt cttcttctct	700
cgtcagtctt agcctgtgcc ctccccttac ccaggcttag gcttaattac	750
ctgaaagatt ccaggaaact gtagcttcct agctagtgtc atttaacctt	800
aaatgcaatc aggaaagtag caaacagaag tcaataaata tttttaaatg	850
tcaaaaaaaaa aaaaaaaaaa	870

<210> SEQ ID NO 26
<211> LENGTH: 119
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

-continued

<400> SEQUENCE: 26

Met	Lys	Val	Leu	Ile	Ser	Ser	Leu	Leu	Leu	Leu	Pro	Leu	Met	
1				5					10				15	
Leu	Met	Ser	Met	Val	Ser	Ser	Ser	Leu	Asn	Pro	Gly	Val	Ala	Arg
				20					25					30
Gly	His	Arg	Asp	Arg	Gly	Gln	Ala	Ser	Arg	Arg	Trp	Leu	Gln	Glu
				35					40					45
Gly	Gly	Gln	Glu	Cys	Glu	Cys	Lys	Asp	Trp	Phe	Leu	Arg	Ala	Pro
				50					55					60
Arg	Arg	Lys	Phe	Met	Thr	Val	Ser	Gly	Leu	Pro	Lys	Lys	Gln	Cys
				65					70					75
Pro	Cys	Asp	His	Phe	Lys	Gly	Asn	Val	Lys	Lys	Thr	Arg	His	Gln
				80					85					90
Arg	His	His	Arg	Lys	Pro	Asn	Lys	His	Ser	Arg	Ala	Cys	Gln	Gln
				95					100					105
Phe	Leu	Lys	Gln	Cys	Gln	Leu	Arg	Ser	Phe	Ala	Leu	Pro	Leu	
				110					115					

<210> SEQ ID NO 27
<211> LENGTH: 1371
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 27

ggacgccagc	gcctgcagag	gctgagcagg	gaaaaagcca	gtgccccagc	50
ggaagcacag	ctcagagctg	gtctgccatg	gacatcctgg	tcccactcct	100
gcagctgctg	gtgctgcttc	ttaccctgcc	cctgcacctc	atggctctgc	150
tggtgctgct	gcagcccctg	tgcaaaagct	acttccccta	cctgatggcc	200
gtgctgactc	ccaagagcaa	ccgcaagatg	gagagcaaga	aacgggagct	250
cttcagccag	ataaaggggc	ttacaggagc	ctccgggaaa	gtggccctac	300
tggaagctgg	ctgcggaacc	ggagccaact	ttcagttcta	cccaccgggc	350
tgcaagggtc	cctgcctaga	cccaaatccc	cactttgaga	agttcctgac	400
aaagagcatg	gctgagaaca	ggcacctcca	atatgagcgg	tttgtggtgg	450
ctcctggaga	ggacatgaga	cagctggctg	atggctccat	ggatgtggtg	500
gtctgcactc	tggtgctgtg	ctctgtgcag	agcccaagga	aggtcctgca	550
ggaggtccgg	agagtactga	gaccgggagg	tgtgctcttt	ttctggggagc	600
atgtggcaga	accatatgga	agctgggcct	tcatgtggca	gcaagttttc	650
gagcccacct	gaaacacat	tggggatggc	tgctgcctca	ccagagagac	700
ctggaaggat	cttgagaacg	cccagttctc	cgaatccaa	atggaacgac	750
agccccctcc	cttgaagtgg	ctacctgttg	ggccccacat	catgggaaag	800
gctgtcaaac	aatctttccc	aagctccaag	gcactcattt	gctccttccc	850
cagcctccaa	ttagaacaag	ccaccaccca	gcctatctat	cttccactga	900
gagggacct	gcagaatgag	agaagacatt	catgtaccac	ctactagtcc	950
ctctctcccc	aacctctgcc	agggcaatct	ctaactcaa	tcccgccttc	1000
gacagtga	aaagctctact	tctacgctga	cccagggagg	aaacactag	1050

-continued

```
accctgttgt atcctcaact gcaagtttct ggactagtct cccaacgttt      1100
gcctcccaat gttgtccctt tccttcgttc ccatggtaaa gtcctctctg      1150
ctttctctct gaggctacac ccatgcgtct ctaggaactg gtcacaaaag      1200
tcatggtgcc tgcacccctg ccaagccccc ctgaccctct ctccccacta      1250
ccaccttctt cctgagctgg gggcaccagg gagaatcaga gatgctgggg      1300
atgccagagc aagactcaaa gaggcagagg ttttgttctc aaatatTTTT      1350
taataaatag acgaaaccac g                                     1371
```

<210> SEQ ID NO 28

<211> LENGTH: 277

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 28

```
Met Asp Ile Leu Val Pro Leu Leu Gln Leu Leu Val Leu Leu Leu      1      5      10      15
Thr Leu Pro Leu His Leu Met Ala Leu Leu Gly Cys Trp Gln Pro      20      25      30
Leu Cys Lys Ser Tyr Phe Pro Tyr Leu Met Ala Val Leu Thr Pro      35      40      45
Lys Ser Asn Arg Lys Met Glu Ser Lys Lys Arg Glu Leu Phe Ser      50      55      60
Gln Ile Lys Gly Leu Thr Gly Ala Ser Gly Lys Val Ala Leu Leu      65      70      75
Glu Leu Gly Cys Gly Thr Gly Ala Asn Phe Gln Phe Tyr Pro Pro      80      85      90
Gly Cys Arg Val Thr Cys Leu Asp Pro Asn Pro His Phe Glu Lys      95      100      105
Phe Leu Thr Lys Ser Met Ala Glu Asn Arg His Leu Gln Tyr Glu      110      115      120
Arg Phe Val Val Ala Pro Gly Glu Asp Met Arg Gln Leu Ala Asp      125      130      135
Gly Ser Met Asp Val Val Val Cys Thr Leu Val Leu Cys Ser Val      140      145      150
Gln Ser Pro Arg Lys Val Leu Gln Glu Val Arg Arg Val Leu Arg      155      160      165
Pro Gly Gly Val Leu Phe Phe Trp Glu His Val Ala Glu Pro Tyr      170      175      180
Gly Ser Trp Ala Phe Met Trp Gln Gln Val Phe Glu Pro Thr Trp      185      190      195
Lys His Ile Gly Asp Gly Cys Cys Leu Thr Arg Glu Thr Trp Lys      200      205      210
Asp Leu Glu Asn Ala Gln Phe Ser Glu Ile Gln Met Glu Arg Gln      215      220      225
Pro Pro Pro Leu Lys Trp Leu Pro Val Gly Pro His Ile Met Gly      230      235      240
Lys Ala Val Lys Gln Ser Phe Pro Ser Ser Lys Ala Leu Ile Cys      245      250      255
Ser Phe Pro Ser Leu Gln Leu Glu Gln Ala Thr His Gln Pro Ile      260      265      270
```

-continued

Tyr Leu Pro Leu Arg Gly Thr
275

<210> SEQ ID NO 29
<211> LENGTH: 494
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 29
caatgtttgc ctatccacct cccccaagcc cctttaccta tgctgtgtgt 50
aacgctgctg ctgctgctgc tgctgtctaa aggctcatgc ttggagtggg 100
gactggtcgg tgcccagaaa gtctcttctg ccaactgacgc ccccatcagg 150
gattgggcct tctttccccc ttcctttctg tgtctcctgc ctcatcggcc 200
tgccatgacc tgcagccaag ccagcccccg tggggaaggg gagaaagtgg 250
gggatggcta agaaagctgg gagataggga acagaagagg gtagtgggtg 300
ggctaggggg gctgccttat ttaaagtggg tgtttatgat tcttatacta 350
atttatacaa agatattaag gccctgttca ttaagaaatt gttcccttcc 400
cctgtgttca atgtttgtaa agattgttct gtgtaaatat gtctttataa 450
taaacagtta aaagctgaaa aaaaaaaaaa aaaaaaaaaa aaaa 494

<210> SEQ ID NO 30
<211> LENGTH: 73
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 30
Met Leu Leu Leu Thr Leu Leu Leu Leu Leu Leu Lys Gly
1 5 10 15
Ser Cys Leu Glu Trp Gly Leu Val Gly Ala Gln Lys Val Ser Ser
20 25 30
Ala Thr Asp Ala Pro Ile Arg Asp Trp Ala Phe Phe Pro Pro Ser
35 40 45
Phe Leu Cys Leu Leu Pro His Arg Pro Ala Met Thr Cys Ser Gln
50 55 60
Ala Gln Pro Arg Gly Glu Gly Glu Lys Val Gly Asp Gly
65 70

<210> SEQ ID NO 31
<211> LENGTH: 1660
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 31
gtttgaattc cttcaactat acccacagtc caaagcaga ctactgtgt 50
cccaggctac cagttcctcc aagcaagtca tttcccttat ttaaccgatg 100
tgtccctcaa acacctgagt gctactccct atttgcattt gttttgataa 150
atgatgttga caccctccac cgaattctaa gtggaatcat gtcgggaaga 200
gatacaatcc ttggcctgtg tatcctcgca ttgccttgt ctttgccat 250
gatgtttacc ttcagattca tcaccacct tctgggtcac attttcattt 300
cattggttat tttgggattg ttgtttgtct gcggtgtttt atggtggctg 350

-continued

tattatgact ataccaacga cctcagcata gaattggaca cagaaagga	400
aaatatgaag tgcgtgctgg ggtttgctat cgtatccaca ggcatacagg	450
cagtgtctgt cgtcttgatt tttgttctca gaaagagaat aaaattgaca	500
gttgagcttt tccaaatcac aaataaagcc atcagcagtg ctcccttcct	550
gctgttccag ccactgtgga catttgccat cctcattttc ttctgggtcc	600
ttctgggtggc tgtgctgctg agcctgggaa ctgcaggagc tgcccagggt	650
atggaagcgg gccaaagtga atataagccc ctttcgggca ttcggtacat	700
gtggctgtac catttaattg gcctcatctg gactagtga ttcattcctg	750
cgtgccagca aatgactata gctggggcag tggttacttg ttatttcaac	800
agaagtaaaa atgatcctcc tgatcatccc atcctttcgt ctctctccat	850
ttctctcttc taccatcaag gaaccgttgt gaaaggtca tttttaatct	900
ctgtggtgag gattccgaga atcattgtca tgtacatgca aaacgcactg	950
aaagaacagc agcatggtgc attgtccagg tacctgttcc gatgctgcta	1000
ctgctgtttc tgggtgtctg acaaatacct gctccatctc aaccagaatg	1050
catatactac aactgctatt aatgggacag atttctgtac atcagcaaaa	1100
gatgcattca aaatcttgtc caagaactca agtcacttta catctattaa	1150
ctgctttgga gacttcataa tttttctagg aaagggttta gtggtgtgtt	1200
tcactgtttt tggaggactc atggctttta actacaatcg ggcatccag	1250
gtgtgggcag tccctctggt attggtagct tttttgcct acttagtagc	1300
ccatagtttt ttatctgtgt ttgaaactgt gctggatgca cttttcctgt	1350
gttttgcgtg tgatctggaa acaaatagat gatcgtcaga aaagccctac	1400
tttatggatc aagaatttct gagtttcgta aaaaggagca acaaattaaa	1450
caatgcaagg gcacagcagg acaagcactc attaaaggaat gaggagggaa	1500
cagaactcca ggccattgtg agatagatac ccatttaggt atctgtacct	1550
ggaaaacatt tccttctaag agccatttac agaatagaag atgagaccac	1600
tagagaaaaa ttagtgaatt tttttttaa agacctata aacctattc	1650
ttcctcaaaa	1660

<210> SEQ ID NO 32
<211> LENGTH: 445
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 32

Met Ser Gly Arg Asp Thr Ile Leu Gly Leu Cys Ile Leu Ala Leu	
1 5 10 15	
Ala Leu Ser Leu Ala Met Met Phe Thr Phe Arg Phe Ile Thr Thr	
20 25 30	
Leu Leu Val His Ile Phe Ile Ser Leu Val Ile Leu Gly Leu Leu	
35 40 45	
Phe Val Cys Gly Val Leu Trp Trp Leu Tyr Tyr Asp Tyr Thr Asn	
50 55 60	
Asp Leu Ser Ile Glu Leu Asp Thr Glu Arg Glu Asn Met Lys Cys	

-continued

65					70					75				
Val	Leu	Gly	Phe	Ala	Ile	Val	Ser	Thr	Gly	Ile	Thr	Ala	Val	Leu
				80					85					90
Leu	Val	Leu	Ile	Phe	Val	Leu	Arg	Lys	Arg	Ile	Lys	Leu	Thr	Val
				95					100					105
Glu	Leu	Phe	Gln	Ile	Thr	Asn	Lys	Ala	Ile	Ser	Ser	Ala	Pro	Phe
				110					115					120
Leu	Leu	Phe	Gln	Pro	Leu	Trp	Thr	Phe	Ala	Ile	Leu	Ile	Phe	Phe
				125					130					135
Trp	Val	Leu	Trp	Val	Ala	Val	Leu	Leu	Ser	Leu	Gly	Thr	Ala	Gly
				140					145					150
Ala	Ala	Gln	Val	Met	Glu	Gly	Gly	Gln	Val	Glu	Tyr	Lys	Pro	Leu
				155					160					165
Ser	Gly	Ile	Arg	Tyr	Met	Trp	Ser	Tyr	His	Leu	Ile	Gly	Leu	Ile
				170					175					180
Trp	Thr	Ser	Glu	Phe	Ile	Leu	Ala	Cys	Gln	Gln	Met	Thr	Ile	Ala
				185					190					195
Gly	Ala	Val	Val	Thr	Cys	Tyr	Phe	Asn	Arg	Ser	Lys	Asn	Asp	Pro
				200					205					210
Pro	Asp	His	Pro	Ile	Leu	Ser	Ser	Leu	Ser	Ile	Leu	Phe	Phe	Tyr
				215					220					225
His	Gln	Gly	Thr	Val	Val	Lys	Gly	Ser	Phe	Leu	Ile	Ser	Val	Val
				230					235					240
Arg	Ile	Pro	Arg	Ile	Ile	Val	Met	Tyr	Met	Gln	Asn	Ala	Leu	Lys
				245					250					255
Glu	Gln	Gln	His	Gly	Ala	Leu	Ser	Arg	Tyr	Leu	Phe	Arg	Cys	Cys
				260					265					270
Tyr	Cys	Cys	Phe	Trp	Cys	Leu	Asp	Lys	Tyr	Leu	Leu	His	Leu	Asn
				275					280					285
Gln	Asn	Ala	Tyr	Thr	Thr	Thr	Ala	Ile	Asn	Gly	Thr	Asp	Phe	Cys
				290					295					300
Thr	Ser	Ala	Lys	Asp	Ala	Phe	Lys	Ile	Leu	Ser	Lys	Asn	Ser	Ser
				305					310					315
His	Phe	Thr	Ser	Ile	Asn	Cys	Phe	Gly	Asp	Phe	Ile	Ile	Phe	Leu
				320					325					330
Gly	Lys	Val	Leu	Val	Val	Cys	Phe	Thr	Val	Phe	Gly	Gly	Leu	Met
				335					340					345
Ala	Phe	Asn	Tyr	Asn	Arg	Ala	Phe	Gln	Val	Trp	Ala	Val	Pro	Leu
				350					355					360
Leu	Leu	Val	Ala	Phe	Phe	Ala	Tyr	Leu	Val	Ala	His	Ser	Phe	Leu
				365					370					375
Ser	Val	Phe	Glu	Thr	Val	Leu	Asp	Ala	Leu	Phe	Leu	Cys	Phe	Ala
				380					385					390
Val	Asp	Leu	Glu	Thr	Asn	Asp	Gly	Ser	Ser	Glu	Lys	Pro	Tyr	Phe
				395					400					405
Met	Asp	Gln	Glu	Phe	Leu	Ser	Phe	Val	Lys	Arg	Ser	Asn	Lys	Leu
				410					415					420
Asn	Asn	Ala	Arg	Ala	Gln	Gln	Asp	Lys	His	Ser	Leu	Arg	Asn	Glu
				425					430					435
Glu	Gly	Thr	Glu	Leu	Gln	Ala	Ile	Val	Arg					
				440					445					

-continued

<210> SEQ ID NO 33

<211> LENGTH: 2773

<212> TYPE: DNA

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 33

gttcgattag ctctcttgag aagaagagaa aaggttcttg gacctctccc	50
tgtttcttcc ttagaataat ttgtatggga tttgtgatgc aggaaagcct	100
aagggaaaaa gaatattcat tctgtgtggt gaaaattttt tgaaaaaaa	150
attgccttct tcaaacaagg gtgtcattct gatatttatg aggactgttg	200
ttctcactat gaaggcatct gttattgaaa tgttccttgt tttgctggtg	250
actggagtag attcaaaca aaaaacggca aagaagatta aaaggcccaa	300
gttcactgtg cctcagatca actgcgatgt caaagccgga aagatcatcg	350
atcctgagtt cattgtgaaa tgtccagcag gatgccaaga ccccaaatac	400
catgtttatg gactgacgt gtatgcatcc tactccagtg tgtgtggcgc	450
tgccgtacac agtggtgtgc ttgataattc aggagggaaa atacttgttc	500
ggaaggttgc tggacagtct ggttacaaag ggagttattc caacggtgtc	550
caatcgttat ccctaccacg atggagagaa tcctttatcg tcttagaaa	600
taaacccaaa aagggtgtaa cctaccatc agctcttaca tactcatcat	650
cgaaaagtcc agctgcccaa gcaggtgaga ccacaaaagc ctatcagagg	700
ccacctattc cagggacaac tgcacagcgg gtcactctga tgcagcttct	750
ggctgtcact gtagctgtgg ccacccccac caccttgcca aggcacatcc	800
cttctgtctg ttctaccacc agcatcccca gaccacaatc agtgggccac	850
aggagccagg agatggatct ctggtccact gccacctaca caagcagcca	900
aaacaggccc agagctgac caggatatcca aaggcaagat ccttcaggag	950
ctgccttcca gaaacctgtt ggagcggatg tcagcctggg acttgttcca	1000
aaagaagaat tgagcacaca gtctttggag ccagtatccc tgggagatcc	1050
aaactgcaa attgacttgt cgtttttaat tgatgggagc accagcattg	1100
gcaaacggcg attccgaatc cagaagcagc tcctggctga tgttgcccaa	1150
gctcttgaca ttggccctgc cggtcactg atgggtgttg tccagtatgg	1200
agacaacctt gctactcact ttaacctcaa gacacacacg aattctcgag	1250
atctgaagac agccatagag aaaattactc agagaggagg actttcta	1300
gtaggtcggg ccatctcctt tgtgaccaag aacttctttt ccaaagccaa	1350
tggaaacaga agcggggctc ccaatgtggt ggtggtgatg gtggatggct	1400
ggccacgga caaagtggag gaggcttcaa gacttgcgag agagtcagga	1450
atcaacattt tcttcacac cattgaaggt gctgctgaaa atgagaagca	1500
gtatgtgttg gagcccaact ttgcaacaa ggccgtgtgc agaacaacg	1550
gcttctactc gctccacgtg cagagctggt ttggcctcca caagacctg	1600
cagcctctgg tgaagcgggt ctgcgacact gaccgctgg cctgcagcaa	1650
gacctgcttg aactcggctg acattggctt cgtcatcgac ggctccagca	1700

-continued

```
gtgtggggac gggcaacttc cgcaccgtcc tccagtttgt gaccaacctc      1750
accaaaagagt ttgagatttc cgacacggac acgcgcatcg gggccgtgca      1800
gtacacctac gaacagcggc tggagtttgg gttcgacaag tacagcagca      1850
agcctgacat cctcaacgcc atcaagaggg tgggctactg gagtgtgggc      1900
accagcacgg gggctgccat caacttcgcc ctggagcagc tcttcaagaa      1950
gtccaagccc aacaagagga agttaatgat cctcatcacc gacgggaggt      2000
cctacgacga cgtccggatc ccagccatgg ctgcccatct gaagggagtg      2050
atcacctatg cgataggcgt tgcttgggct gcccaagagg agctagaagt      2100
cattgccact caccocgcca gagaccactc cttctttgtg gacgagtttg      2150
acaacctcca tcagtatgtc ccaggatca tccagaacat ttgtacagag      2200
ttcaactcac agcctcggaa ctgaattcag agcaggcaga gcaccagcaa      2250
gtgctgcttt actaactgac gtgttggaac accccaccgc ttaatggggc      2300
acgcacggtg catcaagtct tgggcagggc atggagaaac aaatgtcttg      2350
ttattattct ttgccatcat gctttttcat attccaaaac ttggagttac      2400
aaagatgata acaaactgat agaattgagcc aaaaggctac atcatgttga      2450
gggtgctgga gattttacat ttgacaatt gttttcaaaa taaatgttcg      2500
gaatacagtg cagcccttac gacaggctta cgtagagcct ttgtgagatt      2550
ttaaagttgt tatttctgat ttgaactctg taaccctcag caagtttcat      2600
ttttgtcatg acaatgtagg aattgctgaa ttaaatgttt agaaggatga      2650
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa      2700
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa      2750
aaaaaaaaaa aaaaaaaaaa aag                                     2773
```

<210> SEQ ID NO 34

<211> LENGTH: 678

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 34

```
Met Arg Thr Val Val Leu Thr Met Lys Ala Ser Val Ile Glu Met
 1             5             10            15
Phe Leu Val Leu Leu Val Thr Gly Val His Ser Asn Lys Glu Thr
          20             25            30
Ala Lys Lys Ile Lys Arg Pro Lys Phe Thr Val Pro Gln Ile Asn
          35             40            45
Cys Asp Val Lys Ala Gly Lys Ile Ile Asp Pro Glu Phe Ile Val
          50             55            60
Lys Cys Pro Ala Gly Cys Gln Asp Pro Lys Tyr His Val Tyr Gly
          65             70            75
Thr Asp Val Tyr Ala Ser Tyr Ser Ser Val Cys Gly Ala Ala Val
          80             85            90
His Ser Gly Val Leu Asp Asn Ser Gly Gly Lys Ile Leu Val Arg
          95            100           105
Lys Val Ala Gly Gln Ser Gly Tyr Lys Gly Ser Tyr Ser Asn Gly
          110           115           120
```

-continued

Val	Gln	Ser	Leu	Ser	Leu	Pro	Arg	Trp	Arg	Glu	Ser	Phe	Ile	Val	
			125						130					135	
Leu	Glu	Ser	Lys	Pro	Lys	Lys	Gly	Val	Thr	Tyr	Pro	Ser	Ala	Leu	
			140						145					150	
Thr	Tyr	Ser	Ser	Ser	Lys	Ser	Pro	Ala	Ala	Gln	Ala	Gly	Glu	Thr	
			155						160					165	
Thr	Lys	Ala	Tyr	Gln	Arg	Pro	Pro	Ile	Pro	Gly	Thr	Thr	Ala	Gln	
			170						175					180	
Pro	Val	Thr	Leu	Met	Gln	Leu	Leu	Ala	Val	Thr	Val	Ala	Val	Ala	
			185						190					195	
Thr	Pro	Thr	Thr	Leu	Pro	Arg	Pro	Ser	Pro	Ser	Ala	Ala	Ser	Thr	
			200						205					210	
Thr	Ser	Ile	Pro	Arg	Pro	Gln	Ser	Val	Gly	His	Arg	Ser	Gln	Glu	
			215						220					225	
Met	Asp	Leu	Trp	Ser	Thr	Ala	Thr	Tyr	Thr	Ser	Ser	Gln	Asn	Arg	
			230						235					240	
Pro	Arg	Ala	Asp	Pro	Gly	Ile	Gln	Arg	Gln	Asp	Pro	Ser	Gly	Ala	
			245						250					255	
Ala	Phe	Gln	Lys	Pro	Val	Gly	Ala	Asp	Val	Ser	Leu	Gly	Leu	Val	
			260						265					270	
Pro	Lys	Glu	Glu	Leu	Ser	Thr	Gln	Ser	Leu	Glu	Pro	Val	Ser	Leu	
			275						280					285	
Gly	Asp	Pro	Asn	Cys	Lys	Ile	Asp	Leu	Ser	Phe	Leu	Ile	Asp	Gly	
			290						295					300	
Ser	Thr	Ser	Ile	Gly	Lys	Arg	Arg	Phe	Arg	Ile	Gln	Lys	Gln	Leu	
			305						310					315	
Leu	Ala	Asp	Val	Ala	Gln	Ala	Leu	Asp	Ile	Gly	Pro	Ala	Gly	Pro	
			320						325					330	
Leu	Met	Gly	Val	Val	Gln	Tyr	Gly	Asp	Asn	Pro	Ala	Thr	His	Phe	
			335						340					345	
Asn	Leu	Lys	Thr	His	Thr	Asn	Ser	Arg	Asp	Leu	Lys	Thr	Ala	Ile	
			350						355					360	
Glu	Lys	Ile	Thr	Gln	Arg	Gly	Gly	Leu	Ser	Asn	Val	Gly	Arg	Ala	
			365						370					375	
Ile	Ser	Phe	Val	Thr	Lys	Asn	Phe	Phe	Ser	Lys	Ala	Asn	Gly	Asn	
			380						385					390	
Arg	Ser	Gly	Ala	Pro	Asn	Val	Val	Val	Val	Met	Val	Asp	Gly	Trp	
			395						400					405	
Pro	Thr	Asp	Lys	Val	Glu	Glu	Ala	Ser	Arg	Leu	Ala	Arg	Glu	Ser	
			410						415					420	
Gly	Ile	Asn	Ile	Phe	Phe	Ile	Thr	Ile	Glu	Gly	Ala	Ala	Glu	Asn	
			425						430					435	
Glu	Lys	Gln	Tyr	Val	Val	Glu	Pro	Asn	Phe	Ala	Asn	Lys	Ala	Val	
			440						445					450	
Cys	Arg	Thr	Asn	Gly	Phe	Tyr	Ser	Leu	His	Val	Gln	Ser	Trp	Phe	
			455						460					465	
Gly	Leu	His	Lys	Thr	Leu	Gln	Pro	Leu	Val	Lys	Arg	Val	Cys	Asp	
			470						475					480	
Thr	Asp	Arg	Leu	Ala	Cys	Ser	Lys	Thr	Cys	Leu	Asn	Ser	Ala	Asp	
			485						490					495	

-continued

Ile	Gly	Phe	Val	Ile	Asp	Gly	Ser	Ser	Ser	Val	Gly	Thr	Gly	Asn	
				500					505					510	
Phe	Arg	Thr	Val	Leu	Gln	Phe	Val	Thr	Asn	Leu	Thr	Lys	Glu	Phe	
				515					520					525	
Glu	Ile	Ser	Asp	Thr	Asp	Thr	Arg	Ile	Gly	Ala	Val	Gln	Tyr	Thr	
				530					535					540	
Tyr	Glu	Gln	Arg	Leu	Glu	Phe	Gly	Phe	Asp	Lys	Tyr	Ser	Ser	Lys	
				545					550					555	
Pro	Asp	Ile	Leu	Asn	Ala	Ile	Lys	Arg	Val	Gly	Tyr	Trp	Ser	Gly	
				560					565					570	
Gly	Thr	Ser	Thr	Gly	Ala	Ala	Ile	Asn	Phe	Ala	Leu	Glu	Gln	Leu	
				575					580					585	
Phe	Lys	Lys	Ser	Lys	Pro	Asn	Lys	Arg	Lys	Leu	Met	Ile	Leu	Ile	
				590					595					600	
Thr	Asp	Gly	Arg	Ser	Tyr	Asp	Asp	Val	Arg	Ile	Pro	Ala	Met	Ala	
				605					610					615	
Ala	His	Leu	Lys	Gly	Val	Ile	Thr	Tyr	Ala	Ile	Gly	Val	Ala	Trp	
				620					625					630	
Ala	Ala	Gln	Glu	Glu	Leu	Glu	Val	Ile	Ala	Thr	His	Pro	Ala	Arg	
				635					640					645	
Asp	His	Ser	Phe	Phe	Val	Asp	Glu	Phe	Asp	Asn	Leu	His	Gln	Tyr	
				650					655					660	
Val	Pro	Arg	Ile	Ile	Gln	Asn	Ile	Cys	Thr	Glu	Phe	Asn	Ser	Gln	
				665					670					675	
Pro	Arg	Asn													

<210> SEQ ID NO 35
<211> LENGTH: 2095
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 35

ccgagcacag gagattgcct gcgtttagga ggtggctgcg ttgtgggaaa	50
agctatcaag gaagaaattg ccaaaccatg tctttttttc tgttttcaga	100
gtagttcaca acagatctga gtgttttaat taagcatgga atacagaaaa	150
caacaaaaaa cttaagcttt aatttcacat ggaattccac agttttctta	200
gtcccttgga cccggttgac ctgttggtctc ttcccgctgg ctgctctatc	250
acgtgggtgct ctccgactac tcaccccgag tgtaaagaac cttcggtctg	300
cggtgcttctg agctgctgtg gatggcctcg gctctctgga ctgtccttcc	350
gagtaggatg tcaactgagat ccctcaaatg gagcctcctg ctgctgtcac	400
tcctgagttt ctttgtgatg tggtaacctca gccttcccca ctacaatgtg	450
atagaacgcg tgaactggat gtacttctat gagtatgagc cgatttacag	500
acaagacttt cacttcacac ttcgagagca ttcaaactgc tctcatcaaa	550
atccattttct ggtcattctg gtgacctccc acccttcaga tgtgaaagcc	600
aggcaggcca ttagagttac ttggggtgaa aaaaagtctt ggtggggata	650
tgaggttctt acatttttct tattaggcca agaggctgaa aaggaagaca	700
aatgttggc attgtcctta gaggatgaac accttcttta tggtgacata	750

-continued

atccgacaag attttttaga cacatataat aacctgacct tgaaaacccat	800
tatggcattc aggtgggtaa ctgagttttg cccaatgcc aagtacgtaa	850
tgaagacaga cactgatgtt ttcacataa ctggcaattt agtgaagtat	900
cttttaaacc taaaccactc agagaagttt ttcacaggtt atcctcta	950
tgataattat tcctatagag gattttacca aaaaacccat atttcttacc	1000
aggagtatcc tttcaagggt ttcctcccat actgcagtgg gttgggttat	1050
ataatgtcca gagatttggg gccaaaggatc tatgaaatga tgggtcacgt	1100
aaaaccatc aagtttgaag atgtttatgt cgggatctgt ttgaatttat	1150
taaaagtga cattcatatt ccagaagaca caaatctttt ctttctatat	1200
agaatccatt tggatgtctg tcaactgaga cgtgtgattg cagcccatgg	1250
cttttcttcc aaggagatca tcactttttg gcaggatcatg ctaaggaaca	1300
ccacatgcc ttattaacct cacattctac aaaaagccta gaaggacagg	1350
ataccttgtg gaaagtgtta aataaagtag gtactgtgga aaattcatgg	1400
ggaggtcagt gtgctggcct acactgaact gaaactcatg aaaaaccag	1450
actggagact ggagggttac acttgtgatt tattagtcag gcccttcaaa	1500
gatgatattg ggaggaatta aatataaagg aattggaggt tttgtctaaa	1550
gaaattaata ggaccaaaca atttgacat gtcattctgt agactagaat	1600
ttcttaaaag ggtgttactg agttataagc tcactaggct gtaaaaacaa	1650
aacaatgtag agttttatct attgaacaat gtatgcactt gaaggttttg	1700
tgtatatctt atgtggatta ccaatttaaa aatatatgta gttctgtgtc	1750
aaaaaacttc ttcactgaag ttatactgaa caaaatttta cctgtttttg	1800
gtcatttata aagtacttca agatgttgca gtatttcaca gttattatta	1850
tttaaaatta cttcaacttt gtgtttttta atgttttgac gatttcaata	1900
caagataaaa aggatagtga atcattcttt acatgcaaac attttccagt	1950
tacttaactg atcagtttat tattgatata tcaactccatt aatgtaaagt	2000
cataggcat tattgcatat cagtaatctc ttggactttg ttaaatattt	2050
tactgtggta atatagagaa gaattaaagc aagaaaatct gaaaa	2095

<210> SEQ ID NO 36

<211> LENGTH: 331

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 36

Met	Ala	Ser	Ala	Leu	Trp	Thr	Val	Leu	Pro	Ser	Arg	Met	Ser	Leu
1				5					10					15
Arg	Ser	Leu	Lys	Trp	Ser	Leu	Leu	Leu	Leu	Ser	Leu	Leu	Ser	Phe
			20						25					30
Phe	Val	Met	Trp	Tyr	Leu	Ser	Leu	Pro	His	Tyr	Asn	Val	Ile	Glu
			35						40					45
Arg	Val	Asn	Trp	Met	Tyr	Phe	Tyr	Glu	Tyr	Glu	Pro	Ile	Tyr	Arg
			50						55					60
Gln	Asp	Phe	His	Phe	Thr	Leu	Arg	Glu	His	Ser	Asn	Cys	Ser	His
			65						70					75

-continued

Gln Asn Pro Phe Leu Val Ile Leu Val Thr Ser His Pro Ser Asp
80 85 90
Val Lys Ala Arg Gln Ala Ile Arg Val Thr Trp Gly Glu Lys Lys
95 100 105
Ser Trp Trp Gly Tyr Glu Val Leu Thr Phe Phe Leu Leu Gly Gln
110 115 120
Glu Ala Glu Lys Glu Asp Lys Met Leu Ala Leu Ser Leu Glu Asp
125 130 135
Glu His Leu Leu Tyr Gly Asp Ile Ile Arg Gln Asp Phe Leu Asp
140 145 150
Thr Tyr Asn Asn Leu Thr Leu Lys Thr Ile Met Ala Phe Arg Trp
155 160 165
Val Thr Glu Phe Cys Pro Asn Ala Lys Tyr Val Met Lys Thr Asp
170 175 180
Thr Asp Val Phe Ile Asn Thr Gly Asn Leu Val Lys Tyr Leu Leu
185 190 195
Asn Leu Asn His Ser Glu Lys Phe Phe Thr Gly Tyr Pro Leu Ile
200 205 210
Asp Asn Tyr Ser Tyr Arg Gly Phe Tyr Gln Lys Thr His Ile Ser
215 220 225
Tyr Gln Glu Tyr Pro Phe Lys Val Phe Pro Pro Tyr Cys Ser Gly
230 235 240
Leu Gly Tyr Ile Met Ser Arg Asp Leu Val Pro Arg Ile Tyr Glu
245 250 255
Met Met Gly His Val Lys Pro Ile Lys Phe Glu Asp Val Tyr Val
260 265 270
Gly Ile Cys Leu Asn Leu Leu Lys Val Asn Ile His Ile Pro Glu
275 280 285
Asp Thr Asn Leu Phe Phe Leu Tyr Arg Ile His Leu Asp Val Cys
290 295 300
Gln Leu Arg Arg Val Ile Ala Ala His Gly Phe Ser Ser Lys Glu
305 310 315
Ile Ile Thr Phe Trp Gln Val Met Leu Arg Asn Thr Thr Cys His
320 325 330

Tyr

<210> SEQ ID NO 37
<211> LENGTH: 2846
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 37

cgctcgggca ccagccgcgg caaggatgga gctgggttgc tggacgcagt 50
tgggggtcac ttttcttcag ctcttctca tctcgtcctt gccaagagag 100
tacacagtca ttaatgaagc ctgccctgga gcagagtgga atatcatgtg 150
tcgggagtcg tgtgaatatg atcagattga gtgcgtctgc cccggaaaga 200
gggaagtcgt gggttatacc atcccttgct gcaggaatga ggagaatgag 250
tgtgactcct gcctgatcca ccaggttgt accatctttg aaaactgcaa 300
gagctgccga aatggctcat ggggggttac cttggatgac ttctatgtga 350

-continued

aggggttcta	ctgtgcagag	tgccgagcag	gctggtacgg	aggagactgc	400
atgcgatgtg	gccaggttct	gcgagcccca	aagggtcaga	ttttgttgga	450
aagctatccc	ctaaatgctc	actgtgaatg	gaccattcat	gctaaacctg	500
ggtttgtcat	ccaactaaga	tttgtcatgt	tgagtctgga	gtttgactac	550
atgtgccagt	atgactatgt	tgaggttcgt	gatggagaca	accgcgatgg	600
ccagatcatc	aagcgtgtct	gtggcaacga	gcggccagct	cctatccaga	650
gcataaggatc	ctcactccac	gtcctcttcc	actccgatgg	ctccaagaat	700
tttgacgggt	tccatgccat	ttatgaggag	atcacagcat	gctcctcatc	750
cccttgtttc	catgacggca	cgtgcgtcct	tgacaaggct	ggatcttaca	800
agtgtgcctg	cttggcaggc	tatactgggc	agcgtgtga	aaatctcctt	850
gaagaaagaa	actgctcaga	ccctgggggc	ccagtcaatg	ggtaccagaa	900
aataacaggg	ggccctgggc	ttatcaacgg	acgccatgct	aaaattggca	950
ccgtggtgtc	tttcttttgt	aacaactcct	atgttcttag	tggaatgag	1000
aaaagaactt	gccagcagaa	tgagagtggt	tcagggaaac	agcccatctg	1050
cataaaagcc	tgccgagaac	caaagatttc	agacctggtg	agaaggagag	1100
ttcttccgat	gcaggttcag	tcaagggaga	caccattaca	ccagctatac	1150
tcagcgccct	tcagcaagca	gaaactgcag	agtcccccta	ccaagaagcc	1200
agcccttccc	tttgagatc	tgcccatggg	ataccaacat	ctgcataccc	1250
agctccagta	tgagtgcata	tcacccttct	accgccgcct	gggcagcagc	1300
aggaggacat	gtctgaggac	tggaagtggg	agtgggcggg	caccatcctg	1350
catccctatc	tgcgggaaaa	ttgagaacat	cactgctcca	aagacccaag	1400
ggttgcgctg	gccgtggcag	gcagccatct	acaggaggac	cagcggggtg	1450
catgacggca	gcctacacaa	gggagcgtgg	ttcctagtct	gcagcgggtg	1500
cctggtgaat	gagcgcactg	tggtgggtgg	tgcccactgt	gttactgacc	1550
tggggaaggt	caccatgata	aagacagcag	acctgaaagt	tgttttgggg	1600
aaattctacc	gggatgatga	ccgggatgag	aagaccatcc	agagcctaca	1650
gatttctgct	atcattctgc	atcccaacta	tgaccccatc	ctgcttgatg	1700
ctgacatcgc	catcctgaag	ctcctagaca	aggcccgat	cagcaccgca	1750
gtccagccca	tctgcctcgc	tgccagtcgg	gatctcagca	cttccttcca	1800
ggagtcccac	atcactgtgg	ctggctggaa	tgtcctggca	gacgtgagga	1850
gccctggctt	caagaacgac	acactgcgct	ctggggtggg	cagtgtgggt	1900
gactcgctgc	tgtgtgagga	gcagcatgag	gaccatggca	tcccagtga	1950
tgtcactgat	aacatgttct	gtgccagctg	ggaaccact	gccccctctg	2000
atatctgcac	tgacagagca	ggaggcatcg	cggctgtgtc	cttcccggga	2050
cgagcatctc	ctgagccacg	ctggcatctg	atgggactgg	tcagctggag	2100
ctatgataaa	acatgcagcc	acaggctctc	cactgccttc	accaaggtgc	2150
tgcccttttaa	agactggatt	gaaagaaata	tgaatgaac	catgctcatg	2200
cactccttga	gaagtgtttc	tgtatatccg	tctgtacgtg	tgtcattgcg	2250

-continued

tgaagcagtg tgggcctgaa gtgtgatttg gctgtgaac ttggctgtgc	2300
cagggttctt gacttcaggg acaaaactca gtgaagggtg agtagacctc	2350
cattgctggt aggctgatgc cgcgtccact actaggacag ccaattggaa	2400
gatgccaggg cttgcaagaa gtaagtittct tcaaagaaga ccatatacaa	2450
aacctctcca ctccactgac ctggtgggtct tccccaactt tcagttatac	2500
gaatgccatc agcttgacca gggaagatct gggcttcatg aggccccttt	2550
tgaggtcttc aagtcttaga gagctgcctg tgggacagcc cagggcagca	2600
gagctgggat gtggtgcatg cttttgtgta catggccaca gtacagtctg	2650
gtccttttcc ttccccatct cttgtacaca ttttaataaa ataagggttg	2700
gcttctgaac tacaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	2750
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	2800
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa	2846

<210> SEQ ID NO 38

<211> LENGTH: 720

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 38

Met	Glu	Leu	Gly	Cys	Trp	Thr	Gln	Leu	Gly	Leu	Thr	Phe	Leu	Gln
1				5					10					15
Leu	Leu	Leu	Ile	Ser	Ser	Leu	Pro	Arg	Glu	Tyr	Thr	Val	Ile	Asn
				20					25					30
Glu	Ala	Cys	Pro	Gly	Ala	Glu	Trp	Asn	Ile	Met	Cys	Arg	Glu	Cys
				35					40					45
Cys	Glu	Tyr	Asp	Gln	Ile	Glu	Cys	Val	Cys	Pro	Gly	Lys	Arg	Glu
				50					55					60
Val	Val	Gly	Tyr	Thr	Ile	Pro	Cys	Cys	Arg	Asn	Glu	Glu	Asn	Glu
				65					70					75
Cys	Asp	Ser	Cys	Leu	Ile	His	Pro	Gly	Cys	Thr	Ile	Phe	Glu	Asn
				80					85					90
Cys	Lys	Ser	Cys	Arg	Asn	Gly	Ser	Trp	Gly	Gly	Thr	Leu	Asp	Asp
				95					100					105
Phe	Tyr	Val	Lys	Gly	Phe	Tyr	Cys	Ala	Glu	Cys	Arg	Ala	Gly	Trp
				110					115					120
Tyr	Gly	Gly	Asp	Cys	Met	Arg	Cys	Gly	Gln	Val	Leu	Arg	Ala	Pro
				125					130					135
Lys	Gly	Gln	Ile	Leu	Leu	Glu	Ser	Tyr	Pro	Leu	Asn	Ala	His	Cys
				140					145					150
Glu	Trp	Thr	Ile	His	Ala	Lys	Pro	Gly	Phe	Val	Ile	Gln	Leu	Arg
				155					160					165
Phe	Val	Met	Leu	Ser	Leu	Glu	Phe	Asp	Tyr	Met	Cys	Gln	Tyr	Asp
				170					175					180
Tyr	Val	Glu	Val	Arg	Asp	Gly	Asp	Asn	Arg	Asp	Gly	Gln	Ile	Ile
				185					190					195
Lys	Arg	Val	Cys	Gly	Asn	Glu	Arg	Pro	Ala	Pro	Ile	Gln	Ser	Ile
				200					205					210
Gly	Ser	Ser	Leu	His	Val	Leu	Phe	His	Ser	Asp	Gly	Ser	Lys	Asn
				215					220					225

-continued

Phe Asp Gly Phe His Ala Ile Tyr Glu	Glu Ile Thr Ala Cys Ser
230	235 240
Ser Ser Pro Cys Phe His Asp Gly Thr	Cys Val Leu Asp Lys Ala
245	250 255
Gly Ser Tyr Lys Cys Ala Cys Leu Ala	Gly Tyr Thr Gly Gln Arg
260	265 270
Cys Glu Asn Leu Leu Glu Glu Arg Asn	Cys Ser Asp Pro Gly Gly
275	280 285
Pro Val Asn Gly Tyr Gln Lys Ile Thr	Gly Gly Pro Gly Leu Ile
290	295 300
Asn Gly Arg His Ala Lys Ile Gly Thr	Val Val Ser Phe Phe Cys
305	310 315
Asn Asn Ser Tyr Val Leu Ser Gly Asn	Glu Lys Arg Thr Cys Gln
320	325 330
Gln Asn Gly Glu Trp Ser Gly Lys Gln	Pro Ile Cys Ile Lys Ala
335	340 345
Cys Arg Glu Pro Lys Ile Ser Asp Leu	Val Arg Arg Arg Val Leu
350	355 360
Pro Met Gln Val Gln Ser Arg Glu Thr	Pro Leu His Gln Leu Tyr
365	370 375
Ser Ala Ala Phe Ser Lys Gln Lys Leu	Gln Ser Ala Pro Thr Lys
380	385 390
Lys Pro Ala Leu Pro Phe Gly Asp Leu	Pro Met Gly Tyr Gln His
395	400 405
Leu His Thr Gln Leu Gln Tyr Glu Cys	Ile Ser Pro Phe Tyr Arg
410	415 420
Arg Leu Gly Ser Ser Arg Arg Thr Cys	Leu Arg Thr Gly Lys Trp
425	430 435
Ser Gly Arg Ala Pro Ser Cys Ile Pro	Ile Cys Gly Lys Ile Glu
440	445 450
Asn Ile Thr Ala Pro Lys Thr Gln Gly	Leu Arg Trp Pro Trp Gln
455	460 465
Ala Ala Ile Tyr Arg Arg Thr Ser Gly	Val His Asp Gly Ser Leu
470	475 480
His Lys Gly Ala Trp Phe Leu Val Cys	Ser Gly Ala Leu Val Asn
485	490 495
Glu Arg Thr Val Val Val Ala Ala His	Cys Val Thr Asp Leu Gly
500	505 510
Lys Val Thr Met Ile Lys Thr Ala Asp	Leu Lys Val Val Leu Gly
515	520 525
Lys Phe Tyr Arg Asp Asp Asp Arg Asp	Glu Lys Thr Ile Gln Ser
530	535 540
Leu Gln Ile Ser Ala Ile Ile Leu His	Pro Asn Tyr Asp Pro Ile
545	550 555
Leu Leu Asp Ala Asp Ile Ala Ile Leu	Lys Leu Leu Asp Lys Ala
560	565 570
Arg Ile Ser Thr Arg Val Gln Pro Ile	Cys Leu Ala Ala Ser Arg
575	580 585
Asp Leu Ser Thr Ser Phe Gln Glu Ser	His Ile Thr Val Ala Gly
590	595 600

-continued

Trp	Asn	Val	Leu	Ala	Asp	Val	Arg	Ser	Pro	Gly	Phe	Lys	Asn	Asp
			605						610				615	
Thr	Leu	Arg	Ser	Gly	Val	Val	Ser	Val	Val	Asp	Ser	Leu	Leu	Cys
			620						625				630	
Glu	Glu	Gln	His	Glu	Asp	His	Gly	Ile	Pro	Val	Ser	Val	Thr	Asp
			635						640				645	
Asn	Met	Phe	Cys	Ala	Ser	Trp	Glu	Pro	Thr	Ala	Pro	Ser	Asp	Ile
			650						655				660	
Cys	Thr	Ala	Glu	Thr	Gly	Gly	Ile	Ala	Ala	Val	Ser	Phe	Pro	Gly
			665						670				675	
Arg	Ala	Ser	Pro	Glu	Pro	Arg	Trp	His	Leu	Met	Gly	Leu	Val	Ser
			680						685				690	
Trp	Ser	Tyr	Asp	Lys	Thr	Cys	Ser	His	Arg	Leu	Ser	Thr	Ala	Phe
			695						700				705	
Thr	Lys	Val	Leu	Pro	Phe	Lys	Asp	Trp	Ile	Glu	Arg	Asn	Met	Lys
			710						715				720	

<210> SEQ ID NO 39
<211> LENGTH: 2571
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 39

ggttcctaca tcctctcatc tgagaatcag agagcataat cttcttacg	50
gcccgtgatt tattaacgtg gcttaatctg aaggttctca gtcaaattct	100
ttgtgatcta ctgattgtgg gggcatggca aggtttgctt aaaggagctt	150
ggctggtttg ggcccttgta gctgacagaa ggtggccagg gagaatgcag	200
cacactgctc ggagaatgaa ggcgcttctg ttgctggtct tgccttggt	250
cagtctgtgt aactacattg acaatgtggg caacctgcac ttcctgtatt	300
cagaactctg taaaggtgcc tcccactacg gcctgaccaa agataggaag	350
aggcgtctac aagatggctg tccagacggc tgtgcgagcc tcacagccac	400
ggctcccctc ccagaggttt ctgcagctgc caccatctcc ttaatgacag	450
acgagcctgg cctagacaac cctgcctacg tgtcctcggc agaggacggg	500
cagccagcaa tcagcccagt ggactctggc cggagcaacc gaactagggc	550
acggcccttt gagagatcca ctattagaag cagatcattt aaaaaataa	600
atcgagcttt gagtgttctt cgaaggacaa agagcgggag tgcagttgcc	650
aaccatgccg accagggcag ggaaaattct gaaaacacca ctgccctga	700
agtcctttcca aggttgtacc acctgattcc agatggtgaa attaccagca	750
tcaagatcaa tcgagtagat cccagtgaag gcctctctat taggctgggtg	800
ggaggtagcg aaacccact ggtccatcct attatccaac acatttatcg	850
tgatgggggtg atcgccagag acggccggct actgccagga gacatcattc	900
taaagggtcaa cgggatggac atcagcaatg tccctcacia ctacgtgtg	950
cgtctcctgc ggcagccctg ccaggtgctg tggctgactg tgatgcgtga	1000
acagaagttc cgcagcagga acaatggaca ggccccgat gcctacagac	1050
cccagatga cagctttcat gtgattctca acaaaagtag ccccgaggag	1100

-continued

cagcttgga	taaaactggt	gcgcaagggt	gatgagcctg	gggttttcat	1150
cttcaatgtg	ctggatggcg	gtgtggcata	tcgacatggt	cagcttgagg	1200
agaatgaccg	tgtgttagcc	atcaatggac	atgatcttcg	atatggcagc	1250
ccagaaagtg	cggctcatct	gattcaggcc	agtgaagac	gtgttcacct	1300
cgctgtgtcc	cgccagggtc	ggcagcggag	ccctgacatc	tttcaggaag	1350
ccggctggaa	cagcaatggc	agctggtccc	cagggccagg	ggagaggagc	1400
aacactccca	agcccctcca	tcctacaatt	acttgtcatg	agaagtggtt	1450
aaatatccaa	aaagaccccg	gtgaatctct	cggcatgacc	gtcgcagggg	1500
gagcatcaca	tagagaatgg	gatttgccta	tctatgtcat	cagtgttgag	1550
cccgaggagg	tcataagcag	agatggaaga	ataaaaacag	gtgacatfff	1600
gttgaatgtg	gatggggctg	aactgacaga	ggcagccgg	agtgaggcag	1650
tggcattatt	gaaaagaaca	tcctcctcga	tagtactcaa	agctttggaa	1700
gtcaagagat	atgagcccca	ggaagactgc	agcagcccag	cagccctgga	1750
ctccaaccac	aacatggccc	caccagtgta	ctggtcccca	tcctgggtca	1800
tgtggctgga	attaccacgg	tgcttgata	actgtaaaga	tattgtatta	1850
cgaagaacaa	cagctggaag	tctgggcttc	tgcattgtag	gaggttatga	1900
agaatacaat	ggaacaaac	cttttttcat	caaattccatt	gttgaaggaa	1950
caccagcata	caatgatgga	agaattagat	gtggtgatat	tcttcttgct	2000
gtcaatggta	gaagtacatc	aggaatgata	catgcttgct	tggoaagact	2050
gctgaagaa	cttaaggaa	gaattactct	aactattggt	tcttggcctg	2100
gcactttttt	atagaatcaa	tgatgggtca	gaggaaaaca	gaaaaatcac	2150
aaataggcta	agaagttgaa	acactatatt	tatcttgtca	gtttttatat	2200
ttaaagaaag	aatacattgt	aaaaatgtca	ggaaaagtat	gatcatctaa	2250
tgaaagccag	ttacacctca	gaaaatatga	ttccaaaaaa	attaaaacta	2300
ctagtttttt	ttcagtgtgg	aggatttctc	attactctac	aacattgttt	2350
atattttttc	tattcaataa	aaagccctaa	aacaactaaa	atgattgatt	2400
tgtatacccc	actgaattca	agctgattta	aatttaaaat	ttggtatatg	2450
ctgaagtctg	ccaagggtac	attatggcca	tttttaattt	acagctaaaa	2500
tattttttta	aatgcattgc	tgagaaacgt	tgctttcatc	aaacaagaat	2550
aaatattttt	cagaagttaa	a			2571

<210> SEQ ID NO 40

<211> LENGTH: 632

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 40

Met	Lys	Ala	Leu	Leu	Leu	Val	Leu	Pro	Trp	Leu	Ser	Pro	Ala
1			5					10					15

Asn	Tyr	Ile	Asp	Asn	Val	Gly	Asn	Leu	His	Phe	Leu	Tyr	Ser	Glu
			20					25						30

Leu	Cys	Lys	Gly	Ala	Ser	His	Tyr	Gly	Leu	Thr	Lys	Asp	Arg	Lys
			35					40						45

-continued

Arg	Arg	Ser	Gln	Asp	Gly	Cys	Pro	Asp	Gly	Cys	Ala	Ser	Leu	Thr	50	55	60
Ala	Thr	Ala	Pro	Ser	Pro	Glu	Val	Ser	Ala	Ala	Ala	Thr	Ile	Ser	65	70	75
Leu	Met	Thr	Asp	Glu	Pro	Gly	Leu	Asp	Asn	Pro	Ala	Tyr	Val	Ser	80	85	90
Ser	Ala	Glu	Asp	Gly	Gln	Pro	Ala	Ile	Ser	Pro	Val	Asp	Ser	Gly	95	100	105
Arg	Ser	Asn	Arg	Thr	Arg	Ala	Arg	Pro	Phe	Glu	Arg	Ser	Thr	Ile	110	115	120
Arg	Ser	Arg	Ser	Phe	Lys	Lys	Ile	Asn	Arg	Ala	Leu	Ser	Val	Leu	125	130	135
Arg	Arg	Thr	Lys	Ser	Gly	Ser	Ala	Val	Ala	Asn	His	Ala	Asp	Gln	140	145	150
Gly	Arg	Glu	Asn	Ser	Glu	Asn	Thr	Thr	Ala	Pro	Glu	Val	Phe	Pro	155	160	165
Arg	Leu	Tyr	His	Leu	Ile	Pro	Asp	Gly	Glu	Ile	Thr	Ser	Ile	Lys	170	175	180
Ile	Asn	Arg	Val	Asp	Pro	Ser	Glu	Ser	Leu	Ser	Ile	Arg	Leu	Val	185	190	195
Gly	Gly	Ser	Glu	Thr	Pro	Leu	Val	His	Ile	Ile	Ile	Gln	His	Ile	200	205	210
Tyr	Arg	Asp	Gly	Val	Ile	Ala	Arg	Asp	Gly	Arg	Leu	Leu	Pro	Gly	215	220	225
Asp	Ile	Ile	Leu	Lys	Val	Asn	Gly	Met	Asp	Ile	Ser	Asn	Val	Pro	230	235	240
His	Asn	Tyr	Ala	Val	Arg	Leu	Leu	Arg	Gln	Pro	Cys	Gln	Val	Leu	245	250	255
Trp	Leu	Thr	Val	Met	Arg	Glu	Gln	Lys	Phe	Arg	Ser	Arg	Asn	Asn	260	265	270
Gly	Gln	Ala	Pro	Asp	Ala	Tyr	Arg	Pro	Arg	Asp	Asp	Ser	Phe	His	275	280	285
Val	Ile	Leu	Asn	Lys	Ser	Ser	Pro	Glu	Glu	Gln	Leu	Gly	Ile	Lys	290	295	300
Leu	Val	Arg	Lys	Val	Asp	Glu	Pro	Gly	Val	Phe	Ile	Phe	Asn	Val	305	310	315
Leu	Asp	Gly	Gly	Val	Ala	Tyr	Arg	His	Gly	Gln	Leu	Glu	Glu	Asn	320	325	330
Asp	Arg	Val	Leu	Ala	Ile	Asn	Gly	His	Asp	Leu	Arg	Tyr	Gly	Ser	335	340	345
Pro	Glu	Ser	Ala	Ala	His	Leu	Ile	Gln	Ala	Ser	Glu	Arg	Arg	Val	350	355	360
His	Leu	Val	Val	Ser	Arg	Gln	Val	Arg	Gln	Arg	Ser	Pro	Asp	Ile	365	370	375
Phe	Gln	Glu	Ala	Gly	Trp	Asn	Ser	Asn	Gly	Ser	Trp	Ser	Pro	Gly	380	385	390
Pro	Gly	Glu	Arg	Ser	Asn	Thr	Pro	Lys	Pro	Leu	His	Pro	Thr	Ile	395	400	405
Thr	Cys	His	Glu	Lys	Val	Val	Asn	Ile	Gln	Lys	Asp	Pro	Gly	Glu	410	415	420

-continued

Ser	Leu	Gly	Met	Thr	Val	Ala	Gly	Gly	Ala	Ser	His	Arg	Glu	Trp
			425						430				435	
Asp	Leu	Pro	Ile	Tyr	Val	Ile	Ser	Val	Glu	Pro	Gly	Gly	Val	Ile
			440						445				450	
Ser	Arg	Asp	Gly	Arg	Ile	Lys	Thr	Gly	Asp	Ile	Leu	Leu	Asn	Val
			455						460				465	
Asp	Gly	Val	Glu	Leu	Thr	Glu	Val	Ser	Arg	Ser	Glu	Ala	Val	Ala
			470						475				480	
Leu	Leu	Lys	Arg	Thr	Ser	Ser	Ser	Ile	Val	Leu	Lys	Ala	Leu	Glu
			485						490				495	
Val	Lys	Glu	Tyr	Glu	Pro	Gln	Glu	Asp	Cys	Ser	Ser	Pro	Ala	Ala
			500						505				510	
Leu	Asp	Ser	Asn	His	Asn	Met	Ala	Pro	Pro	Ser	Asp	Trp	Ser	Pro
			515						520				525	
Ser	Trp	Val	Met	Trp	Leu	Glu	Leu	Pro	Arg	Cys	Leu	Tyr	Asn	Cys
			530						535				540	
Lys	Asp	Ile	Val	Leu	Arg	Arg	Asn	Thr	Ala	Gly	Ser	Leu	Gly	Phe
			545						550				555	
Cys	Ile	Val	Gly	Gly	Tyr	Glu	Glu	Tyr	Asn	Gly	Asn	Lys	Pro	Phe
			560						565				570	
Phe	Ile	Lys	Ser	Ile	Val	Glu	Gly	Thr	Pro	Ala	Tyr	Asn	Asp	Gly
			575						580				585	
Arg	Ile	Arg	Cys	Gly	Asp	Ile	Leu	Leu	Ala	Val	Asn	Gly	Arg	Ser
			590						595				600	
Thr	Ser	Gly	Met	Ile	His	Ala	Cys	Leu	Ala	Arg	Leu	Leu	Lys	Glu
			605						610				615	
Leu	Lys	Gly	Arg	Ile	Thr	Leu	Thr	Ile	Val	Ser	Trp	Pro	Gly	Thr
			620						625				630	
Phe	Leu													

<210> SEQ ID NO 41
<211> LENGTH: 1964
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 41

accaggcatt gtatcttcag ttgtcatcaa gttcgcaatc agattggaaa	50
agctcaactt gaagctttct tgcctgcagt gaagcagaga gatagatatt	100
attcacgtaa taaaaaacat gggcttcaac ctgactttcc acctttccta	150
caaattccga ttactgttgc tgttgacttt gtgcctgaca gtggttggt	200
gggccaccag taactacttc gtgggtgccca ttcaagagat tcctaaagca	250
aaggagtcca tggctaattt ccataagacc ctcatTTTgg ggaagggaaa	300
aactctgact aatgaagcat ccacgaagaa ggtagaactt gacaactgtc	350
cttctgtgtc tccttacctc agaggccaga gcaagctcat tttcaaacca	400
gatctcactt tggaagaggt acaggcagaa aatcccaaag tgtccagagg	450
ccggtatcgc cctcaggaat gtaaagcttt acagagggtc gccatcctcg	500
ttccccacgg gaacagagag aaacacctga tgtacctgct ggaacatctg	550
catcccttcc tgcagaggca gcagctggat tatggcatct acgtcatcca	600

-continued

ccaggctgaa ggtaaaaagt ttaatcgagc caaactcttg aatgtgggct	650
atctagaagc cctcaaggaa gaaaattggg actgctttat attccacgat	700
gtggacctgg tacccgagaa tgactttaac ctttacaagt gtgaggagca	750
tccaagcat ctggtggttg gcaggaacag cactgggtac aggttacgtt	800
acagtggata ttttgggggt gttactgccc taagcagaga gcagtttttc	850
aaggtgaatg gattctctaa caactactgg ggatggggag gcgaagacga	900
tgacctcaga ctcagggttg agctccaaag aatgaaaatt tcccggcccc	950
tgacctgaagt gggtaaatat acaatggtct tccacactag agacaaaggc	1000
aatgaggtga acgcagaacg gatgaagctc ttacaccaag tgtcacgagt	1050
ctggagaaca gatgggttga gtagtgttc ttataaatta gtatctgtgg	1100
aacacaatcc tttatatatc aacatcacag tggatttctg gtttggtgca	1150
tgaccttga tcttttggtg atgtttggaa gaactgattc tttgtttgca	1200
ataatttttg cctagagact tcaaatagta gcacacatta agaacctgtt	1250
acagctcatt gttgagctga atttttcctt tttgtatttt cttagcagag	1300
ctcctggtga tgtagagtat aaaacagttg taacaagaca gctttcttag	1350
tcattttgat catgagggtt aaatatgtga atatggatac ttgaaggact	1400
ttatataaaa ggatgactca aaggataaaa tgaacgctat ttgaggactc	1450
tggttgaagg agattttattt aaatttgaag taatatatta tgggataaaa	1500
ggccacagga aataagactg ctgaatgtct gagagaacca gagttgttct	1550
cgtccaaggt agaaaggtag gaagatacaa tactgttatt catttatcct	1600
gtacaatcat ctgtgaagtg gtggtgtcag gtgagaaggc gtccacaaaa	1650
gaggggagaa aaggcgacga atcaggacac agtgaacttg ggaatgaaga	1700
ggtagcagga gggtaggagt tcggctgcaa aggcagcagt agctgagctg	1750
gttgacagtg ctgatagcct tcaggggagg acctgcccag gtatgccttc	1800
cagtgatgcc caccagagaa tacattctct attagttttt aaagagtttt	1850
tgtaaaatga ttttgtacaa gtaggatatg aattagcagt ttacaagttt	1900
acatatatac taataataaa tatgtctatc aaatacctct gtagtaaaat	1950
gtgaaaaagc aaaa	1964

<210> SEQ ID NO 42
<211> LENGTH: 344
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 42

Met Gly Phe Asn Leu Thr Phe His Leu Ser Tyr Lys Phe Arg Leu	
1 5 10 15	
Leu Leu Leu Leu Thr Leu Cys Leu Thr Val Val Gly Trp Ala Thr	
20 25 30	
Ser Asn Tyr Phe Val Gly Ala Ile Gln Glu Ile Pro Lys Ala Lys	
35 40 45	
Glu Phe Met Ala Asn Phe His Lys Thr Leu Ile Leu Gly Lys Gly	
50 55 60	

-continued

Lys	Thr	Leu	Thr	Asn	Glu	Ala	Ser	Thr	Lys	Lys	Val	Glu	Leu	Asp	
				65					70					75	
Asn	Cys	Pro	Ser	Val	Ser	Pro	Tyr	Leu	Arg	Gly	Gln	Ser	Lys	Leu	
				80					85					90	
Ile	Phe	Lys	Pro	Asp	Leu	Thr	Leu	Glu	Glu	Val	Gln	Ala	Glu	Asn	
				95					100					105	
Pro	Lys	Val	Ser	Arg	Gly	Arg	Tyr	Arg	Pro	Gln	Glu	Cys	Lys	Ala	
				110					115					120	
Leu	Gln	Arg	Val	Ala	Ile	Leu	Val	Pro	His	Arg	Asn	Arg	Glu	Lys	
				125					130					135	
His	Leu	Met	Tyr	Leu	Leu	Glu	His	Leu	His	Pro	Phe	Leu	Gln	Arg	
				140					145					150	
Gln	Gln	Leu	Asp	Tyr	Gly	Ile	Tyr	Val	Ile	His	Gln	Ala	Glu	Gly	
				155					160					165	
Lys	Lys	Phe	Asn	Arg	Ala	Lys	Leu	Leu	Asn	Val	Gly	Tyr	Leu	Glu	
				170					175					180	
Ala	Leu	Lys	Glu	Glu	Asn	Trp	Asp	Cys	Phe	Ile	Phe	His	Asp	Val	
				185					190					195	
Asp	Leu	Val	Pro	Glu	Asn	Asp	Phe	Asn	Leu	Tyr	Lys	Cys	Glu	Glu	
				200					205					210	
His	Pro	Lys	His	Leu	Val	Val	Gly	Arg	Asn	Ser	Thr	Gly	Tyr	Arg	
				215					220					225	
Leu	Arg	Tyr	Ser	Gly	Tyr	Phe	Gly	Gly	Val	Thr	Ala	Leu	Ser	Arg	
				230					235					240	
Glu	Gln	Phe	Phe	Lys	Val	Asn	Gly	Phe	Ser	Asn	Asn	Tyr	Trp	Gly	
				245					250					255	
Trp	Gly	Gly	Glu	Asp	Asp	Asp	Leu	Arg	Leu	Arg	Val	Glu	Leu	Gln	
				260					265					270	
Arg	Met	Lys	Ile	Ser	Arg	Pro	Leu	Pro	Glu	Val	Gly	Lys	Tyr	Thr	
				275					280					285	
Met	Val	Phe	His	Thr	Arg	Asp	Lys	Gly	Asn	Glu	Val	Asn	Ala	Glu	
				290					295					300	
Arg	Met	Lys	Leu	Leu	His	Gln	Val	Ser	Arg	Val	Trp	Arg	Thr	Asp	
				305					310					315	
Gly	Leu	Ser	Ser	Cys	Ser	Tyr	Lys	Leu	Val	Ser	Val	Glu	His	Asn	
				320					325					330	
Pro	Leu	Tyr	Ile	Asn	Ile	Thr	Val	Asp	Phe	Trp	Phe	Gly	Ala		
				335					340						

<210> SEQ ID NO 43
<211> LENGTH: 485
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 43

gctcaagacc cagcagtggg acagccagac agacggcacg atggcactga	50
gctcccagat ctgggccgct tgctcctgc tctcctcct cctcgccagc	100
ctgaccagtg gctctgtttt ccacaacag acgggacaac ttgcagagct	150
gcaacccag gacagagctg gagccaggc cagctggatg cccatgttcc	200
agaggcgaag gaggcgagac acccacttcc ccatctgcat tttctgctgc	250
ggctgctgtc atcgatcaaa gtgtgggatg tgctgcaaga cgtagaacct	300

-continued

acctgccctg cccccgtccc ctcccttcct tatttattcc tgctgcccc	350
gaacataggt cttggaataa aatggctggt tcttttgttt tccaaaaaaa	400
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	450
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa	485

<210> SEQ ID NO 44
<211> LENGTH: 84
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 44

Met Ala Leu Ser Ser Gln Ile Trp Ala Ala Cys Leu Leu Leu Leu	
1 5 10 15	
Leu Leu Leu Ala Ser Leu Thr Ser Gly Ser Val Phe Pro Gln Gln	
20 25 30	
Thr Gly Gln Leu Ala Glu Leu Gln Pro Gln Asp Arg Ala Gly Ala	
35 40 45	
Arg Ala Ser Trp Met Pro Met Phe Gln Arg Arg Arg Arg Arg Asp	
50 55 60	
Thr His Phe Pro Ile Cys Ile Phe Cys Cys Gly Cys Cys His Arg	
65 70 75	
Ser Lys Cys Gly Met Cys Cys Lys Thr	
80	

<210> SEQ ID NO 45
<211> LENGTH: 1076
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 45

gtgggttcat ttcagtggtc gacttccaga gagcaatatg gctggttccc	50
caacatgcct caccctcatc tatatccttt ggcagctcac agggtcagca	100
gcctctggac ccgtgaaaga gctggtcggt tccgttggtg gggccgtgac	150
tttccccctg aagtccaaag taaagcaagt tgactctatt gtctggacct	200
tcaacacaac ccctcttgtc accatacagc cagaaggggg cactatcata	250
gtgacccaaa atcgtaatat ggagagagta gacttcccag atggaggcta	300
ctccctgaag ctgagcaaac tgaagaagaa tgactcaggg atctactatg	350
tggggatata cagctcatca ctccagcagc cctccaccca ggagtacgtg	400
ctgcatgtct acgagcacct gtcaaagcct aaagtcacca tgggtctgca	450
gagcaataag aatggcacct gtgtgaccaa tctgacatgc tgcattggaac	500
atggggaaga ggatgtgatt tatacctgga aggcctggg gcaagcagcc	550
aatgagtccc ataatgggtc catcctcccc atctcctgga gatggggaga	600
aagtgatatg accttcatct gcgttgccag gaaccctgtc agcagaaact	650
tctcaagccc catccttgcc aggaagctct gtgaaggtgc tgctgatgac	700
ccagattcct ccatggtcct cctgtgtctc ctgttggtgc cctcctgct	750
cagtctcttt gtactggggc tatttctttg gtttctgaag agagagagac	800
aagaagagta cattgaagag aagaagagag tggacatttg tcgggaaact	850

-continued

```

cctaacatat gccccattc tggagagaac acagagtacg acacaatccc          900
tcacactaat agaacaatcc taaaggaaga tccagcaa atcggtttact          950
ccactgtgga aataccgaaa aagatggaaa atccccactc actgctcacg        1000
atgccagaca caccaaggct atttgcctat gagaatgtta tctagacagc        1050
agtgcactcc cctaagtctc tgctca                                1076

```

```

<210> SEQ ID NO 46
<211> LENGTH: 335
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 46

```

```

Met Ala Gly Ser Pro Thr Cys Leu Thr Leu Ile Tyr Ile Leu Trp
 1          5          10          15
Gln Leu Thr Gly Ser Ala Ala Ser Gly Pro Val Lys Glu Leu Val
          20          25          30
Gly Ser Val Gly Gly Ala Val Thr Phe Pro Leu Lys Ser Lys Val
          35          40          45
Lys Gln Val Asp Ser Ile Val Trp Thr Phe Asn Thr Thr Pro Leu
          50          55          60
Val Thr Ile Gln Pro Glu Gly Gly Thr Ile Ile Val Thr Gln Asn
          65          70          75
Arg Asn Arg Glu Arg Val Asp Phe Pro Asp Gly Gly Tyr Ser Leu
          80          85          90
Lys Leu Ser Lys Leu Lys Lys Asn Asp Ser Gly Ile Tyr Tyr Val
          95          100          105
Gly Ile Tyr Ser Ser Ser Leu Gln Gln Pro Ser Thr Gln Glu Tyr
          110          115          120
Val Leu His Val Tyr Glu His Leu Ser Lys Pro Lys Val Thr Met
          125          130          135
Gly Leu Gln Ser Asn Lys Asn Gly Thr Cys Val Thr Asn Leu Thr
          140          145          150
Cys Cys Met Glu His Gly Glu Glu Asp Val Ile Tyr Thr Trp Lys
          155          160          165
Ala Leu Gly Gln Ala Ala Asn Glu Ser His Asn Gly Ser Ile Leu
          170          175          180
Pro Ile Ser Trp Arg Trp Gly Glu Ser Asp Met Thr Phe Ile Cys
          185          190          195
Val Ala Arg Asn Pro Val Ser Arg Asn Phe Ser Ser Pro Ile Leu
          200          205          210
Ala Arg Lys Leu Cys Glu Gly Ala Ala Asp Asp Pro Asp Ser Ser
          215          220          225
Met Val Leu Leu Cys Leu Leu Leu Val Pro Leu Leu Leu Ser Leu
          230          235          240
Phe Val Leu Gly Leu Phe Leu Trp Phe Leu Lys Arg Glu Arg Gln
          245          250          255
Glu Glu Tyr Ile Glu Glu Lys Lys Arg Val Asp Ile Cys Arg Glu
          260          265          270
Thr Pro Asn Ile Cys Pro His Ser Gly Glu Asn Thr Glu Tyr Asp
          275          280          285

```

-continued

Thr	Ile	Pro	His	Thr	Asn	Arg	Thr	Ile	Leu	Lys	Glu	Asp	Pro	Ala
				290					295					300
Asn	Thr	Val	Tyr	Ser	Thr	Val	Glu	Ile	Pro	Lys	Lys	Met	Glu	Asn
				305					310					315
Pro	His	Ser	Leu	Leu	Thr	Met	Pro	Asp	Thr	Pro	Arg	Leu	Phe	Ala
				320					325					330
Tyr	Glu	Asn	Val	Ile										
				335										

<210> SEQ ID NO 47
<211> LENGTH: 766
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 47

ggctcgagcg tttctgagcc aggggtgacc atgacctgct gcgaaggatg	50
gacatcctgc aatggattca gcctgctggt tctactgctg ttaggagtag	100
ttctcaatgc gatacctcta attgtcagct tagttgagga agaccaattt	150
tctcaaaacc ccatctcttg ctttgagtgg tggttcccag gaattatagg	200
agcagggtctg atggccattc cagcaacaac aatgtccttg acagcaagaa	250
aaagagcgtg ctgcaacaac agaactggaa tgtttctttc atcatttttc	300
agtgtgatca cagtcattgg tgctctgtat tgcattgctga tatccatcca	350
ggctctctta aaaggtcctc tcatgtgtaa ttctccaagc aacagtaatg	400
ccaattgtga attttcattg aaaaacatca gtgacattca tccagaatcc	450
ttcaacttgc agtgggtttt caatgactct tgtgcacctc ctactggttt	500
caataaacc accagtaacg acaccatggc gagggtctgg agagcatcta	550
gtttccactt cgattctgaa gaaaacaac ataggcttat ccacttctca	600
gtatttttag gtctattgct tgttggaatt ctggaggtcc tgtttgggct	650
cagtcagata gtcacgggtt tccttggtctg tctgtgtgga gtctctaagc	700
gaagaagtca aattgtgtag tttaatggga ataaaatgta agtatcagta	750
gtttgaaaaa aaaaaa	766

<210> SEQ ID NO 48
<211> LENGTH: 229
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 48

Met	Thr	Cys	Cys	Glu	Gly	Trp	Thr	Ser	Cys	Asn	Gly	Phe	Ser	Leu
1				5					10					15
Leu	Val	Leu	Leu	Leu	Leu	Gly	Val	Val	Leu	Asn	Ala	Ile	Pro	Leu
				20					25					30
Ile	Val	Ser	Leu	Val	Glu	Glu	Asp	Gln	Phe	Ser	Gln	Asn	Pro	Ile
				35					40					45
Ser	Cys	Phe	Glu	Trp	Trp	Phe	Pro	Gly	Ile	Ile	Gly	Ala	Gly	Leu
				50					55					60
Met	Ala	Ile	Pro	Ala	Thr	Thr	Met	Ser	Leu	Thr	Ala	Arg	Lys	Arg
				65					70					75
Ala	Cys	Cys	Asn	Asn	Arg	Thr	Gly	Met	Phe	Leu	Ser	Ser	Phe	Phe

-continued

80										85										90									
Ser	Val	Ile	Thr	Val	Ile	Gly	Ala	Leu	Tyr	Cys	Met	Leu	Ile	Ser															
				95					100					105															
Ile	Gln	Ala	Leu	Leu	Lys	Gly	Pro	Leu	Met	Cys	Asn	Ser	Pro	Ser															
				110					115					120															
Asn	Ser	Asn	Ala	Asn	Cys	Glu	Phe	Ser	Leu	Lys	Asn	Ile	Ser	Asp															
				125					130					135															
Ile	His	Pro	Glu	Ser	Phe	Asn	Leu	Gln	Trp	Phe	Phe	Asn	Asp	Ser															
				140					145					150															
Cys	Ala	Pro	Pro	Thr	Gly	Phe	Asn	Lys	Pro	Thr	Ser	Asn	Asp	Thr															
				155					160					165															
Met	Ala	Ser	Gly	Trp	Arg	Ala	Ser	Ser	Phe	His	Phe	Asp	Ser	Glu															
				170					175					180															
Glu	Asn	Lys	His	Arg	Leu	Ile	His	Phe	Ser	Val	Phe	Leu	Gly	Leu															
				185					190					195															
Leu	Leu	Val	Gly	Ile	Leu	Glu	Val	Leu	Phe	Gly	Leu	Ser	Gln	Ile															
				200					205					210															
Val	Ile	Gly	Phe	Leu	Gly	Cys	Leu	Cys	Gly	Val	Ser	Lys	Arg	Arg															
				215					220					225															
Ser	Gln	Ile	Val																										

<210> SEQ ID NO 49
<211> LENGTH: 636
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 49
atccggttctc tgcgctgcc a gctcaggtga gccctcgcca aggtgacctc 50
gcagacact ggtgaaggag cagtgaggaa cctgcagagt cacacagttg 100
ctgaccaatt gagctgtgag cctggagcag atccgtgggc tgcagacccc 150
cgccccagtg cctctcccc tgcagccctg cccctcgaac tgtgacatgg 200
agagagtgc cctggccctt ctctactgg caggcctgac tgccttgga 250
gccaatgacc catttgccaa taaagacgat cccttctact atgactggaa 300
aaacctgcag ctgagcggac tgatctgcgg agggctcctg gccattgctg 350
ggatcgcggc agttctgagt ggcaaatgca aatacaagag cagccagaag 400
cagcacagtc ctgtacctga gaaggccatc ccaactcatca ctccaggctc 450
tgccactact tgctgagcac aggactggcc tccagggatg gcctgaagcc 500
taacactggc cccagcacc tcctcccctg ggaggcctta tcctcaagga 550
aggacttctc tccaagggca ggctgttagg cccctttctg atcaggaggc 600
ttctttatga attaaactcg cccaccacc ccctca 636

<210> SEQ ID NO 50
<211> LENGTH: 89
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 50
Met Glu Arg Val Thr Leu Ala Leu Leu Leu Ala Gly Leu Thr
1 5 10 15

-continued

Ala	Leu	Glu	Ala	Asn	Asp	Pro	Phe	Ala	Asn	Lys	Asp	Asp	Pro	Phe
				20					25					30
Tyr	Tyr	Asp	Trp	Lys	Asn	Leu	Gln	Leu	Ser	Gly	Leu	Ile	Cys	Gly
				35					40					45
Gly	Leu	Leu	Ala	Ile	Ala	Gly	Ile	Ala	Ala	Val	Leu	Ser	Gly	Lys
				50					55					60
Cys	Lys	Tyr	Lys	Ser	Ser	Gln	Lys	Gln	His	Ser	Pro	Val	Pro	Glu
				65					70					75
Lys	Ala	Ile	Pro	Leu	Ile	Thr	Pro	Gly	Ser	Ala	Thr	Thr	Cys	
				80					85					

<210> SEQ ID NO 51
<211> LENGTH: 1734
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 51

gtggactctg agaagcccag gcagttgagg acaggagaga gaaggctgca	50
gaccagaggg gagggaggac agggagtcgg aaggaggagg acagaggagg	100
gcacagagac gcagagcaag ggcggcaagg aggagaccct ggtgggagga	150
agacactctg gagagagagg gggctgggca gagatgaagt tccagggggc	200
cctggcctgc ctctgctgg ccctctgcct gggcagtggt gaggtctggc	250
ccctgcagag cggagaggaa agcactggga caaatatttg ggaggccctt	300
ggacatggcc tgggagacgc cctgagcgaa ggggtgggaa aggccattgg	350
caaagaggcc ggaggggcag ctggctctaa agtcagttag gcccttggcc	400
aaggggaccag agaagcagtt ggcactggag tcaggcaggt tccaggttt	450
ggcgacagag atgctttggg caacagggtc ggggaagcag cccatgctct	500
gggaaacact gggcacgaga ttggcagaca ggcagaagat gtcattcgac	550
acggagcaga tgctgtccgc ggctcctggc aggggggtgcc tggccacagt	600
ggtgcttggg aaacttctgg aggccatggc atctttggct ctcaagggtg	650
ccttgagggc cagggccagg gcaatcctgg aggtctgggg actccgtggg	700
tccacggata ccccggaac tcagcaggca gctttggaat gaatcctcag	750
ggagctccct ggggtcaagg aggcaatgga gggccaccaa actttgggac	800
caacactcag ggagctgtgg ccagccttgg ctatggttca gtgagagcca	850
gcaaccagaa tgaagggtgc acgaatcccc caccatctgg ctgagtgga	900
ggctccagca actctggggg aggcagcggc tcacagtcgg gcagcagtg	950
cagtggcagc aatggtgaca acaacaatgg cagcagcagt ggtggcagca	1000
gcagtggcag cagcagtggc agcagcagtg gcggcagcag tggcggcagc	1050
agtgttgaca gcagtgcaa cagtgttggc agcagaggtg acagcggcag	1100
tgagtccctc tggggatcca gcaccggctc ctctccggc aaccacggtg	1150
ggagcggcgg aggaaatgga cataaacccg ggtgtgaaaa gccagggaat	1200
gaagcccggc ggagcgggga atctgggatt cagggcttca gaggacagg	1250
agtttccagc aacatgaggg aaataagcaa agagggcaat cgcctccttg	1300
gaggctcttg agacaattat cgggggcaag ggtcgagctg gggcagtgga	1350

-continued

```

ggaggtgacg ctgttggtgg agtcaatact gtgaactctg agacgtctcc      1400
tgggatgttt aactttgaca ctttctggaa gaattttaaa tccaagctgg      1450
gtttcatcaa ctgggatgcc ataaacaagg accagagaag ctctcgcac      1500
ccgtgacctc cagacaagga gccaccagat tggatgggag cccccacact      1550
ccctccttaa aacaccaccc tctcatcact aatctcagcc cttgcccttg      1600
aaataaacct tagctgcccc acaaaaaaaaa aaaaaaaaaa aaaaaaaaaa      1650
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa      1700
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa      1734

```

```

<210> SEQ ID NO 52
<211> LENGTH: 440
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

```

```

<400> SEQUENCE: 52

```

```

Met Lys Phe Gln Gly Pro Leu Ala Cys Leu Leu Leu Ala Leu Cys
 1              5              10              15
Leu Gly Ser Gly Glu Ala Gly Pro Leu Gln Ser Gly Glu Glu Ser
              20              25              30
Thr Gly Thr Asn Ile Gly Glu Ala Leu Gly His Gly Leu Gly Asp
              35              40              45
Ala Leu Ser Glu Gly Val Gly Lys Ala Ile Gly Lys Glu Ala Gly
              50              55              60
Gly Ala Ala Gly Ser Lys Val Ser Glu Ala Leu Gly Gln Gly Thr
              65              70              75
Arg Glu Ala Val Gly Thr Gly Val Arg Gln Val Pro Gly Phe Gly
              80              85              90
Ala Ala Asp Ala Leu Gly Asn Arg Val Gly Glu Ala Ala His Ala
              95              100             105
Leu Gly Asn Thr Gly His Glu Ile Gly Arg Gln Ala Glu Asp Val
              110             115             120
Ile Arg His Gly Ala Asp Ala Val Arg Gly Ser Trp Gln Gly Val
              125             130             135
Pro Gly His Ser Gly Ala Trp Glu Thr Ser Gly Gly His Gly Ile
              140             145             150
Phe Gly Ser Gln Gly Gly Leu Gly Gly Gln Gly Gln Gly Asn Pro
              155             160             165
Gly Gly Leu Gly Thr Pro Trp Val His Gly Tyr Pro Gly Asn Ser
              170             175             180
Ala Gly Ser Phe Gly Met Asn Pro Gln Gly Ala Pro Trp Gly Gln
              185             190             195
Gly Gly Asn Gly Gly Pro Pro Asn Phe Gly Thr Asn Thr Gln Gly
              200             205             210
Ala Val Ala Gln Pro Gly Tyr Gly Ser Val Arg Ala Ser Asn Gln
              215             220             225
Asn Glu Gly Cys Thr Asn Pro Pro Pro Ser Gly Ser Gly Gly Gly
              230             235             240
Ser Ser Asn Ser Gly Gly Gly Ser Gly Ser Gln Ser Gly Ser Ser
              245             250             255

```

-continued

Gly	Ser	Gly	Ser	Asn	Gly	Asp	Asn	Asn	Asn	Gly	Ser	Ser	Ser	Gly	
				260					265					270	
Gly	Ser	Ser	Ser	Gly	Ser	Ser	Ser	Gly	Ser	Ser	Ser	Gly	Gly	Ser	
				275					280					285	
Ser	Gly	Gly	Ser	Ser	Gly	Gly	Ser	Ser	Gly	Asn	Ser	Gly	Gly	Ser	
				290					295					300	
Arg	Gly	Asp	Ser	Gly	Ser	Glu	Ser	Ser	Trp	Gly	Ser	Ser	Thr	Gly	
				305					310					315	
Ser	Ser	Ser	Gly	Asn	His	Gly	Gly	Ser	Gly	Gly	Gly	Asn	Gly	His	
				320					325					330	
Lys	Pro	Gly	Cys	Glu	Lys	Pro	Gly	Asn	Glu	Ala	Arg	Gly	Ser	Gly	
				335					340					345	
Glu	Ser	Gly	Ile	Gln	Gly	Phe	Arg	Gly	Gln	Gly	Val	Ser	Ser	Asn	
				350					355					360	
Met	Arg	Glu	Ile	Ser	Lys	Glu	Gly	Asn	Arg	Leu	Leu	Gly	Gly	Ser	
				365					370					375	
Gly	Asp	Asn	Tyr	Arg	Gly	Gln	Gly	Ser	Ser	Trp	Gly	Ser	Gly	Gly	
				380					385					390	
Gly	Asp	Ala	Val	Gly	Gly	Val	Asn	Thr	Val	Asn	Ser	Glu	Thr	Ser	
				395					400					405	
Pro	Gly	Met	Phe	Asn	Phe	Asp	Thr	Phe	Trp	Lys	Asn	Phe	Lys	Ser	
				410					415					420	
Lys	Leu	Gly	Phe	Ile	Asn	Trp	Asp	Ala	Ile	Asn	Lys	Asp	Gln	Arg	
				425					430					435	
Ser	Ser	Arg	Ile	Pro											
				440											

<210> SEQ ID NO 53
<211> LENGTH: 1676
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 53

ggagaagagg	ttgtgtggga	caagctgctc	ccgacagaag	gatgtcgctg	50
ctgagcctgc	cctggctggg	cctcagaccg	gtggcaatgt	ccccatggct	100
actcctgctg	ctggttgttg	gctcctggct	actcgcccg	atcctggctt	150
ggacctatgc	cttctataac	aactgccgcc	ggctccagt	tttccacag	200
ccccaaaaac	ggaactggtt	ttggggtcac	ctgggcctga	tactcctac	250
agaggagggc	ttgaaggact	cgaccagat	gtcgccacc	tattcccag	300
gctttacggt	atggctgggt	cccatcatcc	ccttcacgt	tttatgccac	350
cctgacacca	tccggtctat	caccaatgcc	tcagctgcca	ttgcacccaa	400
ggataatctc	ttcatcaggt	tcctgaagcc	ctggctggga	gaagggatac	450
tgctgagtgg	cggtgacaag	tggagccgcc	accgtcgat	gtgacgccc	500
gccttcatt	tcaacatcct	gaagtcctat	ataacgatct	tcaacaagag	550
tgcaaacatc	atgcttgaca	agtggcagca	cctggcctca	gagggcagca	600
gtcgtctgga	catgtttgag	cacatcagcc	tcatgacctt	ggacagtcta	650
cagaaatgca	tcttcagctt	tgacagccat	tgtcaggaga	ggcccagtga	700
atatattgcc	accatcttgg	agctcagtgc	ccttgtagag	aaaagaagcc	750

-continued

```
agcatatcct ccagcacatg gactttctgt attacctctc ccatgacggg      800
cggcgcctcc acagggcctg ccgcctggtg catgacttca cagacgctgt      850
catccgggag cggcgcgcga ccctcccccac tcagggtatt gatgattttt      900
tcaaagacaa agccaagtcc aagacttttg atttcattga tgtgcttctg      950
ctgagcaagg atgaagatgg gaaggcattg tcagatgagg atataagagc     1000
agaggctgac accttcatgt ttggaggcca tgacaccacg gccagtggcc     1050
tctcctgggt cctgtacaac ctgctgaggc acccagaata ccaggagcgc     1100
tgccgacagg aggtgcaaga gcttctgaag gaccgcgac ctaaagagat     1150
tgaatgggac gacctggccc agctgccctt cctgaccatg tgcgtgaagg     1200
agagcctgag gttacatccc ccagctccct tcctctcccg atgctgcacc     1250
caggacattg ttctcccaga tggccgagtc atcccaaag gcattacctg     1300
cctcatcgat attatagggg tccatcacia cccaactgtg tggccggatc     1350
ctgaggctcta cgacccttc cgctttgacc cagagaacag caaggggagg     1400
tcacctctgg cttttattcc tttctccgca gggccagga actgcacggy     1450
gcaggcggtc gccatggcgg agatgaaagt ggtcctggcg ttgatgctgc     1500
tgcaactccg gttcctgcca gaccacactg agccccgcag gaagctggaa     1550
ttgatcatgc gcgccgaggg cgggctttgg ctgcgggtgg agccccgaa     1600
tgtaggcttg cagtgacttt ctgacccatc cacctgtttt tttgcagatt     1650
gtcatgaata aaacggtgct gtcaaaa                                1676
```

<210> SEQ ID NO 54
<211> LENGTH: 524
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 54

```
Met Ser Leu Leu Ser Leu Pro Trp Leu Gly Leu Arg Pro Val Ala
 1             5             10            15
Met Ser Pro Trp Leu Leu Leu Leu Val Val Gly Ser Trp Leu
             20             25            30
Leu Ala Arg Ile Leu Ala Trp Thr Tyr Ala Phe Tyr Asn Asn Cys
             35             40            45
Arg Arg Leu Gln Cys Phe Pro Gln Pro Pro Lys Arg Asn Trp Phe
             50             55            60
Trp Gly His Leu Gly Leu Ile Thr Pro Thr Glu Glu Gly Leu Lys
             65             70            75
Asp Ser Thr Gln Met Ser Ala Thr Tyr Ser Gln Gly Phe Thr Val
             80             85            90
Trp Leu Gly Pro Ile Ile Pro Phe Ile Val Leu Cys His Pro Asp
             95            100           105
Thr Ile Arg Ser Ile Thr Asn Ala Ser Ala Ala Ile Ala Pro Lys
            110            115           120
Asp Asn Leu Phe Ile Arg Phe Leu Lys Pro Trp Leu Gly Glu Gly
            125            130           135
Ile Leu Leu Ser Gly Gly Asp Lys Trp Ser Arg His Arg Arg Met
            140            145           150
```

-continued

Leu Thr Pro Ala Phe His Phe Asn Ile	Leu Lys Ser Tyr Ile Thr
155	160 165
Ile Phe Asn Lys Ser Ala Asn Ile Met	Leu Asp Lys Trp Gln His
170	175 180
Leu Ala Ser Glu Gly Ser Ser Arg Leu	Asp Met Phe Glu His Ile
185	190 195
Ser Leu Met Thr Leu Asp Ser Leu Gln	Lys Cys Ile Phe Ser Phe
200	205 210
Asp Ser His Cys Gln Glu Arg Pro Ser	Glu Tyr Ile Ala Thr Ile
215	220 225
Leu Glu Leu Ser Ala Leu Val Glu Lys	Arg Ser Gln His Ile Leu
230	235 240
Gln His Met Asp Phe Leu Tyr Tyr Leu	Ser His Asp Gly Arg Arg
245	250 255
Phe His Arg Ala Cys Arg Leu Val His	Asp Phe Thr Asp Ala Val
260	265 270
Ile Arg Glu Arg Arg Arg Thr Leu Pro	Thr Gln Gly Ile Asp Asp
275	280 285
Phe Phe Lys Asp Lys Ala Lys Ser Lys	Thr Leu Asp Phe Ile Asp
290	295 300
Val Leu Leu Leu Ser Lys Asp Glu Asp	Gly Lys Ala Leu Ser Asp
305	310 315
Glu Asp Ile Arg Ala Glu Ala Asp Thr	Phe Met Phe Gly Gly His
320	325 330
Asp Thr Thr Ala Ser Gly Leu Ser Trp	Val Leu Tyr Asn Leu Ala
335	340 345
Arg His Pro Glu Tyr Gln Glu Arg Cys	Arg Gln Glu Val Gln Glu
350	355 360
Leu Leu Lys Asp Arg Asp Pro Lys Glu	Ile Glu Trp Asp Asp Leu
365	370 375
Ala Gln Leu Pro Phe Leu Thr Met Cys	Val Lys Glu Ser Leu Arg
380	385 390
Leu His Pro Pro Ala Pro Phe Ile Ser	Arg Cys Cys Thr Gln Asp
395	400 405
Ile Val Leu Pro Asp Gly Arg Val Ile	Pro Lys Gly Ile Thr Cys
410	415 420
Leu Ile Asp Ile Ile Gly Val His His	Asn Pro Thr Val Trp Pro
425	430 435
Asp Pro Glu Val Tyr Asp Pro Phe Arg	Phe Asp Pro Glu Asn Ser
440	445 450
Lys Gly Arg Ser Pro Leu Ala Phe Ile	Pro Phe Ser Ala Gly Pro
455	460 465
Arg Asn Cys Ile Gly Gln Ala Phe Ala	Met Ala Glu Met Lys Val
470	475 480
Val Leu Ala Leu Met Leu Leu His Phe	Arg Phe Leu Pro Asp His
485	490 495
Thr Glu Pro Arg Arg Lys Leu Glu Leu	Ile Met Arg Ala Glu Gly
500	505 510
Gly Leu Trp Leu Arg Val Glu Pro Leu	Asn Val Gly Leu Gln
515	520

-continued

<210> SEQ ID NO 55
<211> LENGTH: 644
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 55

atcgcatcaa ttgggagtac catcttcctc atgggaccag tgaaacagct	50
gaagcgaatg tttgagccta ctggtttgat tgcaactatc atggtgctgt	100
tgtgttttgc acttaccctg tgttctgcct tttggtggca taacaaggga	150
cttgcaactta tcttctgcat ttgcagtcct ttggcattga cgtggtacag	200
cctttccttc ataccatttg caagggatgc tgtgaagaag tgttttgccg	250
tgtgtcttgc ataattcatg gccagtttta tgaagctttg gaaggcacta	300
tggacagaag ctggtggaca gttttgtaac tatcttcgaa acctctgtct	350
tacagacatg tgccttttat ctgcagcaa tgtgttgctt gtgattcgaa	400
catttgaggg ttacttttgg aagcaacaat acattctcga acctgaatgt	450
cagtagcaca ggatgagaag tgggttctgt atcttggtga gtggaatctt	500
cctcatgtac ctgtttcctc tctggatgtt gtccactga attcccatga	550
atacaaacct attcagcaac agcaaaaaa aaaaaaaaaa aaaaaaaaaa	600
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa	644

<210> SEQ ID NO 56
<211> LENGTH: 77
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 56

Met Gly Pro Val Lys Gln Leu Lys Arg Met Phe Glu Pro Thr Arg	
1 5 10 15	
Leu Ile Ala Thr Ile Met Val Leu Leu Cys Phe Ala Leu Thr Leu	
20 25 30	
Cys Ser Ala Phe Trp Trp His Asn Lys Gly Leu Ala Leu Ile Phe	
35 40 45	
Cys Ile Leu Gln Ser Leu Ala Leu Thr Trp Tyr Ser Leu Ser Phe	
50 55 60	
Ile Pro Phe Ala Arg Asp Ala Val Lys Lys Cys Phe Ala Val Cys	
65 70 75	
Leu Ala	

<210> SEQ ID NO 57
<211> LENGTH: 3334
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 57

cggtctgagc tcgagccgaa tcggctcgag gggcagtgga gcaccagca	50
ggccgccaac atgctctgtc tgtgcctgta cgtgccggtc atcggggaag	100
cccagaccga gttccagtac tttagctcga aggggctccc tgccgagctg	150
aagtccattt tcaagctcag tgtcttcac cctcccagg aattctccac	200
ctaccgccag tggaagcaga aaattgtaca agctggagat aaggaccttg	250

-continued

atgggcagct agactttgaa gaatttgtcc attatctcca agatcatgag	300
aagaagctga ggctggtgtt taagattttg gacaaaaaga atgatggacg	350
cattgacgcg caggagatca tgcagtcctt gcgggacttg ggagtcaaga	400
tatctgaaca gcaggcagaa aaaattctca agagcatgga taaaaacggc	450
acgatgacca tcgactggaa cgagtggaga gactaccacc tcctccaccc	500
cgtggaaaac atccccgaga tcatcctcta ctggaagcat tccacgatct	550
ttgatgtggg tgagaatcta acggtcccgg atgagttcac agtggaggag	600
aggcagacgg ggatgtggtg gagacacctg gtggcaggag gtggggcagg	650
ggccgtatcc agaacctgca cgccccctt ggacaggctc aaggtgctca	700
tgcagggtcca tgcctccgc agcaacaaca tgggcacgtg tggtggttc	750
actcagatga ttcgagaagg aggggccagg tcaactctggc ggggcaatgg	800
catcaacgtc ctcaaaattg cccccgaato agccatcaa ttcatggcct	850
atgagcagat caagcgctt gttggtagt accaggagac tctgaggatt	900
cacgagaggc ttgtggcagg gtctctggca ggggccatcg ccagagcag	950
catctaccba atggaggtcc tgaagacctg gatggcgctg cggaagacag	1000
gccagtactc aggaatgctg gactgcgcca ggaggatcct ggcagagag	1050
gggttggtggc cttctacaa aggttatgtc cccaacatgc tgggcacat	1100
cccctatgcc ggcatcgacc ttgcagtcta cgagacgctc aagaatgcct	1150
ggctgcagca ctatgcagtg aacagcgcg accccggcgt gtttgtgctc	1200
ctggcctgtg gcaccatgtc cagtacctgt ggccagctgg ccagctaccc	1250
cctggcccta gtcaggacct ggatgcaggc gcaagcctct attgaggcg	1300
ctccggagggt gaccatgagc agcctcttca aacatatcct gcggaccgag	1350
ggggccttgg ggctgtacag ggggtggcc cccaacttca tgaaggtcat	1400
cccagctgtg agcatcagct acgtggtcta cgagaacctg aagatcacc	1450
tgggcgtgca gtcgcggtga cggggggagg gccgccggc agtggactcg	1500
ctgatcctgg gccgcagcct ggggtgtgca gccatctcat tctgtgaatg	1550
tgccaacact aagctgtctc gagccaagct gtgaaaacc tagacgcacc	1600
cgcaggagggt gtggggagag ctggcaggcc cagggttgt cctgctgacc	1650
ccagcagacc ctctgtttg ttccagcgaa gaccacaggc attccttagg	1700
gtccagggtc agcaggctcc gggctcacat gtgtaaggac aggacathtt	1750
ctgcagtgcc tgccaatagt gagcttgagg cctggaggcc ggcttagttc	1800
ttccatttca cccttgacg cagctgttgg ccacggcccc tgccctctgg	1850
tctgccgtgc atctccctgt gccctcttgc tgctgcctg tctgctgagg	1900
taaggtggga ggagggtac agccacatc ccacccctc gtccaatccc	1950
ataatccatg atgaaagggt aggtcacgtg gcctccagg cctgacttcc	2000
caacctacag cattgacgcc aacttggtg tgaaggaga ggaaggatc	2050
tggccttgtg gtcactggca tctgagccct gctgatggct ggggtctctg	2100
ggcatgcttg ggagtgcagg gggctcgggc tgcttgccct ggctgcacag	2150

-continued

```
aaggcaagtg ctggggctca tgggtgctctg agctggcctg gaccctgtca      2200
ggatggggccc cacctcagaa ccaaactcac tgtccccact gtggcatgag      2250
ggcagtggag caccatgttt gagggcgaag ggcagagcgt ttgtgtgttc      2300
tggggagggg aggaaaaggt gttggaggcc ttaattatgg actgttggga      2350
aaagggtttt gtccagaagg acaagccgga caaatgagcg acttctgtgc      2400
ttccagagga agacgagggg gcaggagcct ggctgactgc tcagagtctg      2450
ttctgacgcc ctgggggttc ctgtccaacc ccagcagggg cgcagcggga      2500
ccagccccac attccacttg tgtcactgct tggaacctat ttattttgta      2550
tttatttgaa cagagttatg tcctaactat ttttatagat ttgtttaatt      2600
aatagcttgt cattttcaag ttcatttttt attcataatt atgttcatgg      2650
ttgattgtac cttccaagc ccgccagtg ggatgggagg aggaggagaa      2700
ggggggcctt gggccgctgc agtcacatct gtccagagaa attccttttg      2750
ggactggagg cagaaaagcg gccagaaggc agcagccctg gtccttttcc      2800
tttgccaggt tggggaaggg ctgtcccca gccttaggat ttcagggttt      2850
gactgggggc gtggagagag agggaggaac ctcaataacc ttgaaggtagg      2900
aatccagtta tttcctgcgc tgcgagggtt tctttatttc actcctttct      2950
gaatgtcaag gcagtgaggt gcctctcact gtgaatttgt ggtgggcggg      3000
ggctggagga gagggtgagg ggctggctcc gtccctccca gccttctgct      3050
gcccttgctt aacaatgccg gccaaactggc gacctcacgg ttgcacttcc      3100
attccaccag aatgacctga tgaggaaatc ttcaatagga tgcaaagatc      3150
aatgcaaaaa ttgttatata tgaacatata actggagtcg tcaaaaagca      3200
aattaagaaa gaattggacg ttagaagttg tcatttaaag cagccttcta      3250
ataaagttgt ttcaaagctg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa      3300
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa      3334
```

<210> SEQ ID NO 58
<211> LENGTH: 469
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 58

```
Met Leu Cys Leu Cys Leu Tyr Val Pro Val Ile Gly Glu Ala Gln
 1             5             10            15
Thr Glu Phe Gln Tyr Phe Glu Ser Lys Gly Leu Pro Ala Glu Leu
 20            25            30
Lys Ser Ile Phe Lys Leu Ser Val Phe Ile Pro Ser Gln Glu Phe
 35            40            45
Ser Thr Tyr Arg Gln Trp Lys Gln Lys Ile Val Gln Ala Gly Asp
 50            55            60
Lys Asp Leu Asp Gly Gln Leu Asp Phe Glu Glu Phe Val His Tyr
 65            70            75
Leu Gln Asp His Glu Lys Lys Leu Arg Leu Val Phe Lys Ile Leu
 80            85            90
Asp Lys Lys Asn Asp Gly Arg Ile Asp Ala Gln Glu Ile Met Gln
```

-continued

<210> SEQ ID NO 59

<211> LENGTH: 1658

<212> TYPE: DNA

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 59

ggaaggcagc ggcagctcca ctcagccagt acccagatac gctgggaacc	50
ttccccagcc atggcttccc tggggcagat cctcttctgg agcataatta	100
gcatcatcat tattctggct ggagcaattg cactcatcat tggttttgg	150
atttcaggga gacactccat cacagtcact actgtcgct cagctgggaa	200
cattggggag gatggaatcc tgagctgcac ttttgaacct gacatcaaac	250
tttctgatat cgtgatacaa tggctgaagg aaggtgtttt aggtcttggtc	300
catgagttca aagaaggcaa agatgagctg tcggagcagg atgaaatgtt	350
cagaggccgg acagcagtggt ttgctgatca agtgatagtt ggcaatgcct	400
ctttgcggtt gaaaaacgtg caactcacag atgtctggcac ctacaaatgt	450
tatatcatca cttctaaagg caagggaat gctaaccttg agtataaaac	500
tggagccttc agcatgccgg aagtgaatgt ggactataat gccagctcag	550
agaccttgog gtgtgaggct ccccgatggt tccccagcc cacagtggtc	600
tgggcatccc aagttgacca gggagccaac ttctcggaag tctccaatac	650
cagcttttag ctgaactctg agaatgtgac catgaagggt gtgtctgtgc	700
tctacaatgt tacgatcaac aacacatact cctgtatgat tgaaaatgac	750
attgccaaag caacagggga tatcaaagt acagaatcgg agatcaaaag	800
gcgaggtcac ctacagctgc taaactcaaa ggcttctctg tgtgtctctt	850
ctttctttgc catcagctgg gcacttctgc ctctcagccc ttacctgatg	900
ctaaaaatat gtgccttggc cacaaaaaag catgcaaagt cattgttaca	950
acagggatct acagaactat ttcaccacca gatatgacct agttttatat	1000
ttctgggagg aaatgaattc atatctagaa gtctggagtg agcaaaacag	1050
agcaagaaac aaaaagaagc caaaagcaga aggtccaat atgaacaaga	1100
taaaactatc ttcaaagaca tattagaagt tgggaaaata attcatgtga	1150
actagacaag tgtgttaaga gtgataagta aaatgcacgt ggagacaagt	1200
gcatccccag atctcaggga cctccccctg cctgtcacct ggggagtgag	1250
aggacaggat agtgcagtgt ctttgtctct gaatttttag ttatatgtgc	1300
tgtaatgtgt ctctgaggaa gccccggaa agtctatccc aacatatcca	1350
catcttatat tccacaaatt aagctgtagt atgtacccta agacgtgct	1400
aattgactgc cacttcgcaa ctcaggggcy gctgcatttt agtaatgggt	1450
caaatgattc actttttatg atgcttccaa aggtgccttg gcttctcttc	1500
ccaactgaca aatgccaaag ttgagaaaaa tgatcataat ttagcataa	1550
acagagcagt cggggacacc gattttataa ataaactgag caccttcttt	1600
ttaaacaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	1650
aaaaaaaaa	1658

-continued

<210> SEQ ID NO 60
<211> LENGTH: 282
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 60

Met Ala Ser Leu Gly Gln Ile Leu Phe Trp Ser Ile Ile Ser Ile
1 5 10 15
Ile Ile Ile Leu Ala Gly Ala Ile Ala Leu Ile Ile Gly Phe Gly
20 25 30
Ile Ser Gly Arg His Ser Ile Thr Val Thr Thr Val Ala Ser Ala
35 40 45
Gly Asn Ile Gly Glu Asp Gly Ile Leu Ser Cys Thr Phe Glu Pro
50 55 60
Asp Ile Lys Leu Ser Asp Ile Val Ile Gln Trp Leu Lys Glu Gly
65 70 75
Val Leu Gly Leu Val His Glu Phe Lys Glu Gly Lys Asp Glu Leu
80 85 90
Ser Glu Gln Asp Glu Met Phe Arg Gly Arg Thr Ala Val Phe Ala
95 100 105
Asp Gln Val Ile Val Gly Asn Ala Ser Leu Arg Leu Lys Asn Val
110 115 120
Gln Leu Thr Asp Ala Gly Thr Tyr Lys Cys Tyr Ile Ile Thr Ser
125 130 135
Lys Gly Lys Gly Asn Ala Asn Leu Glu Tyr Lys Thr Gly Ala Phe
140 145 150
Ser Met Pro Glu Val Asn Val Asp Tyr Asn Ala Ser Ser Glu Thr
155 160 165
Leu Arg Cys Glu Ala Pro Arg Trp Phe Pro Gln Pro Thr Val Val
170 175 180
Trp Ala Ser Gln Val Asp Gln Gly Ala Asn Phe Ser Glu Val Ser
185 190 195
Asn Thr Ser Phe Glu Leu Asn Ser Glu Asn Val Thr Met Lys Val
200 205 210
Val Ser Val Leu Tyr Asn Val Thr Ile Asn Asn Thr Tyr Ser Cys
215 220 225
Met Ile Glu Asn Asp Ile Ala Lys Ala Thr Gly Asp Ile Lys Val
230 235 240
Thr Glu Ser Glu Ile Lys Arg Arg Ser His Leu Gln Leu Leu Asn
245 250 255
Ser Lys Ala Ser Leu Cys Val Ser Ser Phe Phe Ala Ile Ser Trp
260 265 270
Ala Leu Leu Pro Leu Ser Pro Tyr Leu Met Leu Lys
275 280

<210> SEQ ID NO 61
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 61

tgacgtcaga atcaccatgg ccagctatcc ttaccggcag ggctgcccag 50
gagctgcagg acaagcacca ggagccccto cgggtagcta ctaccctgga 100

-continued

```
ccccccaata gtggaggga gtatgtagt gggctacccc ctggtggtg      150
ttatgggggt cctgcccctg gagggcctta tggaccacca gctggtggag      200
ggccctatgg acacccaat cctgggatgt tcccctctgg aactccagga      250
ggaccatatg gcggtgcagc tcccgggggc ccctatggtc agccacctcc      300
aagttcctac ggtgcccagc agcctgggct ttatggacag ggtggcgccc      350
ctcccaatgt ggatcctgag gcctactcct ggttcagtc ggtggactca      400
gatcacagtg gctatatctc catgaaggag ctaaagcagg ccctggtcaa      450
ctgcaattgg tcttcattca atgatgagac ctgcctcatg atgataaaca      500
tgtttgacaa gaccaagtca ggccgcacgc atgtctacgg cttctcagcc      550
ctgtggaaat tcatccagca gtggaagaac ctcttcagc agtatgaccg      600
ggaccgctcg ggctccatta gctacacaga gctgcagcaa gctctgtccc      650
aaatgggcta caacctgagc cccagttca ccagcttct ggtctccgc      700
tactgccac gctctgcaa tcctgccatg cagcttgacc gcttcacca      750
ggtgtgcacc cagctgcagg tgctgacaga ggccttcgg gagaaggaca      800
cagctgtaca aggcaacatc cggctcagct tcgaggactt cgtcaccatg      850
acagcttctc ggatgctatg acccaacat ctgtggagag tggagtgcac      900
cagggacctt tcctggcttc ttagagttag agaagtatgt ggacatctct      950
tcttttctg tccctctaga agaacattct cccttgcttg atgcaacact     1000
gttccaaaaa agggtgga gtcctgcac atagccacca aatagtgagg     1050
accggggctg agggcacaca gataggggcc tgatggagga gaggatagaa     1100
gttgaatgtc ctgatggcca tgagcagttg agtggcacag cctggcacca     1150
ggagcaggtc cttgtaatgg agttagtgtc cagtcagctg agtccaccc     1200
tgatgccagt ggtgagtgtt catcggcctg ttaccgttag tacctgtgtt     1250
ccctcaccag gccatcctgt caaacgagcc cattttctcc aaagtggaat     1300
ctgaccaagc atgagagaga tctgtctatg ggaccagtgg cttggattct     1350
gccacacca taaatccttg tgtgttaact tctagctgcc tggggctggc     1400
cctgctcaga caaatctgct ccctgggcat ctttggccag gcttctgccc     1450
cctgcagctg ggacccctca cttgcctgcc atgctctgct cggettcagt     1500
ctccaggaga cagtggtcac ctctccctgc caatactttt tttaatttgc     1550
atTTTTTTTt atttggggcc aaaagtccag tgaaattgta agcttcaata     1600
aaaggatgaa actctga                                     1617
```

<210> SEQ ID NO 62
<211> LENGTH: 284
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 62

```
Met Ala Ser Tyr Pro Tyr Arg Gln Gly Cys Pro Gly Ala Ala Gly
 1             5             10            15
Gln Ala Pro Gly Ala Pro Pro Gly Ser Tyr Tyr Pro Gly Pro Pro
                20                25                30
```

-continued

Asn Ser Gly Gly Gln Tyr Gly Ser Gly Leu Pro Pro Gly Gly Gly
35 40 45
Tyr Gly Gly Pro Ala Pro Gly Gly Pro Tyr Gly Pro Pro Ala Gly
50 55 60
Gly Gly Pro Tyr Gly His Pro Asn Pro Gly Met Phe Pro Ser Gly
65 70 75
Thr Pro Gly Gly Pro Tyr Gly Gly Ala Ala Pro Gly Gly Pro Tyr
80 85 90
Gly Gln Pro Pro Pro Ser Ser Tyr Gly Ala Gln Gln Pro Gly Leu
95 100 105
Tyr Gly Gln Gly Gly Ala Pro Pro Asn Val Asp Pro Glu Ala Tyr
110 115 120
Ser Trp Phe Gln Ser Val Asp Ser Asp His Ser Gly Tyr Ile Ser
125 130 135
Met Lys Glu Leu Lys Gln Ala Leu Val Asn Cys Asn Trp Ser Ser
140 145 150
Phe Asn Asp Glu Thr Cys Leu Met Met Ile Asn Met Phe Asp Lys
155 160 165
Thr Lys Ser Gly Arg Ile Asp Val Tyr Gly Phe Ser Ala Leu Trp
170 175 180
Lys Phe Ile Gln Gln Trp Lys Asn Leu Phe Gln Gln Tyr Asp Arg
185 190 195
Asp Arg Ser Gly Ser Ile Ser Tyr Thr Glu Leu Gln Gln Ala Leu
200 205 210
Ser Gln Met Gly Tyr Asn Leu Ser Pro Gln Phe Thr Gln Leu Leu
215 220 225
Val Ser Arg Tyr Cys Pro Arg Ser Ala Asn Pro Ala Met Gln Leu
230 235 240
Asp Arg Phe Ile Gln Val Cys Thr Gln Leu Gln Val Leu Thr Glu
245 250 255
Ala Phe Arg Glu Lys Asp Thr Ala Val Gln Gly Asn Ile Arg Leu
260 265 270
Ser Phe Glu Asp Phe Val Thr Met Thr Ala Ser Arg Met Leu
275 280

<210> SEQ ID NO 63
<211> LENGTH: 1234
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 63

caggatgcag ggccgcgtgg cagggagctg cgctcctctg ggctgctcc 50
tggtctgtct tcatctccca ggctctttg cccggagcat cgggttgtg 100
gaggagaaa tttcccaaaa cttcgggacc aacttgcctc agctcggaca 150
accttctctc actggcccct ctaactctga acatccgcag cccgctctgg 200
accctaggtc taatgacttg gcaagggttc ctctgaagct cagcgtgcct 250
ccatcagatg gcttcccacc tgcaggaggt tctgcagtgc agaggtggcc 300
tccatcgtgg gggctgcctg ccatggatto ctggcccctc gaggatcctt 350
ggcagatgat ggctgctgcg gctgaggacc gcctggggga agcgtgcct 400

-continued

gaagaactct cttacctctc cagtgcctgc gccctcgctc cgggcagtgg	450
ccctttgcct ggggagtcct ctcccgatgc cacaggcctc tcacctgagg	500
cttactcct ccaccaggac tcggagtcca gacgactgcc ccgttcta	550
tcactgggag ccgggggaaa aatcctttcc caacgccctc cctggtctct	600
catccacagg gttctgcctg atcacccctg gggtagcctg aatccagt	650
tgtctctggg aggtggaggc cctgggactg gttggggaac gagggccatg	700
ccacaccctg agggaatctg gggtagcaat aatcaacccc caggtagcag	750
ctggggaaat attaatcggg atccaggagg cagctgggga aatattaatc	800
ggtagccagg aggcagctgg gggaatatta atcggtatcc aggaggcagc	850
tgggggaata ttcatctata ccagggtatc aataacccat ttctctctgg	900
agttctccgc cctcctggct cttcttgga catccagct ggcttcccta	950
atcctccaag ccctaggttg cagtggggct agagcacgat agagggaaac	1000
ccaacattgg gagtagagt cctgctcccg cccttgctg tgtgggctca	1050
atccaggccc tgtaacatg ttccagcac tatccccact ttccagtgc	1100
tccctgctc atctccaata aaataaaagc acttatgaaa aaaaaaaaaa	1150
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	1200
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa	1234

<210> SEQ ID NO 64
<211> LENGTH: 325
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 64

Met Gln Gly Arg Val Ala Gly Ser Cys Ala Pro Leu Gly Leu Leu	
1 5 10 15	
Leu Val Cys Leu His Leu Pro Gly Leu Phe Ala Arg Ser Ile Gly	
20 25 30	
Val Val Glu Glu Lys Val Ser Gln Asn Phe Gly Thr Asn Leu Pro	
35 40 45	
Gln Leu Gly Gln Pro Ser Ser Thr Gly Pro Ser Asn Ser Glu His	
50 55 60	
Pro Gln Pro Ala Leu Asp Pro Arg Ser Asn Asp Leu Ala Arg Val	
65 70 75	
Pro Leu Lys Leu Ser Val Pro Pro Ser Asp Gly Phe Pro Pro Ala	
80 85 90	
Gly Gly Ser Ala Val Gln Arg Trp Pro Pro Ser Trp Gly Leu Pro	
95 100 105	
Ala Met Asp Ser Trp Pro Pro Glu Asp Pro Trp Gln Met Met Ala	
110 115 120	
Ala Ala Ala Glu Asp Arg Leu Gly Glu Ala Leu Pro Glu Glu Leu	
125 130 135	
Ser Tyr Leu Ser Ser Ala Ala Ala Leu Ala Pro Gly Ser Gly Pro	
140 145 150	
Leu Pro Gly Glu Ser Ser Pro Asp Ala Thr Gly Leu Ser Pro Glu	
155 160 165	
Ala Ser Leu Leu His Gln Asp Ser Glu Ser Arg Arg Leu Pro Arg	

-continued

170									175					180		
Ser	Asn	Ser	Leu	Gly	Ala	Gly	Gly	Lys	Ile	Leu	Ser	Gln	Arg	Pro		
				185					190					195		
Pro	Trp	Ser	Leu	Ile	His	Arg	Val	Leu	Pro	Asp	His	Pro	Trp	Gly		
				200					205					210		
Thr	Leu	Asn	Pro	Ser	Val	Ser	Trp	Gly	Gly	Gly	Gly	Pro	Gly	Thr		
				215					220					225		
Gly	Trp	Gly	Thr	Arg	Pro	Met	Pro	His	Pro	Glu	Gly	Ile	Trp	Gly		
				230					235					240		
Ile	Asn	Asn	Gln	Pro	Pro	Gly	Thr	Ser	Trp	Gly	Asn	Ile	Asn	Arg		
				245					250					255		
Tyr	Pro	Gly	Gly	Ser	Trp	Gly	Asn	Ile	Asn	Arg	Tyr	Pro	Gly	Gly		
				260					265					270		
Ser	Trp	Gly	Asn	Ile	Asn	Arg	Tyr	Pro	Gly	Gly	Ser	Trp	Gly	Asn		
				275					280					285		
Ile	His	Leu	Tyr	Pro	Gly	Ile	Asn	Asn	Pro	Phe	Pro	Pro	Gly	Val		
				290					295					300		
Leu	Arg	Pro	Pro	Gly	Ser	Ser	Trp	Asn	Ile	Pro	Ala	Gly	Phe	Pro		
				305					310					315		
Asn	Pro	Pro	Ser	Pro	Arg	Leu	Gln	Trp	Gly							
				320					325							

```
<210> SEQ ID NO 65
<211> LENGTH: 422
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien
```

<400> SEQUENCE: 65

aaggagaggc caccgggact tcagtgtctc ctccatccca ggagcgcagt	50
ggccactatg gggctctgggc tgccccttgt cctcctcttg accctccttg	100
gcagctcaca tggaacaggg ccgggtatga ctttgcaact gaagctgaag	150
gagtcttttc tgacaaattc ttcctatgag tccagcttcc tggaattgct	200
tgaaaagctc tgccctctcc tccatctccc ttcagggacc agcgtcacc	250
tccaccatgc aagatctcaa caccatgttg tctgcaacac atgacagcca	300
ttgaagcctg tgtccttctt ggcccgggct tttgggccgg ggatgcagga	350
ggcaggcccc gacctgtct ttcagcaggc cccaccctc ctgagtggca	400
ataaataaaa ttcggtatgc tg	422

```
<210> SEQ ID NO 66
<211> LENGTH: 78
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien
```

<400> SEQUENCE: 66

Met	Gly	Ser	Gly	Leu	Pro	Leu	Val	Leu	Leu	Leu	Thr	Leu	Leu	Gly
1				5					10					15
Ser	Ser	His	Gly	Thr	Gly	Pro	Gly	Met	Thr	Leu	Gln	Leu	Lys	Leu
				20					25					30
Lys	Glu	Ser	Phe	Leu	Thr	Asn	Ser	Ser	Tyr	Glu	Ser	Ser	Phe	Leu
				35					40					45
Glu	Leu	Leu	Glu	Lys	Leu	Cys	Leu	Leu	Leu	His	Leu	Pro	Ser	Gly

-continued

Leu Pro Ile

<210> SEQ ID NO 69

<211> LENGTH: 3265

<212> TYPE: DNA

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 69

gccaggaata actagagagg aacaatgggg ttattcagag gttttgtttt	50
cctcttagtt ctgtgcctgc tgcaccagtc aaatacttcc ttcattaagc	100
tgaataataa tggctttgaa gatattgtca ttgttataga tcctagtgtg	150
ccagaagatg aaaaaataat tgaacaaata gaggatatgg tgactacagc	200
ttctacgtac ctgtttgaag ccacagaaaa aagatTTTTT ttcaaaaatg	250
tatctatatt aattcctgag aattggaagg aaaatcctca gtacaaaagg	300
ccaaaacatg aaaccataa acatgctgat gttatagtgg caccacctac	350
actcccaggt agagatgaac catacaccaa gcagttcaca gaatgtggag	400
agaaaggcga atacattcac ttcacccctg accttctact tggaaaaaaa	450
caaaatgaat atggaccacc aggcaaactg tttgtccatg agtgggctca	500
cctccggtgg ggagtgtttg atgagtacaa tgaagatcag cttttctacc	550
gtgctaagtc aaaaaaatc gaagcaacaa ggtgttccgc aggtatctct	600
ggtagaataa gagtttataa gtgtcaagga ggcagctgtc ttagtagagc	650
atgcagaatt gattctacaa caaaactgta tggaaaagat tgtcaattct	700
ttcctgataa agtacaacaa gaaaagcat ccataatgtt tatgcaaagt	750
attgattctg ttgttgaatt ttgtaacgaa aaaaccata atcaagaagc	800
tccaagccta caaacataa agtgcaattt tagaagtaca tgggaggtga	850
ttagcaattc tgaggatttt aaaaacacca taccatgggt gacaccacct	900
cctccacctg tcttctcatt gctgaagatc agtcaaagaa ttgtgtgctt	950
agttcttgat aagtctggaa gcatgggggg taaggaccgc ctaaactgaa	1000
tgaatcaagc agcaaaacat ttcctgctgc agactgttga aaatggatcc	1050
tgggtgggga tggttcactt tgatagtact gccactattg taaataagct	1100
aatccaaata aaaagcagtg atgaaagaaa cacactcatg gcaggattac	1150
ctacatatcc tctgggagga acttccatct gctctggaat taaatatgca	1200
tttcagggtg ttggagagct acattcccaa ctcgatggat ccgaagtact	1250
gctgctgact gatggggagg ataactctgc aagttcttgt attgatgaag	1300
tgaacaaaag tggggccatt gttcatttta ttgctttggg aagagctgct	1350
gatgaagcag taatagagat gagcaagata acaggaggaa gtcattttta	1400
tgtttcagat gaagctcaga acaatggcct cattgatgct tttggggctc	1450
ttacatcagg aaatactgat ctctcccaag agtcccttca gctogaaagt	1500
aagggtatga cactgaatag taatgcctgg atgaacgaca ctgtcataat	1550
tgatagtaca tggggaaagg acacgttctt tctcatcaca tggaacagtc	1600
tgccctccag tatttctctc tgggatccca gtggaacaat aatggaaaat	1650

-continued

ttcacagtgg atgcaacttc caaaatggcc tatctcagta ttccaggaac	1700
tgcaaaagtg ggcacttggg catacaatct tcaagccaaa gcgaaccag	1750
aaacattaac tattacagta acttctcgag cagcaaattc ttctgtgcct	1800
ccaatcacag tgaatgctaa aatgaataag gacgtaaaca gtttccccag	1850
cccaatgatt gtttacgcag aaattctaca aggatatgta cctgttcttg	1900
gagccaatgt gactgctttc attgaatcac agaattggaca tacagaagtt	1950
ttggaacttt tggataatgg tgcaggcgct gattctttca agaattgatg	2000
agtctactcc aggtatttta cagcatatac agaaaatggc agatatagct	2050
taaaagttcg ggctcatgga ggagcaaaca ctgccaggct aaaattacgg	2100
cctccactga atagagccgc gtacatacca ggctgggtag tgaacgggga	2150
aattgaagca aaccgcgcaa gacctgaaat tgatgaggat actcagacca	2200
ccttgaggga tttcagccga acagcatccg gaggtgcatt tgtggtatca	2250
caagtcccaa gccttcacctt gcctgaccaa taccaccaa gtcaaatcac	2300
agaccttgat gccacagttc atgaggataa gattattctt acatggacag	2350
caccaggaga taattttgat gttggaaaag ttcaacgtta tatcataaga	2400
ataagtgcaa gtattcttga tctaagagac agttttgatg atgctcttca	2450
agtaataact actgatctgt caccaaagga ggccaactcc aaggaaagct	2500
ttgcatttaa accagaaaat atctcagaag aaaatgcaac ccacatattt	2550
attgccatta aaagtataga taaaagcaat ttgacatcaa aagtatccaa	2600
cattgcacaa gtaactttgt ttatccctca agcaaatcct gatgacattg	2650
atcctacacc tactcctact cctactccta ctctgataa aagtcataat	2700
tctggagtta atattttctac gctgggtattg tctgtgattg ggtctgttgt	2750
aattgttaac tttattttaa gtaccacat ttgaacctta acgaagaaaa	2800
aaatcttcaa gtagacctag aagagagttt taaaaaaca aacaatgtaa	2850
gtaaaggata tttctgaatc ttaaaattca tcccatgtgt gatcataaac	2900
tcataaaaaa aattttaaga tgtcggaaaa ggatactttg attaaataaa	2950
aacactcatg gatattgtaa aactgtcaag attaaaattt aatagtttca	3000
tttattttgt attttatttg taagaaatag tgatgaacaa agatcctttt	3050
tcatactgat acctggttgt atattatttg atgcaacagt tttctgaaat	3100
gatattttcaa attgcatcaa gaaattaaaa tcatctatct gagtagtcaa	3150
aatacaagta aaggagagca aataaacaac atttgaaaa aaaaaaaaaa	3200
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	3250
aaaaaaaaaa aaaaaa	3265

<210> SEQ ID NO 70

<211> LENGTH: 919

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 70

Met Gly Leu Phe Arg Gly Phe Val Phe Leu Leu Val Leu Cys Leu

-continued

1	5	10	15
Leu His Gln Ser Asn Thr Ser Phe Ile Lys Leu Asn Asn Asn Gly	20	25	30
Phe Glu Asp Ile Val Ile Val Ile Asp Pro Ser Val Pro Glu Asp	35	40	45
Glu Lys Ile Ile Glu Gln Ile Glu Asp Met Val Thr Thr Ala Ser	50	55	60
Thr Tyr Leu Phe Glu Ala Thr Glu Lys Arg Phe Phe Phe Lys Asn	65	70	75
Val Ser Ile Leu Ile Pro Glu Asn Trp Lys Glu Asn Pro Gln Tyr	80	85	90
Lys Arg Pro Lys His Glu Asn His Lys His Ala Asp Val Ile Val	95	100	105
Ala Pro Pro Thr Leu Pro Gly Arg Asp Glu Pro Tyr Thr Lys Gln	110	115	120
Phe Thr Glu Cys Gly Glu Lys Gly Glu Tyr Ile His Phe Thr Pro	125	130	135
Asp Leu Leu Leu Gly Lys Lys Gln Asn Glu Tyr Gly Pro Pro Gly	140	145	150
Lys Leu Phe Val His Glu Trp Ala His Leu Arg Trp Gly Val Phe	155	160	165
Asp Glu Tyr Asn Glu Asp Gln Pro Phe Tyr Arg Ala Lys Ser Lys	170	175	180
Lys Ile Glu Ala Thr Arg Cys Ser Ala Gly Ile Ser Gly Arg Asn	185	190	195
Arg Val Tyr Lys Cys Gln Gly Gly Ser Cys Leu Ser Arg Ala Cys	200	205	210
Arg Ile Asp Ser Thr Thr Lys Leu Tyr Gly Lys Asp Cys Gln Phe	215	220	225
Phe Pro Asp Lys Val Gln Thr Glu Lys Ala Ser Ile Met Phe Met	230	235	240
Gln Ser Ile Asp Ser Val Val Glu Phe Cys Asn Glu Lys Thr His	245	250	255
Asn Gln Glu Ala Pro Ser Leu Gln Asn Ile Lys Cys Asn Phe Arg	260	265	270
Ser Thr Trp Glu Val Ile Ser Asn Ser Glu Asp Phe Lys Asn Thr	275	280	285
Ile Pro Met Val Thr Pro Pro Pro Pro Pro Val Phe Ser Leu Leu	290	295	300
Lys Ile Ser Gln Arg Ile Val Cys Leu Val Leu Asp Lys Ser Gly	305	310	315
Ser Met Gly Gly Lys Asp Arg Leu Asn Arg Met Asn Gln Ala Ala	320	325	330
Lys His Phe Leu Leu Gln Thr Val Glu Asn Gly Ser Trp Val Gly	335	340	345
Met Val His Phe Asp Ser Thr Ala Thr Ile Val Asn Lys Leu Ile	350	355	360
Gln Ile Lys Ser Ser Asp Glu Arg Asn Thr Leu Met Ala Gly Leu	365	370	375
Pro Thr Tyr Pro Leu Gly Gly Thr Ser Ile Cys Ser Gly Ile Lys	380	385	390

-continued

Tyr	Ala	Phe	Gln	Val	Ile	Gly	Glu	Leu	His	Ser	Gln	Leu	Asp	Gly	395	400	405
Ser	Glu	Val	Leu	Leu	Leu	Thr	Asp	Gly	Glu	Asp	Asn	Thr	Ala	Ser	410	415	420
Ser	Cys	Ile	Asp	Glu	Val	Lys	Gln	Ser	Gly	Ala	Ile	Val	His	Phe	425	430	435
Ile	Ala	Leu	Gly	Arg	Ala	Ala	Asp	Glu	Ala	Val	Ile	Glu	Met	Ser	440	445	450
Lys	Ile	Thr	Gly	Gly	Ser	His	Phe	Tyr	Val	Ser	Asp	Glu	Ala	Gln	455	460	465
Asn	Asn	Gly	Leu	Ile	Asp	Ala	Phe	Gly	Ala	Leu	Thr	Ser	Gly	Asn	470	475	480
Thr	Asp	Leu	Ser	Gln	Lys	Ser	Leu	Gln	Leu	Glu	Ser	Lys	Gly	Leu	485	490	495
Thr	Leu	Asn	Ser	Asn	Ala	Trp	Met	Asn	Asp	Thr	Val	Ile	Ile	Asp	500	505	510
Ser	Thr	Val	Gly	Lys	Asp	Thr	Phe	Phe	Leu	Ile	Thr	Trp	Asn	Ser	515	520	525
Leu	Pro	Pro	Ser	Ile	Ser	Leu	Trp	Asp	Pro	Ser	Gly	Thr	Ile	Met	530	535	540
Glu	Asn	Phe	Thr	Val	Asp	Ala	Thr	Ser	Lys	Met	Ala	Tyr	Leu	Ser	545	550	555
Ile	Pro	Gly	Thr	Ala	Lys	Val	Gly	Thr	Trp	Ala	Tyr	Asn	Leu	Gln	560	565	570
Ala	Lys	Ala	Asn	Pro	Glu	Thr	Leu	Thr	Ile	Thr	Val	Thr	Ser	Arg	575	580	585
Ala	Ala	Asn	Ser	Ser	Val	Pro	Pro	Ile	Thr	Val	Asn	Ala	Lys	Met	590	595	600
Asn	Lys	Asp	Val	Asn	Ser	Phe	Pro	Ser	Pro	Met	Ile	Val	Tyr	Ala	605	610	615
Glu	Ile	Leu	Gln	Gly	Tyr	Val	Pro	Val	Leu	Gly	Ala	Asn	Val	Thr	620	625	630
Ala	Phe	Ile	Glu	Ser	Gln	Asn	Gly	His	Thr	Glu	Val	Leu	Glu	Leu	635	640	645
Leu	Asp	Asn	Gly	Ala	Gly	Ala	Asp	Ser	Phe	Lys	Asn	Asp	Gly	Val	650	655	660
Tyr	Ser	Arg	Tyr	Phe	Thr	Ala	Tyr	Thr	Glu	Asn	Gly	Arg	Tyr	Ser	665	670	675
Leu	Lys	Val	Arg	Ala	His	Gly	Gly	Ala	Asn	Thr	Ala	Arg	Leu	Lys	680	685	690
Leu	Arg	Pro	Pro	Leu	Asn	Arg	Ala	Ala	Tyr	Ile	Pro	Gly	Trp	Val	695	700	705
Val	Asn	Gly	Glu	Ile	Glu	Ala	Asn	Pro	Pro	Arg	Pro	Glu	Ile	Asp	710	715	720
Glu	Asp	Thr	Gln	Thr	Thr	Leu	Glu	Asp	Phe	Ser	Arg	Thr	Ala	Ser	725	730	735
Gly	Gly	Ala	Phe	Val	Val	Ser	Gln	Val	Pro	Ser	Leu	Pro	Leu	Pro	740	745	750
Asp	Gln	Tyr	Pro	Pro	Ser	Gln	Ile	Thr	Asp	Leu	Asp	Ala	Thr	Val	755	760	765

-continued

His	Glu	Asp	Lys	Ile	Ile	Leu	Thr	Trp	Thr	Ala	Pro	Gly	Asp	Asn	
			770						775					780	
Phe	Asp	Val	Gly	Lys	Val	Gln	Arg	Tyr	Ile	Ile	Arg	Ile	Ser	Ala	
			785						790					795	
Ser	Ile	Leu	Asp	Leu	Arg	Asp	Ser	Phe	Asp	Asp	Ala	Leu	Gln	Val	
			800						805					810	
Asn	Thr	Thr	Asp	Leu	Ser	Pro	Lys	Glu	Ala	Asn	Ser	Lys	Glu	Ser	
			815						820					825	
Phe	Ala	Phe	Lys	Pro	Glu	Asn	Ile	Ser	Glu	Glu	Asn	Ala	Thr	His	
			830						835					840	
Ile	Phe	Ile	Ala	Ile	Lys	Ser	Ile	Asp	Lys	Ser	Asn	Leu	Thr	Ser	
			845						850					855	
Lys	Val	Ser	Asn	Ile	Ala	Gln	Val	Thr	Leu	Phe	Ile	Pro	Gln	Ala	
			860						865					870	
Asn	Pro	Asp	Asp	Ile	Asp	Pro	Thr	Pro	Thr	Pro	Thr	Pro	Thr	Pro	
			875						880					885	
Thr	Pro	Asp	Lys	Ser	His	Asn	Ser	Gly	Val	Asn	Ile	Ser	Thr	Leu	
			890						895					900	
Val	Leu	Ser	Val	Ile	Gly	Ser	Val	Val	Ile	Val	Asn	Phe	Ile	Leu	
			905						910					915	
Ser	Thr	Thr	Ile												

<210> SEQ ID NO 71
<211> LENGTH: 3877
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 71

ctccttaggt ggaaccctg ggagtagagt actgacagca aagaccggga	50
aagaccatac gtccccgggc aggggtgaca acaggtgtca tctttttgat	100
ctcgtgtgtg gctgccttcc tatttcaagg aaagacgcca aggtaatttt	150
gaccagagg agcaatgatg tagccacctc ctaaccttcc cttcttgaa	200
ccccagttat gccaggattt actagagagt gtcaactcaa ccagcaagcg	250
gctccttcgg cttaacttgt ggttgagga gagaacctt gtggggctgc	300
gttctcttag cagtgtcag aagtgacttg cctgaggggtg gaccagaaga	350
aaggaaaggt cccctcttgc tgttggtgc acatcaggaa ggctgtgatg	400
ggaatgaagg tgaaaacttg gagatttcac ttcagtcatt gcttctgcct	450
gcaagatcat cctttaaag tagagaagct gctctgtgtg gtggttaact	500
ccaagagcca gaactcgttc tagaaggaaa tggatgcaag cagctccggg	550
ggccccaac gcattgcttc tgtgtctag ccaggggag cccttccgtg	600
ggggccccgg ctttgaggga tgccaccggt tctggacgca tggetgattc	650
ctgaatgatg atggttcgcc gggggtgct tgcgtggatt tcccggttg	700
tggttttgct ggtgctctc tgctgtgcta tctctgtcct gtacatgtt	750
gcctgcaccc caaaagtgta cgaggagcag ctggcactgc ccagggccaa	800
cagccccacg ggaagaggg ggtaccagc cgtccttcag gagtgggagg	850
agcagcaccc caactacgtg agcagcctga agcggcagat cgcacagctc	900

-continued

aaggaggagc tgcaggagag gagtgagcag ctcaggaatg ggcagtacca	950
agccagcgat gctgctggcc tgggtctgga caggagcccc ccagagaaaa	1000
cccaggccga cctcctggcc ttcctgcact cgcagggtga caaggcagag	1050
gtgaatgctg gcgtcaagct ggccacagag tatgcagcag tgcctttcga	1100
tagctttact ctacagaagg tgtaccagct ggagactggc cttacccgcc	1150
accccgagga gaagcctgtg aggaaggaca agcgggatga gttgggtgaa	1200
gccattgaat cagccttgga gaccctgaac aatcctgcag agaacagccc	1250
caatcacctg ccttacacgg cctctgattt catagaaggg atctaccgaa	1300
cagaaaggga caaagggaca ttgtatgagc tcaccttcaa aggggaccac	1350
aaacacgaat tcaaacggct catcttattt cgaccattca gccccatcat	1400
gaaagtgaat aatgaaaagc tcaacatggc caacacgctt atcaatgtta	1450
tcgtgcctct agcaaaaagg gtggacaagt tccggcagtt catgcagaat	1500
ttcagggaga tgtgcattga gcaggatggg agagtccatc tcaactgtgt	1550
ttactttggg aaagaagaaa taaatgaagt caaaggaata cttgaaaaca	1600
cttccaaagc tgccaacttc aggaacttta ccttcattcca gctgaatgga	1650
gaattttctc ggggaaaggg acttgatgtt ggagcccgtc tctggaaggg	1700
aagcaacgtc cttctctttt tctgtgatgt ggacatctac ttcacatctg	1750
aattcctcaa tacgtgtagg ctgaatacac agccagggaa gaaggatatt	1800
tatccagttc ttttcagtca gtacaatcct ggcataatat acggccacca	1850
tgatgcagtc cctcccttgg aacagcagct ggtcataaag aaggaaactg	1900
gattttggag agactttgga tttgggatga cgtgtcagta tcggtcagac	1950
ttcatcaata taggtgggtt tgatctggac atcaaaggct ggggcggaga	2000
ggatgtgcac ctttatcgca agtatctcca cagcaacctc atagtggtag	2050
ggacgcctgt gcgaggactc ttccacctct ggcatgagaa gcgctgcagt	2100
gacgagctga ccccgagca gtacaagatg tgcattgcagt ccaaggccat	2150
gaacgaggca tcccacggcc agctgggcat gctgggtgtc aggcacgaga	2200
tagaggctca ccttcgcaaa cagaaacaga agacaagtag caaaaaaaca	2250
tgaactccca gagaaggatt gtgggagaca ctttttcttt ccttttgcaa	2300
ttactgaaag tggctgcaac agagaaaaga cttccataaa ggacgacaaa	2350
agaattggac tgatgggtca gagatgagaa agcctccgat ttctctctgt	2400
tgggcttttt acaacagaaa tcaaaatctc cgctttgcct gcaaaagtaa	2450
cccagttgca ccctgtgaag tgtctgacaa aggcagaatg cttgtgagat	2500
tataagccta atgggtgtga ggttttgatg gtgtttacaa tacactgaga	2550
cctgttgttt tgtgtgctca ttgaaatatt catgatttaa gagcagtttt	2600
gtaaaaaatt cattagcatg aaaggcaagc atatttctcc tcatatgaat	2650
gagcctatca gcagggctct agtttctagc aatgctaaaa tatcagaagg	2700
caggagagga gataggctta ttatgatact agtgagtaca ttaagtaaaa	2750
taaaatggac cagaaaagaa aagaacctat aaatatcgtg tcatattttc	2800

-continued

cccaagatta accaaaaata atctgcttat ctttttggtt gtccttttaa	2850
ctgtctccgt ttttttcttt tatttaaaaa tgcacttttt ttcccttggtg	2900
agttatagtc tgcttattta attaccactt tgcaagcctt acaagagagc	2950
acaagtgtggc ctacattttt atatttttta agaagatact ttgagatgca	3000
ttatgagaac tttcagttca aagcatcaaa ttgatgccat atccaaggac	3050
atgccaaatg ctgattctgt caggcactga atgtcaggca ttgagacata	3100
gggaaggaat ggtttgtact aatacagacg tacagatact ttctctgaag	3150
agtattttcg aagaggagca actgaacact ggaggaaaag aaaatgacac	3200
tttctgcttt acagaaaagg aaactcattc agactggtga tatcgtgatg	3250
tacctaaaag tcagaaacca ctttttctcc tcagaagtag ggaccgcttt	3300
cttacctggt taaataaacc aaagtatacc gtgtgaacca aacaatctct	3350
tttcaaaaaca ggggtgctcct cctggcttct ggcttccata agaagaaatg	3400
gagaaaaata tatatatata tatatatatt gtgaaagatc aatccatctg	3450
ccagaatcta gtgggatgga agtttttgct acatgttatc caccocaggc	3500
cagggtggaag taactgaatt atttttttaa ttaagcagtt ctactcaatc	3550
accaagatgc ttctgaaaat tgcattttat taccatttca aactattttt	3600
taaaaaataa tacagttaac atagagtggg ttcttcattc atgtgaaaat	3650
tattagccag caccagatgc atgagctaatt tatctctttg agtccttgct	3700
tcgtgttggt cacagtaaac tcattgttta aaagcttcaa gaacattcaa	3750
gctgttggtg tgtaaaaaa tgcattgtat tgatttgtag tggtagttta	3800
tgaaatttaa ttaaaacaca ggccatgaat ggaaggtggg attgcacagc	3850
taataaaata tgatttggtg atatgaa	3877

<210> SEQ ID NO 72

<211> LENGTH: 532

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 72

Met Met Met Val Arg Arg Gly Leu Leu Ala Trp Ile Ser Arg Val	
1 5 10 15	
Val Val Leu Leu Val Leu Leu Cys Cys Ala Ile Ser Val Leu Tyr	
20 25 30	
Met Leu Ala Cys Thr Pro Lys Gly Asp Glu Glu Gln Leu Ala Leu	
35 40 45	
Pro Arg Ala Asn Ser Pro Thr Gly Lys Glu Gly Tyr Gln Ala Val	
50 55 60	
Leu Gln Glu Trp Glu Glu Gln His Arg Asn Tyr Val Ser Ser Leu	
65 70 75	
Lys Arg Gln Ile Ala Gln Leu Lys Glu Glu Leu Gln Glu Arg Ser	
80 85 90	
Glu Gln Leu Arg Asn Gly Gln Tyr Gln Ala Ser Asp Ala Ala Gly	
95 100 105	
Leu Gly Leu Asp Arg Ser Pro Pro Glu Lys Thr Gln Ala Asp Leu	
110 115 120	

-continued

Leu	Ala	Phe	Leu	His	Ser	Gln	Val	Asp	Lys	Ala	Glu	Val	Asn	Ala	
				125					130					135	
Gly	Val	Lys	Leu	Ala	Thr	Glu	Tyr	Ala	Ala	Val	Pro	Phe	Asp	Ser	
				140					145					150	
Phe	Thr	Leu	Gln	Lys	Val	Tyr	Gln	Leu	Glu	Thr	Gly	Leu	Thr	Arg	
				155					160					165	
His	Pro	Glu	Glu	Lys	Pro	Val	Arg	Lys	Asp	Lys	Arg	Asp	Glu	Leu	
				170					175					180	
Val	Glu	Ala	Ile	Glu	Ser	Ala	Leu	Glu	Thr	Leu	Asn	Asn	Pro	Ala	
				185					190					195	
Glu	Asn	Ser	Pro	Asn	His	Arg	Pro	Tyr	Thr	Ala	Ser	Asp	Phe	Ile	
				200					205					210	
Glu	Gly	Ile	Tyr	Arg	Thr	Glu	Arg	Asp	Lys	Gly	Thr	Leu	Tyr	Glu	
				215					220					225	
Leu	Thr	Phe	Lys	Gly	Asp	His	Lys	His	Glu	Phe	Lys	Arg	Leu	Ile	
				230					235					240	
Leu	Phe	Arg	Pro	Phe	Ser	Pro	Ile	Met	Lys	Val	Lys	Asn	Glu	Lys	
				245					250					255	
Leu	Asn	Met	Ala	Asn	Thr	Leu	Ile	Asn	Val	Ile	Val	Pro	Leu	Ala	
				260					265					270	
Lys	Arg	Val	Asp	Lys	Phe	Arg	Gln	Phe	Met	Gln	Asn	Phe	Arg	Glu	
				275					280					285	
Met	Cys	Ile	Glu	Gln	Asp	Gly	Arg	Val	His	Leu	Thr	Val	Val	Tyr	
				290					295					300	
Phe	Gly	Lys	Glu	Glu	Ile	Asn	Glu	Val	Lys	Gly	Ile	Leu	Glu	Asn	
				305					310					315	
Thr	Ser	Lys	Ala	Ala	Asn	Phe	Arg	Asn	Phe	Thr	Phe	Ile	Gln	Leu	
				320					325					330	
Asn	Gly	Glu	Phe	Ser	Arg	Gly	Lys	Gly	Leu	Asp	Val	Gly	Ala	Arg	
				335					340					345	
Phe	Trp	Lys	Gly	Ser	Asn	Val	Leu	Leu	Phe	Phe	Cys	Asp	Val	Asp	
				350					355					360	
Ile	Tyr	Phe	Thr	Ser	Glu	Phe	Leu	Asn	Thr	Cys	Arg	Leu	Asn	Thr	
				365					370					375	
Gln	Pro	Gly	Lys	Lys	Val	Phe	Tyr	Pro	Val	Leu	Phe	Ser	Gln	Tyr	
				380					385					390	
Asn	Pro	Gly	Ile	Ile	Tyr	Gly	His	His	Asp	Ala	Val	Pro	Pro	Leu	
				395					400					405	
Glu	Gln	Gln	Leu	Val	Ile	Lys	Lys	Glu	Thr	Gly	Phe	Trp	Arg	Asp	
				410					415					420	
Phe	Gly	Phe	Gly	Met	Thr	Cys	Gln	Tyr	Arg	Ser	Asp	Phe	Ile	Asn	
				425					430					435	
Ile	Gly	Gly	Phe	Asp	Leu	Asp	Ile	Lys	Gly	Trp	Gly	Gly	Glu	Asp	
				440					445					450	
Val	His	Leu	Tyr	Arg	Lys	Tyr	Leu	His	Ser	Asn	Leu	Ile	Val	Val	
				455					460					465	
Arg	Thr	Pro	Val	Arg	Gly	Leu	Phe	His	Leu	Trp	His	Glu	Lys	Arg	
				470					475					480	
Cys	Met	Asp	Glu	Leu	Thr	Pro	Glu	Gln	Tyr	Lys	Met	Cys	Met	Gln	
				485					490					495	
Ser	Lys	Ala	Met	Asn	Glu	Ala	Ser	His	Gly	Gln	Leu	Gly	Met	Leu	

-continued

ccttcccctg gacatctctt agagaggaat ggacccaggc tgtcattcca	1450
ggaagaactg cagagccttc agcctctcca aacatgtagg aggaaatgag	1500
gaaatcgctg tgttgtaaat gcagaganca aactctgttt agttgcaggg	1550
gaagtttggg atatacccca aagtcctcta cccctcact tttatggccc	1600
tttccttaga tatactgcgg gatctctcct taggataaag agttgctgtt	1650
gaagttgtat atttttgatc aatatatttg gaaattaaag tttctgactt	1700
t	1701

<210> SEQ ID NO 74

<211> LENGTH: 337

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 74

Met Leu Phe Ser Ala Leu Leu Leu Glu Val Ile Trp Ile Leu Ala	1 5 10 15
Ala Asp Gly Gly Gln His Trp Thr Tyr Glu Gly Pro His Gly Gln	20 25 30
Asp His Trp Pro Ala Ser Tyr Pro Glu Cys Gly Asn Asn Ala Gln	35 40 45
Ser Pro Ile Asp Ile Gln Thr Asp Ser Val Thr Phe Asp Pro Asp	50 55 60
Leu Pro Ala Leu Gln Pro His Gly Tyr Asp Gln Pro Gly Thr Glu	65 70 75
Pro Leu Asp Leu His Asn Asn Gly His Thr Val Gln Leu Ser Leu	80 85 90
Pro Ser Thr Leu Tyr Leu Gly Gly Leu Pro Arg Lys Tyr Val Ala	95 100 105
Ala Gln Leu His Leu His Trp Gly Gln Lys Gly Ser Pro Gly Gly	110 115 120
Ser Glu His Gln Ile Asn Ser Glu Ala Thr Phe Ala Glu Leu His	125 130 135
Ile Val His Tyr Asp Ser Asp Ser Tyr Asp Ser Leu Ser Glu Ala	140 145 150
Ala Glu Arg Pro Gln Gly Leu Ala Val Leu Gly Ile Leu Ile Glu	155 160 165
Val Gly Glu Thr Lys Asn Ile Ala Tyr Glu His Ile Leu Ser His	170 175 180
Leu His Glu Val Arg His Lys Asp Gln Lys Thr Ser Val Pro Pro	185 190 195
Phe Asn Leu Arg Glu Leu Leu Pro Lys Gln Leu Gly Gln Tyr Phe	200 205 210
Arg Tyr Asn Gly Ser Leu Thr Thr Pro Pro Cys Tyr Gln Ser Val	215 220 225
Leu Trp Thr Val Phe Tyr Arg Arg Ser Gln Ile Ser Met Glu Gln	230 235 240
Leu Glu Lys Leu Gln Gly Thr Leu Phe Ser Thr Glu Glu Glu Pro	245 250 255
Ser Lys Leu Leu Val Gln Asn Tyr Arg Ala Leu Gln Pro Leu Asn	260 265 270

-continued

Gln	Arg	Met	Val	Phe	Ala	Ser	Phe	Ile	Gln	Ala	Gly	Ser	Ser	Tyr
				275					280					285
Thr	Thr	Gly	Glu	Met	Leu	Ser	Leu	Gly	Val	Gly	Ile	Leu	Val	Gly
				290					295					300
Cys	Leu	Cys	Leu	Leu	Leu	Ala	Val	Tyr	Phe	Ile	Ala	Arg	Lys	Ile
				305					310					315
Arg	Lys	Lys	Arg	Leu	Glu	Asn	Arg	Lys	Ser	Val	Val	Phe	Thr	Ser
				320					325					330
Ala	Gln	Ala	Thr	Thr	Glu	Ala								
				335										

<210> SEQ ID NO 75
<211> LENGTH: 1743
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 75

tgccgctgcc gccgctgctg ctgttgctcc tggcggcgcc ttggggacgg	50
gcagttccct gtgtctctgg tggtttgctt aaacctgcaa acatcacctt	100
cttatccatc aacatgaaga atgtcctaca atggactcca ccagagggtc	150
ttcaaggagt taaagttact tacactgtgc agtatttcat cacaaattgg	200
cccaccagag gtggcactga ctacagatga gaagtccatt tctgttgtcc	250
tgacagctcc agagaagtgg aagagaaatc cagaagacct tcctgtttcc	300
atgcaacaaa tatactccaa tctgaagtat aacgtgtctg tgttgaatac	350
taaatcaaac agaacgtggt cccagtgtgt gaccaaccac acgctgggtc	400
tcacctgggt ggagccgaac actctttact gcgtacacgt ggagtccttc	450
gtcccagggc ccctcgcgcg tgctcagcct tctgagaagc agtgtgccag	500
gactttgaaa gatcaatcat cagagttcaa ggctaaaatc atcttctggt	550
atgttttgcc catatctatt accgtgtttc ttttttctgt gatgggctat	600
tccatctacc gatatatcca cgttggcaaa gagaacacc cagcaaattt	650
gattttgatt tatggaaatg aatttgacaa aagattcttt gtgcctgctg	700
aaaaaatcgt gattaacttt atcacctca atatctcgga tgattctaaa	750
atctctcatc aggatatgag ttactggga aaaagcagtg atgtatccag	800
ccttaatgat cctcagccca gcgggaacct gagggcccct caggagggaag	850
aggagggtgaa acatttaggg tatgtctcgc atttgatgga aattttttgt	900
gactctgaag aaaacacgga aggtacttct ctcaccacgc aagagtcctt	950
cagcagaaca atacccccgg ataaaacagt cattgaatat gaatatgatg	1000
tcagaaccac tgacatttgt gcggggcctg aagagcagga gctcagtttg	1050
caggaggagg tgtccacaca aggaacatta ttggagtcgc aggcagcgtt	1100
ggcagtcttg ggcccgcaaa cgttacagta ctcatacacc cctcagctcc	1150
aagacttaga cccctggcg caggagcaca cagactcgga ggagggggcg	1200
gaggaagagc catcgacgac cctggtcgac tgggatcccc aaactggcag	1250
gctgtgtatt ccttcgctgt ccagcttcga ccaggattca gagggctgcg	1300
agccttctga gggggatggg ctcgagaggg agggctctct atctagactc	1350

-continued

```
tatgaggagc cggctccaga caggccacca ggagaaaatg aaacctatct      1400
catgcaattc atggaggaat gggggttata tgtgcagatg gaaaactgat      1450
gccaacactt ccttttgccct tttgtttcct gtgcaaacaa gtgagtcacc      1500
cctttgatcc cagccataaa gtacctggga tgaagaagt tttttccagt      1550
ttgtcagtgt ctgtgagaat tacttatttc ttttctctat tctcatagca      1600
cgtgtgtgat tggttcatgc atgtaggctc cttacaatg atggtggggc      1650
tctggagtcc aggggctggc cggttgttct atgcagagaa agcagtcaat      1700
aaatgtttgc cagactgggt gcagaattta ttcaggtggg tgt      1743
```

<210> SEQ ID NO 76

<211> LENGTH: 442

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 76

```
Met Ser Tyr Asn Gly Leu His Gln Arg Val Phe Lys Glu Leu Lys
 1              5              10              15
Leu Leu Thr Leu Cys Ser Ile Ser Ser Gln Ile Gly Pro Pro Glu
              20              25              30
Val Ala Leu Thr Thr Asp Glu Lys Ser Ile Ser Val Val Leu Thr
              35              40              45
Ala Pro Glu Lys Trp Lys Arg Asn Pro Glu Asp Leu Pro Val Ser
              50              55              60
Met Gln Gln Ile Tyr Ser Asn Leu Lys Tyr Asn Val Ser Val Leu
              65              70              75
Asn Thr Lys Ser Asn Arg Thr Trp Ser Gln Cys Val Thr Asn His
              80              85              90
Thr Leu Val Leu Thr Trp Leu Glu Pro Asn Thr Leu Tyr Cys Val
              95              100             105
His Val Glu Ser Phe Val Pro Gly Pro Pro Arg Arg Ala Gln Pro
              110             115             120
Ser Glu Lys Gln Cys Ala Arg Thr Leu Lys Asp Gln Ser Ser Glu
              125             130             135
Phe Lys Ala Lys Ile Ile Phe Trp Tyr Val Leu Pro Ile Ser Ile
              140             145             150
Thr Val Phe Leu Phe Ser Val Met Gly Tyr Ser Ile Tyr Arg Tyr
              155             160             165
Ile His Val Gly Lys Glu Lys His Pro Ala Asn Leu Ile Leu Ile
              170             175             180
Tyr Gly Asn Glu Phe Asp Lys Arg Phe Phe Val Pro Ala Glu Lys
              185             190             195
Ile Val Ile Asn Phe Ile Thr Leu Asn Ile Ser Asp Asp Ser Lys
              200             205             210
Ile Ser His Gln Asp Met Ser Leu Leu Gly Lys Ser Ser Asp Val
              215             220             225
Ser Ser Leu Asn Asp Pro Gln Pro Ser Gly Asn Leu Arg Pro Pro
              230             235             240
Gln Glu Glu Glu Glu Val Lys His Leu Gly Tyr Ala Ser His Leu
              245             250             255
```

-continued

Met	Glu	Ile	Phe	Cys	Asp	Ser	Glu	Glu	Asn	Thr	Glu	Gly	Thr	Ser
				260					265					270
Leu	Thr	Gln	Gln	Glu	Ser	Leu	Ser	Arg	Thr	Ile	Pro	Pro	Asp	Lys
				275					280					285
Thr	Val	Ile	Glu	Tyr	Glu	Tyr	Asp	Val	Arg	Thr	Thr	Asp	Ile	Cys
				290					295					300
Ala	Gly	Pro	Glu	Glu	Gln	Glu	Leu	Ser	Leu	Gln	Glu	Glu	Val	Ser
				305					310					315
Thr	Gln	Gly	Thr	Leu	Leu	Glu	Ser	Gln	Ala	Ala	Leu	Ala	Val	Leu
				320					325					330
Gly	Pro	Gln	Thr	Leu	Gln	Tyr	Ser	Tyr	Thr	Pro	Gln	Leu	Gln	Asp
				335					340					345
Leu	Asp	Pro	Leu	Ala	Gln	Glu	His	Thr	Asp	Ser	Glu	Glu	Gly	Pro
				350					355					360
Glu	Glu	Glu	Pro	Ser	Thr	Thr	Leu	Val	Asp	Trp	Asp	Pro	Gln	Thr
				365					370					375
Gly	Arg	Leu	Cys	Ile	Pro	Ser	Leu	Ser	Ser	Phe	Asp	Gln	Asp	Ser
				380					385					390
Glu	Gly	Cys	Glu	Pro	Ser	Glu	Gly	Asp	Gly	Leu	Gly	Glu	Glu	Gly
				395					400					405
Leu	Leu	Ser	Arg	Leu	Tyr	Glu	Glu	Pro	Ala	Pro	Asp	Arg	Pro	Pro
				410					415					420
Gly	Glu	Asn	Glu	Thr	Tyr	Leu	Met	Gln	Phe	Met	Glu	Glu	Trp	Gly
				425					430					435
Leu	Tyr	Val	Gln	Met	Glu	Asn								
				440										

<210> SEQ ID NO 77
<211> LENGTH: 1636
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 77

gaggagcggg ccgaggactc cagcgtgccc aggtctggca tcctgcactt	50
gctgccctct gacacctggg aagatggccg gcccgtagac cttcaccctt	100
ctctgtggtt tgctggcagc cacctgatc caagccacc tcagtccac	150
tgcatgtctc atcctcggcc caaaagtcat caaagaaaag ctgacacagg	200
agctgaagga ccacaacgcc accagcatcc tgcagcagct gccgtgctc	250
agtgccatgc gggaaaagcc agccggaggc atccctgtgc tgggcagcct	300
ggtgaacacc gtctgaagc acatcatctg gctgaagtc atcacagcta	350
acatccctcca gctgcaggtg aagccctcgg ccaatgacca ggagctgcta	400
gtcaagatcc ccctggacat ggtggctgga ttcaacacgc ccctggtcaa	450
gaccatctg gagttccaca tgacgactga ggcccaagcc accatccgca	500
tggacaccag tgcaagtggc cccaccgcgc tggctctcag tgactgtgcc	550
accagccatg ggagcctgcg catccaactg ctgtataagc tctccttcct	600
ggtgaacgcc ttagctaagc aggtcatgaa cctcctagt ccatccctgc	650
ccaatctagt gaaaaaccag ctgtgtccc tgatcgaggc ttccttcaat	700
ggcatgtatg cagacctcct gcagctgggt aaggtgccca ttccctcag	750

-continued

cattgaccgt ctggagtttg accttctgta tcctgccatc aagggtgaca	800
ccattcagct ctacctgggg gccaaagttgt tggactcaca gggaaaggtg	850
accaagtggg tcaataactc tgcagcttcc ctgacaatgc ccaccctgga	900
caacatcccg ttcagcctca tcgtgagtca ggacgtggtg aaagctgcag	950
tggtctgtgt gctctctcca gaagaattca tggctctgtt ggactctgtg	1000
cttcctgaga gtgcccacg gctgaagtca agcatcgggc tgatcaatga	1050
aaaggctgca gataagctgg gatctaccca gatcgtgaag atcctaactc	1100
aggacactcc cgagtttttt atagaccaag gccatgcaa ggtggcccaa	1150
ctgatcgtgc tggaagtgtt tccctccagt gaagccctcc gccctttgtt	1200
cacctggggc atcgaagcca gctcggaagc tcagttttac accaaaggtg	1250
accaacttat actcaacttg aataacatca gctctgatcg gatccagctg	1300
atgaactctg ggattggctg gttccaacct gatgttctga aaaacatcat	1350
cactgagatc atccactcca tcctgctgcc gaaccagaat ggcaaattaa	1400
gatctggggc cccagtgta ttggtgaagg ccttgggatt cgaggcagct	1450
gagtcctcac tgaccaagga tgcccttggt cttactccag cctccttggt	1500
gaaaccagc tctcctgtct cccagtgaag acttggtgag cagccatcag	1550
ggaaggctgg gtcccagctg ggagtatggg tgtgagctct atagaccatc	1600
cctctctgca atcaataaac acttgcctgt gaaaaa	1636

<210> SEQ ID NO 78

<211> LENGTH: 484

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 78

Met	Ala	Gly	Pro	Trp	Thr	Phe	Thr	Leu	Leu	Cys	Gly	Leu	Leu	Ala
1				5					10					15
Ala	Thr	Leu	Ile	Gln	Ala	Thr	Leu	Ser	Pro	Thr	Ala	Val	Leu	Ile
			20						25					30
Leu	Gly	Pro	Lys	Val	Ile	Lys	Glu	Lys	Leu	Thr	Gln	Glu	Leu	Lys
			35						40					45
Asp	His	Asn	Ala	Thr	Ser	Ile	Leu	Gln	Gln	Leu	Pro	Leu	Leu	Ser
			50						55					60
Ala	Met	Arg	Glu	Lys	Pro	Ala	Gly	Gly	Ile	Pro	Val	Leu	Gly	Ser
			65						70					75
Leu	Val	Asn	Thr	Val	Leu	Lys	His	Ile	Ile	Trp	Leu	Lys	Val	Ile
			80						85					90
Thr	Ala	Asn	Ile	Leu	Gln	Leu	Gln	Val	Lys	Pro	Ser	Ala	Asn	Asp
			95						100					105
Gln	Glu	Leu	Leu	Val	Lys	Ile	Pro	Leu	Asp	Met	Val	Ala	Gly	Phe
			110						115					120
Asn	Thr	Pro	Leu	Val	Lys	Thr	Ile	Val	Glu	Phe	His	Met	Thr	Thr
			125						130					135
Glu	Ala	Gln	Ala	Thr	Ile	Arg	Met	Asp	Thr	Ser	Ala	Ser	Gly	Pro
			140						145					150
Thr	Arg	Leu	Val	Leu	Ser	Asp	Cys	Ala	Thr	Ser	His	Gly	Ser	Leu

-continued

	155		160		165
Arg Ile Gln Leu	Leu Tyr Lys Leu Ser	Phe Leu Val Asn Ala	Leu		
	170	175	180		
Ala Lys Gln Val	Met Asn Leu Leu Val	Pro Ser Leu Pro Asn	Leu		
	185	190	195		
Val Lys Asn Gln	Leu Cys Pro Val Ile	Glu Ala Ser Phe Asn	Gly		
	200	205	210		
Met Tyr Ala Asp	Leu Leu Gln Leu Val	Lys Val Pro Ile Ser	Leu		
	215	220	225		
Ser Ile Asp Arg	Leu Glu Phe Asp Leu	Leu Tyr Pro Ala Ile	Lys		
	230	235	240		
Gly Asp Thr Ile	Gln Leu Tyr Leu Gly	Ala Lys Leu Leu Asp	Ser		
	245	250	255		
Gln Gly Lys Val	Thr Lys Trp Phe Asn	Asn Ser Ala Ala Ser	Leu		
	260	265	270		
Thr Met Pro Thr	Leu Asp Asn Ile Pro	Phe Ser Leu Ile Val	Ser		
	275	280	285		
Gln Asp Val Val	Lys Ala Ala Val Ala	Ala Val Leu Ser Pro	Glu		
	290	295	300		
Glu Phe Met Val	Leu Leu Asp Ser Val	Leu Pro Glu Ser Ala	His		
	305	310	315		
Arg Leu Lys Ser	Ser Ile Gly Leu Ile	Asn Glu Lys Ala Ala	Asp		
	320	325	330		
Lys Leu Gly Ser	Thr Gln Ile Val Lys	Ile Leu Thr Gln Asp	Thr		
	335	340	345		
Pro Glu Phe Phe	Ile Asp Gln Gly His	Ala Lys Val Ala Gln	Leu		
	350	355	360		
Ile Val Leu Glu	Val Phe Pro Ser Ser	Glu Ala Leu Arg Pro	Leu		
	365	370	375		
Phe Thr Leu Gly	Ile Glu Ala Ser Ser	Glu Ala Gln Phe Tyr	Thr		
	380	385	390		
Lys Gly Asp Gln	Leu Ile Leu Asn Leu	Asn Asn Ile Ser Ser	Asp		
	395	400	405		
Arg Ile Gln Leu	Met Asn Ser Gly Ile	Gly Trp Phe Gln Pro	Asp		
	410	415	420		
Val Leu Lys Asn	Ile Ile Thr Glu Ile	Ile His Ser Ile Leu	Leu		
	425	430	435		
Pro Asn Gln Asn	Gly Lys Leu Arg Ser	Gly Val Pro Val Ser	Leu		
	440	445	450		
Val Lys Ala Leu	Gly Phe Glu Ala Ala	Glu Ser Ser Leu Thr	Lys		
	455	460	465		
Asp Ala Leu Val	Leu Thr Pro Ala Ser	Leu Trp Lys Pro Ser	Ser		
	470	475	480		
Pro Val Ser Gln					

<210> SEQ ID NO 79
<211> LENGTH: 1475
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 79

gagagaagtc agcctggcag agagactctg aaatgaggga ttagaggtgt

-continued

```
tcaaggagca agagcttcag cctgaagaca agggagcagt ccctgaagac      100
gcttctactg agaggtctgc catggcctct cttggcctcc aacttgtggg      150
ctacatccta ggccttcttg ggcttttggg cacctgggtt gccatgctgc      200
tcccagctg gaaaacaagt tcttatgtcg gtgccagcat tgtgacagca      250
gttggtctct ccaagggcct ctggatggaa tgtgccacac acagcacagg      300
catcaccagc tgtgacatct atagaccctt tctgggcctg cccgctgaca      350
tccaggctgc ccaggccatg atggtgacat ccagtgcaat ctctccctg      400
gcctgcatta tctctgttgt gggcatgaga tgcacagtct tctgccagga      450
atcccagacc aaagacagag tggcggtagc aggtggagtc tttttcatcc      500
ttggaggcct cctgggattc attcctgttg cctggaatct tcatgggatc      550
ctacgggact tctactcacc actggtgcct gacagcatga aatttgagat      600
tggagaggct ctttacttgg gcattatttc ttccctgttc tccttgatag      650
ctggaatcat cctctgcttt tcctgctcat cccagagaaa tcgctccaac      700
tactacgatg cctaccaagc ccaacctctt gccacaagga gctctccaag      750
gcctggtcaa cctcccaaag tcaagagtga gttcaattcc tacagcctga      800
cagggtatgt gtgaagaacc aggggccaga gctggggggg ggtgggtct      850
gtgaaaaaca gtggacagca ccccagggc cagaggtgag ggacactacc      900
actggtcgt gtcagaaggt gctgctgagg atagactgac tttggccatt      950
ggattgagca aaggcagaaa tgggggctag tgtaacagca tgcaggttga     1000
attgccaaag atgctcgcca tgccagcctt totgttttcc tcaccttgct     1050
gtctccctgc cctaagtccc caacctcaa cttgaaaccc cattccctta     1100
agccaggact cagaggatcc ctttgccctc tggtttacct gggactccat     1150
ccccaaaccc actaatcaca tccactgac tgaccctctg tgatcaaaga     1200
ccctctctct ggctgaggtt ggctcttagc tcattgctgg ggatgggaag     1250
gagaagcagt ggcttttgtg ggcattgctc taacctactt ctcaagcttc     1300
cctccaaaga aactgattgg ccctggaacc tccatccac tcttgttatg     1350
actccacagt gtccagacta atttgatgat gaactgaaat aaaaccatcc     1400
tacggtatcc agggaacaga aagcaggatg caggatggga ggacaggaag     1450
gcagcctggg acatttaaaa aaata                                     1475
```

<210> SEQ ID NO 80

<211> LENGTH: 230

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 80

```
Met Ala Ser Leu Gly Leu Gln Leu Val Gly Tyr Ile Leu Gly Leu
 1             5             10            15
```

```
Leu Gly Leu Leu Gly Thr Leu Val Ala Met Leu Leu Pro Ser Trp
      20             25            30
```

```
Lys Thr Ser Ser Tyr Val Gly Ala Ser Ile Val Thr Ala Val Gly
      35             40            45
```

-continued

Phe	Ser	Lys	Gly	Leu	Trp	Met	Glu	Cys	Ala	Thr	His	Ser	Thr	Gly
				50					55					60
Ile	Thr	Gln	Cys	Asp	Ile	Tyr	Ser	Thr	Leu	Leu	Gly	Leu	Pro	Ala
				65					70					75
Asp	Ile	Gln	Ala	Ala	Gln	Ala	Met	Met	Val	Thr	Ser	Ser	Ala	Ile
				80					85					90
Ser	Ser	Leu	Ala	Cys	Ile	Ile	Ser	Val	Val	Gly	Met	Arg	Cys	Thr
				95					100					105
Val	Phe	Cys	Gln	Glu	Ser	Arg	Ala	Lys	Asp	Arg	Val	Ala	Val	Ala
				110					115					120
Gly	Gly	Val	Phe	Phe	Ile	Leu	Gly	Gly	Leu	Leu	Gly	Phe	Ile	Pro
				125					130					135
Val	Ala	Trp	Asn	Leu	His	Gly	Ile	Leu	Arg	Asp	Phe	Tyr	Ser	Pro
				140					145					150
Leu	Val	Pro	Asp	Ser	Met	Lys	Phe	Glu	Ile	Gly	Glu	Ala	Leu	Tyr
				155					160					165
Leu	Gly	Ile	Ile	Ser	Ser	Leu	Phe	Ser	Leu	Ile	Ala	Gly	Ile	Ile
				170					175					180
Leu	Cys	Phe	Ser	Cys	Ser	Ser	Gln	Arg	Asn	Arg	Ser	Asn	Tyr	Tyr
				185					190					195
Asp	Ala	Tyr	Gln	Ala	Gln	Pro	Leu	Ala	Thr	Arg	Ser	Ser	Pro	Arg
				200					205					210
Pro	Gly	Gln	Pro	Pro	Lys	Val	Lys	Ser	Glu	Phe	Asn	Ser	Tyr	Ser
				215					220					225
Leu	Thr	Gly	Tyr	Val										
				230										

<210> SEQ ID NO 81
<211> LENGTH: 1732
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 81

cccacgcgtc	cgcgcctctc	ccttctgctg	gaccttcctt	cgtctctcca	50
tctctccctc	ctttcccccgc	gttctctttc	cacctttctc	ttcttccac	100
cttagacctc	ccttcctgcc	ctcctttcct	gccaccgct	gcttcctggc	150
ccttctccga	ccccgctcta	gcagcagacc	tcctggggtc	tgtgggttga	200
tctgtggccc	ctgtgectcc	gtgtcctttt	cgtctccctt	cctcccgact	250
ccgctcccg	accagcggcc	tgaccttggg	gaaaggatgg	ttcccagggt	300
gagggtcctc	tcctccttgc	tgggactcgc	gctgctctgg	ttccccctgg	350
actcccacgc	tcgagcccg	ccagacatgt	tctgcctttt	ccatgggaag	400
agatactccc	ccggcgagag	ctggcacc	tacttgagc	cacaaggcct	450
gatgtactgc	ctgcgctgta	cctgctcaga	gggcgcccat	gtgagttgtt	500
accgcctcca	ctgtccgcct	gtccactgcc	cccagcctgt	gacggagcca	550
cagcaatgct	gtcccaagt	tgtggaacct	cacctccct	ctggactccg	600
ggccccacca	aagtcctgcc	agcacaacgg	gaccatgtac	caacacggag	650
agatcttcag	tgcccatgag	ctgttcccct	ccgcctgcc	caaccagtgt	700
gtcctctgca	gctgcacaga	gggcagatc	tactgcggcc	tcacaacctg	750

-continued

```
ccccgaacca ggctgcccag caccctcccc actgccagac tcctgctgcc      800
aagcctgcaa agatgaggca agtgagcaat cggatgaaga ggacagtgtg      850
cagtcgctcc atgggggtgag acatcctcag gatccatggt ccagtgatgc      900
tgggagaaaag agaggcccgg gcaccccagc cccactggc ctcagcgccc      950
ctctgagctt catccctcgc cacttcagac ccaagggagc aggcagcaca     1000
actgtcaaga tcgtcctgaa ggagaaacat aagaaagcct gtgtgcatgg     1050
cgggaagacg tactcccacg gggaggtgtg gcacccggcc ttccgtgcct     1100
tcggccccctt gccctgcacg ctatgcacct gtgaggatgg ccgccaggac     1150
tgccagcgtg tgacctgtcc caccgagtac ccctgccgtc accccgagaa     1200
agtggtctgg aagtgtgtca agatttgccc agaggacaaa gcagaccctg     1250
gccacagtga gatcagttct accaggtgtc ccaaggcacc gggccgggtc     1300
ctcgtccaca catcggtatc cccaagccca gacaacctgc gtcgctttgc     1350
cctggaacac gaggcctcgg acttggtgga gatctacctc tggaagctgg     1400
taaaagatga ggaactgtag gctcagagag gtgaagtacc tggccaagg     1450
ccacacagcc agaatcttcc acttgactca gatcaagaaa gtcaggaagc     1500
aagacttcca gaaagaggca cagcacttcc gactgctcgc tggcccccac     1550
gaaggtcact ggaacgtctt cctagcccag accctggagc tgaaggtcac     1600
ggccagtcca gacaaagtga ccaagacata acaaagacct aacagttgca     1650
gatatgagct gtataattgt tggtattata tattaataaa taagaagttg     1700
cattaccctc aaaaaaaaaa aaaaaaaaaa aa                          1732
```

<210> SEQ ID NO 82

<211> LENGTH: 451

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 82

```
Met Val Pro Glu Val Arg Val Leu Ser Ser Leu Leu Gly Leu Ala
 1             5             10            15
Leu Leu Trp Phe Pro Leu Asp Ser His Ala Arg Ala Arg Pro Asp
          20            25            30
Met Phe Cys Leu Phe His Gly Lys Arg Tyr Ser Pro Gly Glu Ser
          35            40            45
Trp His Pro Tyr Leu Glu Pro Gln Gly Leu Met Tyr Cys Leu Arg
          50            55            60
Cys Thr Cys Ser Glu Gly Ala His Val Ser Cys Tyr Arg Leu His
          65            70            75
Cys Pro Pro Val His Cys Pro Gln Pro Val Thr Glu Pro Gln Gln
          80            85            90
Cys Cys Pro Lys Cys Val Glu Pro His Thr Pro Ser Gly Leu Arg
          95           100           105
Ala Pro Pro Lys Ser Cys Gln His Asn Gly Thr Met Tyr Gln His
          110           115           120
Gly Glu Ile Phe Ser Ala His Glu Leu Phe Pro Ser Arg Leu Pro
          125           130           135
```

-continued

Asn	Gln	Cys	Val	Leu	Cys	Ser	Cys	Thr	Glu	Gly	Gln	Ile	Tyr	Cys	
				140					145					150	
Gly	Leu	Thr	Thr	Cys	Pro	Glu	Pro	Gly	Cys	Pro	Ala	Pro	Leu	Pro	
				155					160					165	
Leu	Pro	Asp	Ser	Cys	Cys	Gln	Ala	Cys	Lys	Asp	Glu	Ala	Ser	Glu	
				170					175					180	
Gln	Ser	Asp	Glu	Glu	Asp	Ser	Val	Gln	Ser	Leu	His	Gly	Val	Arg	
				185					190					195	
His	Pro	Gln	Asp	Pro	Cys	Ser	Ser	Asp	Ala	Gly	Arg	Lys	Arg	Gly	
				200					205					210	
Pro	Gly	Thr	Pro	Ala	Pro	Thr	Gly	Leu	Ser	Ala	Pro	Leu	Ser	Phe	
				215					220					225	
Ile	Pro	Arg	His	Phe	Arg	Pro	Lys	Gly	Ala	Gly	Ser	Thr	Thr	Val	
				230					235					240	
Lys	Ile	Val	Leu	Lys	Glu	Lys	His	Lys	Lys	Ala	Cys	Val	His	Gly	
				245					250					255	
Gly	Lys	Thr	Tyr	Ser	His	Gly	Glu	Val	Trp	His	Pro	Ala	Phe	Arg	
				260					265					270	
Ala	Phe	Gly	Pro	Leu	Pro	Cys	Ile	Leu	Cys	Thr	Cys	Glu	Asp	Gly	
				275					280					285	
Arg	Gln	Asp	Cys	Gln	Arg	Val	Thr	Cys	Pro	Thr	Glu	Tyr	Pro	Cys	
				290					295					300	
Arg	His	Pro	Glu	Lys	Val	Ala	Gly	Lys	Cys	Cys	Lys	Ile	Cys	Pro	
				305					310					315	
Glu	Asp	Lys	Ala	Asp	Pro	Gly	His	Ser	Glu	Ile	Ser	Ser	Thr	Arg	
				320					325					330	
Cys	Pro	Lys	Ala	Pro	Gly	Arg	Val	Leu	Val	His	Thr	Ser	Val	Ser	
				335					340					345	
Pro	Ser	Pro	Asp	Asn	Leu	Arg	Arg	Phe	Ala	Leu	Glu	His	Glu	Ala	
				350					355					360	
Ser	Asp	Leu	Val	Glu	Ile	Tyr	Leu	Trp	Lys	Leu	Val	Lys	Asp	Glu	
				365					370					375	
Glu	Thr	Glu	Ala	Gln	Arg	Gly	Glu	Val	Pro	Gly	Pro	Arg	Pro	His	
				380					385					390	
Ser	Gln	Asn	Leu	Pro	Leu	Asp	Ser	Asp	Gln	Glu	Ser	Gln	Glu	Ala	
				395					400					405	
Arg	Leu	Pro	Glu	Arg	Gly	Thr	Ala	Leu	Pro	Thr	Ala	Arg	Trp	Pro	
				410					415					420	
Pro	Arg	Arg	Ser	Leu	Glu	Arg	Leu	Pro	Ser	Pro	Asp	Pro	Gly	Ala	
				425					430					435	
Glu	Gly	His	Gly	Gln	Ser	Arg	Gln	Ser	Asp	Gln	Asp	Ile	Thr	Lys	
				440					445					450	

Thr

<210> SEQ ID NO 83
<211> LENGTH: 2052
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 83

gacagctgtg tctcgatgga gtagactctc agaacagcgc agtttgcct	50
ccgctcacgc agagcctctc cgtggcttcc gcaccttgag cattaggcca	100

-continued

gtttctctct tctctcta ccatccgtca cctctcctgt catccgtttc	150
catgccgtga ggtccattca cagaacacat ccatggctct catgctcagt	200
ttggttctga gtctcctcaa gctgggatca gggcagtggc aggtgtttgg	250
gccagacaag cctgtccagg ccttggtggg ggaggacgca gcattctcct	300
gtttcctgtc tcctaagacc aatgcagagg ccatggaagt gcggttcttc	350
aggggccagt tctctagcgt ggtccaccto tacagggacg ggaaggacca	400
gccatttatg cagatgccac agtatcaagg caggacaaaa ctggtgaagg	450
attctatttg ggagggcgcg atctctctga ggctggaaaa cattactgtg	500
ttggatgctg gcctctatgg gtgcaggatt agttcccagt cttactacca	550
gaagccctac tgggagctac aggtgtcagc actgggctca gttcctctca	600
tttccatcac gggatatgtt gatagagaca tccagctact ctgtcagtc	650
tcgggctggt tcccccgcc cacagcgaag tggaaaggtc cacaaggaca	700
ggatttgtcc acagactcca ggacaacag agacatgcat ggcctgtttg	750
atgtggagat ctctctgacc gtccaagaga acgccgggag catatcctgt	800
tccatgcggc atgctcatct gagccgagag gtggaatcca gggtaacagat	850
aggagatacc tttttcgagc ctatatcgtg gcacctggct accaaagtac	900
tgggaatact ctgctgtggc ctattttttg goattgtttg actgaagatt	950
ttctcttcca aattccagtg gaaaatccag gcggaactgg actggagaag	1000
aaagcacgga caggcagaat tgagagacgc ccggaaacac gcagtggagg	1050
tgactctgga tccagagacg gctcaccoga agctctgcgt ttctgatctg	1100
aaaactgtaa cccatagaaa agctccccag gagtgccctc actctgagaa	1150
gagatttaca aggaagagtg tgggtggcttc tcagagtttc caagcaggga	1200
aacattactg ggaggtggac ggaggacaca ataaaagggt gcgcgtggga	1250
gtgtgccggg atgatgtga caggaggaag gagtacgtga ctttgtctcc	1300
cgatcatggg tactgggtcc tcagactgaa tggagaacat ttgtatttca	1350
cattaaatcc ccgttttatc agcgtcttcc ccaggacccc acctacaaaa	1400
ataggggtct tcctggacta tgagtgtggg accatctcct tcttcaacat	1450
aatgaccag tcccttattt ataccctgac atgtcggttt gaaggcttat	1500
tgaggcccta cattgagtat ccgtctata atgagcaaaa tggaactccc	1550
atagtcctct gcccagtcac ccaggaatca gagaaaggag cctcttgga	1600
aagggcctct gcaatcccag agacaagcaa cagtgagtcc tcctcacagg	1650
caaccacgcc ctctctcccc aggggtgaaa tgtaggatga atcacatccc	1700
acattcttct ttagggatat taaggctctc ctcccagatc caaagtcccg	1750
cagcagccgg ccaagggtgc ttccagatga agggggactg gcctgtccac	1800
atgggagtoa ggtgtcatgg ctgccctgag ctgggaggga agaagctga	1850
cattacattt agtttctct cactccatct ggctaagtga tcttgaaata	1900
ccacctctca ggtgaagaac cgtcaggaat tcccatctca caggctgtgg	1950
tgtagattaa gtagacaagg aatgtgaata atgcttagat cttattgatg	2000

-continued

acagagtgtgta tcctaattggt ttgttcatta tattacactt tcagtaaaaa 2050
aa 2052

<210> SEQ ID NO 84
<211> LENGTH: 500
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 84

Met Ala Leu Met Leu Ser Leu Val Leu Ser Leu Leu Lys Leu Gly
1 5 10 15
Ser Gly Gln Trp Gln Val Phe Gly Pro Asp Lys Pro Val Gln Ala
20 25 30
Leu Val Gly Glu Asp Ala Ala Phe Ser Cys Phe Leu Ser Pro Lys
35 40 45
Thr Asn Ala Glu Ala Met Glu Val Arg Phe Phe Arg Gly Gln Phe
50 55 60
Ser Ser Val Val His Leu Tyr Arg Asp Gly Lys Asp Gln Pro Phe
65 70 75
Met Gln Met Pro Gln Tyr Gln Gly Arg Thr Lys Leu Val Lys Asp
80 85 90
Ser Ile Ala Glu Gly Arg Ile Ser Leu Arg Leu Glu Asn Ile Thr
95 100 105
Val Leu Asp Ala Gly Leu Tyr Gly Cys Arg Ile Ser Ser Gln Ser
110 115 120
Tyr Tyr Gln Lys Ala Ile Trp Glu Leu Gln Val Ser Ala Leu Gly
125 130 135
Ser Val Pro Leu Ile Ser Ile Thr Gly Tyr Val Asp Arg Asp Ile
140 145 150
Gln Leu Leu Cys Gln Ser Ser Gly Trp Phe Pro Arg Pro Thr Ala
155 160 165
Lys Trp Lys Gly Pro Gln Gly Gln Asp Leu Ser Thr Asp Ser Arg
170 175 180
Thr Asn Arg Asp Met His Gly Leu Phe Asp Val Glu Ile Ser Leu
185 190 195
Thr Val Gln Glu Asn Ala Gly Ser Ile Ser Cys Ser Met Arg His
200 205 210
Ala His Leu Ser Arg Glu Val Glu Ser Arg Val Gln Ile Gly Asp
215 220 225
Thr Phe Phe Glu Pro Ile Ser Trp His Leu Ala Thr Lys Val Leu
230 235 240
Gly Ile Leu Cys Cys Gly Leu Phe Phe Gly Ile Val Gly Leu Lys
245 250 255
Ile Phe Phe Ser Lys Phe Gln Trp Lys Ile Gln Ala Glu Leu Asp
260 265 270
Trp Arg Arg Lys His Gly Gln Ala Glu Leu Arg Asp Ala Arg Lys
275 280 285
His Ala Val Glu Val Thr Leu Asp Pro Glu Thr Ala His Pro Lys
290 295 300
Leu Cys Val Ser Asp Leu Lys Thr Val Thr His Arg Lys Ala Pro
305 310 315

-continued

Gln	Glu	Val	Pro	His	Ser	Glu	Lys	Arg	Phe	Thr	Arg	Lys	Ser	Val
			320						325					330
Val	Ala	Ser	Gln	Ser	Phe	Gln	Ala	Gly	Lys	His	Tyr	Trp	Glu	Val
			335						340					345
Asp	Gly	Gly	His	Asn	Lys	Arg	Trp	Arg	Val	Gly	Val	Cys	Arg	Asp
			350						355					360
Asp	Val	Asp	Arg	Arg	Lys	Glu	Tyr	Val	Thr	Leu	Ser	Pro	Asp	His
			365						370					375
Gly	Tyr	Trp	Val	Leu	Arg	Leu	Asn	Gly	Glu	His	Leu	Tyr	Phe	Thr
			380						385					390
Leu	Asn	Pro	Arg	Phe	Ile	Ser	Val	Phe	Pro	Arg	Thr	Pro	Pro	Thr
			395						400					405
Lys	Ile	Gly	Val	Phe	Leu	Asp	Tyr	Glu	Cys	Gly	Thr	Ile	Ser	Phe
			410						415					420
Phe	Asn	Ile	Asn	Asp	Gln	Ser	Leu	Ile	Tyr	Thr	Leu	Thr	Cys	Arg
			425						430					435
Phe	Glu	Gly	Leu	Leu	Arg	Pro	Tyr	Ile	Glu	Tyr	Pro	Ser	Tyr	Asn
			440						445					450
Glu	Gln	Asn	Gly	Thr	Pro	Ile	Val	Ile	Cys	Pro	Val	Thr	Gln	Glu
			455						460					465
Ser	Glu	Lys	Glu	Ala	Ser	Trp	Gln	Arg	Ala	Ser	Ala	Ile	Pro	Glu
			470						475					480
Thr	Ser	Asn	Ser	Glu	Ser	Ser	Ser	Gln	Ala	Thr	Thr	Pro	Phe	Leu
			485						490					495
Pro	Arg	Gly	Glu	Met										
			500											

<210> SEQ ID NO 85
<211> LENGTH: 1665
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 85

aacagacgtt ccctcgcggc cctggcacct ctaaccccag acatgctgct	50
gctgctgctg cccctgctct gggggaggga gagggcggaa ggacagacaa	100
gtaaactgct gacgatgcag agttccgtga cgggtcagga aggcctgtgt	150
gtccatgtgc cctgctcctt ctccctacccc tcgcatggct ggattttacc	200
tggcccagta gttcatggct actggttcgg ggaaggggcc aatacagacc	250
aggatgctcc agtggccaca aacaaccag ctcgggcagt gtgggaggag	300
actcgggacc gattccacct ccttggggac ccacatacca agaattgcac	350
cctgagcatc agagatgcca gaagaagtga tgcggggaga tacttctttc	400
gtatggagaa aggaagtata aaatggaatt ataacatca ccggctctct	450
gtgaatgtga cagccttgac ccacaggccc aacatcctca tcccaggcac	500
cctggagtcc ggctgcccc agaactctgac ctgctctgtg ccctgggcct	550
gtgagcaggg gacaccccct atgatctcct ggatagggac ctccgtgtcc	600
cccctggacc cctccaccac ccgctcctcg gtgctcacc tcaccccaca	650
gcccaggac catggcacca gcctcacctg tcaggtgacc ttccctgggg	700
ccagcgtgac cacgaacaag accgtccatc tcaacgtgtc ctacccgcct	750

-continued

cagaacttga ccatgactgt cttccaagga gacggcacag tatccacagt 800
cttgggaaaat ggctcatctc tgtcactccc agagggccag tctctgcgcc 850
tggtctgtgc agttgatgca gttgacagca atccccctgc caggctgagc 900
ctgagctgga gaggcctgac cctgtgcccc tcacagccct caaaccggg 950
gggtctggag ctgccttggg tgcacctgag ggatgcagct gaattcacct 1000
gcagagctca gaaccctctc ggctctcagc aggtctacct gaacgtctcc 1050
ctgcagagca aagccacatc aggagtgact cagggggtgg tcgggggagc 1100
tggagccaca gccctggtct tcctgtcctt ctgcgtcatc ttcgtttag 1150
tgaggtcctg caggaagaaa tcggcaaggc cagcagcggg cgtgggagat 1200
acgggcatag aggatgcaaa cgctgtcagg ggttcagcct ctcaggggcc 1250
cctgactgaa ccttgggcag aagacagtcc ccagaccag cctcccccag 1300
cttctgcccg ctctctcagt gggaaggag agctccagta tgcattccctc 1350
agcttcacaga tggatgaaggc ttgggactcg cggggacagg aggccactga 1400
caccgagtac tcggagatca agatccacag atgagaaact gcagagactc 1450
accctgattg agggatcaca gcccctccag gcaagggaga agtcagaggc 1500
tgattcttgt agaattaaca gccctcaacg tgatgagcta tgataacact 1550
atgaattatg tgcagagtga aaagcacaca ggcttttagag tcaaagtatc 1600
tcaaacctga atccacactg tgccctccct tttatTTTTT taactaaaag 1650
acagacaaat tccta 1665

<210> SEQ ID NO 86

<211> LENGTH: 463

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 86

Met Leu Leu Leu Leu Leu Pro Leu Leu Trp Gly Arg Glu Arg Ala
1 5 10 15
Glu Gly Gln Thr Ser Lys Leu Leu Thr Met Gln Ser Ser Val Thr
20 25 30
Val Gln Glu Gly Leu Cys Val His Val Pro Cys Ser Phe Ser Tyr
35 40 45
Pro Ser His Gly Trp Ile Tyr Pro Gly Pro Val Val His Gly Tyr
50 55 60
Trp Phe Arg Glu Gly Ala Asn Thr Asp Gln Asp Ala Pro Val Ala
65 70 75
Thr Asn Asn Pro Ala Arg Ala Val Trp Glu Glu Thr Arg Asp Arg
80 85 90
Phe His Leu Leu Gly Asp Pro His Thr Lys Asn Cys Thr Leu Ser
95 100 105
Ile Arg Asp Ala Arg Arg Ser Asp Ala Gly Arg Tyr Phe Phe Arg
110 115 120
Met Glu Lys Gly Ser Ile Lys Trp Asn Tyr Lys His His Arg Leu
125 130 135
Ser Val Asn Val Thr Ala Leu Thr His Arg Pro Asn Ile Leu Ile
140 145 150

-continued

```
Pro Gly Thr Leu Glu Ser Gly Cys Pro Gln Asn Leu Thr Cys Ser
155                                     160                                     165

Val Pro Trp Ala Cys Glu Gln Gly Thr Pro Pro Met Ile Ser Trp
170                                     175                                     180

Ile Gly Thr Ser Val Ser Pro Leu Asp Pro Ser Thr Thr Arg Ser
185                                     190                                     195

Ser Val Leu Thr Leu Ile Pro Gln Pro Gln Asp His Gly Thr Ser
200                                     205                                     210

Leu Thr Cys Gln Val Thr Phe Pro Gly Ala Ser Val Thr Thr Asn
215                                     220                                     225

Lys Thr Val His Leu Asn Val Ser Tyr Pro Pro Gln Asn Leu Thr
230                                     235                                     240

Met Thr Val Phe Gln Gly Asp Gly Thr Val Ser Thr Val Leu Gly
245                                     250                                     255

Asn Gly Ser Ser Leu Ser Leu Pro Glu Gly Gln Ser Leu Arg Leu
260                                     265                                     270

Val Cys Ala Val Asp Ala Val Asp Ser Asn Pro Pro Ala Arg Leu
275                                     280                                     285

Ser Leu Ser Trp Arg Gly Leu Thr Leu Cys Pro Ser Gln Pro Ser
290                                     295                                     300

Asn Pro Gly Val Leu Glu Leu Pro Trp Val His Leu Arg Asp Ala
305                                     310                                     315

Ala Glu Phe Thr Cys Arg Ala Gln Asn Pro Leu Gly Ser Gln Gln
320                                     325                                     330

Val Tyr Leu Asn Val Ser Leu Gln Ser Lys Ala Thr Ser Gly Val
335                                     340                                     345

Thr Gln Gly Val Val Gly Gly Ala Gly Ala Thr Ala Leu Val Phe
350                                     355                                     360

Leu Ser Phe Cys Val Ile Phe Val Val Val Arg Ser Cys Arg Lys
365                                     370                                     375

Lys Ser Ala Arg Pro Ala Ala Gly Val Gly Asp Thr Gly Ile Glu
380                                     385                                     390

Asp Ala Asn Ala Val Arg Gly Ser Ala Ser Gln Gly Pro Leu Thr
395                                     400                                     405

Glu Pro Trp Ala Glu Asp Ser Pro Pro Asp Gln Pro Pro Pro Ala
410                                     415                                     420

Ser Ala Arg Ser Ser Val Gly Glu Gly Glu Leu Gln Tyr Ala Ser
425                                     430                                     435

Leu Ser Phe Gln Met Val Lys Pro Trp Asp Ser Arg Gly Gln Glu
440                                     445                                     450

Ala Thr Asp Thr Glu Tyr Ser Glu Ile Lys Ile His Arg
455                                     460
```

<210> SEQ ID NO 87
<211> LENGTH: 1176
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 87

```
agaaagctgc actctgttga gctccagggc gcagtgaggg gagggagtga      50
aggagctctc tgtaccaag gaaagtcag ctgagactca gacaagatta      100
```

-continued

caatgaacca actcagcttc ctgctgtttc tcatagcgac caccagagga	150
tggagtacag atgaggctaa tacttacttc aaggaatgga cctgttcttc	200
gtctccatct ctgcccagaa gctgcaagga aatcaaagac gaatgtccta	250
gtgcatttga tggcctgtat ttctctccga ctgagaatgg tgttatctac	300
cagaccttct gtgacatgac ctctgggggt ggcggctgga ccctggtggc	350
cagcgtgcat gagaatgaca tgcgtgggaa gtgcacggtg ggcgatcgct	400
ggctccagta gcagggcagc aaagcagact acccagaggg ggacggcaac	450
tggggcaact acaacacctt tggatctgca gaggcggcca cgagcgatga	500
ctacaagaac cctggctact acgacatcca ggccaaggac ctgggcatct	550
ggcagctgcc caataagtcc cccatgcagc actggagaaa cagctccctg	600
ctgaggtacc gcacggacac tggcttccto cagacactgg gacataatct	650
gtttggcatc taccagaaat atccagtga atattggagaa ggaagtgtt	700
ggactgacaa cggcccgggtg atccctgtgg tctatgattt tggcgacgcc	750
cagaaaacag catcttatta ctacacctat ggccagcggg aattcactgc	800
gggatttgtt cagttcaggg tatttaataa cgagagagca gccaacgcct	850
tgtgtgctgg aatgagggtc accggatgta aactgagca tcaactgcatt	900
ggtggaggag gatactttcc agaggccagt cccagcagt gtggagattt	950
ttctggtttt gattggagtg gatatggaac tcatgttggg tacagcagca	1000
gccgtgagat aactgaggca gctgtgcttc tattctatcg ttgagagttt	1050
tgtgggaggg aaccagacc tctcctccca accatgagat cccaaggatg	1100
gagaacaact taccagtag ctagaatgtt aatggcagaa gagaaaacaa	1150
taaatcatat tgactcaaga aaaaaa	1176

<210> SEQ ID NO 88

<211> LENGTH: 313

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 88

Met Asn Gln Leu Ser Phe Leu Leu Phe Leu Ile Ala Thr Thr Arg	
1 5 10 15	
Gly Trp Ser Thr Asp Glu Ala Asn Thr Tyr Phe Lys Glu Trp Thr	
20 25 30	
Cys Ser Ser Ser Pro Ser Leu Pro Arg Ser Cys Lys Glu Ile Lys	
35 40 45	
Asp Glu Cys Pro Ser Ala Phe Asp Gly Leu Tyr Phe Leu Arg Thr	
50 55 60	
Glu Asn Gly Val Ile Tyr Gln Thr Phe Cys Asp Met Thr Ser Gly	
65 70 75	
Gly Gly Gly Trp Thr Leu Val Ala Ser Val His Glu Asn Asp Met	
80 85 90	
Arg Gly Lys Cys Thr Val Gly Asp Arg Trp Ser Ser Gln Gln Gly	
95 100 105	
Ser Lys Ala Asp Tyr Pro Glu Gly Asp Gly Asn Trp Ala Asn Tyr	
110 115 120	

-continued

Asn	Thr	Phe	Gly	Ser	Ala	Glu	Ala	Ala	Thr	Ser	Asp	Asp	Tyr	Lys
			125						130				135	
Asn	Pro	Gly	Tyr	Tyr	Asp	Ile	Gln	Ala	Lys	Asp	Leu	Gly	Ile	Trp
			140						145				150	
His	Val	Pro	Asn	Lys	Ser	Pro	Met	Gln	His	Trp	Arg	Asn	Ser	Ser
			155						160				165	
Leu	Leu	Arg	Tyr	Arg	Thr	Asp	Thr	Gly	Phe	Leu	Gln	Thr	Leu	Gly
			170						175				180	
His	Asn	Leu	Phe	Gly	Ile	Tyr	Gln	Lys	Tyr	Pro	Val	Lys	Tyr	Gly
			185						190				195	
Glu	Gly	Lys	Cys	Trp	Thr	Asp	Asn	Gly	Pro	Val	Ile	Pro	Val	Val
			200						205				210	
Tyr	Asp	Phe	Gly	Asp	Ala	Gln	Lys	Thr	Ala	Ser	Tyr	Tyr	Ser	Pro
			215						220				225	
Tyr	Gly	Gln	Arg	Glu	Phe	Thr	Ala	Gly	Phe	Val	Gln	Phe	Arg	Val
			230						235				240	
Phe	Asn	Asn	Glu	Arg	Ala	Ala	Asn	Ala	Leu	Cys	Ala	Gly	Met	Arg
			245						250				255	
Val	Thr	Gly	Cys	Asn	Thr	Glu	His	His	Cys	Ile	Gly	Gly	Gly	Gly
			260						265				270	
Tyr	Phe	Pro	Glu	Ala	Ser	Pro	Gln	Gln	Cys	Gly	Asp	Phe	Ser	Gly
			275						280				285	
Phe	Asp	Trp	Ser	Gly	Tyr	Gly	Thr	His	Val	Gly	Tyr	Ser	Ser	Ser
			290						295				300	
Arg	Glu	Ile	Thr	Glu	Ala	Ala	Val	Leu	Leu	Phe	Tyr	Arg		
			305						310					

<210> SEQ ID NO 89
<211> LENGTH: 759
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 89

ctagatttgt	cggtctgcgg	ggagacttca	ggagtcgctg	tctctgaact	50
tccagcctca	gagaccgccg	cccttgcccc	cgagggccat	gggccgggtc	100
tcagggcttg	tgccctctcg	cttcctgacg	ctcctggcgc	atctggtggt	150
cgctcatcac	ttattctggt	cccgggacag	caacatacag	gcctgcctgc	200
ctctcacgtt	cacccccgag	gagtatgaca	agcaggacat	tcagctggtg	250
gccgcgctct	ctgtcaccct	gggcctcttt	gcagtggagc	tggccgggtt	300
cctctcagga	gtctccatgt	tcaacagcac	ccagagcctc	atctccattg	350
gggctcactg	tagtgcattc	gtggccctgt	ccttcttcat	attcgagcgt	400
tgggagtgca	ctacgtattg	gtacattttt	gtcttctgca	gtgcccttcc	450
agctgtcact	gaaatggctt	tattcgtcac	cgtctttggg	ctgaaaaaga	500
aacccttctg	attaccttca	tgacgggaac	ctaaggacga	agcctacagg	550
ggcaagggcc	gcttcgtatt	cctggaagaa	ggaaggcata	ggcttcggtt	600
ttccctctcg	aaactgcttc	tgctggagga	tatgtgttgg	aataattacg	650
tcttgagtct	gggattatcc	gcattgtatt	tagtgctttg	taataaaata	700
tgtttttagt	taacattaag	acttatatac	agtttttagg	gacaattaa	750

-continued

aaaaaaaaa	759
<210> SEQ ID NO 90	
<211> LENGTH: 140	
<212> TYPE: PRT	
<213> ORGANISM: Homo Sapien	
<400> SEQUENCE: 90	
Met Gly Arg Val Ser Gly Leu Val Pro Ser Arg Phe Leu Thr Leu	
1 5 10 15	
Leu Ala His Leu Val Val Val Ile Thr Leu Phe Trp Ser Arg Asp	
20 25 30	
Ser Asn Ile Gln Ala Cys Leu Pro Leu Thr Phe Thr Pro Glu Glu	
35 40 45	
Tyr Asp Lys Gln Asp Ile Gln Leu Val Ala Ala Leu Ser Val Thr	
50 55 60	
Leu Gly Leu Phe Ala Val Glu Leu Ala Gly Phe Leu Ser Gly Val	
65 70 75	
Ser Met Phe Asn Ser Thr Gln Ser Leu Ile Ser Ile Gly Ala His	
80 85 90	
Cys Ser Ala Ser Val Ala Leu Ser Phe Phe Ile Phe Glu Arg Trp	
95 100 105	
Glu Cys Thr Thr Tyr Trp Tyr Ile Phe Val Phe Cys Ser Ala Leu	
110 115 120	
Pro Ala Val Thr Glu Met Ala Leu Phe Val Thr Val Phe Gly Leu	
125 130 135	
Lys Lys Lys Pro Phe	
140	
<210> SEQ ID NO 91	
<211> LENGTH: 1871	
<212> TYPE: DNA	
<213> ORGANISM: Homo Sapien	
<400> SEQUENCE: 91	
ctgggacccc gaaaagagaa ggggagagcg aggggacgag agcggaggag	50
gaagatgcaa ctgactcgct gctgtctcgt gttcctggtg cagggtagcc	100
tctatctggt catctgtggc caggatgatg gtcctcccgg ctgagaggac	150
cctgagcgtg atgaccacga gggccagccc cgccccggg tgcctcggaa	200
gcggggccac atctcaccta agtcccggcc catggccaat tccactctcc	250
tagggctgct ggccccgcct ggggaggctt ggggcattct tgggcagccc	300
cccaaccgcc cgaaccacag cccccacccc tcagccaagg tgaagaaaat	350
ctttggctgg ggcgacttct actccaacat caagacggtg gccctgaacc	400
tgctcgtcac aggaagatt gtggaccatg gcaatgggac cttcagcgtc	450
cacttccaac acaatgccac aggccaggga aacatctcca tcagcctcgt	500
gccccccagt aaagctgtag agttccacca ggaacagcag atcttcatcg	550
aagccaaggc ctccaaaatc ttcaactgcc ggatggagtg ggagaaggta	600
gaacggggcc gccggacctc gctttgcacc cacgaccag ccaagatctg	650
ctcccagagac cagctcaga gctcagccac ctggagctgc tcccagccct	700

-continued

```
tcaaagtcgt ctgtgtctac atcgcccttct acagcacgga ctatcggctg      750
gtccagaagg tgtgccaga ttacaactac catagtgata cccctacta      800
cccctctggg tgaccggggg caggccacag aggccaggcc agggctggaa      850
ggacaggcct gcccatgcag gagaccatct ggacaccggg cagggaaggg      900
gttgggcctc aggcaggggag gggggtggag acgaggagat gccaagtggg      950
gccaggggcca agtctcaagt ggcagagaaa ggggcccaag tgctgggtccc     1000
aacctgaagc tgtggagtga ctagtcaca ggagcactgg aggaggagt      1050
ggctctctgt gcagcctcac agggctttgc cacggagcca cagagagatg     1100
ctgggtcccc gaggcctgtg ggcaggccga tcagtgtggc ccagatcaa     1150
gtcatgggag gaagctaagc ccttggttct tgccatcctg aggaaagata     1200
gcaacaggga gggggagatt tcatcagtgt ggacagcctg tcaacttagg     1250
atggatggct gagagggctt ctaggagcc agtcagcagg gtgggggtggg     1300
gccagaggag ctctccagcc ctgcctagtg ggcgccctga gcccttgtc     1350
gtgtgctgag catggcatga ggctgaagtg gcaaccctgg ggtctttgat     1400
gtcttgacag attgaccatc tgtctccagc caggccaccc ctttccaaaa     1450
ttccctcttc tgccagtact ccccctgtac caccattgc tgatggcaca     1500
cccctcctta agctaagaca ggacattgt ggtcctccca cactaaggcc     1550
acagcccato cgcgtgctgt gtgtccctct tccaccccaa cccctgctgg     1600
ctcctctggg agcatccatg tcccggagag gggccctca acagtcagcc     1650
tcacctgtca gaccgggggt ctcccggatc tggatggcgc cgccctctca     1700
gcagcgggca cgggtggggc ggggcccggc cgacagagcat gtgctggatc     1750
tgttctgtgt gtctgtctgt ggggtggggg aggggaggga agtcttgtga     1800
aaccgctgat tgctgacttt tgtgtgaaga atcgtgttct tggagcagga     1850
aataaagctt gccccggggc a                                     1871
```

<210> SEQ ID NO 92
<211> LENGTH: 252
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 92

```
Met Gln Leu Thr Arg Cys Cys Phe Val Phe Leu Val Gln Gly Ser
 1             5             10             15
Leu Tyr Leu Val Ile Cys Gly Gln Asp Asp Gly Pro Pro Gly Ser
 20            25            30
Glu Asp Pro Glu Arg Asp Asp His Glu Gly Gln Pro Arg Pro Arg
 35            40            45
Val Pro Arg Lys Arg Gly His Ile Ser Pro Lys Ser Arg Pro Met
 50            55            60
Ala Asn Ser Thr Leu Leu Gly Leu Leu Ala Pro Pro Gly Glu Ala
 65            70            75
Trp Gly Ile Leu Gly Gln Pro Pro Asn Arg Pro Asn His Ser Pro
 80            85            90
Pro Pro Ser Ala Lys Val Lys Lys Ile Phe Gly Trp Gly Asp Phe
```

-continued

	95		100		105
Tyr Ser Asn Ile Lys Thr Val Ala Leu Asn Leu Leu Val Thr Gly	110		115		120
Lys Ile Val Asp His Gly Asn Gly Thr Phe Ser Val His Phe Gln	125		130		135
His Asn Ala Thr Gly Gln Gly Asn Ile Ser Ile Ser Leu Val Pro	140		145		150
Pro Ser Lys Ala Val Glu Phe His Gln Glu Gln Gln Ile Phe Ile	155		160		165
Glu Ala Lys Ala Ser Lys Ile Phe Asn Cys Arg Met Glu Trp Glu	170		175		180
Lys Val Glu Arg Gly Arg Arg Thr Ser Leu Cys Thr His Asp Pro	185		190		195
Ala Lys Ile Cys Ser Arg Asp His Ala Gln Ser Ser Ala Thr Trp	200		205		210
Ser Cys Ser Gln Pro Phe Lys Val Val Cys Val Tyr Ile Ala Phe	215		220		225
Tyr Ser Thr Asp Tyr Arg Leu Val Gln Lys Val Cys Pro Asp Tyr	230		235		240
Asn Tyr His Ser Asp Thr Pro Tyr Tyr Pro Ser Gly	245		250		

<210> SEQ ID NO 93
<211> LENGTH: 902
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 93

cggtggccat gactgcggcc gtgttcttcg gctgcgcctt cattgccttc	50
gggcctgcgc tcgcccttta tgtcttcacc atcgccatcg agcogttgcg	100
tatcatcttc ctcatcgccg gagctttctt ctggttggtg tctctactga	150
tttcgtccct tgtttggttc atggcaagag tcattattga caacaaagat	200
ggaccaacac agaaatatct gctgatcttt ggagcgtttg tctctgtcta	250
tatccaagaa atgttccgat ttgcatatta taaactctta aaaaaagcca	300
gtgaaggttt gaagagtata aaccagggtg agacagcacc ctctatgcga	350
ctgctggcct atgtttctgg ctggggcttt ggaatcatga gtggagtatt	400
ttcctttgtg aataccctat ctgactcctt ggggccaggc acagtgggca	450
ttcatggaga ttctcctcaa ttcttccttt attcagcttt catgacgctg	500
gtcattatct tgctgcatgt attctggggc attgtatatt ttgatggctg	550
tgagaagaaa aagtggggca tcctccttat cgttctcctg acccacctgc	600
tggtgtcagc ccagaccttc ataagttctt attatggaat aaacctggcg	650
tcagcattta taatcctggt gctcatgggc acctgggcat tcttagctgc	700
gggaggcagc tgccgaagcc tgaaactctg cctgctctgc caagacaaga	750
actttcttct ttacaaccag cgctccagat aacctcaggg aaccagcact	800
tcccaaaccg cagactacat ctttagagga agcacaactg tgcctttttc	850
tgaaaaatccc tttttctggt ggaattgaga aagaaataaa actatgcaga	900

-continued

ta	902
<210> SEQ ID NO 94 <211> LENGTH: 257 <212> TYPE: PRT <213> ORGANISM: Homo Sapien <400> SEQUENCE: 94	
Met Thr Ala Ala Val Phe Phe Gly Cys Ala Phe Ile Ala Phe Gly 1 5 10 15	
Pro Ala Leu Ala Leu Tyr Val Phe Thr Ile Ala Ile Glu Pro Leu 20 25 30	
Arg Ile Ile Phe Leu Ile Ala Gly Ala Phe Phe Trp Leu Val Ser 35 40 45	
Leu Leu Ile Ser Ser Leu Val Trp Phe Met Ala Arg Val Ile Ile 50 55 60	
Asp Asn Lys Asp Gly Pro Thr Gln Lys Tyr Leu Leu Ile Phe Gly 65 70 75	
Ala Phe Val Ser Val Tyr Ile Gln Glu Met Phe Arg Phe Ala Tyr 80 85 90	
Tyr Lys Leu Leu Lys Lys Ala Ser Glu Gly Leu Lys Ser Ile Asn 95 100 105	
Pro Gly Glu Thr Ala Pro Ser Met Arg Leu Leu Ala Tyr Val Ser 110 115 120	
Gly Leu Gly Phe Gly Ile Met Ser Gly Val Phe Ser Phe Val Asn 125 130 135	
Thr Leu Ser Asp Ser Leu Gly Pro Gly Thr Val Gly Ile His Gly 140 145 150	
Asp Ser Pro Gln Phe Phe Leu Tyr Ser Ala Phe Met Thr Leu Val 155 160 165	
Ile Ile Leu Leu His Val Phe Trp Gly Ile Val Phe Phe Asp Gly 170 175 180	
Cys Glu Lys Lys Lys Trp Gly Ile Leu Leu Ile Val Leu Leu Thr 185 190 195	
His Leu Leu Val Ser Ala Gln Thr Phe Ile Ser Ser Tyr Tyr Gly 200 205 210	
Ile Asn Leu Ala Ser Ala Phe Ile Ile Leu Val Leu Met Gly Thr 215 220 225	
Trp Ala Phe Leu Ala Ala Gly Gly Ser Cys Arg Ser Leu Lys Leu 230 235 240	
Cys Leu Leu Cys Gln Asp Lys Asn Phe Leu Leu Tyr Asn Gln Arg 245 250 255	
Ser Arg	
<210> SEQ ID NO 95 <211> LENGTH: 1073 <212> TYPE: DNA <213> ORGANISM: Homo Sapien <400> SEQUENCE: 95	
aatttttcac cagagtaaacc ttgagaaacc aactggacct tgagtattgt	50
acattttgcc tcgtggaccc aaaggtagca atctgaaaca tgaggagtac	100
gattctactg ttttgtcttc taggatcaac tcggtcatta ccacagctca	150

-continued

```

aacctgcttt gggactccct cccacaaaac tggctccgga tcagggaaaca      200
ctaccaaacc aacagcagtc aaatcaggtc tttccttctt taagtctgat      250
accattaaca cagatgctca cactggggcc agatctgcat ctgttaaadc      300
ctgctgcagg aatgacacct ggtaccaga cccaccatt gaccctggga      350
gggttgaatg tacaacagca actgcaccca catgtgttac caatttttgt      400
cacacaactt ggagcccagg gcactatcct aagctcagag gaattgccac      450
aaatcttcac gagcctcacc atccattcct tgttccggg aggcacctcg      500
cccaccagtc aggcaggggc taatccagat gtccaggatg gaagccttcc      550
agcaggagga gcaggtgtaa atcctgccac ccagggaacc ccagcaggcc      600
gcctcccaac tcccagtggc acagatgacg actttgcagt gaccaccct      650
gcaggcatcc aaaggagcac acatgccacc gaggaagcca ccacagaatc      700
agcaaatgga attcagtaag ctgtttcaaa ttttttcaac taagctgcct      750
cgaatttggt gatacatgtg aatctttatc attgattata ttatggaata      800
gattgagaca cattggatag tcttagaaga aattaattct taatttacct      850
gaaaatattc ttgaaatttc agaaaatatg ttctatgtag agaatcccaa      900
cttttaaaaa caataattca atggataaat ctgtctttga aatataacat      950
tatgctgcct ggatgatatg catattaaaa catatttggg aaactggaaa     1000
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa     1050
aaaaaaaaaa aaaaaaaaaa aaa                                     1073

```

<210> SEQ ID NO 96

<211> LENGTH: 209

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 96

```

Met Arg Ser Thr Ile Leu Leu Phe Cys Leu Leu Gly Ser Thr Arg
 1             5             10            15

Ser Leu Pro Gln Leu Lys Pro Ala Leu Gly Leu Pro Pro Thr Lys
          20            25            30

Leu Ala Pro Asp Gln Gly Thr Leu Pro Asn Gln Gln Gln Ser Asn
          35            40            45

Gln Val Phe Pro Ser Leu Ser Leu Ile Pro Leu Thr Gln Met Leu
          50            55            60

Thr Leu Gly Pro Asp Leu His Leu Leu Asn Pro Ala Ala Gly Met
          65            70            75

Thr Pro Gly Thr Gln Thr His Pro Leu Thr Leu Gly Gly Leu Asn
          80            85            90

Val Gln Gln Gln Leu His Pro His Val Leu Pro Ile Phe Val Thr
          95            100           105

Gln Leu Gly Ala Gln Gly Thr Ile Leu Ser Ser Glu Glu Leu Pro
          110           115           120

Gln Ile Phe Thr Ser Leu Ile Ile His Ser Leu Phe Pro Gly Gly
          125           130           135

Ile Leu Pro Thr Ser Gln Ala Gly Ala Asn Pro Asp Val Gln Asp
          140           145           150

```

-continued

Gly	Ser	Leu	Pro	Ala	Gly	Gly	Ala	Gly	Val	Asn	Pro	Ala	Thr	Gln
			155						160					165
Gly	Thr	Pro	Ala	Gly	Arg	Leu	Pro	Thr	Pro	Ser	Gly	Thr	Asp	Asp
			170						175					180
Asp	Phe	Ala	Val	Thr	Thr	Pro	Ala	Gly	Ile	Gln	Arg	Ser	Thr	His
			185						190					195
Ala	Ile	Glu	Glu	Ala	Thr	Thr	Glu	Ser	Ala	Asn	Gly	Ile	Gln	
			200						205					

<210> SEQ ID NO 97
<211> LENGTH: 2848
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 97

gctcaagtgc cctgccttgc cccaccagc ccagcctggc cagagcccc	50
tggagaagga gctctcttct tgcttgccag ctggaccaag ggagccagtc	100
ttgggcgctg gagggcctgt cctgacctg gtccctgcct ggctgtggct	150
gctttgtgtc tccgtccccc aggtctctcc caaggcccag cctgcagagc	200
tgtctgtgga agttccagaa aactatgggtg gaaatttccc tttatactg	250
accaagtgtc cgctgccccg tgagggggct gaaggccaga tcgtgctgtc	300
aggggactca ggcaaggcaa ctgagggccc atttgctatg gatccagatt	350
ctggcttcct gctggtgacc agggccctgg accgagagga gcaggcagag	400
taccagctac aggtcaccct ggagatgcag gatggacatg tcttgtgggg	450
tccacagcct gtgcttgtgc acgtgaagga tgagaatgac caggtgcccc	500
atttctctca agccatctac agagctcggc tgagccgggg taccaggcct	550
ggcatccctc tcctcttcct tgaggcttca gaccgggatg agccaggcac	600
agccaactcg gatcttcgat tccacatcct gagccaggct ccagcccagc	650
cttccccaga catgttccag ctggagcctc ggctgggggc tctggccctc	700
agccccaaag ggagcaccag ccttgaccac gccctggaga ggacctacca	750
gctgttggtg caggtcaagg acatgggtga ccaggcctca ggccaccagg	800
ccactgccac cgtggaagtc tccatcatag agagcacctg ggtgtcccta	850
gagcctatcc acctggcaga gaatctcaaa gtcctatacc cgcaccacat	900
ggcccaggta cactggagtg ggggtgatgt gcactatcac ctggagagcc	950
atcccccggg accctttgaa gtgaatgcag agggaaacct ctacgtgacc	1000
agagagctgg acagagaagc ccaggctgag tacctgctcc aggtgcgggc	1050
tcagaattcc catggcgagg actatgcggc ccctctggag ctgcacgtgc	1100
tggtgatgga tgagaatgac aacgtgccta tctgccctcc cctgacccc	1150
acagtcagca tccctgagct cagtccacca ggtactgaag tgactagact	1200
gtcagcagag gatgcagatg cccccggctc cccaattcc cactgtgtgt	1250
atcagctcct gagccctgag cctgaggatg gggtagaggg gagagccttc	1300
caggtggacc ccacttcagg cagtgtgacg ctgggggtgc tcccactccg	1350
agcaggccag aacatcctgc ttctggtgct ggccatggac ctggcaggcg	1400

-continued

```
cagaggggtgg cttcagcagc acgtgtgaag tcgaagtcgc agtcacagat      1450
atcaatgatc acgcccctga gttcatcact tcccagattg ggcctataag      1500
cctccctgag gatgtggagc cggggactct ggtggccatg ctaacagcca      1550
ttgatgtga cctcgagccc gccttcgcgc tcatggattt tgccattgag      1600
aggggagaca cagaagggac ttttggcctg gattgggagc cagactctgg      1650
gcatgttaga ctcagactct gcaagaacct cagtatatgag gcagctccaa      1700
gtcatgaggt ggtggtggtg gtgcagagtg tggcgaagct ggtggggcca      1750
ggcccaggcc ctggagccac cgccacggtg actgtgctag tggagagagt      1800
gatgccaccc cccaagttgg accaggagag ctacgaggcc agtgtcccca      1850
tcagtgcgcc agcgggctct ttctgctga ccatccagcc ctccgacccc      1900
atcagccgaa ccctcaggtt ctccctagtc aatgactcag agggctggct      1950
ctgcattgag aaattctccg gggaggtgca caccgcccag tccctgcagg      2000
gcgcccagcc tggggacacc tacacggtgc ttgtggaggc ccaggataca      2050
gccctgactc ttgcccctgt gcctcccaa tacctctgca caccgccca      2100
agaccatggc ttgatcgtga gtggaccag caaggacccc gatctggcca      2150
gtgggcacgg tccctacagc ttcacccttg gtcccaaccc caggtgcaa      2200
cgggattggc gcctccagac tctcaatggt tcccatgcct acctcaactt      2250
ggccctgcat tgggtggagc cacgtgaaca cataatcccc gtggtggtca      2300
gccacaatgc ccagatgtgg cagctcctgg ttcgagtgat cgtgtgtcgc      2350
tgcaacgtgg aggggcagtg catgcgaag gtgggccgca tgaagggcag      2400
ggccacgaag ctgtcggcag tgggcatcct tgtaggcacc ctggtagcaa      2450
taggaatctt cctcatcctc attttcaccc actggaccat gtcaagggaag      2500
aaggaccggg atcaaccagc agacagcgtg cccctgaagg cgaactgtctg      2550
aatggcccag gcagctctag ctgggagctt ggcctctggc tccatctgag      2600
tcccctggga gagagcccag cacccaagat ccagcagggg acaggacaga      2650
gtagaagccc ctccatctgc cctgggggtg aggcaccatc accatcacca      2700
ggcatgtctg cagagcctgg acaccaactt tatggactgc ccatgggagt      2750
gtcccaaatg tcagggtggt tgcccaataa taaagcccca gagaactggg      2800
ctgggcccta tgggaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaag      2848
```

<210> SEQ ID NO 98

<211> LENGTH: 807

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 98

```
Met Val Pro Ala Trp Leu Trp Leu Leu Cys Val Ser Val Pro Gln
 1             5             10            15
```

```
Ala Leu Pro Lys Ala Gln Pro Ala Glu Leu Ser Val Glu Val Pro
      20             25            30
```

```
Glu Asn Tyr Gly Gly Asn Phe Pro Leu Tyr Leu Thr Lys Leu Pro
      35             40            45
```

-continued

Leu	Pro	Arg	Glu	Gly	Ala	Glu	Gly	Gln	Ile	Val	Leu	Ser	Gly	Asp	50	55	60
Ser	Gly	Lys	Ala	Thr	Glu	Gly	Pro	Phe	Ala	Met	Asp	Pro	Asp	Ser	65	70	75
Gly	Phe	Leu	Leu	Val	Thr	Arg	Ala	Leu	Asp	Arg	Glu	Glu	Gln	Ala	80	85	90
Glu	Tyr	Gln	Leu	Gln	Val	Thr	Leu	Glu	Met	Gln	Asp	Gly	His	Val	95	100	105
Leu	Trp	Gly	Pro	Gln	Pro	Val	Leu	Val	His	Val	Lys	Asp	Glu	Asn	110	115	120
Asp	Gln	Val	Pro	His	Phe	Ser	Gln	Ala	Ile	Tyr	Arg	Ala	Arg	Leu	125	130	135
Ser	Arg	Gly	Thr	Arg	Pro	Gly	Ile	Pro	Phe	Leu	Phe	Leu	Glu	Ala	140	145	150
Ser	Asp	Arg	Asp	Glu	Pro	Gly	Thr	Ala	Asn	Ser	Asp	Leu	Arg	Phe	155	160	165
His	Ile	Leu	Ser	Gln	Ala	Pro	Ala	Gln	Pro	Ser	Pro	Asp	Met	Phe	170	175	180
Gln	Leu	Glu	Pro	Arg	Leu	Gly	Ala	Leu	Ala	Leu	Ser	Pro	Lys	Gly	185	190	195
Ser	Thr	Ser	Leu	Asp	His	Ala	Leu	Glu	Arg	Thr	Tyr	Gln	Leu	Leu	200	205	210
Val	Gln	Val	Lys	Asp	Met	Gly	Asp	Gln	Ala	Ser	Gly	His	Gln	Ala	215	220	225
Thr	Ala	Thr	Val	Glu	Val	Ser	Ile	Ile	Glu	Ser	Thr	Trp	Val	Ser	230	235	240
Leu	Glu	Pro	Ile	His	Leu	Ala	Glu	Asn	Leu	Lys	Val	Leu	Tyr	Pro	245	250	255
His	His	Met	Ala	Gln	Val	His	Trp	Ser	Gly	Gly	Asp	Val	His	Tyr	260	265	270
His	Leu	Glu	Ser	His	Pro	Pro	Gly	Pro	Phe	Glu	Val	Asn	Ala	Glu	275	280	285
Gly	Asn	Leu	Tyr	Val	Thr	Arg	Glu	Leu	Asp	Arg	Glu	Ala	Gln	Ala	290	295	300
Glu	Tyr	Leu	Leu	Gln	Val	Arg	Ala	Gln	Asn	Ser	His	Gly	Glu	Asp	305	310	315
Tyr	Ala	Ala	Pro	Leu	Glu	Leu	His	Val	Leu	Val	Met	Asp	Glu	Asn	320	325	330
Asp	Asn	Val	Pro	Ile	Cys	Pro	Pro	Arg	Asp	Pro	Thr	Val	Ser	Ile	335	340	345
Pro	Glu	Leu	Ser	Pro	Pro	Gly	Thr	Glu	Val	Thr	Arg	Leu	Ser	Ala	350	355	360
Glu	Asp	Ala	Asp	Ala	Pro	Gly	Ser	Pro	Asn	Ser	His	Val	Val	Tyr	365	370	375
Gln	Leu	Leu	Ser	Pro	Glu	Pro	Glu	Asp	Gly	Val	Glu	Gly	Arg	Ala	380	385	390
Phe	Gln	Val	Asp	Pro	Thr	Ser	Gly	Ser	Val	Thr	Leu	Gly	Val	Leu	395	400	405
Pro	Leu	Arg	Ala	Gly	Gln	Asn	Ile	Leu	Leu	Leu	Val	Leu	Ala	Met	410	415	420
Asp	Leu	Ala	Gly	Ala	Glu	Gly	Gly	Phe	Ser	Ser	Thr	Cys	Glu	Val			

					425					430					435
Glu	Val	Ala	Val	Thr	Asp	Ile	Asn	Asp	His	Ala	Pro	Glu	Phe	Ile	
				440					445					450	
Thr	Ser	Gln	Ile	Gly	Pro	Ile	Ser	Leu	Pro	Glu	Asp	Val	Glu	Pro	
				455					460					465	
Gly	Thr	Leu	Val	Ala	Met	Leu	Thr	Ala	Ile	Asp	Ala	Asp	Leu	Glu	
				470					475					480	
Pro	Ala	Phe	Arg	Leu	Met	Asp	Phe	Ala	Ile	Glu	Arg	Gly	Asp	Thr	
				485					490					495	
Glu	Gly	Thr	Phe	Gly	Leu	Asp	Trp	Glu	Pro	Asp	Ser	Gly	His	Val	
				500					505					510	
Arg	Leu	Arg	Leu	Cys	Lys	Asn	Leu	Ser	Tyr	Glu	Ala	Ala	Pro	Ser	
				515					520					525	
His	Glu	Val	Val	Val	Val	Val	Gln	Ser	Val	Ala	Lys	Leu	Val	Gly	
				530					535					540	
Pro	Gly	Pro	Gly	Pro	Gly	Ala	Thr	Ala	Thr	Val	Thr	Val	Leu	Val	
				545					550					555	
Glu	Arg	Val	Met	Pro	Pro	Pro	Lys	Leu	Asp	Gln	Glu	Ser	Tyr	Glu	
				560					565					570	
Ala	Ser	Val	Pro	Ile	Ser	Ala	Pro	Ala	Gly	Ser	Phe	Leu	Leu	Thr	
				575					580					585	
Ile	Gln	Pro	Ser	Asp	Pro	Ile	Ser	Arg	Thr	Leu	Arg	Phe	Ser	Leu	
				590					595					600	
Val	Asn	Asp	Ser	Glu	Gly	Trp	Leu	Cys	Ile	Glu	Lys	Phe	Ser	Gly	
				605					610					615	
Glu	Val	His	Thr	Ala	Gln	Ser	Leu	Gln	Gly	Ala	Gln	Pro	Gly	Asp	
				620					625					630	
Thr	Tyr	Thr	Val	Leu	Val	Glu	Ala	Gln	Asp	Thr	Ala	Leu	Thr	Leu	
				635					640					645	
Ala	Pro	Val	Pro	Ser	Gln	Tyr	Leu	Cys	Thr	Pro	Arg	Gln	Asp	His	
				650					655					660	
Gly	Leu	Ile	Val	Ser	Gly	Pro	Ser	Lys	Asp	Pro	Asp	Leu	Ala	Ser	
				665					670					675	
Gly	His	Gly	Pro	Tyr	Ser	Phe	Thr	Leu	Gly	Pro	Asn	Pro	Thr	Val	
				680					685					690	
Gln	Arg	Asp	Trp	Arg	Leu	Gln	Thr	Leu	Asn	Gly	Ser	His	Ala	Tyr	
				695					700					705	
Leu	Thr	Leu	Ala	Leu	His	Trp	Val	Glu	Pro	Arg	Glu	His	Ile	Ile	
				710					715					720	
Pro	Val	Val	Val	Ser	His	Asn	Ala	Gln	Met	Trp	Gln	Leu	Leu	Val	
				725					730					735	
Arg	Val	Ile	Val	Cys	Arg	Cys	Asn	Val	Glu	Gly	Gln	Cys	Met	Arg	
				740					745					750	
Lys	Val	Gly	Arg	Met	Lys	Gly	Met	Pro	Thr	Lys	Leu	Ser	Ala	Val	
				755					760					765	
Gly	Ile	Leu	Val	Gly	Thr	Leu	Val	Ala	Ile	Gly	Ile	Phe	Leu	Ile	
				770					775					780	
Leu	Ile	Phe	Thr	His	Trp	Thr	Met	Ser	Arg	Lys	Lys	Asp	Pro	Asp	
				785					790					795	
Gln	Pro	Ala	Asp	Ser	Val	Pro	Leu	Lys	Ala	Thr	Val				
				800					805						

-continued

<210> SEQ ID NO 99

<211> LENGTH: 2436

<212> TYPE: DNA

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 99

ggctgaccgt gctacattgc ctggaggaag cctaaggaac ccaggcatcc	50
agctgcccac gcctgagtcc aagattcttc ccaggaacac aaacgtagga	100
gaccacgct cctggaagca ccagccttta tctcttcacc ttcaagtccc	150
ctttctcaag aatcctctgt tctttgccct ctaaagtctt ggtacatcta	200
ggacccaggc atcttgcttt ccagccacaa agagacagat gaagatgcag	250
aaaggaaatg ttctccttat gtttggtcta ctattgcatt tagaagctgc	300
aacaaattcc aatgagacta gcacctctgc caacactgga tccagtgtga	350
tctccagtgg agccagcaca gccaccaact ctgggtccag tgtgacctcc	400
agtggggcca gcacagccac catctcaggg tccagcgtga cctccaatgg	450
ggtcagcata gtcaccaact ctgagttcca tacaacctcc agtgggatca	500
gcacagccac caactctgag ttcagcacag cgtccagtgg gatcagcata	550
gccaccaact ctgagtccag cacaacctcc agtggggcca gcacagccac	600
caactctgag tccagcacac cctccagtgg ggccagcaca gtcaccaact	650
ctgggtccag tgtgacctcc agtggagcca gcaactgccac caactctgag	700
tccagcacag tgtccagtag ggccagcact gccaccaact ctgagtctag	750
cacactctcc agtggggcca gcacagccac caactctgac tccagcacia	800
cctccagtgg ggctagcaca gccaccaact ctgagtccag cacaacctcc	850
agtggggcca gcacagccac caactctgag tccagcacag tgtccagtag	900
ggccagcact gccaccaact ctgagtccag cacaacctcc agtggggcca	950
gcacagccac caactctgag tccagaacga cctccaatgg ggctggcaca	1000
gccaccaact ctgagtccag cagcacctcc agtggggcca gcacagccac	1050
caactctgac tccagcacag tgtccagtgg ggccagcact gccaccaact	1100
ctgagtccag cagcacctcc agtggggcca gcacagccac caactctgag	1150
tccagcacga cctccagtgg ggctagcaca gccaccaact ctgactccag	1200
cacaacctcc agtggggccc gcacagccac caactctgag tccagcacag	1250
tgtccagtgg gatcagcaca gtcaccaatt ctgagtccag cacacctcc	1300
agtggggcca acacagccac caactctgag tccagtacga cctccagtgg	1350
ggccaacaca gccaccaact ctgagtccag cacagtgtcc agtggggcca	1400
gcaactgccac caactctgag tccagcacia cctccagtgg ggtcagcaca	1450
gccaccaact ctgagtccag cacaacctcc agtggggcta gcacagccac	1500
caactctgac tccagcacia cctccagtga ggccagcaca gccaccaact	1550
ctgagtctag cacagtgtcc agtgggatca gcacagtcac caattctgag	1600
tccagcacia cctccagtgg ggccaacaca gccaccaact ctgggtccag	1650
tgtgacctct gcaggctctg gaacagcagc totgactgga atgcacacia	1700

-continued

```
cttcccatag tgcattact gcagtgagtg aggcaaagcc tggagggtcc      1750
ctgggtccgt gggaaatctt cctcatcacc ctggtctcgg ttgtggcggc      1800
cgtggggctc tttgctgggc tcttcttctg tgtgagaaac agcctgtccc      1850
tgagaaacac ctttaacaca gctgtctacc accctcatgg cctcaaccat      1900
ggccttggtc caggccctgg agggaatcat ggagcccccc acaggcccag      1950
gtggagtccct aactggttct ggaggagacc agtatcatcg atagccatgg      2000
agatgagcgg gaggaacagc gggccctgag cagccccgga agcaagtgcc      2050
gcattcttca ggaaggaaga gacctgggca cccaagacct ggtttccttt      2100
cattcatccc aggagacccc tcccagcttt gtttgagatc ctgaaaatct      2150
tgaagaaggt attcctcacc tttctgcct ttaccagaca ctggaaagag      2200
aatactatat tgctcattta gctaagaaat aaatacatct catctaacac      2250
acacgacaaa gagaagctgt gcttgccccg gggagggtat ctactctga      2300
gatgaactca gttataggag aaaacctcca tgctggactc catctggcat      2350
tcaaaatctc cacagtaaaa tccaagacc tcaaaaaaaaa aaaaaaaaaa      2400
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa      2436
```

<210> SEQ ID NO 100
<211> LENGTH: 596
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 100

```
Met Lys Met Gln Lys Gly Asn Val Leu Leu Met Phe Gly Leu Leu
 1          5          10          15
Leu His Leu Glu Ala Ala Thr Asn Ser Asn Glu Thr Ser Thr Ser
 20          25          30
Ala Asn Thr Gly Ser Ser Val Ile Ser Ser Gly Ala Ser Thr Ala
 35          40          45
Thr Asn Ser Gly Ser Ser Val Thr Ser Ser Gly Val Ser Thr Ala
 50          55          60
Thr Ile Ser Gly Ser Ser Val Thr Ser Asn Gly Val Ser Ile Val
 65          70          75
Thr Asn Ser Glu Phe His Thr Thr Ser Ser Gly Ile Ser Thr Ala
 80          85          90
Thr Asn Ser Glu Phe Ser Thr Ala Ser Ser Gly Ile Ser Ile Ala
 95          100         105
Thr Asn Ser Glu Ser Ser Thr Thr Ser Ser Gly Ala Ser Thr Ala
 110         115         120
Thr Asn Ser Glu Ser Ser Thr Pro Ser Ser Gly Ala Ser Thr Val
 125         130         135
Thr Asn Ser Gly Ser Ser Val Thr Ser Ser Gly Ala Ser Thr Ala
 140         145         150
Thr Asn Ser Glu Ser Ser Thr Val Ser Ser Arg Ala Ser Thr Ala
 155         160         165
Thr Asn Ser Glu Ser Ser Thr Leu Ser Ser Gly Ala Ser Thr Ala
 170         175         180
Thr Asn Ser Asp Ser Ser Thr Thr Ser Ser Gly Ala Ser Thr Ala
```

					185					190					195
Thr	Asn	Ser	Glu	Ser	Ser	Thr	Thr	Ser	Ser	Gly	Ala	Ser	Thr	Ala	
				200					205					210	
Thr	Asn	Ser	Glu	Ser	Ser	Thr	Val	Ser	Ser	Arg	Ala	Ser	Thr	Ala	
				215					220					225	
Thr	Asn	Ser	Glu	Ser	Ser	Thr	Thr	Ser	Ser	Gly	Ala	Ser	Thr	Ala	
				230					235					240	
Thr	Asn	Ser	Glu	Ser	Arg	Thr	Thr	Ser	Asn	Gly	Ala	Gly	Thr	Ala	
				245					250					255	
Thr	Asn	Ser	Glu	Ser	Ser	Thr	Thr	Ser	Ser	Gly	Ala	Ser	Thr	Ala	
				260					265					270	
Thr	Asn	Ser	Asp	Ser	Ser	Thr	Val	Ser	Ser	Gly	Ala	Ser	Thr	Ala	
				275					280					285	
Thr	Asn	Ser	Glu	Ser	Ser	Thr	Thr	Ser	Ser	Gly	Ala	Ser	Thr	Ala	
				290					295					300	
Thr	Asn	Ser	Glu	Ser	Ser	Thr	Thr	Ser	Ser	Gly	Ala	Ser	Thr	Ala	
				305					310					315	
Thr	Asn	Ser	Asp	Ser	Ser	Thr	Thr	Ser	Ser	Gly	Ala	Gly	Thr	Ala	
				320					325					330	
Thr	Asn	Ser	Glu	Ser	Ser	Thr	Val	Ser	Ser	Gly	Ile	Ser	Thr	Val	
				335					340					345	
Thr	Asn	Ser	Glu	Ser	Ser	Thr	Pro	Ser	Ser	Gly	Ala	Asn	Thr	Ala	
				350					355					360	
Thr	Asn	Ser	Glu	Ser	Ser	Thr	Thr	Ser	Ser	Gly	Ala	Asn	Thr	Ala	
				365					370					375	
Thr	Asn	Ser	Glu	Ser	Ser	Thr	Val	Ser	Ser	Gly	Ala	Ser	Thr	Ala	
				380					385					390	
Thr	Asn	Ser	Glu	Ser	Ser	Thr	Thr	Ser	Ser	Gly	Val	Ser	Thr	Ala	
				395					400					405	
Thr	Asn	Ser	Glu	Ser	Ser	Thr	Thr	Ser	Ser	Gly	Ala	Ser	Thr	Ala	
				410					415					420	
Thr	Asn	Ser	Asp	Ser	Ser	Thr	Thr	Ser	Ser	Glu	Ala	Ser	Thr	Ala	
				425					430					435	
Thr	Asn	Ser	Glu	Ser	Ser	Thr	Val	Ser	Ser	Gly	Ile	Ser	Thr	Val	
				440					445					450	
Thr	Asn	Ser	Glu	Ser	Ser	Thr	Thr	Ser	Ser	Gly	Ala	Asn	Thr	Ala	
				455					460					465	
Thr	Asn	Ser	Gly	Ser	Ser	Val	Thr	Ser	Ala	Gly	Ser	Gly	Thr	Ala	
				470					475					480	
Ala	Leu	Thr	Gly	Met	His	Thr	Thr	Ser	His	Ser	Ala	Ser	Thr	Ala	
				485					490					495	
Val	Ser	Glu	Ala	Lys	Pro	Gly	Gly	Ser	Leu	Val	Pro	Trp	Glu	Ile	
				500					505					510	
Phe	Leu	Ile	Thr	Leu	Val	Ser	Val	Val	Ala	Ala	Val	Gly	Leu	Phe	
				515					520					525	
Ala	Gly	Leu	Phe	Phe	Cys	Val	Arg	Asn	Ser	Leu	Ser	Leu	Arg	Asn	
				530					535					540	
Thr	Phe	Asn	Thr	Ala	Val	Tyr	His	Pro	His	Gly	Leu	Asn	His	Gly	
				545					550					555	
Leu	Gly	Pro	Gly	Pro	Gly	Gly	Asn	His	Gly	Ala	Pro	His	Arg	Pro	
				560					565					570	

-continued

Arg Trp Ser Pro Asn Trp Phe Trp Arg Arg Pro Val Ser Ser Ile
575 580 585

Ala Met Glu Met Ser Gly Arg Asn Ser Gly Pro
590 595

<210> SEQ ID NO 101
<211> LENGTH: 1728
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 101

ggccggagcg	ctccgcgtta	cgggatgaat	taacggcggg	ttccgcacgg	50
aggttgtgac	ccctacggag	ccccagcttg	cccacgcacc	ccactcggcg	100
tcgcgcggcg	tgccttgctt	gtcacagggtg	ggaggctgga	actatcaggc	150
tgaaaaacag	agtgggtact	ctcttctggg	aagctggcaa	caaattggatg	200
atgtgatata	tgcattccag	gggaagggaa	attgtggtgc	ttctgaaccc	250
atggtcaatt	aacgaggcag	tttctagcta	ctgcacgtac	ttcataaagc	300
aggactctaa	aagctttgga	atcatgggtgt	catggaaagg	gattttacttt	350
atactgactc	tgttttgggg	aagctttttt	ggaagcattt	tcattgctgag	400
tcccttttta	cctttgatgt	ttgtaaaccc	atcttggtat	cgtcggatca	450
acaaccgcct	tgtggcaaca	tggtcaccgc	tacctgtggc	attattggag	500
accatgtttg	gtgtaaaagt	gattataact	ggggatgcat	ttgttccttg	550
agaaagaagt	gtcattatca	tgaaccatcg	gacaagaatg	gactggatgt	600
tcctgtggaa	ttgcctgatg	cgatatagct	acctcagatt	ggagaaaatt	650
tgccctcaaag	cgagtctcaa	agggtttcct	ggatttggtt	gggccatgca	700
ggctgctgcc	tatatcttca	ttcataggaa	atggaaggat	gacaagagcc	750
atttcgaaga	catgattgat	tactttttgt	atattcacga	accacttcaa	800
ctcctcatat	tcccagaagg	gactgatctc	acagaaaaca	gcaagtctcg	850
aagtaatgca	tttgctgaaa	aaaatggact	tcagaaatat	gaatatgttt	900
tacatccaag	aactacaggc	tttacttttg	tggtagaccg	tctaagagaa	950
ggtaagaacc	ttgatgctgt	ccatgatatc	actgtggcgt	atcctcacaa	1000
cattcctcaa	tcagagaagc	acctcctcca	aggagacttt	cccagggaaa	1050
tccactttca	cgtcaccggg	tatccaatag	acaccctccc	cacatccaag	1100
gaggaccttc	aactctgggtg	ccacaaacgg	tgggaagaga	aagaagagag	1150
gctgcgttcc	ttctatcaag	gggagaagaa	ttttattttt	accggacaga	1200
gtgtcattcc	accttgcaag	tctgaactca	gggtccttgt	ggcacaattg	1250
ctctctatac	tgtattggac	cctgttcagc	cctgcaatgt	gcctactcat	1300
atatttgtac	agtcttggtt	agtgggtattt	tataatcacc	attgtaatct	1350
ttgtgctgca	agagagaata	tttggtggac	tggagatcat	agaacttgca	1400
tgttaccgac	ttttacacaa	acagccacat	ttaaattcaa	agaaaaatga	1450
gtaagattat	aaggtttgcc	atgtgaaaac	ctagagcata	ttttggaaat	1500
gttctaaacc	tttctaagct	cagatgcatt	tttgcatgac	tatgtcgaat	1550

-continued

atttcttact gccatcatta ttgttaaag atattttgca ctttaattttg 1600
tgggaaaaat attgctacaa ttttttttaa tctctgaatg taatttcgat 1650
actgtgtaca tagcagggag tgatcggggg gaaataactt gggccagaat 1700
attattaaac aatcatcagg cttttaaa 1728

<210> SEQ ID NO 102

<211> LENGTH: 414

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 102

Met His Ser Arg Gly Arg Glu Ile Val Val Leu Leu Asn Pro Trp
1 5 10 15
Ser Ile Asn Glu Ala Val Ser Ser Tyr Cys Thr Tyr Phe Ile Lys
20 25 30
Gln Asp Ser Lys Ser Phe Gly Ile Met Val Ser Trp Lys Gly Ile
35 40 45
Tyr Phe Ile Leu Thr Leu Phe Trp Gly Ser Phe Phe Gly Ser Ile
50 55 60
Phe Met Leu Ser Pro Phe Leu Pro Leu Met Phe Val Asn Pro Ser
65 70 75
Trp Tyr Arg Trp Ile Asn Asn Arg Leu Val Ala Thr Trp Leu Thr
80 85 90
Leu Pro Val Ala Leu Leu Glu Thr Met Phe Gly Val Lys Val Ile
95 100 105
Ile Thr Gly Asp Ala Phe Val Pro Gly Glu Arg Ser Val Ile Ile
110 115 120
Met Asn His Arg Thr Arg Met Asp Trp Met Phe Leu Trp Asn Cys
125 130 135
Leu Met Arg Tyr Ser Tyr Leu Arg Leu Glu Lys Ile Cys Leu Lys
140 145 150
Ala Ser Leu Lys Gly Val Pro Gly Phe Gly Trp Ala Met Gln Ala
155 160 165
Ala Ala Tyr Ile Phe Ile His Arg Lys Trp Lys Asp Asp Lys Ser
170 175 180
His Phe Glu Asp Met Ile Asp Tyr Phe Cys Asp Ile His Glu Pro
185 190 195
Leu Gln Leu Leu Ile Phe Pro Glu Gly Thr Asp Leu Thr Glu Asn
200 205 210
Ser Lys Ser Arg Ser Asn Ala Phe Ala Glu Lys Asn Gly Leu Gln
215 220 225
Lys Tyr Glu Tyr Val Leu His Pro Arg Thr Thr Gly Phe Thr Phe
230 235 240
Val Val Asp Arg Leu Arg Glu Gly Lys Asn Leu Asp Ala Val His
245 250 255
Asp Ile Thr Val Ala Tyr Pro His Asn Ile Pro Gln Ser Glu Lys
260 265 270
His Leu Leu Gln Gly Asp Phe Pro Arg Glu Ile His Phe His Val
275 280 285
His Arg Tyr Pro Ile Asp Thr Leu Pro Thr Ser Lys Glu Asp Leu
290 295 300

-continued

Gln Leu Trp Cys His Lys Arg Trp Glu Glu Lys Glu Glu Arg Leu
305 310 315
Arg Ser Phe Tyr Gln Gly Glu Lys Asn Phe Tyr Phe Thr Gly Gln
320 325 330
Ser Val Ile Pro Pro Cys Lys Ser Glu Leu Arg Val Leu Val Val
335 340 345
Lys Leu Leu Ser Ile Leu Tyr Trp Thr Leu Phe Ser Pro Ala Met
350 355 360
Cys Leu Leu Ile Tyr Leu Tyr Ser Leu Val Lys Trp Tyr Phe Ile
365 370 375
Ile Thr Ile Val Ile Phe Val Leu Gln Glu Arg Ile Phe Gly Gly
380 385 390
Leu Glu Ile Ile Glu Leu Ala Cys Tyr Arg Leu Leu His Lys Gln
395 400 405
Pro His Leu Asn Ser Lys Lys Asn Glu
410

<210> SEQ ID NO 103
<211> LENGTH: 2403
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 103

cggctcgagc ggctcgagtg aagagcctct ccacggctcc tgcgcctgag 50
acagctggcc tgacctcaa atcatccatc caccctgct gtcattctgtt 100
ttcatagtgt gagatcaacc cacaggaata tccatggctt ttgtgtcat 150
tttggttctc agtttctacg agctggtgtc aggacagtgg caagtcactg 200
gaccgggcaa gtttgtccag gccttggtgg gggaggacgc cgtgttctcc 250
tgctccctct ttctgagac cagtgcagag gctatggaag tgcggttctt 300
caggaatcag ttccatgctg tgggtccact ctacagagat ggggaagact 350
gggaatctaa gcagatgcca cagtatcgag ggagaactga gtttgtgaag 400
gactccattg caggggggcg tgtctctcta aggctaaaaa acatcactcc 450
ctcggacatc ggctgtatg ggtgctggtt cagttcccag atttacgatg 500
aggaggccac ctgggagctg cgggtggcag cactgggctc acttcctctc 550
atttccatcg tgggatatgt tgacggaggt atccagttac tctgcctgtc 600
ctcaggctgg ttccccagc ccacagccaa gtgaaaggt ccacaaggac 650
aggatttgtc ttcagactcc agagcaaatg cagatgggta cagcctgtat 700
gatgtggaga tctccattat agtcaggaa aatgctggga gcatattgtg 750
ttccatccac cttgctgagc agagtcatga ggtggaatcc aaggtattga 800
taggagagac gtttttccag ccctcacctt ggcgcctggc ttctatttta 850
ctcgggttac tctgtggtgc cctgtgtggt gttgtcatgg gcatgataat 900
tgttttcttc aaatccaaag ggaaaatcca ggcggaactg gactggagaa 950
gaaagcacgg acaggcagaa ttgagagacg ccgggaaaca cgagtgagg 1000
gtgactctgg atccagagac ggctcaccgc aagctctgcg tttctgatct 1050
gaaaactgta acccatagaa aagctcccca ggaggtgcct cactctgaga 1100

-continued

```

agagatttac aaggaagagt gtggtggcct ctcaggggtt ccaagcaggg      1150
agacattact gggaggtgga cgtgggacaa aatgtagggt ggtatgtggg      1200
agtgtgtcgg gatgacgtag acagggggaa gaacaatgtg actttgtctc      1250
ccaacaatgg gtattgggtc ctcagactga caacagaaca tttgtatttc      1300
acattcaatc cccattttat cagcctcccc ccagcacccc ctcctacacg      1350
agtaggggtc ttcctggact atgaggggtg gaccatctcc ttcttcaata      1400
caaatgacca gtcccttatt tatacctgc tgacatgtca gtttgaaggc      1450
ttgttgagac cctatatcca gcatgcatg tatgacgagg aaaaggggac      1500
tcccatattc atatgtccag tgcctgggg atgagacaga gaagaccctg      1550
cttaaaaggg cccacaccac agaccagac acagccaagg gagagtgtc      1600
ccgacaggtg gcccagcctt cctctccgga gctgcatcac agagagtcac      1650
gcccccaact ctcctttagg gagctgaggt tcttctgccc tgagccctgc      1700
agcagcggca gtcacagcct ccagatgagg ggggattggc ctgaccctgt      1750
gggagtcaga agccatggct gcctgaagt ggggacggaa tagactcaca      1800
ttaggtttag tttgtgaaaa ctccatccag ctaagcgatc ttgaacaagt      1850
cacaacctcc caggctcctc atttgctagt cacggacagt gattcctgcc      1900
tcacagggtg agattaaaga gacaacgaat gtgaatcatg ctgcagggtt      1950
tgagggcaca gtgtttgcta atgatgtgtt tttatattat acattttccc      2000
accataaaat ctgtttgctt attccacatt aatttacttt tctctatacc      2050
aaatcaccca tggaatagtt attgaacacc tgctttgtga ggctcaaaga      2100
ataaagagga ggtaggattt ttcactgatt ctataagccc agcattacct      2150
gataccaaaa ccaggcaaag aaaacagaag aagaggaagg aaaactacag      2200
gtccatatcc ctcattaaca cagacacaaa aattctaaat aaaattttaa      2250
caaattaaac taaacaatat atttaaagat gatataaac tactcagtgt      2300
ggtttgtccc acaaatgcag agttggttta atatttaa atcaaccagt      2350
gtaattcagc acattaataa agtaaaaaag aaaaccataa aaaaaaaaaa      2400
aaa                                                                2403

```

<210> SEQ ID NO 104

<211> LENGTH: 466

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 104

```

Met Ala Phe Val Leu Ile Leu Val Leu Ser Phe Tyr Glu Leu Val
 1           5           10          15
Ser Gly Gln Trp Gln Val Thr Gly Pro Gly Lys Phe Val Gln Ala
          20          25          30
Leu Val Gly Glu Asp Ala Val Phe Ser Cys Ser Leu Phe Pro Glu
          35          40          45
Thr Ser Ala Glu Ala Met Glu Val Arg Phe Phe Arg Asn Gln Phe
          50          55          60
His Ala Val Val His Leu Tyr Arg Asp Gly Glu Asp Trp Glu Ser

```

-continued

65					70					75				
Lys	Gln	Met	Pro	Gln	Tyr	Arg	Gly	Arg	Thr	Glu	Phe	Val	Lys	Asp
				80					85					90
Ser	Ile	Ala	Gly	Gly	Arg	Val	Ser	Leu	Arg	Leu	Lys	Asn	Ile	Thr
				95					100					105
Pro	Ser	Asp	Ile	Gly	Leu	Tyr	Gly	Cys	Trp	Phe	Ser	Ser	Gln	Ile
				110					115					120
Tyr	Asp	Glu	Glu	Ala	Thr	Trp	Glu	Leu	Arg	Val	Ala	Ala	Leu	Gly
				125					130					135
Ser	Leu	Pro	Leu	Ile	Ser	Ile	Val	Gly	Tyr	Val	Asp	Gly	Gly	Ile
				140					145					150
Gln	Leu	Leu	Cys	Leu	Ser	Ser	Gly	Trp	Phe	Pro	Gln	Pro	Thr	Ala
				155					160					165
Lys	Trp	Lys	Gly	Pro	Gln	Gly	Gln	Asp	Leu	Ser	Ser	Asp	Ser	Arg
				170					175					180
Ala	Asn	Ala	Asp	Gly	Tyr	Ser	Leu	Tyr	Asp	Val	Glu	Ile	Ser	Ile
				185					190					195
Ile	Val	Gln	Glu	Asn	Ala	Gly	Ser	Ile	Leu	Cys	Ser	Ile	His	Leu
				200					205					210
Ala	Glu	Gln	Ser	His	Glu	Val	Glu	Ser	Lys	Val	Leu	Ile	Gly	Glu
				215					220					225
Thr	Phe	Phe	Gln	Pro	Ser	Pro	Trp	Arg	Leu	Ala	Ser	Ile	Leu	Leu
				230					235					240
Gly	Leu	Leu	Cys	Gly	Ala	Leu	Cys	Gly	Val	Val	Met	Gly	Met	Ile
				245					250					255
Ile	Val	Phe	Phe	Lys	Ser	Lys	Gly	Lys	Ile	Gln	Ala	Glu	Leu	Asp
				260					265					270
Trp	Arg	Arg	Lys	His	Gly	Gln	Ala	Glu	Leu	Arg	Asp	Ala	Arg	Lys
				275					280					285
His	Ala	Val	Glu	Val	Thr	Leu	Asp	Pro	Glu	Thr	Ala	His	Pro	Lys
				290					295					300
Leu	Cys	Val	Ser	Asp	Leu	Lys	Thr	Val	Thr	His	Arg	Lys	Ala	Pro
				305					310					315
Gln	Glu	Val	Pro	His	Ser	Glu	Lys	Arg	Phe	Thr	Arg	Lys	Ser	Val
				320					325					330
Val	Ala	Ser	Gln	Gly	Phe	Gln	Ala	Gly	Arg	His	Tyr	Trp	Glu	Val
				335					340					345
Asp	Val	Gly	Gln	Asn	Val	Gly	Trp	Tyr	Val	Gly	Val	Cys	Arg	Asp
				350					355					360
Asp	Val	Asp	Arg	Gly	Lys	Asn	Asn	Val	Thr	Leu	Ser	Pro	Asn	Asn
				365					370					375
Gly	Tyr	Trp	Val	Leu	Arg	Leu	Thr	Thr	Glu	His	Leu	Tyr	Phe	Thr
				380					385					390
Phe	Asn	Pro	His	Phe	Ile	Ser	Leu	Pro	Pro	Ser	Thr	Pro	Pro	Thr
				395					400					405
Arg	Val	Gly	Val	Phe	Leu	Asp	Tyr	Glu	Gly	Gly	Thr	Ile	Ser	Phe
				410					415					420
Phe	Asn	Thr	Asn	Asp	Gln	Ser	Leu	Ile	Tyr	Thr	Leu	Leu	Thr	Cys
				425					430					435
Gln	Phe	Glu	Gly	Leu	Leu	Arg	Pro	Tyr	Ile	Gln	His	Ala	Met	Tyr
				440					445					450

-continued

Asp Glu Glu Lys Gly Thr Pro Ile Phe Ile Cys Pro Val Ser Trp
455 460 465

Gly

<210> SEQ ID NO 105
<211> LENGTH: 2103
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 105

ccttcacagg	actcttcatt	gctggttggc	aatgatgtat	cggccagatg	50
tggttgagggc	taggaaaaga	gtttgttggg	aaccctgggt	tatcggcctc	100
gtcatcttca	tatccctgat	tgctcctggca	gtgtgcattg	gactcactgt	150
tcattatgtg	agatataatc	aaaagaagac	ctacaattac	tatagcacat	200
tgtcatttac	aactgacaaa	ctatatgctg	agtttggcag	agaggcttct	250
aacaatttta	cagaaatgag	ccagagactt	gaatcaatgg	tgaaaaatgc	300
attttataaa	tctccattaa	gggaagaatt	tgtcaagtct	caggttatca	350
agttcagtca	acagaagcat	ggagtgttgg	ctcatatgct	gttgatttgt	400
agatttcact	ctactgagga	tcctgaaact	gtagataaaa	ttgttcaact	450
tgttttacat	gaaaagctgc	aagatgctgt	aggacccctc	aaagtagatc	500
ctcactcagt	taaaattaaa	aaaatcaaca	agacagaaac	agacagctat	550
ctaaaccatt	gctgcggaac	acgaagaagt	aaaactctag	gtcagagtct	600
caggatcggt	gggtgggacag	aagtagaaga	gggtgaatgg	ccctggcagg	650
ctagcctgca	gtgggatggg	agtcatcgct	gtggagcaac	cttaattaat	700
gccacatggc	ttgtgagtgc	tgctcactgt	tttacaacat	ataagaaccc	750
tgccagatgg	actgcttcct	ttggagtaac	aataaaacct	tcgaaaatga	800
aacgggggtct	ccggagaata	attgtccatg	aaaaatacaa	acacccatca	850
catgactatg	atattttctct	tcagagcctt	tctagccctg	ttccctacac	900
aaatgcagta	catagagttt	gtctccctga	tgcatcctat	gagtttcaac	950
cagggtgatgt	gatgtttgtg	acaggatttg	gagcactgaa	aatgatgggt	1000
tacagtcaaa	atcatcttcg	acaagcacag	gtgactctca	tagacgctac	1050
aacttgcaat	gaacctcaag	cttacaatga	cgccataact	cctagaatgt	1100
tatgtgctgg	ctccttagaa	ggaaaaacag	atgcatgccca	gggtgactct	1150
ggaggaccac	tggttagttc	agatgctaga	gatatctgggt	accttgctgg	1200
aatagtgagc	tggtggagatg	aatgtgcgaa	acccaacaag	cctggtgttt	1250
atactagagt	tacggccttg	cgggactgga	ttacttcaaa	aactggtatc	1300
taagagacaa	aagcctcatg	gaacagataa	catttttttt	tgttttttgg	1350
gtgtggaggc	cattttttaga	gatacagaat	tggagaagac	ttgcaaaaaca	1400
gctagatttg	actgatctca	ataaactgtt	tgcttgatgc	atgtattttc	1450
ttcccagctc	tgttccgcac	gtaagcatcc	tgcttctgcc	agatcaactc	1500
tgtcatctgt	gagcaatagt	tgaaacttta	tgtacataga	gaaatagata	1550

-continued

atacaatatt acattacagc ctgtattcat ttgttctcta gaagttttgt	1600
cagaattttg acttgttgac ataaatttgt aatgcatata tacaatttga	1650
agcactcctt ttcttcagtt cctcagctcc tctcatttca gcaaatatcc	1700
attttcaaagg tgcagaacaa ggagtgaag aaaatataag aagaaaaaaa	1750
tcccctacat tttattggca cagaaaagta ttaggtgttt ttcttagtgg	1800
aatattagaa atgatcatat tcattatgaa aggtcaagca aagacagcag	1850
aataccaatc acttcatcat ttaggaagta tgggaactaa gttaaggaag	1900
tccgaaaga agccaagata tatccttatt ttcatttcca aacaactact	1950
atgataaatg tgaagaagat tctgtttttt tgtgacctat aataattata	2000
caaacttcat gcaatgtact tgttctaagc aaattaaagc aaatatttat	2050
ttaacattgt tactgaggat gtcaacatat aacaataaaa tataaatcac	2100
cca	2103

<210> SEQ ID NO 106

<211> LENGTH: 423

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 106

Met Met Tyr Arg Pro Asp Val Val Arg Ala Arg Lys Arg Val Cys	
1 5 10 15	
Trp Glu Pro Trp Val Ile Gly Leu Val Ile Phe Ile Ser Leu Ile	
20 25 30	
Val Leu Ala Val Cys Ile Gly Leu Thr Val His Tyr Val Arg Tyr	
35 40 45	
Asn Gln Lys Lys Thr Tyr Asn Tyr Tyr Ser Thr Leu Ser Phe Thr	
50 55 60	
Thr Asp Lys Leu Tyr Ala Glu Phe Gly Arg Glu Ala Ser Asn Asn	
65 70 75	
Phe Thr Glu Met Ser Gln Arg Leu Glu Ser Met Val Lys Asn Ala	
80 85 90	
Phe Tyr Lys Ser Pro Leu Arg Glu Glu Phe Val Lys Ser Gln Val	
95 100 105	
Ile Lys Phe Ser Gln Gln Lys His Gly Val Leu Ala His Met Leu	
110 115 120	
Leu Ile Cys Arg Phe His Ser Thr Glu Asp Pro Glu Thr Val Asp	
125 130 135	
Lys Ile Val Gln Leu Val Leu His Glu Lys Leu Gln Asp Ala Val	
140 145 150	
Gly Pro Pro Lys Val Asp Pro His Ser Val Lys Ile Lys Lys Ile	
155 160 165	
Asn Lys Thr Glu Thr Asp Ser Tyr Leu Asn His Cys Cys Gly Thr	
170 175 180	
Arg Arg Ser Lys Thr Leu Gly Gln Ser Leu Arg Ile Val Gly Gly	
185 190 195	
Thr Glu Val Glu Glu Gly Glu Trp Pro Trp Gln Ala Ser Leu Gln	
200 205 210	
Trp Asp Gly Ser His Arg Cys Gly Ala Thr Leu Ile Asn Ala Thr	
215 220 225	

-continued

Trp	Leu	Val	Ser	Ala	Ala	His	Cys	Phe	Thr	Thr	Tyr	Lys	Asn	Pro
				230					235					240
Ala	Arg	Trp	Thr	Ala	Ser	Phe	Gly	Val	Thr	Ile	Lys	Pro	Ser	Lys
				245					250					255
Met	Lys	Arg	Gly	Leu	Arg	Arg	Ile	Ile	Val	His	Glu	Lys	Tyr	Lys
				260					265					270
His	Pro	Ser	His	Asp	Tyr	Asp	Ile	Ser	Leu	Ala	Glu	Leu	Ser	Ser
				275					280					285
Pro	Val	Pro	Tyr	Thr	Asn	Ala	Val	His	Arg	Val	Cys	Leu	Pro	Asp
				290					295					300
Ala	Ser	Tyr	Glu	Phe	Gln	Pro	Gly	Asp	Val	Met	Phe	Val	Thr	Gly
				305					310					315
Phe	Gly	Ala	Leu	Lys	Asn	Asp	Gly	Tyr	Ser	Gln	Asn	His	Leu	Arg
				320					325					330
Gln	Ala	Gln	Val	Thr	Leu	Ile	Asp	Ala	Thr	Thr	Cys	Asn	Glu	Pro
				335					340					345
Gln	Ala	Tyr	Asn	Asp	Ala	Ile	Thr	Pro	Arg	Met	Leu	Cys	Ala	Gly
				350					355					360
Ser	Leu	Glu	Gly	Lys	Thr	Asp	Ala	Cys	Gln	Gly	Asp	Ser	Gly	Gly
				365					370					375
Pro	Leu	Val	Ser	Ser	Asp	Ala	Arg	Asp	Ile	Trp	Tyr	Leu	Ala	Gly
				380					385					390
Ile	Val	Ser	Trp	Gly	Asp	Glu	Cys	Ala	Lys	Pro	Asn	Lys	Pro	Gly
				395					400					405
Val	Tyr	Thr	Arg	Val	Thr	Ala	Leu	Arg	Asp	Trp	Ile	Thr	Ser	Lys
				410					415					420
Thr	Gly	Ile												

<210> SEQ ID NO 107
<211> LENGTH: 2397
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 107

agagaaagaa	gcgtctccag	ctgaagccaa	tgcagccctc	cggctctccg	50
cgaagaagtt	ccctgccccg	atgagcccc	gccgtgcgtc	cccgaactatc	100
cccaggcggg	cgtggggcac	cgggcccagc	gccgacgac	gctgccgttt	150
tgcccttggg	agtaggatgt	ggtgaaagga	tggggcttct	cccttacggg	200
gctcacaatg	gccagagaag	attccgtgaa	gtgtctgcgc	tgcttgcctc	250
acgcctcaa	tctgctcttt	tggttaatgt	ccatcagtgt	gttggcagtt	300
tctgcttgga	tgagggacta	cctaaataat	gttctcactt	taactgcaga	350
aacgagggta	gaggaagcag	tcattttgac	ttactttcct	gtgggttcac	400
cggatcatgat	tgctgtttgc	tggttcctta	tcattgtggg	gatgttagga	450
tattgtggaa	cggtgaaaag	aaatctgttg	cttcttgcac	ggtactttgg	500
aagtttgctt	gtcattttct	gtgtagaact	ggcttgtggc	gttggacat	550
atgaacagga	acttatgggt	ccagtacaat	ggcagatat	ggcactttg	600
aaagccagga	tgacaaatta	tggattacct	agatatcggt	ggcttactca	650

-continued

tgcttggaat ttttttcaga gagagttaa gtgctgtgga gtagtatatt	700
tcactgactg gttggaaatg acagagatgg actggccccc agattcctgc	750
tgtgttagag aattcccagg atgttccaaa caggcccacc aggaagatct	800
cagtgcactt tatcaagagg gttgtgggaa gaaaatgtat tcctttttga	850
gaggaaccaa acaactgcag gtgctgaggt ttctgggaat ctccattggg	900
gtgacacaaa tcctggccat gattctcacc attactctgc tctgggctct	950
gtattatgat agaagggagc ctgggacaga ccaaattgatg tccttgaaga	1000
atgacaactc tcagcacctg tcatgtccct cagtagaact gttgaaacca	1050
agcctgtcaa gaatccttga acacacatcc atggcaaaca gctttaatac	1100
acactttgag atggaggagt tataaaaaga aatgtcacag aagaaaacca	1150
caaacttggt ttattggact tgtgaatttt tgagtacata ctatgtgttt	1200
cagaaatatg tagaataaaa aatgttgcca taaaataaca cctaagcata	1250
tactattcta tgctttaaaa tgaggatgga aaagtttcat gtcataagtc	1300
accactgga caataattga tgcccttaaa atgctgaaga cagatgtcat	1350
accactgtg tagcctgtgt atgactttta ctgaacacag ttatgttttg	1400
aggcagcatg gtttgattag catttccgca tccatgcaa cgagtcacat	1450
atggtgggac tggagccata gtaaagggtg atttacttct accaactagt	1500
atataaagta ctaattaaat gctaacatag gaagttagaa aatactaata	1550
acttttatta ctacgcgac tattcttctg atgctaata aattatatat	1600
cagaaaactt tcaatatgg tgactaccta aatgtgattt ttgctggtta	1650
ctaaaaatatt cttaccactt aaaagagcaa gctaacacat tgtcttaagc	1700
tgatcagggg ttttttgat ataagtctgt gttaaactctg tataattcag	1750
tcgatttcag ttctgataat gttaagaata accattatga aaaggaaaat	1800
ttgtcctgta tagcatcatt atttttagcc ttccctgtta ataaagcttt	1850
actattctgt cctgggctta tattacacat ataactgtta tttaaatact	1900
taaccactaa ttttgaaaat taccagtgtg atacatagga atcattattc	1950
agaatgtagt ctggtcttta ggaagtatta ataagaaaat ttgcacataa	2000
cttagttgat tcagaaagga ctgtgatgct gtttttctcc caaatgaaga	2050
ctctttttga cactaaacac tttttaaaaa gcttatcttt gccttctcca	2100
aacaagaagc aatagtctcc aagtcaatat aaattctaca gaaaatagtg	2150
ttctttttct ccagaaaaat gcttgtaga atcataaaa catgtgacaa	2200
tttagagatt ctttgtttta ttactgat taatatactg tggcaaatga	2250
cacagattat taaatttttt tacaagagta tagtatattt attgaaatg	2300
ggaaaagtc attttactgt attttggtga ttttgtttat ttctcagaat	2350
atggaaagaa aattaaaatg tgtcaataaa tattttctag agagtaa	2397

<210> SEQ ID NO 108

<211> LENGTH: 305

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

-continued

<400> SEQUENCE: 108

Met Ala Arg Glu Asp Ser Val Lys Cys Leu Arg Cys Leu Leu Tyr
1 5 10 15

Ala Leu Asn Leu Leu Phe Trp Leu Met Ser Ile Ser Val Leu Ala
20 25 30

Val Ser Ala Trp Met Arg Asp Tyr Leu Asn Asn Val Leu Thr Leu
35 40 45

Thr Ala Glu Thr Arg Val Glu Glu Ala Val Ile Leu Thr Tyr Phe
50 55 60

Pro Val Val His Pro Val Met Ile Ala Val Cys Cys Phe Leu Ile
65 70 75

Ile Val Gly Met Leu Gly Tyr Cys Gly Thr Val Lys Arg Asn Leu
80 85 90

Leu Leu Leu Ala Trp Tyr Phe Gly Ser Leu Leu Val Ile Phe Cys
95 100 105

Val Glu Leu Ala Cys Gly Val Trp Thr Tyr Glu Gln Glu Leu Met
110 115 120

Val Pro Val Gln Trp Ser Asp Met Val Thr Leu Lys Ala Arg Met
125 130 135

Thr Asn Tyr Gly Leu Pro Arg Tyr Arg Trp Leu Thr His Ala Trp
140 145 150

Asn Phe Phe Gln Arg Glu Phe Lys Cys Cys Gly Val Val Tyr Phe
155 160 165

Thr Asp Trp Leu Glu Met Thr Glu Met Asp Trp Pro Pro Asp Ser
170 175 180

Cys Cys Val Arg Glu Phe Pro Gly Cys Ser Lys Gln Ala His Gln
185 190 195

Glu Asp Leu Ser Asp Leu Tyr Gln Glu Gly Cys Gly Lys Lys Met
200 205 210

Tyr Ser Phe Leu Arg Gly Thr Lys Gln Leu Gln Val Leu Arg Phe
215 220 225

Leu Gly Ile Ser Ile Gly Val Thr Gln Ile Leu Ala Met Ile Leu
230 235 240

Thr Ile Thr Leu Leu Trp Ala Leu Tyr Tyr Asp Arg Arg Glu Pro
245 250 255

Gly Thr Asp Gln Met Met Ser Leu Lys Asn Asp Asn Ser Gln His
260 265 270

Leu Ser Cys Pro Ser Val Glu Leu Leu Lys Pro Ser Leu Ser Arg
275 280 285

Ile Phe Glu His Thr Ser Met Ala Asn Ser Phe Asn Thr His Phe
290 295 300

Glu Met Glu Glu Leu
305

<210> SEQ ID NO 109
<211> LENGTH: 2339
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 109

ccaaggccag agctgtggac accttatccc actcaccctc atcctcttcc 50

tctgataaag cccctaccag tgctgataaa gtcttttctcg tgagagccta 100

-continued

gaggccttaa aaaaaaaagt gcttgaaaga gaaggggaca aaggaacacc	150
agtattaaga ggattttcca gtgtttcttg cagttgtgcc agaaggatgc	200
ctccattcct gcttctcacc tgcctcttca tcacaggcac ctccgtgtca	250
cccgtggccc tagatccttg ttctgcttac atcagcctga atgagccctg	300
gaggaacact gaccaccagt tggatgagtc tcaaggtcct cctctatgtg	350
acaaccatgt gaatggggag tggatccact tcacgggcat ggcgggagat	400
gccatgccta ccttctgcat accagaaaac cactgtgga cccacgcacc	450
tgtctggctc aatggcagcc accccctaga aggcgacggc attgtgcaac	500
gccaggcttg tgccagcttc aatgggaact gctgtctctg gaacaccacg	550
gtggaagtc aagcctgccc tggaggtac tatgtgtatc gtctgaccaa	600
gccagcgctc tgcttcacg tctactgttg tcatttttat gacatctcg	650
acgaggactg ccatggcagc tgctcagata ccagcgagtg cacatgcgct	700
ccaggaaactg tgctaggccc tgacaggcag acatgctttg atgaaaatga	750
atgtgagcaa aacaacggtg gctgcagtga gatctgtgtg aacctcaaaa	800
actcctaccg ctgtgagtgt ggggttggcc gtgtgctaag aagtgtggc	850
aagacttgtg aagacgttga aggatgccac aataacaatg gtggctgcag	900
ccactcttgc cttggatctg agaaaggcta ccagtgtgaa tgtcccggg	950
gcctggtgct gtctgaggat aaccacactt gccaaagtcct tgtgtgtgc	1000
aaatcaaagt ccattgaagt gaacatcccc agggagctgg ttggtggcct	1050
ggagctcttc ctgaccaaca cctcctgccg aggagtgtcc aacggcacc	1100
atgtcaacat cctcttctct ctcaagacat gtggtacagt ggtcagatg	1150
gtgaatgaca agatttgtgc cagcaacctc gtgacaggtc tacccaagca	1200
gaccccgggg agcagcgggg acttcatcat ccgaaccagc aagctgctga	1250
tcccggtgac ctgcgagttt ccacgcctgt acaccatttc tgaagatac	1300
gttcccaacc ttcgaaactc cccactggaa atcatgagcc gaaatcatgg	1350
gatcttccca ttcactctgg agatcttcaa ggacaatgag tttgaagagc	1400
cttaccggga agctctgccc accctcaagc ttcgtgactc cctctacttt	1450
ggcattgagc ccgtggtgca cgtgagcggc ttggaaagct tggtgagag	1500
ctgctttgcc acccccacct ccaagatcga cgaggctctg aaatactacc	1550
tcacccggga tggctgtgtt tcagatgact cggtaaagca gtacacatcc	1600
cgggatcacc tagcaaagca cttccaggtc cctgtcttca agtttgtggg	1650
caaagaccac aaggaagtgt ttctgcactg ccgggttctt gtctgtggag	1700
tgttggacga gcgttccgc tgtgccagg gttgccaccg gcgaatgcgt	1750
cgtggggcag gaggagagga ctacagccgt ctacagggcc agacgctaac	1800
agggcgcccg atccgcacg actgggagga ctagtctgta gccatactc	1850
gagtcctgc attggacggc tctgtctttt ggagcttctc cccccaccg	1900
cctctaagaa catctgccaa cagctgggtt cagacttcac actgtgagtt	1950
cagactccca gcaccaactc actctgatto tggtcattc agtgggcaca	2000

-continued

```

ggtcacagca ctgctgaaca atgtggcctg ggtggggttt catctttcta      2050
gggttgaaaa ctaaactgtc caccagaaa gacactcacc ccatttcctt      2100
catttctttc ctacacttaa atacctcgtg tatggtgcaa tcagaccaca      2150
aaatcagaag ctgggtataa ttttcaagt taaaaccctt agaaaaatta      2200
aacagttact gaaattatga cttaaatacc caatgactcc ttaaatatgt      2250
aaattatagt tataccttga aatttcaatt caaatgcaga ctaattatag      2300
ggaatttgga agtgtatcaa taaaacagta tataattttt      2339

```

<210> SEQ ID NO 110

<211> LENGTH: 545

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 110

```

Met Pro Pro Phe Leu Leu Leu Thr Cys Leu Phe Ile Thr Gly Thr      15
 1              5              10
Ser Val Ser Pro Val Ala Leu Asp Pro Cys Ser Ala Tyr Ile Ser      30
              20              25
Leu Asn Glu Pro Trp Arg Asn Thr Asp His Gln Leu Asp Glu Ser      45
              35              40
Gln Gly Pro Pro Leu Cys Asp Asn His Val Asn Gly Glu Trp Tyr      60
              50              55
His Phe Thr Gly Met Ala Gly Asp Ala Met Pro Thr Phe Cys Ile      75
              65              70
Pro Glu Asn His Cys Gly Thr His Ala Pro Val Trp Leu Asn Gly      90
              80              85
Ser His Pro Leu Glu Gly Asp Gly Ile Val Gln Arg Gln Ala Cys     105
              95              100
Ala Ser Phe Asn Gly Asn Cys Cys Leu Trp Asn Thr Thr Val Glu     120
              110              115
Val Lys Ala Cys Pro Gly Gly Tyr Tyr Val Tyr Arg Leu Thr Lys     135
              125              130
Pro Ser Val Cys Phe His Val Tyr Cys Gly His Phe Tyr Asp Ile     150
              140              145
Cys Asp Glu Asp Cys His Gly Ser Cys Ser Asp Thr Ser Glu Cys     165
              155              160
Thr Cys Ala Pro Gly Thr Val Leu Gly Pro Asp Arg Gln Thr Cys     180
              170              175
Phe Asp Glu Asn Glu Cys Glu Gln Asn Asn Gly Gly Cys Ser Glu     195
              185              190
Ile Cys Val Asn Leu Lys Asn Ser Tyr Arg Cys Glu Cys Gly Val     210
              200              205
Gly Arg Val Leu Arg Ser Asp Gly Lys Thr Cys Glu Asp Val Glu     225
              215              220
Gly Cys His Asn Asn Asn Gly Gly Cys Ser His Ser Cys Leu Gly     240
              230              235
Ser Glu Lys Gly Tyr Gln Cys Glu Cys Pro Arg Gly Leu Val Leu     255
              245              250
Ser Glu Asp Asn His Thr Cys Gln Val Pro Val Leu Cys Lys Ser     270
              260              265

```

-continued

Asn Ala Ile Glu Val Asn Ile Pro Arg Glu Leu Val Gly Gly Leu
275 280 285

Glu Leu Phe Leu Thr Asn Thr Ser Cys Arg Gly Val Ser Asn Gly
290 295 300

Thr His Val Asn Ile Leu Phe Ser Leu Lys Thr Cys Gly Thr Val
305 310 315

Val Asp Val Val Asn Asp Lys Ile Val Ala Ser Asn Leu Val Thr
320 325 330

Gly Leu Pro Lys Gln Thr Pro Gly Ser Ser Gly Asp Phe Ile Ile
335 340 345

Arg Thr Ser Lys Leu Leu Ile Pro Val Thr Cys Glu Phe Pro Arg
350 355 360

Leu Tyr Thr Ile Ser Glu Gly Tyr Val Pro Asn Leu Arg Asn Ser
365 370 375

Pro Leu Glu Ile Met Ser Arg Asn His Gly Ile Phe Pro Phe Thr
380 385 390

Leu Glu Ile Phe Lys Asp Asn Glu Phe Glu Glu Pro Tyr Arg Glu
395 400 405

Ala Leu Pro Thr Leu Lys Leu Arg Asp Ser Leu Tyr Phe Gly Ile
410 415 420

Glu Pro Val Val His Val Ser Gly Leu Glu Ser Leu Val Glu Ser
425 430 435

Cys Phe Ala Thr Pro Thr Ser Lys Ile Asp Glu Val Leu Lys Tyr
440 445 450

Tyr Leu Ile Arg Asp Gly Cys Val Ser Asp Asp Ser Val Lys Gln
455 460 465

Tyr Thr Ser Arg Asp His Leu Ala Lys His Phe Gln Val Pro Val
470 475 480

Phe Lys Phe Val Gly Lys Asp His Lys Glu Val Phe Leu His Cys
485 490 495

Arg Val Leu Val Cys Gly Val Leu Asp Glu Arg Ser Arg Cys Ala
500 505 510

Gln Gly Cys His Arg Arg Met Arg Arg Gly Ala Gly Gly Glu Asp
515 520 525

Ser Ala Gly Leu Gln Gly Gln Thr Leu Thr Gly Gly Pro Ile Arg
530 535 540

Ile Asp Trp Glu Asp
545

<210> SEQ ID NO 111
<211> LENGTH: 2063
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 111

gagagaggca gcagcttgct cagcggacaa ggatgctggg cgtgagggac 50

caaggcctgc cctgcactcg ggcctcctcc agccagtgct gaccagggac 100

ttctgacctg ctggccagcc aggacctgtg tggggaggcc ctctgctgc 150

cttggggtga caatctcagc tccaggctac agggagaccg ggaggatcac 200

agagccagca tgttacagga tcctgacagt gatcaacctc tgaacagcct 250

-continued

cgatgtcaaa cccctgcgca aaccccgat ccccatggag accttcagaa	300
aggtggggat ccccatcatc atagcactac tgagcctggc gagtatcatc	350
attgtggttg tcctcatcaa ggtgattctg gataaatact acttcctctg	400
cgggcagcct ctccacttca tcccgaggaa gcagctgtgt gacggagagc	450
tggactgtcc cttgggggag gacgaggagc actgtgtcaa gagcttcccc	500
gaagggcctg cagtggcagt ccgcctctcc aaggaccgat ccacactgca	550
ggtgtgtgag tcggccacag ggaactggtt ctctgcctgt ttcgacaact	600
tcacagaagc tctcgctgag acagcctgta ggcagatggg ctacagcaga	650
gctgtggaga ttggcccaga ccaggatctg gatgttgtt aaatcacaga	700
aaacagccag gagcttcgca tgcggaactc aagtgggccc tgtctctcag	750
gtccctggtt ctccctgcac tgtcttgctt gtgggaagag cctgaagacc	800
ccccgtgttg tgggtgggga ggaggcctct gtggattctt ggccttggca	850
ggtcagcatc cagtacgaca aacagcacgt ctgtggaggg agcatcctgg	900
acccccactg ggtcctcacg gcagccact gcttcaggaa acataccgat	950
gtgttcaact ggaaggtgcg ggcaggctca gacaaactgg gcagcttccc	1000
atccctgggt gtggccaaga tcatcatcat tgaattcaac cccatgtacc	1050
ccaaagacaa tgacatcgcc ctcatgaagc tgcagttccc actcactttc	1100
tcaggcacag tcaggcccat ctgtctgccc ttctttgatg aggagctcac	1150
tccagccacc ccactctgga tcattggatg gggctttacg aagcagaatg	1200
gagggaagat gtctgacata ctgctgcagg cgtcagtcca ggtcattgac	1250
agcacacggt gcaatgcaga cgatgcgtac cagggggaag tcaccgagaa	1300
gatgatgtgt gcaggcatcc cgggaagggg tgtggacacc tgccagggtg	1350
acagtgtgtg gccctgatg taccaatctg accagtggca tgtggtgggc	1400
atcgttagct ggggctatgg ctgcgggggc ccgagcacc caggagtata	1450
caccaaggtc tcagcctatc tcaactggat ctacaatgtc tggaaggctg	1500
agctgtaatg ctgctgcccc ttgacagtgc tgggagccgc ttcttctctg	1550
ccctgccac ctggggatcc cccaaagtca gacacagagc aagagtcccc	1600
ttgggtacac ccctctgccc acagcctcag catttcttgg agcagcaaa	1650
ggcctcaatt cctgtaagag accctcgag cccagaggcg cccagaggaa	1700
gtcagcagcc ctagctcggc cacacttggt gctcccagca tcccaggag	1750
agacacagcc cactgaacaa ggtctcaggg gtattgctaa gccaaagag	1800
aactttccca cactactgaa tggaagcagg ctgtcttgta aaagcccaga	1850
tcactgtggg ctggagagga gaaggaaagg gtctgcgcca gccctgtccg	1900
ttttcaccca tcccgaagcc tactagagca agaaaccagt tgtaatatata	1950
aatgcactgc cctactgttg gtatgactac cgttacctac tgttgtcatt	2000
gttattacag ctatggccac tattattaaa gagctgtgta acatctctgg	2050
caaaaaaaaa aaa	2063

-continued

<211> LENGTH: 432

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 112

```

Met Leu Gln Asp Pro Asp Ser Asp Gln Pro Leu Asn Ser Leu Asp
 1          5          10         15

Val Lys Pro Leu Arg Lys Pro Arg Ile Pro Met Glu Thr Phe Arg
 20         25         30

Lys Val Gly Ile Pro Ile Ile Ile Ala Leu Leu Ser Leu Ala Ser
 35         40         45

Ile Ile Ile Val Val Val Leu Ile Lys Val Ile Leu Asp Lys Tyr
 50         55         60

Tyr Phe Leu Cys Gly Gln Pro Leu His Phe Ile Pro Arg Lys Gln
 65         70         75

Leu Cys Asp Gly Glu Leu Asp Cys Pro Leu Gly Glu Asp Glu Glu
 80         85         90

His Cys Val Lys Ser Phe Pro Glu Gly Pro Ala Val Ala Val Arg
 95        100       105

Leu Ser Lys Asp Arg Ser Thr Leu Gln Val Leu Asp Ser Ala Thr
110       115       120

Gly Asn Trp Phe Ser Ala Cys Phe Asp Asn Phe Thr Glu Ala Leu
125       130       135

Ala Glu Thr Ala Cys Arg Gln Met Gly Tyr Ser Arg Ala Val Glu
140       145       150

Ile Gly Pro Asp Gln Asp Leu Asp Val Val Glu Ile Thr Glu Asn
155       160       165

Ser Gln Glu Leu Arg Met Arg Asn Ser Ser Gly Pro Cys Leu Ser
170       175       180

Gly Ser Leu Val Ser Leu His Cys Leu Ala Cys Gly Lys Ser Leu
185       190       195

Lys Thr Pro Arg Val Val Gly Gly Glu Glu Ala Ser Val Asp Ser
200       205       210

Trp Pro Trp Gln Val Ser Ile Gln Tyr Asp Lys Gln His Val Cys
215       220       225

Gly Gly Ser Ile Leu Asp Pro His Trp Val Leu Thr Ala Ala His
230       235       240

Cys Phe Arg Lys His Thr Asp Val Phe Asn Trp Lys Val Arg Ala
245       250       255

Gly Ser Asp Lys Leu Gly Ser Phe Pro Ser Leu Ala Val Ala Lys
260       265       270

Ile Ile Ile Ile Glu Phe Asn Pro Met Tyr Pro Lys Asp Asn Asp
275       280       285

Ile Ala Leu Met Lys Leu Gln Phe Pro Leu Thr Phe Ser Gly Thr
290       295       300

Val Arg Pro Ile Cys Leu Pro Phe Phe Asp Glu Glu Leu Thr Pro
305       310       315

Ala Thr Pro Leu Trp Ile Ile Gly Trp Gly Phe Thr Lys Gln Asn
320       325       330

Gly Gly Lys Met Ser Asp Ile Leu Leu Gln Ala Ser Val Gln Val
335       340       345

Ile Asp Ser Thr Arg Cys Asn Ala Asp Asp Ala Tyr Gln Gly Glu

```


-continued

ctcaatttaa atcatgttct agtaattgga gctgtcccca agaccaaagg	1350
agctagagct tggttcaaat gatctccaag ggccttata ccccaggaga	1400
ctttgatttg aatttgaaac cccaaatcca aacctaagaa ccagggtgcat	1450
taagaatcag ttattgccgg gtgtggtggc ctgtaatgcc aacattttgg	1500
gaggccgagg cgggtagatc acctgaggtc aggagttcaa gaccagcctg	1550
gccaacatgg tgaaacccct gtctctacta aaaatacaaa aaaactagcc	1600
aggcatggtg gtgtgtgcct gtatcccagc tactcgggag gctgagacag	1650
gagaattact tgaacctggg aggtgaagga ggctgagaca ggagaatcac	1700
ttcagcctga gcaacacagc gagactctgt ctcagaaaaa ataaaaaaag	1750
aattatgggtt atttgtaa	1768

<210> SEQ ID NO 114
<211> LENGTH: 109
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 114

Met	Leu	Trp	Trp	Leu	Val	Leu	Leu	Leu	Pro	Thr	Leu	Lys	Ser	
1				5					10				15	
Val	Phe	Cys	Ser	Leu	Val	Thr	Ser	Leu	Tyr	Leu	Pro	Asn	Thr	Glu
				20					25					30
Asp	Leu	Ser	Leu	Trp	Leu	Trp	Pro	Lys	Pro	Asp	Leu	His	Ser	Gly
				35					40					45
Thr	Arg	Thr	Glu	Val	Ser	Thr	His	Thr	Val	Pro	Ser	Lys	Pro	Gly
				50					55					60
Thr	Ala	Ser	Pro	Cys	Trp	Pro	Leu	Ala	Gly	Ala	Val	Pro	Ser	Pro
				65					70					75
Thr	Val	Ser	Arg	Leu	Glu	Ala	Leu	Thr	Arg	Ala	Val	Gln	Val	Ala
				80					85					90
Glu	Pro	Leu	Gly	Ser	Cys	Gly	Phe	Gln	Gly	Gly	Pro	Cys	Pro	Gly
				95					100					105
Arg	Arg	Arg	Asp											

<210> SEQ ID NO 115
<211> LENGTH: 1197
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 115

cagcagtgggt ctctcagtcc tctcaaagca aggaaagagt actgtgtgct	50
gagagaccat ggcaaagaat cctccagaga attgtgaaga ctgtcacatt	100
ctaaatgcag aagcttttaa atccaagaaa atatgtaaat cacttaagat	150
ttgtggactg gtgtttggta tcctggccct aactctaatt gtcctgtttt	200
gggggagcaa gcacttctgg ccggaggtag ccaaaaaagc ctatgacatg	250
gagcacactt tctacagcaa tggagagaag aagaagattt acatggaaat	300
tgatcctgtg accagaactg aaatatctag aagcggaat ggcactgatg	350
aaacattgga agtgcacgac tttaaaaacg gatacactgg catctacttc	400

-continued

gtgggtcttc aaaaatgttt tatcaaaact cagattaaag tgattcctga	450
attttctgaa ccagaagagg aaatagatga gaatgaagaa attaccacaa	500
ctttctttga acagtcatgt atttgggtcc cagcagaaaa gcctattgaa	550
aaccgagatt ttcttaaaaa ttccaaaatt ctggagatgt gtgataacgt	600
gaccatgtat tggatcaatc ccactctaata atcagtttct gagttacaag	650
actttgagga ggagggagaa gatcttcact ttcttgccaa cgaaaaaaaa	700
gggattgaac aaaaatgaaca gtgggtgtgc cctcaagtga aagtagagaa	750
gaccctgcac gccagacaag caagtgagga agaacttcca ataaatgact	800
atactgaaaa tggaatagaa ttgatccca tgctggatga gagaggttat	850
tggtgtatgt actgccgtcg aggcaaccgc tattgccgcc gcgtctgtga	900
acctttacta ggctactacc catatccata ctgctaccaa ggaggacgag	950
tcatctgtcg tgtcatcatg ccttgtaact ggtgggtggc ccgcatgctg	1000
gggaggggtct aataggaggt ttgagctcaa atgcttaaac tgctggcaac	1050
atataataaa tgcatgctat tcaatgaatt tctgcctatg aggcatctgg	1100
cccctggtag ccagctctcc agaattactt gtaggtaatt cctctcttca	1150
tgttctaata aacttctaca ttatcaccaa aaaaaaaaaa aaaaaaa	1197

<210> SEQ ID NO 116

<211> LENGTH: 317

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 116

Met Ala Lys Asn Pro Pro Glu Asn Cys Glu Asp Cys His Ile Leu	
1 5 10 15	
Asn Ala Glu Ala Phe Lys Ser Lys Lys Ile Cys Lys Ser Leu Lys	
20 25 30	
Ile Cys Gly Leu Val Phe Gly Ile Leu Ala Leu Thr Leu Ile Val	
35 40 45	
Leu Phe Trp Gly Ser Lys His Phe Trp Pro Glu Val Pro Lys Lys	
50 55 60	
Ala Tyr Asp Met Glu His Thr Phe Tyr Ser Asn Gly Glu Lys Lys	
65 70 75	
Lys Ile Tyr Met Glu Ile Asp Pro Val Thr Arg Thr Glu Ile Phe	
80 85 90	
Arg Ser Gly Asn Gly Thr Asp Glu Thr Leu Glu Val His Asp Phe	
95 100 105	
Lys Asn Gly Tyr Thr Gly Ile Tyr Phe Val Gly Leu Gln Lys Cys	
110 115 120	
Phe Ile Lys Thr Gln Ile Lys Val Ile Pro Glu Phe Ser Glu Pro	
125 130 135	
Glu Glu Glu Ile Asp Glu Asn Glu Glu Ile Thr Thr Thr Phe Phe	
140 145 150	
Glu Gln Ser Val Ile Trp Val Pro Ala Glu Lys Pro Ile Glu Asn	
155 160 165	
Arg Asp Phe Leu Lys Asn Ser Lys Ile Leu Glu Ile Cys Asp Asn	
170 175 180	

-continued

Val	Thr	Met	Tyr	Trp	Ile	Asn	Pro	Thr	Leu	Ile	Ser	Val	Ser	Glu
				185					190					195
Leu	Gln	Asp	Phe	Glu	Glu	Glu	Gly	Glu	Asp	Leu	His	Phe	Pro	Ala
				200					205					210
Asn	Glu	Lys	Lys	Gly	Ile	Glu	Gln	Asn	Glu	Gln	Trp	Val	Val	Pro
				215					220					225
Gln	Val	Lys	Val	Glu	Lys	Thr	Arg	His	Ala	Arg	Gln	Ala	Ser	Glu
				230					235					240
Glu	Glu	Leu	Pro	Ile	Asn	Asp	Tyr	Thr	Glu	Asn	Gly	Ile	Glu	Phe
				245					250					255
Asp	Pro	Met	Leu	Asp	Glu	Arg	Gly	Tyr	Cys	Cys	Ile	Tyr	Cys	Arg
				260					265					270
Arg	Gly	Asn	Arg	Tyr	Cys	Arg	Arg	Val	Cys	Glu	Pro	Leu	Leu	Gly
				275					280					285
Tyr	Tyr	Pro	Tyr	Pro	Tyr	Cys	Tyr	Gln	Gly	Gly	Arg	Val	Ile	Cys
				290					295					300
Arg	Val	Ile	Met	Pro	Cys	Asn	Trp	Trp	Val	Ala	Arg	Met	Leu	Gly
				305					310					315
Arg Val														

<210> SEQ ID NO 117
<211> LENGTH: 2121
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 117

gagctccoct caggagcgcg ttagcttcac accttcggca gcaggagggc	50
ggcagcttct cgcaggcggc agggcggcg gccaggatca tgtccaccac	100
cacatgccaa gtggtggcgt tcctcctgtc catcctgggg ctggccggct	150
gcctgcggc caccgggatg gacatgtgga gcaccagga cctgtacgac	200
aaccccgtca cctccgtgtt ccagtacgaa gggctctgga ggagctgcgt	250
gaggcagagt tcaggcttca ccgaatgcag gccctatttc accatcctgg	300
gacttccagc catgctgcag gcagtgcgag ccctgatgat cgtaggcatc	350
gtcctgggtg ccattggcct cctggtatcc atctttgccc tgaatgcat	400
ccgcattggc agcatggagg actctgccaa agccaacatg aactgacct	450
ccgggatcat gttcattgtc tcaggctctt gtgcaattgc tggagtgtct	500
gtgtttgcc aacatgctgt gactaacttc tggatgtcca cagctaacat	550
gtacaccggc atgggtggga tggcgagac tgttcagacc aggtacacat	600
ttggtgcggc tctgttcgtg ggctgggtcg ctggaggcct cacactaatt	650
gggggtgtga tgatgtgcat cgcctgccg ggcctggcac cagaagaaac	700
caactacaaa gccgtttctt atcatgcctc aggccacagt gttgcctaca	750
agcctggagg cttcaaggcc agcactggct ttgggtccaa caccaaaaac	800
aagaagatat acgatggagg tgcccgaca gaggacgagg tacaatctta	850
tccttccaag cagactatg tgtaatgctc taagacctct cagcacgggc	900
ggaagaaact cccggagagc tcacccaaaa aacaaggaga tcccatctag	950
atttcttctt gcttttgact cacagctgga agttagaaaa gcctcgattt	1000

-continued

```

catcttttga gaggccaaat ggtcttagcc tcagtctctg tctctaaata      1050
ttccaccata aaacagctga gttattttatg aattagaggc tatagctcac      1100
attttcaatc ctctatttct ttttttaaata ataactttct actctgatga      1150
gagaatgtgg ttttaatctc tctctcacat tttgatgatt tagacagact      1200
ccccctcttc ctctagtca ataaacccat tgatgatcta tttcccagct      1250
tatccccaag aaaacttttg aaaggaaaga gtagacccaa agatgttatt      1300
ttctgctggt tgaattttgt ctccccaccc ccaacttggc tagtaataaa      1350
cacttactga agaagaagca ataagagaaa gatatttga atctctccag      1400
cccatgatct cggttttctt acactgtgat cttaaaagtt accaaaccaa      1450
agtcattttc agtttgaggc aaccaaacct ttctactgct gttgacatct      1500
tcttattaca gcaacaccat tctaggagtt tctgagctc tccactggag      1550
tcctctttct gtcgcgggtc agaaattgtc cctagatgaa tgagaaaatt      1600
atTTTTTTta atttaagtcc taaatatagt taaaaataat aatgttttag      1650
taaaatgata cactatctct gtgaaatagc ctacccccta catgtggata      1700
gaaggaaatg aaaaaataat tgctttgaca ttgtctatat ggtactttgt      1750
aaagtcatgc ttaagtacaa attccatgaa aagctcacac ctgtaatcct      1800
agcactttgg gaggctgagg aggaaggatc acttgagccc agaagttcga      1850
gactagcctg ggcaacatgg agaagccctg tctctacaaa atacagagag      1900
aaaaaatcag ccagtcatgg tggcatacac ctgtagtccc agcattccgg      1950
gaggctgagg tgggaggatc acttgagccc agggagggtg gggctgcagt      2000
gagccatgat cacaccactg cactccagcc aggtgacata gcgagatcct      2050
gtctaaaaaa ataaaaaata aataatggaa cacagcaagt cctaggaagt      2100
aggttaaac taattcttta a                                     2121

```

<210> SEQ ID NO 118

<211> LENGTH: 261

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 118

```

Met Ser Thr Thr Thr Cys Gln Val Val Ala Phe Leu Leu Ser Ile
 1             5             10             15
Leu Gly Leu Ala Gly Cys Ile Ala Ala Thr Gly Met Asp Met Trp
                20             25             30
Ser Thr Gln Asp Leu Tyr Asp Asn Pro Val Thr Ser Val Phe Gln
                35             40             45
Tyr Glu Gly Leu Trp Arg Ser Cys Val Arg Gln Ser Ser Gly Phe
                50             55             60
Thr Glu Cys Arg Pro Tyr Phe Thr Ile Leu Gly Leu Pro Ala Met
                65             70             75
Leu Gln Ala Val Arg Ala Leu Met Ile Val Gly Ile Val Leu Gly
                80             85             90
Ala Ile Gly Leu Leu Val Ser Ile Phe Ala Leu Lys Cys Ile Arg
                95             100            105

```

-continued

Ile	Gly	Ser	Met	Glu	Asp	Ser	Ala	Lys	Ala	Asn	Met	Thr	Leu	Thr	
				110					115					120	
Ser	Gly	Ile	Met	Phe	Ile	Val	Ser	Gly	Leu	Cys	Ala	Ile	Ala	Gly	
				125					130					135	
Val	Ser	Val	Phe	Ala	Asn	Met	Leu	Val	Thr	Asn	Phe	Trp	Met	Ser	
				140					145					150	
Thr	Ala	Asn	Met	Tyr	Thr	Gly	Met	Gly	Gly	Met	Val	Gln	Thr	Val	
				155					160					165	
Gln	Thr	Arg	Tyr	Thr	Phe	Gly	Ala	Ala	Leu	Phe	Val	Gly	Trp	Val	
				170					175					180	
Ala	Gly	Gly	Leu	Thr	Leu	Ile	Gly	Gly	Val	Met	Met	Cys	Ile	Ala	
				185					190					195	
Cys	Arg	Gly	Leu	Ala	Pro	Glu	Glu	Thr	Asn	Tyr	Lys	Ala	Val	Ser	
				200					205					210	
Tyr	His	Ala	Ser	Gly	His	Ser	Val	Ala	Tyr	Lys	Pro	Gly	Gly	Phe	
				215					220					225	
Lys	Ala	Ser	Thr	Gly	Phe	Gly	Ser	Asn	Thr	Lys	Asn	Lys	Lys	Ile	
				230					235					240	
Tyr	Asp	Gly	Gly	Ala	Arg	Thr	Glu	Asp	Glu	Val	Gln	Ser	Tyr	Pro	
				245					250					255	
Ser	Lys	His	Asp	Tyr	Val										
				260											

<210> SEQ ID NO 119
<211> LENGTH: 2010
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 119

ggaaaaactg ttctcttctg tggcacagag aacctgctt caaagcagaa	50
gtagcagttc cggagtccag ctggctaaaa ctcattcccag aggataatgg	100
caacccatgc cttagaaatc gctgggctgt ttcttggttg tgttggaatg	150
gtgggcacag tggctgtcac tgtcatgcct cagtggagag tgtcgccctt	200
cattgaaaac aacatcgtgg tttttgaaaa cttctgggaa ggactgtgga	250
tgaattgcgt gaggcaggct aacatcagga tgcagtgcaa aatctatgat	300
tccctgctgg ctctttctcc ggacctacag gcagccagag gactgatgtg	350
tgctgcttcc gtgatgtcct tcttggtttt catgatggcc atccttgcca	400
tgaaatgcac caggtgcacg ggggacaatg agaaggtgaa ggctcacatt	450
ctgctgacgg ctggaatcat cttcatcatc acgggcatgg tgggtctcat	500
ccctgtgagc tgggttgcca atgccatcat cagagatttc tataactcaa	550
tagtgaatgt tgcccaaaaa cgtgagcttg gagaagctct ctacttagga	600
tggaccacgg cactggtgct gattgttgga ggagctctgt tctgctgcgt	650
tttttgttgc aacgaaaaga gcagtagcta cagatactcg ataccttccc	700
atcgacaac ccaaaaaagt tatcacaccg gaaagaagtc accgagcgtc	750
tactccagaa gtcagtatgt gtagttgtgt atgttttttt aactttacta	800
taaagccatg caaatgacaa aaatctatat tactttctca aaatggaccc	850
caaagaaact ttgatttact gttcttaact gcctaactctt aattacagga	900

-continued

```
actgtgcatc agctatztat gattctataa gctatttcag cagaatgaga      950
tattaaaccc aatgctttga ttgttctaga aagtatagta atttgttttc      1000
taaggtgggt caagcatcta ctctttttat catttacttc aaaatgacat      1050
tgctaaagac tgcattatzt tactactgta atttctccac gacatagcat      1100
tatgtacata gatgagtgtg acatttatat ctcacataga gacatgctta      1150
tatggtttta tttaaaatga aatgccagtc cattacactg aataaataga      1200
actcaactat tgcttttcag ggaaatcatg gatagggttg aagaaggtta      1250
ctattaattg tttaaaaaca gcttagggat taatgtcctc cattttataat      1300
gaagattaaa atgaaggctt taatcagcat tgtaaaggaa attgaatggc      1350
tttctgatat gctgtttttt agcctaggag ttagaaatcc taacttcottt      1400
atcctcttct cccagaggct ttttttttct tgtgtattaa attaacattt      1450
ttaaacgca gatattttgt caaggggctt tgcattcaaa ctgcttttcc      1500
agggtatata tcagaagaaa gataaaagtg tgatctaaga aaaagtgatg      1550
gttttaggaa agtgaaaata tttttgtttt tgtatttgaa gaagaatgat      1600
gcattttgac aagaaatcat atatgtatgg atatatttta ataagtattt      1650
gagtacagac tttagaggtt catcaatata aataaaagag cagaaaaata      1700
tgtcttggtt ttcatttgct taccaaaaaa acaacaacaa aaaaagttgt      1750
cctttgagaa cttcacctgc tcctatgtgg gtacctgagt caaaattgtc      1800
atttttgttc tgtgaaaaat aaatttcctt cttgtaccat ttctgtttag      1850
ttttactaaa atctgtaaat actgtatttt totgtttatt ccaaatttga      1900
tgaaactgac aatccaattt gaaagtttgt gtcgacgtct gtctagctta      1950
aatgaatgtg ttctatttgc tttatacatt tatattaata aattgtacat      2000
ttttctaatt                                     2010
```

<210> SEQ ID NO 120
<211> LENGTH: 225
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 120

```
Met Ala Thr His Ala Leu Glu Ile Ala Gly Leu Phe Leu Gly Gly
 1           5           10          15
Val Gly Met Val Gly Thr Val Ala Val Thr Val Met Pro Gln Trp
          20          25          30
Arg Val Ser Ala Phe Ile Glu Asn Asn Ile Val Val Phe Glu Asn
          35          40          45
Phe Trp Glu Gly Leu Trp Met Asn Cys Val Arg Gln Ala Asn Ile
          50          55          60
Arg Met Gln Cys Lys Ile Tyr Asp Ser Leu Leu Ala Leu Ser Pro
          65          70          75
Asp Leu Gln Ala Ala Arg Gly Leu Met Cys Ala Ala Ser Val Met
          80          85          90
Ser Phe Leu Ala Phe Met Met Ala Ile Leu Gly Met Lys Cys Thr
          95          100         105
```

-continued

Arg	Cys	Thr	Gly	Asp	Asn	Glu	Lys	Val	Lys	Ala	His	Ile	Leu	Leu
			110						115				120	
Thr	Ala	Gly	Ile	Ile	Phe	Ile	Ile	Thr	Gly	Met	Val	Val	Leu	Ile
			125						130				135	
Pro	Val	Ser	Trp	Val	Ala	Asn	Ala	Ile	Ile	Arg	Asp	Phe	Tyr	Asn
			140						145				150	
Ser	Ile	Val	Asn	Val	Ala	Gln	Lys	Arg	Glu	Leu	Gly	Glu	Ala	Leu
			155						160				165	
Tyr	Leu	Gly	Trp	Thr	Thr	Ala	Leu	Val	Leu	Ile	Val	Gly	Gly	Ala
			170						175				180	
Leu	Phe	Cys	Cys	Val	Phe	Cys	Cys	Asn	Glu	Lys	Ser	Ser	Ser	Tyr
			185						190				195	
Arg	Tyr	Ser	Ile	Pro	Ser	His	Arg	Thr	Thr	Gln	Lys	Ser	Tyr	His
			200						205				210	
Thr	Gly	Lys	Lys	Ser	Pro	Ser	Val	Tyr	Ser	Arg	Ser	Gln	Tyr	Val
			215						220				225	

<210> SEQ ID NO 121
<211> LENGTH: 1257
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 121

ggagagaggg	gcgcgggtga	aaggcgcat	gatgcagcct	gcggcggcct	50
cggagcgcgg	cggagccaga	cgtgaccac	gttcctctcc	tcgggtctcct	100
ccgcctccag	ctccgcgctg	cccggcagcc	gggagccatg	cgaccccagg	150
gccccgcgcg	ctccccgcag	cggctccgcg	gcctcctgct	gctcctgctg	200
ctgcagctgc	ccgcgcgcgc	gagcgccctc	gagatcccca	aggggaagca	250
aaaggcgcag	ctccggcaga	gggaggtggt	ggacctgtat	aatggaatgt	300
gcttacaagg	gccagcagga	gtgcctggtc	gagacgggag	ccctggggcc	350
aatgttattc	cgggtacacc	tgggatccca	ggtcgggatg	gattcaaagg	400
agaaaagggg	gaatgtctga	gggaaagctt	tgaggagtcc	tggacaccca	450
actacaagca	gtgttcattg	agttcattga	attatggcat	agatcttggg	500
aaaattgctg	agtgtacatt	tacaaagatg	cgttcaaata	gtgctctaag	550
agttttgttc	agtggtctac	ttcggtctaa	atgcagaaat	gcatgtgttc	600
agcgttggtg	tttcacattc	aatggagctg	aatgttcagg	acctcttccc	650
attgaagcta	taattttatt	ggaccaagga	agccctgaaa	tgaattcaac	700
aattaatatt	catcgacatt	cttctgtgga	aggactttgt	gaaggaattg	750
gtgctggatt	agtggtatgt	gctatctggg	ttggcacttg	ttcagattac	800
ccaaaaggag	atgcttctac	tggatggaat	tcagtttctc	gcatcattat	850
tgaagaacta	ccaaaataaa	tgctttaatt	ttcatttgct	acctcttttt	900
ttattatgcc	ttggaatggt	tcacttaaat	gacattttaa	ataagtttat	950
gtatacatct	gaatgaaaag	caaagctaaa	tatgtttaca	gaccaaagtg	1000
tgatttcaca	ctgtttttta	atctagcatt	attcattttg	cttcaatcaa	1050
aagtggtttc	aatatttttt	ttagttggtt	agaatacttt	cttcatagtc	1100

-continued

acattctctc aacctataat ttggaatatt gttgtgtct tttgtttttt	1150
ctcttagtat agcattttta aaaaaatata aaagctacca atctttgtac	1200
aatttgtaaa tgtaagaat tttttttata tctgttaaataaaaaattatt	1250
tccaaca	1257

<210> SEQ ID NO 122
<211> LENGTH: 243
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 122

Met Arg Pro Gln Gly Pro Ala Ala Ser Pro Gln Arg Leu Arg Gly	
1 5 10 15	
Leu Leu Leu Leu Leu Leu Leu Gln Leu Pro Ala Pro Ser Ser Ala	
20 25 30	
Ser Glu Ile Pro Lys Gly Lys Gln Lys Ala Gln Leu Arg Gln Arg	
35 40 45	
Glu Val Val Asp Leu Tyr Asn Gly Met Cys Leu Gln Gly Pro Ala	
50 55 60	
Gly Val Pro Gly Arg Asp Gly Ser Pro Gly Ala Asn Val Ile Pro	
65 70 75	
Gly Thr Pro Gly Ile Pro Gly Arg Asp Gly Phe Lys Gly Glu Lys	
80 85 90	
Gly Glu Cys Leu Arg Glu Ser Phe Glu Glu Ser Trp Thr Pro Asn	
95 100 105	
Tyr Lys Gln Cys Ser Trp Ser Ser Leu Asn Tyr Gly Ile Asp Leu	
110 115 120	
Gly Lys Ile Ala Glu Cys Thr Phe Thr Lys Met Arg Ser Asn Ser	
125 130 135	
Ala Leu Arg Val Leu Phe Ser Gly Ser Leu Arg Leu Lys Cys Arg	
140 145 150	
Asn Ala Cys Cys Gln Arg Trp Tyr Phe Thr Phe Asn Gly Ala Glu	
155 160 165	
Cys Ser Gly Pro Leu Pro Ile Glu Ala Ile Ile Tyr Leu Asp Gln	
170 175 180	
Gly Ser Pro Glu Met Asn Ser Thr Ile Asn Ile His Arg Thr Ser	
185 190 195	
Ser Val Glu Gly Leu Cys Glu Gly Ile Gly Ala Gly Leu Val Asp	
200 205 210	
Val Ala Ile Trp Val Gly Thr Cys Ser Asp Tyr Pro Lys Gly Asp	
215 220 225	
Ala Ser Thr Gly Trp Asn Ser Val Ser Arg Ile Ile Ile Glu Glu	
230 235 240	
Leu Pro Lys	

<210> SEQ ID NO 123
<211> LENGTH: 2379
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 123

gctgagcgtg tgcgcggtac ggggctctcc tgccttctgg gctccaacgc	50
--	----

-continued

agctctgtgg	ctgaactggg	tgctcatcac	gggaactgct	gggctatgga	100
atacagatgt	ggcagctcag	gtagcccaa	attgcctgga	agaatacatc	150
atgtttttcg	ataagaagaa	attgtaggat	ccagtttttt	ttttaaccgc	200
ccccctccca	cccccaaaa	aaactgtaaa	gatgcaaaaa	cgtaatatcc	250
atgaagatcc	tattacctag	gaagattttg	atgttttgct	gcgaatgcgg	300
tggtgggatt	tatttgttct	tggagtgttc	tgctggctg	gcaaagaata	350
atgttccaaa	atcgggtccat	ctccaaggg	gtccaatttt	tcttctctggg	400
tgtcagcgag	ccctgactca	ctacagtgca	gctgacaggg	gctgtcatgc	450
aactggcccc	taagccaaag	caaaagacct	aaggacgacc	tttgaacaat	500
acaaaggatg	ggtttcaatg	taattaggct	actgagcgga	tcagctgtag	550
cactggttat	agccccact	gtcttactga	caatgctttc	ttctgccgaa	600
cgaggatgcc	ctaaggcctg	taggtgtgaa	ggcaaatgg	tatattgtga	650
atctcagaaa	ttacaggaga	tacctcaag	tatatctgct	ggttgcttag	700
gtttgtccct	tcgtataac	agccttcaaa	aacttaagta	taatcaattt	750
aaagggctca	accagctcac	ctggctatac	cttgaccata	accatatcag	800
caatattgac	gaaaatgctt	ttaatggaat	acgcagactc	aaagagctga	850
ttcttagttc	caatagaatc	tcctattttc	ttaacaatac	cttcagacct	900
gtgacaaatt	tacggaactt	ggatctgtcc	tataatcagc	tgcattctct	950
gggatctgaa	cagtttcggg	gcttgccgaa	gotgctgagt	ttacatttac	1000
ggtctaactc	cctgagaacc	atccctgtgc	gaatattcca	agactgccgc	1050
aacctggaac	ttttggacct	gggatataac	cggatccgaa	gtttagccag	1100
gaatgtcttt	gctggcatga	tcagactcaa	agaacttcac	ctggagcaca	1150
atcaattttc	caagctcaac	ctggcccttt	ttccaaggtt	ggtcagcctt	1200
cagaaccttt	acttgcatg	gaataaaaac	agtgtcatag	gacagaccat	1250
gtcctggacc	tggagctcct	tacaaaggct	tgatttatca	ggcaatgaga	1300
tcgaagcttt	cagtggaccc	agtgttttcc	agtgtgtccc	gaatctgcag	1350
cgctcaacc	tggattccaa	caagctcaca	tttattggtc	aagagatttt	1400
ggattcttgg	atatccctca	atgacatcag	tcttgctggg	aatatatggg	1450
aatgcagcag	aaatatgtgc	tccctgttaa	actggctgaa	aagttttaaa	1500
ggtctaaggg	agaatacaat	tatctgtgcc	agtcccaaag	agctgcaagg	1550
agtaaatgtg	atcgatgcag	tgaagaacta	cagcatctgt	ggcaaaagta	1600
ctacagagag	gtttgatctg	gccagggtc	tcccaaagcc	gacgtttaag	1650
cccaagctcc	ccaggccgaa	gcatgagagc	aaacccctt	tgccccgac	1700
ggtgggagcc	acagagcccg	gccagagagc	cgatgctgac	gccgagcaca	1750
tctctttcca	taaaatcatc	gcgggcagcg	tggcgctttt	cctgtccgtg	1800
ctcgtcatcc	tgctggttat	ctacgtgtca	tggaaagcgt	accctgcgag	1850
catgaagcag	ctgcagcagc	gctccctcat	gcgaaggcac	aggaaaaaga	1900
aaagacagtc	cctaaagcaa	atgactccca	gcacccagga	attttatgta	1950

-continued

gattataaac ccaccaacac ggagaccagc gagatgctgc tgaatgggac	2000
gggaccctgc acctataaca aatcgggctc cagggagtgt gaggtatgaa	2050
ccattgtgat aaaaagagct cttaaaagct gggaaataag tgggtcttta	2100
ttgaactctg gtgactatca agggaacgcg atgccccccc tccccctccc	2150
tctccctctc actttggtgg caagatcctt ccttgctcgt tttagtgcatt	2200
tcataatact ggtcattttc ctctcataca taatcaaccc attgaaattt	2250
aaataccaca atcaatgtga agcttgaact cgggtttaat ataataccta	2300
ttgtataaga ccctttactg attccattaa tgcgcattt gttttaagat	2350
aaaacttctt tcataggtaa aaaaaaaaa	2379

<210> SEQ ID NO 124

<211> LENGTH: 513

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 124

Met Gly Phe Asn Val Ile Arg Leu Leu Ser Gly Ser Ala Val Ala	1	5	10	15
Leu Val Ile Ala Pro Thr Val Leu Leu Thr Met Leu Ser Ser Ala	20	25	30	
Glu Arg Gly Cys Pro Lys Gly Cys Arg Cys Glu Gly Lys Met Val	35	40	45	
Tyr Cys Glu Ser Gln Lys Leu Gln Glu Ile Pro Ser Ser Ile Ser	50	55	60	
Ala Gly Cys Leu Gly Leu Ser Leu Arg Tyr Asn Ser Leu Gln Lys	65	70	75	
Leu Lys Tyr Asn Gln Phe Lys Gly Leu Asn Gln Leu Thr Trp Leu	80	85	90	
Tyr Leu Asp His Asn His Ile Ser Asn Ile Asp Glu Asn Ala Phe	95	100	105	
Asn Gly Ile Arg Arg Leu Lys Glu Leu Ile Leu Ser Ser Asn Arg	110	115	120	
Ile Ser Tyr Phe Leu Asn Asn Thr Phe Arg Pro Val Thr Asn Leu	125	130	135	
Arg Asn Leu Asp Leu Ser Tyr Asn Gln Leu His Ser Leu Gly Ser	140	145	150	
Glu Gln Phe Arg Gly Leu Arg Lys Leu Leu Ser Leu His Leu Arg	155	160	165	
Ser Asn Ser Leu Arg Thr Ile Pro Val Arg Ile Phe Gln Asp Cys	170	175	180	
Arg Asn Leu Glu Leu Leu Asp Leu Gly Tyr Asn Arg Ile Arg Ser	185	190	195	
Leu Ala Arg Asn Val Phe Ala Gly Met Ile Arg Leu Lys Glu Leu	200	205	210	
His Leu Glu His Asn Gln Phe Ser Lys Leu Asn Leu Ala Leu Phe	215	220	225	
Pro Arg Leu Val Ser Leu Gln Asn Leu Tyr Leu Gln Trp Asn Lys	230	235	240	
Ile Ser Val Ile Gly Gln Thr Met Ser Trp Thr Trp Ser Ser Leu	245	250	255	

-continued

Gln Arg Leu Asp Leu Ser Gly Asn Glu Ile Glu Ala Phe Ser Gly
260 265 270

Pro Ser Val Phe Gln Cys Val Pro Asn Leu Gln Arg Leu Asn Leu
275 280 285

Asp Ser Asn Lys Leu Thr Phe Ile Gly Gln Glu Ile Leu Asp Ser
290 295 300

Trp Ile Ser Leu Asn Asp Ile Ser Leu Ala Gly Asn Ile Trp Glu
305 310 315

Cys Ser Arg Asn Ile Cys Ser Leu Val Asn Trp Leu Lys Ser Phe
320 325 330

Lys Gly Leu Arg Glu Asn Thr Ile Ile Cys Ala Ser Pro Lys Glu
335 340 345

Leu Gln Gly Val Asn Val Ile Asp Ala Val Lys Asn Tyr Ser Ile
350 355 360

Cys Gly Lys Ser Thr Thr Glu Arg Phe Asp Leu Ala Arg Ala Leu
365 370 375

Pro Lys Pro Thr Phe Lys Pro Lys Leu Pro Arg Pro Lys His Glu
380 385 390

Ser Lys Pro Pro Leu Pro Pro Thr Val Gly Ala Thr Glu Pro Gly
395 400 405

Pro Glu Thr Asp Ala Asp Ala Glu His Ile Ser Phe His Lys Ile
410 415 420

Ile Ala Gly Ser Val Ala Leu Phe Leu Ser Val Leu Val Ile Leu
425 430 435

Leu Val Ile Tyr Val Ser Trp Lys Arg Tyr Pro Ala Ser Met Lys
440 445 450

Gln Leu Gln Gln Arg Ser Leu Met Arg Arg His Arg Lys Lys Lys
455 460 465

Arg Gln Ser Leu Lys Gln Met Thr Pro Ser Thr Gln Glu Phe Tyr
470 475 480

Val Asp Tyr Lys Pro Thr Asn Thr Glu Thr Ser Glu Met Leu Leu
485 490 495

Asn Gly Thr Gly Pro Cys Thr Tyr Asn Lys Ser Gly Ser Arg Glu
500 505 510

Cys Glu Val

<210> SEQ ID NO 125
<211> LENGTH: 998
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 125

ccgttatcgt cttgcgctac tgctgaatgt ccgtcccgga ggaggaggag 50

aggcttttgc cgctgaccca gagatggccc cgagcgagca aattcctact 100

gtccggctgc gcggtaccg tggccgagct agcaaccttt ccctcggtac 150

tcacaaaaac tcgactccaa atgcaaggag aagcagctct tgctcggttg 200

ggagacggtg caagagaatc tgccccctat aggggaatgg tgcgcacagc 250

cctagggtac attgaagagg aaggctttct aaagctttgg caaggagtga 300

caccgcgat ttacagacac gtagtgtatt ctggaggtcg aatggtcaca 350

-continued

tatgaacatc tccgagaggt tgtgtttggc aaaagtgaag atgagcatta	400
tcccctttgg aaatcagtca ttggagggat gatggctggt gttattggcc	450
agttttttagc caatccaact gacctagtga aggttcagat gcaaatggaa	500
ggaaaaagga aactggaagg aaaaccattg cgatttcgtg gtgtacatca	550
tgcatattgca aaaatcttag ctgaaggagg aatacgaggg ctttgggcag	600
gctgggtacc caatatacaa agagcagcac tggatgaatat gggagattta	650
accacttatg atacagtga acactacttg gtattgaata caccacttga	700
ggacaatatc atgactcacg gtttatcaag tttatgttct ggactggtag	750
cttctattct gggaacacca gccgatgtca tcaaaagcag aataatgaat	800
caaccacgag ataacaag aaggggactt ttgtataaat catcgactga	850
ctgcttgatt caggctgttc aaggtgaagg attcatgagt ctatataaag	900
gctttttacc atcttggtg agaatgaccc cttggtcaat ggtgttctgg	950
cttacttatg aaaaaatcag agagatgagt ggagtcagtc cattttta	998

<210> SEQ ID NO 126

<211> LENGTH: 323

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 126

Met Ser Val Pro Glu Glu Glu Arg Leu Leu Pro Leu Thr Gln	1	5	10	15
Arg Trp Pro Arg Ala Ser Lys Phe Leu Leu Ser Gly Cys Ala Ala	20	25	30	
Thr Val Ala Glu Leu Ala Thr Phe Pro Leu Asp Leu Thr Lys Thr	35	40	45	
Arg Leu Gln Met Gln Gly Glu Ala Ala Leu Ala Arg Leu Gly Asp	50	55	60	
Gly Ala Arg Glu Ser Ala Pro Tyr Arg Gly Met Val Arg Thr Ala	65	70	75	
Leu Gly Ile Ile Glu Glu Glu Gly Phe Leu Lys Leu Trp Gln Gly	80	85	90	
Val Thr Pro Ala Ile Tyr Arg His Val Val Tyr Ser Gly Gly Arg	95	100	105	
Met Val Thr Tyr Glu His Leu Arg Glu Val Val Phe Gly Lys Ser	110	115	120	
Glu Asp Glu His Tyr Pro Leu Trp Lys Ser Val Ile Gly Gly Met	125	130	135	
Met Ala Gly Val Ile Gly Gln Phe Leu Ala Asn Pro Thr Asp Leu	140	145	150	
Val Lys Val Gln Met Gln Met Glu Gly Lys Arg Lys Leu Glu Gly	155	160	165	
Lys Pro Leu Arg Phe Arg Gly Val His His Ala Phe Ala Lys Ile	170	175	180	
Leu Ala Glu Gly Gly Ile Arg Gly Leu Trp Ala Gly Trp Val Pro	185	190	195	
Asn Ile Gln Arg Ala Ala Leu Val Asn Met Gly Asp Leu Thr Thr	200	205	210	

-continued

Tyr	Asp	Thr	Val	Lys	His	Tyr	Leu	Val	Leu	Asn	Thr	Pro	Leu	Glu
			215						220					225
Asp	Asn	Ile	Met	Thr	His	Gly	Leu	Ser	Ser	Leu	Cys	Ser	Gly	Leu
			230						235					240
Val	Ala	Ser	Ile	Leu	Gly	Thr	Pro	Ala	Asp	Val	Ile	Lys	Ser	Arg
			245						250					255
Ile	Met	Asn	Gln	Pro	Arg	Asp	Lys	Gln	Gly	Arg	Gly	Leu	Leu	Tyr
			260						265					270
Lys	Ser	Ser	Thr	Asp	Cys	Leu	Ile	Gln	Ala	Val	Gln	Gly	Glu	Gly
			275						280					285
Phe	Met	Ser	Leu	Tyr	Lys	Gly	Phe	Leu	Pro	Ser	Trp	Leu	Arg	Met
			290						295					300
Thr	Pro	Trp	Ser	Met	Val	Phe	Trp	Leu	Thr	Tyr	Glu	Lys	Ile	Arg
			305						310					315
Glu	Met	Ser	Gly	Val	Ser	Pro	Phe							
			320											

<210> SEQ ID NO 127
<211> LENGTH: 1505
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 127

cgcggatcgg	acccaagcag	gtcggcggcg	gcggcaggag	agcggccggg	50
cgtcagctcc	tcgacccccg	tgtcgggcta	gtccagcgag	gcggacgggc	100
ggcgtggggc	catggccagg	cccgcatgg	agcggtgggc	cgaccggctg	150
gcgctggtag	cgggggcctc	ggggggcatc	ggcgcgggcg	tgccccgggc	200
cctggtccag	cagggaactga	aggtggtggg	ctgcgcccgc	actgtgggca	250
acatcgagga	gctggctgct	gaatgtaaga	gtgcaggcta	cccggggact	300
ttgatccccct	acagatgtga	cctatcaaat	gaagaggaca	tcctctccat	350
gttctcagct	atccgttctc	agcacagcgg	tgtagacatc	tgcataca	400
atgtcggctt	ggccccgcct	gacacctgc	tctcaggcag	caccagtgg	450
tggaaggaca	tgttcaatgt	gaacgtgctg	gccctcagca	tctgcacacg	500
ggaagcctac	cagtccatga	aggagcggaa	tgtggacgat	gggcacatca	550
ttaacatcaa	tagcatgtct	ggccaccgag	tgttaccct	gtctgtgacc	600
cacttctata	gtgccaccaa	gtatgccgtc	actgcgctga	cagagggact	650
gaggcaagag	cttcgggagg	cccagacc	catccgagcc	acgtgcatct	700
ctccagggtg	ggtggagaca	caattgcct	tcaaactcca	cgacaaggac	750
cctgagaagg	cagctgccac	ctatgagcaa	atgaagtgtc	tcaaaccg	800
ggatgtggcc	gaggtgttta	tctacgtcct	cagcaccccc	gcacacatcc	850
agattggaga	catccagatg	aggcccacgg	agcagggtgac	ctagtgactg	900
tgggagctcc	tccttccttc	cccacccttc	atggcttgcc	tcctgcctct	950
ggattttagg	tgttgatttc	tggtacacgg	gataccactt	cctgtccaca	1000
ccccgaccag	gggctagaaa	atttgtttga	gatttttata	tcattctgtc	1050
aaattgcttc	agttgtaaat	gtgaaaaatg	ggctggggaa	aggaggtgg	1100

-continued

```

gtccctaatt gttttacttg ttaacttggt cttgtgcccc tgggcacttg      1150
gcctttgtct gctctcagtg tcttcctttt gacatgggaa aggagttgtg      1200
gccaaaaatcc ccattcttctt gcacctcaac gtctgtggct cagggctggg      1250
gtggcagagg gaggccttca cttatatctt gtgttggtat ccagggctcc      1300
agacttcctc ctctgcctgc cccactgcac cctctcccc ttatctatct      1350
ccttctcggc tccccagccc agtcttggtt tcttgctccc tctgggggtc      1400
atccctccac tctgactctg actatggcag cagaacacca gggcctggcc      1450
cagtggaattt catggtgatc attaaaaag aaaaatcgca accaaaaaaa      1500
aaaaa                                                    1505

```

<210> SEQ ID NO 128

<211> LENGTH: 260

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 128

```

Met Ala Arg Pro Gly Met Glu Arg Trp Arg Asp Arg Leu Ala Leu
 1           5           10          15
Val Thr Gly Ala Ser Gly Gly Ile Gly Ala Ala Val Ala Arg Ala
 20          25          30
Leu Val Gln Gln Gly Leu Lys Val Val Gly Cys Ala Arg Thr Val
 35          40          45
Gly Asn Ile Glu Glu Leu Ala Ala Glu Cys Lys Ser Ala Gly Tyr
 50          55          60
Pro Gly Thr Leu Ile Pro Tyr Arg Cys Asp Leu Ser Asn Glu Glu
 65          70          75
Asp Ile Leu Ser Met Phe Ser Ala Ile Arg Ser Gln His Ser Gly
 80          85          90
Val Asp Ile Cys Ile Asn Asn Ala Gly Leu Ala Arg Pro Asp Thr
 95          100         105
Leu Leu Ser Gly Ser Thr Ser Gly Trp Lys Asp Met Phe Asn Val
110          115         120
Asn Val Leu Ala Leu Ser Ile Cys Thr Arg Glu Ala Tyr Gln Ser
125          130         135
Met Lys Glu Arg Asn Val Asp Asp Gly His Ile Ile Asn Ile Asn
140          145         150
Ser Met Ser Gly His Arg Val Leu Pro Leu Ser Val Thr His Phe
155          160         165
Tyr Ser Ala Thr Lys Tyr Ala Val Thr Ala Leu Thr Glu Gly Leu
170          175         180
Arg Gln Glu Leu Arg Glu Ala Gln Thr His Ile Arg Ala Thr Cys
185          190         195
Ile Ser Pro Gly Val Val Glu Thr Gln Phe Ala Phe Lys Leu His
200          205         210
Asp Lys Asp Pro Glu Lys Ala Ala Ala Thr Tyr Glu Gln Met Lys
215          220         225
Cys Leu Lys Pro Glu Asp Val Ala Glu Ala Val Ile Tyr Val Leu
230          235         240
Ser Thr Pro Ala His Ile Gln Ile Gly Asp Ile Gln Met Arg Pro

```

-continued

245	250	255
Thr Glu Gln Val Thr		
260		
<210> SEQ ID NO 129		
<211> LENGTH: 1177		
<212> TYPE: DNA		
<213> ORGANISM: Homo Sapien		
<400> SEQUENCE: 129		
aactttctaca tgggcctcct gctgctggtg ctcttcctca gcctcctgcc		50
gggtggcctac accatcatgt ccctcccacc ctcttttgac tgcggggcgt		100
tcaggtgcag agtctcagtt gcccgggagc acctcccctc ccgaggcagt		150
ctgctcagag ggcctcggcc cagaattcca gttctggttt catgccagcc		200
tgtaaaaggc catggaactt tgggtgaatc accgatgcc ttaagagggt		250
ttttctgccg ggatggaaat gttaggtcgt tctgtgtctg cgctgttcat		300
ttcagtagcc accagccacc tgtggccgtt gagtgttga aatgaggaac		350
tgagaaaatt aatttctcat gtatttttct catttattta ttaattttta		400
actgatatgt gtacatatatt gggggtacat gtgatatattg gatacatgta		450
tacaatatat aatgatcaaa tcagggtaac tgggatatcc atcacatcaa		500
acatttatttt ttattctttt ttagacagag tctcactctg tcaccaggcc		550
tggagtgcag tggtgccatc tcagcttact gcaacctctg cctgccagggt		600
tcaagcgatt ctcatgcctc cacctcccaa gtagctggga ctacaggcat		650
gcaccacaat gcccaactaa tttttgtatt tttagtagag acgggggtttt		700
gccatgttgc ccaggctggc cttgaactcc tggcctcaaa caatccactt		750
gcctcggcct cccaaaagtg tatgattaca ggcgtgagcc accgtgcctg		800
gcctaaacat ttatcttttc ttgtgtttgg gaactttgaa attatacaat		850
gaattattgt taactgtcat ctccctgctg tgctatggaa cactgggact		900
tcttccctct atctaactgt atatttgtag cagttaacca accgtacttc		950
atccccactc ctctctatcc ttcccaacct ctgatcacct cattctactc		1000
tctacctcca tgagatccac ttttttagct cccacatgtg agtaagaaaa		1050
tgcaatatatt gtctttctgt gcctggctta ttctacttaa cataatgact		1100
tcctgttcca tccatgttgc tgcaaatgac aggatttcgt tcttaatttc		1150
aattaaaata accacacatg gcaaaaa		1177
<210> SEQ ID NO 130		
<211> LENGTH: 111		
<212> TYPE: PRT		
<213> ORGANISM: Homo Sapien		
<400> SEQUENCE: 130		
Met Gly Leu Leu Leu Val Leu Phe Leu Ser Leu Leu Pro Val		
1 5 10 15		
Ala Tyr Thr Ile Met Ser Leu Pro Pro Ser Phe Asp Cys Gly Pro		
20 25 30		
Phe Arg Cys Arg Val Ser Val Ala Arg Glu His Leu Pro Ser Arg		

-continued

	35		40		45
Gly Ser Leu Leu Arg Gly Pro Arg Pro Arg Ile Pro Val Leu Val	50		55		60
Ser Cys Gln Pro Val Lys Gly His Gly Thr Leu Gly Glu Ser Pro	65		70		75
Met Pro Phe Lys Arg Val Phe Cys Gln Asp Gly Asn Val Arg Ser	80		85		90
Phe Cys Val Cys Ala Val His Phe Ser Ser His Gln Pro Pro Val	95		100		105
Ala Val Glu Cys Leu Lys	110				

<210> SEQ ID NO 131
<211> LENGTH: 2061
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 131

ttctgaagta acggaagcta ccttgtataa agacctcaac actgctgacc	50
atgatcagcg cagcctggag catcttcctc atcgggacta aaattgggct	100
gttccttcaa gtagcacctc tatcagttat ggctaaatcc tgtccatctg	150
tgtgtcgcgt cgatgcgggt ttcatttact gtaatgatcg ctttctgaca	200
tccattccaa caggaataacc agaggatgct acaactctct accttcagaa	250
caaccaaata aataatgctg ggattccttc agatttgaaa aacttgctga	300
aagtagaaaag aatataccta taccacaaca gtttagatga atttcctacc	350
aacctcccaa agtatgtaaa agagttacat ttgcaagaaa ataacataag	400
gactatcact tatgattcac tttcaaaaat tccctatctg gaagaattac	450
atttagatga caactctgtc tctgcagtta gcatagaaga gggagcattc	500
cgagacagca actatctccg actgcttttc ctgtcccgtc atcaccttag	550
cacaattccc tggggtttgc ccaggactat agaagaacta cgcttggtatg	600
ataatcgcat atccactatt tcatcaccat ctcttcaagg tctcactagt	650
ctaaaacgcc tgggttctaga tggaaacctg ttgaacaatc atgggttagg	700
tgacaaagtt ttcttcaacc tagttaattt gacagagctg tccctgggtgc	750
ggaattccct gactgctgca ccagtaaacc ttccaggcac aaacctgagg	800
aagctttatc ttcaagataa ccacatcaat cgggtgcccc caaatgcttt	850
ttcttatcta aggcagctct atcgactgga tatgtccaat aataacctaa	900
gtaatttacc tcagggtatc tttgatgatt tggacaatat aacacaactg	950
attcttcgca acaatccctg gtattcgggg tgcaagatga aatgggtacg	1000
tgactggtta caatcactac ctgtgaaggt caacgtgcgt gggctcatgt	1050
gccaaagcccc agaaaagggt cgtgggatgg ctattaagga tctcaatgca	1100
gaactgtttg attgtaagga cagtgggatt gtaagacca ttcagataac	1150
cactgcaata cccaacacag tgtatcctgc ccaaggacag tggccagctc	1200
cagtgaccaa acagccagat attaagaacc ccaagctcac taaggatcaa	1250
caaaccacag ggagtcctc aagaaaaaca attacaatta ctgtgaagtc	1300

-continued

tgtcacctct gataccattc atatctcttg gaaacttgct ctacctatga 1350
ctgctttgag actcagctgg cttaaactgg gccatagccc ggcatttgga 1400
tctataacag aaacaattgt aacaggggaa cgcagtgagt acttggtcac 1450
agccctggag cctgattcac cctataaagt atgcatggtt cccatggaaa 1500
ccagcaacct ctacctatgt gatgaaactc ctgtttgtat tgagactgaa 1550
actgcacccc ttcgaatgta caaccctaca accaccctca atcgagagca 1600
agagaaagaa ccttacaaaa accccaattt acctttggct gccatcattg 1650
gtggggctgt ggccttggtt accattgccc ttcttgcttt agtgtgttg 1700
tatgttcata ggaatggatc gctcttctca aggaactgtg catatagcaa 1750
agggaggaga agaaaggatg actatgcaga agctggcact aagaaggaca 1800
actctatcct ggaatcagg gaaacttctt ttcagatggt accaataagc 1850
aatgaaccca tctcgaagga ggagtttgta atacacacca tatttcctcc 1900
taatggaatg aatctgtaca aaaacaatca cagtgaagc agtagtaacc 1950
gaagctacag agacagtgtt attccagact cagatcactc aactcatga 2000
tgctgaagga ctcacagcag acttgtgttt tgggtttttt aaacctaagg 2050
gaggtgatgg t 2061

<210> SEQ ID NO 132

<211> LENGTH: 649

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 132

Met Ile Ser Ala Ala Trp Ser Ile Phe Leu Ile Gly Thr Lys Ile
1 5 10 15
Gly Leu Phe Leu Gln Val Ala Pro Leu Ser Val Met Ala Lys Ser
20 25 30
Cys Pro Ser Val Cys Arg Cys Asp Ala Gly Phe Ile Tyr Cys Asn
35 40 45
Asp Arg Phe Leu Thr Ser Ile Pro Thr Gly Ile Pro Glu Asp Ala
50 55 60
Thr Thr Leu Tyr Leu Gln Asn Asn Gln Ile Asn Asn Ala Gly Ile
65 70 75
Pro Ser Asp Leu Lys Asn Leu Leu Lys Val Glu Arg Ile Tyr Leu
80 85 90
Tyr His Asn Ser Leu Asp Glu Phe Pro Thr Asn Leu Pro Lys Tyr
95 100 105
Val Lys Glu Leu His Leu Gln Glu Asn Asn Ile Arg Thr Ile Thr
110 115 120
Tyr Asp Ser Leu Ser Lys Ile Pro Tyr Leu Glu Glu Leu His Leu
125 130 135
Asp Asp Asn Ser Val Ser Ala Val Ser Ile Glu Glu Gly Ala Phe
140 145 150
Arg Asp Ser Asn Tyr Leu Arg Leu Leu Phe Leu Ser Arg Asn His
155 160 165
Leu Ser Thr Ile Pro Trp Gly Leu Pro Arg Thr Ile Glu Glu Leu
170 175 180

-continued

Arg Leu Asp Asp Asn Arg Ile Ser Thr	Ile Ser Ser Pro Ser Leu
185	190 195
Gln Gly Leu Thr Ser Leu Lys Arg Leu	Val Leu Asp Gly Asn Leu
200	205 210
Leu Asn Asn His Gly Leu Gly Asp Lys	Val Phe Phe Asn Leu Val
215	220 225
Asn Leu Thr Glu Leu Ser Leu Val Arg	Asn Ser Leu Thr Ala Ala
230	235 240
Pro Val Asn Leu Pro Gly Thr Asn Leu	Arg Lys Leu Tyr Leu Gln
245	250 255
Asp Asn His Ile Asn Arg Val Pro Pro	Asn Ala Phe Ser Tyr Leu
260	265 270
Arg Gln Leu Tyr Arg Leu Asp Met Ser	Asn Asn Asn Leu Ser Asn
275	280 285
Leu Pro Gln Gly Ile Phe Asp Asp Leu	Asp Asn Ile Thr Gln Leu
290	295 300
Ile Leu Arg Asn Asn Pro Trp Tyr Cys	Gly Cys Lys Met Lys Trp
305	310 315
Val Arg Asp Trp Leu Gln Ser Leu Pro	Val Lys Val Asn Val Arg
320	325 330
Gly Leu Met Cys Gln Ala Pro Glu Lys	Val Arg Gly Met Ala Ile
335	340 345
Lys Asp Leu Asn Ala Glu Leu Phe Asp	Cys Lys Asp Ser Gly Ile
350	355 360
Val Ser Thr Ile Gln Ile Thr Thr Ala	Ile Pro Asn Thr Val Tyr
365	370 375
Pro Ala Gln Gly Gln Trp Pro Ala Pro	Val Thr Lys Gln Pro Asp
380	385 390
Ile Lys Asn Pro Lys Leu Thr Lys Asp	Gln Gln Thr Thr Gly Ser
395	400 405
Pro Ser Arg Lys Thr Ile Thr Ile Thr	Val Lys Ser Val Thr Ser
410	415 420
Asp Thr Ile His Ile Ser Trp Lys Leu	Ala Leu Pro Met Thr Ala
425	430 435
Leu Arg Leu Ser Trp Leu Lys Leu Gly	His Ser Pro Ala Phe Gly
440	445 450
Ser Ile Thr Glu Thr Ile Val Thr Gly	Glu Arg Ser Glu Tyr Leu
455	460 465
Val Thr Ala Leu Glu Pro Asp Ser Pro	Tyr Lys Val Cys Met Val
470	475 480
Pro Met Glu Thr Ser Asn Leu Tyr Leu	Phe Asp Glu Thr Pro Val
485	490 495
Cys Ile Glu Thr Glu Thr Ala Pro Leu	Arg Met Tyr Asn Pro Thr
500	505 510
Thr Thr Leu Asn Arg Glu Gln Glu Lys	Glu Pro Tyr Lys Asn Pro
515	520 525
Asn Leu Pro Leu Ala Ala Ile Ile Gly	Gly Ala Val Ala Leu Val
530	535 540
Thr Ile Ala Leu Leu Ala Leu Val Cys	Trp Tyr Val His Arg Asn
545	550 555

-continued

Gly	Ser	Leu	Phe	Ser	Arg	Asn	Cys	Ala	Tyr	Ser	Lys	Gly	Arg	Arg
				560					565					570
Arg	Lys	Asp	Asp	Tyr	Ala	Glu	Ala	Gly	Thr	Lys	Lys	Asp	Asn	Ser
				575					580					585
Ile	Leu	Glu	Ile	Arg	Glu	Thr	Ser	Phe	Gln	Met	Leu	Pro	Ile	Ser
				590					595					600
Asn	Glu	Pro	Ile	Ser	Lys	Glu	Glu	Phe	Val	Ile	His	Thr	Ile	Phe
				605					610					615
Pro	Pro	Asn	Gly	Met	Asn	Leu	Tyr	Lys	Asn	Asn	His	Ser	Glu	Ser
				620					625					630
Ser	Ser	Asn	Arg	Ser	Tyr	Arg	Asp	Ser	Gly	Ile	Pro	Asp	Ser	Asp
				635					640					645
His	Ser	His	Ser											

<210> SEQ ID NO 133
<211> LENGTH: 1882
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 133

ccgtcatccc cctgcagcca cccttcccag agtcctttgc ccaggccacc	50
ccaggcttct tggcagccct gccggggcac ttgtcttcat gtctgccagg	100
gggaggtggg aaggaggtgg gaggaggcg tgcagaggca gtctgggctt	150
ggccagagct caggggtgctg agcgtgtgac cagcagtgag cagaggcccg	200
ccatggccag cctggggctg ctgctcctgc tottactgac agcactgcc	250
ccgctgtggt cctcctcact gcctgggctg gacactgctg aaagtaaagc	300
caccattgca gacctgatcc tgtctgcgct ggagagagcc accgtcttcc	350
tagaacagag gctgcctgaa atcaacctgg atggcatggt gggggtccga	400
gtgctggaag agcagctaaa aagtgtccgg gagaagtggg ccagaggacc	450
cctgtgtcag ccgctgagcc tgcgcgtggg gatgctgggg gagaagctgg	500
aggctgccat ccagagatcc ctccactacc tcaagctgag tgatcccaag	550
tacctaagag agttccagct gacctccag cccgggtttt ggaagctccc	600
acatgcctgg atccacactg atgcctcctt ggtgtacccc acgttcgggc	650
cccaggactc attctcagag gagagaagtg acgtgtgcct ggtgcagctg	700
ctgggaaccg ggacggacag cagcgagccc tgcggcctct cagacctctg	750
caggagcctc atgaccaagc ccggtgtctc aggtactgct ctgtcccacc	800
aactgctctt cttcctctgg gccagaatga ggggatgcac acagggacca	850
ctccaacaga gccaggacta tatcaacctc ttctgcgcca acatgatgga	900
cttgaaccgc agagctgagg ccatcggata cgcctaccct acccgggaca	950
tcttcatgga aaacatcatg ttctgtggaa tggcggtctt ctccgacttc	1000
tacaagctcc ggtggctgga ggccattctc agctggcaga aacagcagga	1050
aggatgcttc ggggagcctg atgtgaaga tgaagaatta tctaaagcta	1100
ttcaatatca gcagcattht tcgaggagag tgaagaggcg agaaaaacaa	1150
tttccagatt ctgcctctgt tgctcaggct ggagtacagt ggcgcaatct	1200

-continued

```

cggtcactg caacctttgc ctctggggtt caagcaattc tcttgcccta      1250
tctccccgag tagctgggac tacaggagcg tgccaccata cctggctaata      1300
ttttatattt ttttagtaga gacagggttt catcatgttg ctcatgctgg      1350
tctcgaactc ctgatctcaa gagatccgcc cacctcaggc tcccaaagtg      1400
tggtgattata ggtgtgagcc accgtgtctg gctgaaaagc actttcaaag      1450
agactgtggtt gaataaaggg ccaaggttct tgccaccag cactcatggg      1500
ggctctctcc cctagatggc tgctcctccc acaacacagc cacagcagtg      1550
gcagccctgg gtggcttctt atacatcctg gcagaatacc cccagcaaa      1600
cagagagcca caccatcca caccgccacc accaagcagc cgctgagacg      1650
gacggttcca tgccagctgc ctggaggagg aacagacccc tttagtcttc      1700
atcccttaga tcctggaggg cacggatcac atcctgggaa gaaggcatct      1750
ggaggataag caaagccacc ccgacaccca atcttgaag ccctgagtag      1800
gcagggccag ggtaggtggg ggccgggagg gacccaggtg tgaacggatg      1850
aataaagttc aactgcaact gaaaaaaaaa aa                        1882

```

<210> SEQ ID NO 134

<211> LENGTH: 440

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 134

```

Met Ser Ala Arg Gly Arg Trp Glu Gly Gly Gly Arg Arg Ala Cys
 1          5          10          15
Arg Gly Ser Leu Gly Leu Ala Arg Ala Gln Gly Ala Glu Arg Val
 20         25         30
Thr Ser Ser Glu Gln Arg Pro Ala Met Ala Ser Leu Gly Leu Leu
 35         40         45
Leu Leu Leu Leu Leu Thr Ala Leu Pro Pro Leu Trp Ser Ser Ser
 50         55         60
Leu Pro Gly Leu Asp Thr Ala Glu Ser Lys Ala Thr Ile Ala Asp
 65         70         75
Leu Ile Leu Ser Ala Leu Glu Arg Ala Thr Val Phe Leu Glu Gln
 80         85         90
Arg Leu Pro Glu Ile Asn Leu Asp Gly Met Val Gly Val Arg Val
 95        100        105
Leu Glu Glu Gln Leu Lys Ser Val Arg Glu Lys Trp Ala Gln Glu
110        115        120
Pro Leu Leu Gln Pro Leu Ser Leu Arg Val Gly Met Leu Gly Glu
125        130        135
Lys Leu Glu Ala Ala Ile Gln Arg Ser Leu His Tyr Leu Lys Leu
140        145        150
Ser Asp Pro Lys Tyr Leu Arg Glu Phe Gln Leu Thr Leu Gln Pro
155        160        165
Gly Phe Trp Lys Leu Pro His Ala Trp Ile His Thr Asp Ala Ser
170        175        180
Leu Val Tyr Pro Thr Phe Gly Pro Gln Asp Ser Phe Ser Glu Glu
185        190        195
Arg Ser Asp Val Cys Leu Val Gln Leu Leu Gly Thr Gly Thr Asp

```

-continued

200								205				210			
Ser	Ser	Glu	Pro	Cys	Gly	Leu	Ser	Asp	Leu	Cys	Arg	Ser	Leu	Met	
215								220				225			
Thr	Lys	Pro	Gly	Cys	Ser	Gly	Tyr	Cys	Leu	Ser	His	Gln	Leu	Leu	
230								235				240			
Phe	Phe	Leu	Trp	Ala	Arg	Met	Arg	Gly	Cys	Thr	Gln	Gly	Pro	Leu	
245								250				255			
Gln	Gln	Ser	Gln	Asp	Tyr	Ile	Asn	Leu	Phe	Cys	Ala	Asn	Met	Met	
260								265				270			
Asp	Leu	Asn	Arg	Arg	Ala	Glu	Ala	Ile	Gly	Tyr	Ala	Tyr	Pro	Thr	
275								280				285			
Arg	Asp	Ile	Phe	Met	Glu	Asn	Ile	Met	Phe	Cys	Gly	Met	Gly	Gly	
290								295				300			
Phe	Ser	Asp	Phe	Tyr	Lys	Leu	Arg	Trp	Leu	Glu	Ala	Ile	Leu	Ser	
305								310				315			
Trp	Gln	Lys	Gln	Gln	Glu	Gly	Cys	Phe	Gly	Glu	Pro	Asp	Ala	Glu	
320								325				330			
Asp	Glu	Glu	Leu	Ser	Lys	Ala	Ile	Gln	Tyr	Gln	Gln	His	Phe	Ser	
335								340				345			
Arg	Arg	Val	Lys	Arg	Arg	Glu	Lys	Gln	Phe	Pro	Asp	Ser	Arg	Ser	
350								355				360			
Val	Ala	Gln	Ala	Gly	Val	Gln	Trp	Arg	Asn	Leu	Gly	Ser	Leu	Gln	
365								370				375			
Pro	Leu	Pro	Pro	Gly	Phe	Lys	Gln	Phe	Ser	Cys	Leu	Ile	Leu	Pro	
380								385				390			
Ser	Ser	Trp	Asp	Tyr	Arg	Ser	Val	Pro	Pro	Tyr	Leu	Ala	Asn	Phe	
395								400				405			
Tyr	Ile	Phe	Leu	Val	Glu	Thr	Gly	Phe	His	His	Val	Ala	His	Ala	
410								415				420			
Gly	Leu	Glu	Leu	Leu	Ile	Ser	Arg	Asp	Pro	Pro	Thr	Ser	Gly	Ser	
425								430				435			
Gln	Ser	Val	Gly	Leu											
440															

<210> SEQ ID NO 135
<211> LENGTH: 884
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 135

ggctctgagtg cagagctgct gtcattggcgg ccgctctgtg gggcttcttt	50
cccgtcctgc tgctgctgct gctatcgggg gatgtccaga gtcggagggt	100
gccccggggt gctgctgagg gatcgggagg gagtggggtc ggcataggag	150
atcgcttcaa gattgagggg cgtgcagttg ttccaggggt gaagcctcag	200
gactggatct cggcggcccc agtgctggta gacggagaag agcacgtcgg	250
tttcttaag acagatggga gttttgtggt tcatgatata ctttctggat	300
cttatgtagt ggaagttgta tctccagctt acagatttga tcccgttcga	350
gtggatatca cttcgaaagg aaaaatgaga gcaagatatg tgaattacat	400
caaaacatca gaggttgta gactgccta tcctotccaa atgaaatctt	450

-continued

cagggtccacc ttcttacttt attaaaaggg aatcgtgggg ctggacagac	500
tttctaata acccaatggt tatgatgatg gttcttcctt tattgatatt	550
tggtgcttctg cctaaagtgg tcaacacaag tgatcctgac atgagacggg	600
aaatggagca gtcaatgaat atgctgaatt ccaaccatga gttgcctgat	650
gtttctgagt tcatgacaag actcttctct tcaaaatcat ctggcaaadc	700
tagcagcggc agcagtaaaa caggcaaaag tggggctggc aaaaggaggt	750
agtcaggccg tccagagctg gcatttgac aaacacggca aactgggtg	800
gcatccaagt cttggaaaac cgtgtgaagc aactactata aacttgagtc	850
atcccgcgct tgatctctta caactgtgta tggt	884

<210> SEQ ID NO 136

<211> LENGTH: 242

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 136

Met Ala Ala Ala Leu Trp Gly Phe Phe Pro Val Leu Leu Leu Leu	1	5	10	15
Leu Leu Ser Gly Asp Val Gln Ser Ser Glu Val Pro Gly Ala Ala	20	25	30	
Ala Glu Gly Ser Gly Gly Ser Gly Val Gly Ile Gly Asp Arg Phe	35	40	45	
Lys Ile Glu Gly Arg Ala Val Val Pro Gly Val Lys Pro Gln Asp	50	55	60	
Trp Ile Ser Ala Ala Arg Val Leu Val Asp Gly Glu Glu His Val	65	70	75	
Gly Phe Leu Lys Thr Asp Gly Ser Phe Val Val His Asp Ile Pro	80	85	90	
Ser Gly Ser Tyr Val Val Glu Val Val Ser Pro Ala Tyr Arg Phe	95	100	105	
Asp Pro Val Arg Val Asp Ile Thr Ser Lys Gly Lys Met Arg Ala	110	115	120	
Arg Tyr Val Asn Tyr Ile Lys Thr Ser Glu Val Val Arg Leu Pro	125	130	135	
Tyr Pro Leu Gln Met Lys Ser Ser Gly Pro Pro Ser Tyr Phe Ile	140	145	150	
Lys Arg Glu Ser Trp Gly Trp Thr Asp Phe Leu Met Asn Pro Met	155	160	165	
Val Met Met Met Val Leu Pro Leu Leu Ile Phe Val Leu Leu Pro	170	175	180	
Lys Val Val Asn Thr Ser Asp Pro Asp Met Arg Arg Glu Met Glu	185	190	195	
Gln Ser Met Asn Met Leu Asn Ser Asn His Glu Leu Pro Asp Val	200	205	210	
Ser Glu Phe Met Thr Arg Leu Phe Ser Ser Lys Ser Ser Gly Lys	215	220	225	
Ser Ser Ser Gly Ser Ser Lys Thr Gly Lys Ser Gly Ala Gly Lys	230	235	240	
Arg Arg				

-continued

<210> SEQ ID NO 137

<211> LENGTH: 1571

<212> TYPE: DNA

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 137

gatggcgag ccacagcttc tgtgagattc gatttctccc cagttcccct	50
gtgggtctga ggggaccaga agggtagact acgttggtt tctggaagg	100
gaggctatat gcgtcaattc cccaaaacaa gttttgacat tccccctgaa	150
atgtcattct ctatctattc actgcaagt cctgctgttc caggccttac	200
ctgctgggca ctaacggcgg agccaggatg gggacagaat aaaggagcca	250
cgacctgtgc caccaactcg cactcagact ctgaactcag acctgaaatc	300
ttctcttcac gggaggcttg gcagtttttc ttactcctgt ggtctccaga	350
tttcaggcct aagatgaaag cctctagtct tgccttcagc cttctctctg	400
ctgcgtttta tctcctatgg actccttcca ctggactgaa gacactcaat	450
ttgggaagct gtgtgatcgc cacaaacctt caggaaatac gaaatggatt	500
ttctgagata cggggcagtg tgcaagccaa agatggaaac attgacatca	550
gaatcttaag gaggactgag tctttgcaag acacaaagcc tgcgaatcga	600
tgctgcctcc tgcgccattt gctaagactc tatctggaca gggatattta	650
aaactaccag acccctgacc attatactct ccggaagatc agcagcctcg	700
ccaattcctt tcttaccatc aagaaggacc tccggctctc tcatgccac	750
atgacatgcc attgtgggga ggaagcaatg aagaaatac gccagattct	800
gagtcacttt gaaaagctgg aacctcaggc agcagttgtg aaggctttgg	850
gggaactaga cattcttctg caatggatgg aggagacaga ataggaggaa	900
agtgatgctg ctgctaagaa tattcgaggt caagagctcc agtcttcaat	950
acctgcagag gaggcatgac cccaaaccac catctcttta ctgtactagt	1000
cttgtgctgg tcacagtgtg tcttatttat gcattacttg cttccttgca	1050
tgattgtctt tatgcatccc caatcttaat tgagaccata cttgtataag	1100
atttttgtaa tatctttctg ctattggata tatttattag ttaatatatt	1150
tattttattt ttgctattta atgtatttat ttttttactt ggacatgaaa	1200
ctttaaaaaa attcacagat tatatttata acctgactag agcaggtgat	1250
gtatttttat acagtaaaaa aaaaaaacct tgtaaattct agaagagtgg	1300
ctaggggggt tattcatttg tattcaacta aggacatatt tactcatgct	1350
gatgctctgt gagatatttg aaattgaacc aatgactact taggatgggt	1400
tgtggaataa gttttgatgt ggaattgcac atctacctta caattactga	1450
ccatccccag tagactcccc agtccccata ttgtgtatct tccagccagg	1500
aatcctacac ggccagcatg tatttctaca aataaagttt tctttgcata	1550
ccaaaaaaaa aaaaaaaaaa a	1571

<210> SEQ ID NO 138

<211> LENGTH: 261

<212> TYPE: PRT

-continued

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 138

Met Arg Gln Phe Pro Lys Thr Ser Phe Asp Ile Ser Pro Glu Met
1 5 10 15
Ser Phe Ser Ile Tyr Ser Leu Gln Val Pro Ala Val Pro Gly Leu
20 25 30
Thr Cys Trp Ala Leu Thr Ala Glu Pro Gly Trp Gly Gln Asn Lys
35 40 45
Gly Ala Thr Thr Cys Ala Thr Asn Ser His Ser Asp Ser Glu Leu
50 55 60
Arg Pro Glu Ile Phe Ser Ser Arg Glu Ala Trp Gln Phe Phe Leu
65 70 75
Leu Leu Trp Ser Pro Asp Phe Arg Pro Lys Met Lys Ala Ser Ser
80 85 90
Leu Ala Phe Ser Leu Leu Ser Ala Ala Phe Tyr Leu Leu Trp Thr
95 100 105
Pro Ser Thr Gly Leu Lys Thr Leu Asn Leu Gly Ser Cys Val Ile
110 115 120
Ala Thr Asn Leu Gln Glu Ile Arg Asn Gly Phe Ser Glu Ile Arg
125 130 135
Gly Ser Val Gln Ala Lys Asp Gly Asn Ile Asp Ile Arg Ile Leu
140 145 150
Arg Arg Thr Glu Ser Leu Gln Asp Thr Lys Pro Ala Asn Arg Cys
155 160 165
Cys Leu Leu Arg His Leu Leu Arg Leu Tyr Leu Asp Arg Val Phe
170 175 180
Lys Asn Tyr Gln Thr Pro Asp His Tyr Thr Leu Arg Lys Ile Ser
185 190 195
Ser Leu Ala Asn Ser Phe Leu Thr Ile Lys Lys Asp Leu Arg Leu
200 205 210
Ser His Ala His Met Thr Cys His Cys Gly Glu Glu Ala Met Lys
215 220 225
Lys Tyr Ser Gln Ile Leu Ser His Phe Glu Lys Leu Glu Pro Gln
230 235 240
Ala Ala Val Val Lys Ala Leu Gly Glu Leu Asp Ile Leu Leu Gln
245 250 255
Trp Met Glu Glu Thr Glu
260

<210> SEQ ID NO 139

<211> LENGTH: 2395

<212> TYPE: DNA

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 139

cctggagccg gaagcgcggc tgcagcaggg cgaggctcca ggtggggtcg 50
gttcgcgcatc cagcctagcg tgtccacgat gcggctgggc tccgggactt 100
tcgctacctg ttgcgtagcg atcgaggtgc tagggatcgc ggtcttcctt 150
cggggattct tcccggctcc cgttcgttcc tctgccagag cggaacacgg 200
agcgggagccc ccagcgcccc aaccctcggc tggagccagt tctaactgga 250

-continued

ccacgctgcc	accacctctc	ttcagtaaag	ttgttattgt	tctgatatagat	300
gccttgagag	atgattttgt	gtttgggtca	aaggggtgtga	aatttatgcc	350
ctacacaact	taccttgtag	aaaaaggagc	atctcacagt	tttgtggctg	400
aagcaaagcc	acctacagtt	actatgcctc	gaatcaaggc	attgatgacg	450
gggagccttc	ctggctttgt	cgacgtcatc	aggaacctca	attctcctgc	500
actgctgaa	gacagtgtga	taagacaagc	aaaagcagct	ggaaaaagaa	550
tagtctttta	tggagatgaa	acctgggtta	aattattccc	aaagcatttt	600
gtggaatatg	atggaacaac	ctcatttttc	gtgtcagatt	acacagaggt	650
ggataataat	gtcacgaggc	atttgataaa	agtattaaaa	agaggagatt	700
gggacataatt	aatcctccac	tacctggggc	tggaccacat	tggccacatt	750
tcaggggccca	acagccccct	gattgggcag	aagctgagcg	agatggacag	800
cgtgctgatg	aagatccaca	cctcactgca	gtcgaaggag	agagagacgc	850
ctttacccaa	tttgctggtt	ctttgtggtg	accatggcat	gtctgaaaca	900
ggaagtacag	gggcctcctc	caccgaggag	gtgaatacac	ctctgatttt	950
aatcagttct	gcgtttgaaa	ggaaaccccg	tgatatccga	catccaaagc	1000
acgtccaata	gacggatgtg	gtcgcgacac	tggcgatagc	acttggttta	1050
cagattccaa	aagacagtgt	agggagcctc	ctattcccag	ttgtggaagg	1100
aagaccaatg	agagagcagt	tgagattttt	acatttgaat	acagtgcagc	1150
ttagtaaact	gttgcaagag	aatgtgccgt	catatgaaaa	agatcctggg	1200
tttgagcagt	ttaaaatgtc	agaaagattg	catgggaact	ggatcagact	1250
gtacttgagg	gaaaagcatt	cagaagtcct	attcaacctg	ggctccaagg	1300
ttctcaggca	gtacctggat	gtctgaaga	cgctgagctt	gtcctcagat	1350
gcacaagtgg	cccagttctc	accctgctcc	tgctcagcgt	cccacaggca	1400
ctgcacagaa	aggctgagct	ggaagtccca	ctgtcatctc	ctgggttttc	1450
tctgtctctt	tatttggtga	tcctggttct	ttcggccggt	cacgtcattg	1500
tgtgcacctc	agctgaaagt	tcgtgctact	tctgtggcct	ctcgtggctg	1550
gcggcaggct	gcctttcgtt	taccagactc	tggttgaaca	cctggtgtgt	1600
gccaaagtgt	ggcagtgccc	tggacagggg	gcctcaggga	aggacgtgga	1650
gcagccttat	cccaggcctc	tgggtgtccc	gacacagtg	ttcacatctg	1700
tgtgtgcagg	tcagatgcct	cagttcttgg	aaagctaggt	tcctgcgact	1750
gttaccaaag	tgattgtaaa	gagctggcgg	tcacagagga	acaagcccc	1800
cagctgaggg	ggtgtgtgaa	tcggacagcc	tcccagcaga	ggtgtgggag	1850
ctgcagctga	gggaagaaga	gacaatcggc	ctggacactc	aggaggggtca	1900
aaagggagct	tggtcgcacc	actcatcctg	ccacccccag	aatgcacacct	1950
gcctcatcag	gtccagattt	ctttccaagg	cggacgtttt	ctgttggaat	2000
tcttagtcct	tggcctcgga	caccttcatt	cgttagctgg	ggagtgggtg	2050
tgaggcagtg	aagaagaggc	ggatggtcac	actcagatcc	acagagccca	2100
ggatcaaggg	accactgca	gtggcagcag	gactgttggg	ccccacccc	2150

-continued

aaccctgcac agccctcatc ccctcttggc ttgagccgtc agaggccctg	2200
tgctgagtgt ctgaccgaga cactcacagc tttgtcatca gggcacaggc	2250
ttcctcgagg ccaggatgat ctgtgccacg cttgcacctc gggcccatct	2300
gggctcatgc tctctctcct gctattgaat tagtacctag ctgcacacag	2350
tatgtagtta ccaaaagaat aaacggcaat aattgagaaa aaaaa	2395

<210> SEQ ID NO 140

<211> LENGTH: 310

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 140

Met	Arg	Leu	Gly	Ser	Gly	Thr	Phe	Ala	Thr	Cys	Cys	Val	Ala	Ile	1	5	10	15
Glu	Val	Leu	Gly	Ile	Ala	Val	Phe	Leu	Arg	Gly	Phe	Phe	Pro	Ala	20	25	30	
Pro	Val	Arg	Ser	Ser	Ala	Arg	Ala	Glu	His	Gly	Ala	Glu	Pro	Pro	35	40	45	
Ala	Pro	Glu	Pro	Ser	Ala	Gly	Ala	Ser	Ser	Asn	Trp	Thr	Thr	Leu	50	55	60	
Pro	Pro	Pro	Leu	Phe	Ser	Lys	Val	Val	Ile	Val	Leu	Ile	Asp	Ala	65	70	75	
Leu	Arg	Asp	Asp	Phe	Val	Phe	Gly	Ser	Lys	Gly	Val	Lys	Phe	Met	80	85	90	
Pro	Tyr	Thr	Thr	Tyr	Leu	Val	Glu	Lys	Gly	Ala	Ser	His	Ser	Phe	95	100	105	
Val	Ala	Glu	Ala	Lys	Pro	Pro	Thr	Val	Thr	Met	Pro	Arg	Ile	Lys	110	115	120	
Ala	Leu	Met	Thr	Gly	Ser	Leu	Pro	Gly	Phe	Val	Asp	Val	Ile	Arg	125	130	135	
Asn	Leu	Asn	Ser	Pro	Ala	Leu	Leu	Glu	Asp	Ser	Val	Ile	Arg	Gln	140	145	150	
Ala	Lys	Ala	Ala	Gly	Lys	Arg	Ile	Val	Phe	Tyr	Gly	Asp	Glu	Thr	155	160	165	
Trp	Val	Lys	Leu	Phe	Pro	Lys	His	Phe	Val	Glu	Tyr	Asp	Gly	Thr	170	175	180	
Thr	Ser	Phe	Phe	Val	Ser	Asp	Tyr	Thr	Glu	Val	Asp	Asn	Asn	Val	185	190	195	
Thr	Arg	His	Leu	Asp	Lys	Val	Leu	Lys	Arg	Gly	Asp	Trp	Asp	Ile	200	205	210	
Leu	Ile	Leu	His	Tyr	Leu	Gly	Leu	Asp	His	Ile	Gly	His	Ile	Ser	215	220	225	
Gly	Pro	Asn	Ser	Pro	Leu	Ile	Gly	Gln	Lys	Leu	Ser	Glu	Met	Asp	230	235	240	
Ser	Val	Leu	Met	Lys	Ile	His	Thr	Ser	Leu	Gln	Ser	Lys	Glu	Arg	245	250	255	
Glu	Thr	Pro	Leu	Pro	Asn	Leu	Leu	Val	Leu	Cys	Gly	Asp	His	Gly	260	265	270	
Met	Ser	Glu	Thr	Gly	Ser	His	Gly	Ala	Ser	Ser	Thr	Glu	Glu	Val	275	280	285	
Asn	Thr	Pro	Leu	Ile	Leu	Ile	Ser	Ser	Ala	Phe	Glu	Arg	Lys	Pro				

-continued

290													295													300														
Gly Asp Ile Arg His Pro Lys His Val Gln																																								
305													310																											
<210> SEQ ID NO 141																																								
<211> LENGTH: 754																																								
<212> TYPE: DNA																																								
<213> ORGANISM: Homo Sapien																																								
<400> SEQUENCE: 141																																								
ggcacgaggc aagccttcca ggttatcgtg acgcaccttg aaagtctgag																																				50				
agctactgcc ctacagaaag ttactagtgc cctaaagctg gcgctggcac																																				100				
tgatgttact gctgctgttg gagtacaact tccctataga aaacaactgc																																				150				
cagcacctta agaccactca caccttcaga gtgaagaact taaaccgaa																																				200				
gaaattcagc attcatgacc aggatcacia agtactgggc ctggactctg																																				250				
ggaatctcat agcagttcca gataaaaact acatacgccc agagatcttc																																				300				
tttgcattag cctcatcctt gagctcagcc tctgctgaga aaggaagtcc																																				350				
gatttctcctg ggggtctcta aaggggagtt ttgtctctac tgtgacaagg																																				400				
ataaaggaca aagtcaccca tcccttcagc tgaagaagga gaaactgatg																																				450				
aagctggctg cccaaaagga atcagcacgc cggcccttca tcttttatag																																				500				
ggctcaggtg ggctcctgga acatgctgga gtcggcggct caccocggat																																				550				
ggttcactcg cacctcctgc aattgtaatg agcctgttgg ggtgacagat																																				600				
aaatttgaga acaggaaaca cattgaattt tcatttcaac cagtttgcaa																																				650				
agctgaaatg agccccagtg aggtcagcga ttaggaaact gccccattga																																				700				
acgccttcct cgctaatttg aactaattgt ataaaaacac caaacctgct																																				750				
cact																																				754				
<210> SEQ ID NO 142																																								
<211> LENGTH: 193																																								
<212> TYPE: PRT																																								
<213> ORGANISM: Homo Sapien																																								
<400> SEQUENCE: 142																																								
Met Leu Leu Leu Leu Leu Glu Tyr Asn Phe Pro Ile Glu Asn Asn																																								
1 5 10 15																																								
Cys Gln His Leu Lys Thr Thr His Thr Phe Arg Val Lys Asn Leu																																								
20 25 30																																								
Asn Pro Lys Lys Phe Ser Ile His Asp Gln Asp His Lys Val Leu																																								
35 40 45																																								
Val Leu Asp Ser Gly Asn Leu Ile Ala Val Pro Asp Lys Asn Tyr																																								
50 55 60																																								
Ile Arg Pro Glu Ile Phe Phe Ala Leu Ala Ser Ser Leu Ser Ser																																								
65 70 75																																								
Ala Ser Ala Glu Lys Gly Ser Pro Ile Leu Leu Gly Val Ser Lys																																								
80 85 90																																								
Gly Glu Phe Cys Leu Tyr Cys Asp Lys Asp Lys Gly Gln Ser His																																								
95 100 105																																								
Pro Ser Leu Gln Leu Lys Lys Glu Lys Leu Met Lys Leu Ala Ala																																								
110 115 120																																								

-continued

Gln Lys Glu Ser Ala Arg Arg Pro Phe Ile Phe Tyr Arg Ala Gln
125 130 135
Val Gly Ser Trp Asn Met Leu Glu Ser Ala Ala His Pro Gly Trp
140 145 150
Phe Ile Cys Thr Ser Cys Asn Cys Asn Glu Pro Val Gly Val Thr
155 160 165
Asp Lys Phe Glu Asn Arg Lys His Ile Glu Phe Ser Phe Gln Pro
170 175 180
Val Cys Lys Ala Glu Met Ser Pro Ser Glu Val Ser Asp
185 190

<210> SEQ ID NO 143
<211> LENGTH: 961
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 143
ctagagagta tagggcagaa ggatggcaga tgagtgactc cacatccaga 50
gtgcctccc tttaatccag gatcctgtcc ttcctgtcct gtaggagtgc 100
ctgttgccag tgtggggtga gacaagtttg tcccacaggg ctgtctgagc 150
agataagatt aagggtctggg tctgtgctca attaactcct gtgggcacgg 200
gggctgggaa gagcaaagtc agcgtgcct acagtcagca ccatgctggg 250
cctgccgtgg aagggaggtc tgtcctgggc gctgctgctg cttctcttag 300
gctcccagat cctgctgata tatgcctggc atttcacga gcaaagggac 350
tgtgatgaac acaatgtcat ggctcgttac ctccctgcc cagtggagtt 400
tgctgtccac acattcaacc aacagagcaa ggactactat gcctacagac 450
tggggcacat cttgaattcc tggaaggagc aggtggagtc caagactgta 500
ttctcaatgg agctactgct ggggagaact aggtgtggga aatttgaaga 550
cgacattgac aactgccatt tccaagaaag cacagagctg aacaatactt 600
tcacctgttt cttcaccatc agcaccaggc cctggatgac tcagttcagc 650
ctcctgaaca agacctgctt ggagggatc cactgagtga aaccactca 700
caggcttgtc catgtgctgc tcccacattc cgtggacatc agcactactc 750
tcctgaggac tcttcagtgg ctgagcagct ttggacttgt ttgttatcct 800
atthttgatg tgtttgagat ctgagatcag tgttttagaa aatccacaca 850
tcttgagcct aatcatgtag tgtagatcat taaacatcag catthttaaga 900
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 950
aaaaaaaaa a 961

<210> SEQ ID NO 144
<211> LENGTH: 147
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 144
Met Leu Gly Leu Pro Trp Lys Gly Gly Leu Ser Trp Ala Leu Leu
1 5 10 15
Leu Leu Leu Leu Gly Ser Gln Ile Leu Leu Ile Tyr Ala Trp His

-continued

20	25	30
Phe His Glu Gln Arg Asp Cys Asp Glu His Asn Val Met Ala Arg		
35	40	45
Tyr Leu Pro Ala Thr Val Glu Phe Ala Val His Thr Phe Asn Gln		
50	55	60
Gln Ser Lys Asp Tyr Tyr Ala Tyr Arg Leu Gly His Ile Leu Asn		
65	70	75
Ser Trp Lys Glu Gln Val Glu Ser Lys Thr Val Phe Ser Met Glu		
80	85	90
Leu Leu Leu Gly Arg Thr Arg Cys Gly Lys Phe Glu Asp Asp Ile		
95	100	105
Asp Asn Cys His Phe Gln Glu Ser Thr Glu Leu Asn Asn Thr Phe		
110	115	120
Thr Cys Phe Phe Thr Ile Ser Thr Arg Pro Trp Met Thr Gln Phe		
125	130	135
Ser Leu Leu Asn Lys Thr Cys Leu Glu Gly Phe His		
140	145	

<210> SEQ ID NO 145
<211> LENGTH: 1157
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 145

ctgtgcagct cgaggctcca gaggcacact ccagagagag ccaaggttct	50
gacgcgatga ggaagcacct gagctgggtg tggctggcca ctgtctgcat	100
gtgtctcttc agccacctct ctgcggtcca gacgaggggc atcaagcaca	150
gaatcaagtg gaaccggaag gccctgccca gcaactgccca gatcaactgag	200
gcccagggtg ctgagaaccg cccgggagcc ttcatacaagc aaggccgcaa	250
gtctgcacatt gacttcggag ccgagggcaa caggtactac gaggccaact	300
actggcagtt ccccgatggc atccactaca acggctgctc tgaggctaata	350
gtgaccaagg aggcatttgt caccggctgc atcaatgccca cccaggcggc	400
gaaccagggg gagttccaga agccagacaa caagctccac cagcagggtgc	450
tctggcggct ggtccaggag ctctgctccc tcaagcattg cgagttttgg	500
ttggagaggg gcgcaggact tcgggtcacc atgcaccagc cagtgtctct	550
ctgccttctg gctttgatct ggctcatggt gaaataagct tgccaggagg	600
ctggcagtag agagcgagc agcgagcaaa tcctggcaag tgaccagct	650
cttctccccc aaaccacgc gtgttctgaa ggtgccagg agcggcgatg	700
cactgcgact gcaaatgccg ctcccacgta tgcgccctgg tatgtgcctg	750
cgttctgata gatgggggac tgtggcttct ccgtcactcc attctcagcc	800
cctagcagag cgtctggcac actagattag tagtaaatgc ttgatgagaa	850
gaacacatca ggcaactgcg cacctgcttc acagtacttc ccaacaactc	900
ttagaggtag gtgtattccc gttttacaga taaggaaact gaggcccaga	950
gagctgaagt actgcaccca gcatcaccag ctagaaagtg gcagagccag	1000
gattcaacc tggtttgtct aaccacaggt tttctgctct gtccaattcc	1050

-continued

agagctgtct ggtgatcact ttatgtctca cagggaccca catccaaaca	1100
tgtatctcta atgaaattgt gaaagctcca tgtttagaaa taaatgaaaa	1150
cacctga	1157

<210> SEQ ID NO 146
<211> LENGTH: 176
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 146

Met Arg Lys His Leu Ser Trp Trp Trp Leu Ala Thr Val Cys Met	
1 5 10 15	
Leu Leu Phe Ser His Leu Ser Ala Val Gln Thr Arg Gly Ile Lys	
20 25 30	
His Arg Ile Lys Trp Asn Arg Lys Ala Leu Pro Ser Thr Ala Gln	
35 40 45	
Ile Thr Glu Ala Gln Val Ala Glu Asn Arg Pro Gly Ala Phe Ile	
50 55 60	
Lys Gln Gly Arg Lys Leu Asp Ile Asp Phe Gly Ala Glu Gly Asn	
65 70 75	
Arg Tyr Tyr Glu Ala Asn Tyr Trp Gln Phe Pro Asp Gly Ile His	
80 85 90	
Tyr Asn Gly Cys Ser Glu Ala Asn Val Thr Lys Glu Ala Phe Val	
95 100 105	
Thr Gly Cys Ile Asn Ala Thr Gln Ala Ala Asn Gln Gly Glu Phe	
110 115 120	
Gln Lys Pro Asp Asn Lys Leu His Gln Gln Val Leu Trp Arg Leu	
125 130 135	
Val Gln Glu Leu Cys Ser Leu Lys His Cys Glu Phe Trp Leu Glu	
140 145 150	
Arg Gly Ala Gly Leu Arg Val Thr Met His Gln Pro Val Leu Leu	
155 160 165	
Cys Leu Leu Ala Leu Ile Trp Leu Met Val Lys	
170 175	

<210> SEQ ID NO 147
<211> LENGTH: 333
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 147

gccttggcct cccaaagggc tgggattata ggcgtgacca ccatgtctgg	50
tccagagtct catttcctga tgatttatag actcaaagaa aactcatgtt	100
cagaagctct cttctcttct ggcctcctct ctgtcttctt tccctctttc	150
ttcttatttt aattagtagc atctactcag agtcatgcaa gctggaaatc	200
tttcattttg cttgtcagtg gggtaggtca ctgagtctta gtttttattt	250
tttgaaattt caactttcag attcaggggg tacatgtgaa ggtttgtttt	300
atgagtatat tgcgatgatgc tgaggtttgg ggt	333

<210> SEQ ID NO 148
<211> LENGTH: 73
<212> TYPE: PRT

-continued

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 148

Met Phe Arg Ser Ser Leu Leu Phe Trp Pro Pro Leu Cys Leu Leu
1 5 10 15
Ser Leu Phe Leu Leu Ile Leu Ile Ser Ser Ile Tyr Ser Glu Ser
20 25 30
Cys Lys Leu Glu Ile Phe His Phe Ala Cys Gln Trp Gly Arg Ser
35 40 45
Leu Ser Leu Ser Phe Tyr Phe Leu Lys Phe Gln Leu Ser Asp Ser
50 55 60
Gly Gly Thr Cys Glu Gly Leu Phe Tyr Glu Tyr Ile Ala
65 70

<210> SEQ ID NO 149

<211> LENGTH: 1893

<212> TYPE: DNA

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 149

gtctccgcgt cacaggaact tcagcaccca cagggcggac agcgtccccc 50
tctacctgga gacttgactc ccgcgcgccc caaccctgct tatcccttga 100
ccgtcgagtg tcagagatcc tgcagccgcc cagtcccggc ccctctcccg 150
ccccacacc accctcctgg ctcttctgt ttttactcct ctttttcatt 200
cataacaaaa gctacagctc caggagccca gcgcgggct gtgacccaag 250
ccgagcgtgg aagaatgggg ttccctcgga ccggcacttg gattctggtg 300
ttagtgctcc cgattcaagc ttccccaaa cctggaggaa gccaaagaaa 350
atctctacat aatagagaat taagtgcaga aagaccttg aatgaacaga 400
ttgctgaagc agaagaagac aagattaaaa aaacatatcc tccagaaaac 450
aagccaggtc agagcaacta ttcttttgtt gataacttga acctgctaaa 500
ggcaataaca gaaaaggaaa aaattgagaa agaaagaaa tctataagaa 550
gctccccact tgataataag ttgaatgttg aagatgttga ttcaaccaag 600
aatcgaaaac tgatcgatga ttatgactct actaagagtg gattggatca 650
taaatattcaa gatgatccag atgggtcttca tcaactagac gggactcctt 700
taaccgctga agacattgtc cataaaatcg ctgccaggat ttatgaagaa 750
aatgacagag ccgtgtttga caagattgtt tctaaactac ttaatctcgg 800
ccttatcaca gaaagccaag cacatacact ggaagatgaa gtagcagagg 850
ttttacaaaa attaatctca aaggaagcca acaattatga ggaggatccc 900
aataagccca caagctggac tgagaatcag gctggaaaaa taccagagaa 950
agtgactcca atggcagcaa ttcaagatgg tcttgctaag ggagaaaacg 1000
atgaaacagt atctaacaca ttaaccttga caaatggctt ggaaaggaga 1050
actaaaacct acagtgaaga caactttgag gaactccaat atttccaaa 1100
tttctatgcg ctactgaaaa gtattgattc agaaaaagaa gcaaaagaga 1150
aagaaacact gattactatc atgaaaacac tgattgactt tgtgaagatg 1200
atggtgaaat atggaacaat atctccagaa gaaggtgttt cctaccttga 1250

-continued

```
aaacttgat gaaatgatt ctcttcagac caaaaacaag ctagaaaaaa      1300
atgctactga caatataagc aagcttttcc cagcaccatc agagaagagt      1350
catgaagaaa cagacagtac caaggaagaa gcagctaaga tggaaaagga      1400
atatggaagc ttgaaggatt ccacaaaaga tgataactcc aaccaggag      1450
gaaagacaga tgaacccaaa ggaaaaacag aagcctatit ggaagccatc      1500
agaaaaata ttgaatggtt gaagaaacat gacaaaaagg gaaataaaga      1550
agattatgac ctttcaaaga tgagagactt catcaataaa caagctgatg      1600
cttatgtgga gaaaggcatc cttgacaagg aagaagccga ggccatcaag      1650
cgcattttata gcagcctgta aaaatggcaa aagatccagg agtctttcaa      1700
ctgtttcaga aaacataata tagcttaaaa cacttctaata tctgtgatta      1750
aaattttttg acccaagggt tattagaaag tgctgaattt acagtagtta      1800
accttttaca agtgggttaa acatagcttt cttcccgtaa aaactatctg      1850
aaagtaaagt tgtatgtaag ctgaaaaaaa aaaaaaaaaa aaa          1893
```

<210> SEQ ID NO 150

<211> LENGTH: 468

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 150

```
Met Gly Phe Leu Gly Thr Gly Thr Trp Ile Leu Val Leu Val Leu      1
1          5          10          15
Pro Ile Gln Ala Phe Pro Lys Pro Gly Gly Ser Gln Asp Lys Ser      20
20          25          30
Leu His Asn Arg Glu Leu Ser Ala Glu Arg Pro Leu Asn Glu Gln      35
35          40          45
Ile Ala Glu Ala Glu Glu Asp Lys Ile Lys Lys Thr Tyr Pro Pro      50
50          55          60
Glu Asn Lys Pro Gly Gln Ser Asn Tyr Ser Phe Val Asp Asn Leu      65
65          70          75
Asn Leu Leu Lys Ala Ile Thr Glu Lys Glu Lys Ile Glu Lys Glu      80
80          85          90
Arg Gln Ser Ile Arg Ser Ser Pro Leu Asp Asn Lys Leu Asn Val      95
95          100         105
Glu Asp Val Asp Ser Thr Lys Asn Arg Lys Leu Ile Asp Asp Tyr      110
110         115         120
Asp Ser Thr Lys Ser Gly Leu Asp His Lys Phe Gln Asp Asp Pro      125
125         130         135
Asp Gly Leu His Gln Leu Asp Gly Thr Pro Leu Thr Ala Glu Asp      140
140         145         150
Ile Val His Lys Ile Ala Ala Arg Ile Tyr Glu Glu Asn Asp Arg      155
155         160         165
Ala Val Phe Asp Lys Ile Val Ser Lys Leu Leu Asn Leu Gly Leu      170
170         175         180
Ile Thr Glu Ser Gln Ala His Thr Leu Glu Asp Glu Val Ala Glu      185
185         190         195
Val Leu Gln Lys Leu Ile Ser Lys Glu Ala Asn Asn Tyr Glu Glu      200
200         205         210
```

-continued

Asp	Pro	Asn	Lys	Pro	Thr	Ser	Trp	Thr	Glu	Asn	Gln	Ala	Gly	Lys
			215						220					225
Ile	Pro	Glu	Lys	Val	Thr	Pro	Met	Ala	Ala	Ile	Gln	Asp	Gly	Leu
			230						235					240
Ala	Lys	Gly	Glu	Asn	Asp	Glu	Thr	Val	Ser	Asn	Thr	Leu	Thr	Leu
			245						250					255
Thr	Asn	Gly	Leu	Glu	Arg	Arg	Thr	Lys	Thr	Tyr	Ser	Glu	Asp	Asn
			260						265					270
Phe	Glu	Glu	Leu	Gln	Tyr	Phe	Pro	Asn	Phe	Tyr	Ala	Leu	Leu	Lys
			275						280					285
Ser	Ile	Asp	Ser	Glu	Lys	Glu	Ala	Lys	Glu	Lys	Glu	Thr	Leu	Ile
			290						295					300
Thr	Ile	Met	Lys	Thr	Leu	Ile	Asp	Phe	Val	Lys	Met	Met	Val	Lys
			305						310					315
Tyr	Gly	Thr	Ile	Ser	Pro	Glu	Glu	Gly	Val	Ser	Tyr	Leu	Glu	Asn
			320						325					330
Leu	Asp	Glu	Met	Ile	Ala	Leu	Gln	Thr	Lys	Asn	Lys	Leu	Glu	Lys
			335						340					345
Asn	Ala	Thr	Asp	Asn	Ile	Ser	Lys	Leu	Phe	Pro	Ala	Pro	Ser	Glu
			350						355					360
Lys	Ser	His	Glu	Glu	Thr	Asp	Ser	Thr	Lys	Glu	Glu	Ala	Ala	Lys
			365						370					375
Met	Glu	Lys	Glu	Tyr	Gly	Ser	Leu	Lys	Asp	Ser	Thr	Lys	Asp	Asp
			380						385					390
Asn	Ser	Asn	Pro	Gly	Gly	Lys	Thr	Asp	Glu	Pro	Lys	Gly	Lys	Thr
			395						400					405
Glu	Ala	Tyr	Leu	Glu	Ala	Ile	Arg	Lys	Asn	Ile	Glu	Trp	Leu	Lys
			410						415					420
Lys	His	Asp	Lys	Lys	Gly	Asn	Lys	Glu	Asp	Tyr	Asp	Leu	Ser	Lys
			425						430					435
Met	Arg	Asp	Phe	Ile	Asn	Lys	Gln	Ala	Asp	Ala	Tyr	Val	Glu	Lys
			440						445					450
Gly	Ile	Leu	Asp	Lys	Glu	Glu	Ala	Glu	Ala	Ile	Lys	Arg	Ile	Tyr
			455						460					465
Ser	Ser	Leu												

<210> SEQ ID NO 151
<211> LENGTH: 2598
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 151

cggtctgagg	ctccgccag	gagaaaggaa	cattctgagg	ggagtctaca	50
ccctgtggag	ctcaagatgg	tcctgagtgg	ggcgctgtgc	ttccgaatga	100
aggactcggc	attgaaggtg	ctttatctgc	ataataacca	gcttctagct	150
ggagggctgc	atgcagggaa	ggtcattaaa	ggtgaagaga	tcagcgtggt	200
ccccaatcgg	tggctggatg	ccagcctgtc	ccccgtcatc	ctgggtgtcc	250
aggggtgga	ccagtgcctg	tcatgtgggg	tggggcagga	gccgactcta	300
acactagagc	cagtgaacat	catggagctc	tatcttggtg	ccaaggaatc	350

-continued

caagagcttc accttctacc ggcgggacat ggggctcacc tccagcttcg	400
agtcggctgc ctaccgggc tggttcctgt gcacggtgcc tgaagccgat	450
cagcctgtca gactcaccga gcttcccag aatggtggct ggaatgcccc	500
catcacagac ttctacttcc agcagtgatga ctagggaac gtgccccca	550
gaactccctg ggcagagcca gctcgggtga ggggtgagtg gaggagaccc	600
atggcggaac atcactctct ctgctctcag gacccccacg tctgacttag	650
tgggcacctg accactttgt cttctggttc ccagtttga taaattctga	700
gatttggagc tcagtccacg gtctctcccc actggatggt gctactgctg	750
tggaaccttg taaaaccat gtggggtaaa ctgggaataa catgaaaaga	800
tttctgtggg ggtgggtgg gggagtggg ggaatcattc ctgcttaatg	850
gtaactgaca agtgttacc tgagccccg aggccaaacc atccccagtt	900
gagccttata gggtcagtag ctctccacat gaagtcctgt cactcaccac	950
tgtgcaggag agggaggtg tcatagagtc agggatctat ggcccttggc	1000
ccagccccac ccccttccct ttaatcctgc cactgtcata tgctaccttt	1050
cctatctctt ccctcatcat ctgtgtgtg gcacgagag gtgggtgatgt	1100
cagaagaaat ggctcgagct cagaagataa aagataagta gggtagtctg	1150
atcctctttt aaaaacccaa gatacaatca aaatcccaga tgctgggtctc	1200
tattcccatg aaaaagtgt catgacatat tgagaagacc tacttacaaa	1250
gtggcatata ttgcaattta ttttaattaa aagataccta tttatatatt	1300
tctttataga aaaaagtctg gaagagtta cttcaattgt agcaatgtca	1350
gggtgggtgc agtatagggt atttttcttt taattctgtt aatttatctg	1400
tatttcctaa tttttctaca atgaagatga attccttgta taaaaataag	1450
aaaagaaatt aatcttgagg taagcagagc agacatcatc tctgattgtc	1500
ctcagcctcc acttcccag agtaaatca aattgaatcg agctctgctg	1550
ctctggttgg ttgtagtagt gatcaggaaa cagatctcag caaagccact	1600
gaggaggagg ctgtgctgag ttgtgtggc tggaatctct gggtaaaggaa	1650
cttaagaac aaaaatcatc tggttaattct ttcctagaag gatcacagcc	1700
cctgggattc caaggcattg gatccagtct ctaagaaggc tgctgtactg	1750
gttgaaattg gtccccctca aattcacatc cttcttgaa tctcagtctg	1800
tgagtttatt tggagataag gtctctgcag atgtagttag ttaagacaag	1850
gtcatgctgg atgaaggtag acctaaatc aatatgactg gtttccttgt	1900
atgaaaagga gagacacag agacagagga gacgcgggga agactatgta	1950
aagatgaagg cagagatcgg agttttgcag ccacaagcta agaaacacca	2000
aggatttggg caaccatcag aagcttggaa gaggcaaaga agaattcttc	2050
cctagagggt ttagagggat aacggctctg ctgaaacctt aatctcagac	2100
ttccagcctc ctgaacgaag aaagaataaa tttcggctgt ttaagccac	2150
caagataaat tggttacagc agctctagga aactaataca gctgctaaaa	2200
tgatccctgt ctctcgtgt ttacattctg tgtgtgtccc ctcccacaat	2250

-continued

gtaccaaaagt tgtctttgtg accaatagaa tatggcagaa gtgatggcat	2300
gccacttcca agattagggt ataaaagaca ctgcagcttc tacttgagcc	2350
ctctctctct gccacccacc gcccacaatc tatcttggt cactcgctct	2400
gggggaagct agctgccatg ctatgagcag gcctataaag agacttacgt	2450
ggtaaaaaat gaagtctcct gccacagcc acattagtga acctagaagc	2500
agagactctg tgagataatc gatgtttgtt gttttaagtt gtcagtttt	2550
ggtctaactt gttatgcagc aatagataaa taatatgcag agaaagag	2598

<210> SEQ ID NO 152
 <211> LENGTH: 155
 <212> TYPE: PRT
 <213> ORGANISM: Homo Sapien

<400> SEQUENCE: 152

Met Val Leu Ser Gly Ala Leu Cys Phe Arg Met Lys Asp Ser Ala	1 5 10 15
Leu Lys Val Leu Tyr Leu His Asn Asn Gln Leu Leu Ala Gly Gly	20 25 30
Leu His Ala Gly Lys Val Ile Lys Gly Glu Glu Ile Ser Val Val	35 40 45
Pro Asn Arg Trp Leu Asp Ala Ser Leu Ser Pro Val Ile Leu Gly	50 55 60
Val Gln Gly Gly Ser Gln Cys Leu Ser Cys Gly Val Gly Gln Glu	65 70 75
Pro Thr Leu Thr Leu Glu Pro Val Asn Ile Met Glu Leu Tyr Leu	80 85 90
Gly Ala Lys Glu Ser Lys Ser Phe Thr Phe Tyr Arg Arg Asp Met	95 100 105
Gly Leu Thr Ser Ser Phe Glu Ser Ala Ala Tyr Pro Gly Trp Phe	110 115 120
Leu Cys Thr Val Pro Glu Ala Asp Gln Pro Val Arg Leu Thr Gln	125 130 135
Leu Pro Glu Asn Gly Gly Trp Asn Ala Pro Ile Thr Asp Phe Tyr	140 145 150
Phe Gln Gln Cys Asp	155

<210> SEQ ID NO 153
 <211> LENGTH: 1152
 <212> TYPE: DNA
 <213> ORGANISM: Homo Sapien

<400> SEQUENCE: 153

cttcagaaca ggttctcctt cccagctcac cagttgctcg agttagaatt	50
gtctgcaatg gccgccctgc agaaatctgt gagctctttc cttatgggga	100
ccctggccac cagctgcctc cttctcttgg ccctcttggt acagggagga	150
gcagctgcgc ccatcagctc cactgcagg cttgacaagt ccaacttcca	200
gcagccctat atcaccaacc gcaccttcac gctggctaag gaggctagct	250
tggtgataa caacacagac gttcgtctca ttggggagaa actgttccac	300
ggagtcagta tgagtgaagc ctgctatctg atgaagcagg tgctgaactt	350

-continued

cacccttgaa gaagtgcgtg tccctcaatc tgataggttc cagccttata	400
tgcaggagggt ggtgcccttc ctggccaggc tcagcaacag gctaagcaca	450
tgatcatattg aaggatgatga cctgcatatc cagaggaatg tgcaaaagct	500
gaagcacaca gtgaaaaagc ttggagagag tggagagatc aaagcaattg	550
gagaactgga tttgctgttt atgtctctga gaaatgcctg catttgacca	600
gagcaaaagct gaaaaatgaa taactaacc cctttccctg ctagaataa	650
caattagatg ccccaaagcg atttttttta accaaaagga agatgggaag	700
ccaaactcca tcatgatggg tggattccaa atgaaccctt gcgttagtta	750
caaaggaaac caatgccact tttgtttata agaccagaag gtagactttc	800
taagcataga tatttattga taacatttca ttgtaactgg tgttctatac	850
acagaaaaca atttattttt taaataattg tctttttcca taaaaaagat	900
tactttccat tcctttaggg gaaaaaaccc ctaaatagct tcatgtttcc	950
ataatcagta ctttatattt ataaatgtat ttattattat tataagactg	1000
cattttattt atatcatttt attaatatgg atttatttat agaaacatca	1050
ttcgaatattg ctacttgagt gtaaggctaa tattgatatt tatgacaata	1100
attatagagc tataacatgt ttatttgacc tcaataaaca cttggatatc	1150
cc	1152

<210> SEQ ID NO 154

<211> LENGTH: 179

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 154

Met	Ala	Ala	Leu	Gln	Lys	Ser	Val	Ser	Ser	Phe	Leu	Met	Gly	Thr	1	5	10	15
Leu	Ala	Thr	Ser	Cys	Leu	Leu	Leu	Leu	Ala	Leu	Leu	Val	Gln	Gly	20	25	30	
Gly	Ala	Ala	Ala	Pro	Ile	Ser	Ser	His	Cys	Arg	Leu	Asp	Lys	Ser	35	40	45	
Asn	Phe	Gln	Gln	Pro	Tyr	Ile	Thr	Asn	Arg	Thr	Phe	Met	Leu	Ala	50	55	60	
Lys	Glu	Ala	Ser	Leu	Ala	Asp	Asn	Asn	Thr	Asp	Val	Arg	Leu	Ile	65	70	75	
Gly	Glu	Lys	Leu	Phe	His	Gly	Val	Ser	Met	Ser	Glu	Arg	Cys	Tyr	80	85	90	
Leu	Met	Lys	Gln	Val	Leu	Asn	Phe	Thr	Leu	Glu	Glu	Val	Leu	Phe	95	100	105	
Pro	Gln	Ser	Asp	Arg	Phe	Gln	Pro	Tyr	Met	Gln	Glu	Val	Val	Pro	110	115	120	
Phe	Leu	Ala	Arg	Leu	Ser	Asn	Arg	Leu	Ser	Thr	Cys	His	Ile	Glu	125	130	135	
Gly	Asp	Asp	Leu	His	Ile	Gln	Arg	Asn	Val	Gln	Lys	Leu	Lys	Asp	140	145	150	
Thr	Val	Lys	Lys	Leu	Gly	Glu	Ser	Gly	Glu	Ile	Lys	Ala	Ile	Gly	155	160	165	

-continued

Glu Leu Asp Leu Leu Phe Met Ser Leu Arg Asn Ala Cys Ile
170 175

<210> SEQ ID NO 155
<211> LENGTH: 1320
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 155

ggcttgctga aaataaaatc aggactccta acctgctcca gtcagcctgc 50
ttccacgagg cctgtcagtc agtgcccgac ttgtgactga gtgtgcagtg 100
cccagcatgt accaggtcag tgcagagggc tgcctgaggg ctgtgctgag 150
agggagagga gcagagatgc tgctgagggg ggagggaggc caagctgcca 200
ggtttggggc tgggggccaa gtggagttag aaactgggat cccaggggga 250
gggtgcagat gagggagcga cccagattag gtgaggacag ttctctcatt 300
agccttttcc tacagggtgt tgcattcttg gcaatggtca tgggaaccca 350
cacctacagc cactggccca gctgctgccc cagcaaaggg caggacacct 400
ctgaggagct gctgaggtgg agcactgtgc ctgtgcctcc cctagagcct 450
gctaggccca accgccccc agagtcctgt agggccagtg aagatggacc 500
cctcaacagc agggccatct cccctggag atatgagttg gacagagact 550
tgaaccgggt ccccaggac ctgtaccagc ccggtgcct gtgcccgcac 600
tgctgcagcc tacagacagg ctcccacatg gacccccggg gcaactcgga 650
gctgctctac cacaaccaga ctgtcttcta caggcggcca tgccatggcg 700
agaagggcac ccacaagggc tactgcctgg agcgcaggct gtaccgtgtt 750
tccttagctt gtgtgtgtgt gcggccccgt gtgatgggct agccggacct 800
gctggaggct ggtccctttt tgggaaacct ggagccaggt gtacaaccac 850
ttgccatgaa gggccaggat gccagatgc ttggcccctg tgaagtgtg 900
tctggagcag caggatcccg ggacaggatg gggggctttg gggaaaacct 950
gcacttctgc acattttgaa aagagcagct gctgcttagg gccgccgaa 1000
gctggtgtcc tgtcattttc tctcaggaaa ggttttcaa gttctgccca 1050
tttctggagg ccaccactcc tgtctcttcc tcttttccca tcccctgcta 1100
ccctggccca gcacaggcac tttctagata tttcccctt gctggagaag 1150
aaagagcccc tggttttatt tgttgttta ctcactactc agtgagcatc 1200
tactttgggt gcattctagt gtagttacta gtcttttgac atggatgatt 1250
ctgaggagga agctgttatt gaatgtatag agatttatcc aaataaatat 1300
ctttatttaa aatgaaaaa 1320

<210> SEQ ID NO 156
<211> LENGTH: 177
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 156

Met Arg Glu Arg Pro Arg Leu Gly Glu Asp Ser Ser Leu Ile Ser
1 5 10 15

-continued

Leu	Phe	Leu	Gln	Val	Val	Ala	Phe	Leu	Ala	Met	Val	Met	Gly	Thr
			20						25					30
His	Thr	Tyr	Ser	His	Trp	Pro	Ser	Cys	Cys	Pro	Ser	Lys	Gly	Gln
			35						40					45
Asp	Thr	Ser	Glu	Glu	Leu	Leu	Arg	Trp	Ser	Thr	Val	Pro	Val	Pro
			50						55					60
Pro	Leu	Glu	Pro	Ala	Arg	Pro	Asn	Arg	His	Pro	Glu	Ser	Cys	Arg
			65						70					75
Ala	Ser	Glu	Asp	Gly	Pro	Leu	Asn	Ser	Arg	Ala	Ile	Ser	Pro	Trp
			80						85					90
Arg	Tyr	Glu	Leu	Asp	Arg	Asp	Leu	Asn	Arg	Leu	Pro	Gln	Asp	Leu
			95						100					105
Tyr	His	Ala	Arg	Cys	Leu	Cys	Pro	His	Cys	Val	Ser	Leu	Gln	Thr
			110						115					120
Gly	Ser	His	Met	Asp	Pro	Arg	Gly	Asn	Ser	Glu	Leu	Leu	Tyr	His
			125						130					135
Asn	Gln	Thr	Val	Phe	Tyr	Arg	Arg	Pro	Cys	His	Gly	Glu	Lys	Gly
			140						145					150
Thr	His	Lys	Gly	Tyr	Cys	Leu	Glu	Arg	Arg	Leu	Tyr	Arg	Val	Ser
			155						160					165
Leu	Ala	Cys	Val	Cys	Val	Arg	Pro	Arg	Val	Met	Gly			
			170						175					

<210> SEQ ID NO 157
<211> LENGTH: 1515
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 157

ccggcgatgt cgctcgtgct gctaagcctg gccgcgctgt gcaggagcgc	50
cgtaccccga gagccgaccg ttcaatgtgg ctctgaaact gggccatctc	100
cagagtggat gctacaacat gatctaattcc ccggagactt gagggacctc	150
cgagtagaac ctgttacaac tagtgttgca acaggggact attcaatttt	200
gatgaatgta agctgggtac tccgggcaga tgccagcatc cgcttggtga	250
aggccaccaa gatttgtgtg acggggcaaaa gcaacttcca gtcctacagc	300
tgtgtgaggt gcaattacac agaggccttc cagactcaga ccagaccctc	350
tggtggtaaa tggacatttt cctacatcgg cttccctgta gagctgaaca	400
cagtctattt cattggggcc cataatatcc ctaatgcaa tatgaatgaa	450
gatggccctt ccatgtctgt gaatttcacc tcaccaggct gcctagacca	500
cataatgaaa tataaaaaaa agtgtgtcaa ggccggaagc ctgtgggatc	550
cgaacatcac tgcttgtaag aagaatgagg agacagtaga agtgaacttc	600
acaaccactc ccctgggaaa cagatacatg gctcttatcc aacacagcac	650
tatcatcggg ttttctcagg tgtttgagcc acaccagaag aaacaaacgc	700
gagcttcagt ggtgattcca gtgactgggg atagtgaagg tgctacggtg	750
cagctgactc catattttcc tacttggtgc agcgactgca tccgacataa	800
aggaacagtt gtgctctgcc cacaaacagg cgtccctttc cctctggata	850
acaacaaaag caagccggga ggctggctgc ctctcctcct gctgtctctg	900

-continued

```
ctggtggcca catgggtgct ggtggcagg atctatctaa tgtggaggca      950
cgaaaggatc aagaagactt ccttttctac caccacacta ctgcccccca      1000
ttaaggttct tgtggtttac ccatctgaaa tatgtttcca tcacacaatt      1050
tgttacttca ctgaatttct tcaaaaccat tgcagaagtg aggtcatcct      1100
tgaaaagtgg cagaaaaaga aaatagcaga gatgggtcca gtgcagtggc      1150
ttgccactca aaagaaggca gcagacaaag tcgtcttcct tctttccaat      1200
gacgtcaaca gtgtgtgcga tggtagctgt ggcaagagcg agggcagtcc      1250
cagtgagaac tctcaagacc tcttccccct tgcctttaac cttttctgca      1300
gtgatctaag aagccagatt catctgcaca aatacgtggt ggtctacttt      1350
agagagattg atacaaaaga cgattacaat gctctcagtg tctgccccaa      1400
gtaccacctc atgaaggatg cactgtcttt ctgtgcagaa cttctccatg      1450
tcaagcagca ggtgtcagca ggaaaaagat cacaagcctg ccacgatggc      1500
tgctgctcct tgtag      1515
```

<210> SEQ ID NO 158

<211> LENGTH: 502

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 158

```
Met Ser Leu Val Leu Leu Ser Leu Ala Ala Leu Cys Arg Ser Ala
 1             5             10            15
Val Pro Arg Glu Pro Thr Val Gln Cys Gly Ser Glu Thr Gly Pro
      20            25            30
Ser Pro Glu Trp Met Leu Gln His Asp Leu Ile Pro Gly Asp Leu
      35            40            45
Arg Asp Leu Arg Val Glu Pro Val Thr Thr Ser Val Ala Thr Gly
      50            55            60
Asp Tyr Ser Ile Leu Met Asn Val Ser Trp Val Leu Arg Ala Asp
      65            70            75
Ala Ser Ile Arg Leu Leu Lys Ala Thr Lys Ile Cys Val Thr Gly
      80            85            90
Lys Ser Asn Phe Gln Ser Tyr Ser Cys Val Arg Cys Asn Tyr Thr
      95           100           105
Glu Ala Phe Gln Thr Gln Thr Arg Pro Ser Gly Gly Lys Trp Thr
     110           115           120
Phe Ser Tyr Ile Gly Phe Pro Val Glu Leu Asn Thr Val Tyr Phe
     125           130           135
Ile Gly Ala His Asn Ile Pro Asn Ala Asn Met Asn Glu Asp Gly
     140           145           150
Pro Ser Met Ser Val Asn Phe Thr Ser Pro Gly Cys Leu Asp His
     155           160           165
Ile Met Lys Tyr Lys Lys Lys Cys Val Lys Ala Gly Ser Leu Trp
     170           175           180
Asp Pro Asn Ile Thr Ala Cys Lys Lys Asn Glu Glu Thr Val Glu
     185           190           195
Val Asn Phe Thr Thr Thr Pro Leu Gly Asn Arg Tyr Met Ala Leu
     200           205           210
```

-continued

Ile Gln His Ser Thr Ile Ile Gly Phe Ser Gln Val Phe Glu Pro
215 220 225
His Gln Lys Lys Gln Thr Arg Ala Ser Val Val Ile Pro Val Thr
230 235 240
Gly Asp Ser Glu Gly Ala Thr Val Gln Leu Thr Pro Tyr Phe Pro
245 250 255
Thr Cys Gly Ser Asp Cys Ile Arg His Lys Gly Thr Val Val Leu
260 265 270
Cys Pro Gln Thr Gly Val Pro Phe Pro Leu Asp Asn Asn Lys Ser
275 280 285
Lys Pro Gly Gly Trp Leu Pro Leu Leu Leu Leu Ser Leu Leu Val
290 295 300
Ala Thr Trp Val Leu Val Ala Gly Ile Tyr Leu Met Trp Arg His
305 310 315
Glu Arg Ile Lys Lys Thr Ser Phe Ser Thr Thr Thr Leu Leu Pro
320 325 330
Pro Ile Lys Val Leu Val Val Tyr Pro Ser Glu Ile Cys Phe His
335 340 345
His Thr Ile Cys Tyr Phe Thr Glu Phe Leu Gln Asn His Cys Arg
350 355 360
Ser Glu Val Ile Leu Glu Lys Trp Gln Lys Lys Lys Ile Ala Glu
365 370 375
Met Gly Pro Val Gln Trp Leu Ala Thr Gln Lys Lys Ala Ala Asp
380 385 390
Lys Val Val Phe Leu Leu Ser Asn Asp Val Asn Ser Val Cys Asp
395 400 405
Gly Thr Cys Gly Lys Ser Glu Gly Ser Pro Ser Glu Asn Ser Gln
410 415 420
Asp Leu Phe Pro Leu Ala Phe Asn Leu Phe Cys Ser Asp Leu Arg
425 430 435
Ser Gln Ile His Leu His Lys Tyr Val Val Val Tyr Phe Arg Glu
440 445 450
Ile Asp Thr Lys Asp Asp Tyr Asn Ala Leu Ser Val Cys Pro Lys
455 460 465
Tyr His Leu Met Lys Asp Ala Thr Ala Phe Cys Ala Glu Leu Leu
470 475 480
His Val Lys Gln Gln Val Ser Ala Gly Lys Arg Ser Gln Ala Cys
485 490 495
His Asp Gly Cys Cys Ser Leu
500

<210> SEQ ID NO 159
<211> LENGTH: 535
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 159

agccaccagc gcaacatgac agtgaagacc ctgcatggcc cagccatggt 50
caagtacttg ctgctgtcga tattggggct tgcctttctg agtgaggcgg 100
cagctcggaa aatccccaaa gtaggacata cttttttcca aaagcctgag 150
agttgcccgc ctgtgccagg aggtagtatg aagcttgaca ttggcatcat 200

-continued

caatgaaaac cagcgcggtt ccatgtcacg taacatcgag agccgctcca	250
cctccccctg gaattacact gtcacttggg accccaaccg gtaccacctg	300
gaagttgtac aggcccagtg taggaacttg ggctgcatca atgctcaagg	350
aaaggaagac atctccatga attccgttcc catccagcaa gagaccttg	400
tcgtccggag gaagcaccaa ggctgctctg tttctttcca gttggagaag	450
gtgctgggta ctgttggctg cacctgcgtc acccctgtca tccaccatgt	500
gcagtaagag gtgcatatcc actcagctga agaag	535

<210> SEQ ID NO 160
<211> LENGTH: 163
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 160

Met Thr Val Lys Thr Leu His Gly Pro Ala Met Val Lys Tyr Leu	
1 5 10 15	
Leu Leu Ser Ile Leu Gly Leu Ala Phe Leu Ser Glu Ala Ala Ala	
20 25 30	
Arg Lys Ile Pro Lys Val Gly His Thr Phe Phe Gln Lys Pro Glu	
35 40 45	
Ser Cys Pro Pro Val Pro Gly Gly Ser Met Lys Leu Asp Ile Gly	
50 55 60	
Ile Ile Asn Glu Asn Gln Arg Val Ser Met Ser Arg Asn Ile Glu	
65 70 75	
Ser Arg Ser Thr Ser Pro Trp Asn Tyr Thr Val Thr Trp Asp Pro	
80 85 90	
Asn Arg Tyr Pro Ser Glu Val Val Gln Ala Gln Cys Arg Asn Leu	
95 100 105	
Gly Cys Ile Asn Ala Gln Gly Lys Glu Asp Ile Ser Met Asn Ser	
110 115 120	
Val Pro Ile Gln Gln Glu Thr Leu Val Val Arg Arg Lys His Gln	
125 130 135	
Gly Cys Ser Val Ser Phe Gln Leu Glu Lys Val Leu Val Thr Val	
140 145 150	
Gly Cys Thr Cys Val Thr Pro Val Ile His His Val Gln	
155 160	

<210> SEQ ID NO 161
<211> LENGTH: 2380
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 161

acactggcca acaaaaaacg aaagcactcc gtgctggaag taggaggaga	50
gtcaggactc ccaggacaga gagtgcacaa actaccacgc acagccccct	100
ccgccccctc tggaggctga agagggtatc cagcccctgc caccacaga	150
cacgggctga ctgggggtgtc tgccccctt gggggggggc agcacagggc	200
ctcaggcctg ggtgccacct ggcacctaga agatgcctgt gccctggttc	250
ttgtgttcct tggcactggg ccgaagccca gtgttcctt ctctggagag	300

-continued

gcttgtgggg	cctcaggacg	ctacccactg	ctctccgggc	ctctcctgcc	350
gcctctggga	cagtgcata	ctctgcctgc	ctggggacat	cgtgcctgct	400
ccgggccccg	tgctggcgcc	tacgcacctg	cagacagagc	tggtgctgag	450
gtgccagaag	gagaccgact	gtgacctctg	tctgcgtgtg	gctgtccact	500
tggccgtgca	tgggcactgg	gaagagcctg	aagatgagga	aaagtttgga	550
ggagcagctg	actcaggggt	ggaggagcct	aggaatgcct	ctctccaggc	600
ccaagtctgt	ctctccttcc	aggcctaccc	tactgcccg	tgcgctcctgc	650
tggagggtgca	agtgccctgct	gcccttgtgc	agtttggtca	gtctgtgggc	700
tctgtggtat	atgactgctt	caggcctgcc	ctagggagtg	aggtacgaat	750
ctggtcctat	actcagccca	ggtacgagaa	ggaactcaac	cacacacagc	800
agctgcctgc	cctgccctgg	ctcaacgtgt	cagcagatgg	tgacaacgtg	850
catctgtgtc	tgaatgtctc	tgaggagcag	cacttcggcc	tctccctgta	900
ctggaatcag	gtccaggggc	ccccaaaacc	ccggtggcac	aaaaacctga	950
ctggaccgca	gatcattacc	ttgaaccaca	cagacctggt	tccctgcctc	1000
tgtatttcagg	tgtggcctct	ggaacctgac	tccgttagga	cgaacatctg	1050
ccccttcagg	gaggaccccc	gcgcacacca	gaacctctgg	caagccgccc	1100
gactgcgact	gctgaccctg	cagagctggc	tgctggacgc	accgtgctcg	1150
ctgcccgcag	aagcggcact	gtgctggcgg	gctccgggtg	gggacccctg	1200
ccagccactg	gtcccaccgc	tttccctggg	gaacgtcact	gtggacaagg	1250
ttctcgagtt	ccattgctg	aaaggccacc	ctaacctctg	tgttcagggtg	1300
aacagctcgg	agaagctgca	gctgcaggag	tgcttgtggg	ctgactccct	1350
ggggcctctc	aaagacgatg	tgtactgttt	ggagacacga	ggccccagg	1400
acaacagatc	cctctgtgcc	ttggaaccca	gtggctgtac	ttcactaccc	1450
agcaaaagcct	ccacgagggc	agctcgcctt	ggagagtact	tactacaaga	1500
cctgcagtca	ggccagtgtc	tgcaactatg	ggacgatgac	ttgggagcgc	1550
tatgggcctg	cccatggac	aaatacatcc	acaagcgtg	ggccctcgtg	1600
tggtgtggcct	gcctactctt	tgccgctcgc	ctttccctca	tcctccttct	1650
caaaaaggat	cacgcgaaa	ggtggctgag	gctcttga	caggacgtcc	1700
gctcgggggc	ggccgccagg	ggccgcgcgg	ctctgctcct	ctactcagcc	1750
gatgactcgg	gtttcgagcg	cctggtgggc	gccctggcgt	cggccctgtg	1800
ccagctgcgc	ctgcgcgtgg	ccgtagacct	gtggagccgt	cgtgaactga	1850
gcgcgcaggg	gcccggtgct	tggtttcacg	cgcagcggcg	ccagaccctg	1900
caggagggcg	gcgtggtggt	cttgctcttc	tctcccggtg	cgttggcgct	1950
gtgcagcgag	tggctacagg	atgggggtgc	cgggcccggg	gcgcacggcc	2000
cgcacgacgc	cttcgcgcgc	tcgctcagct	gcgtgctgcc	cgaattcttg	2050
cagggccggg	cgcccggcag	ctacgtgggg	gcctgcttcg	acaggtctgt	2100
ccaccgggac	gccgtaccgg	cccttttccg	caccgtgcc	gtcttcacac	2150
tgccctccca	actgccagac	ttcctggggg	ccctgcagca	gcctcgcgcc	2200

-continued

ccgcgttccg ggcggctcca agagagagcg gagcaagtgt cccggggccct	2250
tcagccagcc ctggatagct acttccatcc cccggggact cccgcgccgg	2300
gacgcggggt gggaccaggg gcgggacctg gggcggggga cgggacttaa	2350
ataaaggcag acgctgtttt tctaaaaaaaa	2380

<210> SEQ ID NO 162
<211> LENGTH: 705
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 162

Met Pro Val Pro Trp Phe Leu Leu Ser Leu Ala Leu Gly Arg Ser	1 5 10 15
Pro Val Val Leu Ser Leu Glu Arg Leu Val Gly Pro Gln Asp Ala	20 25 30
Thr His Cys Ser Pro Gly Leu Ser Cys Arg Leu Trp Asp Ser Asp	35 40 45
Ile Leu Cys Leu Pro Gly Asp Ile Val Pro Ala Pro Gly Pro Val	50 55 60
Leu Ala Pro Thr His Leu Gln Thr Glu Leu Val Leu Arg Cys Gln	65 70 75
Lys Glu Thr Asp Cys Asp Leu Cys Leu Arg Val Ala Val His Leu	80 85 90
Ala Val His Gly His Trp Glu Glu Pro Glu Asp Glu Glu Lys Phe	95 100 105
Gly Gly Ala Ala Asp Ser Gly Val Glu Glu Pro Arg Asn Ala Ser	110 115 120
Leu Gln Ala Gln Val Val Leu Ser Phe Gln Ala Tyr Pro Thr Ala	125 130 135
Arg Cys Val Leu Leu Glu Val Gln Val Pro Ala Ala Leu Val Gln	140 145 150
Phe Gly Gln Ser Val Gly Ser Val Val Tyr Asp Cys Phe Glu Ala	155 160 165
Ala Leu Gly Ser Glu Val Arg Ile Trp Ser Tyr Thr Gln Pro Arg	170 175 180
Tyr Glu Lys Glu Leu Asn His Thr Gln Gln Leu Pro Ala Leu Pro	185 190 195
Trp Leu Asn Val Ser Ala Asp Gly Asp Asn Val His Leu Val Leu	200 205 210
Asn Val Ser Glu Glu Gln His Phe Gly Leu Ser Leu Tyr Trp Asn	215 220 225
Gln Val Gln Gly Pro Pro Lys Pro Arg Trp His Lys Asn Leu Thr	230 235 240
Gly Pro Gln Ile Ile Thr Leu Asn His Thr Asp Leu Val Pro Cys	245 250 255
Leu Cys Ile Gln Val Trp Pro Leu Glu Pro Asp Ser Val Arg Thr	260 265 270
Asn Ile Cys Pro Phe Arg Glu Asp Pro Arg Ala His Gln Asn Leu	275 280 285
Trp Gln Ala Ala Arg Leu Arg Leu Leu Thr Leu Gln Ser Trp Leu	290 295 300

-continued

Leu	Asp	Ala	Pro	Cys	Ser	Leu	Pro	Ala	Glu	Ala	Ala	Leu	Cys	Trp	305	310	315
Arg	Ala	Pro	Gly	Gly	Asp	Pro	Cys	Gln	Pro	Leu	Val	Pro	Pro	Leu	320	325	330
Ser	Trp	Glu	Asn	Val	Thr	Val	Asp	Lys	Val	Leu	Glu	Phe	Pro	Leu	335	340	345
Leu	Lys	Gly	His	Pro	Asn	Leu	Cys	Val	Gln	Val	Asn	Ser	Ser	Glu	350	355	360
Lys	Leu	Gln	Leu	Gln	Glu	Cys	Leu	Trp	Ala	Asp	Ser	Leu	Gly	Pro	365	370	375
Leu	Lys	Asp	Asp	Val	Leu	Leu	Leu	Glu	Thr	Arg	Gly	Pro	Gln	Asp	380	385	390
Asn	Arg	Ser	Leu	Cys	Ala	Leu	Glu	Pro	Ser	Gly	Cys	Thr	Ser	Leu	395	400	405
Pro	Ser	Lys	Ala	Ser	Thr	Arg	Ala	Ala	Arg	Leu	Gly	Glu	Tyr	Leu	410	415	420
Leu	Gln	Asp	Leu	Gln	Ser	Gly	Gln	Cys	Leu	Gln	Leu	Trp	Asp	Asp	425	430	435
Asp	Leu	Gly	Ala	Leu	Trp	Ala	Cys	Pro	Met	Asp	Lys	Tyr	Ile	His	440	445	450
Lys	Arg	Trp	Ala	Leu	Val	Trp	Leu	Ala	Cys	Leu	Leu	Phe	Ala	Ala	455	460	465
Ala	Leu	Ser	Leu	Ile	Leu	Leu	Leu	Lys	Lys	Asp	His	Ala	Lys	Gly	470	475	480
Trp	Leu	Arg	Leu	Leu	Lys	Gln	Asp	Val	Arg	Ser	Gly	Ala	Ala	Ala	485	490	495
Arg	Gly	Arg	Ala	Ala	Leu	Leu	Leu	Tyr	Ser	Ala	Asp	Asp	Ser	Gly	500	505	510
Phe	Glu	Arg	Leu	Val	Gly	Ala	Leu	Ala	Ser	Ala	Leu	Cys	Gln	Leu	515	520	525
Pro	Leu	Arg	Val	Ala	Val	Asp	Leu	Trp	Ser	Arg	Arg	Glu	Leu	Ser	530	535	540
Ala	Gln	Gly	Pro	Val	Ala	Trp	Phe	His	Ala	Gln	Arg	Arg	Gln	Thr	545	550	555
Leu	Gln	Glu	Gly	Gly	Val	Val	Val	Leu	Leu	Phe	Ser	Pro	Gly	Ala	560	565	570
Val	Ala	Leu	Cys	Ser	Glu	Trp	Leu	Gln	Asp	Gly	Val	Ser	Gly	Pro	575	580	585
Gly	Ala	His	Gly	Pro	His	Asp	Ala	Phe	Arg	Ala	Ser	Leu	Ser	Cys	590	595	600
Val	Leu	Pro	Asp	Phe	Leu	Gln	Gly	Arg	Ala	Pro	Gly	Ser	Tyr	Val	605	610	615
Gly	Ala	Cys	Phe	Asp	Arg	Leu	Leu	His	Pro	Asp	Ala	Val	Pro	Ala	620	625	630
Leu	Phe	Arg	Thr	Val	Pro	Val	Phe	Thr	Leu	Pro	Ser	Gln	Leu	Pro	635	640	645
Asp	Phe	Leu	Gly	Ala	Leu	Gln	Gln	Pro	Arg	Ala	Pro	Arg	Ser	Gly	650	655	660
Arg	Leu	Gln	Glu	Arg	Ala	Glu	Gln	Val	Ser	Arg	Ala	Leu	Gln	Pro	665	670	675
Ala	Leu	Asp	Ser	Tyr	Phe	His	Pro	Pro	Gly	Thr	Pro	Ala	Pro	Gly			

Arg	Gly	Val	Gly	Pro	Gly	Ala	Gly	Pro	Gly	Ala	Gly	Asp	Gly	Thr	680	685	690
															695	700	705
<210> SEQ ID NO 163																	
<211> LENGTH: 2478																	
<212> TYPE: DNA																	
<213> ORGANISM: Homo Sapien																	
<400> SEQUENCE: 163																	
gtcagtgcgg gaggccggtc agccaccaag atgactgaca ggttcagctc															50		
tctgcagcac actaccctca agccacctga tgtgacctgt atctccaaag															100		
tgagatcgat tcagatgatt gttcatccta cccccacgcc aatccgtgca															150		
ggcgatggcc accggctaac cctggaagac atcttccatg acctgttcta															200		
ccacttagag ctccagggtca accgcacctc ccaaattgcac cttggaggga															250		
agcagagaga atatgagttc ttgcgcctga cccctgacac agagttcctt															300		
ggcaccatca tgatttgcgt tcccacctgg gcccaaggaga gtgcccccta															350		
catgtgccga gtgaagacac tgccagaccg gacatggacc tactccttct															400		
ccggagcctt cctgtttctc atgggcttcc tcgtcgagct actctgctac															450		
ctgagctaca gatatgtcac caagccgcct gcacctccca actccctgaa															500		
cgtccagcga gtcctgactt tccagccgct gcgcttcac caggagcacg															550		
tcctgatccc tgtctttgac ctacagggcc ccagcagctc ggcccagcct															600		
gtccagttact cccagatcag ggtgtctgga ccaggggagc ccgcaggagc															650		
tccacagcgg catagcctgt ccgagatcac ctacttaggg cagccagaca															700		
tctccatcct ccagccctcc aacgtgccac ctccccagat cctctcccca															750		
ctgtcctatg ccccaaacgc tgccccctgag gtccgggccc catcctatgc															800		
acctcaggtg acccccgaag ctcaattccc attctacgcc ccacaggcca															850		
tctctaaggc ccagccttcc tcctatgccc ctcaagccac tccggacagc															900		
tggcctccct cctatggggt atgcatggaa ggttctggca aagactcccc															950		
cactgggaca ctttctagtc ctaaacacct taggcctaaa gggtcagctt															1000		
agaaaagacc accagctgga agctgcatgt taggtggcct ttctctgcag															1050		
gaggtgacct ccttggctat ggaggaatcc caagaagcaa aatcattgca															1100		
ccagccccctg gggatttgca cagacagaac atctgaccga aatgtgctac															1150		
acagtgggga ggaagggaca ccacagtacc taaagggcca gctccccctc															1200		
ctctcctcag tccagatcga gggccacccc atgtccctcc ctttgcaacc															1250		
tccttccggc ccatgttccc cctcggaaca aggtccaagt ccctggggcc															1300		
tgctggagtc ccttgtgtgt cccaaggatg aagccaagag ccagaccctt															1350		
gagacctcag acctggagca gccacagaaa ctggattctc ttttcagagg															1400		
cctggccctg actgtgcagt gggagtcctg aggggaatgg gaaaggcttg															1450		
gtgcttctc cctgtcccta cccagtgtca catccttggc tgtcaatccc															1500		
atgcctgccc atgccacaca ctctcgatc tggcctcaga cgggtgccc															1550		
tgagagaagc agaggagtg gcatgcaggc cccctgccat gggcgccctc															1600		

-continued

```
ctcaccggaa caaagcagca tgataaggac tgcagcgggg gagctctggg      1650
gagcagcttg tgtagacaag cgcgtgctcg ctgagccctg caaggcagaa      1700
atgacagtgc aaggaggaaa tgcagggaaa ctcccgaggt ccagagcccc      1750
acctcctaac accatggatt caaagtgtctc agggaatttg cctctccttg      1800
ccccattcct ggccagtttc acaatctagc tcgacagagc atgaggcccc      1850
tgcctcttct gtcattgttc aaagtgggga agagagcctg gaaaagaacc      1900
aggcctggaa aagaaccaga aggaggctgg gcagaaccag aacaacctgc      1950
acttctgcc aaggccagggc cagcaggacg gcaggactct agggaggggt      2000
gtggcctgca gctcattccc agccagggca actgcctgac gttgcacgat      2050
ttcagcttca ttcctctgat agaacaaagc gaaatgcagg tccaccaggg      2100
agggagacac acaagccttt tctgcaggca ggagtttcag accctatcct      2150
gagaatgggg tttgaaagga aggtgagggc tgtggcccct ggacgggtac      2200
aataacacac tgtactgatg tcacaacttt gcaagctctg ccttgggttc      2250
agcccatctg ggctcaaatt ccagcctcac cactcacaa gctgtgtgact      2300
tcaaacaaat gaaatcagtg ccagaaacct cggtttcctc atctgtaatg      2350
tggggatcat aacacctacc tcatggagtt gtggtgaaga tgaatgaag      2400
tcatgtcttt aaagtgttta atagtgcctg gtacatgggc agtgcccaat      2450
aaacggtagc tatttaaaaa aaaaaaaaa      2478
```

<210> SEQ ID NO 164

<211> LENGTH: 574

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 164

```
Met Arg Thr Leu Leu Thr Ile Leu Thr Val Gly Ser Leu Ala Ala
  1             5             10             15
His Ala Pro Glu Asp Pro Ser Asp Leu Leu Gln His Val Lys Phe
 20             25             30
Gln Ser Ser Asn Phe Glu Asn Ile Leu Thr Trp Asp Ser Gly Pro
 35             40             45
Glu Gly Thr Pro Asp Thr Val Tyr Ser Ile Glu Tyr Lys Thr Tyr
 50             55             60
Gly Glu Arg Asp Trp Val Ala Lys Lys Gly Cys Gln Arg Ile Thr
 65             70             75
Arg Lys Ser Cys Asn Leu Thr Val Glu Thr Gly Asn Leu Thr Glu
 80             85             90
Leu Tyr Tyr Ala Arg Val Thr Ala Val Ser Ala Gly Gly Arg Ser
 95            100            105
Ala Thr Lys Met Thr Asp Arg Phe Ser Ser Leu Gln His Thr Thr
110            115            120
Leu Lys Pro Pro Asp Val Thr Cys Ile Ser Lys Val Arg Ser Ile
125            130            135
Gln Met Ile Val His Pro Thr Pro Thr Pro Ile Arg Ala Gly Asp
140            145            150
Gly His Arg Leu Thr Leu Glu Asp Ile Phe His Asp Leu Phe Tyr
```

-continued

155	160	165
His Leu Glu Leu Gln Val Asn Arg Thr Tyr Gln Met His Leu Gly		
170	175	180
Gly Lys Gln Arg Glu Tyr Glu Phe Phe Gly Leu Thr Pro Asp Thr		
185	190	195
Glu Phe Leu Gly Thr Ile Met Ile Cys Val Pro Thr Trp Ala Lys		
200	205	210
Glu Ser Ala Pro Tyr Met Cys Arg Val Lys Thr Leu Pro Asp Arg		
215	220	225
Thr Trp Thr Tyr Ser Phe Ser Gly Ala Phe Leu Phe Ser Met Gly		
230	235	240
Phe Leu Val Ala Val Leu Cys Tyr Leu Ser Tyr Arg Tyr Val Thr		
245	250	255
Lys Pro Pro Ala Pro Pro Asn Ser Leu Asn Val Gln Arg Val Leu		
260	265	270
Thr Phe Gln Pro Leu Arg Phe Ile Gln Glu His Val Leu Ile Pro		
275	280	285
Val Phe Asp Leu Ser Gly Pro Ser Ser Leu Ala Gln Pro Val Gln		
290	295	300
Tyr Ser Gln Ile Arg Val Ser Gly Pro Arg Glu Pro Ala Gly Ala		
305	310	315
Pro Gln Arg His Ser Leu Ser Glu Ile Thr Tyr Leu Gly Gln Pro		
320	325	330
Asp Ile Ser Ile Leu Gln Pro Ser Asn Val Pro Pro Pro Gln Ile		
335	340	345
Leu Ser Pro Leu Ser Tyr Ala Pro Asn Ala Ala Pro Glu Val Gly		
350	355	360
Pro Pro Ser Tyr Ala Pro Gln Val Thr Pro Glu Ala Gln Phe Pro		
365	370	375
Phe Tyr Ala Pro Gln Ala Ile Ser Lys Val Gln Pro Ser Ser Tyr		
380	385	390
Ala Pro Gln Ala Thr Pro Asp Ser Trp Pro Pro Ser Tyr Gly Val		
395	400	405
Cys Met Glu Gly Ser Gly Lys Asp Ser Pro Thr Gly Thr Leu Ser		
410	415	420
Ser Pro Lys His Leu Arg Pro Lys Gly Gln Leu Gln Lys Glu Pro		
425	430	435
Pro Ala Gly Ser Cys Met Leu Gly Gly Leu Ser Leu Gln Glu Val		
440	445	450
Thr Ser Leu Ala Met Glu Glu Ser Gln Glu Ala Lys Ser Leu His		
455	460	465
Gln Pro Leu Gly Ile Cys Thr Asp Arg Thr Ser Asp Pro Asn Val		
470	475	480
Leu His Ser Gly Glu Glu Gly Thr Pro Gln Tyr Leu Lys Gly Gln		
485	490	495
Leu Pro Leu Leu Ser Ser Val Gln Ile Glu Gly His Pro Met Ser		
500	505	510
Leu Pro Leu Gln Pro Pro Ser Gly Pro Cys Ser Pro Ser Asp Gln		
515	520	525
Gly Pro Ser Pro Trp Gly Leu Leu Glu Ser Leu Val Cys Pro Lys		
530	535	540

-continued

Asp Glu Ala Lys Ser Pro Ala Pro Glu Thr Ser Asp Leu Glu Gln
545 550 555
Pro Thr Glu Leu Asp Ser Leu Phe Arg Gly Leu Ala Leu Thr Val
560 565 570
Gln Trp Glu Ser

<210> SEQ ID NO 165
<211> LENGTH: 1060
<212> TYPE: DNA
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 165

tggcctactg gaaaaaaaaa aaaaaaaaaa aaaagtcacc cgggcccgcg 50
gtggccacaa catggctgcg gcgccggggc tgctcttctg gctgttcgtg 100
ctggggggcg tctggtgggt cccgggccag tcggatctca gccacggacg 150
gcgtttctcg gacctcaaag tgtgcgggga cgaagagtgc agcatgttaa 200
tgtaccgtgg gaaagctctt gaagacttca cgggccctga ttgtcgtttt 250
gtgaatttta aaaaagtgta cgatgtatat gtctactaca aactggcagg 300
gggatccctt gaactttggg ctggaagtgt tgaacacagt tttggatatt 350
ttccaaaaga ttgatcaag gtacttcata aatacacgga agaagagcta 400
catattccag cagatgagac agactttgtc tgctttgaag gaggaagaga 450
tgattttaat agttataatg tagaagagct tttaggatct ttggaactgg 500
aggactctgt acctgaagag tcgaagaaaag ctgaagaagt ttctcagcac 550
agagagaaaat ctctgagga gtctcggggg cgtgaacttg accctgtgcc 600
tgagcccagag gcattcagag ctgattcaga ggatggagaa ggtgctttct 650
cagagagcac cgaggggctg cagggacagc cctcagctca ggagagccac 700
cctcacacca gcggtcctgc ggctaacgct cagggagtgc agtcttcgtt 750
ggacactttt gaagaaattc tgcacgataa attgaaagtg ccgggaagcg 800
aaagcagaac tggcaatagt tctcctgcct cggtggagcg ggagaagaca 850
gatgcttaca aagtcctgaa aacagaaatg agtcagagag gaagtggaca 900
gtgcgttatt cattacagca aaggatttcg ttggcatcaa aatctaagtt 950
tgttttacaa agattgtttt tagtactaag ctgccttggc agtttgcatt 1000
tttgagccaa acaaaaatat attattttcc cttctaagta aaaaaaaaaa 1050
aaaaaaaaaa 1060

<210> SEQ ID NO 166
<211> LENGTH: 303
<212> TYPE: PRT
<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 166

Met Ala Ala Ala Pro Gly Leu Leu Phe Trp Leu Phe Val Leu Gly
1 5 10 15
Ala Leu Trp Trp Val Pro Gly Gln Ser Asp Leu Ser His Gly Arg
20 25 30
Arg Phe Ser Asp Leu Lys Val Cys Gly Asp Glu Glu Cys Ser Met

-continued

	35					40				45
Leu Met Tyr Arg Gly Lys Ala Leu Glu Asp Phe Thr Gly Pro Asp	50					55				60
Cys Arg Phe Val Asn Phe Lys Lys Gly Asp Asp Val Tyr Val Tyr	65					70				75
Tyr Lys Leu Ala Gly Gly Ser Leu Glu Leu Trp Ala Gly Ser Val	80					85				90
Glu His Ser Phe Gly Tyr Phe Pro Lys Asp Leu Ile Lys Val Leu	95					100				105
His Lys Tyr Thr Glu Glu Glu Leu His Ile Pro Ala Asp Glu Thr	110					115				120
Asp Phe Val Cys Phe Glu Gly Gly Arg Asp Asp Phe Asn Ser Tyr	125					130				135
Asn Val Glu Glu Leu Leu Gly Ser Leu Glu Leu Glu Asp Ser Val	140					145				150
Pro Glu Glu Ser Lys Lys Ala Glu Glu Val Ser Gln His Arg Glu	155					160				165
Lys Ser Pro Glu Glu Ser Arg Gly Arg Glu Leu Asp Pro Val Pro	170					175				180
Glu Pro Glu Ala Phe Arg Ala Asp Ser Glu Asp Gly Glu Gly Ala	185					190				195
Phe Ser Glu Ser Thr Glu Gly Leu Gln Gly Gln Pro Ser Ala Gln	200					205				210
Glu Ser His Pro His Thr Ser Gly Pro Ala Ala Asn Ala Gln Gly	215					220				225
Val Gln Ser Ser Leu Asp Thr Phe Glu Glu Ile Leu His Asp Lys	230					235				240
Leu Lys Val Pro Gly Ser Glu Ser Arg Thr Gly Asn Ser Ser Pro	245					250				255
Ala Ser Val Glu Arg Glu Lys Thr Asp Ala Tyr Lys Val Leu Lys	260					265				270
Thr Glu Met Ser Gln Arg Gly Ser Gly Gln Cys Val Ile His Tyr	275					280				285
Ser Lys Gly Phe Arg Trp His Gln Asn Leu Ser Leu Phe Tyr Lys	290					295				300

Asp Cys Phe

<210> SEQ ID NO 167

<211> LENGTH: 2570

<212> TYPE: DNA

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 167

ccaggaccag ggcgcaccgg ctcagcctct cacttgctcag aggccgggga	50
agagaagcaa agcgcaacgg tgtgtccaa gccggggctt ctgcttcgcc	100
tctaggacat acacgggacc ccctaacttc agtcccccaa acgcgcaccc	150
tcgaagtctt gaactccagc cccgcacatc cacgcgcggc acaggcgcgg	200
caggcgccag gtcccggccg aaggcgatgc gcgcaggggg tcgggcagct	250
gggctcgggc ggcgggagta gggcccggca gggaggcagg gaggctgcat	300
attcagagtc gcgggctgcg ccctgggcag aggcgcgcct cgctccacgc	350

-continued

aacacctgct gctgccaccg cgccgcgatg agccgcgtgg tctcgctgct	400
gctggggcgcc gcgctgctct gcggccaccg agccttctgc cgccgcgtgg	450
tcagcggcca aaaggtgtgt ttgtgtgact tcaagcatcc ctgctacaaa	500
atggcctact tccatgaact gtccagccga gtgagctttc aggaggcacg	550
cctggcttgt gagagtgagg gaggagtcct cctcagcctt gagaatgaag	600
cagaacagaa gttaatagag agcatgttgc aaaacctgac aaaacccggg	650
acagggattt ctgatgtga tttctggata gggctttgga ggaatggaga	700
tgggcaaaca tctggtgcct gccagatct ctaccagtgg tctgatggaa	750
gcaattccca gtaccgaaac tggtagacag atgaaccttc ctgcggaagt	800
gaaaagtgtg ttgtgatgta tcaccaacca actgccaatc ctggccttgg	850
gggtccctac ctttaccagt ggaatgatga caggtgtaac atgaagcaca	900
attatatttg caagtatgaa ccagagatta atccaacagc ccctgtagaa	950
aagccttatc ttacaaatca accaggagac acccatcaga atgtggttgt	1000
tactgaagca ggtataattc ccaatctaata ttatgttgtt ataccaacaa	1050
tacccttgct cttactgata ctggttgctt ttggaacctg ttgtttccag	1100
atgctgcata aaagtaaagg aagaacaaaa actagtccaa accagtctac	1150
actgtggatt tcaaagagta ccagaaaaga aagtggcatg gaagtataat	1200
aactcatgta cttgggtcca gaattttgta attctggatc tgtataagga	1250
atggcatcag aacaatagct tggaatggct tgaaatcaca aaggatctgc	1300
aagatgaact gtaagctccc ccttgaggca aatattaaag taatttttat	1350
atgtctatta tttcatttaa agaatatgct gtgctaataa tggagtgaga	1400
catgtttatt ttgctaaagg atgcacccaa acttcaaact tcaagcaaat	1450
gaaatggaca atgcagataa agttgttatc aacacgtcgg gagtatgtgt	1500
gttagaagca attcctttta tttctttcac ctttcataag ttgttatcta	1550
gtcaatgtaa tgtatatgtt attgaaattt acagtgtgca aaagtatttt	1600
acctttgcat aagtgtttga taaaaatgaa ctgttctaata atttatTTTT	1650
atggcatctc atttttcaat acatgctctt ttgattaaag aaacttatta	1700
ctgttgtcaa ctgaattcac acacacacaa atatagtacc atagaaaaag	1750
tttgttttct cgaaataatt catctttcag cttctctgct tttggccaat	1800
gtctaggaaa tctcttcaga aataagaagc tatttcatta agtgtgatat	1850
aaacctctc aaacatttta cttagaggca aggattgtct aatttcaatt	1900
gtgcaagaca tgtgccttat aattattttt agcttaaaat taaacagatt	1950
ttgtaataat gtaactttgt taataggtgc ataaacacta atgcagtcaa	2000
tttgaacaaa agaagtgaca tacacaatat aaatcatatg tcttcacacg	2050
ttgcctatat aatgagaagc agctctctga gggttctgaa atcaatgtgg	2100
tccctctctt gcccaactaaa caaagatggt tgttcggggg ttgggattga	2150
cactggaggc agatagttgc aaagttagtc taaggtttcc ctagctgtat	2200
ttagcctctg actatattag tatacaaaaga ggtcatgtgg ttgagaccag	2250

-continued

gtgaatagtc actatcagtg tggagacaag cacagcacac agacatttta 2300
ggaaggaaa gaactacgaa atcgtgtgaa aatgggttg aacccatcag 2350
tgatcgcata ttcattgatg agggtttgct tgagatagaa aatggtggt 2400
cctttctgtc ttatctccta gtttcttcaa tgcttacgcc ttgttcttct 2450
caagagaaa ttgtaactct ctggctttca tatgtccctg tgctcctttt 2500
aaccaaataa agagttcttg ttcttggggg aaaaaaaaa aaaaaaaaaa 2550
aaaaaaaaa aaaaaaaaaa 2570

<210> SEQ ID NO 168

<211> LENGTH: 273

<212> TYPE: PRT

<213> ORGANISM: Homo Sapien

<400> SEQUENCE: 168

Met Ser Arg Val Val Ser Leu Leu Leu Gly Ala Ala Leu Leu Cys
1 5 10 15
Gly His Gly Ala Phe Cys Arg Arg Val Val Ser Gly Gln Lys Val
20 25 30
Cys Phe Ala Asp Phe Lys His Pro Cys Tyr Lys Met Ala Tyr Phe
35 40 45
His Glu Leu Ser Ser Arg Val Ser Phe Gln Glu Ala Arg Leu Ala
50 55 60
Cys Glu Ser Glu Gly Gly Val Leu Leu Ser Leu Glu Asn Glu Ala
65 70 75
Glu Gln Lys Leu Ile Glu Ser Met Leu Gln Asn Leu Thr Lys Pro
80 85 90
Gly Thr Gly Ile Ser Asp Gly Asp Phe Trp Ile Gly Leu Trp Arg
95 100 105
Asn Gly Asp Gly Gln Thr Ser Gly Ala Cys Pro Asp Leu Tyr Gln
110 115 120
Trp Ser Asp Gly Ser Asn Ser Gln Tyr Arg Asn Trp Tyr Thr Asp
125 130 135
Glu Pro Ser Cys Gly Ser Glu Lys Cys Val Val Met Tyr His Gln
140 145 150
Pro Thr Ala Asn Pro Gly Leu Gly Gly Pro Tyr Leu Tyr Gln Trp
155 160 165
Asn Asp Asp Arg Cys Asn Met Lys His Asn Tyr Ile Cys Lys Tyr
170 175 180
Glu Pro Glu Ile Asn Pro Thr Ala Pro Val Glu Lys Pro Tyr Leu
185 190 195
Thr Asn Gln Pro Gly Asp Thr His Gln Asn Val Val Val Thr Glu
200 205 210
Ala Gly Ile Ile Pro Asn Leu Ile Tyr Val Val Ile Pro Thr Ile
215 220 225
Pro Leu Leu Leu Leu Ile Leu Val Ala Phe Gly Thr Cys Cys Phe
230 235 240
Gln Met Leu His Lys Ser Lys Gly Arg Thr Lys Thr Ser Pro Asn
245 250 255
Gln Ser Thr Leu Trp Ile Ser Lys Ser Thr Arg Lys Glu Ser Gly
260 265 270

-continued

Met Glu Val

<210> SEQ ID NO 169
<211> LENGTH: 43
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic oligonucleotide probe

<400> SEQUENCE: 169

tgtaaaacga cggccagtta aatagacctg caattattaa tct 43

<210> SEQ ID NO 170
<211> LENGTH: 41
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic oligonucleotide probe

<400> SEQUENCE: 170

caggaaacag ctatgaccac ctgcacacct gcaaatccat t 41

1. An antibody that binds to the polypeptide shown in **FIG. 148** (SEQ ID NO: 148):

2. The antibody of claim 1 which is a monoclonal antibody.

3. The antibody of claim 1 which is a humanized antibody.
4. The antibody of claim 1 which is an antibody fragment.

5. The antibody of claim 1 which is labeled.

6. The antibody of claim 1 which specifically binds to the polypeptide shown in **FIG. 148** (SEQ ID NO: 148).
- * * * * *