



US0D1016148S

(12) **United States Design Patent**
Bosley et al.

(10) **Patent No.:** **US D1,016,148 S**

(45) **Date of Patent:** **** Feb. 27, 2024**

(54) **PRESSURE SEAL TAMPER EVIDENT FORM**

(56) **References Cited**

(71) Applicant: **Ward-Kraft, Inc.**, Fort Scott, KS (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Gary Bosley**, Fort Scott, KS (US);
Roger Kraft, Fort Scott, KS (US)

D966,406 S * 10/2022 Pickett, III D19/1
D987,717 S * 5/2023 Ridge D19/1
D989,861 S * 6/2023 Dobak, III D19/1

(73) Assignee: **Rekon, LLC**, Fort Scott, KS (US)

* cited by examiner

(**) Term: **15 Years**

Primary Examiner — Abraham Bahta

(21) Appl. No.: **29/866,068**

(74) *Attorney, Agent, or Firm* — AVEK IP, LLC

(22) Filed: **Aug. 26, 2022**

(51) **LOC (14) Cl.** **19-01**

(57) **CLAIM**

(52) **U.S. Cl.**
USPC **D19/1**

The ornamental design for a pressure seal tamper evident form, as shown and described.

(58) **Field of Classification Search**

DESCRIPTION

USPC D19/1-12, 20-34, 100; D21/385;
D20/10, 22, 27, 40, 42, 11;
D14/435-437
CPC .. B42D 15/022; B42D 15/042; B42D 15/045;
B42D 15/027; B42D 25/00; B42D 25/20;
B42D 25/23; B42D 25/26; B42D 25/29;
B42D 25/30; B42D 25/285; B42D
2033/00; B42D 2033/04; B42D 2033/08;
B42D 2033/10; B42D 2033/16; B42D
2033/18; B42D 2033/20; B42D 2033/22;
B42D 2033/28; B42D 2033/30; B65D
27/005; B65D 27/00; B65D 27/04; B65D
27/12; B65D 27/22; B65D 27/24; B65D
27/30; B65D 27/32; B65D 27/36


FIG. 1 is a front view of the pressure seal tamper evident form; and,

FIG. 2 is a back view of the pressure seal tamper evident form of FIG. 1.

The dash-dot-dash lines in FIGS. 1 and 2 illustrate die cuts that form part of the claimed design. The dash-dot-dot-dash lines in FIGS. 1 and 2 illustrate perforations that form part of the claimed design. The dashed lines shown in FIGS. 1 and 2 illustrate matter that does not form a part of the claimed design.

See application file for complete search history.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2