



US00D717950S

(12) **United States Design Patent**
Agrawal

(10) **Patent No.:** **US D717,950 S**

(45) **Date of Patent:** **** Nov. 18, 2014**

(54) **REUSABLE TAMPON APPLICATOR**

(71) Applicant: **Thinx LLC**, New York, NY (US)

(72) Inventor: **Miki Agrawal**, Brooklyn, NY (US)

(73) Assignee: **Thinx, LLC**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/498,967**

(22) Filed: **Aug. 10, 2014**

(51) **LOC (10) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/141**

(58) **Field of Classification Search**

USPC D24/141, 114, 135, 113, 125, 127, 129,
D24/112, 130; D3/203.5; 604/11, 14-18,
604/206, 904, 218, 227, 358, 187, 288, 363

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D156,948 S 1/1950 Fisher
3,247,698 A * 4/1966 Baldwin et al. 604/187
3,397,695 A * 8/1968 Voss D24/125

(Continued)

OTHER PUBLICATIONS

Playtex, "Tampon products," website available at <http://www.playtexplayon.com/products/gentle-glide> Accessed on Jul. 27, 2014.

(Continued)

Primary Examiner — Wan Laymon

(74) *Attorney, Agent, or Firm* — American Patent Agency PC; Daniar Hussain; Karl P. Dresdner, Jr.

(57) **CLAIM**

The ornamental design for a reusable tampon applicator, as shown and described.

DESCRIPTION

FIG. 1 is an exploded perspective view showing the new design of a reusable tampon applicator, showing a cover (at a top of FIG. 1) that is used to encase a barrel (middle) and a plunger (bottom), the barrel used to hold a tampon (tampon not shown), and the plunger used to insert the tampon (not shown) through the barrel;

FIG. 2 is an assembled perspective view of the reusable tampon applicator, showing the cover with the enclosed barrel and plunger inside;

FIG. 3 is a perspective view of the cover of the reusable tampon applicator;

FIG. 4 is a front view thereof;

FIG. 5 is a back view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a right side view thereof;

FIG. 8 is a top view thereof;

FIG. 9 is a bottom view thereof;

FIG. 10 is a perspective view of the barrel of the reusable tampon applicator that is used to hold the tampon (tampon not shown);

FIG. 11 is a front view thereof;

FIG. 12 is a right side view thereof;

FIG. 13 is a back view thereof;

FIG. 14 is a left side view thereof;

FIG. 15 is a top view thereof;

FIG. 16 is a bottom view thereof;

FIG. 17 is a perspective view of the plunger of the reusable tampon applicator that is used for inserting the tampon (tampon not shown);

FIG. 18 is a front view thereof;

FIG. 19 is a right side view thereof;


FIG. 20 is a back view thereof;

FIG. 21 is a left side view thereof;

FIG. 22 is a top view thereof; and,

FIG. 23 is a bottom view thereof.

1 Claim, 4 Drawing Sheets






Fig. 1

Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23

