

(19) World Intellectual Property
Organization
International Bureau




(43) International Publication Date
31 December 2003 (31.12.2003)

PCT

(10) International Publication Number
WO 2004/000992 A1

- (51) International Patent Classification⁷: **C12M 1/00**, (74) Common Representative: **SZEKERES, György**; Akác u. 8., H-7632 Pécs (HU).
G01N 1/36
- (21) International Application Number: PCT/HU2003/000044 (81) Designated States (*national*): AU, CA, JP, US.
- (22) International Filing Date: 17 June 2003 (17.06.2003) (84) Designated States (*regional*): European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR).
- (25) Filing Language: English Declaration under Rule 4.17:
— of inventorship (Rule 4.17(iv)) for US only
- (26) Publication Language: English
- (30) Priority Data: U0200185 25 June 2002 (25.06.2002) HU Published:
— with international search report
— before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- (71) Applicants and
(72) Inventors: **SZEKERES, György** [HU/HU]; Akác u. 8., H-7632 Pécs (HU). **HALAS, Zsuzsanna** [HU/HU]; Mária u. 16., H-7621 Pécs (HU). **ZORN, Lászlóné** [HU/HU]; Uitz B. u. 17., H-7632 Pécs (HU).
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: TISSUE MICROARRAY BUILDER MANUAL SET



(57) Abstract: The tissue micro-array (TMA) building manual set, which includes a well-known SZK tissue core punch extractor and a TMA block mould (1) characterized as follows: the TMA block mould (1) consists of a lower (2) and an upper (3) part, the lower part (2) is equipped with mandrels (4) at right angles to the base unit arranged in the middle into lines and columns, the upper part (3) has a margin-containing (7) cleavage (6), which receives the mandrels (4) when the TMA block mould (1) is assembled, the margin (7) and size of the cleavage (6) fit to the shape and size of the paraffin block holder (PBK), and the lower (2) and upper (3) parts are connected to each other with directing nipples (5) and threaded arms (9) fixed horizontally.

WO 2004/000992 A1

- 1 -

TISSUE MICROARRAY BUILDER MANUAL SET

The object of our invention is a tissue micro-array (TMA) preparing manual apparatus set, which includes a tissue core punch extractor and a TMA block mould with lower and upper parts.

The tissue micro-array preparing manual apparatus set is suitable for making TMA series, which enables the fast and accurate "home-made" preparation of TMA series well-fitted to the traditional, routine histology laboratory conditions.

TMA technology can be applied for the determination of diagnostic markers, as well as, parameters on the aggressiveness and other features of malignant tumors.

TMA is very useful for retrospective studies, i.e. for the investigation of thousands of molecular biological markers in thousands of histological specimens stored in pathology laboratories.

Similar to the DNA-chip, which allows the analysis of the genome mutations and abnormal gene expressions, the tissue micro-arrays enable the parallel processing of biological specimens. By using only one TMA, researchers have the opportunity for simultaneous comparative examination of various molecular parameters (DNA, RNA molecular biological techniques and immunohistochemistry/immunocytochemistry of antigens) in histological specimens of several malignant tumor tissues.

Numerous monoclonal antibodies, which determine the genome and phenotype of intact and pathological (mainly malignant) cells, and are specific for novel antigen-determinants, are being developed and introduced for diagnostic and therapeutic applications (immunomorphology). Diagnostic measures based on genetic methods, which can identify certain segments of DNA and/or RNA, are increasingly used (molecular biology). Several laboratories are involved in evaluating their tissue reactivity and potential applicability in the most prevalent tumors.

As a consequence, this diagnostic technique indeed seems to be widely used.

In the diagnostic technique, histology specimens from different tumor tissues are embedded in properly arranged sets into paraffin for the preparation of TMA. The TMA block is cut giving the various tumor tissues as point-like items in the histological light microscopic sections. Since each TMA block may render hundreds of parallel, 3-4 μm thick serial sections,

hundreds of molecular parameters can be examined on the same micro-array. Several tumor markers can be analyzed within weeks, while this would take months per tissue specimen using traditional method.

According to our current knowledge, reactions made on standard-size histological sections (from frozen and/or fixed-embedded tissues) and cytological samples (smears, sediments, imprints, cytocentrifugates, etc.) are useful for the identification of molecular markers of tumors and for the prediction of disease progression. At the same time, merely limited number of samples can be examined due to technical and financial reasons, the evaluation is time-consuming, and comparative, as well as, reproducible examinations among different laboratories are difficult to carry out. First of all, the lack of reproducibility is the disadvantage of the so-called "multi-tissue block" technique that contains parts from various tissues/blocks in a simple histological block. Moreover, the distribution of individual molecular markers within the malignant tissue is often quite heterogeneous and, thus, a minute tissue part does not properly represent the biological features of the entire tumor cell population.

Application of the technique reminiscent of or rather based on the "chip" technology, i.e. the tissue micro-arrays, enables the investigation of hundreds or thousands of tissue specimens.

The knowledge in the field of medical biotechnological basic research is being multiplied, and its employment confirms both diagnostic and therapeutic measures. Nevertheless, the related applied research, research and development (R&D), as well as, clinical testing processes require years or even a decade and proportional financial means. Our invention, the TMA building manual set shortens the necessary testing phase in an accurate and cost-efficient way.

The information in the No. 4 820 504 US patent represents a well-known and widely used procedure, which serves for the preparation of a sample containing multiple tissue specimens. Its advantages include the simple procedure that can be applied in almost every laboratory equipped with routine and research facilities, low costs, and no need for procurement of new devices. However, the disadvantage of the technique is that the consecutive, side by side embedded tissue samples are randomly situated, not organized into lines and columns, which makes the evaluation rather difficult, the automatic (image analyzing) processing almost impossible or complicated and slow; the size of the individual tissue samples are merely roughly similar to each other. New instrument does not belong to the description of the procedure.

Our procedure and the object of our invention aims at addressing these disadvantages.

The No. 5 002 377 US patent is an instrument, which organizes tissue samples into regular lines and columns, and so gives a multiple tissue block. Its patent holder is the same as that of the previous instrument who is a well-known expert on this field, despite this technique has not become widely used. Its obvious advantage is that application of this instrument enables the preparation and embedding of regular, almost identical size tissue samples. Nevertheless, its disadvantage lies in that the individual tissue columns may be, though only slightly, shifted during block preparation. The largest disadvantages of the instrument are: its incompatibility with the most frequently applied and best known laboratory instruments (devices and semi-fixed assets) and, on the other hand, the need for three additional tools and the significant manual skills for their application. The first instrument includes multiple parallel cutting plates, which can cut out tissue columns from tissue samples, but can be applied exclusively on larger specimens. The other two components make possible the embedding of cut tissue columns into a single paraffin block.

The No. 6 103 518 US patent is a table device giving useful tissue micro-arrays. The procedure is based on the well-oriented technique of the recipient places of the paraffin block and the sampling from the selected sites of donor blocks (tissue cores). Besides its aforementioned advantages, its high price, complicated mechanical settings, and the need for one-by-one preparation of recipient holes of the recipient block represent serious drawbacks in the daily practice.

The objective of our invention is to eliminate the disadvantages of the above mentioned methods and to design a tissue micro-array preparing manual apparatus set that is simple, cheap, and compatible with all widely used histological laboratory fixed and semi-fixed assets. The principle of applying the manual apparatus is that the preparation of the recipient block is separated from the sampling; therefore, the samples can be previously prepared and stored elsewhere, then put into the recipient block. The manual apparatus requires small space, is easy to clean, there is basically no need for maintenance, each part is resistant to external physical and chemical impacts, and the recipient block can be prepared in one step.

Our invention is based on the recognition that the tissue micro-array preparing manual apparatus set should be made from elements that fit together in their size and can be applied along with the instruments used under the traditional routine histological laboratory conditions. This tissue micro-array preparing manual apparatus set was developed to contain a tissue core punch extractor and a TMA block mould with lower and upper parts, and the

traditional, most frequently used paraffin block holders fit well to this latter one. The tissue core punch extractor is a well-known technical solution, i.e. its function is based on punching. The punching tip is made as a punching tube with an internal diameter of 1 or 2 mm. This punching tube receives the tissue cylinder (core) taken from a given place of the sample (donor block), which can be manually pushed out from the punching tip by help of a piston-like needle probe pushed back by a coil spring inside the instrument. The external diameter of the needle probe is comparable to the internal diameter of the punching tip, but due to its size it can freely slide within the punching tip.

The TMA block mould is made up of two main elements: the lower and upper parts. The lower part is equipped with 1 or 2 mm wide mandrels, identical with the diameter of the punching tube, organized into lines and columns. Since the lower and upper parts are assembled together during the casting of the paraffin block and the paraffin is poured into the hole formed by the upper part, a margin should have been prepared there, which is identical in its size and shape with the size and shape of the generally used paraffin block holder. At the lower part at least two vertical directing nipple are built into the base unit, which ensures the parallel and intact removal of the paraffin block when the mould manual apparatus is taken apart. The equal withdrawal of the two elements at the opening of the lower and upper part of the TMA block mould is ensured by at least two diagonally arranged threaded arms.

The elimination of the above discussed disadvantages is ensured by a tissue micro-array preparing manual apparatus set with the following characteristics: a by itself already known tissue core punch extractor and a TMA block mould, which latter has a lower and upper part; the lower part is organized in the middle into lines and columns, set up with mandrels at right angles to the base unit; the upper part is prepared with a margin-containing cleavage, which receives the mandrels when the TMA block mould is assembled together; the margin and size of the cleavage fit to the shape and size of the paraffin block holder; the lower and upper parts are connected to each other with directing nipples and threaded arms fixed horizontally; the lower part of the TMA block mould has at least two vertical directing nipples, which vertically detachably join into the bore-holes of the upper part; in the upper part of the TMA block mould there are at least two diagonal transit bore-holes, which receive the threaded arms and the endings of the threaded arms sit on the lower part when the TMA block mould is assembled together.

Our invention, the TMA building manual set is presented in detail by means of drawings.

Figure 1. Axonometric delineation of the TMA block mould.

Figure 2. Axonometric delineation of the TMA block mould and paraffin block holder of the TMA building manual set.

Figure 3. The finished paraffin block with the tissue core punch extractor.

The 1 TMA block mould shown on Figure 1. is made up of two major elements, i.e. 2 lower part and 3 upper part. The 2 lower part has 4 mandrels with 1 or 2 mm diameter arranged into lines and columns. The diameter of the 4 mandrel is identical with the diameter of the 8 punching tube of the SZK tissue core punch extractor. On the 2 lower part there are 5 directing nipples at right angles to the lower part, which ensure the parallel and intact removal of the paraffin block when the 1 TMA block mould is dismantled. The size of the 3 upper part is identical with that of the 2 lower part and in the middle it has a 7 margin-containing 6 cleavage, which receives the 4 mandrels. The 7 margin of the 6 cleavage is made to receive the commercially available PBK paraffin block holder shown on Figure 2. On the 2 lower part there are 5 directing nipples, which join the 10 transit bore-holes on the 3 upper part. Moreover, the additional 11 transit bore-holes on the 3 upper part receives the 9 threaded arms, which ensure the even and parallel opening of the two parts of the assembled instrument cast with paraffin block.

The equal withdrawal of the two elements at the opening of the 2 lower and 3 upper part of the 1 TMA block mould is ensured by at least two diagonally arranged 9 threaded arms. The SZK tissue core punch extractor ends in a 8 punching tube with an internal diameter of 1 or 2 mm.

The well-known SZK tissue core punch extractor receives the tissue cylinder taken from a given place of the sample (donor block), which can be manually pushed out from the 8 punching tube by help of a piston-like needle probe pushed back by a coil spring inside the instrument.

The external diameter of the needle probe is comparable to the internal diameter of the 8 punching tube, but due to its size it can freely slide within the 8 punching tip.

On preparing the paraffin block, the assembled 1 TMA block mould is filled with paraffin through the 6 cleavage. After the paraffin is set when cooled down and removed from the instrument, it gives a PB paraffin block (recipient block) containing 1 or 2 mm wide

cylindrical holes with parallel longitudinal axes organized into regular lines and columns. These holes receive the tissue cores having the same diameter taken out from the donor blocks by the SZK tissue core punch extractor, giving finally the TMA block.

As it can be seen from our description, our objective was accomplished by the development of our invention. The TMA building manual set is a simple, cheap manual instrument, which is easy to handle and clean, environment-friendly, and enables the fast and accurate preparation of TMA under the traditional, routine histological laboratory conditions.

Invention patent claims

1. The tissue micro-array (TMA) building manual set, which includes a well-known SZK tissue core punch extractor and a TMA block mould (1) characterized with: the TMA block mould (1) consists of a lower (2) and an upper (3) part, the lower part (2) is equipped with mandrels (4) at right angles to the base unit arranged in the middle into lines and columns, the upper part (3) has a margin-containing (7) cleavage (6), which receives the mandrels (4) when the TMA block mould (1) is assembled, the margin (7) and size of the cleavage (6) fit to the shape and size of the paraffin block holder (PBK), and the lower (2) and upper (3) parts are connected to each other with directing nipples (5) and threaded arms (9) fixed horizontally.
2. The manual apparatus set as in the claim point No. 1 is characterized with: the lower part (2) of the TMA block mould (1) has at least two vertical directing nipples (5), which join the bore-holes (10) of the upper part (3) and are in vertical direction freely movable.
3. The manual apparatus set as in the claim point No. 1 is characterized with: the upper part (3) of the TMA block mould (1) has at least two diagonal transmit bore-holes (11), which receive the threaded arms (9) sit on the lower part (2) when the TMA block mould (1) is assembled together.




Figure 1




Figure 2




Figure 3

PCT REQUEST

TMA3

Original (for SUBMISSION) - printed on 04.06.2003 09:17:00 AM

VIII-4-1	Declaration: Inventorship (only for the purposes of the designation of the United States of America) Declaration of inventorship (Rules 4.17(iv) and 51bis.1(a)(iv)) for the purposes of the designation of the United States of America:	I hereby declare that I believe I am the original, first and sole (if only one inventor is listed below) or joint (if more than one inventor is listed below) inventor of the subject matter which is claimed and for which a patent is sought. This declaration is directed to the international application of which it forms a part (if filing declaration with application). I hereby declare that my residence, mailing address, and citizenship are as stated next to my name. I hereby state that I have reviewed and understand the contents of the above-identified international application, including the claims of said application. I have identified in the request of said application, in compliance with PCT Rule 4.10, any claim to foreign priority, and I have identified below, under the heading "Prior Applications," by application number, country or Member of the World Trade Organization, day, month and year of filing, any application for a patent or inventor's certificate filed in a country other than the United States of America, including any PCT international application designating at least one country other than the United States of America, having a filing date before that of the application on which foreign priority is claimed.
VIII-4-1 -1	Prior applications:	2464, HU, 25 June 2002 (25.06.2002)

PCT REQUEST

TMA3

Original (for SUBMISSION) - printed on 04.06.2003 09:17:00 AM

		I hereby acknowledge the duty to disclose information that is known by me to be material to patentability as defined by 37 C.F.R. § 1.56, including for continuation-in-part applications, material information which became available between the filing date of the prior application and the PCT international filing date of the continuation-in-part application. I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.
VIII-4-1 -1-1 VIII-4-1 -1-2 VIII-4-1 -1-3 VIII-4-1 -1-4 VIII-4-1 -1-5 VIII-4-1 -1-6	Name: Residence: (city and either US State, if applicable, or country) Mailing address: Citizenship: Inventor's Signature: (if not contained in the request, or if declaration is corrected or added under Rule 26ter after the filing of the international application. The signature must be that of the inventor, not that of the agent) Date: (of signature which is not contained in the request, or of the declaration that is corrected or added under Rule 26ter after the filing of the international application)	SZEKERES, György Pécs, Hungary Akác u. 8. HU  June 4, 2007

INTERNATIONAL SEARCH REPORT

International Application No

PCT/HU 03/00044

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12M1/00 G01N1/36

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12M G01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 01 51910 A (MENGEL MICHAEL ;LILISCHKIS RICHARD (DE); WASIELEWSKI REINHARD (DE)) 19 July 2001 (2001-07-19) abstract; claims; figures ---	1-3
P,A	WO 03 044213 A (GENENTECH INC) 30 May 2003 (2003-05-30) claims; figures ---	1-3
A	US 6 103 518 A (LEIGHTON STEPHEN B) 15 August 2000 (2000-08-15) cited in the application claims; figures ---	1-3
A	US 5 002 377 A (BATTIFORA HECTOR A ET AL) 26 March 1991 (1991-03-26) cited in the application claims; figures ---	1-3
	--- -/--	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

26 November 2003

Date of mailing of the international search report

02/12/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

Boddaert, P

INTERNATIONAL SEARCH REPORT

International Application No

PCT/HU 03/00044

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P, A	US 2003/017446 A1 (CHU SUNNY WAI KEUNG ET AL) 23 January 2003 (2003-01-23) the whole document ----	1-3
A	US 6 383 801 B1 (LEIGHTON STEPHEN B) 7 May 2002 (2002-05-07) claims; figures ----	1-3
A	WO 01 98525 A (CLINOMICS LAB INC ;MURACA PATRICK J (US)) 27 December 2001 (2001-12-27) ----	
A	WO 99 44063 A (US HEALTH ;KONONEN JUHA (US); KALLIONIEMI OLLI (US); LEIGHTON STEP) 2 September 1999 (1999-09-02) claims; figures ----	1
A	WO 01 22086 A (COHEN JONATHAN) 29 March 2001 (2001-03-29) claims; figures ----	1-3
A	WO 01 42796 A (SAUTER GUIDO ;KAKAREKA JOHN WILLIAM (US); SALEM GHADI HAMDI (US);) 14 June 2001 (2001-06-14) claims; figures -----	1-3

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/HU 03/00044

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0151910	A	19-07-2001	DE 10001136 A1	26-07-2001
			AU 3360501 A	24-07-2001
			WO 0151910 A1	19-07-2001
			EP 1247085 A1	09-10-2002
			US 2003038401 A1	27-02-2003
WO 03044213	A	30-05-2003	WO 03044213 A2	30-05-2003
			US 2003157523 A1	21-08-2003
US 6103518	A	15-08-2000	AU 3709400 A	21-09-2000
			AU 753107 B2	10-10-2002
			AU 3726900 A	21-09-2000
			CA 2364458 A1	08-09-2000
			CN 1347448 T	01-05-2002
			EP 1161520 A1	12-12-2001
			JP 2002537794 A	12-11-2002
			NZ 514394 A	26-07-2002
			WO 0051812 A1	08-09-2000
			WO 0052132 A1	08-09-2000
US 5002377	A	26-03-1991	AU 653283 B2	22-09-1994
			AU 3045392 A	11-03-1993
			AU 646984 B2	10-03-1994
			AU 3045492 A	08-04-1993
			AU 629838 B2	15-10-1992
			AU 3789089 A	11-01-1990
			CA 1322539 C	28-09-1993
			DE 68919136 D1	08-12-1994
			DE 68919136 T2	24-05-1995
			EP 0350189 A2	10-01-1990
			JP 2161334 A	21-06-1990
			JP 3055907 B2	26-06-2000
US 2003017446	A1	23-01-2003	NONE	
US 6383801	B1	07-05-2002	WO 03010280 A1	06-02-2003
WO 0198525	A	27-12-2001	AU 7011101 A	02-01-2002
			CA 2414062 A1	27-12-2001
			EP 1305595 A2	02-05-2003
			WO 0198525 A2	27-12-2001
			US 2002009767 A1	24-01-2002
			AU 9099001 A	02-04-2002
			WO 0224952 A1	28-03-2002
			US 2002168639 A1	14-11-2002
			AU 1183502 A	08-04-2002
			WO 0226195 A2	04-04-2002
			US 2003049701 A1	13-03-2003
WO 9944063	A	02-09-1999	AU 754047 B2	31-10-2002
			AU 2875799 A	15-09-1999
			AU 756731 B2	23-01-2003
			AU 2973599 A	15-09-1999
			CA 2318789 A1	02-09-1999
			CA 2318984 A1	02-09-1999
			EP 1068528 A2	17-01-2001
			EP 1066517 A1	10-01-2001
			JP 2002505431 T	19-02-2002

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/HU 03/00044

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9944063	A	JP 2002505432 T	19-02-2002
		WO 9944062 A1	02-09-1999
		WO 9944063 A2	02-09-1999
		US 2002192702 A1	19-12-2002
		US 2003138827 A1	24-07-2003

WO 0122086	A	29-03-2001	EP 1135680 A1
			26-09-2001
			JP 2003510571 T
			18-03-2003
			WO 0122086 A1
			29-03-2001

WO 0142796	A	14-06-2001	AU 2432901 A
			18-06-2001
			CA 2394358 A1
			14-06-2001
			EP 1238286 A1
			11-09-2002
			WO 0142796 A1
			14-06-2001
