



US00PP34663P2

(12) **United States Plant Patent**  
**Berry**

(10) **Patent No.:** **US PP34,663 P2**

(45) **Date of Patent:** **Oct. 18, 2022**

(54) **HIBISCUS PLANT NAMED ‘JBG BH-03’**

CPC ... A01H 5/02; A01H 5/00; A01H 6/00; A01H 6/608; A01H 6/60

(50) Latin Name: *Hibiscus rosa-sinensis*  
Varietal Denomination: **JBG BH-03**

See application file for complete search history.

(71) Applicant: **Capstone Plants, Inc.**, Grand Saline, TX (US)

(56) **References Cited**

(72) Inventor: **James Berry**, Emory, TX (US)

PUBLICATIONS

(73) Assignee: **Capstone Plants, Inc.**, Grand Saline, TX (US)

Monrovia 2022 Distinctive Selections, retrieved on Mar. 21, 2022, retrieved from the Internet at [https://f.hubspotusercontent20.net/hubfs/1925176/2022%20DistinctiveSelectionsGuide\\_FINAL.pdf](https://f.hubspotusercontent20.net/hubfs/1925176/2022%20DistinctiveSelectionsGuide_FINAL.pdf), 2 introductory pages and p. 15. (Year: 2022).\*  
Sparks Highlights from Cultivate’20 Virtual: New Products and New Educational Opportunities, Greenhouse Grower, retrieved on Mar. 21, 2022, retrieved from the Internet at <https://www.greenhousegrower.com/management/highlights-from-cultivate20-virtual-new-products-and-new-educational-opportunities/>, 7 pp. (Year: 2020).\*

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

\* cited by examiner

(21) Appl. No.: **17/803,118**

Primary Examiner — June Hwu

(22) Filed: **Feb. 17, 2022**

(74) Attorney, Agent, or Firm — The Webb Law Firm

(51) **Int. Cl.**  
**A01H 5/02** (2018.01)  
**A01H 6/60** (2018.01)

(57) **ABSTRACT**

(52) **U.S. Cl.**  
USPC ..... **Plt./257**

A new and distinct *Hibiscus* plant having large, orange colored flowers with a burgundy colored throat.

(58) **Field of Classification Search**  
USPC ..... Plt./257

**2 Drawing Sheets**

**1**

**2**

Botanical classification: *Hibiscus rosa-sinensis*.  
Varietal denomination: ‘JBG BH-03’.

**BACKGROUND OF THE INVENTION**

The present invention comprises a new and distinct *Hibiscus* plant having the varietal name ‘JBG BH-03’. The new variety is the result of a planned breeding program with the purposes of developing *Hibiscus rosa-sinensis* plants that exhibit whitefly and leaf spot resistance, propagation and production efficiencies, durable and exotic flowers, and abundant flowering. ‘JBG BH-03’ is the result of a cross conducted in Grand Saline, Tex. between *Hibiscus rosa-sinensis* varieties ‘JBG 13008’ (female parent, U.S. Plant patent application Ser. No. 17/803,120) and ‘JBG 15010’ (male parent, unpatented). The new variety was selected in January of 2016 in Grand Saline, Tex. and the first asexual reproduction of the new variety was conducted by semi-hardwood cuttings in June of 2016 in Grand Saline, Tex. ‘JBG BH-03’ has been trial and field tested and has been found to retain its distinctive characteristics and remain true to type through successive propagations. The present invention has not been evaluated under all possible environmental conditions. However, it has been found to thrive in production and adapt well to the environment in Homestead, Fla. The phenotype may vary with variations in environment without a change in the genotype of the plant.

‘JBG BH-03’ is similar to its female parent in flower size and flower color pattern. ‘JBG BH-03’ differs from its female parent in that the new variety exhibits overlapping petals, while the petals of its female parent are open and

separated. ‘JBG BH-03’ is similar to its male parent in having orange flower petals with yellow pigmentation present. ‘JBG BH-03’ differs from its male parent in having a smaller and less pronounced flower eye.

5 When ‘JBG BH-03’ is compared to *Hibiscus rosa-sinensis* variety ‘Lanwabash’, having a commercial name of “Party Crasher” (U.S. Plant Pat. No. 28,530), both varieties have a main flower color of orange, an upright growth habit, and similar pest resistance. However, ‘JBG BH-03’ has less yellow pigmentation present on its petals, more vigorous growth, and less petal ruffling than ‘Lanwabash’.

The following traits distinguish ‘JBG BH-03’ as a new and distinct cultivar from other *Hibiscus* varieties known to the breeder:

- 1. High growth rate;
- 2. Flowers that point outwards instead of downwards or upright;
- 3. Muted green foliage color; and
- 20 4. Heavy branching with good vigor.

**DESCRIPTION OF THE DRAWINGS**

The accompanying photographic images illustrate the new variety at approximately three years of age, with the colors being as nearly true as is possible with color illustrations of this type:

FIG. 1 illustrates a close-up view of a flower of the new variety; and

30 FIG. 2 illustrates a close-up view of an entire plant of the new variety.

## DESCRIPTION OF THE PLANT

The following detailed description sets forth the characteristics of the new variety. The plants were grown in a greenhouse with bottom heat in boxed, 1 yard soil containers. The color readings and measurements were taken indoors under natural light in a greenhouse on approximately three year old plants. Color references are primarily to the Munsell Color Chart (accessed online in 2022), except where general color terms are used.

## PLANT

Time to initiate roots: About 12 days at an average of 24° C.  
Time to develop roots: About 50 days at an average of 21-24° C.

Time to produce a finished flowering plant from a rooted cutting: About 12-16 weeks in a 1 gallon/20.0 cm diameter container.

Specific disease/pest resistance: Resistance to whitefly (*Trialeurodes vaporariorum*) and bacterial leaf spot (*Pseudomonas* spp.).

Heat/cold tolerance: Thrives above 13° C., but expires at temperatures of 0° C. and below.

Drought tolerance: Moderate to none.

Plant:

*Type*.—Tropical, ornamental shrub.

*Habit*.—Upright; mounded.

*Height*.—1.5 m.

*Spread*.—1.5 m.

*Vigor*.—Moderate.

*Rooting*.—Coarse and well-branched.

Stem:

*Number per plant*.—15.

*Length*.—61.0 cm.

*Width*.—1.3 cm.

*Texture*.—Immature: Smooth, green, semi-hard wood.

Mature: Medium-textured, brown, hard wood.

*Strength*.—Moderate and flexible.

*Branch arrangement*.—Alternate.

*Internode length*.—3.8-5.1 cm.

*Color*.—Immature: 10GY 5/8. Mature: 10YR 2/6.

*Stipules*.—Number per node: 2. Shape: Pointed.

Length: 0.6 cm. Width: 1.6 mm. Surface texture:

Smooth. Apex: Acute. Base: Attached. Margin:

Entire. Color: 10GY 5/8.

Foliage:

*Arrangement*.—Alternate.

*Size of leaf*.—Length: 15.2 cm. Width: 14.0 cm.

*Shape of leaf (generally)*.—Cordate/oval.

*Shape of apex*.—Mucronate/cuspidate.

*Shape of base*.—Rounded/cordate.

*Texture*.—Upper surface: Semi-abrasive and shiny.

Lower surface: Semi-abrasive.

*Margin type*.—Slightly serrate.

*Color*.—Young leaves: Upper surface: 10GY 4/10.

Lower surface: 10GY 6/10. Mature leaves: Upper

surface: 10GY 4/10. Lower surface: 10GY 6/10.

*Veins*.—Venation type: Netted. Color: Upper surface:

5GY 7/8. Lower surface: 5GY 7/8.

*Petiole*.—Length: 5.1 cm. Diameter: 3.2 mm. Texture:

Smooth. Color: 10GY 5/8.

## FLOWERS

Buds (described in a tight/not swollen/not opened state):

*Shape*.—Urn

*Diameter*.—1.3 cm. .

*Length*.—3.2 cm.

*Color*: 10GY 6/10, but 10YR 8/20 when pushing color/swollen/not yet opened.

Natural flowering season: May to October in Azusa, Calif.

Flower type and habit: Complete, single, with slightly overlapping petals.

Fragrance: Mild floral.

Flowers:

*Number per stem*.—1-7.

*Overall depth*.—12.7 cm.

*Overall diameter*.—20.3 cm.

*Shape*.—Stellate.

*Lastingness*.—1-3 days on the plant.

*Petals*.—Number: 5. Arrangement: Open and overlapping. Length: 10.2 cm. Width: 7.6 cm. Shape: Oblanceolate. Apex: Round, with incisions absent. Base: Acute. Margin: Entire, with weak undulation intensity. Texture/appearance: Upper surface: Soft and smooth. Lower surface: Semi-abrasive. Color: When opening: Upper surface: 7.5YR 7/12 with a 2.5R 2/10 throat. Lower surface: 7.5YR 7/10. Fully opened: Upper surface: 7.5YR 7/12 with a 2.5R 2/10 throat. Lower surface: 7.5YR 7/10. Eye zone: Size: Small. Color: 2.5R 2/12. Extension length: Short.

*Calyx*.—Form: Free. Overall length: 2.5 cm. Overall diameter: 2.5 cm. Sepals/calyx lobes: Number: 7. Shape: Pointed. Apex: Pointed. Margin: Entire. Texture: Semi-abrasive. Color: Outer surface: 10GY 5/8. Inner surface: 10GY 6/10.

*Epicalyx*.—Average number: 6 per flower. Length: Fused at base — 2.5 cm. Width: 2.5 cm. Texture: Semi-abrasive. Color: 10GY 6/10.

*Bracts*.—Location: Part of the epicalyx — encircling the true calyx at the base of the sepals. Number: 2. Position: Opposite. Length: 0.6 cm. Width: 1.6 mm. Shape: Pointed. Apex: Pointed. Base: Attached. Margin: Entire. Texture/appearance: Upper surface: Semi-abrasive. Lower surface: Semi-abrasive. Color: Outer surface: 10GY 6/10. Inner surface: 10GY 6/10.

*Peduncle*.—Length: 8.9 cm. Diameter: 3.2 mm. Strength: Strong. Angle: 45°. Texture: Smooth. Color: 10GY 6/10.

Reproductive organs:

*Gynoecium*.—Pistils: Number: 1. Length: 8.9 cm. Stigma: Number: 5. Shape: Round. Length: 3.2 mm. Diameter: 3.2 mm. Color: 2.5R 2/10. Style: Length: 0.6 cm. Width: 3.2 mm. Color: 7.5YR 7/12, with a base color of 2.5R 2/10 that extends up over halfway. Ovary: Shape: Urn. Length: 0.6 cm. Width: 0.6 cm. Color: 2.5R 2/10.

*Androecium*.—Stamens: Number: Approximately 50. Position: Below the stigma on the style. Anther: Shape: Round. Diameter: 1.6 mm. Color: 7.5Y 9/12. Filament: Length: 3.2 mm. Width: 1.6 mm. Color: 7.5Y 9/12. Pollen: Color: 7.5Y 9/12. Amount (generally): Abundant.

## SEEDS

Seeds: None produced.

I claim:

1. A new and distinct variety of *Hibiscus* plant named 'JBG BH-03', substantially as illustrated and described herein.

\* \* \* \* \*



FIG. 1



FIG. 2