



US00D800441S

(12) **United States Design Patent** (10) **Patent No.:** **US D800,441 S**
Hobbick (45) **Date of Patent:** **** Oct. 24, 2017**

(54) **FOOT ATTACHMENT FOR A CRUTCH**(71) Applicant: **William L. Hobbick**, Salvisa, KY (US)(72) Inventor: **William L. Hobbick**, Salvisa, KY (US)(**) Term: **15 Years**(21) Appl. No.: **29/552,467**(22) Filed: **Jan. 22, 2016**(51) LOC (10) Cl. **03-01**

(52) U.S. Cl.

USPC **D3/10**(58) **Field of Classification Search**

USPC D3/5, 7, 8, 9, 10, 17; D12/133

CPC A45B 9/00; A45B 9/04; A45B 2009/002;

A61H 3/02; A61H 3/0288

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,453,742 A *	11/1948	Bowen	A61H 3/0288	
				135/77
3,273,575 A *	9/1966	Aldrich	A61H 3/0288	
				135/77
D220,990 S *	6/1971	Zimmermann	A45B 9/04	
4,899,771 A *	2/1990	Wilkinson	A45B 9/04	
				135/77
5,103,850 A *	4/1992	Davis	A45B 9/04	
				135/77
5,167,746 A *	12/1992	Sheenan	A45B 9/04	
				135/77
5,217,033 A *	6/1993	Herman, Jr.	A61H 3/02	
				135/68
5,353,825 A *	10/1994	Davis	A45B 9/04	
				135/68
6,131,593 A *	10/2000	Greene	A45B 9/04	
				135/77
6,230,726 B1 *	5/2001	Dell	A45B 9/04	
				135/65

D481,531 S *	11/2003	Haythornthwaite	D3/12
6,666,895 B2 *	12/2003	Johnson	A61F 2/5046
				623/47
D516,799 S *	3/2006	Gordon	D3/6
D518,948 S *	4/2006	Calkins	D3/10
D610,792 S *	3/2010	Ozuna	D12/133
7,686,025 B1 *	3/2010	Dowling	A45B 9/04
				135/66
D628,791 S *	12/2010	Ozuna	D3/17
D680,730 S *	4/2013	Ozuna	D3/17
8,789,547 B1 *	7/2014	Reda	A61H 3/00
				135/77
D754,963 S *	5/2016	Austin	D3/10
D764,161 S *	8/2016	Vasilatos	D3/17
D770,163 S *	11/2016	Walther	D3/17
2006/0081279 A1 *	4/2006	Carlson	A45B 9/04
				135/65

(Continued)

Primary Examiner — John Windmuller*Assistant Examiner* — Steven Czyz(74) *Attorney, Agent, or Firm* — Robert C. Montgomery;
Montgomery Patent & Design, LP.(57) **CLAIM**

The ornamental design for a foot attachment for a crutch, as shown and described.

DESCRIPTION

FIG. 1 is a front top perspective view of a foot attachment for a crutch, showing my new design;

FIG. 2 is a rear top perspective view thereof;

FIG. 3 is a front elevation view thereof;


FIG. 4 is a rear elevation view thereof;

FIG. 5 is a left side elevation view thereof, wherein a right side elevation view is a mirror image thereof;

FIG. 6 is a top plan view; and,

FIG. 7 is a bottom plan view thereof.

The broken lines depict portions of the article that form no part of the claimed design.

1 Claim, 4 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

- | | | | |
|------------------|---------|----------------|-----------------------|
| 2010/0229346 A1* | 9/2010 | Chiu | A47B 91/06
16/42 T |
| 2013/0284222 A1* | 10/2013 | Lu | A45B 9/04
135/75 |
| 2013/0291913 A1* | 11/2013 | Soletski | A45B 9/04
135/72 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7