



US00D833614S

(12) **United States Design Patent** (10) **Patent No.:** **US D833,614 S**
Lange et al. (45) **Date of Patent:** **** Nov. 13, 2018**

(54) **PRE-SHAPED SPINAL ROD FOR SPINAL FIXATION SYSTEM**

(71) Applicant: **COLIGNE AG**, Zurich (CH)

(72) Inventors: **Robert Lange**, Paris (FR); **Jakob Funnemark**, Zurich (CH); **Vittoria Brighenti**, Volketswil (CH); **Robert Velez**, Chateauroux (FR)

(**) Term: **15 Years**

(21) Appl. No.: **35/503,559**

(22) Filed: **Feb. 24, 2017**

(80) **Hague Agreement Data**

Int. Filing Date: **Feb. 24, 2017**

Int. Reg. No.: **DM/095179**

Int. Reg. Date: **Feb. 24, 2017**

Int. Reg. Pub. Date: **Aug. 25, 2017**

(51) **LOC (11) CL.** **24-03**

(52) **U.S. Cl.**
USPC **D24/155**

(58) **Field of Classification Search**
USPC D24/155, 146, 133, 171, 128, 135, 142;
D8/387; D22/108; D23/266; 623/17.17;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,367,326 A * 2/1968 Frazier A61B 17/7002
606/279

D261,935 S * 11/1981 Halloran D24/155
(Continued)

Primary Examiner — Rhea Shields

(57) **CLAIM**

The ornamental design for a pre-shaped spinal rod for spinal fixation system, as shown and described.

DESCRIPTION

1.-2. Pre-shaped spinal rod for spinal fixation system

1.1 : Perspective

1.2 : Enlarged

1.3 : Left

1.4 : Right

1.5 : Front

1.6 : Top

1.7 : Back

1.8 : Bottom

2.1 : Perspective

2.2 : Enlarged

2.3 : Left

2.4 : Right

2.5 : Front

2.6 : Top


2.7 : Back

2.8 : Bottom

Fig. 1.1 is a perspective view of a pre-shaped spinal rod for spinal fixation system; fig. 1.2 is an enlarged view of a part of the embodiment of fig. 1.1; fig. 1.3 is a left side view of the embodiment of fig. 1.1; fig. 1.4 is a right side view of the embodiment of fig. 1.1; fig. 1.5 is a front view of the embodiment of fig. 1.1; fig. 1.6 is a rear view of the embodiment of fig. 1.1; fig. 1.7 is a top view of the embodiment of fig. 1.1; fig. 1.8 is a bottom view of the embodiment of fig. 1.1; fig. 2.1 is a perspective view of another embodiment of a pre-shaped spinal rod for spinal fixation system; fig. 2.2 is an enlarged view of a part of the embodiment of fig. 2.1; fig. 2.3 is a left side view of the embodiment of fig. 2.1; fig. 2.4 is a right side view of the embodiment of fig. 2.1; fig. 2.5 is a front view of the embodiment of fig. 2.1; fig. 2.6 is a rear view of the embodiment of fig. 2.1; fig. 2.7 is a top view of the embodiment of fig. 2.1; fig. 2.8 is a bottom view of the embodiment of fig. 2.1.

In the 1.2 and 2.2 the dash-dot-dash broken lines are for the purpose of illustrating boundaries of an enlarged portion of the pre-shaped spinal rod for spinal fixation system only and forms a part of the claimed design.

1 Claim, 16 Drawing Sheets



US D833,614 S

(58) **Field of Classification Search**

USPC 606/286, 291, 279, 86 R, 88; 607/116;
 600/217, 434; 604/105; 60/579;
 446/491; D17/20; D13/108, 148, 107,
 D13/139.2, 147, 137.4, 139.8; 43/44.91
 CPC A61B 17/7037; A61B 17/8014; A61B
 17/8071; A61B 17/8057; A61B 17/0206;
 A61B 17/7002; A61B 17/154; A61B
 17/1714; A61B 17/12022; A01K 93/00;
 A61N 1/05; A61M 5/007; A61J 15/0003
 See application file for complete search history.

D527,104 S * 8/2006 Houston D24/155
 D546,451 S * 7/2007 Givens, Jr. D24/133
 7,250,053 B2 * 7/2007 Orbay A61B 17/8057
 606/291
 D549,656 S * 8/2007 Hsiao D13/139.8
 D554,588 S * 11/2007 Lee D13/147
 D580,057 S * 11/2008 Ramadani D24/155
 D594,123 S * 6/2009 Haidukewych D24/155
 7,601,175 B2 * 10/2009 Feigenwinter A61B 17/8071
 623/17.17
 D608,001 S * 1/2010 Reardon D24/133
 D611,225 S * 3/2010 Khalil D24/146
 D614,770 S * 4/2010 Michelinakis D24/155
 D618,349 S * 6/2010 Krishna D24/155
 7,740,648 B2 * 6/2010 Young A61B 17/8014
 606/286
 D633,208 S * 2/2011 Murner D24/128
 D642,268 S * 7/2011 Qureshi D24/155
 D642,686 S * 8/2011 Velikov D24/155
 D665,076 S * 8/2012 Sauer D24/133
 8,372,110 B2 * 2/2013 Monstadt A61B 17/12022
 446/491
 D692,562 S * 10/2013 Hess D24/171
 D692,837 S * 11/2013 Knapp D13/139.2
 D693,470 S * 11/2013 Fagan D24/171
 D693,773 S * 11/2013 Chen D13/155
 D722,698 S * 2/2015 Frankel D24/171
 D740,427 S * 10/2015 McDonnell D24/171
 D751,200 S * 3/2016 LaRose D24/155
 D757,649 S * 5/2016 Pisharodi D13/107
 D765,853 S * 9/2016 Blain D24/155
 D778,980 S * 2/2017 Myers D17/20
 D783,526 S * 4/2017 Warren D13/108
 D783,785 S * 4/2017 Bates-Hurtado D23/266
 D792,549 S * 7/2017 McKillips D22/108
 D799,949 S * 10/2017 Stevenson A61B 17/7037
 D8/387
 D800,666 S * 10/2017 Nook D13/148
 D817,163 S * 5/2018 Ouyang D8/387
 2011/0225872 A1 * 9/2011 Farley A01K 93/00
 43/44.91


(56) **References Cited**

U.S. PATENT DOCUMENTS

4,332,254 A * 6/1982 Lundquist A61M 5/007
 60/579
 4,739,751 A * 4/1988 Sapega A61B 17/1714
 606/88
 4,781,704 A * 11/1988 Potter A61J 15/0003
 604/105
 4,932,395 A * 6/1990 Mehdizadeh A61B 17/0206
 600/217
 D309,185 S * 7/1990 Lockawich D24/142
 5,231,989 A * 8/1993 Middleman A61B 1/00165
 600/434
 D341,884 S * 11/1993 Cohen D24/133
 5,441,527 A * 8/1995 Erickson A61N 1/05
 607/116
 5,474,559 A * 12/1995 Bertin A61B 17/154
 606/86 R
 D378,314 S * 3/1997 Koros D24/155
 D411,618 S * 6/1999 Mariant D24/143
 D431,653 S * 10/2000 Koros D24/135
 D464,136 S * 10/2002 Bryant D24/155
 D464,731 S * 10/2002 Bryant D24/155
 D469,532 S * 1/2003 Bryant D24/155
 D472,521 S * 4/2003 Giesbrecht D13/137.4
 D524,442 S * 7/2006 Houston D24/155
 D526,718 S * 8/2006 Houston D24/155

* cited by examiner


1.1




1.2



1.3



1.4



1.5



1.6




1.7



1.8




2.1




2.2



2.3



2.4



2.5



2.6



2.7



2.8

