



US00D766334S

(12) **United States Design Patent**
Bergman et al.

(10) **Patent No.:** **US D766,334 S**

(45) **Date of Patent:** **** Sep. 13, 2016**

- (54) **CRUSHER FEED HOPPER WEAR PROTECTION CASSETTE**
- (71) Applicant: **SANDVIK INTELLECTUAL PROPERTY AB**, Sandviken (SE)
- (72) Inventors: **Axel Bergman**, Malmö (SE); **Bengt-Arne Eriksson**, Svedala (SE); **Frederik Eriksson**, Malmö (SE); **Mikael Larsson**, Eslov (SE); **Patric Malmqvist**, Svedala (SE)
- (73) Assignee: **SANDVIK INTELLECTUAL PROPERTY AB**, Sandviken (SE)

| | | | | | |
|--------------|------|---------|-----------|-------|-------------|
| 4,887,550 | A * | 12/1989 | Pirovano | | A01K 31/17 |
| | | | | | 119/56.2 |
| 5,794,561 | A * | 8/1998 | Schulz | | A01K 5/0225 |
| | | | | | 119/52.1 |
| 6,851,461 | B2 * | 2/2005 | McNicol | | B27L 1/05 |
| | | | | | 144/208.9 |
| 7,850,103 | B2 * | 12/2010 | Eriksson | | B02C 2/047 |
| | | | | | 241/207 |
| 7,857,248 | B2 * | 12/2010 | Eriksson | | B02C 2/047 |
| | | | | | 241/207 |
| D713,431 | S * | 9/2014 | Malmqvist | | D15/123 |
| D745,572 | S * | 12/2015 | Bergman | | D15/28 |
| 2003/0145738 | A1 * | 8/2003 | Bowen | | B02C 4/286 |
| | | | | | 99/353 |
| 2008/0178815 | A1 * | 7/2008 | Meritt | | A01K 1/10 |
| | | | | | 119/52.4 |

(**) Term: **15 Years**

(21) Appl. No.: **29/542,163**

(22) Filed: **Oct. 12, 2015**

(30) **Foreign Application Priority Data**

| | | | |
|---------------|------|-------|----------------|
| Nov. 14, 2012 | (EM) | | 001351126-0001 |
| Nov. 14, 2012 | (EM) | | 001351126-0002 |
| Nov. 14, 2012 | (EM) | | 001351126-0003 |
| Nov. 14, 2012 | (EM) | | 001351126-0004 |
| Nov. 14, 2012 | (EM) | | 001351126-0005 |

(51) **LOC (10) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/28**

(58) **Field of Classification Search**
USPC D15/10-33, 122, 123; 119/57.6, 52.1, 119/57.5, 57.92; 222/185.1, 482; 72/448, 72/455; 241/31, 58, 159, 178, 186, 236
CPC B02C 13/286; B02C 13/282; B02C 2013/28681; B02C 19/22; B02C 2/04; B02C 4/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|-----|--------|-------------|-------|-------------|
| 1,215,725 | A * | 2/1917 | Shelley | | A01K 39/012 |
| | | | | | 119/52.1 |
| 2,791,200 | A * | 5/1957 | Palmer, Jr. | | A01K 39/01 |
| | | | | | 119/57.6 |
| D254,256 | S * | 2/1980 | Ackers | | D15/123 |

* cited by examiner

Primary Examiner — Cynthia Ramirez

Assistant Examiner — Gino Colan

(74) *Attorney, Agent, or Firm* — Corinne R. Gorski


(57) **CLAIM**

The ornamental design for a crusher feed hopper wear protection cassette, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the crusher feed hopper wear protection cassette showing our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a front elevational view thereof;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a side elevational view thereof; and
 FIG. 7 is another side elevational view thereof.
 FIG. 8 is a perspective view of another embodiment of the crusher feed hopper wear protection cassette showing our new design;
 FIG. 9 is a top plan view thereof;
 FIG. 10 is a bottom plan view thereof;
 FIG. 11 is a front elevational view thereof;
 FIG. 12 is a rear elevational view thereof;
 FIG. 13 is a side elevational view thereof; and,
 FIG. 14 is another side elevational view thereof.

1 Claim, 14 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14