## **ABSTRACT**

## NOVEL SALTS OF (R)-8-CHLORO-1-METHYL-2,3,4,5-TETRAHYDRO-1H-3-BENZAZEPINE

5

10

The present invention provides novel salts of the 5-HT<sub>2C</sub>-receptor agonist (R)-8-chloro-1-methyl-2,3,4,5-tetrahydro-1H-3-benzazepine (known as lorcaserin). The invention also provides to process for the prepration of these salts. Further the invention provides pharmaceutical compositions and dosage forms comprising therapeutically effective amount of the salts of the 5-HT<sub>2C</sub>-receptor agonist (R)-8-chloro-1-methyl-2,3,4,5-tetrahydro-1H-3-benzazepine, for weight management.

FIG.1





FIG. 2



## **ABSTRACT**

## NOVEL SALTS OF (R)-8-CHLORO-1-METHYL-2,3,4,5-TETRAHYDRO-1H-3-BENZAZEPINE

5

10

The present invention provides novel salts of the 5-HT<sub>2C</sub>-receptor agonist (R)-8-chloro-1-methyl-2,3,4,5-tetrahydro-1H-3-benzazepine (known as lorcaserin). The invention also provides to process for the prepration of these salts. Further the invention provides pharmaceutical compositions and dosage forms comprising therapeutically effective amount of the salts of the 5-HT<sub>2C</sub>-receptor agonist (R)-8-chloro-1-methyl-2,3,4,5-tetrahydro-1H-3-benzazepine, for weight management.

FIG.1




FIG. 2

