

(12) DEMANDE DE BREVET CANADIEN
CANADIAN PATENT APPLICATION

(13) **A1**

(22) Date de dépôt/Filing Date: 1991/03/28

(41) Mise à la disp. pub./Open to Public Insp.: 1991/10/03

(62) Demande originale/Original Application: 2 079 100

(30) **Priorité/Priority:** 1990/03/29 (502,358) US

(51) Cl.Int.⁷/Int.Cl.⁷ B65B 11/56

(71) Demandeur/Applicant:

SOUTHPAC TRUST INTERNATIONAL, INC., NZ


(72) Inventeur/Inventor:

WEDER, DONALD E., US

(74) **Agent:** SMART & BIGGAR

(54) Titre : FEUILLES D'EMBALLAGE POUR GERBES DE FLEURS, A BANDE ADHESIVE, EN PAQUETS

(54) Title: WRAPPING A FLORAL GROUPING WITH SHEETS HAVING ADHESIVE OR COHESIVE MATERIAL APPLIED THERETO



(57) **Abrégé/Abstract:**

A method for wrapping a floral grouping (30) wherein a plurality of sheets of material (12) are connected into a pad (26) of sheets of material. The pad has a top sheet (28) of material with the other sheets of material being disposed under the top sheet (28) of material. The floral grouping (30) is placed on the top sheet (28) of material. The top sheet (28) of material is wrapped about a portion of the floral grouping (30) and the top sheet (28) of material and the floral grouping (30) are rolled to wrap the floral grouping (30) in the top sheet (28) of material and simultaneously disconnect the top sheet (28) of material from the pad (26). The sheets of material are secured about the floral grouping in a wrapped position by an adhesive (24) or cohesive (40, 42, 44) on the sheets of material and the sheets of material are secured in the form of the pad (26) by the adhesive (24) or cohesive (40, 42, 44) materials on the sheet.

PCT/US91/02180

ABSTRACT OF THE DISCLOSURE

A method for wrapping a floral grouping (30) wherein a plurality of sheets of material (12) are connected into a pad (26) of sheets of material. The pad has a top sheet (28) of material with the other sheets of material being disposed under the top sheet (28) of material. The floral grouping (30) is placed on the top sheet (28) of material. The top sheet (28) of material is wrapped about a portion of the floral grouping (30) and the top sheet (28) of material and the floral grouping (30) are rolled to wrap the floral grouping (30) in the top sheet (28) of material and simultaneously disconnect the top sheet (28) of material from the pad (26). The sheets of material are secured about the floral grouping in a wrapped position by an adhesive (24) or cohesive (40, 42, 44) on the sheets of material and the sheets of material are secured in the form of the pad (26) by the adhesive (24) or cohesive (40, 42, 44) materials on the sheet.

66239-1758

1

**WRAPPING A FLORAL GROUPING WITH SHEETS HAVING ADHESIVE OR
COHESIVE MATERIAL APPLIED THERETO**

Field of the Invention

The present invention relates generally to the
5 wrapping of a floral grouping with a sheet of material by
placing the floral grouping on a top sheet of material of a pad
of sheets of material and then wrapping the top sheet of
material about the floral grouping and simultaneously
disconnecting the top sheet of material from the pad.

10 **Brief Description of the Invention**

The present invention provides a method of wrapping a
floral grouping, comprising: connecting a plurality of sheets
of material into a pad of sheets of material having a sheet of
material with the other sheets of material being disposed under
15 the sheet of material wherein each sheet of material in the pad
is connected to each adjacent sheet of material by an adhesive
or cohesive bonding material; placing the floral grouping on
the sheet of material of the pad; and wrapping the sheet of
material about the floral grouping and simultaneously
20 disconnecting the sheet of material from the pad of sheets of
material.

In another aspect the present invention provides a
method for wrapping a floral grouping comprising; providing a
pad comprising a plurality of sheets of material with each
25 sheet of material being connected via an adhesive or cohesive
bonding material to each adjacent sheet of material to form the
pad having a top sheet of material and the other sheets of
material being disposed under the top sheet of material;

Placing the floral grouping on a sheet of material in

66239-1758

2

grouping and simultaneously disconnecting the sheet of material from the pad of sheets of material.

Brief Description of the Drawings

Figure 1 is an elevational view of the upper surface of a sheet of material of the type contemplated by the present invention.

Figure 2 is an elevational view of a plurality of sheets of material with each sheet being constructed as shown in Figure 1 and with the sheets connected together to form a pad of sheets of material, a floral grouping being shown in Figure 2 disposed on a portion of the top sheet of material of the pad.

Figure 3 is a partial perspective view of the pad, similar to Figure 2, but showing a portion of the top sheet of material wrapped partially about the floral grouping.

Figure 4 is a partial perspective view of the pad shown in Figure 1 with the top sheet of material wrapped generally about the floral grouping just prior to the top sheet of material being connected from the pad.

WO 91/14621

PCT/US91/02180

3

Figure 5 is an elevational view of the pad shown in Figures 2-4 showing the floral grouping wrapped with the top sheet of material just after the top sheet of material has been disconnected from the pad.

Figure 6 is an elevational view showing the upper surface of a modified sheet of material constructed in accordance with the present invention.

Figure 7 is an elevational view showing the lower surface of the sheet of material of Figure 6.

Figure 8 is an elevational view of a plurality of sheets of material constructed as shown in Figures 6 and 7 and connected together to form a pad of sheets of material, a floral grouping being shown in Figure 8 disposed on a portion of the top sheet of material of the pad.

Figure 9 is a partial perspective view of the pad, similar to Figure 8, but showing a portion of the top sheet of material wrapped partially about the floral grouping.

Figure 10 is a partial perspective view of the pad shown in Figures 8 and 9 with the top sheet of material wrapped generally about the floral grouping just prior to the top sheet of material being connected from the pad.

Figure 11 is an elevational view of the pad shown in Figures 8-10 showing the floral grouping wrapped with the top sheet of material just after the top sheet of material has been disconnected from the pad.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

Shown in Figure 1 is a typical sheet of material 10 constructed in accordance with the present invention. The sheet of material 10 has a first side 12, a second side 14, a first end 16, a second end 18, an upper surface 20 and a lower surface 22. An adhesive 24 is applied to the upper surface 20 generally near and extending a distance from the

WO 91/14021

PCT/US91/02180

4

second side 14 with the adhesive 24 extending generally between the first and the second ends 16 and 18 of the sheet of material 10. The adhesive 24, as shown in Figure 1, more particularly, is a strip of adhesive applied to the upper surface 20 of the sheet of material 10.

The present invention contemplates a plurality of sheets of material 10 connected together to form a pad 26 of sheets of material 10, as shown in Figures 2-5. The pad 26 comprises a plurality of sheets of material 10 stacked one on top of the other and positioned so that the first sides 12, the second sides 14, the first ends 16 and the second ends 18 of the sheets of material 10 in the pad 26 generally are aligned.

The upper surface 20 of each sheet of material 10 is disposed generally adjacent the lower surface 22 of an adjacent sheet of material 10 in the pad 26. The adhesive 24 strips on the upper surface 20 of each of the sheets of material adhesively connects each sheet of material 10 with the sheet of material 10 disposed thereon for connecting the sheets of material 10 and maintaining the sheets of material 10 in the pad 26 form. Each of the sheets of material 10 in the pad 26 is releasably connected to the other sheets of material 10 via the adhesive 24 in a releasable manner so that a sheet of material 10 can be removed from the pad 26 by lifting the sheet of material 10 from the pad 26 and disconnecting the adhesive bond formed by the adhesive 24 strip. The sheets of material 10 are stacked in the form of the pad 26 thereby providing a top sheet of material which is disposed generally on the top of the pad 26 with the other sheets of material 10 being disposed generally under the top sheet of material 28.

A floral grouping 30 is placed on a portion of the top sheet of material 28, as shown in Figure 2, generally near the

first side 12 of the top sheet of material 28. An operator then lifts a portion of the top sheet of material 28 generally near the first side 12 thereof and places the lifted portion of the top sheet of material 28 and places that portion of the top sheet of material 28 generally about a portion of the floral grouping 30, as shown in Figure 3. In this position, the top sheet of material 28 and the floral grouping 30 are rolled in a general direction 32 (Figure 3) thereby rolling the top sheet of material 28 generally about the floral grouping 30. The top sheet of material 28 and the floral grouping 30 are continued to be rolled in a rolling direction 34 (Figure 3) and in the direction 32 generally toward the second side 14 of the top sheet of material 28 until the floral grouping 30 is disposed generally adjacent the second side 14 of the top sheet of material 28, as shown in Figure 4. In this position, the operator continues to roll the top sheet of material 28 and the floral grouping 30 disposed thereon in the rolling direction 34 and in the direction 32 thereby lifting the top sheet of material from the adhesive 24 strip on the upper surface 20 of the sheet of material 10 disposed generally beneath the top sheet of material 28 and disconnecting the top sheet of material 28 from the adhesive connection between the top sheet of material 28 and the sheet of material 10 disposed under the top sheet of material 28. As the floral grouping 30 and the top sheet of material 28 are rolled over the adhesive 24 strip on the upper surface 20 of the top sheet of material 28, the adhesive 24 strip adhesively connects to an adjacent portion of the top sheet of material 28 thereby securing the top sheet of material 28 securely wrapped generally about the floral grouping 30, as shown in Figure 5.

When the top sheet of material 28 has been secured about the floral grouping 30 in the manner just described, the sheet of material 10 generally under the top sheet of material 28 then provides a new top sheet of material and the process can be repeated for wrapping additional or other floral groupings.

Each of the sheets of material 10 has a width 36 (Figure 1) extending generally between the first and the second sides 12 and 14 size sufficient whereby each sheet of material 10 can be wrapped about and encompass the floral grouping 30. Each sheet of material 10 has a length 38 (Figure 1) extending generally between the first and the second ends 16 and 18 thereof sized sufficient whereby the sheet of material 10 extends over a substantial portion of the floral grouping 30 when the sheet of material 10 has been wrapped about the floral grouping 30 in accordance with the present invention.

"Floral grouping" as used herein means cut fresh flowers, artificial flowers, other fresh and/or artificial plants or other floral materials and may include other secondary plants and/or ornamentation which add to the aesthetics of the overall floral grouping.

The material 10 is constructed from any suitable material that is capable of being wrapped about an item as described herein. Preferably, the material 10 comprises paper (untreated or treated in any manner), cellophane, foil, man-made organic polymer film or combinations thereof. The material 10 also can be cloth (natural or synthetic) or burlap (natural or synthetic) or combinations thereof.

The material 10 may be constructed of a single layer of material or a plurality of layers of the same or different types of materials. Any thickness of the material 10 may be utilized in accordance with the present invention as long as the material 10 is wrappable about an item. Therein as

described herein. Additionally, an insulating material such as bubble film, preferable as one of two layers, can be utilized in order to provide needed protection for the item wrapped therein. In a preferred embodiment, the material 10 is constructed from two polypropylene films (a 20" x 15" sheet of Mobil 270 ABW white opaque film laminated to a 20" x 15" sheet of Mobil 220 AB clear film) having a thickness in a range of from less than about 1.0 mil to about 2.5 mils, although the thickness of the sheet of material could be as great as 30 mils.

The term "man-made organic polymer film" means a man-made resin such as a polypropylene as opposed to naturally occurring resins such as cellophane.

A man-made organic polymer film is relatively strong and not as subject to tearing (substantially non-tearable), as might be the case with paper or foil. The man-made organic polymer film is a substantially linearly linked processed organic polymer film and is a synthetic linear chain organic polymer where the carbon atoms are substantially linearly linked. Such films are synthetic polymers formed or synthesized from monomers. Further, a relatively substantially linearly linked processed organic polymer film is virtually waterproof which may be desirable in many applications such as wrapping a floral grouping

Additionally a relatively thin film of substantially linearly linked processed organic polymer does not substantially deteriorate in sunlight. Processed organic polymer films having carbon atoms both linearly linked and cross linked, and some cross linked polymer films, also may be suitable for use in the present invention provided such films are substantially flexible and can be made in a sheet-like format for wrapping purposes consistent with the present

invention. For example, one man-made organic polymer film is a polypropylene film.

A decorative pattern, such as a color and/or an embossed pattern, and/or other decorative surface ornamentation may be applied to the upper surface 20 and/or the lower surface 22 of the material 10 or portions thereof including, but not limited to printed design, coatings, colors, flocking or metallic finishes. The material 10 also may be totally or partially clear or tinted transparent material.

10 EMBODIMENT OF FIGURES 6-11

Shown in Figure 6 is a modified sheet of material 10a which is constructed exactly like the sheet of material 10, except the sheet of material 10a does not include the adhesive 24. Rather, the sheet of material 10a includes a first cohesive 15 applied to the upper surface thereof generally near the second side 14a and extending generally between the first and the second ends 16a and 18a forming a first strip of cohesive 40. The sheet of material 10a also includes a second cohesive 20 42 (Figures 7 and 10) applied to the lower surface 22a of the sheet of material 10a generally near the first side 12a and extending generally between the first and the second ends 16a and 18a to form a second strip of cohesive 42 on the upper surface 22a of the sheet of material 10a, as shown in Figure 7. Further, as shown in Figure 7, a third strip of cohesive 25 44 is applied to the lower surface 22a of the sheet of material 10a with the third cohesive 44 extending generally between the first and the second ends 16a and 18a generally near the second side 14a forming a third strip of cohesive 44 on the lower surface 22a of the sheet of material 10a.

30 The cohesive materials 40, 42 and 44 each are adapted so that the cohesive materials 40, 42 and 44 each will cohesively bond only to similar cohesive materials and will not bond to

portions of the sheet of material 10a which are not coated with like cohesive materials.

When a plurality of the sheets of material 10a are stacked in the form of the pad 26a (shown in Figures 8-11), the third strip of cohesive 44 on the lower surface 22 of each of the strips of material 10a is disposed generally adjacent the first strip of cohesive 40 formed on the upper surface 22a of an adjacent sheet of material with the two cohesive strips 40 and 44 forming a bond to connect the sheets of material 10a together in the form of the pad 26a.

The floral grouping 30a is placed on a portion of the top sheet of material 28a generally near the first side 12a, as shown in Figure 8. The operator then lifts a portion of top sheet of material 28a generally near the first side 12a thereof and places the lifted portion of the top sheet of material 28a generally over a portion of the floral grouping 30, as shown in Figure 9. The operator then rolls the floral grouping 30 and the top sheet of material 28a in the rolling direction 34a and in the direction 32a thereby wrapping the top sheet of material 28a generally about the floral grouping 30a and moving the floral grouping 30a and the top portion of the top sheet of material 28a wrapped thereabout generally toward the second side 14a to a position wherein the floral grouping 30a with the portion of the top sheet of material 28a disposed thereabout or wrapped thereabout is disposed generally adjacent the second side 14a of the top sheet of material 28a, as shown in Figure 10. The operator then continues to roll the floral grouping 30a and the top sheet of material 28a in the rolling direction 34a and in the direction 32a to a position wherein the first cohesive strip 40 is disposed adjacent the second cohesive strip 42 and the first and the second cohesive strip 40 and 42a form a bond to

secure the top sheet of material 28a generally about the floral grouping 30a as shown in Figure 11. The operator continues to roll the top sheet of material 28a in the rolling direction 34a and in the direction 32 to a position wherein the third strip of cohesive 44 on the top sheet of material 28a is disconnected from the first strip of cohesive 40 on the sheet of material 10a generally under the top sheet of material 28a thereby disconnecting the top sheet of material 28a from the pad 26a as shown in Figure 11.

It should be noted that, in lieu of the cohesive strips 40, 42 and 44, the entire upper and lower surfaces 20a and 22a of the sheet of material 10a could be covered with the cohesive material or spots of cohesive material (in lieu of strips) could be included on the upper and lower surfaces 20a and 22a. In a similar manner, the entire upper surface 20 of the sheet of material 10 could be covered with the adhesive material or, the entire upper and lower surfaces 20 and 22 of the sheet of material 10 could be covered with the adhesive material or spots or strips of adhesive material could be selective placed on the upper surface 20 and/or the lower surface 22 of the sheet of material 10a positioned to accomplish the functions of the adhesive 24 described before in connection with the sheet of material 10.

It should also be noted that the sheets of material 10a 25 have a width and a length sized exactly like the width 36 and the length 38 described before.

Changes may be made in the construction and the operation of the various components, elements and assemblies described herein or in the steps or the sequence of steps of the methods described herein without departing from the spirit and scope of the invention as defined in the following claims.

CLAIMS FOR CANADIAN DIVISIONAL OF 2,079,100-4

1. A method for wrapping an item, comprising:
 - providing a pad comprising a plurality of sheets of material with each sheet of material having an upper surface and a lower surface, and each sheet of material having an adhesive or cohesive thereon;
 - providing a floral grouping with the floral grouping comprising the item;
 - placing the floral grouping on one of the sheets of material in the pad; and
 - placing a portion of the sheet of material over a portion of the floral grouping and disconnecting the sheet of material from the pad of sheets of material with portions of the sheet of material overlapping other portions of the sheet of material and bonding the overlapping portions of the sheet of material by contacting the adhesive or cohesive on the sheet of material with adjacent overlapping portions of the sheet of material whereby the sheet of material is bonded to overlapping portions of the sheet of material and with the sheet of material encompassing and surrounding a portion of

the floral grouping and being held about the floral grouping by the bonding of the overlapping portions of the sheet of material.

2. The method of claim 1 wherein the step of providing the pad of sheets of material is defined further as having each sheet of material with the adhesive or cohesive material being disposed on the upper surface of each sheet of material and the adhesive or cohesive on each sheet of material being adhesively or cohesively connected to a portion of an adjacent sheet of material for cooperating to connect the sheets of material into the pad.

3. The method of claim 1 wherein the step of placing a portion of the sheet of material over a portion of the floral grouping further comprises:

rolling the sheet of material and the floral grouping thereby wrapping the sheet of material about the floral grouping, the adhesive or cohesive on the sheet of material being adhesively or cohesively connected to a portion of the sheet of material for securing the sheet of material in a wrapped position about the floral grouping and the sheet of material being removed from the pad of sheets of

5. A method for wrapping an item comprising:
- providing a pad comprising a plurality of sheets of material with the sheets of material being connected to form the pad;
- each sheet of material having an upper surface and a lower surface, and each sheet of material having adhesive or cohesive thereon;
- providing a floral grouping having a stem end and a flower end, the floral grouping comprising the item;
- placing the floral grouping on one of the sheets of material in the pad; and
- placing a portion of the sheet of material over a portion of the floral grouping and disconnecting the sheet of material from the pad of sheets of material the sheet of material being wrapped about the floral grouping with portions of the sheet of material overlapping portions of the sheet of material and bonding the overlapping portions of the sheet of material by contacting the adhesive or cohesive on the sheet of material with adjacent overlapping portions of the sheet of material whereby the sheet of material is bonded to overlapping portions of the sheet of material

whereby there are substantially no loose flaps formed by the unbonded portions of the sheet of material, and with the sheet of material substantially encompassing and surrounding a substantial portion of the flower end of the floral grouping and a substantial portion of the stem end of the floral grouping and being held about the floral grouping by the bonding of the overlapping portions of the sheet of material, the sheet of material being tightly wrapped about at least a portion of the stem end of the floral grouping.

6. The method of claim 5 wherein the step of providing the pad of sheets of material is defined further as providing the pad of sheets of material with each sheet of material having the adhesive or cohesive on the upper surface thereof with the adhesive or cohesive of each sheet of material being connected to a portion of an adjacent sheet of material for cooperating to connect the sheets of material into the pad.

7. The method of claim 6 wherein the step of placing a portion of the sheet of material over a portion of the floral grouping further comprises:

rolling the sheet of material and the floral grouping thereby wrapping the sheet of material about the floral grouping, the adhesive or cohesive on the sheet of material being adhesively or cohesively connected to a portion of the sheet of material for securing the sheet of material in a wrapped position about the floral grouping and the sheet of material being removed from the pad of sheets of material as the sheet of material is wrapped about the floral grouping.

8. The method of claim 7 wherein the step of placing a portion of the sheet of material over a portion of the floral grouping further comprises:

placing the floral grouping on the upper surface of the sheet of material and near a first side of the sheet of material; and

rolling the sheet of material and the floral grouping until the sheet of material is rolled about the floral grouping and wherein the adhesive or cohesive on the sheet of material is adhesively or cohesively connected to a portion of the sheet of material as the sheet of material and the floral grouping are rolled over the adhesive or cohesive

9. A method for wrapping an item comprising:
- providing a pad comprising a plurality of sheets of material with the sheets of material being connected to form the pad, each sheet of material having a pressure sensitive adhesive or cohesive on the upper surface of the sheet of material;
- providing a floral grouping having a flower end and a stem end, the floral grouping comprising the item;
- placing the floral grouping on one of the sheets of material; and
- placing a portion of the sheet of material over a portion of the floral grouping and disconnecting the sheet of material from the pad of sheets of material, the sheet of material being wrapped about the floral grouping with a portion of the sheet of material overlapping other portions of the sheet of material and bonding the overlapping portions of the sheet of material by contacting the pressure sensitive adhesive or cohesive on the upper surface with adjacent overlapping portions of the sheet of material whereby the sheet of material is bonded to overlapping portions of the sheet of material so that there are substantially no loose flaps formed by unbonded portions of the sheet of material, and

with the sheet of material substantially encompassing and surrounding a substantial portion of the flower end of the floral grouping and a substantial portion of the stem end of the floral grouping and being held about the floral grouping by the bonding of the overlapping portions of the sheet of material, the sheet of material being tightly wrapped about at least a portion of the stem end of the floral grouping.

10. A method for wrapping an item, comprising:

providing a pad comprising a plurality of sheets of material having a top sheet of material with the other sheets of material being disposed under the top sheet of material, each sheet of material having a first end and a second end, an upper surface and a lower surface, each sheet of material having a pressure sensitive adhesive or cohesive on the upper surface of the sheet of material;

providing a floral grouping having an upper flower end and a stem end, the floral grouping comprising the item;

placing the floral grouping on the top sheet of material; and

placing a portion of the top sheet of material over a portion of the floral grouping and disconnecting the top sheet of material from the pad of sheets of material, with a portion of the sheet of material overlapping other portions of the sheet of material and bonding the overlapping portions of the sheet of material by contacting the pressure sensitive adhesive or cohesive on the upper surface with adjacent overlapping portions of the sheet of material whereby the sheet of material is bonded to

overlapping portions of the sheet of material and with the sheet of material substantially encompassing and surrounding a substantial portion of the stem end of the floral grouping and being held about the floral grouping by the bonding of the overlapping portions of the sheet of material, the sheet of material wrapped about the floral grouping wrapping having an opening extending through the lower end thereof and an opening extending through the upper end thereof with the stem end of the floral grouping extending through the opening in the lower end and the flower end of the floral grouping being exposed near the opening in the upper end thereof.

11. The method of claim 10 wherein the step of providing the pad of sheets of material is defined further as having each sheet of material with the pressure sensitive adhesive or cohesive on the upper surface being adhesively connected to a portion of an adjacent sheet of material for cooperating to connect the sheets of material into the pad.

12. The method of claim 11 wherein the step of placing a portion of the top sheet of material over a portion of the floral grouping further comprises:

rolling the top sheet of material and the floral grouping thereby wrapping the top sheet of material about the floral grouping, the pressure sensitive adhesive or cohesive on the top sheet of material being adhesively or cohesively connected to a portion of the top sheet of material for securing the top sheet of material in a wrapped position about the floral grouping and the top sheet of material being removed from the pad of sheets of material as the top sheet of material is wrapped about the floral grouping.

13. The method of claim 12 wherein the step of placing a portion of the top sheet of material over a portion of the floral grouping further comprises rolling the top sheet of material and the floral grouping until the top sheet of material is rolled about the floral grouping, the pressure sensitive adhesive or cohesive on the top sheet of material being adhesively or cohesively connected to a portion of the top sheet of material and the floral grouping is rolled over the pressure sensitive adhesive or cohesive and the top sheet of material being disconnected from the pad as the top

sheet of material and the floral grouping are rolled over the pad whereby the top sheet of material is lifted from the pad and the adhesive or cohesive connection between the top sheet of material and a next sheet of material is disconnected.

14. A method for wrapping an item comprising:

providing a pad comprising a plurality of sheets of material with the sheets of material being connected to form the pad having a top sheet of material and the other sheets of material being disposed under the top sheet of material, each sheet of material having a first end and a second end, an upper surface and a lower surface, each sheet of material having a pressure sensitive adhesive or cohesive on the upper surface of the sheet of material;

providing a floral grouping having a stem end and a flower end, the floral grouping comprising the item;

placing the floral grouping on the top sheet of material; and

placing a portion of the top sheet of material over a portion of the floral grouping and disconnecting the top sheet of material from the pad of sheets of material, the sheet of material being wrapped about the floral grouping with portions of the sheet of material overlapping portions of the sheet of material and bonding the overlapping portions of the sheet of material by contacting the pressure

sensitive adhesive or cohesive on the upper surface with adjacent overlapping portions of the sheet of material whereby the sheet of material is bonded to overlapping portions of the sheet of material whereby there are substantially no flaps formed by unbonded portions of the sheet of material, and with the sheet of material substantially encompassing and surrounding a substantial portion of the flower end of the floral grouping and a substantial portion of the stem end of the floral grouping and being held about the floral grouping by the bonding of the overlapping portions of the sheet of material, the sheet of material being tightly wrapped about the stem end of the floral grouping, the sheet of material wrapped about the floral grouping having an opening extending through the lower end thereof and an opening extending through the lower end thereof and an opening extending through the upper end thereof with the stem end of the floral grouping extending through the opening in the lower end and the flower end of the floral grouping being exposed near the opening in the upper end thereof, the upper end of the

wrapping being loosely wrapped about the flower end of the floral grouping.

15. The method of claim 14 wherein the step of providing the pad of sheets of material is defined further as having each sheet of material with the pressure sensitive adhesive or cohesive on the upper surface being adhesively or cohesively connected to a portion of an adjacent sheet of material for cooperating to connect the sheets of material into the pad.

16. The method of claim 15 wherein the step of wrapping the top sheet of material about the floral grouping further comprises:

placing a portion of the top sheet of material over at least a portion of the floral grouping and rolling the top sheet of material and the floral grouping and wrapping the top sheet of material about the floral grouping, the pressure sensitive adhesive or cohesive on the top sheet of material being adhesively or cohesively connected to a portion of the top sheet of material for securing the top sheet of material in a wrapped position about the floral grouping and the top sheet of material being removed from the pad of sheets of material as the

top sheet of material is wrapped about the floral grouping.

17. The method of claim 16 wherein the step of placing a portion of the top sheet of material over a portion of the floral grouping further comprises rolling the top sheet of material and the floral grouping until the top sheet of material is rolled about the floral grouping and wherein the pressure sensitive adhesive or cohesive on the top sheet of material is adhesively or cohesively connected to a portion of the top sheet of material as the top sheet of material and the floral grouping is rolled over the pressure sensitive adhesive or cohesive and wherein the top sheet of material is disconnected from the pad as the top sheet of material and the floral grouping are rolled over the pad whereby the top sheet of material is lifted from the pad and the adhesive or cohesive connection between the top sheet of material and a next sheet of material is disconnected.

18. A method for wrapping an item, comprising:

providing a pad comprising a plurality of sheets of material;

each sheet of material having an upper surface and a lower surface, and each sheet of material having an adhesive or cohesive thereon;

providing a floral grouping with the floral grouping comprising the item;

placing the floral grouping on one of the sheets of material in the pad; and

placing a portion of the sheet of material over a portion of the floral grouping causing portions of the sheet of material to overlap other portions of the sheet of material forming overlapping portions and bonding the overlapping portions of the sheet of material by contacting the adhesive or cohesive on the sheet of material with adjacent overlapping portions of the sheet of material forming bonded overlapping portions wherein the sheet of material is held about the floral grouping by the bonded overlapping portions of the sheet of material.

19. The method of claim 18 wherein the step of providing the pad of sheets of material is defined further as having each sheet

of material with the adhesive or cohesive being disposed on at least the upper surface of each sheet of material and the adhesive or cohesive on each sheet of material being adhesively or cohesively connected to a portion of an adjacent sheet of material for cooperating to connect the sheets of material into the pad.

20. The method of claim 19 wherein the step of placing a portion of the sheet of material over a portion of the floral grouping further comprises:

rolling the sheet of material and the floral grouping thereby wrapping the sheet of material about the floral grouping, the adhesive or cohesive on the sheet of material being adhesively or cohesively connected to a portion of the sheet of material for securing the sheet of material in a wrapped position about the floral grouping and the sheet of material being removed from the pad of sheets of material as the sheet of material is wrapped about the floral grouping.

21. The method of claim 20 wherein the step of rolling the sheet of material and the floral grouping further comprises:

rolling the sheet of material and the floral grouping until the sheet of material is rolled about the

floral grouping and wherein the adhesive or cohesive on the sheet of material is adhesively or cohesively connected to a portion of the sheet of material as the sheet of material and the floral grouping are rolled over the adhesive or cohesive and wherein the sheet of material is disconnected from the pad as the sheet of material and floral grouping are rolled over the pad whereby the sheet of material is lifted from the pad and the adhesive or cohesive connection between the sheet of material and a next sheet of material is disconnected.

22. A method for wrapping an item comprising:
- providing a pad comprising a plurality of sheets of material with the sheets of material being connected to form the pad;
 - each sheet of material having an upper surface and a lower surface, and each sheet of material having an adhesive or cohesive thereon;
 - providing a floral grouping having a stem end and a flower end, the floral grouping comprising the item;
 - placing the floral grouping on one of the sheets of material in the pad; and
 - placing a portion of the sheet of material about the floral grouping of the sheet of material to overlap other portions of the sheet of material forming overlapping portions and bonding the overlapping portions of the sheet of material by contacting the adhesive or cohesive on the sheet of material with adjacent overlapping portions of the sheet of material whereby the sheet of material is bonded to overlapping portions of the sheet of material forming bonded overlapping portions and with the sheet of material substantially encompassing and surrounding a substantial portion of the stem end

of the floral grouping and being held about the floral grouping by the bonding of the bonded overlapping portions of the sheet of material.

23. The method of claim 22 wherein the step of providing the pad of sheets of material is defined further as having each sheet of material having the adhesive or cohesive disposed on at least the upper surface thereof with the adhesive or cohesive of each sheet of material being connected to a portion of an adjacent sheet of material for cooperating to connect the sheets of material into the pad.

24. The method of claim 23 wherein the step of placing a portion of the sheet of material over a portion of the floral grouping further comprises:

rolling the sheet of material and the floral group thereby wrapping the sheet of material about the floral grouping, the adhesive or cohesive on the sheet of material being adhesively or cohesively connected to a portion of the sheet of material for securing the sheet of material in a wrapped position about the floral grouping and the sheet of material being removed from the pad of sheets of

material as the sheet of material is wrapped about the floral grouping.

25. The method of claim 24 further comprises:

placing the floral grouping on the upper surface of the sheet of material and near the first side of the sheet of material; and

wherein the step of rolling the sheet of material and the floral grouping further comprises:

rolling the sheet of material and the floral grouping until the sheet of material is rolled about the floral grouping and wherein the adhesive or cohesive on the sheet of material is adhesively or cohesively connected to a portion of the sheet of material as the sheet of material and the floral grouping are rolled over the adhesive or cohesive and wherein the sheet of material is disconnected from the pad as the sheet of material and floral grouping are rolled over the pad whereby the sheet of material is lifted from the pad and the adhesive or cohesive connection between the sheet of material and a next sheet of material is disconnected.

26. A method for wrapping an item comprising:

providing a pad comprising a plurality of sheets of material with the sheets of material being connected to form the pad, each sheet of material having an adhesive or cohesive upon a portion thereof;

providing a floral grouping having a flower end and a stem end, the floral grouping comprising the item;

placing the floral grouping on one of the sheets of material; and

placing a portion of the sheet of material over a portion of the floral grouping causing portions of the sheet of material to overlap other portions of the sheet of material forming overlapping portions and bonding the overlapping portions of the sheet of material by contacting the adhesive or cohesive on the sheet of material forming bonded overlapping portions of the sheet of material with the sheet of material and surrounding a portion of the flower end of the floral grouping and a portion of the stem end of the floral grouping and being held about the floral grouping by the bonded overlapping portions of the sheet of material.

27. A method for wrapping an item, comprising:

providing a pad comprising a plurality of sheets of material, each sheet of material having an upper surface and a lower surface, each sheet of material having adhesive means on the upper surface of the sheet of material;

providing a floral grouping having a flower end and a stem end, the floral grouping comprising the item;

placing the floral grouping on one of the sheets of material; and

placing a portion of the sheet of material over a portion of the floral grouping causing portions of the sheet of material to overlap other portions of the sheet of material forming overlapping portions and bonding the overlapping portions of the sheet of material by contacting the adhesive or cohesive on the upper surface with adjacent overlapping portions of the sheet of material forming bonded overlapping portions with the sheet of material surrounding a portion of the stem end and surrounding a portion of the flower end of the floral grouping and being held about the floral grouping by the bonded overlapping portions of the sheet of material, the sheet of material wrapped

about the floral grouping wrapping having an opening extending through the upper end thereof with the stem end of the floral grouping extending through the opening in the lower end and the flower end of the floral grouping being exposed near the opening in the upper end thereof.

28. The method of claim 27 wherein the step of providing the pad of sheets of material is defined further as having each sheet of material with the adhesive or cohesive on the upper surface being adhesively connected to a portion of an adjacent sheet of material for cooperating to connect the sheets of material into the pad.

29. The method of claim 28 wherein the step of placing a portion of the sheet of material over a portion of the floral grouping further comprises:

rolling the sheet of material and the floral grouping thereby wrapping the sheet of material about the floral grouping, the adhesive or cohesive on the sheet of material being adhesively or cohesively connected to a portion of the sheet of material for securing the sheet of material in a wrapped position about the floral grouping and the sheet of

material being removed from the pad of sheets of material as the sheet of material is wrapped about the floral grouping.

30. The method of claim 29 wherein the step of placing a portion of the sheet of material over a portion of the floral grouping further comprises:

rolling the sheet of material and the floral grouping until the sheet of material is rolled about the floral grouping until the sheet of material is rolled about the floral grouping, the adhesive or cohesive on the sheet of material being adhesively or cohesively connected to a portion of the sheet of material as the sheet of material and the floral grouping is rolled over the adhesive or cohesive and the sheet of material being disconnected from the pad as the sheet of material and the floral grouping are rolled over the pad whereby the sheet of material is lifted from the pad and the adhesive or cohesive connection between the sheet of material and a next sheet of material is disconnected.

31. A method for wrapping an item comprising:

providing a pad comprising a plurality of sheets of material with each sheet of material having an upper surface and a lower surface and with each sheet of material having an adhesive or cohesive on at least one of the upper surface and lower surface of the sheet of material;

providing a floral grouping having a stem end and a flower end, the floral grouping comprising the item;

placing the floral grouping on one of the sheets of material; and

placing a portion of the sheet of material over a portion of the floral grouping causing portions of the sheet of material to overlap portions of the sheet of material forming overlapping portions and bonding the overlapping portions of the sheet of material by contacting the adhesive or cohesive on the upper surface with adjacent overlapping portions of the sheet of material forming bonded overlapping portions and with the sheet of material surrounding a portion of the flower end of the floral grouping and a portion of the stem end of the floral grouping and being held about the floral

grouping by the bonded overlapping portions of the sheet of material, the sheet of material being wrapped about the stem end of the floral grouping and having an opening extending through the lower end thereof and wrapped about the flower² end of the floral grouping and having an opening extending through the upper end thereof with the stem end of the floral grouping extending through the opening in the lower end and the flower end of the floral grouping being exposed near the opening in the upper end thereof; and

disconnecting the sheet from the pad of sheets.

32. The method of claim 31 wherein the step of providing the pad of sheets of material is defined further as having each sheet of material with the adhesive or cohesive on the upper surface being adhesively or cohesively connected to a portion of an adjacent sheet of material for cooperating to connect the sheets of material into the pad.

33. The method of claim 32 wherein the step of placing a portion of the sheet of material over a portion of the floral grouping further comprises:

rolling the sheet of material and the floral grouping thereby wrapping the sheet of material about the floral grouping, the adhesive or cohesive on the sheet of material being adhesively or cohesively connected to a portion of the sheet of material for securing the sheet of material in a wrapped position about the floral grouping and the sheet of material being removed from the pad of sheets of material as the sheet of material is wrapped about the floral grouping.

34. The method of claim 33 wherein the step of placing a portion of the sheet of material over a portion of the floral grouping further comprises:

rolling the sheet of material and the floral grouping until the sheet of material is rolled about the floral grouping, the adhesive or cohesive on the sheet of material being adhesively or cohesively connected to a portion of the sheet of material as the sheet of material and the floral grouping is rolled over the adhesive or cohesive and the sheet of material being disconnected from the pad as the sheet of material and floral grouping are rolled over the pad whereby the sheet of material is

lifted from the pad and the adhesive or cohesive connection between the sheet of material and a next sheet of material is disconnected.

35. A method for wrapping a floral grouping, comprising:
- providing a pad consisting of a plurality of laminated sheets of material, each of the laminated sheets consisting of paper and a polymer film and each sheet of material having an upper surface and a lower surface, and each sheet of material having an adhesive or cohesive thereon;
- providing a floral grouping;
- placing the floral grouping on at least one of the laminated sheet of the material; and
- placing a portion of the laminated sheet of material over a portion of the floral grouping and disconnecting the sheet of material from the pad with portions of the sheet of material overlapping other portions of the sheet of material and bonding the overlapping portions of the sheet of material by contacting the adhesive or cohesive on the sheet of material with adjacent overlapping portions of the sheet of material whereby the sheet of material is bonded to overlapping portions of the sheet of material and with the sheet of material encompassing and surrounding a portion of the floral grouping and being held about the floral

grouping by the bonding of the overlapping portions
of the sheet of material.

36. A method for wrapping a floral grouping, comprising:
- providing at least one sheet of material wherein each sheet of material comprises a paper and polymer film laminate and each sheet of material having an upper surface and a lower surface, and a first end and a second end and each sheet of material having an adhesive or cohesive thereon;
 - providing a floral grouping having a flower end and a stem end;
 - placing the floral grouping on at least one of the laminated sheets of the material; and
 - placing a portion of the laminated sheet of material over a portion of the floral grouping with portions of the sheet of material overlapping other portions of the sheet of material and bonding the overlapping portions of the sheet of material by contacting the adhesive or cohesive on the sheet of material with adjacent overlapping portions of the sheet of material whereby the sheet of material is bonded to overlapping portions of the sheet of material generally between the first end and second end of the sheet of material and with the sheet of material encompassing and surrounding a substantial portion of the stem end of the floral grouping and

being held about the floral grouping by the bonding
of the overlapping portions of the sheet of
material.

37. A method for wrapping an item, comprising:

providing a pad comprising a plurality of sheets of material having a top sheet of material with the other sheets of material being disposed under the top sheet of material, each sheet of material having a first side and a second side, a first end and a second end, an upper surface and a lower surface, each sheet of material having a pressure sensitive adhesive or cohesive on the upper surface of the sheet of material and each sheet of material comprising paper and having an embossed pattern therein;

providing a floral grouping having an upper end and a stem end, the floral grouping comprising the item; placing the floral grouping on the top sheet of material; and

placing a portion of the top sheet of material over at least a portion of the floral grouping and disconnecting the top sheet of material from the pad of sheets of material, the first side of the sheet of material overlapping portions of the sheet of material and bonding the overlapping portions of the sheet of material by contacting the pressure sensitive adhesive or cohesive on the upper surface with adjacent overlapping portions of

the sheet of material whereby the first side of the sheet of material has bonded to overlapping portions of the sheet of material generally between the first and the second ends of the sheet of material and with the sheet of material substantially encompassing and surrounding a substantial portion of the stem end of the floral grouping and being held about the floral grouping by the bonding of the overlapping portions of the sheet of material, the sheet of material wrapped about the floral grouping forming a wrapper having an opening extending through the lower end thereof and an opening extending through the upper end thereof with the stem end of the floral grouping extending through the opening in the lower end and the flower end of the floral grouping being exposed near the opening in the upper end thereof.

38. The method of claim 37 wherein the pressure sensitive adhesive or cohesive on each sheet of material adhesively and releasably connects each sheet of material to one other sheet of material whereby one of the sheets of material can be releasably disconnected from another sheet of material by pulling the sheets of material apart.

39. The method of claim 37 wherein the step of placing a portion of the top sheet of material over at least a portion of the floral grouping further comprises rolling the top sheet of material and the floral grouping thereby wrapping the top sheet of material about the floral grouping, the pressure sensitive adhesive or cohesive on the top sheet of material being adhesively or cohesively connected to a portion of the top sheet of material for securing the top sheet of material in a wrapped position about the floral grouping and the top sheet of material being removed from the pad of sheets of material as the top sheet of material is wrapped about the floral grouping.

40. The method of claim 37 wherein the adhesive is on the upper surface of each sheet of material near the second side and extending a distance therefrom toward the first side of each sheet of material, and wherein the step of placing a portion of the top sheet of material about the floral grouping further comprises:

placing a portion of the top sheet of material near the first side thereof over the portion of the floral grouping and rolling the top sheet of material and the floral grouping until the top sheet of material is rolled about the floral grouping and wherein the pressure sensitive adhesive or cohesive on the top sheet of material is adhesively or cohesively

connected to a portion of the top sheet of material as the top sheet of material and the floral grouping are rolled over the pressure sensitive adhesive or cohesive and wherein the top sheet of material is disconnected from the pad as the top sheet of material and floral grouping are rolled over the pad whereby the top sheet of material is lifted from the pad and the adhesive or cohesive connection between the top sheet of material and a next sheet of material is disconnected.

41. A method for wrapping an item comprising:

providing a pad comprising a plurality of sheets of material with the sheets of material being connected to form the pad, the pad having a top sheet of material and the other sheets of material being disposed under the top sheet of material, each sheet of material having a first end and a second end, an upper surface and a lower surface, each sheet of material having a pressure sensitive adhesive or cohesive on the upper surface of the sheet of material and each sheet of material comprising paper and having an embossed pattern therein;

providing a floral grouping having a stem end and a flower end, the floral grouping comprising the item;

placing the floral grouping on the top sheet of material; and

placing a portion of the top sheet of material over at least a portion of the floral grouping and disconnecting the top sheet of material from the pad of sheets of material, the sheet of material being wrapped about the floral grouping with the first side of the sheet of material overlapping

portions of the sheet of material and bonding the overlapping portions of the sheet of material by contacting the pressure sensitive adhesive or cohesive on the upper surface with adjacent overlapping portions of the sheet of material whereby the first side of the sheet of material is bonded to overlapping portions of the sheet of material generally between the first and the second ends of the sheet of material whereby there are substantially no loose flaps formed by unbonded portions of the first side of the sheet of material, and with the sheet of material substantially encompassing and surrounding a substantial portion of the flower end of the floral grouping and a substantial portion of the stem end of the floral grouping and being held about the floral grouping by the bonding of the overlapping portions of the sheet of material, the sheet of material being tightly wrapped about the stem end of the floral grouping, the sheet of material wrapped about the floral grouping having an opening extending through the lower end thereof and an opening extending through the upper end thereof with the stem end of the floral grouping extending

through the opening in the lower end and the flower end of the floral grouping being exposed near the opening in the upper end thereof, the upper end of the wrapping being loosely wrapped about the flower end of the floral grouping.

42. The method of claim 41 wherein the step of providing the pad of sheets of material is defined further as having each sheet of material with the pressure sensitive adhesive or cohesive on the upper surface being adhesively or cohesively connected to a portion of an adjacent sheet of material for cooperating to connect the sheets of material into the pad.

43. The method of claim 41 wherein the adhesive on each sheet of material adhesively or cohesively and releasably connects each sheet of material to one other sheet of material whereby one of the sheets of material can be releasably disconnected from another sheet of material by pulling the sheets of material apart.

44. The method of claim 42 wherein the step of placing a portion of the top sheet of material over at least a portion of the floral grouping further comprises rolling the top sheet of material and the floral grouping thereby wrapping the top sheet of material about the floral grouping, the pressure sensitive adhesive or

cohesive on the top sheet of material being adhesively or cohesively connected to a portion of the top sheet of material for securing the top sheet of material in a wrapped position about the floral grouping and the top sheet of material being removed from the pad of sheets of material as the top sheet of material is wrapped about the floral grouping.

45. The method of claim 42 wherein the adhesive is on the upper surface of each sheet of material near the second side and extending a distance therefrom toward the first side of each sheet of material, and wherein the step of placing a portion of the top sheet of material over at least a portion of the floral grouping further comprises:

placing a portion of the top sheet of material near the first side thereof over the portion of the floral grouping and rolling the top sheet of material and the floral grouping and wherein the pressure sensitive adhesive or cohesive on the top sheet of material is adhesively or cohesively connected to a portion of the top sheet of material as the top sheet of material and the floral grouping are rolled over the pressure sensitive adhesive or cohesive and the wherein top sheet of material is disconnected from the pad as the top sheet of

material and floral grouping are rolled over the pad whereby the top sheet of material is lifted from the pad and the adhesive or cohesive connection between the top sheet of material and a next sheet of material is disconnected.

46. A method for wrapping an item comprising:

providing a pad comprising a plurality of sheets of material with the sheets of material being connected to form the pad, the pad having a top sheet of material and the other sheets of material being disposed under the top sheet of material, each sheet of material having, a first end and a second end, an upper surface and a lower surface, the sheet of material having a pressure sensitive adhesive or cohesive on the upper surface of the sheet of material and each sheet of material comprising paper and having an embossed pattern therein;

providing a floral grouping having a flower end and a stem end, the floral grouping comprising the item; placing the floral grouping on the top sheet of material; and

placing a portion of the top sheet of material over at least a portion of the floral grouping and disconnecting the top sheet of material from the pad of sheets of material, the sheet of material being wrapped about the floral grouping with a portion of the sheet of material overlapping other portions of the sheet of material and bonding the

overlapping portions of the sheet of material by contacting the pressure sensitive adhesive or cohesive on the upper surface with adjacent overlapping portions of the sheet of material whereby the sheet of material is bonded to overlapping portions of the sheet of material so that there are substantially no loose flaps formed by unbonded portions of the sheet of material, and with the sheet of material substantially encompassing and surrounding a substantial portion of the stem end of the floral grouping and being held about the floral grouping by the bonding of the overlapping portions of the sheet of material, the sheet of material being tightly wrapped about the stem end of the floral grouping, the sheet of material wrapped about the floral grouping forming a conically shaped wrapper having an opening extending through a lower end and an opening extending through the upper end thereof with the stem end of the floral grouping extending through the opening in the lower end and the flower end of the floral grouping being exposed near the opening in the upper end thereof, the upper end of the

wrapper being loosely wrapped about the flower end
of the floral grouping.

47. A method for wrapping an item, comprising:

providing a pad comprising a plurality of sheets of material, each sheet of material having an upper surface and a lower surface, and each sheet of material having an adhesive or cohesive thereon and each sheet of material comprising paper and having an embossed pattern therein;

providing a floral grouping with the floral grouping comprising the item;

placing the floral grouping on one of the sheets of material in the pad; and

placing a portion of the sheet of material over at least a portion of the floral grouping and disconnecting the sheet of material from the pad of sheets of material with portions of the sheet of material overlapping other portions of the sheet of material and bonding the overlapping portions of the sheet of material by contacting the adhesive or cohesive on the sheet of material with adjacent overlapping portions of the sheet of material whereby the sheet of material is bonded to overlapping portions of the sheet of material and with the sheet of material encompassing and surrounding a portion of the floral grouping and being held about the floral

grouping by the bonding of the overlapping portions of the sheet of material.

48. The method of claim 47 wherein the step of providing the pad of sheets of material is defined further as having: each sheet of material with the adhesive or cohesive being disposed on the upper surface of each sheet of material and the adhesive or cohesive on each sheet of material being adhesively or cohesively connected to a portion of an adjacent sheet of material for cooperating to connect the sheets of material into the pad.

49. The method of claim 47 wherein the adhesive means on each sheet of material adhesively or cohesively releasably connects each sheet of material to one other sheet of material whereby one of the sheets of material can be releasably disconnected from another sheet of material by pulling the sheets of material apart.

50. The method of claim 48 wherein the step of placing a portion of the sheet of material over at least a portion of the floral grouping further comprises rolling the sheet of material and the floral grouping thereby wrapping the sheet of material about the floral grouping, the adhesive or cohesive on the sheet of material being adhesively connected to a portion of the sheet of material for securing the sheet of material in a wrapped position

about the floral grouping and the sheet of material being removed from the pad of sheets of material as the sheet of material is wrapped about the floral grouping.

51. The method of claim 48 wherein the step of placing a portion of the sheet of material over at least a portion of the floral grouping further comprises rolling the sheet of material and the floral grouping until the sheet of material is rolled about the floral grouping and wherein the adhesive or cohesive on the sheet of material is adhesively or cohesively connected to a portion of the sheet of material as the sheet of material and the floral grouping are rolled over the adhesive or cohesive and wherein the sheet of material is disconnected from the pad as the sheet of material and floral grouping are rolled over the pad whereby the sheet of material is lifted from the pad and the adhesive or cohesive connection between the sheet of material and a next sheet of material is disconnected.

52. A method for wrapping an item comprising:

providing a pad comprising a plurality of sheets of material with the sheets of material being connected to form the pad, each sheet of material having an upper surface and a lower surface, and each sheet of material having an adhesive or cohesive thereon and each sheet of material comprising paper and having an embossed pattern therein;

providing a floral grouping having a stem end and a flower end, the floral grouping comprising the item;

placing the floral grouping on one of the sheets of material in the pad; and

placing a portion of the sheet of material over at least a portion of the floral grouping and disconnecting the sheet of material from the pad of sheets of material the sheet of material being wrapped about the floral grouping with portions of the sheet of material overlapping portions of the sheet of material and bonding the overlapping portions of the sheet of material by contacting the adhesive or cohesive on the sheet of material with adjacent overlapping portions of the sheet of material whereby the sheet of material is bonded to

overlapping portions of the sheet of material whereby there are substantially no loose flaps formed by the unbonded portions of the sheet of material, and with the sheet of material substantially encompassing and surrounding a substantial portion of the flower end of the floral grouping and a substantial portion of the stem end of the floral grouping and being held about the floral grouping by the bonding of the overlapping portions of the sheet of material, the sheet of material being tightly wrapped about the stem end of the floral grouping.

53. The method of claim 52 wherein the step of providing the pad of sheets of material is defined further as providing the pad of sheets of material with each sheet of material having the adhesive or cohesive on the upper surface thereof with the adhesive or cohesive of each sheet of material for cooperating to connect the sheets of material into the pad.

54. The method of claim 52 wherein the adhesive means on each sheet of material adhesively or cohesively releasably connects each sheet of material to one other sheet of material whereby one of the sheets of material can be releasably disconnected from another sheet of material by pulling the sheets of material apart.

55. The method of claim 53 wherein the step of

placing a portion of the sheet of material over at least a portion of the floral grouping further comprises rolling the sheet of material and the floral grouping thereby wrapping the sheet of material about the floral grouping, the adhesive or cohesive on the sheet of material being adhesively or cohesively connected to a portion of the sheet of material for securing the sheet of material in a wrapped position about the floral grouping and the sheet of material being removed from the pad of sheets of material as the sheet of material is wrapped about the floral grouping.

56. The method of claim 53 wherein the step of placing the floral grouping further comprises:

placing the floral grouping on the upper surface of the sheet of material and near the first side of the sheet of material; and

wherein the step of placing a portion of the sheet of material over at least a portion of the floral grouping further comprises rolling the sheet of material and the floral grouping until the sheet of material is rolled about the floral grouping and wherein the adhesive or cohesive on the sheet of material is adhesively or cohesively connected to a

portion of the sheet of material as the sheet of material and the floral grouping are rolled over the adhesive or cohesive and wherein the sheet of material is disconnected from the pad as the sheet of material and floral grouping are rolled over the pad whereby the sheet of material is lifted from the pad and the adhesive or cohesive connection between the sheet of material and a next sheet of material is disconnected.

57. A method for wrapping an item comprising:

providing a pad comprising a plurality of sheets of material with the sheets of material being connected to form the pad, each sheet of material having an adhesive or cohesive on the upper surface of the sheet of material and each sheet of material comprising paper and having an embossed pattern therein;

providing a floral grouping having a flower end and a stem end, the floral grouping comprising the item; placing the floral grouping on one of the sheets of material; and

placing a portion of the sheet of material over at least a portion of the floral grouping and disconnecting the sheet of material from the pad of sheets of material, the sheet of material being wrapped about the floral grouping with a portion of the sheet of material overlapping other portions of the sheet of material and bonding the overlapping portions of the sheet of material by contacting the adhesive or cohesive on the upper surface with adjacent overlapping portions of the sheet of material whereby the sheet of material is bonded to overlapping portions of the sheet of material so that there are substantially no loose flaps formed

by unbonded portions of the sheet of material, and with the sheet of material substantially encompassing and surrounding a substantial portion of the flower end of the floral grouping and a substantial portion of the stem end of the floral grouping and being held about the floral grouping by the bonding of the overlapping portions of the sheet of material, the sheet of material being tightly wrapped about the stem end of the floral grouping.

66239-1758D

58. A method for wrapping an item, comprising:

providing a pad comprising a plurality of sheets of material having a top sheet of material with the other sheets of material being disposed under the top sheet of material, each sheet of material having a first end and a second end, an upper surface and a lower surface, each sheet of material having a pressure sensitive adhesive or cohesive on the upper surface of the sheet of material and each sheet of material comprising paper and having an embossed pattern therein;

providing a floral grouping having an upper flower end and a stem end, the floral grouping comprising the item;

placing the floral grouping on the top sheet of material; and

placing a portion of the top sheet of material over at least a portion of the floral grouping and disconnecting the top sheet of material from the pad of sheets of material, with a portion of the sheet of material overlapping other portions of the sheet of material and bonding the overlapping portions of the sheet of material by contacting the pressure sensitive adhesive or cohesive on the upper surface with adjacent overlapping portions of the sheet of material whereby the sheet of material is bonded to overlapping portions of the sheet of material and with the sheet of material substantially encompassing and surrounding a substantial portion of the stem end of the floral grouping and being held about the floral grouping by the bonding of the overlapping portions of the sheet of material, the sheet of material wrapped about the floral grouping forming a wrapper having an opening extending through the lower end




66239-1758D

thereof and an opening extending through the upper end thereof with the stem end of the floral grouping extending through the opening in the lower end and the flower end of the floral grouping being exposed near the opening in the
5 upper end thereof.

59. The method of claim 58 wherein the step of providing the pad of sheets of material is defined further as having each sheet of material with the pressure sensitive adhesive or cohesive on the upper surface being adhesively
10 connected to a portion of an adjacent sheet of material for cooperating to connect the sheets of material into the pad.

SMART & BIGGAR
OTTAWA, CANADA

Patent Agents



2 / 4




FIG. 4




FIG. 5

3 / 4




FIG. 6




FIG. 7





FIG. 8

FIG. 9



SUBSTITUTE SHEET

