

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
6 September 2002 (06.09.2002)

PCT

(10) International Publication Number
WO 02/069193 A1

(51) International Patent Classification⁷: G06F 17/30, 15/00

Karthikeyan; 9520 Aire Libre Drive, Austin, TX 78726 (US).

(21) International Application Number: PCT/US01/49134

(74) Agent: ANDERSON, Jay, H.; International Business Machines Corporation, Dept. 18G/Bldg. 300-482, 2070 Route 52, Hopewell Junction, NY 12533 (US).

(22) International Filing Date:
19 December 2001 (19.12.2001)

(25) Filing Language: English

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(26) Publication Language: English

(30) Priority Data:
09/791,152 22 February 2001 (22.02.2001) US


(71) Applicant: INTERNATIONAL BUSINESS MACHINES CORPORATION [US/US]; New Orchard Road, Armonk, NY 10504 (US).

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent

(72) Inventors: DUTTA, Rabindranath; 3401 Parmer Lane W, #835, Austin, TX 78727 (US). RAMAMOORTHY,

[Continued on next page]

(54) Title: METHOD TO REFORMAT REGIONS WITH CLUTTERED HYPERLINKS



(57) Abstract: A method is provided for reformatting a web page that includes a number of hyperlinks. The page is received (814) by a browser, and before being presented is analyzed (826) to determine whether the hyperlinks meet vertical and horizontal spacing criteria. If the page is cluttered with hyperlinks (826), it is reformatted (830) and then presented (818). The reformatting may be done by introducing HTML tags (830) or using a cascading style sheet (928). Reformatting may also be done in response to a request submitted by a user (712) to the browser (708), to improve the appearance of the displayed web page.

WO 02/069193 A1



(BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— *with international search report*

Method to Reformat Regions with Cluttered Hyperlinks

Technical Field

5

The present invention relates to an improved data processing system. More particularly, the present invention provides a method and system for uncluttering and reformatting a web page before presenting the web page to a user.

10

Background Art

15

The Internet, also referred to as an "internetwork", is a set of computer networks, possibly dissimilar, joined together by means of gateways that handle data transfer and the conversion of messages from the sending network to the protocols used by the receiving network (with packets if necessary). When capitalized, the term "Internet" refers to the collection of networks and gateways that use the TCP/IP suite of protocols.

20

25

The Internet has become a cultural fixture as a source of both information and entertainment. Many businesses are creating Internet sites as an integral part of their marketing efforts, informing consumers of the products or services offered by the business or providing other information seeking to engender brand loyalty. Many federal, state, and local government agencies are also employing Internet sites for informational purposes, particularly agencies which must interact with virtually all segments of society such as the Internal Revenue Service and secretaries of state. Providing informational guides and/or searchable databases of online

public records may reduce operating costs. Further, the Internet is becoming increasingly popular as a medium for commercial transactions.

5 Currently, the most commonly employed method of transferring data over the Internet is to employ the World Wide Web environment, also called simply "the Web". Other Internet resources exist for transferring information, such as File Transfer Protocol (FTP) and Gopher, but have not achieved the popularity of the Web. In the Web environment, servers and clients effect data transaction using the Hypertext Transfer Protocol (HTTP),
10 a known protocol for handling the transfer of various data files (e.g., text, still graphic images, audio, motion video, etc.). The information in various data files is formatted for presentation to a user by a standard page description language, the Hypertext Markup Language (HTML). In addition to basic presentation formatting, HTML allows developers to specify "links" to other Web resources identified by a Uniform Resource Locator (URL). A URL
15 is a special syntax identifier defining a communications path to specific information. Each logical block of information accessible to a client, called a "page" or a "Web page", is identified by a URL. The URL provides a universal, consistent method for finding and accessing this information, not
20 necessarily for the user, but mostly for the user's Web "browser". A browser is a program capable of submitting a request for information identified by a uniform resource identifier (URI), such as, for example, a URL at the client machine. Retrieval of information on the Web is generally accomplished with an HTML-compatible browser. Examples of browsers include Netscape
25 Navigator, which is available from Netscape Communications Corporation, and Internet Explorer, which is available from Microsoft Corporation.

30 Pages retrieved from a Web server often contain many links that may be of interest to a user. The amount of information and links available in response to a user query is often overwhelming. In addition to links related to the user query, other links of interest may be encountered that a user may

want to visit. Presently, a user is unable to identify and manage links on a browser; a user must instead store links in a bookmarking mechanism although the links may not be valuable enough for this type of permanent storage. As a result, the user must go back and remove links from the set of
5 bookmarks after visiting a page. This mechanism is time consuming and cumbersome.

However, HTML can be frustrating when controlling the appearance of a Web page. In response, for the appearance of Web pages, a
10 complementary markup system called Cascading Style Sheets (CSS) was designed to make it easier to define a web page's appearance without affecting the web page's HTML structure. Style sheets work like templates; that is, a style is defined for a particular HTML element and then this defined style is used over and over on any number of web pages. If there is a desire
15 to change how an HTML element looks, the style is changed, and the HTML element automatically changes wherever the HTML element appears. Style sheets allow web designers to quickly create more consistent web pages and more consistent web sites.

20 Business needs dictate that an increasing amount of information and hyperlinks be presented on a single web page. This gives the information and hyperlinks high visibility. When a large array of hyperlinks is packed into a small area on a single web page, it usually results in a cluttered arrangement. As a consequence of this clutter, users who may have some
25 difficulty with sensory motor skills may have difficulty in accessing a particular hyperlink or accessing the desired information. As a result, some users may attempt to "point and click" to a blank space on the web page or may access the wrong hyperlink. Prior art solutions to these problems have provided users with navigation of the web page using a keyboard and using
30 tab keys. However, this technique is time consuming and may require many key strokes. Other prior art solutions include installing magnifying software

applications to magnify a portion of the web page the user wishes to concentrate on. This technique is deficient in that it is also time consuming and requires additional key strokes.

5 In addition, the Federal government is implementing standards to ensure access to electronic and information technology. These standards cover various means of disseminating information, including computers, software and electronic office equipment. The standards provide criteria that spell out what is required to make informational products accessible to
10 people and in particular accessible to people with disabilities, including, but not limited to, those with vision, hearing and mobility impairments.

 The new standards provide technical criteria specific to various types of technologies and performance based requirements, which focus on the
15 functional capabilities of covered technologies. Specific criteria cover, for example, software applications, operating systems, web-based information, web-based applications, telecommunication functions, video or multi-media products, self contained closed products such as information kiosks and transactions machines and computers. Also covered is the compatibility
20 with adaptive equipment users with disabilities use for information and communication access. However, the Federal government is not alone in taking action with respect to these issues. Private industry and research entities are demonstrating initiative in improving access for people with disabilities in the Digital Age.

25 There is a need for an improved method and apparatus for indicating and managing web page information and hyperlinks during a search or session.

30

Disclosure of Invention

5 The present invention provides a method for presenting a page, having a set of links, on a data processing system. The page is preprocessed to form a processed page, wherein the processed page is unrepresented within the data processing system. A determination is made as to whether or not the links within the page fall within a proximity policy. Responsive to a determination that the page falls outside of the proximity policy, the page is reformatted to fall within the proximity policy.

10 The mechanism of the present invention includes a preprocessing process and a policy structure for reformatting an electronic document page. The policy structure of the present invention allows the user to specify the appearance of the electronic document page. The policy structure as defined by the user is stored such that when the user returns to the page, the page may be displayed according to the policy structure defined by the user.

Brief Description of Drawings

20 The novel features believed characteristic of the invention are set forth in the appended claims. The invention itself, however, as well as a preferred mode of use, further objectives and advantages thereof, will best be understood by reference to the following detailed description of an illustrative embodiment when read in conjunction with the accompanying drawings, wherein:

25 Figure 1 is a pictorial representation of a distributed data processing system in which the present invention may be implemented;

30

Figure 2 is a block diagram of a data processing system that may be implemented as a server in accordance with a preferred embodiment of the present invention;

5 **Figure 3 is a block diagram illustrating a data processing system in which the present invention may be implemented;**

Figure 4 is a block diagram of a browser program depicted in accordance with a preferred embodiment of the present invention;

10

Figures 5A and 5B are exemplary graphical user interfaces illustrating a web page containing multiple hyperlinks in accordance with a preferred embodiment of the present invention;

15

Figure 6 is a block diagram of automatically uncluttering and reformatting an electronic document in accordance with a preferred embodiment of the present invention;

20

Figure 7 is a block diagram of uncluttering an electronic document by a browser using a cascading style sheet in accordance with a preferred embodiment of the present invention;

25

Figure 8 is a flowchart illustrating information flow for automatically uncluttering a hypertext markup language document in accordance with a preferred embodiment of the present invention; and

30

Figure 9 is a flowchart illustrating uncluttering a web page using a cascading style sheet in accordance with a preferred embodiment of the present invention.

Best Mode for Carrying Out the Invention

With reference now to the figures, Figure 1 depicts a pictorial representation of a distributed data processing system in which the present invention may be implemented. Distributed data processing system 100 is a network of computers in which the present invention may be implemented. Distributed data processing system 100 contains a network 102, which is the medium used to provide communications links between various devices and computers connected together within distributed data processing system 100. Network 102 may include permanent connections, such as wire or fiber optic cables, or temporary connections made through telephone connections.

In the depicted example, a server 104 is connected to network 102 along with storage unit 106. In addition, clients 108, 110, and 112 also are connected to network 102. These clients 108, 110, and 112 may be, for example, personal computers or network computers. For purposes of this application, a network computer is any computer, coupled to a network, which receives a program or other application from another computer coupled to the network. In the depicted example, server 104 provides data, such as boot files, operating system images, and applications to clients 108-112. Clients 108, 110, and 112 are clients to server 104. Distributed data processing system 100 may include additional servers, clients, and other devices not shown. In the depicted example, distributed data processing system 100 is the Internet with network 102 representing a worldwide collection of networks and gateways that use the TCP/IP suite of protocols to communicate with one another. At the heart of the Internet is a backbone of high-speed data communication lines between major nodes or host computers, consisting of thousands of commercial, government, educational and other computer systems that route data and messages. Of course, distributed data processing system 100 also may be implemented as a number of different types of networks, such as for example, an intranet, a local area network (LAN), or a wide area network (WAN). Figure 1 is intended as an

example, and not as an architectural limitation for the present invention.

Referring to Figure 2, a block diagram of a data processing system that may be implemented as a server, such as server 104 in Figure 1, is depicted in accordance with a preferred embodiment of the present invention. Data processing system 200 may be a symmetric multiprocessor (SMP) system including a plurality of processors 202 and 204 connected to system bus 206. Alternatively, a single processor system may be employed. Also connected to system bus 206 is memory controller/cache 208, which provides an interface to local memory 209. I/O bus bridge 210 is connected to system bus 206 and provides an interface to I/O bus 212. Memory controller/cache 208 and I/O bus bridge 210 may be integrated as depicted.

Peripheral component interconnect (PCI) bus bridge 214 connected to I/O bus 212 provides an interface to PCI local bus 216. A number of modems may be connected to PCI bus 216. Typical PCI bus implementations will support four PCI expansion slots or add-in connectors. Communications links to network computers 108-112 in Figure 1 may be provided through modem 218 and network adapter 220 connected to PCI local bus 216 through add-in boards.

Additional PCI bus bridges 222 and 224 provide interfaces for additional PCI buses 226 and 228, from which additional modems or network adapters may be supported. In this manner, data processing system 200 allows connections to multiple network computers. A memory-mapped graphics adapter 230 and hard disk 232 may also be connected to I/O bus 212 as depicted, either directly or indirectly.

Those of ordinary skill in the art will appreciate that the hardware depicted in Figure 2 may vary. For example, other peripheral devices, such as optical disk drives and the like, also may be used in addition to or in place of the hardware depicted. The depicted example is not meant to imply

architectural limitations with respect to the present invention.

The data processing system depicted in Figure 2 may be, for example, an IBM RISC/System 6000 system, a product of International Business Machines Corporation in Armonk, New York, running the Advanced Interactive Executive (AIX) operating system.

Figure 3 is a block diagram illustrating a data processing system in which the present invention may be implemented. Data processing system 300 is an example of a client computer. Data processing system 300 employs a peripheral component interconnect (PCI) local bus architecture. Although the depicted example employs a PCI bus, other bus architectures such as Accelerated Graphics Port (AGP) and Industry Standard Architecture (ISA) may be used. Processor 302 and main memory 304 are connected to PCI local bus 306 through PCI bridge 308. PCI bridge 308 also may include an integrated memory controller and cache memory for processor 302. Additional connections to PCI local bus 306 may be made through direct component interconnection or through add-in boards. In the depicted example, local area network (LAN) adapter 310, SCSI host bus adapter 312, and expansion bus interface 314 are connected to PCI local bus 306 by direct component connection. In contrast, audio adapter 316, graphics adapter 318, and audio/video adapter 319 are connected to PCI local bus 306 by add-in boards inserted into expansion slots. Expansion bus interface 314 provides a connection for a keyboard and mouse adapter 320, modem 322, and additional memory 324. Small computer system interface (SCSI) host bus adapter 312 provides a connection for hard disk drive 326, tape drive 328, and CD-ROM drive 330. Typical PCI local bus implementations will support three or four PCI expansion slots or add-in connectors.

An operating system runs on processor 302 and is used to coordinate and provide control of various components within data processing system 300 in Figure 3. The operating system may be a commercially available operating system, such as Windows 2000, which is available from Microsoft Corporation.

5 An object oriented programming system such as Java may run in conjunction with the operating system and provides calls to the operating system from Java programs or applications executing on data processing system 300. "Java" is a trademark of Sun Microsystems, Inc. Instructions for the operating system, the object-oriented operating system, and applications or programs are located on

10 storage devices, such as hard disk drive 326, and may be loaded into main memory 304 for execution by processor 302.

Those of ordinary skill in the art will appreciate that the hardware in Figure 3 may vary depending on the implementation. Other internal

15 hardware or peripheral devices, such as flash ROM (or equivalent nonvolatile memory) or optical disk drives and the like, may be used in addition to or in place of the hardware depicted in Figure 3. Also, the processes of the present invention may be applied to a multiprocessor data processing system.

20 For example, data processing system 300, if optionally configured as a network computer, may not include SCSI host bus adapter 312, hard disk drive 326, tape drive 328, and CD-ROM 330, as noted by dotted line 332 in Figure 3 denoting optional inclusion. In that case, the computer, to be

25 properly called a client computer, must include some type of network communication interface, such as LAN adapter 310, modem 322, or the like. As another example, data processing system 300 may be a stand-alone system configured to be bootable without relying on some type of network communication interface, whether or not data processing system 300

30 comprises some type of network communication interface. As a further example, data processing system 300 may be a Personal Digital Assistant

(PDA) device, which is configured with ROM and/or flash ROM in order to provide non-volatile memory for storing operating system files and/or user-generated data.

5 The depicted example in Figure 3 and above-described examples are not meant to imply architectural limitations. For example, data processing system 300 also may be a notebook computer or hand held computer in addition to taking the form of a PDA. Data processing system 300 also may be a kiosk or a Web appliance.

10

 The present invention provides a method for uncluttering an electronic document so that a user may easier read the electronic document. The mechanism of the present invention includes a preprocessing process and a policy structure for reformatting an electronic document page. The policy structure of the present invention allows the user to specify the appearance of the electronic document page. The policy structure as defined by the user is stored such that when the user returns to the page, the page may be displayed according to the policy structure defined by the user.

15

20 Turning next to Figure 4, a block diagram of a browser program is depicted in accordance with a preferred embodiment of the present invention. A browser is an application used to navigate or view information or data in a distributed database, such as the Internet or the World Wide Web.

25

 In this example, browser 400 includes a user interface 402, which is a graphical user interface (GUI) that allows the user to interface or communicate with browser 400. This interface provides for selection of various functions through menus 404 and allows for navigation through navigation interface 406. For example, menus 404 may allow a user to perform various functions, such as saving a file, opening a new window,

30

displaying a history, and entering a URL. Navigation interface 406 allows for a user to navigate various pages and to select web sites for viewing. For example, navigation interface 406 may allow a user to see a previous page or a subsequent page relative to the present page. Preferences such as those
5 illustrated in Figure 4 may be set through preferences 408.

Communications 410 is the mechanism with which browser 400 receives documents and other resources from a network such as the Internet. Further, communications 410 is used to send or upload documents and
10 resources onto a network. In the depicted example, communication 410 uses HTTP as well as other standard communication protocols. Other protocols may be used depending on the implementation. Documents that are received by browser 400 are processed by language interpretation 412, which includes an HTML unit 414 and a JavaScript unit 416. Language
15 interpretation 412 will process a document for presentation on graphical display 418. Graphical display 418 includes layout unit 420, rendering unit 422, and window management 424. These units are involved in presenting web pages to a user based on results from language interpretation 412.

Browser 400 is presented as an example of a browser program in which the present invention may be embodied. Browser 400 is not meant to imply architectural limitations to the present invention. Presently available
20 browsers may include additional functions not shown or may omit functions shown in browser 400. A browser may be any application that is used to search for and display content on a distributed data processing system. Browser 400 may be implemented using known browser applications, such as Netscape Navigator or Microsoft Internet Explorer. Netscape Navigator is
25 available from Netscape Communications Corporation while Microsoft Internet Explorer is available from Microsoft Corporation.

30

5 **Figures 5A and 5B are exemplary graphical user interfaces illustrating uncluttering a web page containing multiple hyperlinks in accordance with a preferred embodiment of the present invention. Figure 5A is an example of a cluttered web page. In Figure 5A, hyperlink group 502 is arranged so that “Shop Actions” 504, “Classifieds” 506 and “Pay Direct” 508 have a limited amount of spacing between them. In addition, line 510 beginning with “Media/Finance/Quotes” and line 512 beginning with “GeoCities” also have a limited amount of spacing between them. This cluttered limited spacing format may be difficult for a person with a visual or motor disability to pick and choose a hyperlink. The present invention expands the appearance of a web page. The appearance of a web page to a user may be based on user defined parameters.**

10 **Figure 5B is an example of an uncluttered web page. In Figure 5B, hyperlink group 502 in Figure 5A has been split into hyperlink groups 514, 516 and 518. In addition, the hyperlinks within each of hyperlink groups 514, 516 and 518 has been expanded to allow for greater spacing between the hyperlinks and easier access for a person who may have visual or mobility impairments. For example, within hyperlink group 514, “Shop Auctions” 504, “Classifieds” 506 and “Pay Direct” 508 have greater spacing between each other as well as greater spacing from the rest of the hyperlinks in hyperlink group 514. Additionally, line 520 beginning with “Yellow Pages” and line 522 beginning with “Weather” have greater spacing between each other.**

15 **Figure 6 is a block diagram of automatically uncluttering and reformatting an electronic document in accordance with a preferred embodiment of the present invention. Cluttered hyperlinks within a region on a page of an electronic document may be automatically uncluttered by preprocessing the page of the page of the electronic document and reformatting it if necessary before presenting the electronic document page**

to a user. This may enable the user to select hyperlinks that appear on the electronic document page with greater ease. Also, this process may be used in conjunction with other accessibility software, such as, for example, magnification software, which is targeted for users with disabilities, such as, for example, vision impairment.

In this example, web browser 606 sends a request to web server 602 for an electronic document. Web server 602, in turn, contacts web database 604 to determine whether or not the requested electronic document exists. If the electronic document does exist in web database 604, server 602 may either send, for example, a preformatted electronic document, such as, for example, a hypertext markup language (HTML) document or web page, or combines, for example, web page content plus web server 602 specific cascading style sheet and generates a formatted web page. Based on user 610 preferences, on web browser 606, the server projects the web page content on virtual display 608. Projecting web page content on virtual display 608 may be internal to web browser 606 and not visible to user 610. Web browser 606 may determine that hyperlinks displayed on a page of the electronic document are cluttered based on several criteria. Such criteria may be, for example, the number of hyperlinks per unit of measure, vertical spacing between hyperlinks and/or horizontal spacing between hyperlinks displayed on the page of the electronic document.

The present invention uses a proximity policy to reformat regions of a web page which has cluttered hyperlinks. Web browser 606 may use several methods to determine if a web page fails to meet the proximity policy which may be set by a user. For example, a user may determine that vertical and horizontal spacing between any two or more hyperlinks is, for example, at least 15 pixels. The user may then set web browser 606 preferences accordingly. Alternatively, the proximity policy may define that the vertical and horizontal spacing between two or more hyperlinks may be, for example,

10 points. Another scale that may be used to ensure that two or more
hyperlinks are not unreasonably close to each other may be by drawing
geometrical shapes, for example, a rectangle or ellipse, around each
hyperlink and thereby ensuring that the two geometric shapes do not
5 overlap.

As a further example, a first hyperlink and a second hyperlink do not
satisfy the proximity policy because a defined area around the first hyperlink
and a defined area around the second hyperlink overlap. Therefore, the
10 spacing between the first hyperlink and the second hyperlink may be
required to be increased. The size of a rectangle that may be drawn around
the first hyperlink may increased, for example, by 10 pixels plus the height
of the first hyperlink for the width of the rectangle and 10 pixels plus the
length of the first hyperlink for the length of the rectangle. This method
15 ensures the first hyperlink is spaced far enough from the second hyperlink to
aid a user in clearly viewing the two hyperlinks. The second hyperlink
cannot encroach upon the area within the rectangle drawn around and
dedicated to the first hyperlink.

20 Web browser 606 may already have information on, for example, the
hyperlink display area, current font setting and the like. Web browser 606
may then reformat those regions of the electronic document page which are
cluttered. Web browser 606 may use, for example, HTML tags, such as, for
example <P> denoting paragraph and the like, to reduce the clutter of the
25 electronic document page. In addition, HTML tag elements <PRE> and
</PRE> may be used to introduce a space between words. Any space
inserted into the text between tag elements in this example, <PRE> and
</PRE> may be preserved by web browser 606. Similarly, tag element

 may be used to introduce line breaks within the electronic document
30 page to render hyperlinks on a different line. When this process is complete,
the user may then view an electronic document page which is free from

clutter and is easier to read.

A sample HTML file for uncluttering a web page, may be, for example:

```
5      <HTML>
      <HEAD>
      <TITLE>Web page that has cluttered hyperlinks </TITLE>
      <LINK TITLE="new" REL=stylesheet
      HREF="file://d:\unclutter.css "TYPE="text/css">
10     <\HEAD>
      <BODY>
      <H1>Headline is blue<\H1>
      <P STYLE="color:green">While paragraph is green.
      <\BODY>
15     <\HTML>
```

Figure 5 illustrates the situation in which a page is cluttered with hyperlinks, however, the user may desire to configure an electronic document page to suit his or her own needs. This process is illustrated in Figure 7.

20

Figure 7 is a block diagram of uncluttering an electronic document by a browser using a cascading style sheet in accordance with a preferred embodiment of the present invention. Cluttered hyperlinks appearing upon a page of an electronic document may be uncluttered by a browser using, for example, a special cascading style sheet. By using a special cascading style sheet, the user may select the hyperlinks more efficiently which may also aid other accessibility software.

25

30

As explained above, a cascading style sheet is designed to make it easier to define a web page's appearance without affecting the web page's HTML structure. Style sheets work like templates, a style is defined for a particular HTML element and then this defined style is used over and over on

any number of web pages. A cascading style sheet specification may include, for example, “word-spacing” and “line-height.” .

5 “Word-spacing” specifies the spacing between words. This spacing between words may consist of a “normal” value which may be defined by the current font or be a default value. In addition, a “length” value may also be defined for the spacing between words. The length value may indicate the inter-word space in addition to that defined by the current font or the default value.

10 “Line-height” specifies a minimal height of a generated inline box if a property is set on a block-level element whose content is composed of inline level elements. The height of an generated inline box may be different from the font size of text in the box and, therefore, there may be a space above and below rendered glyphs. The difference between the font size and a
15 computed value of “line height” is called the leading. Half the leading is called the half-leading.

20 A glyph may be centered vertically in an inline box, adding a half-leading on the top of the inline box and on the bottom of the inline box. For example, if part of a text is 12 points high and the line height is 14 points high, 2 points of extra space may be added: 1 point above the text and 1 point below the text. When the line-height value is less than the font size, a final inline box height is less than the font size and rendered glyphs will
25 “bleed” outside of the inline box. If such a box touches the edge of a line box, the rendered glyphs may also bleed into the adjacent line box. Although margins, borders, and padding of non-replaced elements may not enter into inline box height calculations, margins, borders and padding of non-replaced elements may still be rendered around inline boxes. In other words, this
30 means that if the height of a line box is shorter than the outer edges of the boxes it contains, backgrounds and colors of padding and borders may bleed

into adjacent line boxes.

A custom style sheet that unclutters a web page by using word-spacing and line-height elements of a cascading style sheet may be, as follows:

5

```
BODY {background: white; color: brown}
```

```
H1 {font: 18pt Arial bold}
```

```
P {font: 12 pt Arial; text-indent: 0.5 in}
```

```
P.initial:first letter {font-size: 200%; float: left}
```

10

```
A:link {color: red; word-spacing:2.0em; line-height: 1.2; font-size: 10pt} /*
unvisited links */
```

```
A:visited {color: blue; word-spacing: 2.4em; line-height: 1.2; font-size: 10pt}
/* visited links */
```

15

```
A:active {color:yellow; word-spacing: 2.4em; line-height: 1.2; font-size 10pt}
/* active links */
```

20

In this example, web browser 708 contacts web server 702 and transmits a request for an electronic document. Web server 702 then contacts web database 704 to determine whether the requested electronic document exists. If the requested electronic document does exist within web database 704, then web database 704 provides, for example, a HTML web page with HTML tags or combines web page content within web database 704 and server specific cascading style sheet 706 and sends a web page with HTML tags. Web server then may present a formatted content electronic document page to web browser 708 in which web browser 708 may use cascading style sheet 710 on a client side. The electronic document may then be displayed to user 712. If user 712 determines that a region on the page of the electronic document is cluttered, then user 712 may request that web browser 708 reformat the page. During the reformatting of the electronic document page, web browser 708 may use special cascading style sheet 714 as defined by user 712. After reformatting of the page of the electronic document, the page of the electronic document

30

is displayed to user 712 for viewing. Furthermore, alternative embodiments which utilize a document object model (DOM) may also be constructed.

5 **Figure 8 is a flowchart illustrating information flow for automatically uncluttering a hypertext markup language document in accordance with a preferred embodiment of the present invention. Figure 8 further illustrates the process outlined in Figure 6. In this example, the operation starts by a web browser receiving a universal resource locator (URL) request to access an electronic document (step 802). The web browser then contacts the web**
10 **server to request an electronic document associated with the URL (step 804). The web server then searches a web database to determine if an electronic document associated with the URL exists (step 806). If an electronic document associated with the URL does not exist in the web database (step 808:NO), a message is displayed indicating that no document exists that is associated with the requested URL (step 832). Then a determination is made as to whether or not another URL is entered (step**
15 **834). If another URL is not entered (step 834:NO), the operation terminates. If another URL is entered (step 834:YES), the operation returns to step 802 in which the URL requested is received.**

20 **Returning to step 808, if a document does exist in web database associated with the requested URL (step 808:YES), the server retrieves the document from the web database (step 810). The server then sends the document to the web browser (step 812) and the web browser receives the**
25 **document (step 814). Then a determination is made as to whether or not a user preference has been set to unclutter the received electronic document (step 816). If a user preference has not been set to unclutter the received electronic document (step 816:NO), the web browser renders the document page (step 818). A request to render the next page of the document is**
30 **received (step 820). Then a determination is made as to whether or not the document contains a succeeding page (step 822). If the document does not contain a succeeding page (step 822:NO), a determination is made as to whether or not another URL is requested (step 834). If the document does**

contain a succeeding page (step 822:YES), a determination is made as to whether or not a new page is selected (step 836). If a new page has not been selected (step 836:NO), the operation terminates. If a new page is selected (step 836:YES), the operation returns to step 818 in which the web browser renders the document page.

Returning to step 816, if a user preference has been set to unclutter the document (step 816:YES), the web browser renders the document on a virtual display (step 824). Then the web browser analyses the document vertical and horizontal spacing between hyperlinks (step 826). Then a determination is made as to whether or not any region of the document page is cluttered (step 828). If no region of the document page is cluttered (step 828:NO), the web browser renders the document page (step 818). If any region of the document page is cluttered (step 828:YES), the web browser reformats the document page by introducing tags (step 830) and thereafter the browser renders the document page (step 818).

Figure 9 is a flowchart illustrating uncluttering a web page using a cascading style sheet in accordance with a preferred embodiment of the present invention. Figure 9 further illustrates the process outlined in Figure 7. In this example, the operation begins by receiving a URL request (step 902). The web browser then requests a web page associated with the URL from a web server (step 904). The web server then searches a web database to determine if a web document associated with the URL exists (step 906). Then a determination is made as to whether or not a web document associated with the URL exists (step 908). If a web document associated with the URL does not exist (step 908:NO), then a message is displayed indicating that no document is associated with the URL request (step 932). Then a determination is made as to whether or not another URL has been entered (step 934). If another URL has not been entered (step 934:NO), the operation terminates. If another URL has been entered (step 934:YES), the

operation returns to step 902 in which the URL is received.

Returning to step 908, if a document does exist that is associated with the URL request (step 908:YES), the server retrieves the document from the web database (step 910). The web server then sends the document to the web browser (step 912). The web browser receives the web page from the web server (step 914). Then a determination is made as to whether or not user preferences has been set to unclutter the web document (step 916). If user preferences have not been set to unclutter the web document (step 916:NO), the web browser renders the web page (step 918). A request is received to render the next page of the web document (step 920). Then a determination is made as to whether or not the document contains a succeeding web page (step 922). If the web document does not contain a succeeding page (step 922:NO), then a determination is made as to whether or not another URL is entered (step 934). If the web document does contain a succeeding page (step 922:YES), a determination is made as to whether or not a new page is selected (step 936). If a new page is not selected (step 936:NO), the operation terminates. If a new page is selected (step 936:YES), then the operation returns to step 918 in which the web page is rendered.

Returning to step 916, if user preferences have been set to unclutter the document (step 916:YES), then a determination is made as to whether or not regions of the web page are cluttered with hyperlinks (step 920). If regions of the web page are not cluttered with hyperlinks (step 920:NO), then the browser renders the web page (step 918). If regions of the web page are cluttered with hyperlinks (step 920:YES), input is received from a user requesting reformatting of the web page (step 926). The browser then reformats the web page using a cascading style sheet (step 928). The browser then renders the reformatted web page (step 930). Then a request is received to render the next page of the web document (step 920).

Industrial Applicability

5 **The present invention is generally applicable to web servers and
browsers which retrieve and display web documents with hyperlinks. In
particular, the present invention provides a method and apparatus for
indicating and managing web page information and hyperlinks during a search
or session. The mechanism of the present invention includes a
preprocessing process and a policy structure for reformatting an electronic
10 document page. The policy structure of the present invention allows the
user to specify the appearance of the electronic document page. The policy
structure as defined by the user is stored such that when the user returns to
the page, the page may be displayed according to the policy structure
defined by the user.**

15 **It is important to note that while the present invention has been
described in the context of a fully functioning data processing system, those
of ordinary skill in the art will appreciate that the processes of the present
invention are capable of being distributed in the form of a computer readable
20 medium of instructions and a variety of forms and that the present invention
applies equally regardless of the particular type of signal bearing media
actually used to carry out the distribution. Examples of computer readable
media include recordable-type media such as a floppy disc, a hard disk
drive, a RAM, and CD-ROMs and transmission-type media such as digital and
25 analog communications links.**

30 **The description of the present invention has been presented for
purposes of illustration and description, but is not intended to be exhaustive
or limited to the invention in the form disclosed. Many modifications and
variations will be apparent to those of ordinary skill in the art. For example,
the present invention may use Document Object Model (DOM) or Extensible**

Style Sheet Language (XSL) to modify the appearance of a web page. The embodiment was chosen and described in order to best explain the principles of the invention, the practical application, and to enable others of ordinary skill in the art to understand the invention for various embodiments with various modifications as are suited to the particular use contemplated.

5

Claims

1. A method for presenting a page having a set of links on a data processing system, the method comprising:

5

receiving the page (814);

determining whether the links within the page meet proximity criteria (828); and

10

responsive to a determination that the page fails to meet the proximity criteria, reformatting the page (830) so that the page meets the proximity criteria.

15

2. A method according to claim 1, further comprising:

presenting the reformatted page within the data processing system (818).

20

3. A method according to claim 1 or claim 2, wherein the proximity criteria are characterized by a spacing of links within the set of links, a font setting for the set of links, and a number of links per unit area.

25

4. A method according to claim 1 or claim 2, wherein the proximity criteria are characterized by minimum vertical and horizontal spacing between the links (826), and a page failing to meet said criteria is characterized as cluttered.

30

5. A method as in any preceding claim, further comprising the step of presenting the page on a virtual display (824) before said determining step.

6. A method as in any preceding claim, wherein said reformatting is performed by using at least one of a hypertext markup language (HTML) tag (830) and a cascading style sheet (928).

5 **7. A method according to claim 6, wherein the page is a markup language document, and said reformatting (830) includes changing HTML tags used to present the links.**

10 **8. A method according to claim 6, wherein the markup language document is one of a hypertext markup language document and an extensible markup language document.**

9. A method as in any preceding claim, wherein the page comprises web page content and cascading style sheet information.

15

10. A method as in any preceding claim, wherein the data processing system includes a browser (708), and said reformatting is performed in response to a request from a user (712).




FIG. 1






FIG. 2






FIG. 5A




FIG. 5B





FIG. 8





FIG. 9



INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/49134

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G06F 17/30, 15/00

US CL : 707/500; 707; 523

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 707/500; 707; 523

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

USPAT, USPG-PUB, EPO, JPO, Derwent

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5,832,530 A (PAKNAD et al) 03 NOVEMBER 1998 (03.11.1998), columns 2-4.	1-8
Y,E	US 6,336,124 B1 (ALAM et al) 01 JANUARY 2002 (01.01.2002), columns 1-2 and 12.	1-8

Further documents are listed in the continuation of Box C.

See patent family annex.

* Special categories of cited documents:	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier application or patent published on or after the international filing date	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&"	document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means		
"P" document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search

27 March 2002 (27.03.2002)

Date of mailing of the international search report

18 APR 2002

Name and mailing address of the ISA/US

Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703)305-3230

Authorized officer

Heather Herndon

Telephone No. 703.305.3900

James R. Matthews