

(12) 특허협력조약에 의하여 공개된 국제출원

(19) 세계지식재산권기구
국제사무국

(43) 국제공개일
2012년 11월 22일 (22.11.2012)



(10) 국제공개번호
WO 2012/157994 A3

- (51) 국제특허분류:
H04J 11/00 (2006.01) H04B 7/26 (2006.01)
- (21) 국제출원번호: PCT/KR2012/003956
- (22) 국제출원일: 2012년 5월 18일 (18.05.2012)
- (25) 출원언어: 한국어
- (26) 공개언어: 한국어
- (30) 우선권정보:
61/487,289 2011년 5월 18일 (18.05.2011) US
61/492,361 2011년 6월 1일 (01.06.2011) US
61/505,098 2011년 7월 6일 (06.07.2011) US
- (71) 출원인 (US 을(를) 제외한 모든 지정국에 대하여): 엘지전자 주식회사 (LG ELECTRONICS INC.) [KR/KR]; 150-721 서울 영등포구 여의도동 20, Seoul (KR).
- (72) 발명자; 겸
- (75) 발명자/출원인 (US 에 한하여): 이승민 (LEE, Seung-min) [KR/KR]; 431-080 경기도 안양시 동안구 호계 1동 533번지 엘지전자 특허센터, Gyeonggi-do (KR). 서한별 (SEO, Hanbyul) [KR/KR]; 431-080 경기도 안양시 동안구 호계 1동 533번지 엘지전자 특허센터, Gyeonggi-do (KR). 김기준 (KIM, Kijun) [KR/KR]; 431-

080 경기도 안양시 동안구 호계 1동 533번지 엘지전자 특허센터, Gyeonggi-do (KR). 김학성 (KIM, Hak-seong) [KR/KR]; 431-080 경기도 안양시 동안구 호계 1동 533번지 엘지전자 특허센터, Gyeonggi-do (KR).

(74) 대리인: 김용인 (KIM, Yong In) 등; 138-861 서울 송파구 잠실동 175-9 현대빌딩 7층 KBK 특허법률사무소, Seoul (KR).


(81) 지정국 (별도의 표시가 없는 한, 가능한 모든 종류의 국내 권리의 보호를 위하여): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) 지정국 (별도의 표시가 없는 한, 가능한 모든 종류의 역내 권리의 보호를 위하여): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), 유라시아 (AM, AZ, BY, KG, KZ, RU, TJ,

[다음 쪽 계속]

(54) Title: METHOD AND DEVICE FOR TRANSMITTING CONTROL INFORMATION IN WIRELESS COMMUNICATION SYSTEM

(54) 발명의 명칭 : 무선통신 시스템에서의 제어정보의 전송 방법 및 장치



(57) Abstract: The present invention relates to a wireless communication system, and more specifically, to a method and a device for transmitting control information. The wireless communication system supports carrier aggregation (CA). One aspect of the present invention relates to a method for a base station to receive information from a terminal in a wireless communication system, and comprises the steps of: dividing the entire bandwidth used by one or more serving cells configured in the base station and the terminal, into predetermined frequency units; carrying out a carrier sensing operation for each of the plurality of bandwidths divided in the predetermined frequency units; and when the result of the carrier sensing operation for a first bandwidth from the plurality of divided bandwidths is maintained idle for a predetermined time or longer, transmitting first information to the terminal using the first bandwidth; and receiving from the terminal, second information on a secondary cell (SCell) related to the first information from the one or more serving cells.

(57) 요약서:

[다음 쪽 계속]



WO 2012/157994 A3



TM), 유럽 (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

공개:

— 국제조사보고서와 함께 (조약 제 21 조(3))

(88) 국제조사보고서 공개일:

2013 년 3 월 21 일

본 발명은 무선통신 시스템에 관한 것으로, 보다 상세하게는 제어정보를 전송하는 방법 및 장치에 관한 것이다. 무선통신 시스템은 반송파 병합(Carrier Aggregation: CA)을 지원할 수 있다. 본 발명의 일 측면에서는 무선 통신 시스템에서 기지국이 단말로부터 정보를 수신하는 방법에 있어서, 상기 기지국과 단말에 구성된 적어도 하나의 서빙 셀이 이용하는 전체 대역폭을 기 설정된 주파수 단위로 분할하는 단계, 상기 기 설정된 주파수 단위로 분할된 복수의 대역폭 각각에 대해 캐리어 센싱(carrier sensing, CS) 동작을 수행하는 단계, 상기 분할된 복수의 대역폭 중 제 1 대역폭에 대한 상기 캐리어 센싱 동작 수행의 결과가 기 설정된 시간 이상 아이들(idle) 상태로 지속됨을 나타내는 경우, 상기 제 1 대역폭을 이용하여 제 1 정보를 상기 단말로 전송하는 단계와 상기 적어도 하나의 서빙 셀 중 상기 제 1 정보와 관련된 세컨더리 셀(Secondary Cell, SCell)에 대한 제 2 정보를 상기 단말로부터 수신하는 단계를 포함할 수 있다.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/KR2012/003956

A. CLASSIFICATION OF SUBJECT MATTER

H04J 11/00(2006.01)i, H04B 7/26(2006.01)i

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

H04J 11/00; H04B 7/26

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
Korean Utility models and applications for Utility models: IPC as above
Japanese Utility models and applications for Utility models: IPC as aboveElectronic data base consulted during the international search (name of data base and, where practicable, search terms used)
eKOMPASS (KIPO internal) & Keywords: CS(carrier sensing), CA(carrier aggregation), CSI(channel state information), RS(reference signal)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	JP 07-162940 A (HITACHI LTD. et al.) 23 June 1995 See abstract, claims 1-2 and figure 1.	1-16
A	JP 09-187065 A (HITACHI LTD.) 15 July 1997 See abstract, claims 1-2 and figure 1.	1-16
A	JP 2009-212968 A (TOSHIBA CORPORATION) 17 September 2009 See abstract, claims 1-2 and paragraph [66].	1-16

 Further documents are listed in the continuation of Box C. See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

20 DECEMBER 2012 (20.12.2012)

Date of mailing of the international search report

26 DECEMBER 2012 (26.12.2012)

Name and mailing address of the ISA/KR

Korean Intellectual Property Office
Government Complex-Daejeon, 139 Seonsa-ro, Daejeon 302-701,
Republic of Korea

Facsimile No. 82-42-472-7140

Authorized officer

Telephone No.

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.

PCT/KR2012/003956

Patent document cited in search report	Publication date	Patent family member	Publication date
JP 07-162940 A	23.06.1995	CA 2137386 A1 CA 2137386 C US 5586122 A	11.06.1995 03.10.2000 17.12.1996
JP 09-187065 A	15.07.1997	JP 3404206 B2	06.05.2003
JP 2009-212968 A	17.09.2009	US 2011-0044257 A1 US 8107404 B2 WO 2009-110161 A1	24.02.2011 31.01.2012 11.09.2009

A. 발명이 속하는 기술분류(국제특허분류(IPC))

H04J 11/00(2006.01)i, H04B 7/26(2006.01)i

B. 조사된 분야

조사된 최소문헌(국제특허분류를 기재)
H04J 11/00; H04B 7/26

조사된 기술분야에 속하는 최소문헌 이외의 문헌
한국등록실용신안공보 및 한국공개실용신안공보: 조사된 최소문헌란에 기재된 IPC
일본등록실용신안공보 및 일본공개실용신안공보: 조사된 최소문헌란에 기재된 IPC

국제조사에 이용된 전산 데이터베이스(데이터베이스의 명칭 및 검색어(해당하는 경우))
eKOMPASS(특허청 내부 검색시스템) & 키워드: CS(carrier sensing), CA(carrier aggregation), CSI(channel state information), RS(reference signal)

C. 관련 문헌

카테고리*	인용문헌명 및 관련 구절(해당하는 경우)의 기재	관련 청구항
A	JP 07-162940 A (HITACHI LTD. 외 1명) 1995.06.23 요약, 청구항 1-2 및 도면 1 참조.	1-16
A	JP 09-187065 A (HITACHI LTD.) 1997.07.15 요약, 청구항 1-2 및 도면 1 참조.	1-16
A	JP 2009-212968 A (TOSHIBA CORPORATION) 2009.09.17 요약, 청구항 1-2 및 단락 [66] 참조.	1-16

추가 문헌이 C(계속)에 기재되어 있습니다. 대응특허에 관한 별지를 참조하십시오.

* 인용된 문헌의 특별 카테고리:
 “A” 특별히 관련이 없는 것으로 보이는 일반적인 기술수준을 정의한 문헌 “T” 국제출원일 또는 우선일 후에 공개된 문헌으로, 출원과 상충하지 않으며 발명의 기초가 되는 원리나 이론을 이해하기 위해 인용된 문헌
 “E” 국제출원일보다 빠른 출원일 또는 우선일을 가지나 국제출원일 이후에 공개된 선출원 또는 특허 문헌 “X” 특별한 관련이 있는 문헌. 해당 문헌 하나만으로 청구된 발명의 신규성 또는 진보성이 없는 것으로 본다.
 “L” 우선권 주장에 의문을 제기하는 문헌 또는 다른 인용문헌의 공개일 또는 다른 특별한 이유(이유를 명시)를 밝히기 위하여 인용된 문헌 “Y” 특별한 관련이 있는 문헌. 해당 문헌이 하나 이상의 다른 문헌과 조합하는 경우로 그 조합이 당업자에게 자명한 경우 청구된 발명은 진보성이 없는 것으로 본다.
 “O” 구두 개시, 사용, 전시 또는 기타 수단을 언급하고 있는 문헌 “&” 동일한 대응특허문헌에 속하는 문헌
 “P” 우선일 이후에 공개되었으나 국제출원일 이전에 공개된 문헌

국제조사의 실제 완료일 2012년 12월 20일 (20.12.2012)	국제조사보고서 발송일 2012년 12월 26일 (26.12.2012)
--	--

ISA/KR의 명칭 및 우편주소 대한민국 특허청 (302-701) 대전광역시 서구 청사로 189, 4동 (둔산동, 정부대전청사) 팩스 번호 82-42-472-7140	심사관 송현채 전화번호 042 481 5786
--	---------------------------------



국제조사보고서에서 인용된 특허문헌	공개일	대응특허문헌	공개일
JP 07-162940 A	1995.06.23	CA 2137386 A1 CA 2137386 C US 5586122 A	1995.06.11 2000.10.03 1996.12.17
JP 09-187065 A	1997.07.15	JP 3404206 B2	2003.05.06
JP 2009-212968 A	2009.09.17	US 2011-0044257 A1 US 8107404 B2 WO 2009-110161 A1	2011.02.24 2012.01.31 2009.09.11