



(86) Date de dépôt PCT/PCT Filing Date: 2002/07/10
(87) Date publication PCT/PCT Publication Date: 2003/02/20
(45) Date de délivrance/Issue Date: 2012/11/13
(85) Entrée phase nationale/National Entry: 2004/02/03
(86) N° demande PCT/PCT Application No.: CA 2002/001051
(87) N° publication PCT/PCT Publication No.: 2003/014357
(30) Priorité/Priority: 2001/08/09 (US60/311,282)

(51) Cl.Int./Int.Cl. *C12N 15/60* (2006.01),
A01H 5/00 (2006.01), *A01H 5/10* (2006.01),
C12N 15/82 (2006.01), *C12N 5/10* (2006.01),
C12N 9/88 (2006.01), *C12Q 1/68* (2006.01)
(72) Inventeurs/Inventors:
HUCL, PIERRE, CA;
POZNIAK, CURTIS J., CA
(73) Propriétaire/Owner:
UNIVERSITY OF SASKATCHEWAN, CA
(74) Agent: FINLAYSON & SINGLEHURST

(54) Titre : PLANTS DE BLE PRESENTANT UNE RESISTANCE ACCRUE AUX HERBICIDES A BASE
D'IMIDAZOLINONE

(54) Title: WHEAT PLANTS HAVING INCREASED RESISTANCE TO IMIDAZOLINONE HERBICIDES

Cross	Resistant (R)	Intermediate (I)	Susceptible (S)	Total F ₁ screened		
				R	I	S
Teal	0	0	334			
1A	59	0	0			
Teal x 1A	0	5	0	0	10	0
1A x Teal	0	5	0			
9A	66	0	0			
Teal x 9A	0	5	0	0	10	0
9A x Teal	0	5	0			
10A	66	0	0			
Teal x 10A	0	5	0	0	11	0
10A x Teal	0	6	0			
11A	53	0	0			
Teal x 11A	0	7	0	0	15	0
11A x Teal	0	8	0			
15A	48	0	0			
Teal x 15A	7	0	0	14	0	0
15A x Teal	7	0	0			
16A	66	0	0			
Teal x 16A	0	7	0	0	14	0
16A x Teal	0	7	0			

(57) Abrégé/Abstract:

The present invention is directed to wheat plants having increased resistance to an imidazolinone herbicide. More particularly, the present invention includes wheat plants containing one or more IMI nucleic acids such as a Teal IMI cultivar. The nucleic acids are preferably located on or derived from different genomes. The present invention also includes seeds produced by these wheat plants and methods of controlling weeds in the vicinity of these wheat plants.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
20 February 2003 (20.02.2003)

PCT

(10) International Publication Number
WO 03/014357 A1

(51) International Patent Classification⁷: **C12N 15/60**,
15/82, 9/88, 5/10, A01H 5/00, 5/10

Saskatchewan S7M 0L2 (CA). HUCL, Pierre [CA/CA];
1031 Aird Street, Saskatoon, Saskatchewan S7N 0S9 (CA).

(21) International Application Number: PCT/CA02/01051

(74) Agent: **SINGLEHURST, John, C.**; Finlayson & Singlehurst, 70 Gloucester Street, Ottawa, Ontario K2P 0A2 (CA).

(22) International Filing Date: 10 July 2002 (10.07.2002)

(25) Filing Language: English

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(26) Publication Language: English

(30) Priority Data:
60/311,282 9 August 2001 (09.08.2001) US

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*): **UNIVERSITY OF SASKATCHEWAN** [CA/CA]; Office of Research Services, Room 208 Kirk Hall, 117 Science Place, Saskatoon, Saskatchewan S7N 5C8 (CA).

(72) Inventors; and


(75) Inventors/Applicants (*for US only*): **POZNIAK, Curtis, J.** [CA/CA]; 2215 A. St. Patrick Avenue, Saskatoon,

[Continued on next page]

(54) Title: WHEAT PLANTS HAVING INCREASED RESISTANCE TO IMIDAZOLINONE HERBICIDES

Cross	Resistant (R)	Intermediate (I)	Susceptible (S)	Total F ₁ screened		
				R	I	S
Teal	0	0	334			
1A	59	0	0			
Teal x 1A	0	5	0	0	10	0
1A x Teal	0	5	0			
9A	66	0	0			
Teal x 9A	0	5	0	0	10	0
9A x Teal	0	5	0			
10A	66	0	0			
Teal x 10A	0	5	0	0	11	0
10A x Teal	0	6	0			
11A	53	0	0			
Teal x 11A	0	7	0	0	15	0
11A x Teal	0	8	0			
15A	48	0	0			
Teal x 15A	7	0	0	14	0	0
15A x Teal	7	0	0			
16A	66	0	0			
Teal x 16A	0	7	0	0	14	0
16A x Teal	0	7	0			

(57) Abstract: The present invention is directed to wheat plants having increased resistance to an imidazolinone herbicide. More particularly, the present invention includes wheat plants containing one or more IMI nucleic acids such as a Teal IMI cultivar. The nucleic acids are preferably located on or derived from different genomes. The present invention also includes seeds produced by these wheat plants and methods of controlling weeds in the vicinity of these wheat plants.



WO 03/014357 A1

WO 03/014357 A1**Declarations under Rule 4.17:**

- *as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)*
- *as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations*

- *of inventorship (Rule 4.17(iv)) for US only*

Published:

- *with international search report*
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WHEAT PLANTS HAVING INCREASED RESISTANCE TO IMIDAZOLINONE HERBICIDES

5

FIELD OF THE INVENTION

The present invention relates in general to plants having an increased
10 resistance to imidazolinone herbicides. More specifically, the present invention
relates to wheat plants obtained by mutagenesis and cross-breeding and
transformation that have an increased resistance to imidazolinone herbicides.

BACKGROUND OF THE INVENTION

15 Acetohydroxyacid synthase (AHAS; EC 4.1.3.18) is the first enzyme
that catalyzes the biochemical synthesis of the branched chain amino acids valine,
leucine and isoleucine (Singh B. K., 1999 Biosynthesis of valine, leucine and
isoleucine in: Singh B. K. (Ed) Plant amino acids. Marcel Dekker Inc. New York,
New York. Pg 227-247). AHAS is the site of action of four structurally diverse
20 herbicide families including the sulfonylureas (LaRossa RA and Falco SC, 1984
Trends Biotechnol 2:158-161), the imidazolinones (Shaner et al., 1984 Plant Physiol
76:545-546), the triazolopyrimidines (Subramanian and Gerwick, 1989 Inhibition of
acetolactate synthase by triazolopyrimidines in (ed) Whitaker JR, Sonnet PE
Biocatalysis in agricultural biotechnology. ACS Symposium Series, American
25 Chemical Society. Washington, D.C. Pg 277-288), and the pyrimidyloxybenzoates
(Subramanian et al., 1990 Plant Physiol 94: 239-244.). Imidazolinone and
sulfonylurea herbicides are widely used in modern agriculture due to their
effectiveness at very low application rates and relative non-toxicity in animals. By
inhibiting AHAS activity, these families of herbicides prevent further growth and
30 development of susceptible plants including many weed species. Several examples of
commercially available imidazolinone herbicides are PURSUIT® (imazethapyr),
SCEPTER® (imazaquin) and ARSENAL® (imazapyr). Examples of sulfonylurea
herbicides are chlorsulfuron, metsulfuron methyl, sulfometuron methyl, chlorimuron

ethyl, thifensulfuron methyl, tribenuron methyl, bensulfuron methyl, nicosulfuron, ethametsulfuron methyl, rimsulfuron, triflusulfuron methyl, triasulfuron, primisulfuron methyl, cinosulfuron, amidosulfuron, fluzasulfuron, imazosulfuron, pyrazosulfuron ethyl and halosulfuron.

5 Due to their high effectiveness and low-toxicity, imidazolinone herbicides are favored for application by spraying over the top of a wide area of vegetation. The ability to spray an herbicide over the top of a wide range of vegetation decreases the costs associated with plantation establishment and maintenance and decreases the need for site preparation prior to use of such
10 chemicals. Spraying over the top of a desired tolerant species also results in the ability to achieve maximum yield potential of the desired species due to the absence of competitive species. However, the ability to use such spray-over techniques is dependent upon the presence of imidazolinone resistant species of the desired vegetation in the spray over area.

15 Among the major agricultural crops, some leguminous species such as soybean are naturally resistant to imidazolinone herbicides due to their ability to rapidly metabolize the herbicide compounds (Shaner and Robinson, 1985 Weed Sci. 33:469-471). Other crops such as corn (Newhouse et al., 1992 Plant Physiol. 100:882-886) and rice (Barrette et al., 1989 Crop Safeners for Herbicides, Academic
20 Press New York, pp. 195-220) are somewhat susceptible to imidazolinone herbicides. The differential sensitivity to the imidazolinone herbicides is dependent on the chemical nature of the particular herbicide and differential metabolism of the compound from a toxic to a non-toxic form in each plant (Shaner et al., 1984 Plant Physiol. 76:545-546; Brown et al., 1987 Pestic. Biochem. Physiol. 27:24-29). Other
25 plant physiological differences such as absorption and translocation also play an important role in sensitivity (Shaner and Robinson, 1985 Weed Sci. 33:469-471).

Crop cultivars resistant to imidazolinones, sulfonylureas and triazolopyrimidines have been successfully produced using seed, microspore, pollen, and callus mutagenesis in *Zea mays*, *Arabidopsis thaliana*, *Brassica napus*, *Glycine*
30 *max*, and *Nicotiana tabacum* (Sebastian et al., 1989 Crop Sci. 29:1403-1408; Swanson et al., 1989 Theor. Appl. Genet. 78:525-530; Newhouse et al., 1991 Theor. Appl. Genet. 83:65-70; Sathasivan et al., 1991 Plant Physiol. 97:1044-1050; Mourand et al., 1993 J. Heredity 84: 91-96). In all cases, a single, partially dominant nuclear

gene conferred resistance. Four imidazolinone resistant wheat plants were also previously isolated following seed mutagenesis of *Triticum aestivum* L. cv Fidel (Newhouse et al., 1992 Plant Physiol. 100:882-886). Inheritance studies confirmed that a single, partially dominant gene conferred resistance. Based on allelic studies, the authors concluded that the mutations in the four identified lines were located at the same locus. One of the Fidel cultivar resistance genes was designated FS-4 (Newhouse et al., 1992 Plant Physiol. 100:882-886).

Computer-based modeling of the three dimensional conformation of the AHAS-inhibitor complex predicts several amino acids in the proposed inhibitor binding pocket as sites where induced mutations would likely confer selective resistance to imidazolinones (Ott et al., 1996 J. Mol. Biol. 263:359-368) Wheat plants produced with some of these rationally designed mutations in the proposed binding sites of the AHAS enzyme have in fact exhibited specific resistance to a single class of herbicides (Ott et al., 1996 J. Mol. Biol. 263:359-368).

Plant resistance to imidazolinone herbicides has also been reported in a number of patents. U.S. Patent Nos. 4,761,373, 5,331,107, 5,304,732, 6,211,438, 6,211,439 and 6,222,100 generally describe the use of an altered AHAS gene to elicit herbicide resistance in plants, and specifically discloses certain imidazolinone resistant corn lines. U.S. Patent No. 5,013,659 discloses plants exhibiting herbicide resistance possessing mutations in at least one amino acid in one or more conserved regions. The mutations described therein encode either cross-resistance for imidazolinones and sulfonylureas or sulfonylurea-specific resistance, but imidazolinone-specific resistance is not described. Additionally, U.S. Patent No. 5,731,180 and U.S. Patent No. 5,767,361 discuss an isolated gene having a single amino acid substitution in a wild-type monocot AHAS amino acid sequence that results in imidazolinone-specific resistance.

To date, the prior art has not described imidazolinone resistant wheat plants containing more than one altered AHAS gene. Nor has the prior art described imidazolinone resistant wheat plants containing mutations on genomes other than the genome from which the FS-4 gene is derived. Therefore, what is needed in the art is the identification of imidazolinone resistance genes from additional genomes. What are also needed in the art are wheat plants having increased resistance to herbicides such as imidazolinone and containing more than one altered AHAS gene. Also

needed are methods for controlling weed growth in the vicinity of such wheat plants. These compositions and methods would allow for the use of spray over techniques when applying herbicides to areas containing wheat plants.

5 SUMMARY OF THE INVENTION

The present invention provides wheat plants comprising IMI nucleic acids, wherein the wheat plant has increased resistance to an imidazolinone herbicide as compared to a wild-type variety of the plant. The wheat plants can contain one, two, three or more IMI nucleic acids. In one embodiment, the wheat plant comprises multiple IMI nucleic acids located on different genomes. Preferably, the IMI nucleic acids encode proteins comprising a mutation in a conserved amino acid sequence selected from the group consisting of a Domain A, a Domain B, a Domain C, a Domain D and a Domain E. More preferably, the mutation is in a conserved Domain E or a conserved Domain C. Also provided are plant parts and plant seeds derived from the wheat plants described herein. In another embodiment, the wheat plant comprises an IMI nucleic acid that is not an Imi1 nucleic acid. The IMI nucleic acid can be an Imi2 or Imi3 nucleic acid, for example.

The IMI nucleic acids of the present invention can comprise a nucleotide sequence selected from the group consisting of: a polynucleotide of SEQ ID NO:1; a polynucleotide of SEQ ID NO:3; a polynucleotide sequence encoding a polypeptide of SEQ ID NO:2; a polynucleotide sequence encoding a polypeptide of SEQ ID NO:4, a polynucleotide comprising at least 60 consecutive nucleotides of any of the aforementioned polynucleotides; and a polynucleotide complementary to any of the aforementioned polynucleotides.

The plants of the present invention can be transgenic or non-transgenic. Examples of non-transgenic wheat plants having increased resistance to imidazolinone herbicides include a wheat plant having an ATCC Patent Deposit Designation Number PTA-3953 or PTA-3955; or a mutant, recombinant, or genetically engineered derivative of the plant with ATCC Patent Deposit Designation Number PTA-3953 or PTA-3955; or of any progeny of the plant with ATCC Patent Deposit Designation Number PTA-3953 or PTA-3955; or a plant that is a progeny of any of these plants.

In addition to the compositions of the present invention, several methods are provided. Described herein are methods of modifying a plant's tolerance to an imidazolinone herbicide comprising modifying the expression of an IMI nucleic acid in the plant. Also described are methods of producing a transgenic plant having
5 increased tolerance to an imidazolinone herbicide comprising, transforming a plant cell with an expression vector comprising one or more IMI nucleic acids and generating the plant from the plant cell. The invention further includes a method of controlling weeds within the vicinity of a wheat plant, comprising applying an imidazolinone herbicide to the weeds and to the wheat plant. The wheat plant has
10 increased resistance to the imidazolinone herbicide as compared to a wild type variety of the wheat plant. The plant comprises one or more IMI nucleic acids. In some preferred embodiments of these methods, the plants comprise multiple IMI nucleic acids that are located on different wheat genomes.

An aspect of the present invention provides for an isolated IMI nucleic
15 acid. The nucleic acid having a polynucleotide sequence that comprises SEQ ID NO:3; or that encodes SEQ ID NO:4. The nucleic acid includes the polynucleotide sequence of SEQ ID NO:3. The nucleic acid includes a polynucleotide encoding the polypeptide sequence of SEQ ID NO:4.

A further aspect of the present invention provides for a method of
20 controlling weeds within the vicinity of a wheat plant, including applying an imidazolinone herbicide to the weeds and to the wheat plant. The wheat plant has increased resistance to the imidazolinone herbicide as compared to a wild type variety of the wheat plant. The plant includes multiple IMI nucleic acids. At least one of the multiple IMI nucleic acids includes SEQ ID NO:3; or encodes SEQ ID NO:4.

25 Another aspect of the invention provides for a method of producing a transgenic plant having increased resistance to an imidazolinone herbicide including transforming a plant cell with one or more expression vectors includes multiple IMI nucleic acids. The nucleic acids are derived from different genomes; and generating from the plant cell a transgenic plant with an increased resistance to an imidazolinone
30 herbicide as compared to a wild type variety of the plant. At least one of the multiple IMI nucleic acids includes SEQ ID NO:3; or encodes SEQ ID NO:4.

A further aspect of the present invention provides for a transformation vector having a gene of interest and a selectable marker gene, the selectable marker

gene including a promoter operably linked to the IMI nucleic acid. The promoter drives expression of the IMI nucleic acid in a host cell.

An even further aspect of the present invention provides for a transformed plant cell having stably incorporated in its genome a polynucleotide molecule including an IMI nucleic acid operably linked to a promoter that drives
5 expression of the IMI nucleic acid in a plant cell. The IMI nucleic acid confers upon the plant cell increased tolerance to an imidazolinone herbicide as compared to an untransformed plant cell.

Another aspect of the present invention provides for a plant cell of a
10 wheat plant. The wheat plant is selected from the group consisting of: a wheat plant of line Teal 11A, a representative sample of seed of said line having been deposited with ATCC under Patent Deposit Designation Number PTA-3953; a recombinant or genetically engineered derivative of a plant of line Teal 11A, a representative sample of seed of said line having been deposited with ATCC under Patent Deposit Designation
15 Number PTA 3953. The wheat plant includes the herbicide resistance characteristics of the line Teal 11A, or a progeny bred from a plant of line Teal 11A, a representative sample of seed of said line having been deposited with ATCC under Patent Deposit Designation Number PTA3953. The wheat plant includes the herbicide resistance characteristics of the line Teal 11A. The recombinant or genetically engineered
20 derivative and progeny comprise an IMI nucleic acid comprising the polynucleotide sequence set forth in SEQ ID NO:3 or encode a polypeptide sequence comprising amino acid sequence set forth in SEQ ID NO:4.

Another aspect of the present invention provides for a method of controlling weeds within the vicinity of a wheat plant, including applying an
25 imidazolinone herbicide to the weeds and to the wheat plant. The wheat plant has increased resistance to the imidazolinone herbicide as compared to a wild type variety of the wheat plant. The plant includes multiple MI nucleic acids. The wheat plant is selected from the group consisting of: a wheat plant of line Teal 11A, a representative sample of seed of said line having been deposited with ATCC under
30 Patent Deposit Designation Number PTA 3953; a recombinant or genetically

engineered derivative of a plant of line Teal 11A, a representative sample of seed of said line having been deposited with ATCC under Patent Deposit Designation Number PTA 3953. The wheat plant includes the herbicide resistance characteristics of the line Teal 11A, or a progeny bred from a plant of line Teal 11A, a representative sample of seed of said line having been deposited with ATCC under Patent Deposit Designation Number PTA 3953. The wheat plant includes the herbicide resistance characteristics of the line Teal11A. The recombinant or genetically engineered derivative and progeny comprise an IMI nucleic acid including the polynucleotide sequence set forth in SEQ ID NO:3 or encode a polypeptide sequence including amino acid sequence set forth in SEQ ID NO:4.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a table showing the results of single plant evaluation of imazamox resistance in parental and F_1 populations resulting from reciprocal crosses between resistant lines and CDC Teal. The numbers presented represent the number of plants scored into each phenotypic class. Parental lines are indicated in bold. The number of parental lines scored include those scored with the F_2 populations.

Figure 2 is a table showing the reaction to imazamox in F_2 and BCF_1 populations resulting from crosses between resistant lines and CDC Teal and Chi-square tests of single locus and two locus models (15 A x Teal) for control of resistance. The symbols used in Figure 2 indicate the following: a - Chi-square P value (1 df) represents the probability that deviations from the tested ratio are due to chance alone. Chi-square P values greater than 0.05 indicate that observed values were not significantly different from expected values; b - Chi-square P value representing the probability that deviations between F_2 populations resulting from reciprocal crosses between CDC Teal and resistant lines are due to chance alone. Chi-square values greater than 0.05 indicate that reciprocal F_2 populations were homogeneous, and data from the two reciprocal populations was pooled; c-CDC Teal was used as the recurrent parent; d-Ratios tested were based on the results of the F_2 generation; and e-Chi-square P value (1 df) for BCF_1 ratio.

Figure 3 is a table showing the results of an evaluation of resistance to imazamox in $F_{2:3}$ families resulting from crosses between resistant lines and CDC Teal and Chi-square tests of single-locus and two locus models (15A x Teal) for control of resistance. The symbols used in Figure 3 indicate the following: a -
 5 Family segregation ratios tested were based on the results of the F_2 and BCF_1 populations; b - Chi-square P value (2 df) representing the probability that deviations from the tested ratio are due to chance alone. Chi-square P values greater than 0.05 indicate that observed values were not significantly different from expected values.

Figure 4 is a table showing the results of a single plant evaluation of
 10 imazamox resistance in F_2 populations resulting from inter-crosses between resistant lines. Chi-square ratios tested were based on the results of the F_2 and $F_{2:3}$ family results obtained from crosses between resistant lines and CDC Teal. The 15:1 ratio tested is for a two locus model and the 63:1 ratio tested is for a three locus model. The "a" symbol used in Figure 4 indicates the following: Chi-square P value (1 df)
 15 representing the probability that deviations from the tested ratio are due to chance alone. Chi-square P values greater than 0.05 indicate that observed values were not significantly different from expected values.

Figure 5 is a table showing the results of an evaluation of imazamox resistance in $F_{2:3}$ families resulting from segregating inter-crosses between resistant
 20 lines. The symbols used in Figure 5 indicate the following: a - Family segregation ratios tested were based on the results of the F_2 populations examined; b - Chi-square P value (2 df) representing the probability that deviations from the tested ratio are due to chance alone. Chi-square P values greater than 0.05 indicate that observed values were not significantly different from expected values.

25 Figure 6 is a table comparing the percent uninhibited in vitro AHAS activity in four wheat lines in the presence of increasing concentrations of the imidazolinone herbicide imazamox. Teal is a wild type line with no tolerance to imidazolinone herbicides while BW755 contains the FS4 mutant gene.

Figure 7 is a table comparing injury sustained by three wheat
 30 genotypes when treated with either a 10X or 30X rate of imazamox. The 1X rate is 20 g/ha. BW755 contains the FS4 mutant gene. 15A/11A is a bulk of selfed progeny from the cross of Teal11A and Teal15A. The population was not yet homozygous at all three non-allelic loci.

Figure 8 shows a DNA sequence alignment of partial *Als1* and *Imi1* wheat genes amplified from genomic DNA: CDC Teal (row 2; SEQ ID NO:15 and SEQ ID NO:16), BW755 (row 3; SEQ ID NO:17 and SEQ ID NO:18), TealIMI 10A (row 4; SEQ ID NO:19 and SEQ ID NO:20), TealIMI 11A (row 5; SEQ ID NO:21 and SEQ ID NO:22), and TealIMI 15A (row 6; SEQ ID NO:23 and SEQ ID NO:24). Partial sequences were aligned with a complete rice ALS gene sequence (row 1; SEQ ID NO:13 and SEQ ID NO:14) derived from Genbank (Accession no. ABO49822) and translated to protein sequences (presented on top of the DNA sequences). The five highly conserved amino acid domains known to house mutations that confer resistance to AHAS inhibitors are indicated in bold. Note the guanine to adenine substitutions in BW755, TealIMI 10A, and TealIMI 15A result in a serine to asparagine substitution (serine627 in rice) in the IPSGG domain (Domain E) of the *Als1* gene. Accordingly, the resistance genes present in the BW755, TealIMI 10A, and TealIMI 15A plants have been designated as part of the *Imi1* class. These Teal resistance genes are referred to herein as TealIMI1 10A and TealIMI1 15A.

Figure 9 shows a DNA sequence alignment of partial *Als2* and *Imi2* wheat genes amplified from genomic DNA: CDC Teal (row 2; SEQ ID NO:25 and SEQ ID NO:26), BW755 (row 3; SEQ ID NO:27 and SEQ ID NO:28), TealIMI 10A (row 4; SEQ ID NO:29 and SEQ ID NO:30), TealIMI 11A (row 5; SEQ ID NO:31 and SEQ ID NO:32) and TealIMI 15A (row 6; SEQ ID NO:33 and SEQ ID NO:34). Partial AHAS sequences were aligned with a complete rice AHAS sequence (row 1; SEQ ID NO:13 and SEQ ID NO:14) derived from GenBank (Accession no. AB049822) and translated into protein sequences (presented above the DNA sequences). The five highly conserved domains known to house mutations that confer resistance to AHAS inhibitors are indicated in bold. Note the guanine to adenine substitution in TealIMI 11A, resulting in a serine to asparagine substitution (serine627 in rice) in the IPSGG domain of the *Als2* gene. Accordingly, the resistance gene present in TealIMI 11A plant has been designated as part of the *Imi2* class of nucleic acids. This Teal resistance gene is referred to herein as TealIMI2 11A.

Figure 10 shows the partial DNA sequence of TealIMI1 15A (SEQ ID NO:1) and the deduced amino acid sequence of the same (SEQ ID NO:2).

Figure 11 shows the partial DNA sequence of TealIMI2 11A (SEQ ID NO:3) and the deduced amino acid sequence of the same (SEQ ID NO:4).

Figure 12 shows the wild type nucleic acid sequence of the Teal ALS1 ORF (SEQ ID NO:5), the Teal ALS2 ORF (SEQ ID NO:6) the Teal ALS3 ORF (SEQ ID NO:7).

Figure 13 is a schematic representation of the conserved amino acid sequences in the AHAS genes implicated in resistance to various AHAS inhibitors. The specific amino acid site responsible for resistance is indicated by an underline. (Modified from Devine, M. D. and Eberlein, C. V., 1997 Physiological, biochemical and molecular aspects of herbicide resistance based on altered target sites *in* Herbicide Activity: Toxicity, Biochemistry, and Molecular Biology, IOS Press Amsterdam, p. 159-185).

DETAILED DESCRIPTION

The present invention is directed to wheat plants, wheat plant parts and wheat plant cells having increased resistance to imidazolinone herbicides. The present invention also includes seeds produced by the wheat plants described herein and methods for controlling weeds in the vicinity of the wheat plants described herein. It is to be understood that as used in the specification and in the claims, "a" or "an" can mean one or more, depending upon the context in which it is used. Thus, for example, reference to "a cell" can mean that at least one cell can be utilized.

As used herein, the term "wheat plant" refers to a plant that is a member of the *Triticum* genus. The wheat plants of the present invention can be members of a *Triticum* genus including, but not limited to, *T. aestivum*, *T. turgidum*, *T. timopheevii*, *T. monococcum*, *T. zhukovskyi* and *T. urartu* and hybrids thereof. Examples of *T. aestivum* subspecies included within the present invention are *aestivum* (common wheat), *compactum* (club wheat), *macha* (macha wheat), *vavilovi* (vavilovi wheat), *spelta* and *sphaerococcum* (shot wheat). Examples of *T. turgidum* subspecies included within the present invention are *turgidum*, *carthlicum*, *dicoccon*, *durum*, *paleocolchicum*, *polonicum*, *turanicum* and *dicoccoides*. Examples of *T. monococcum* subspecies included within the present invention are *monococcum* (einkorn) and *aegilopoides*. In one embodiment of the present invention, the wheat plant is a member of the *Triticum aestivum* species, and more particularly, the CDC Teal cultivar.

The term “wheat plant” is intended to encompass wheat plants at any stage of maturity or development as well as any tissues or organs (plant parts) taken or derived from any such plant unless otherwise clearly indicated by context. Plant parts include, but are not limited to, stems, roots, flowers, ovules, stamens, leaves, embryos, meristematic regions, callus tissue, anther cultures, gametophytes, sporophytes, pollen, microspores, protoplasts and the like. The present invention also includes seeds produced by the wheat plants of the present invention. In one embodiment, the seeds are true breeding for an increased resistance to an imidazolinone herbicide as compared to a wild type variety of the wheat plant seed.

The present invention describes a wheat plant comprising one or more IMI nucleic acids, wherein the wheat plant has increased resistance to an imidazolinone herbicide as compared to a wild-type variety of the plant. As used herein, the term “IMI nucleic acid” refers to a nucleic acid that is mutated from an AHAS nucleic acid in a wild type wheat plant that confers increased imidazolinone resistance to a plant in which it is transcribed. Wild type Teal AHAS nucleic acids are shown in SEQ ID NO:5 (Teal ALS1 ORF), SEQ ID NO:6 (Teal ALS2 ORF) and SEQ ID NO:7 (Teal ALS3 ORF). In one embodiment, the wheat plant comprises multiple IMI nucleic acids. As used when describing the IMI nucleic acids, the term “multiple” refers to IMI nucleic acids that have different nucleotide sequences and does not refer to a mere increase in number of the same IMI nucleic acid. For example, the IMI nucleic acids can be different due to the fact that they are derived from or located on different wheat genomes.

It is possible for the wheat plants of the present invention to have multiple IMI nucleic acids from different genomes since these plants can contain more than one genome. For example, a *Triticum aestivum* wheat plant contains three genomes sometimes referred to as the A, B and D genomes. Because AHAS is a required metabolic enzyme, it is assumed that each genome has at least one gene coding for the AHAS enzyme, commonly seen with other metabolic enzymes in hexaploid wheat that have been mapped. The AHAS nucleic acid on each genome can, and usually does, differ in its nucleotide sequence from an AHAS nucleic acid on another genome. One of skill in the art can determine the genome of origin of each AHAS nucleic acid through genetic crossing and/or either sequencing methods or exonuclease digestion methods known to those of skill in the art and as also described

in Example 2 below. For the purposes of this invention, IMI nucleic acids derived from one of the A, B or D genomes are distinguished and designated as Imi1, Imi2 or Imi3 nucleic acids.

It is not stated herein that any particular Imi nucleic acid class correlates with any particular A, B or D genome. For example, it is not stated herein that the Imi1 nucleic acids correlate to A genome nucleic acids, that Imi2 nucleic acids correlate to B genome nucleic acids, etc. The Imi1, Imi2 and Imi3 designations merely indicate that the IMI nucleic acids within each such class do not segregate independently, whereas two IMI nucleic acids from different classes do segregate independently and may therefore be derived from different wheat genomes. The Imi1 class of nucleic acids includes the FS-4 gene as described by Newhouse et al. (1992 Plant Physiol. 100:882-886) and the TealIMI1 15A gene described in more detail below. The Imi2 class of nucleic acids includes the TealIMI2 11A gene described below. Each Imi class can include members from different wheat species. Therefore, each Imi class includes IMI nucleic acids that differ in their nucleotide sequence but that are nevertheless designated as originating from, or being located on, the same wheat genome using inheritance studies as described in the Examples below and known to those of ordinary skill in the art.

Accordingly, the present invention includes a wheat plant comprising one or more IMI nucleic acids, wherein the wheat plant has increased resistance to an imidazolinone herbicide as compared to a wild-type variety of the plant and wherein the one or more IMI nucleic acids are selected from a group consisting of an Imi1, Imi2 and Imi3 nucleic acid. In one embodiment, the plant comprises an Imi1 nucleic acid and an Imi3 nucleic acid. In a preferred embodiment, the Imi1 nucleic acid comprises the polynucleotide sequence shown in SEQ ID NO:1. In another embodiment, the plant comprises an Imi2 nucleic acid. In a preferred embodiment, the Imi2 nucleic acid comprises the polynucleotide sequence shown in SEQ ID NO:3.

As used herein with regard to nucleic acids, the term "from" refers to a nucleic acid "located on" or "derived from" a particular genome. The term "located on" refers to a nucleic acid contained within that particular genome. As also used herein with regard to a genome, the term "derived from" refers to a nucleic acid that has been removed or isolated from that genome. The term "isolated" is defined in more detail below.

In another embodiment, the wheat plant comprises an IMI nucleic acid, wherein the nucleic acid is a non-Imi1 nucleic acid. The term "non-Imi1", refers to an IMI nucleic acid that is not a member of the Imi1 class as described above. Examples of nucleic acids from the Imi1 class are shown in rows 3, 4 and 5 of Figure 8. One example of non-Imi1 nucleic acid is shown in row 5 of Figure 8. Accordingly, in a preferred embodiment, the wheat plant comprises an IMI nucleic acid comprising the polynucleotide sequence encoding the polypeptide of SEQ ID NO:4. The polynucleotide sequence can comprise the sequence shown in SEQ ID NO:3.

The present invention includes wheat plants comprising one, two, three or more IMI nucleic acids, wherein the wheat plant has increased resistance to an imidazolinone herbicide as compared to a wild-type variety of the plant. The IMI nucleic acids can comprise a nucleotide sequence selected from the group consisting of a polynucleotide of SEQ ID NO:1; a polynucleotide of SEQ ID NO:3; a polynucleotide sequence encoding a polypeptide of SEQ ID NO:2; a polynucleotide sequence encoding a polypeptide of SEQ ID NO:4, a polynucleotide comprising at least 60 consecutive nucleotides of any of the aforementioned polynucleotides; and a polynucleotide complementary to any of the aforementioned polynucleotides.

The imidazolinone herbicide can be selected from, but is not limited to, PURSUIT® (imazethapyr), CADRE® (imazapic), RAPTOR® (imazamox), SCEPTER® (imazaquin), ASSERT® (imazethabenz), ARSENAL® (imazapyr), a derivative of any of the aforementioned herbicides, or a mixture of two or more of the aforementioned herbicides, for example, imazapyr/imazamox (ODYSSEY®). More specifically, the imidazolinone herbicide can be selected from, but is not limited to, 2-(4-isopropyl-4-methyl-5-oxo-2-imidiazolin-2-yl)-nicotinic acid, 2-(4-isopropyl)-4-methyl-5-oxo-2-imidazolin-2-yl)-3-quinolinecarboxylic acid, 5-ethyl-2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-nicotinic acid, 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-5-(methoxymethyl)-nicotinic acid, 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-5-methylnicotinic acid, and a mixture of methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate and methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-p-toluate. The use of 5-ethyl-2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-nicotinic acid and 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-5-(methoxymethyl)-nicotinic acid is preferred. The use of 2-(4-isopropyl-4-

methyl-5-oxo-2-imidazolin-2-yl)-5-(methoxymethyl)-nicotinic acid is particularly preferred.

In one embodiment, the wheat plant comprises two IMI nucleic acids, wherein the nucleic acids are derived from or located on different wheat genomes. Preferably, one of the two nucleic acids is an Imi1 nucleic acid, and more preferably comprises the polynucleotide sequence of SEQ ID NO:1. In another embodiment, the wheat plant comprises one IMI nucleic acid, wherein the nucleic acid comprises the polynucleotide sequence of SEQ ID NO:1 or SEQ ID NO:3. In yet another embodiment, the wheat plant comprises three or more IMI nucleic acids wherein each nucleic acid is from a different genome. Preferably, at least one of the three IMI nucleic acids comprises a polynucleotide sequence selected from the group consisting of SEQ ID NO:1 and SEQ ID NO:3.

In a preferred embodiment of the present invention, the one or more IMI nucleic acids contained within the plant encode an amino acid sequence comprising a mutation in a domain that is conserved among several AHAS proteins. These conserved domains are referred to herein as Domain A, Domain B, Domain C, Domain D and Domain E. Figure 13 shows the general location of each domain in an AHAS protein. As used herein, Domain A contains the amino acid sequence AITGQVPRRMIGT (SEQ ID NO:8); Domain B contains the amino acid sequence QWED (SEQ ID NO:9); Domain C contains the amino acid sequence VFAYPGGASMEIHQALTRS (SEQ ID NO:10); Domain D contains the amino acid sequence AFQETP (SEQ ID NO:11); Domain E contains the amino acid sequence IPSGG (SEQ ID NO:12). The present invention also contemplates that there may be slight variations in the conserved domains, for example, in cockleberry plants, the serine residue in Domain E is replaced by an alanine residue.

Accordingly, the present invention includes a wheat plant comprising an IMI nucleic acid that encodes an amino acid sequence having a mutation in a conserved domain selected from the group consisting of a Domain A, a Domain B, a Domain C, a Domain D and a Domain E. In one embodiment, the wheat plant comprises an IMI nucleic acid that encodes an amino acid sequence having a mutation in a Domain E. In further preferred embodiments, the mutations in the conserved domains occur at the locations indicated by the following underlining: AITGQVPRRMIGT (SEQ ID NO:8); QWED (SEQ ID NO:9);

VFAYPPGGASMEIHQALTRS (SEQ ID NO:10); AFAQETP (SEQ ID NO:11) and IPSGG (SEQ ID NO:12). One preferred substitution is asparagine for serine in Domain E (SEQ ID NO:12).

5 The wheat plants described herein can be either transgenic wheat plants or non-transgenic wheat plants. As used herein, the term “transgenic” refers to any plant, plant cell, callus, plant tissue or plant part, that contains all or part of at least one recombinant polynucleotide. In many cases, all or part of the recombinant polynucleotide is stably integrated into a chromosome or stable extra-chromosomal element, so that it is passed on to successive generations. For the purposes of the invention, the term “recombinant polynucleotide” refers to a polynucleotide that has been altered, rearranged or modified by genetic engineering. Examples include any cloned polynucleotide, or polynucleotides, that are linked or joined to heterologous sequences. The term “recombinant” does not refer to alterations of polynucleotides that result from naturally occurring events, such as spontaneous mutations, or from non-spontaneous mutagenesis followed by selective breeding. Plants containing mutations arising due to non-spontaneous mutagenesis and selective breeding are referred to herein as non-transgenic plants and are included in the present invention. In embodiments wherein the wheat plant is transgenic and comprises multiple IMI nucleic acids, the nucleic acids can be derived from different genomes or the same genome. Alternatively, in embodiments wherein the wheat plant is non-transgenic and comprises multiple IMI nucleic acids, the nucleic acids are located on different genomes.

An example of a non-transgenic wheat plant cultivar comprising one IMI nucleic acid is the plant cultivar deposited with the ATCC under Patent Deposit Designation Number PTA-3953 and designated herein as the TealIMI 11A wheat cultivar. The TealIMI 11A wheat cultivar contains an Imi2 nucleic acid. The partial nucleotide and deduced amino acid sequences corresponding to the TealIMI2 11A gene are shown in SEQ ID NO:3 and SEQ ID NO:4, respectively. The only portion of the sequences not included in SEQ ID NO:3 and SEQ ID NO:4 are those sequences encoding and corresponding to a signal sequence that is cleaved from the mature TealIMI2 11A protein. Accordingly, SEQ ID NO:4 represents the full deduced sequence of the mature TealIMI2 11A protein.

An example of a wheat plant cultivar comprising two IMI nucleic acids on different genomes is the plant cultivar deposited with the ATCC under Patent Deposit Designation Number PTA-3955 and designated herein as the TealIMI 15A wheat cultivar. The TealIMI 15A wheat cultivar contains Imi1 and Imi3 nucleic acids. The Imi1 nucleic acid comprises a mutation that results in a serine to asparagine change in the IMI protein encoded thereby. The mutated AHAS genes are designated herein as TealIMI1 15A and TealIMI3 15A. The partial nucleotide and deduced amino acid sequences corresponding to the TealIMI1 15A gene are shown in SEQ ID NO:1 and SEQ ID NO:2, respectively. The only portion of the sequences not included in SEQ ID NO:1 and SEQ ID NO:2 are those sequences encoding and corresponding to approximately 100-150 base pairs at the 5' end and approximately 5 base pairs at the 3' end of the coding region.

Separate deposits of 2500 seeds of the TealIMI 11A and TealIMI 15A wheat cultivars were made with the American Type Culture Collection, Manassas, Virginia on January 3, 2002. These deposits were made in accordance with the terms and provisions of the Budapest Treaty relating to the deposit of microorganisms. The deposits were made for a term of at least thirty years and at least five years after the most recent request for the furnishing of a sample of the deposit is received by the ATCC. The deposited seeds were accorded Patent Deposit Designation Numbers PTA-3953 (TealIMI 11A) and PTA-3955 (TealIMI 15A).

The present invention includes the wheat plant having a Patent Deposit Designation Number PTA-3953 or PTA-3955; a mutant, recombinant, or genetically engineered derivative of the plant with Patent Deposit Designation Number PTA-3953 or PTA-3955; any progeny of the plant with Patent Deposit Designation Number PTA-3953 or PTA-3955; and a plant that is the progeny of any of these plants. In a preferred embodiment, the wheat plant of the present invention additionally has the herbicide resistance characteristics of the plant with Patent Deposit Designation Number PTA-3953 or PTA-3955.

Also included in the present invention are hybrids of the TealIMI 11A and TealIMI 15A wheat cultivars described herein. Example 5 demonstrates TealIMI11A/TealIMI15A hybrids having increased resistance to an imidazolinone herbicide. The present invention further includes hybrids of the TealIMI 11A or TealIMI 15A wheat cultivars and another wheat cultivar. The other wheat cultivar

includes, but is not limited to, *T. aestivum* L. cv Fidel and any wheat cultivar harboring a mutant gene FS-1, FS-2, FS-3 or FS-4. (See U.S. Patent No. 6,339,184 and U.S. Patent Application No. 08/474,832). In a preferred embodiment, the wheat plant is a hybrid between a TealIMI 11A cultivar and a Fidel FS-4 cultivar. The
5 TealIMI 11A/FS-4 hybrids comprise an Imi1 nucleic acid and an Imi2 nucleic acid. A hybrid of TealIMI 11A and a Fidel cultivar harboring the FS-4 gene is included in the present invention and was deposited with the American Type Culture Collection, Manassas, Virginia on January 3, 2002. This deposit was made in accordance with the terms and provisions of the Budapest Treaty relating to the deposit of
10 microorganisms. The deposit was made for a term of at least thirty years and at least five years after the most recent request for the furnishing of a sample of the deposit is received by the ATCC. The deposited seeds were accorded Patent Deposit Designation Number PTA-3954.

The terms "cultivar" and "variety" refer to a group of plants within a
15 species defined by the sharing of a common set of characteristics or traits accepted by those skilled in the art as sufficient to distinguish one cultivar or variety from another cultivar or variety. There is no implication in either term that all plants of any given cultivar or variety will be genetically identical at either the whole gene or molecular level or that any given plant will be homozygous at all loci. A cultivar or variety is
20 considered "true breeding" for a particular trait if, when the true-breeding cultivar or variety is self-pollinated, all of the progeny contain the trait. In the present invention, the trait arises from a mutation in an AHAS gene of the wheat plant or seed.

It is to be understood that the wheat plant of the present invention can comprise a wild type or non-mutated AHAS gene in addition to an IMI gene. As
25 described in Example 4, it is contemplated that wheat cultivar TealIMI 11A contains a mutation in only one of multiple AHAS isoenzymes and that wheat cultivar TealIMI 15A contains a mutation in only two of multiple AHAS isoenzymes. Therefore, the present invention includes a wheat plant comprising one or more IMI nucleic acids in addition to one or more wild type or non-mutated AHAS nucleic acids.

30 In addition to wheat plants, the present invention encompasses isolated IMI proteins and nucleic acids. The nucleic acids comprise a polynucleotide selected from the group consisting of a polynucleotide of SEQ ID NO:1; a polynucleotide of SEQ ID NO:3; a polynucleotide sequence encoding a polypeptide of SEQ ID NO:2; a

polynucleotide sequence encoding a polypeptide of SEQ ID NO:4, a polynucleotide comprising at least 60 consecutive nucleotides of any of the aforementioned polynucleotides; and a polynucleotide complementary to any of the aforementioned polynucleotides. In a preferred embodiment, the IMI nucleic acid comprises a polynucleotide sequence encoding a polypeptide of SEQ ID NO:2 or SEQ ID NO:4. In a further preferred embodiment, the IMI nucleic acid comprises a polynucleotide sequence of SEQ ID NO:1 or SEQ ID NO:3.

The term "AHAS protein" refers to an acetohydroxyacid synthase protein and the term "IMI protein" refers to any AHAS protein that is mutated from a wild type AHAS protein and that confers increased imidazolinone resistance to a plant, plant cell, plant part, plant seed or plant tissue when it is expressed therein. In a preferred embodiment, the IMI protein comprises a polypeptide of SEQ ID NO:2 or SEQ ID NO:4. As also used herein, the terms "nucleic acid" and "polynucleotide" refer to RNA or DNA that is linear or branched, single or double stranded, or a hybrid thereof. The term also encompasses RNA/DNA hybrids. These terms also encompass untranslated sequence located at both the 3' and 5' ends of the coding region of the gene: at least about 1000 nucleotides of sequence upstream from the 5' end of the coding region and at least about 200 nucleotides of sequence downstream from the 3' end of the coding region of the gene. Less common bases, such as inosine, 5-methylcytosine, 6-methyladenine, hypoxanthine and others can also be used for antisense, dsRNA and ribozyme pairing. For example, polynucleotides that contain C-5 propyne analogues of uridine and cytidine have been shown to bind RNA with high affinity and to be potent antisense inhibitors of gene expression. Other modifications, such as modification to the phosphodiester backbone, or the 2'-hydroxy in the ribose sugar group of the RNA can also be made. The antisense polynucleotides and ribozymes can consist entirely of ribonucleotides, or can contain mixed ribonucleotides and deoxyribonucleotides. The polynucleotides of the invention may be produced by any means, including genomic preparations, cDNA preparations, *in vitro* synthesis, RT-PCR and *in vitro* or *in vivo* transcription.

An "isolated" nucleic acid molecule is one that is substantially separated from other nucleic acid molecules, which are present in the natural source of the nucleic acid (i.e., sequences encoding other polypeptides). Preferably, an "isolated" nucleic acid is free of some of the sequences that naturally flank the

nucleic acid (i.e., sequences located at the 5' and 3' ends of the nucleic acid) in its naturally occurring replicon. For example, a cloned nucleic acid is considered isolated. In various embodiments, the isolated IMI nucleic acid molecule can contain less than about 5 kb, 4 kb, 3 kb, 2 kb, 1 kb, 0.5 kb or 0.1 kb of nucleotide sequences which naturally flank the nucleic acid molecule in genomic DNA of the cell from which the nucleic acid is derived (e.g., a *Triticum aestivum* cell). A nucleic acid is also considered isolated if it has been altered by human intervention, or placed in a locus or location that is not its natural site, or if it is introduced into a cell by agroinfection or biolistics. Moreover, an "isolated" nucleic acid molecule, such as a cDNA molecule, can be free from some of the other cellular material with which it is naturally associated, or culture medium when produced by recombinant techniques, or chemical precursors or other chemicals when chemically synthesized.

Specifically excluded from the definition of "isolated nucleic acids" are: naturally-occurring chromosomes (such as chromosome spreads), artificial chromosome libraries, genomic libraries, and cDNA libraries that exist either as an *in vitro* nucleic acid preparation or as a transfected/transformed host cell preparation, wherein the host cells are either an *in vitro* heterogeneous preparation or plated as a heterogeneous population of single colonies. Also specifically excluded are the above libraries wherein a specified nucleic acid makes up less than 5% of the number of nucleic acid inserts in the vector molecules. Further specifically excluded are whole cell genomic DNA or whole cell RNA preparations (including whole cell preparations that are mechanically sheared or enzymatically digested). Even further specifically excluded are the whole cell preparations found as either an *in vitro* preparation or as a heterogeneous mixture separated by electrophoresis wherein the nucleic acid of the invention has not further been separated from the heterologous nucleic acids in the electrophoresis medium (e.g., further separating by excising a single band from a heterogeneous band population in an agarose gel or nylon blot).

A nucleic acid molecule of the present invention, e.g., a nucleic acid molecule containing a nucleotide sequence of SEQ ID NO:1, SEQ ID NO:3 or a portion thereof, can be isolated using standard molecular biology techniques and the sequence information provided herein. For example, a *T. aestivum* IMI cDNA can be isolated from a *T. aestivum* library using all or a portion of the sequence of SEQ ID NO:1 or SEQ ID NO:3. Moreover, a nucleic acid molecule encompassing all or a

portion of SEQ ID NO:1 or SEQ ID NO:3 can be isolated by the polymerase chain reaction using oligonucleotide primers designed based upon this sequence. For example, mRNA can be isolated from plant cells (e.g., by the guanidinium-thiocyanate extraction procedure of Chirgwin et al., 1979 Biochemistry 18:5294-5299) and cDNA can be prepared using reverse transcriptase (e.g., Moloney MLV reverse transcriptase, available from Gibco/BRL, Bethesda, MD; or AMV reverse transcriptase, available from Seikagaku America, Inc., St. Petersburg, FL). Synthetic oligonucleotide primers for polymerase chain reaction amplification can be designed based upon the nucleotide sequence shown in SEQ ID NO:1 or SEQ ID NO:3. A nucleic acid molecule of the invention can be amplified using cDNA or, alternatively, genomic DNA, as a template and appropriate oligonucleotide primers according to standard PCR amplification techniques. The nucleic acid molecule so amplified can be cloned into an appropriate vector and characterized by DNA sequence analysis. Furthermore, oligonucleotides corresponding to an IMI nucleotide sequence can be prepared by standard synthetic techniques, e.g., using an automated DNA synthesizer.

The IMI nucleic acids of the present invention can comprise sequences encoding an IMI protein (i.e., "coding regions"), as well as 5' untranslated sequences and 3' untranslated sequences. Alternatively, the nucleic acid molecules of the present invention can comprise only the coding regions of an IMI gene, or can contain whole genomic fragments isolated from genomic DNA. A coding region of these sequences is indicated as an "ORF position". Moreover, the nucleic acid molecule of the invention can comprise a portion of a coding region of an IMI gene, for example, a fragment that can be used as a probe or primer. The nucleotide sequences determined from the cloning of the IMI genes from *T. aestivum* allow for the generation of probes and primers designed for use in identifying and/or cloning IMI homologs in other cell types and organisms, as well as IMI homologs from other wheat plants and related species. The portion of the coding region can also encode a biologically active fragment of an IMI protein.

As used herein, the term "biologically active portion of" an IMI protein is intended to include a portion, e.g., a domain/motif, of an IMI protein that, when produced in a plant increases the plant's resistance to an imidazolinone herbicide as compared to a wild-type variety of the plant. Methods for quantitating increased resistance to imidazolinone herbicides are provided in the Examples

provided below. Biologically active portions of an IMI protein include peptides encoded by polynucleotide sequences comprising SEQ ID NO:1 or SEQ ID NO:3 which include fewer amino acids than a full length IMI protein and impart increased resistance to an imidazolinone herbicide upon expression in a plant. Typically, 5 biologically active portions (e.g., peptides which are, for example, 5, 10, 15, 20, 30, 35, 36, 37, 38, 39, 40, 50, 100 or more amino acids in length) comprise a domain or motif with at least one activity of an IMI protein. Moreover, other biologically active portions in which other regions of the polypeptide are deleted, can be prepared by recombinant techniques and evaluated for one or more of the activities described 10 herein. Preferably, the biologically active portions of an IMI protein include one or more conserved domains selected from the group consisting of a Domain A, a Domain B, a Domain C, a Domain D and a Domain E, wherein the conserved domain contains a mutation.

The invention also provides IMI chimeric or fusion polypeptides. As 15 used herein, an IMI "chimeric polypeptide" or "fusion polypeptide" comprises an IMI polypeptide operatively linked to a non-IMI polypeptide. A "non-IMI polypeptide" refers to a polypeptide having an amino acid sequence that is not substantially identical to an IMI polypeptide, e.g., a polypeptide that is not an IMI isoenzyme, which peptide performs a different function than an IMI polypeptide. Within the 20 fusion polypeptide, the term "operatively linked" is intended to indicate that the IMI polypeptide and the non-IMI polypeptide are fused to each other so that both sequences fulfill the proposed function attributed to the sequence used. The non-IMI polypeptide can be fused to the N-terminus or C-terminus of the IMI polypeptide. For example, in one embodiment, the fusion polypeptide is a GST-IMI fusion polypeptide 25 in which the IMI sequence is fused to the C-terminus of the GST sequence. Such fusion polypeptides can facilitate the purification of recombinant IMI polypeptides. In another embodiment, the fusion polypeptide is an IMI polypeptide containing a heterologous signal sequence at its N-terminus. In certain host cells (e.g., mammalian host cells), expression and/or secretion of an IMI polypeptide can be increased 30 through use of a heterologous signal sequence.

An isolated nucleic acid molecule encoding an IMI polypeptide having sequence identity to a polypeptide encoded by a polynucleotide sequence of SEQ ID NO:1 or SEQ ID NO:3 can be created by introducing one or more nucleotide

substitutions, additions or deletions into a nucleotide sequence of SEQ ID NO:1 or SEQ ID NO:3 such that one or more amino acid substitutions, additions or deletions are introduced into the encoded polypeptide. Mutations can be introduced into a sequence of SEQ ID NO:1 or SEQ ID NO:3 by standard techniques, such as site-directed mutagenesis and PCR-mediated mutagenesis. Preferably, conservative amino acid substitutions are made at one or more predicted non-essential amino acid residues.

A "conservative amino acid substitution" is one in which the amino acid residue is replaced with an amino acid residue having a similar side chain. Families of amino acid residues having similar side chains have been defined in the art. These families include amino acids with basic side chains (e.g., lysine, arginine, histidine), acidic side chains (e.g., aspartic acid, glutamic acid), uncharged polar side chains (e.g., glycine, asparagine, glutamine, serine, threonine, tyrosine, cysteine), nonpolar side chains (e.g., alanine, valine, leucine, isoleucine, proline, phenylalanine, methionine, tryptophan), beta-branched side chains (e.g., threonine, valine, isoleucine) and aromatic side chains (e.g., tyrosine, phenylalanine, tryptophan, histidine). Thus, a predicted nonessential amino acid residue in an IMI polypeptide is preferably replaced with another amino acid residue from the same side chain family. Alternatively, in another embodiment, mutations can be introduced randomly along all or part of an IMI coding sequence, such as by saturation mutagenesis, and the resultant mutants can be screened for an IMI activity described herein to identify mutants that retain IMI activity. Following mutagenesis of the sequence of SEQ ID NO:1 or SEQ ID NO:3, the encoded polypeptide can be expressed recombinantly and the activity of the polypeptide can be determined by analyzing the imidazolinone resistance of a plant expressing the polypeptide as described in the Examples below.

To determine the percent sequence identity of two amino acid sequences (e.g., SEQ ID NO:2 or SEQ ID NO:4 and a mutant form thereof), the sequences are aligned for optimal comparison purposes (e.g., gaps can be introduced in the sequence of one polypeptide for optimal alignment with the other polypeptide). The amino acid residues at corresponding amino acid positions are then compared. When a position in one sequence (e.g., SEQ ID NO:2 or SEQ ID NO:4) is occupied by the same amino acid residue as the corresponding position in the other sequence (e.g., a mutant form of SEQ ID NO:2 or SEQ ID NO:4), then the molecules are

identical at that position. The same type of comparison can be made between two nucleic acid sequences. The percent sequence identity between the two sequences is a function of the number of identical positions shared by the sequences (i.e., percent sequence identity = numbers of identical positions/total numbers of positions x 100).

5 For the purposes of the invention, the percent sequence identity between two nucleic acid or polypeptide sequences is determined using the Vector NTI 6.0 (PC) software package (InforMax, 7600 Wisconsin Ave., Bethesda, MD 20814). A gap opening penalty of 15 and a gap extension penalty of 6.66 are used for determining the percent identity of two nucleic acids. A gap opening penalty of 10 and a gap extension

10 penalty of 0.1 are used for determining the percent identity of two polypeptides. All other parameters are set at the default settings. It is to be understood that for the purposes of determining sequence identity, when comparing a DNA sequence to an RNA sequence, a thymidine nucleotide is equivalent to a uracil nucleotide. Preferably, the isolated IMI polypeptides included in the present invention are at least

15 about 50-60%, preferably at least about 60-70%, and more preferably at least about 70-75%, 75-80%, 80-85%, 85-90% or 90-95%, and most preferably at least about 96%, 97%, 98%, 99% or more identical to an entire amino acid sequence encoded by a polynucleotide sequence shown in SEQ ID NO:1 or SEQ ID NO:3. In another embodiment, the isolated IMI polypeptides included in the present invention are at

20 least about 50-60%, preferably at least about 60-70%, and more preferably at least about 70-75%, 75-80%, 80-85%, 85-90% or 90-95%, and most preferably at least about 96%, 97%, 98%, 99% or more identical to an entire amino acid sequence shown in SEQ ID NO:2 or SEQ ID NO:4.

Additionally, optimized IMI nucleic acids can be created. Preferably,

25 an optimized IMI nucleic acid encodes an IMI polypeptide that modulates a plant's tolerance to imidazolinone herbicides, and more preferably increases a plant's tolerance to an imidazolinone herbicide upon its over-expression in the plant. As used herein, "optimized" refers to a nucleic acid that is genetically engineered to increase its expression in a given plant or animal. To provide plant optimized IMI

30 nucleic acids, the DNA sequence of the gene can be modified to 1) comprise codons preferred by highly expressed plant genes; 2) comprise an A+T content in nucleotide base composition to that substantially found in plants; 3) form a plant initiation sequence, 4) eliminate sequences that cause destabilization, inappropriate

polyadenylation, degradation and termination of RNA, or that form secondary structure hairpins or RNA splice sites. Increased expression of IMI nucleic acids in plants can be achieved by utilizing the distribution frequency of codon usage in plants in general or a particular plant. Methods for optimizing nucleic acid expression in plants can be found in EPA 0359472; EPA 0385962; PCT Application No. WO 91/16432; U.S. Patent No. 5,380,831; U.S. Patent No. 5,436,391; Perlack *et al.*, 1991 Proc. Natl. Acad. Sci. USA 88:3324-3328; and Murray *et al.*, 1989 Nucleic Acids Res. 17:477-498.

As used herein, "frequency of preferred codon usage" refers to the preference exhibited by a specific host cell in usage of nucleotide codons to specify a given amino acid. To determine the frequency of usage of a particular codon in a gene, the number of occurrences of that codon in the gene is divided by the total number of occurrences of all codons specifying the same amino acid in the gene. Similarly, the frequency of preferred codon usage exhibited by a host cell can be calculated by averaging frequency of preferred codon usage in a large number of genes expressed by the host cell. It is preferable that this analysis be limited to genes that are highly expressed by the host cell. The percent deviation of the frequency of preferred codon usage for a synthetic gene from that employed by a host cell is calculated first by determining the percent deviation of the frequency of usage of a single codon from that of the host cell followed by obtaining the average deviation over all codons. As defined herein, this calculation includes unique codons (i.e., ATG and TGG). In general terms, the overall average deviation of the codon usage of an optimized gene from that of a host cell is calculated using the equation $1A = n = 1 \sum (X_n - Y_n) / X_n \times 100$ where X_n = frequency of usage for codon n in the host cell; Y_n = frequency of usage for codon n in the synthetic gene, n represents an individual codon that specifies an amino acid and the total number of codons is Z . The overall deviation of the frequency of codon usage, A , for all amino acids should preferably be less than about 25%, and more preferably less than about 10%.

Hence, an IMI nucleic acid can be optimized such that its distribution frequency of codon usage deviates, preferably, no more than 25% from that of highly expressed plant genes and, more preferably, no more than about 10%. In addition, consideration is given to the percentage G+C content of the degenerate third base (monocotyledons appear to favor G+C in this position, whereas dicotyledons do not).

It is also recognized that the XCG (where X is A, T, C, or G) nucleotide is the least preferred codon in dicots whereas the XTA codon is avoided in both monocots and dicots. Optimized IMI nucleic acids of this invention also preferably have CG and TA doublet avoidance indices closely approximating those of the chosen host plant
5 (i.e., *Triticum aestivum*). More preferably these indices deviate from that of the host by no more than about 10-15%.

In addition to the nucleic acid molecules encoding the IMI polypeptides described above, another aspect of the invention pertains to isolated nucleic acid molecules that are antisense thereto. Antisense polynucleotides are
10 thought to inhibit gene expression of a target polynucleotide by specifically binding the target polynucleotide and interfering with transcription, splicing, transport, translation and/or stability of the target polynucleotide. Methods are described in the prior art for targeting the antisense polynucleotide to the chromosomal DNA, to a primary RNA transcript or to a processed mRNA. Preferably, the target regions
15 include splice sites, translation initiation codons, translation termination codons, and other sequences within the open reading frame.

The term "antisense", for the purposes of the invention, refers to a nucleic acid comprising a polynucleotide that is sufficiently complementary to all or a portion of a gene, primary transcript or processed mRNA, so as to interfere with
20 expression of the endogenous gene. "Complementary" polynucleotides are those that are capable of base pairing according to the standard Watson-Crick complementarity rules. Specifically, purines will base pair with pyrimidines to form a combination of guanine paired with cytosine (G:C) and adenine paired with either thymine (A:T) in the case of DNA, or adenine paired with uracil (A:U) in the case of RNA. It is
25 understood that two polynucleotides may hybridize to each other even if they are not completely complementary to each other, provided that each has at least one region that is substantially complementary to the other. The term "antisense nucleic acid" includes single stranded RNA as well as double-stranded DNA expression cassettes that can be transcribed to produce an antisense RNA. "Active" antisense nucleic
30 acids are antisense RNA molecules that are capable of selectively hybridizing with a primary transcript or mRNA encoding a polypeptide having at least 80% sequence identity with the polypeptide encoded by the polynucleotide sequence of SEQ ID NO:1 or SEQ ID NO:3.

In addition to the IMI nucleic acids and polypeptides described above, the present invention encompasses these nucleic acids and polypeptides attached to a moiety. These moieties include, but are not limited to, detection moieties, hybridization moieties, purification moieties, delivery moieties, reaction moieties, binding moieties, and the like. A typical group of nucleic acids having moieties attached are probes and primers. Probes and primers typically comprise a substantially isolated oligonucleotide. The oligonucleotide typically comprises a region of nucleotide sequence that hybridizes under stringent conditions to at least about 12, preferably about 25, more preferably about 40, 50 or 75 consecutive nucleotides of a sense strand of the sequence set forth in SEQ ID NO:1 or SEQ ID NO:3, an anti-sense sequence of the sequence set forth in SEQ ID NO:1 or SEQ ID NO:3, or naturally occurring mutants thereof. Primers based on a nucleotide sequence of SEQ ID NO:1 or SEQ ID NO:3 can be used in PCR reactions to clone IMI homologs. Probes based on the IMI nucleotide sequences can be used to detect transcripts or genomic sequences encoding the same or homologous polypeptides. In preferred embodiments, the probe further comprises a label group attached thereto, e.g. the label group can be a radioisotope, a fluorescent compound, an enzyme, or an enzyme co-factor. Such probes can be used as a part of a genomic marker test kit for identifying cells which express an IMI polypeptide, such as by measuring a level of an IMI-encoding nucleic acid, in a sample of cells, e.g., detecting IMI mRNA levels or determining whether a genomic IMI gene has been mutated or deleted.

The invention further provides an isolated recombinant expression vector comprising an IMI nucleic acid as described above, wherein expression of the vector in a host cell results in increased resistance to an imidazolinone herbicide as compared to a wild type variety of the host cell. As used herein, the term "vector" refers to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. One type of vector is a "plasmid", which refers to a circular double stranded DNA loop into which additional DNA segments can be ligated. Another type of vector is a viral vector, wherein additional DNA segments can be ligated into the viral genome. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (e.g., bacterial vectors having a bacterial origin of replication and episomal mammalian vectors). Other vectors (e.g., non-episomal mammalian vectors) are integrated into the genome of a host cell upon

introduction into the host cell, and thereby are replicated along with the host genome. Moreover, certain vectors are capable of directing the expression of genes to which they are operatively linked. Such vectors are referred to herein as “expression vectors”. In general, expression vectors of utility in recombinant DNA techniques are often in the form of plasmids. In the present specification, “plasmid” and “vector” can be used interchangeably as the plasmid is the most commonly used form of vector. However, the invention is intended to include such other forms of expression vectors, such as viral vectors (e.g., replication defective retroviruses, adenoviruses and adeno-associated viruses), which serve equivalent functions.

10 The recombinant expression vectors of the invention comprise a nucleic acid of the invention in a form suitable for expression of the nucleic acid in a host cell, which means that the recombinant expression vectors include one or more regulatory sequences, selected on the basis of the host cells to be used for expression, which is operably linked to the nucleic acid sequence to be expressed. Within a
15 recombinant expression vector, “operably linked” is intended to mean that the nucleotide sequence of interest is linked to the regulatory sequence(s) in a manner which allows for expression of the nucleotide sequence (e.g., in an *in vitro* transcription/ translation system or in a host cell when the vector is introduced into the host cell). The term “regulatory sequence” is intended to include promoters,
20 enhancers and other expression control elements (e.g., polyadenylation signals). Such regulatory sequences are described, for example, in Goeddel, Gene Expression Technology: Methods in Enzymology 185, Academic Press, San Diego, CA (1990) or see: Gruber and Crosby, in: Methods in Plant Molecular Biology and Biotechnology, eds. Glick and Thompson, Chapter 7, 89-108, CRC Press: Boca
25 Raton, Florida, including the references therein. Regulatory sequences include those that direct constitutive expression of a nucleotide sequence in many types of host cells and those that direct expression of the nucleotide sequence only in certain host cells or under certain conditions. It will be appreciated by those skilled in the art that the design of the expression vector can depend on such factors as the choice of the host
30 cell to be transformed, the level of expression of polypeptide desired, etc. The expression vectors of the invention can be introduced into host cells to thereby produce polypeptides or peptides, including fusion polypeptides or peptides, encoded

by nucleic acids as described herein (e.g., IMI polypeptides, fusion polypeptides, etc.).

In a preferred embodiment of the present invention, the IMI polypeptides are expressed in plants and plants cells such as unicellular plant cells (such as algae) (see Falciatore *et al.*, 1999 Marine Biotechnology 1(3):239-251 and references therein) and plant cells from higher plants (e.g., the spermatophytes, such as crop plants). An IMI polynucleotide may be "introduced" into a plant cell by any means, including transfection, transformation or transduction, electroporation, particle bombardment, biolistics, agroinfection and the like. One transformation method known to those of skill in the art is the dipping of a flowering plant into an Agrobacteria solution, wherein the Agrobacteria contains the IMI nucleic acid, followed by breeding of the transformed gametes.

Other suitable methods for transforming or transfecting host cells including plant cells can be found in Sambrook, et al. (Molecular Cloning: A Laboratory Manual. 2nd, ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989) and other laboratory manuals such as Methods in Molecular Biology, 1995, Vol. 44, Agrobacterium protocols, ed: Gartland and Davey, Humana Press, Totowa, New Jersey. As increased resistance to imidazolinone herbicides is a general trait wished to be inherited into a wide variety of plants like maize, wheat, rye, oat, triticale, rice, barley, soybean, peanut, cotton, rapeseed and canola, manihot, pepper, sunflower and tagetes, solanaceous plants like potato, tobacco, eggplant, and tomato, Vicia species, pea, alfalfa, bushy plants (coffee, cacao, tea), Salix species, trees (oil palm, coconut), perennial grasses and forage crops, these crop plants are also preferred target plants for a genetic engineering as one further embodiment of the present invention. Forage crops include, but are not limited to, Wheatgrass, Canarygrass, Bromegrass, Wildrye Grass, Bluegrass, Orchardgrass, Alfalfa, Salfoin, Birdsfoot Trefoil, Alsike Clover, Red Clover and Sweet Clover.

In one embodiment of the present invention, transfection of an IMI polynucleotide into a plant is achieved by Agrobacterium mediated gene transfer. Agrobacterium mediated plant transformation can be performed using for example the GV3101(pMP90) (Koncz and Schell, 1986 Mol. Gen. Genet. 204:383-396) or LBA4404 (Clontech) *Agrobacterium tumefaciens* strain. Transformation can be

performed by standard transformation and regeneration techniques (Deblaere *et al.*, 1994 Nucl. Acids. Res. 13:4777-4788; Gelvin, Stanton B. and Schilperoort, Robert A, Plant Molecular Biology Manual, 2nd Ed. - Dordrecht : Kluwer Academic Publ., 1995. - in Sect., Ringbuc Zentrale Signatur: BT11-P ISBN 0-7923-2731-4; Glick, 5 Bernard R. and Thompson, John E., Methods in Plant Molecular Biology and Biotechnology, Boca Raton : CRC Press, 1993 360 S., ISBN 0-8493-5164-2). For example, rapeseed can be transformed via cotyledon or hypocotyl transformation (Moloney *et al.*, 1989 Plant cell Report 8:238-242; De Block *et al.*, 1989 Plant Physiol. 91:694-701). Use of antibiotics for Agrobacterium and plant selection 10 depends on the binary vector and the Agrobacterium strain used for transformation. Rapeseed selection is normally performed using kanamycin as selectable plant marker. Agrobacterium mediated gene transfer to flax can be performed using, for example, a technique described by Mlynarova *et al.*, 1994 Plant Cell Report 13:282-285. Additionally, transformation of soybean can be performed using, for example, a 15 technique described in European Patent No. 0424 047, U.S. Patent No. 5,322,783, European Patent No. 0397 687, U.S. Patent No. 5,376,543 or U.S. Patent No. 5,169,770. Transformation of maize can be achieved by particle bombardment, polyethylene glycol mediated DNA uptake or via the silicon carbide fiber technique. (See, for example, Freeling and Walbot "The maize handbook" Springer Verlag: New 20 York (1993) ISBN 3-540-97826-7). A specific example of maize transformation is found in U.S. Patent No. 5,990,387 and a specific example of wheat transformation can be found in PCT Application No. WO 93/07256.

According to the present invention, the introduced IMI polynucleotide may be maintained in the plant cell stably if it is incorporated into a non- 25 chromosomal autonomous replicon or integrated into the plant chromosomes. Alternatively, the introduced IMI polynucleotide may be present on an extra-chromosomal non-replicating vector and be transiently expressed or transiently active. In one embodiment, a homologous recombinant microorganism can be created wherein the IMI polynucleotide is integrated into a chromosome, a vector is prepared 30 which contains at least a portion of an AHAS gene into which a deletion, addition or substitution has been introduced to thereby alter, e.g., functionally disrupt, the endogenous AHAS gene and to create an IMI gene. To create a point mutation via homologous recombination, DNA-RNA hybrids can be used in a technique known as

chimeraplasty (Cole-Strauss *et al.*, 1999 Nucleic Acids Research 27(5):1323-1330 and Kmiec, 1999 Gene therapy American Scientist 87(3):240-247). Other homologous recombination procedures in *Triticum* species are also well known in the art and are contemplated for use herein.

5 In the homologous recombination vector, the IMI gene can be flanked at its 5' and 3' ends by an additional nucleic acid molecule of the AHAS gene to allow for homologous recombination to occur between the exogenous IMI gene carried by the vector and an endogenous AHAS gene, in a microorganism or plant. The additional flanking AHAS nucleic acid molecule is of sufficient length for
10 successful homologous recombination with the endogenous gene. Typically, several hundreds of base pairs up to kilobases of flanking DNA (both at the 5' and 3' ends) are included in the vector (see e.g., Thomas, K. R., and Capecchi, M. R., 1987 Cell 51:503 for a description of homologous recombination vectors or Strepp *et al.*, 1998 PNAS, 95(8):4368-4373 for cDNA based recombination in *Physcomitrella patens*).
15 However, since the IMI gene normally differs from the AHAS gene at very few amino acids, a flanking sequence is not always necessary. The homologous recombination vector is introduced into a microorganism or plant cell (e.g., via polyethylene glycol mediated DNA), and cells in which the introduced IMI gene has homologously recombined with the endogenous AHAS gene are selected using art-known
20 techniques.

In another embodiment, recombinant microorganisms can be produced that contain selected systems that allow for regulated expression of the introduced gene. For example, inclusion of an IMI gene on a vector placing it under control of the lac operon permits expression of the IMI gene only in the presence of IPTG. Such
25 regulatory systems are well known in the art.

Whether present in an extra-chromosomal non-replicating vector or a vector that is integrated into a chromosome, the IMI polynucleotide preferably resides in a plant expression cassette. A plant expression cassette preferably contains regulatory sequences capable of driving gene expression in plant cells that are
30 operably linked so that each sequence can fulfill its function, for example, termination of transcription by polyadenylation signals. Preferred polyadenylation signals are those originating from *Agrobacterium tumefaciens* t-DNA such as the gene 3 known as octopine synthase of the Ti-plasmid pTiACH5 (Gielen *et al.*, 1984 EMBO J.

3:835) or functional equivalents thereof, but also all other terminators functionally active in plants are suitable. As plant gene expression is very often not limited on transcriptional levels, a plant expression cassette preferably contains other operably linked sequences like translational enhancers such as the overdrive-sequence
 5 containing the 5'-untranslated leader sequence from tobacco mosaic virus enhancing the polypeptide per RNA ratio (Gallie *et al.*, 1987 Nucl. Acids Research 15:8693-8711). Examples of plant expression vectors include those detailed in: Becker, D. *et al.*, 1992 New plant binary vectors with selectable markers located proximal to the left border, Plant Mol. Biol. 20:1195-1197; Bevan, M.W., 1984 Binary
 10 *Agrobacterium* vectors for plant transformation, Nucl. Acid. Res. 12:8711-8721; and Vectors for Gene Transfer in Higher Plants; in: Transgenic Plants, Vol. 1, Engineering and Utilization, eds.: Kung and R. Wu, Academic Press, 1993, S. 15-38.

Plant gene expression should be operably linked to an appropriate promoter conferring gene expression in a timely, cell or tissue specific manner.
 15 Promoters useful in the expression cassettes of the invention include any promoter that is capable of initiating transcription in a plant cell. Such promoters include, but are not limited to those that can be obtained from plants, plant viruses and bacteria that contain genes that are expressed in plants, such as *Agrobacterium* and *Rhizobium*.

20 The promoter may be constitutive, inducible, developmental stage-preferred, cell type-preferred, tissue-preferred or organ-preferred. Constitutive promoters are active under most conditions. Examples of constitutive promoters include the CaMV 19S and 35 S promoters (Odell *et al.* 1985 Nature 313:810-812), the sX CaMV 35S promoter (Kay *et al.* 1987 Science 236:1299-1302) the Sep1
 25 promoter, the rice actin promoter (McElroy *et al.* 1990 Plant Cell 2:163-171), the *Arabidopsis* actin promoter, the ubiquitin promoter (Christensen *et al.* 1989 Plant Molec Biol. 18:675-689); pEmu (Last *et al.* 1991 Theor Appl Genet. 81:581-588), the figwort mosaic virus 35S promoter, the Smas promoter (Velten *et al.* 1984 EMBO J. 3:2723-2730), the GRP1-8 promoter, the cinnamyl alcohol dehydrogenase promoter
 30 (U.S. Patent No. 5,683,439), promoters from the T-DNA of *Agrobacterium*, such as mannopine synthase, nopaline synthase, and octopine synthase, the small subunit of ribulose biphosphate carboxylase (ssuRUBISCO) promoter, and the like.

Inducible promoters are active under certain environmental conditions, such as the presence or absence of a nutrient or metabolite, heat or cold, light, pathogen attack, anaerobic conditions, and the like. For example, the hsp80 promoter from *Brassica* is induced by heat shock, the PPDK promoter is induced by light, the PR-1 promoter from tobacco, *Arabidopsis* and maize are inducible by infection with a pathogen, and the Adh1 promoter is induced by hypoxia and cold stress. Plant gene expression can also be facilitated via an inducible promoter (for review see Gatz, 1997 Annu. Rev. Plant Physiol. Plant Mol. Biol. 48:89-108). Chemically inducible promoters are especially suitable if gene expression is wanted to occur in a time specific manner. Examples of such promoters are a salicylic acid inducible promoter (PCT Application No. WO 95/19443), a tetracycline inducible promoter (Gatz et al., 1992 Plant J. 2:397-404) and an ethanol inducible promoter (PCT Application No. WO 93/21334).

Developmental stage-preferred promoters are preferentially expressed at certain stages of development. Tissue and organ preferred promoters include those that are preferentially expressed in certain tissues or organs, such as leaves, roots, seeds, or xylem. Examples of tissue preferred and organ preferred promoters include, but are not limited to fruit-preferred, ovule-preferred, male tissue-preferred, seed-preferred, integument-preferred, tuber-preferred, stalk-preferred, pericarp-preferred, and leaf-preferred, stigma-preferred, pollen-preferred, anther-preferred, a petal-preferred, sepal-preferred, pedicel-preferred, silique-preferred, stem-preferred, root-preferred promoters and the like. Seed preferred promoters are preferentially expressed during seed development and/or germination. For example, seed preferred promoters can be embryo-preferred, endosperm preferred and seed coat-preferred. See Thompson *et al.* 1989 BioEssays 10:108. Examples of seed preferred promoters include, but are not limited to cellulose synthase (celA), Cim1, gamma-zein, globulin-1, maize 19 kD zein (cZ19B1) and the like.

Other suitable tissue-preferred or organ-preferred promoters include the napin-gene promoter from rapeseed (U.S. Patent No. 5,608,152), the USP-promoter from *Vicia faba* (Baeumlein *et al.*, 1991 Mol Gen Genet. 225(3):459-67), the oleosin-promoter from *Arabidopsis* (PCT Application No. WO 98/45461), the phaseolin-promoter from *Phaseolus vulgaris* (U.S. Patent No. 5,504,200), the Bce4-promoter from *Brassica* (PCT Application No. WO 91/13980) or the legumin B4

promoter (LeB4; Baeumlein *et al.*, 1992 Plant Journal, 2(2):233-9) as well as promoters conferring seed specific expression in monocot plants like maize, barley, wheat, rye, rice, etc. Suitable promoters to note are the lpt2 or lpt1-gene promoter from barley (PCT Application No. WO 95/15389 and PCT Application No. WO 95/23230) or those described in PCT Application No. WO 99/16890 (promoters from the barley hordein-gene, rice glutelin gene, rice oryzin gene, rice prolamin gene, wheat gliadin gene, wheat glutelin gene, oat glutelin gene, Sorghum kasirin-gene and rye secalin gene).

Other promoters useful in the expression cassettes of the invention include, but are not limited to, the major chlorophyll a/b binding protein promoter, histone promoters, the Ap3 promoter, the α -conglycin promoter, the napin promoter, the soy bean lectin promoter, the maize 15kD zein promoter, the 22kD zein promoter, the 27kD zein promoter, the g-zein promoter, the waxy, shrunken 1, shrunken 2 and bronze promoters, the Zm13 promoter (U.S. Patent No. 5,086,169), the maize polygalacturonase promoters (PG) (U.S. Patent Nos. 5,412,085 and 5,545,546) and the SGB6 promoter (U.S. Patent No. 5,470,359), as well as synthetic or other natural promoters.

Additional flexibility in controlling heterologous gene expression in plants may be obtained by using DNA binding domains and response elements from heterologous sources (i.e., DNA binding domains from non-plant sources). An example of such a heterologous DNA binding domain is the LexA DNA binding domain (Brent and Ptashne, Cell 43:729-736 (1985)).

Another aspect of the invention pertains to host cells into which a recombinant expression vector of the invention has been introduced. The terms "host cell" and "recombinant host cell" are used interchangeably herein. It is understood that such terms refer not only to the particular subject cell but they also apply to the progeny or potential progeny of such a cell. Because certain modifications may occur in succeeding generations due to either mutation or environmental influences, such progeny may not, in fact, be identical to the parent cell, but are still included within the scope of the term as used herein. A host cell can be any prokaryotic or eukaryotic cell. For example, an IMI polynucleotide can be expressed in bacterial cells such as *C. glutamicum*, insect cells, fungal cells or mammalian cells (such as Chinese hamster ovary cells (CHO) or COS cells), algae, ciliates, plant cells, fungi or other

microorganisms like *C. glutamicum*. Other suitable host cells are known to those skilled in the art.

A host cell of the invention, such as a prokaryotic or eukaryotic host cell in culture, can be used to produce (i.e., express) an IMI polynucleotide. Accordingly, the invention further provides methods for producing IMI polypeptides using the host cells of the invention. In one embodiment, the method comprises culturing the host cell of invention (into which a recombinant expression vector encoding an IMI polypeptide has been introduced, or into which genome has been introduced a gene encoding a wild-type or IMI polypeptide) in a suitable medium until IMI polypeptide is produced. In another embodiment, the method further comprises isolating IMI polypeptides from the medium or the host cell. Another aspect of the invention pertains to isolated IMI polypeptides, and biologically active portions thereof. An "isolated" or "purified" polypeptide or biologically active portion thereof is free of some of the cellular material when produced by recombinant DNA techniques, or chemical precursors or other chemicals when chemically synthesized. The language "substantially free of cellular material" includes preparations of IMI polypeptide in which the polypeptide is separated from some of the cellular components of the cells in which it is naturally or recombinantly produced. In one embodiment, the language "substantially free of cellular material" includes preparations of an IMI polypeptide having less than about 30% (by dry weight) of non-IMI material (also referred to herein as a "contaminating polypeptide"), more preferably less than about 20% of non-IMI material, still more preferably less than about 10% of non-IMI material, and most preferably less than about 5% non-IMI material.

When the IMI polypeptide, or biologically active portion thereof, is recombinantly produced, it is also preferably substantially free of culture medium, i.e., culture medium represents less than about 20%, more preferably less than about 10%, and most preferably less than about 5% of the volume of the polypeptide preparation. The language "substantially free of chemical precursors or other chemicals" includes preparations of IMI polypeptide in which the polypeptide is separated from chemical precursors or other chemicals that are involved in the synthesis of the polypeptide. In one embodiment, the language "substantially free of chemical precursors or other chemicals" includes preparations of an IMI polypeptide

having less than about 30% (by dry weight) of chemical precursors or non-IMI chemicals, more preferably less than about 20% chemical precursors or non-IMI chemicals, still more preferably less than about 10% chemical precursors or non-IMI chemicals, and most preferably less than about 5% chemical precursors or non-IMI chemicals. In preferred embodiments, isolated polypeptides, or biologically active portions thereof, lack contaminating polypeptides from the same organism from which the IMI polypeptide is derived. Typically, such polypeptides are produced by recombinant expression of, for example, a *Triticum aestivum* IMI polypeptide in plants other than *Triticum aestivum* or microorganisms such as *C. glutamicum*, ciliates, algae or fungi.

The IMI polynucleotide and polypeptide sequences of the invention have a variety of uses. The nucleic acid and amino acid sequences of the present invention can be used to transform plants, thereby modulating the plant's resistance to imidazolinone herbicides. Accordingly, the invention provides a method of producing a transgenic plant having increased tolerance to an imidazolinone herbicide comprising, (a) transforming a plant cell with one or more expression vectors comprising one or more IMI nucleic acids, and (b) generating from the plant cell a transgenic plant with an increased resistance to an imidazolinone herbicide as compared to a wild type variety of the plant. In one embodiment, the multiple IMI nucleic acids are derived from different genomes. Also included in the present invention are methods of producing a transgenic plant having increased tolerance to an imidazolinone herbicide comprising, (a) transforming a plant cell with an expression vector comprising an IMI nucleic acid, wherein the nucleic acid is a non-Imi1 nucleic acid and (b) generating from the plant cell a transgenic plant with an increased resistance to an imidazolinone herbicide as compared to a wild type variety of the plant.

The present invention includes methods of modifying a plant's tolerance to an imidazolinone herbicide comprising modifying the expression of one or more IMI nucleic acids. Preferably, the nucleic acids are located on or derived from different genomes. The plant's resistance to the imidazolinone herbicide can be increased or decreased as achieved by increasing or decreasing the expression of an IMI polynucleotide, respectively. Preferably, the plant's resistance to the imidazolinone herbicide is increased by increasing expression of an IMI

polynucleotide. Expression of an IMI polynucleotide can be modified by any method known to those of skill in the art. The methods of increasing expression of IMI polynucleotides can be used wherein the plant is either transgenic or not transgenic. In cases when the plant is transgenic, the plant can be transformed with a vector
5 containing any of the above described IMI coding nucleic acids, or the plant can be transformed with a promoter that directs expression of endogenous IMI polynucleotides in the plant, for example. The invention provides that such a promoter can be tissue specific or developmentally regulated. Alternatively, non-transgenic plants can have endogenous IMI polynucleotide expression modified by
10 inducing a native promoter. The expression of polynucleotides comprising SEQ ID NO:1 or SEQ ID NO:3 in target plants can be accomplished by, but is not limited to, one of the following examples: (a) constitutive promoter, (b) chemical-induced promoter, and (c) engineered promoter over-expression with for example zinc-finger derived transcription factors (Greisman and Pabo, 1997 Science 275:657).

15 In a preferred embodiment, transcription of the IMI polynucleotide is modulated using zinc-finger derived transcription factors (ZFPs) as described in Greisman and Pabo, 1997 Science 275:657 and manufactured by Sangamo Biosciences, Inc. These ZFPs comprise both a DNA recognition domain and a functional domain that causes activation or repression of a target nucleic acid such as
20 an IMI nucleic acid. Therefore, activating and repressing ZFPs can be created that specifically recognize the IMI polynucleotide promoters described above and used to increase or decrease IMI polynucleotide expression in a plant, thereby modulating the herbicide resistance of the plant.

As described in more detail above, the plants produced by the methods
25 of the present invention can be monocots or dicots. The plants can be selected from maize, wheat, rye, oat, triticale, rice, barley, soybean, peanut, cotton, rapeseed, canola, manihot, pepper, sunflower, tagetes, solanaceous plants, potato, tobacco, eggplant, tomato, Vicia species, pea, alfalfa, coffee, cacao, tea, Salix species, oil palm, coconut, perennial grass and forage crops, for example. Forage crops include,
30 but are not limited to, Wheatgrass, Canarygrass, Bromegrass, Wildrye Grass, Bluegrass, Orchardgrass, Alfalfa, Salfoin, Birdsfoot Trefoil, Alsike Clover, Red Clover and Sweet Clover. In a preferred embodiment, the plant is a wheat plant. In each of the methods described above, the plant cell includes, but is not limited to, a

protoplast, gamete producing cell, and a cell that regenerates into a whole plant. As used herein, the term "transgenic" refers to any plant, plant cell, callus, plant tissue or plant part, that contains all or part of at least one recombinant polynucleotide. In many cases, all or part of the recombinant polynucleotide is stably integrated into a chromosome or stable extra-chromosomal element, so that it is passed on to successive generations.

As described above, the present invention teaches compositions and methods for increasing the imidazolinone resistance of a wheat plant or seed as compared to a wild-type variety of the plant or seed. In a preferred embodiment, the imidazolinone resistance of a wheat plant or seed is increased such that the plant or seed can withstand an imidazolinone herbicide application of preferably approximately 10-400 g ai ha⁻¹, more preferably 20-160 g ai ha⁻¹, and most preferably 40-80 g ai ha⁻¹. As used herein, to "withstand" an imidazolinone herbicide application means that the plant is either not killed or not injured by such application.

Additionally provided herein is a method of controlling weeds within the vicinity of a wheat plant, comprising applying an imidazolinone herbicide to the weeds and to the wheat plant, wherein the wheat plant has increased resistance to the imidazolinone herbicide as compared to a wild type variety of the wheat plant, and wherein the plant comprises one or more IMI nucleic acids. In one embodiment, the plant comprises multiple IMI nucleic acids located on or derived from different genomes. In another embodiment, the plant comprises a non-Imi1 nucleic acid. By providing for wheat plants having increased resistance to imidazolinone, a wide variety of formulations can be employed for protecting wheat plants from weeds, so as to enhance plant growth and reduce competition for nutrients. An imidazolinone herbicide can be used by itself for pre-emergence, post-emergence, pre-planting and at-planting control of weeds in areas surrounding the wheat plants described herein or an imidazolinone herbicide formulation can be used that contains other additives. The imidazolinone herbicide can also be used as a seed treatment. Additives found in an imidazolinone herbicide formulation include other herbicides, detergents, adjuvants, spreading agents, sticking agents, stabilizing agents, or the like. The imidazolinone herbicide formulation can be a wet or dry preparation and can include, but is not limited to, flowable powders, emulsifiable concentrates and liquid concentrates. The imidazolinone herbicide and herbicide formulations can be applied

in accordance with conventional methods, for example, by spraying, irrigation, dusting, or the like.

It should also be understood that the foregoing relates to preferred embodiments of the present invention and that numerous changes may be made
 5 therein without departing from the scope of the invention. The invention is further illustrated by the following examples, which are not to be construed in any way as imposing limitations upon the scope thereof. On the contrary, it is to be clearly understood that resort may be had to various other embodiments, modifications, and equivalents thereof, which, after reading the description herein, may suggest
 10 themselves to those skilled in the art without departing from the spirit of the present invention and/or the scope of the appended claims.

EXAMPLES

15 EXAMPLE 1

Mutagenesis and Selection of Resistant Wheat Lines

Approximately 40,000 seeds of *Triticum aestivum* L. cv CDC Teal (Hughes and Hucl, 1993 Can. J. Plant Sci. 73:193-197) were mutagenized using modified procedures described by Washington and Sears (1970). Seeds were pre-
 20 soaked in distilled water for four hours, followed by treatment with 0.3% EMS for six hours. Seeds were rinsed continually with tap water for seven hours and allowed to dry for approximately four hours before being planted in the field. The M₁ plants were selfed and the seed was harvested in bulk. Approximately 2 x 10⁶ M₂ plants were grown in the field the following year and were sprayed at the two leaf stage with
 25 imazamox at a rate of 40 g ai ha⁻¹ in a spray volume of 100 L ha⁻¹. Merge 0.05% (v/v) adjuvant was added to the spray solution. Six lines resistant to imazamox were selected and designated as lines 1A, 9A, 10A, 11A, 15A, and 16A. The M₃ and M₄ generations were grown in a walk-in growth chamber and plants resistant to

imazamox were selected using rates of 20 g ai ha⁻¹. Resistant plants were selected in the M₅ generation after application of 40 g ai ha⁻¹ in the field. M₅ seed was homozygous for the trait, as progeny testing detected no segregation for resistance to imazamox.

5

EXAMPLE 2

Methods Used to Determine Inheritance and Allelism of IMI genes

To determine the genetic control of resistance to imazamox in the six wheat lines, reciprocal crosses between the six homozygous resistant M₆ lines and CDC Teal (susceptible to imazamox) were made. Randomly selected F₁ plants from each of the crosses were backcrossed to CDC Teal to form backcross (BC)F₁ populations. To investigate allelism, all possible inter-crosses between the six mutants and SWP965001 (Grandin/3*Fidel--FS-4) were made. SWP965001 is a spring wheat line that is homozygous for the FS-4 allele. Parental genotypes were grown in a walk-in growth chamber with a 16 hour photoperiod and a 24°C day and 16°C night temperature regime. Spikes that were ¾ emerged from the boot were emasculated and then pollinated 2–3 days after the emasculation date. Randomly selected F₂ plants from all segregating crosses were selfed to produce F_{2:3} families. Parental, F₁, BCF₁, F₂ plants and F_{2:3} families were tested for reaction to imazamox. All experiments were conducted in a walk-in growth chamber with a 16 hour photoperiod and a 23°C day and 16°C night temperature regime. A completely random design was used for all experiments. In experiments involving F_{2:3} families, effort was taken to randomize both within and among families. The F₁ and F₂ populations were screened in the same experiment along with parental genotypes and CDC Teal as controls. Both the BCF₁ and F_{2:3} populations were screened in two separate experiments along with appropriate parental genotypes as controls.

Herbicide treatments were applied to plants growing in 8 x 16 cell flats at the two leaf stage using a traveling cable sprayer calibrated to spray 100 L ha⁻¹. Imazamox was applied to plants at a rate of 20 g ai ha⁻¹ using an 8001 EVS nozzle at a pressure of 275 kPa. Merge surfactant (0.05% v/v) was added to the herbicide solution prior to application. Fifteen days after herbicide application, plants were rated based on parental reactions and were considered as resistant, intermediate, or susceptible. Resistant plants were phenotypically unaffected following herbicide

treatment whereas intermediate plants were characterized by halted growth of the first two leaves, darkening (dark-green pigmentation) of the leaves, and the emergence of coleoptilar tillers. Susceptible plants were characterized by failure to develop new leaves, extensive leaf chlorosis, and eventually, plant death. For Mendelian analysis of the segregating populations, plants were scored into resistant and susceptible categories and tested for goodness of fit to various 1 gene, 2 gene and 3 gene models using chi-square analysis. For F_2 and BCF_1 plant data, intermediate reactions were included in the resistant reaction category. Yates correction for continuity was used to adjust the chi-square value when only a single degree of freedom was used in the chi-square analysis (Steele and Torrie 1980 Principles and procedures of statistics. McGraw-Hill, New York, New York. pp 633).

EXAMPLE 3

Results Regarding Inheritance of IMI genes

All resistant parents produced a similar phenotype when sprayed with 20 g ai ha⁻¹ of imazamox. (Figure 1). Reciprocal crosses between the resistant lines and the susceptible parent (CDC Teal) resulted in F_1 plants that survived application of imazamox (Figure 1), indicating that resistance to imazamox is a nuclear and not a cytoplasmic trait. With the exception of cross 15A x Teal, the F_1 plants resulting from each of the resistant lines crossed with CDC Teal displayed an intermediate reaction (Figure 1). Since the F_1 plants were phenotypically intermediate between the two parents, it was concluded that resistance to imazamox in these lines was a partially dominant trait (Figure 1). Genetic analysis of resistance to imidazolinones and sulfonylureas in *Arabidopsis thaliana* (Haughn and Somerville, 1986 Mol. Gen. Genet. 204:430-434) *Zea mays* (Newhouse et al., 1991 Theor. Appl. Genet. 83:65-70), *Brassica napus* (Swanson et al., 1989 Theor. Appl. Gen. 78:525-530), and *Glycine max* (Sebastian et al., 1989 Crop Sci. 29:1403-1408) also indicated the presence of a single, partially dominant nuclear gene.

Fourteen F_1 plants resulting from the 15A x Teal cross were rated as resistant (Figure 1). Evaluation of F_2 populations from this cross indicated that two independently segregating loci were involved in conferring resistance in this genotype (Figure 2). Since the F_1 would carry two heterozygous resistant loci, one would expect that a resistant reaction would be observed. If each of these loci alone would

confer partial dominance, additively, two heterozygous loci would produce a resistant reaction. Swanson et al. (1989) combined two semi-dominant imidazolinone resistance alleles from *Brassica napus*, representing two unlinked genes, to produce a F₁ hybrid that was superior in imidazolinone resistance than either of the
5 heterozygous lines alone. The authors concluded that resistance mechanisms are additive, and a higher level of resistance is observed in lines carrying more than one resistance allele.

An analysis of cytoplasmic inheritance was conducted in the F₂ generation by testing homogeneity of deviations from segregation ratios between the
10 two reciprocal F₂ populations. Chi-square analysis revealed no significant deviations between reciprocal populations, confirming the absence of cytoplasmic inheritance (Figure 2). Since cytoplasmic inheritance was absent, data from the two reciprocal populations was combined and a total chi-square on pooled F₂ data was calculated (Figure 2).

15 With the exception of Teal x 15A, all F₂ populations resulting from resistant x susceptible crosses gave a good fit to a 3:1 resistant susceptible ratio indicating segregation of a single major gene for resistance to imazamox (Figure 2). When F₁ plants were crossed to the susceptible parent, resulting BCF₁ populations gave a good fit to a 1:1 resistant:susceptible ratio, confirming the single locus
20 hypothesis (Figure 2). The F₂ population data from the cross 15A x Teal fit a 15:1 resistant:susceptible ratio (P=0.08), indicating segregation of two independent, complementary genes (Figure 2). The BCF₁ population gave good fit to a 3:1 resistant:susceptible ratio with a chi-square P value of 0.35, confirming the results of the F₂ (Figure 2).

25 Since it is speculated from F₂ data that resistance in lines 1A, 9A, 10A, 11A, and 16A are controlled by a single major gene, F_{2:3} families should segregate and fit a 1:2:1 homozygous resistance: segregating: homozygous susceptible family ratio. Evaluation of F_{2:3} families indicated that crosses Teal x 1A, Teal x 9A, Teal x 10A, Teal x 11A, and Teal x 16A all fit a 1:2:1 resistant: segregating: susceptible F_{2:3}
30 family ratio with chi-square P values of 0.64, 0.66, 0.52, 0.40, and 0.94, respectively (Figure 3). These results confirm the results of the F₂ and BCF₁ data that resistance in lines 1A, 10A, 9A, 11A, and resistance in 16A is controlled by a single major gene. This pattern of inheritance is consistent with other findings that have reported the

genetic control of resistance to AHAS inhibitor herbicides. To date, nearly all plant mutations conferring resistance to imidazolinones show that a single, partially dominant gene controls the resistance trait. In *Triticum aestivum*, *Zea mays*, *Glycine max*, *Arabidopsis thaliana*, and *Nicotiana tabacum*, resistance to AHAS inhibitors is inherited as a single partially dominant nuclear gene (Newhouse et al. 1991; Newhouse et al. 1992; Chaleff and Ray, 1984 Science 223:1148-1151; Sathasivan et al., 1991 Plant Physiol. 97:1044-1050). Plant resistance to AHAS inhibitor herbicides occurs mostly because of a single point mutation to the gene encoding the AHAS enzyme (Harms et al. 1992, Mol. Gen. Genet. 233:427-435; Winder and Spalding, 1988 Mol. Gen. Genet. 238:394-399).

The F₂ data resulting from the cross Teal x 15A provided a good fit to a 15:1 resistant:susceptible ratio, suggesting segregation of two, independently segregating loci (Figure 2). If this is the case, F_{2:3} families should segregate and fit a 7:8:1 resistant:segregating:susceptible F_{2:3} family ratio. F_{2:3} families from the cross 15A x Teal did fit the expected 7:8:1 ratio (Figure 3), confirming the results of the F₂ and BCF₁ populations that resistance in 15A is conferred by two, independent loci. To the inventor's knowledge, this is the first reported instance where two independently segregating imidazolinone resistant alleles were identified in a single line following seed mutagenesis.

20

EXAMPLE 4

Results Regarding Allelism of IMI genes

To determine the allelic relationships of resistance genes, all possible intercrosses between resistant lines were evaluated. No susceptible plants were observed in the F₂ populations resulting from the inter-crosses between lines SWP965001, 1A, 9A, 10A, 15A, and 16A (Figure 4). Since these populations were not segregating, the resistance genes in these lines are either alleles at the FS-4 locus, or are very tightly linked. Since these populations were not segregating in the F₂ generation, F_{2:3} families from these crosses were not evaluated.

All inter-crosses involving line 11A did segregate in the F₂ generation, indicating the presence of a unique resistance gene in 11A (Figure 4). If two independently segregating resistance genes are present as the result of crossing two lines, each carrying a single resistance gene, a 15:1 resistant:susceptible ratio would

30

be expected in the F₂ generation. In the F₂ generation, crosses SWP965001 x 11A, 1A x 11A, 10A x 11A, and 16A x 11A fit the expected 15:1 resistant:susceptible ratio suggesting independent segregation of two major resistance genes (Figure 4). F_{2:3} family ratios from these crosses also gave a good fit to a 7:8:1
5 resistant:segregating:susceptible ratio, confirming the results obtained in the F₂ generation (Figure 5). Cross 11A x 9A did produce a segregating F₂ population, but the ratio did not fit a 15:1 segregation ratio due to an excess of susceptible segregants. Various other two gene hypotheses were tested, but all were found to be highly significant (Data not shown). Evaluation of F_{2:3} families from this cross, however did
10 give good fit to a 7:8:1 segregation ratio, indicating segregation of two independent genes (Figure 5). These results confirm that the resistance gene in 11A is unique from those in lines SWP96001, 1A, 9A, 10A, and 16A.

Cross 11A x 15A did produce a segregating F₂ population. Since 15A is carrying two resistance genes, one allelic to FS-4, a segregating F₂ population in
15 cross 11A x 15A would indicate the presence of three segregating genes. Segregating generations resulting from cross 15A x 11A were tested for segregation of three independent loci. F₂ plants did fit the expected 63:1 resistant:susceptible ratio, indicating the segregation of three independent loci (Figure 4). These results suggest that the second mutation in 15A is not allelic to the resistance gene in 11A. F_{2:3}
20 families were not screened as over 330 plants within each family would have to be screened in order to ensure an adequate power of test (Hanson, 1959 Agron. J. 51:711-716).

Three independent resistance loci have been identified, each with an allele conferring resistance to imazamox. Recommended rules for gene locus and
25 allele symbolization have been published (McIntosh et al., 1998 Catalogue of Gene Symbols. Volume 5, Proceedings of the 9th International Wheat Genetics Symposium. Saskatoon, Saskatchewan). Non-allelic gene loci of an enzyme that catalyze the same reaction should be given the same symbol, corresponding to the trivial name of the enzyme. The trivial name for AHAS is ALS. Absent data to
30 assign the loci to specific chromosomes and genomes, they should be designated in sequential series. The designation of the phenotype observed when changes occur in the gene resulting in a new allele should reflect that phenotype. Thus, it is proposed that the FS-4 imidazolinone resistance allele be designated as *Imi1* and the locus it is

at designated as *Als1*. *Imi* stands for imidazolinone resistance. This designation indicates that the gene is a dominant trait and it is the first allele identified. Segregating F₂ and F_{2:3} population data suggests that 15A and 11A carry two new independent resistance alleles at different loci (Figures 2 and 3). The designations for
5 these alleles are *Imi2* for the 11A mutation at the *Als2* locus and *Imi3* for the second 15A mutation at the *Als3* locus.

Identified herein are three independently segregating alleles conferring resistance to imazamox, namely *Imi1*(1A, 9A, 10A, 15A and 16A), *Imi2* (11A), and *Imi3* (15A). It is proposed that each of the three identified alleles are associated with
10 a different structural gene coding for herbicide-insensitive forms of AHAS. Since wheat is a hexaploid, multiple AHAS loci would be expected. Other polyploid species have been found to have more than one copy of AHAS. In *Nicotiana tabacum*, an allotetraploid, two AHAS genes have been identified and characterized (Mazur et al. 1987). Chaleff and Ray (1984) identified two independently segregating
15 sulfonyleurea resistance alleles in *Nicotiana tabacum*, each coding for an altered form of AHAS. *Zea mays* possesses two constitutively expressed identical AHAS genes (Fang et al., 1992 Plant Mol. Biol. 18:1185-1187). In allotetraploid *Brassica napus* and *Gossypium hirsutum*, an AHAS multi-gene family consisting of five and six members, respectively, is present (Rutledge et al., 1991 Mol Gen. Genet. 229:31-40;
20 Grula et al., 1995 Plant Mol. Biol. 28:837-846). Higher levels of resistance to herbicides have been observed in polyploid species when multiple resistance alleles are present. Swanson et al. (1989 Theor. Appl. Gen. 78:525-530) combined two unique imidazolinone resistance alleles from two homozygous *Brassica napus* lines resulting in progeny with a higher level of resistance than either homozygous line
25 alone. Creason and Chaleff (1988 Theor. Appl. Genet. 76:177-182) identified *Nicotiana tabacum* plants homozygous for two mutations that conferred resistance to sulfonyleureas. Plants homozygous for both mutations were five-fold more resistant to foliar applications of chlorsulfuron than were plants homozygous for each single mutation. The present invention proposes producing increased levels of resistance to
30 an imidazolinone herbicide in wheat by combining any two or all three resistance alleles.

EXAMPLE 5

Tolerance to Imidazolinone Herbicides in Teal11A, Teal15A and Teal11A/15A Hybrid

The increased tolerance exhibited by Teal 11A and Teal 15A to 20 grams per hectare of imazamox has been exemplified in previous examples by the ability to distinguish tolerant from susceptible parental and segregant plants in inheritance studies. Teal 11A has been shown to confer similar levels of tolerance to imidazolinone herbicides to that conferred by the FS4 mutation in Fidel in various greenhouse and field comparisons. The similarity in tolerance is also reflected in comparing the *in vitro* activity of AHAS extracted from tolerant plants. This is possible because the tolerance in Teal 11A, Teal 15A, and FS4 is due to a mutation in the AHAS enzyme rendering it resistant to inhibition by imidazolinone herbicides. Figure 6 indicates that the activity of AHAS enzyme extracted from Teal 11A and BW755, a line containing FS4, changes similarly as the rate of imazamox increases, and both have a higher percentage of active (resistant) enzyme at the highest concentration of imazamox than does the wild type check, Teal.

The presence of two IMI nucleic acids in Teal 15A provides increased tolerance to imidazolinone herbicides compared to a line such as BW755 carrying only one IMI nucleic acid. This increased tolerance is reflected both in less injury at higher herbicide rates, but in having more uninhibited AHAS enzyme activity. Figure 7 illustrates that a 10x rate of imazamox (200 g/ha), all treated one gene plants were injured, while no two gene plants were injured. At all concentrations of imazamox in an *in vitro* assay of AHAS activity (Figure 6), but particularly at the highest concentrations, Teal15A had a higher percentage of active (resistant) enzyme than did either of the single gene lines, Teal11A and BW755.

Combining three non-allelic genes each conferring tolerance to imidazolinone herbicides results in greater tolerance than with only two non-allelic genes (Figure 7). At a 30X rate, or 600 g/ha of imazamox, over half of plants sustained no injury in a still-segregating selfed population of Teal15A crossed with Teal11A, while all plants of the homozygous population of Teal15A sustained injury.

1/69

SEQUENCE LISTING

<110> UNIVERSITY OF SASKATCHEWAN

<120> WHEAT PLANTS HAVING INCREASED RESISTANCE TO
IMIDAZOLINONE HERBICIDES

<130> 16313-0086

<140> PCT/CA02/01051

<141> 2002-07-10

<150> 60/311,180

<151> 2001-08-09

<160> 35

<170> PatentIn Ver. 2.1

<210> 1

<211> 1675

<212> DNA

<213> Triticum aestivum

<220>

<221> CDS

<222> (2)..(1672)

<220>

<221> modified_base

<222> (764)

<223> unknown nucleotide

<220>

<221> modified_base

<222> (1003)

<223> unknown nucleotide

<220>

<221> modified_base

<222> (1006)

<223> unknown nucleotide

<400> 1

c	gac	gtc	ttc	gcc	tac	ccc	ggc	ggc	gcc	tcc	atg	gag	atc	cac	cag	gcg	49
	Asp	Val	Phe	Ala	Tyr	Pro	Gly	Gly	Ala	Ser	Met	Glu	Ile	His	Gln	Ala	
	1				5					10					15		

ctg	acg	cgc	tcg	ccc	gtc	atc	acc	aac	cac	ctc	ttc	cgc	cac	gag	cag	.	97
Leu	Thr	Arg	Ser	Pro	Val	Ile	Thr	Asn	His	Leu	Phe	Arg	His	Glu	Gln		
			20					25						30			

ggg	gag	gcg	ttc	gcg	gcg	tcc	ggc	tac	gcc	cgc	gcg	tcc	ggc	cgc	gtc		145
Gly	Glu	Ala	Phe	Ala	Ala	Ser	Gly	Tyr	Ala	Arg	Ala	Ser	Gly	Arg	Val		
			35					40						45			

2/69

ggc gtc tgc gtc gcc acc tcc ggc ccg ggg gcc acc aac ctc gtc tcc	193
Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val Ser	
50 55 60	
gcg ctc gcc gac gcc ctc ctc gac tcc atc ccc atg gtc gcc atc acg	241
Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile Thr	
65 70 75 80	
ggc cag gtc ccc cgc cgc atg atc ggc acg gac gcg ttc cag gag acg	289
Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu Thr	
85 90 95	
ccc ata gtg gag gtc acg cgc tcc atc acc aag cac aac tac ctg gtc	337
Pro Ile Val Glu Val Thr Arg Ser Ile Thr Lys His Asn Tyr Leu Val	
100 105 110	
ctt gac gtg gag gat atc ccc cgc gtc atc cag gaa gcc ttc ttc ctt	385
Leu Asp Val Glu Asp Ile Pro Arg Val Ile Gln Glu Ala Phe Phe Leu	
115 120 125	
gca tcc tct ggc cgc ccg ggg ccg gtg cta gtt gat atc ccc aag gac	433
Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys Asp	
130 135 140	
atc cag cag cag atg gct gtg ccc gtc tgg gac act cca atg agt ttg	481
Ile Gln Gln Gln Met Ala Val Pro Val Trp Asp Thr Pro Met Ser Leu	
145 150 155 160	
cca ggg tac atc gcc cgc ctg ccc aag cca cca tct act gaa tcg ctt	529
Pro Gly Tyr Ile Ala Arg Leu Pro Lys Pro Pro Ser Thr Glu Ser Leu	
165 170 175	
gag cag gtc ctg cgt ctg gtt ggc gag tca cgg cgc cca att ctg tat	577
Glu Gln Val Leu Arg Leu Val Gly Glu Ser Arg Arg Pro Ile Leu Tyr	
180 185 190	
gtt ggt ggt ggc tgc gct gcg tct ggc gag gag ttg cgc cgc ttt gtt	625
Val Gly Gly Gly Cys Ala Ala Ser Gly Glu Glu Leu Arg Arg Phe Val	
195 200 205	
gag ctt act ggg att cca gtt aca act act ctg atg ggc ctt ggc aac	673
Glu Leu Thr Gly Ile Pro Val Thr Thr Thr Leu Met Gly Leu Gly Asn	
210 215 220	
ttc ccc agc gac gac cca ctg tct ctg cgc atg ctt ggg atg cat ggc	721
Phe Pro Ser Asp Asp Pro Leu Ser Leu Arg Met Leu Gly Met His Gly	
225 230 235 240	
act gtg tat gca aat tat gca gta gat aag gct gac ctg ttg ntc gca	769
Thr Val Tyr Ala Asn Tyr Ala Val Asp Lys Ala Asp Leu Leu Ile Ala	
245 250 255	
ttt ggt gtg cgg ttt gat gat cgt gtg act ggg aaa atc gag gct ttt	817
Phe Gly Val Arg Phe Asp Asp Arg Val Thr Gly Lys Ile Glu Ala Phe	
260 265 270	

3/69

gca agc agg tcc aag att gng cac att gac att gac cca gct gag att	865
Ala Ser Arg Ser Lys Ile Glu His Ile Asp Ile Asp Pro Ala Glu Ile	
275 280 285	
ggc aag aac aag cag cca cat gtc tcc att tgt gca gat gtt aan ctt	913
Gly Lys Asn Lys Gln Pro His Val Ser Ile Cys Ala Asp Val Lys Leu	
290 295 300	
gct tta cag ggg ttg aat gat cta tta aat ggg agc aaa gca caa cag	961
Ala Leu Gln Gly Leu Asn Asp Leu Leu Asn Gly Ser Lys Ala Gln Gln	
305 310 315 320	
ggt ctg gat ttt ggt cca tgg cac aag gag ttg gat cag can aan agg	1009
Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Gln Xaa Arg	
325 330 335	
gag ttt cct cta gga ttc aag act ttt ggc gag gcc atc ccg ccg caa	1057
Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro Gln	
340 345 350	
tat gct atc cag gta ctg gat gag ctg aca aaa ggg gag gcg atc att	1105
Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile Ile	
355 360 365	
gcc act ggt gtt ggg cag cac cag atg tgg gcg gct cag tat tac act	1153
Ala Thr Gly Val Gly Gln His Gln Met Trp Ala Ala Gln Tyr Tyr Thr	
370 375 380	
tac aag cgg cca cgg cag tgg ctg tct tcg tct ggt ttg ggg gca atg	1201
Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala Met	
385 390 395 400	
gga ttt ggg tta cca gct gca gct ggc gct gct gtg gcc aac cca ggt	1249
Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro Gly	
405 410 415	
gtt aca gtt gtt gac att gat ggt gat ggt agt ttc ctc atg aac att	1297
Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn Ile	
420 425 430	
cag gag ttg gcg ttg atc cgc att gag aac ctc cca gtg aag gtg atg	1345
Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val Met	
435 440 445	
ata ttg aac aac cag cat ctg gga atg gtg gtg cag tgg gag gat agg	1393
Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp Arg	
450 455 460	
ttt tac aag gcc aat cgg gcg cac aca tac ctt ggc aac cca gaa aat	1441
Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu Asn	
465 470 475 480	
gag agt gag ata tat cca gat ttt gtg acg att gct aaa gga ttc aac	1489
Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe Asn	
485 490 495	

4/69

gtt cca gca gtt cga gtg acg aag aag agc gaa gtc act gca gca atc 1537
 Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala Ile
 500 505 510

aag aag atg ctt gag acc cca ggg cca tac ttg ttg gat atc ata gtc 1585
 Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile Val
 515 520 525

ccg cat cag gag cac gtg ctg cct atg atc cca aac ggt ggt gct ttc 1633
 Pro His Gln Glu His Val Leu Pro Met Ile Pro Asn Gly Gly Ala Phe
 530 535 540

aag gac atg atc atg gag ggt gat ggc agg acc tcg tac tga 1675
 Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser Tyr
 545 550 555

<210> 2
 <211> 557
 <212> PRT
 <213> Triticum aestivum

<400> 2
 Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln Ala
 1 5 10 15

Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu Gln
 20 25 30

Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg Val
 35 40 45

Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val Ser
 50 55 60

Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile Thr
 65 70 75 80

Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu Thr
 85 90 95

Pro Ile Val Glu Val Thr Arg Ser Ile Thr Lys His Asn Tyr Leu Val
 100 105 110

Leu Asp Val Glu Asp Ile Pro Arg Val Ile Gln Glu Ala Phe Phe Leu
 115 120 125

Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys Asp
 130 135 140

Ile Gln Gln Gln Met Ala Val Pro Val Trp Asp Thr Pro Met Ser Leu
 145 150 155 160

Pro Gly Tyr Ile Ala Arg Leu Pro Lys Pro Pro Ser Thr Glu Ser Leu
 165 170 175

Glu Gln Val Leu Arg Leu Val Gly Glu Ser Arg Arg Pro Ile Leu Tyr
 180 185 190

5/69

Val	Gly	Gly	Gly	Cys	Ala	Ala	Ser	Gly	Glu	Glu	Leu	Arg	Arg	Phe	Val	195	200	205	
Glu	Leu	Thr	Gly	Ile	Pro	Val	Thr	Thr	Thr	Leu	Met	Gly	Leu	Gly	Asn	210	215	220	
Phe	Pro	Ser	Asp	Asp	Pro	Leu	Ser	Leu	Arg	Met	Leu	Gly	Met	His	Gly	225	230	235	240
Thr	Val	Tyr	Ala	Asn	Tyr	Ala	Val	Asp	Lys	Ala	Asp	Leu	Leu	Ile	Ala	245	250	255	
Phe	Gly	Val	Arg	Phe	Asp	Asp	Arg	Val	Thr	Gly	Lys	Ile	Glu	Ala	Phe	260	265	270	
Ala	Ser	Arg	Ser	Lys	Ile	Glu	His	Ile	Asp	Ile	Asp	Pro	Ala	Glu	Ile	275	280	285	
Gly	Lys	Asn	Lys	Gln	Pro	His	Val	Ser	Ile	Cys	Ala	Asp	Val	Lys	Leu	290	295	300	
Ala	Leu	Gln	Gly	Leu	Asn	Asp	Leu	Leu	Asn	Gly	Ser	Lys	Ala	Gln	Gln	305	310	315	320
Gly	Leu	Asp	Phe	Gly	Pro	Trp	His	Lys	Glu	Leu	Asp	Gln	Gln	Lys	Arg	325	330	335	
Glu	Phe	Pro	Leu	Gly	Phe	Lys	Thr	Phe	Gly	Glu	Ala	Ile	Pro	Pro	Gln	340	345	350	
Tyr	Ala	Ile	Gln	Val	Leu	Asp	Glu	Leu	Thr	Lys	Gly	Glu	Ala	Ile	Ile	355	360	365	
Ala	Thr	Gly	Val	Gly	Gln	His	Gln	Met	Trp	Ala	Ala	Gln	Tyr	Tyr	Thr	370	375	380	
Tyr	Lys	Arg	Pro	Arg	Gln	Trp	Leu	Ser	Ser	Ser	Gly	Leu	Gly	Ala	Met	385	390	395	400
Gly	Phe	Gly	Leu	Pro	Ala	Ala	Ala	Gly	Ala	Ala	Val	Ala	Asn	Pro	Gly	405	410	415	
Val	Thr	Val	Val	Asp	Ile	Asp	Gly	Asp	Gly	Ser	Phe	Leu	Met	Asn	Ile	420	425	430	
Gln	Glu	Leu	Ala	Leu	Ile	Arg	Ile	Glu	Asn	Leu	Pro	Val	Lys	Val	Met	435	440	445	
Ile	Leu	Asn	Asn	Gln	His	Leu	Gly	Met	Val	Val	Gln	Trp	Glu	Asp	Arg	450	455	460	
Phe	Tyr	Lys	Ala	Asn	Arg	Ala	His	Thr	Tyr	Leu	Gly	Asn	Pro	Glu	Asn	465	470	475	480
Glu	Ser	Glu	Ile	Tyr	Pro	Asp	Phe	Val	Thr	Ile	Ala	Lys	Gly	Phe	Asn	485	490	495	

6/69

Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala Ile
 500 505 510

Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile Val
 515 520 525

Pro His Gln Glu His Val Leu Pro Met Ile Pro Asn Gly Gly Ala Phe
 530 535 540

Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser Tyr
 545 550 555

<210> 3
 <211> 1672
 <212> DNA
 <213> Triticum aestivum

<220>
 <221> CDS
 <222> (2)..(1669)

<400> 3
 c gac gtc ttc gcc tac cct ggc ggc gcg tcc atg gag atc cac cag gcg 49
 Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln Ala
 1 5 10 15

ctg acg cgc tcg cca gtc atc acc aac cac ctc ttc cgc cac gag cag 97
 Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu Gln
 20 25 30

ggg gag gcg ttc gcg gcg tcc ggg tac gcc cgc gcg tcc ggc cgc gtc 145
 Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg Val
 35 40 45

ggc gtc tgc gtc gcc acc tcc ggc ccg ggg gcc acc aac ctc gtc tcc 193
 Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val Ser
 50 55 60

gcg ctc gcc gac gct ctc ctc gac tcc atc ccc atg gtc gcc atc acg 241
 Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile Thr
 65 70 75 80

ggc cag gtc ccc cgc cgc atg atc ggc acg gat gcg ttc cag gag acg 289
 Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu Thr
 85 90 95

ccc atc gtg gag gtc acg cgc tcc atc acc aag cac aac tac ctg gtc 337
 Pro Ile Val Glu Val Thr Arg Ser Ile Thr Lys His Asn Tyr Leu Val
 100 105 110

ctt gac gtg gag gat atc ccc cgc gtc atc cag gaa gcc ttc ttc ctc 385
 Leu Asp Val Glu Asp Ile Pro Arg Val Ile Gln Glu Ala Phe Phe Leu
 115 120 125

7/69

gca tcc tct ggc cgc ccg ggg ccg gtg ctg gtt gat atc ccc aag gac	433
Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys Asp	
130 135 140	
atc cag cag cag atg gct gtg cct gtc tgg gac acg ccg atg agt ttg	481
Ile Gln Gln Gln Met Ala Val Pro Val Trp Asp Thr Pro Met Ser Leu	
145 150 155 160	
cca ggg tac atc gcc cgc ctg ccc aag cca cca tct act gaa tcg ctt	529
Pro Gly Tyr Ile Ala Arg Leu Pro Lys Pro Pro Ser Thr Glu Ser Leu	
165 170 175	
gag cag gtc ctg cgt ctg gtt ggc gag tca cgg cgc cca att ctg tat	577
Glu Gln Val Leu Arg Leu Val Gly Glu Ser Arg Arg Pro Ile Leu Tyr	
180 185 190	
gtt ggt ggt ggc tgc gct gca tct ggt gag gag ttg cgc cgc ttt gtt	625
Val Gly Gly Gly Cys Ala Ala Ser Gly Glu Glu Leu Arg Arg Phe Val	
195 200 205	
gag ctc act ggg att cca gtt aca act act ctt atg ggc ctt ggc aac	673
Glu Leu Thr Gly Ile Pro Val Thr Thr Thr Leu Met Gly Leu Gly Asn	
210 215 220	
ttc ccc agt gac gac cca ctg tct ctg cgc atg ctg ggg atg cat ggc	721
Phe Pro Ser Asp Asp Pro Leu Ser Leu Arg Met Leu Gly Met His Gly	
225 230 235 240	
act gtg tat gca aat tat gca gta gat aag gct gac ctg ttg ctt gca	769
Thr Val Tyr Ala Asn Tyr Ala Val Asp Lys Ala Asp Leu Leu Leu Ala	
245 250 255	
ttt ggt gtg cgg ttt gat gat cgt gtg acc ggg aaa atc gag gct ttt	817
Phe Gly Val Arg Phe Asp Asp Arg Val Thr Gly Lys Ile Glu Ala Phe	
260 265 270	
gca agc agg tcc aag att gtg cac att gac att gac cca gct gag att	865
Ala Ser Arg Ser Lys Ile Val His Ile Asp Ile Asp Pro Ala Glu Ile	
275 280 285	
ggc aag aac aag cag cca cat gtc tcc att tgt gca gat gtt aag ctt	913
Gly Lys Asn Lys Gln Pro His Val Ser Ile Cys Ala Asp Val Lys Leu	
290 295 300	
gct tta cag ggg ttg aat gct cta tta aat ggg agc aaa gca caa cag	961
Ala Leu Gln Gly Leu Asn Ala Leu Leu Asn Gly Ser Lys Ala Gln Gln	
305 310 315 320	
ggt ctg gat ttt ggt cca tgg cac aag gag ttg gat cag cag aag agg	1009
Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Gln Lys Arg	
325 330 335	
gag ttt cct cta gga ttc aag act ttt ggt gag gcc atc ccg ccg caa	1057
Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro Gln	
340 345 350	

8/69

tat gct atc cag gta ctg gat gag ctg aca aaa ggg gag gcg atc att	1105
Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile Ile	
355 360 365	
gcc acc ggt gtt ggg cag cat cag atg tgg gcg gct cag tat tac act	1153
Ala Thr Gly Val Gly Gln His Gln Met Trp Ala Ala Gln Tyr Tyr Thr	
370 375 380	
tac aag cgg cca cgg cag tgg ctg tct tca tcc ggt ttg ggt gca atg	1201
Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala Met	
385 390 395 400	
gga ttt ggg ttg cca gct gca gct ggc gct gct gtg gcc aac cca ggt	1249
Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro Gly	
405 410 415	
gtt aca gtt gtt gac att gat ggg gat ggt agt ttc ctc atg aac att	1297
Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn Ile	
420 425 430	
cag gag ttg gcg ttg atc cgt att gag aac ctc cca gtg aag gtg atg	1345
Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val Met	
435 440 445	
ata ttg aac aac cag cat ctg gga atg gtg gtg cag tgg gag gat agg	1393
Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp Arg	
450 455 460	
ttt tac aag gcc aac cgg gcg cac aca tac ctt ggc aac cca gaa aat	1441
Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu Asn	
465 470 475 480	
gag agt gag ata tat cca gat ttt gtg acg att gct aaa gga ttc aac	1489
Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe Asn	
485 490 495	
gtt ccg gca gtt cgt gtg acg aag aag agc gaa gtc act gca gca atc	1537
Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala Ile	
500 505 510	
aag aag atg ctt gag acc cca ggg cca tac ttg ttg gat atc att gtc	1585
Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile Val	
515 520 525	
ccg cat cag gag cac gtg ctg cct atg atc cca aac ggt ggt gct ttt	1633
Pro His Gln Glu His Val Leu Pro Met Ile Pro Asn Gly Gly Ala Phe	
530 535 540	
aag gac atg atc atg gag ggt gat ggc agg acc tcg tac	1672
Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser	
545 550 555	

<210> 4

<211> 556

<212> PRT

<213> Triticum aestivum

9/69

<400> 4

Asp	Val	Phe	Ala	Tyr	Pro	Gly	Gly	Ala	Ser	Met	Glu	Ile	His	Gln	Ala	1	5	10	15
Leu	Thr	Arg	Ser	Pro	Val	Ile	Thr	Asn	His	Leu	Phe	Arg	His	Glu	Gln	20	25	30	
Gly	Glu	Ala	Phe	Ala	Ala	Ser	Gly	Tyr	Ala	Arg	Ala	Ser	Gly	Arg	Val	35	40	45	
Gly	Val	Cys	Val	Ala	Thr	Ser	Gly	Pro	Gly	Ala	Thr	Asn	Leu	Val	Ser	50	55	60	
Ala	Leu	Ala	Asp	Ala	Leu	Leu	Asp	Ser	Ile	Pro	Met	Val	Ala	Ile	Thr	65	70	75	80
Gly	Gln	Val	Pro	Arg	Arg	Met	Ile	Gly	Thr	Asp	Ala	Phe	Gln	Glu	Thr	85	90	95	
Pro	Ile	Val	Glu	Val	Thr	Arg	Ser	Ile	Thr	Lys	His	Asn	Tyr	Leu	Val	100	105	110	
Leu	Asp	Val	Glu	Asp	Ile	Pro	Arg	Val	Ile	Gln	Glu	Ala	Phe	Phe	Leu	115	120	125	
Ala	Ser	Ser	Gly	Arg	Pro	Gly	Pro	Val	Leu	Val	Asp	Ile	Pro	Lys	Asp	130	135	140	
Ile	Gln	Gln	Gln	Met	Ala	Val	Pro	Val	Trp	Asp	Thr	Pro	Met	Ser	Leu	145	150	155	160
Pro	Gly	Tyr	Ile	Ala	Arg	Leu	Pro	Lys	Pro	Pro	Ser	Thr	Glu	Ser	Leu	165	170	175	
Glu	Gln	Val	Leu	Arg	Leu	Val	Gly	Glu	Ser	Arg	Arg	Pro	Ile	Leu	Tyr	180	185	190	
Val	Gly	Gly	Gly	Cys	Ala	Ala	Ser	Gly	Glu	Glu	Leu	Arg	Arg	Phe	Val	195	200	205	
Glu	Leu	Thr	Gly	Ile	Pro	Val	Thr	Thr	Thr	Leu	Met	Gly	Leu	Gly	Asn	210	215	220	
Phe	Pro	Ser	Asp	Asp	Pro	Leu	Ser	Leu	Arg	Met	Leu	Gly	Met	His	Gly	225	230	235	240
Thr	Val	Tyr	Ala	Asn	Tyr	Ala	Val	Asp	Lys	Ala	Asp	Leu	Leu	Leu	Ala	245	250	255	
Phe	Gly	Val	Arg	Phe	Asp	Asp	Arg	Val	Thr	Gly	Lys	Ile	Glu	Ala	Phe	260	265	270	
Ala	Ser	Arg	Ser	Lys	Ile	Val	His	Ile	Asp	Ile	Asp	Pro	Ala	Glu	Ile	275	280	285	
Gly	Lys	Asn	Lys	Gln	Pro	His	Val	Ser	Ile	Cys	Ala	Asp	Val	Lys	Leu	290	295	300	

10/69

Ala Leu Gln Gly Leu Asn Ala Leu Leu Asn Gly Ser Lys Ala Gln Gln
 305 310 315 320
 Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Gln Lys Arg
 325 330 335
 Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro Gln
 340 345 350
 Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile Ile
 355 360 365
 Ala Thr Gly Val Gly Gln His Gln Met Trp Ala Ala Gln Tyr Tyr Thr
 370 375 380
 Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala Met
 385 390 395 400
 Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro Gly
 405 410 415
 Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn Ile
 420 425 430
 Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val Met
 435 440 445
 Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp Arg
 450 455 460
 Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu Asn
 465 470 475 480
 Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe Asn
 485 490 495
 Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala Ile
 500 505 510
 Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile Val
 515 520 525
 Pro His Gln Glu His Val Leu Pro Met Ile Pro Asn Gly Gly Ala Phe
 530 535 540
 Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser
 545 550 555

<210> 5

<211> 1524

<212> DNA

<213> Triticum aestivum

<400> 5

gtctgcgtcg ccacctccgg cccggggggcc accaacctcg tctccgcgct cgccgacgcc 60
 ctctctcgact ccattcccat ggctcgccatc acggggccagg tcccccgccg catgatcggc 120

11/69

```

acggacgcgt tccaggagac gcccatagtg gaggtcacgc gctccatcac caagcacaac 180
tacctgggtcc ttgacgtgga ggatatcccc cgcgtcatcc aggaagcctt cttecttgca 240
tcctctggcc gcccggggcc ggtgctagtt gatatcccca aggacatcca gcagcagatg 300
gctgtgcccg tctgggacac tccaatgagt ttgccagggt acatcgcccg cctgcccagg 360
ccaccatcta ctgaatcgct tgagcaggtc ctgctgtctg ttggcgagtc acggcgccca 420
attctgtatg ttggtggtgg ctgcgtctgc tctggcgagg agttgcgccg ctttgttgag 480
cttactggga ttccagttac aactactctg atgggccttg gcaacttccc cagcgacgac 540
ccactgtctc tgcgcatgct tgggatgcat ggcactgtgt atgcaaatta tgcagtagat 600
aaggctgacc tgttgctcgc atttggtgtg cggtttgatg atcgtgtgac tgggaaaatc 660
gaggcttttg caagcaggtc caagattgtg cacattgaca ttgaccagc tgagattggc 720
aagaacaagc agccacatgt ctccatttgt gcagatgtta agcttgcttt acaggggttg 780
aatgatctat taaatgggag caaagcaca cagggtcttg attttgggtcc atggcacaag 840
gagttggatc agcagaagag ggagtttctt ctaggattca agacttttg cgaggccatc 900
ccgccgcaat atgctatcca ggtactggat gagctgacaa aaggggaggc gatcattgcc 960
actggtgttg ggcagcacca gatgtgggcg gctcagtatt acacttaca gcgccacgg 1020
cagtggtgtt cttegtctgg tttgggggca atgggatttg ggttaccagc tgcagctggc 1080
gctgctgttg ccaaccagg tgttacagtt gttgacattg atggtgatgg tagtttctc 1140
atgaacattc aggagttggc gttgatccgc attgagaacc tcccagtga ggtgatgata 1200
ttgaacaacc agcatctggg aatggtggtg cagtgggagg ataggtttta caaggccaat 1260
cgggcgcaca cataccttgg caaccagaa aatgagagt agatataatc agattttgtg 1320
acgattgcta aaggattcaa cgttccagca gttcgagtga cgaagaagag cgaagtcact 1380
gcagcaatca agaagatgct tgagacccca gggccatact tgttgatat catagtccc 1440
catcaggagc acgtgctgcc tatgatccca agcgggtggtg ctttcaagga catgatcatg 1500
gaggggtgatg gcaggacctc gtac 1524

```

<210> 6

<211> 1524

<212> DNA

<213> *Triticum aestivum*

<400> 6

```

gtctgcgtcg ccacctccgg cccgggggcc accaacctcg tctccgcgct cgccgacgct 60
ctcctcgact ccatcccat ggtcgccatc acgggccagg tccccgcgcg catgatcggc 120
acggatgcgt tccaggagac gcccatcggt gaggtcacgc gctccatcac caagcacaac 180
tacctgggtcc ttgacgtgga ggatatcccc cgcgtcatcc aggaagcctt cttecttgca 240
tcctctggcc gcccggggcc ggtgctgggt gatatcccca aggacatcca gcagcagatg 300
gctgtgcctg tctgggacac gccgatgagt ttgccagggt acatcgcccg cctgcccagg 360
ccaccatcta ctgaatcgct tgagcaggtc ctgctgtctg ttggcgagtc acggcgccca 420
attctgtatg ttggtggtgg ctgcgtctga tctggtgagg agttgcgccg ctttgttgag 480
ctcactggga ttccagttac aactactctt atgggccttg gcaacttccc cagtacgac 540
ccactgtctc tgcgcatgct ggggatgcat ggcactgtgt atgcaaatta tgcagtagat 600
aaggctgacc tgttgcttgc atttggtgtg cggtttgatg atcgtgtgac cgggaaaatc 660
gaggcttttg caagcaggtc caagattgtg cacattgaca ttgaccagc tgagattggc 720
aagaacaagc agccacatgt ctccatttgt gcagatgtta agcttgcttt acaggggttg 780
aatgctctat taaatgggag caaagcaca cagggtcttg attttgggtcc atggcacaag 840
gagttggatc agcagaagag ggagtttctt ctaggattca agacttttg tgaggccatc 900
ccgccgcaat atgctatcca ggtactggat gagctgacaa aaggggaggc gatcattgcc 960
accggtgttg ggcagcatca gatgtgggcg gctcagtatt acacttaca gcgccacgg 1020
cagtggtgtt ctcatccgg tttgggtgca atgggatttg ggttgccagc tgcagctggc 1080
gctgctgttg ccaaccagg tgttacagtt gttgacattg atggggatgg tagtttctc 1140
atgaacattc aggagttggc gttgatccgt attgagaacc tcccagtga ggtgatgata 1200
ttgaacaacc agcatctggg aatggtggtg cagtgggagg ataggtttta caaggccaac 1260
cgggcgcaca cataccttgg caaccagaa aatgagagt agatataatc agattttgtg 1320
acgattgcta aaggattcaa cgttccggca gttcgtgtga cgaagaagag cgaagtcact 1380
gcagcaatca agaagatgct tgagacccca gggccatact tgttgatat cattgtccc 1440
catcaggagc acgtgctgcc tatgatccca agcgggtggtg cttttaagga catgatcatg 1500
gaggggtgatg gcaggacctc gtac 1524

```

12/69

<210> 7
 <211> 1524
 <212> DNA
 <213> *Triticum aestivum*

<400> 7
 gtctgcgtcg ccacctccgg cccggggggcc accaacctcg tctccgcgct cgctgacgcc 60
 ctctctgact ccatcccat ggtcgccatc acggggccagg tcccccgccg catgatcggc 120
 acggacgcgt tccaggagac gcccatagtg gaggtcacgc gctccatcac caagcacaac 180
 tacctgggtcc ttgacgtgga ggatatcccc cgcgtcatcc aggaagcctt cttcctcgcg 240
 tcctctggcc gcccgggggcc ggtgctggtt gatatcccca aggatatcca gcagcagatg 300
 gccgtgccta tctgggacac gccgatgagt ttgccagggt acatcgcccg cctgcccagg 360
 ccaccatcta ctgaatcgct tgagcaggtc ctgcgtctgg ttggcgagtc acggcgccca 420
 attctgtatg ttggtggtgg ctgcgctgca tccggcgagg agttgcgccg ctttgttgag 480
 ctactggga ttccggttac aactactctg atgggccttg gcaacttccc cagcgacgac 540
 ccactgtctc tgcgcgatgt tgggatgcat ggcactgtgt atgcaaatta tgcagtcgat 600
 aaggctgacc tgttgcttgc atttggtgtg cggtttgatg atcgcgtagc tgggaaaatc 660
 gaggcctttg caagcaggtc caagattgtg cacattgaca ttgaccagc tgagattggc 720
 aagaacaagc agccacatgt ctccatttgt gcagatgtta agcttgcttt acaggggttg 780
 aatgctctat taaatgggag caaagcaca caggggtctgg attttggtcc atggcacaag 840
 gagttggatc agcagaagag ggagtttctt ctaggattca agacttttgg cgaggccatc 900
 ccgccgcaat atgctatcca ggtactggat gagctgacaa aaggggaggc gatcattgct 960
 actggtgttg ggcagcacca gatgtgggcg gctcagtatt acacttaca gcgccacgg 1020
 cagtggctgt cttcgtctgg tttgggggca atgggatttg ggttaccagc tgcagctggc 1080
 gctgctgtgg ccaaccagg tgttacagtt gttgacattg atggagatgg tagtttcctc 1140
 atgaacattc aggagttggc attgatcgt attgagaacc tccctgtgaa ggtgatgata 1200
 ttgaacaacc agcatctggg aatggtggtg caatgggagg ataggtttta caaggccaat 1260
 cgggcgcaca cataccttgg caaccagaa aatgagagt agatatatcc agattttgtg 1320
 acgattgcta aaggattcaa cgttccggca gttcgtgtga cgaagaagag cgaagtcact 1380
 gcagcaatca agaagatgct tgagacccca gggccatact tgttgatat catcgtcccg 1440
 catcaggagc acgtgctgcc tatgatcca agcggtggtg ctttcaagga catgatcatg 1500
 gaggggtgatg gcaggacctc gtac 1524

<210> 8
 <211> 13
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Illustrative
 conserved peptide sequence

<400> 8
 Ala Ile Thr Gly Gln Val Pro Arg Arg Met Ile Gly Thr
 1 5 10

<210> 9
 <211> 4
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Illustrative
 conserved peptide sequence

13/69

<400> 9

Gln Trp Glu Asp

1

<210> 10

<211> 19

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Illustrative
conserved peptide sequence

<400> 10

Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln Ala Leu

1

5

10

15

Thr Arg Ser

<210> 11

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Illustrative
conserved peptide sequence

<400> 11

Ala Phe Gln Glu Thr Pro

1

5

<210> 12

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Illustrative
conserved peptide sequence

<400> 12

Ile Pro Ser Gly Gly

1

5

<210> 13

<211> 1935

<212> DNA

<213> Oryza sp.

14/69

<220>

<221> CDS

<222> (1) .. (1932)

<400> 13

atg gct acg acc gcc gcg gcc gcg gcc gcc ctg tcc gcc gcc gcg	48
Met Ala Thr Thr Ala Ala Ala Ala Ala Ala Leu Ser Ala Ala Ala	
1 5 10 15	
acg gcc aag acc ggc cgt aag aac cac cag cga cac cac gtc ctt ccc	96
Thr Ala Lys Thr Gly Arg Lys Asn His Gln Arg His His Val Leu Pro	
20 25 30	
gct cga ggc cgg gtg ggg gcg gcg gcg gtc agg tgc tcg gcg gtg tcc	144
Ala Arg Gly Arg Val Gly Ala Ala Ala Val Arg Cys Ser Ala Val Ser	
35 40 45	
ccg gtc acc ccg ccg tcc ccg gcg ccg ccg gcc acg ccg ctc cgg ccg	192
Pro Val Thr Pro Pro Ser Pro Ala Pro Pro Ala Thr Pro Leu Arg Pro	
50 55 60	
tgg ggg ccg gcc gag ccc cgc aag ggc gcg gac atc ctc gtg gag gcg	240
Trp Gly Pro Ala Glu Pro Arg Lys Gly Ala Asp Ile Leu Val Glu Ala	
65 70 75 80	
ctg gag cgg tgc ggc gtc agc gac gtg ttc gcc tac ccg ggc ggc gcg	288
Leu Glu Arg Cys Gly Val Ser Asp Val Phe Ala Tyr Pro Gly Gly Ala	
85 90 95	
tcc atg gag atc cac cag gcg ctg acg cgc tcc ccg gtc atc acc aac	336
Ser Met Glu Ile His Gln Ala Leu Thr Arg Ser Pro Val Ile Thr Asn	
100 105 110	
cac ctc ttc cgc cac gag cag ggc gag gcg ttc gcg gcg tcc ggg tac	384
His Leu Phe Arg His Glu Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr	
115 120 125	
gcg cgc gcg tcc ggc cgc gtc ggg gtc tgc gtc gcc acc tcc ggc ccc	432
Ala Arg Ala Ser Gly Arg Val Gly Val Cys Val Ala Thr Ser Gly Pro	
130 135 140	
ggg gca acc aac ctc gtg tcc gcg ctc gcc gac gcg ctg ctc gac tcc	480
Gly Ala Thr Asn Leu Val Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser	
145 150 155 160	
gtc ccg atg gtc gcc atc acg ggc cag gtc ccc cgc cgc atg atc ggc	528
Val Pro Met Val Ala Ile Thr Gly Gln Val Pro Arg Arg Met Ile Gly	
165 170 175	
acc gac gcc ttc cag gag acg ccc ata gtc gag gtc acc cgc tcc atc	576
Thr Asp Ala Phe Gln Glu Thr Pro Ile Val Glu Val Thr Arg Ser Ile	
180 185 190	
acc aag cac aat tac ctt gtc ctt gat gtg gag gac atc ccc cgc gtc	624
Thr Lys His Asn Tyr Leu Val Leu Asp Val Glu Asp Ile Pro Arg Val	
195 200 205	

15/69

ata cag gaa gcc ttc ttc ctc gcg tcc tcg ggc cgt cct ggc ccg gtg	672
Ile Gln Glu Ala Phe Phe Leu Ala Ser Ser Gly Arg Pro Gly Pro Val	
210 215 220	
ctg gtc gac atc ccc aag gac atc cag cag cag atg gcc gtg ccg gtc	720
Leu Val Asp Ile Pro Lys Asp Ile Gln Gln Gln Met Ala Val Pro Val	
225 230 235 240	
tgg gac acc tcg atg aat cta cca ggg tac atc gca cgc ctg ccc aag	768
Trp Asp Thr Ser Met Asn Leu Pro Gly Tyr Ile Ala Arg Leu Pro Lys	
245 250 255	
cca ccc gcg aca gaa ttg ctt gag cag gtc ttg cgt ctg gtt ggc gag	816
Pro Pro Ala Thr Glu Leu Leu Glu Gln Val Leu Arg Leu Val Gly Glu	
260 265 270	
tca cgg cgc ccg att ctc tat gtc ggt ggt ggc tgc tct gca tct ggt	864
Ser Arg Arg Pro Ile Leu Tyr Val Gly Gly Gly Cys Ser Ala Ser Gly	
275 280 285	
gac gaa ttg cgc tgg ttt gtt gag ctg act ggt atc cca gtt aca acc	912
Asp Glu Leu Arg Trp Phe Val Glu Leu Thr Gly Ile Pro Val Thr Thr	
290 295 300	
act ctg atg ggc ctc ggc aat ttc ccc agt gac gac ccg ttg tcc ctg	960
Thr Leu Met Gly Leu Gly Asn Phe Pro Ser Asp Asp Pro Leu Ser Leu	
305 310 315 320	
cgc atg ctt ggg atg cat ggc acg gtg tac gca aat tat gcc gtg gat	1008
Arg Met Leu Gly Met His Gly Thr Val Tyr Ala Asn Tyr Ala Val Asp	
325 330 335	
aag gct gac ctg ttg ctt gcg ttt ggt gtg cgg ttt gat gat cgt gtg	1056
Lys Ala Asp Leu Leu Leu Ala Phe Gly Val Arg Phe Asp Asp Arg Val	
340 345 350	
aca ggg aaa att gag gct ttt gca agc agg gcc aag att gtg cac att	1104
Thr Gly Lys Ile Glu Ala Phe Ala Ser Arg Ala Lys Ile Val His Ile	
355 360 365	
gac att gat cca gca gag att gga aag aac aag caa cca cat gtg tca	1152
Asp Ile Asp Pro Ala Glu Ile Gly Lys Asn Lys Gln Pro His Val Ser	
370 375 380	
att tgc gca gat gtt aag ctt gct tta cag ggc ttg aat gct ctg cta	1200
Ile Cys Ala Asp Val Lys Leu Ala Leu Gln Gly Leu Asn Ala Leu Leu	
385 390 395 400	
caa cag agc aca aca aag aca agt tct gat ttt agt gca tgg cac aat	1248
Gln Gln Ser Thr Thr Lys Thr Ser Ser Asp Phe Ser Ala Trp His Asn	
405 410 415	
gag ttg gac cag cag aag agg gag ttt cct ctg ggg tac aaa act ttt	1296
Glu Leu Asp Gln Gln Lys Arg Glu Phe Pro Leu Gly Tyr Lys Thr Phe	
420 425 430	

16/69

ggt gaa gag atc cca ccg caa tat gcc att cag gtg ctg gat gag ctg	1344
Gly Glu Glu Ile Pro Pro Gln Tyr Ala Ile Gln Val Leu Asp Glu Leu	
435 440 445	
acg aaa ggt gag gca atc atc gct act ggt gtt ggg cag cac cag atg	1392
Thr Lys Gly Glu Ala Ile Ile Ala Thr Gly Val Gly Gln His Gln Met	
450 455 460	
tgg gcg gca caa tat tac acc tac aag cgg cca cgg cag tgg ctg tct	1440
Trp Ala Ala Gln Tyr Tyr Thr Tyr Lys Arg Pro Arg Gln Trp Leu Ser	
465 470 475 480	
tcg gct ggt ctg ggc gca atg gga ttt ggg ctg cct gct gca gct ggt	1488
Ser Ala Gly Leu Gly Ala Met Gly Phe Gly Leu Pro Ala Ala Ala Gly	
485 490 495	
gct tct gtg gct aac cca ggt gtc aca gtt gtt gat att gat ggg gat	1536
Ala Ser Val Ala Asn Pro Gly Val Thr Val Val Asp Ile Asp Gly Asp	
500 505 510	
ggt agc ttc ctc atg aac att cag gag ctg gca ttg atc cgc att gag	1584
Gly Ser Phe Leu Met Asn Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu	
515 520 525	
aac ctc cct gtg aag gtg atg gtg ttg aac aac caa cat ttg ggt atg	1632
Asn Leu Pro Val Lys Val Met Val Leu Asn Asn Gln His Leu Gly Met	
530 535 540	
gtg gtg caa tgg gag gat agg ttt tac aag gcg aat agg gcg cat aca	1680
Val Val Gln Trp Glu Asp Arg Phe Tyr Lys Ala Asn Arg Ala His Thr	
545 550 555 560	
tac ttg ggc aac ccg gaa tgt gag agc gag ata tat cca gat ttt gtg	1728
Tyr Leu Gly Asn Pro Glu Cys Glu Ser Glu Ile Tyr Pro Asp Phe Val	
565 570 575	
act att gct aag ggg ttc aat att cct gca gtc cgt gta aca aag aag	1776
Thr Ile Ala Lys Gly Phe Asn Ile Pro Ala Val Arg Val Thr Lys Lys	
580 585 590	
agt gaa gtc cgt gcc gcc atc aag aag atg ctc gag act cca ggg cca	1824
Ser Glu Val Arg Ala Ala Ile Lys Lys Met Leu Glu Thr Pro Gly Pro	
595 600 605	
tac ttg ttg gat atc atc gtc ccg cac cag gag cat gtg ctg cct atg	1872
Tyr Leu Leu Asp Ile Ile Val Pro His Gln Glu His Val Leu Pro Met	
610 615 620	
atc cca agt ggg ggc gca ttc aag gac atg atc ctg gat ggt gat ggc	1920
Ile Pro Ser Gly Gly Ala Phe Lys Asp Met Ile Leu Asp Gly Asp Gly	
625 630 635 640	
agg act gtg tat taa	1935
Arg Thr Val Tyr	

<210> 14

<211> 644

17/69

<212> PRT

<213> Oryza sp.

<400> 14

Met Ala Thr Thr Ala Ala Ala Ala Ala Ala Ala Leu Ser Ala Ala Ala
 1 5 10 15
 Thr Ala Lys Thr Gly Arg Lys Asn His Gln Arg His His Val Leu Pro
 20 25 30
 Ala Arg Gly Arg Val Gly Ala Ala Ala Val Arg Cys Ser Ala Val Ser
 35 40 45
 Pro Val Thr Pro Pro Ser Pro Ala Pro Pro Ala Thr Pro Leu Arg Pro
 50 55 60
 Trp Gly Pro Ala Glu Pro Arg Lys Gly Ala Asp Ile Leu Val Glu Ala
 65 70 75 80
 Leu Glu Arg Cys Gly Val Ser Asp Val Phe Ala Tyr Pro Gly Gly Ala
 85 90 95
 Ser Met Glu Ile His Gln Ala Leu Thr Arg Ser Pro Val Ile Thr Asn
 100 105 110
 His Leu Phe Arg His Glu Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr
 115 120 125
 Ala Arg Ala Ser Gly Arg Val Gly Val Cys Val Ala Thr Ser Gly Pro
 130 135 140
 Gly Ala Thr Asn Leu Val Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser
 145 150 155 160
 Val Pro Met Val Ala Ile Thr Gly Gln Val Pro Arg Arg Met Ile Gly
 165 170 175
 Thr Asp Ala Phe Gln Glu Thr Pro Ile Val Glu Val Thr Arg Ser Ile
 180 185 190
 Thr Lys His Asn Tyr Leu Val Leu Asp Val Glu Asp Ile Pro Arg Val
 195 200 205
 Ile Gln Glu Ala Phe Phe Leu Ala Ser Ser Gly Arg Pro Gly Pro Val
 210 215 220
 Leu Val Asp Ile Pro Lys Asp Ile Gln Gln Gln Met Ala Val Pro Val
 225 230 235 240
 Trp Asp Thr Ser Met Asn Leu Pro Gly Tyr Ile Ala Arg Leu Pro Lys
 245 250 255
 Pro Pro Ala Thr Glu Leu Leu Glu Gln Val Leu Arg Leu Val Gly Glu
 260 265 270
 Ser Arg Arg Pro Ile Leu Tyr Val Gly Gly Gly Cys Ser Ala Ser Gly
 275 280 285

18/69

Asp	Glu	Leu	Arg	Trp	Phe	Val	Glu	Leu	Thr	Gly	Ile	Pro	Val	Thr	Thr
290						295					300				
Thr	Leu	Met	Gly	Leu	Gly	Asn	Phe	Pro	Ser	Asp	Asp	Pro	Leu	Ser	Leu
305					310					315					320
Arg	Met	Leu	Gly	Met	His	Gly	Thr	Val	Tyr	Ala	Asn	Tyr	Ala	Val	Asp
				325					330					335	
Lys	Ala	Asp	Leu	Leu	Leu	Ala	Phe	Gly	Val	Arg	Phe	Asp	Asp	Arg	Val
			340					345					350		
Thr	Gly	Lys	Ile	Glu	Ala	Phe	Ala	Ser	Arg	Ala	Lys	Ile	Val	His	Ile
		355					360					365			
Asp	Ile	Asp	Pro	Ala	Glu	Ile	Gly	Lys	Asn	Lys	Gln	Pro	His	Val	Ser
	370					375					380				
Ile	Cys	Ala	Asp	Val	Lys	Leu	Ala	Leu	Gln	Gly	Leu	Asn	Ala	Leu	Leu
385					390					395					400
Gln	Gln	Ser	Thr	Thr	Lys	Thr	Ser	Ser	Asp	Phe	Ser	Ala	Trp	His	Asn
				405					410					415	
Glu	Leu	Asp	Gln	Gln	Lys	Arg	Glu	Phe	Pro	Leu	Gly	Tyr	Lys	Thr	Phe
			420					425					430		
Gly	Glu	Glu	Ile	Pro	Pro	Gln	Tyr	Ala	Ile	Gln	Val	Leu	Asp	Glu	Leu
		435					440					445			
Thr	Lys	Gly	Glu	Ala	Ile	Ile	Ala	Thr	Gly	Val	Gly	Gln	His	Gln	Met
	450					455					460				
Trp	Ala	Ala	Gln	Tyr	Tyr	Thr	Tyr	Lys	Arg	Pro	Arg	Gln	Trp	Leu	Ser
465					470					475					480
Ser	Ala	Gly	Leu	Gly	Ala	Met	Gly	Phe	Gly	Leu	Pro	Ala	Ala	Ala	Gly
				485					490					495	
Ala	Ser	Val	Ala	Asn	Pro	Gly	Val	Thr	Val	Val	Asp	Ile	Asp	Gly	Asp
			500					505					510		
Gly	Ser	Phe	Leu	Met	Asn	Ile	Gln	Glu	Leu	Ala	Leu	Ile	Arg	Ile	Glu
		515					520					525			
Asn	Leu	Pro	Val	Lys	Val	Met	Val	Leu	Asn	Asn	Gln	His	Leu	Gly	Met
	530					535					540				
Val	Val	Gln	Trp	Glu	Asp	Arg	Phe	Tyr	Lys	Ala	Asn	Arg	Ala	His	Thr
545					550					555					560
Tyr	Leu	Gly	Asn	Pro	Glu	Cys	Glu	Ser	Glu	Ile	Tyr	Pro	Asp	Phe	Val
				565					570					575	
Thr	Ile	Ala	Lys	Gly	Phe	Asn	Ile	Pro	Ala	Val	Arg	Val	Thr	Lys	Lys
			580					585					590		

19/69

Ser Glu Val Arg Ala Ala Ile Lys Lys Met Leu Glu Thr Pro Gly Pro
 595 600 605

Tyr Leu Leu Asp Ile Ile Val Pro His Gln Glu His Val Leu Pro Met
 610 615 620

Ile Pro Ser Gly Gly Ala Phe Lys Asp Met Ile Leu Asp Gly Asp Gly
 625 630 635 640

Arg Thr Val Tyr

<210> 15
 <211> 1674
 <212> DNA
 <213> Triticum aestivum

<220>
 <221> CDS
 <222> (1)..(1671)

<220>
 <221> modified_base
 <222> (681)
 <223> unknown nucleotide

<400> 15
 gtc gac gtc ttc gcc tac ccc ggc ggc gcc tcc atg gag atc cac cag 48
 Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln
 1 5 10 15
 gcg ctg acg cgc tcg ccc gtc atc acc aac cac ctc ttc cgc cac gag 96
 Ala Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu
 20 25 30
 cag ggg gag gcg ttc gcg gcg tcc ggc tac gcc cgc gcg tcc ggc cgc 144
 Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg
 35 40 45
 gtc ggc gtc tgc gtc gcc acc tcc ggc ccg ggg gcc acc aac ctc gtc 192
 Val Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val
 50 55 60
 tcc gcg ctc gcc gac gcc ctc ctc gac tcc atc ccc atg gtc gcc atc 240
 Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile
 65 70 75 80
 acg ggc cag gtc ccc cgc cgc atg atc ggc acg gac gcg ttc cag gag 288
 Thr Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu
 85 90 95
 acg ccc ata gtg gag gtc acg cgc tcc atc acc aag cac aac tac ctg 336
 Thr Pro Ile Val Glu Val Thr Arg Ser Ile Thr Lys His Asn Tyr Leu
 100 105 110
 gtc ctt gac gtg gag gat atc ccc cgc gtc atc cag gaa gcc ttc ttc 384
 Val Leu Asp Val Glu Asp Ile Pro Arg Val Ile Gln Glu Ala Phe Phe
 115 120 125

20/69

ctt gca tcc tct ggc cgc ccg ggg ccg gtg cta gtt gat atc ccc aag	432
Leu Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys	
130 135 140	
gac atc cag cag cag atg gct gtg ccc gtc tgg gac act cca atg agt	480
Asp Ile Gln Gln Gln Met Ala Val Pro Val Trp Asp Thr Pro Met Ser	
145 150 155 160	
ttg cca ggg tac atc gcc cgc ctg ccc aag cca cca tct act gaa tcg	528
Leu Pro Gly Tyr Ile Ala Arg Leu Pro Lys Pro Pro Ser Thr Glu Ser	
165 170 175	
ctt gag cag gtc ctg cgt ctg gtt ggc gag tca cgg cgc cca att ctg	576
Leu Glu Gln Val Leu Arg Leu Val Gly Glu Ser Arg Arg Pro Ile Leu	
180 185 190	
tat gtt ggt ggt ggc tgc gct gcg tct ggc gag gag ttg cgc cgc ttt	624
Tyr Val Gly Gly Gly Cys Ala Ala Ser Gly Glu Glu Leu Arg Arg Phe	
195 200 205	
gtt gag ctt act ggg att cca gtt aca act act ctg atg ggc ctt ggc	672
Val Glu Leu Thr Gly Ile Pro Val Thr Thr Thr Leu Met Gly Leu Gly	
210 215 220	
aac ttc ccn agc gac gac cca ctg tct ctg cgc atg ctt ggg atg cat	720
Asn Phe Pro Ser Asp Asp Pro Leu Ser Leu Arg Met Leu Gly Met His	
225 230 235 240	
ggc act gtg tat gca aat tat gca gta gat aag gct gac ctg ttg ctc	768
Gly Thr Val Tyr Ala Asn Tyr Ala Val Asp Lys Ala Asp Leu Leu Leu	
245 250 255	
gca ttt ggt gtg cgg ttt gat gat cgt gtg act ggg aaa atc gag gct	816
Ala Phe Gly Val Arg Phe Asp Asp Arg Val Thr Gly Lys Ile Glu Ala	
260 265 270	
ttt gca agc agg tcc aag att gtg cac att gac att gac cca gct gag	864
Phe Ala Ser Arg Ser Lys Ile Val His Ile Asp Ile Asp Pro Ala Glu	
275 280 285	
att ggc aag aac aag cag cca cat gtc tcc att tgt gca gat gtt aag	912
Ile Gly Lys Asn Lys Gln Pro His Val Ser Ile Cys Ala Asp Val Lys	
290 295 300	
ctt gct tta cag ggg ttg aat gat cta tta aat ggg agc aaa gca caa	960
Leu Ala Leu Gln Gly Leu Asn Asp Leu Leu Asn Gly Ser Lys Ala Gln	
305 310 315 320	
cag ggt ctg gat ttt ggt cca tgg cac aag gag ttg gat cag cag aag	1008
Gln Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Gln Lys	
325 330 335	
agg gag ttt cct cta gga ttc aag act ttt ggc gag gcc atc ccg ccg	1056
Arg Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro	
340 345 350	

21/69

caa tat gct atc cag gta ctg gat gag ctg aca aaa ggg gag gcg atc	1104
Gln Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile	
355 360 365	
att gcc act ggt gtt ggg cag cac cag atg tgg gcg gct cag tat tac	1152
Ile Ala Thr Gly Val Gly Gln His Gln Met Trp Ala Ala Gln Tyr Tyr	
370 375 380	
act tac aag cgg cca cgg cag tgg ctg tct tcg tct ggt ttg ggg gca	1200
Thr Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala	
385 390 395 400	
atg gga ttt ggg tta cca gct gca gct ggc gct gct gtg gcc aac cca	1248
Met Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro	
405 410 415	
ggg ggt aca gtt gtt gac att gat ggt gat ggt agt ttc ctc atg aac	1296
Gly Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn	
420 425 430	
att cag gag ttg gcg ttg atc cgc att gag aac ctc cca gtg aag gtg	1344
Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val	
435 440 445	
atg ata ttg aac aac cag cat ctg gga atg gtg gtg cag tgg gag gat	1392
Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp	
450 455 460	
agg ttt tac aag gcc aat cgg gcg cac aca tac ctt ggc aac cca gaa	1440
Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu	
465 470 475 480	
aat gag agt gag ata tat cca gat ttt gtg acg att gct aaa gga ttc	1488
Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe	
485 490 495	
aac gtt cca gca gtt cga gtg acg aag aag agc gaa gtc act gca gca	1536
Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala	
500 505 510	
atc aag aag atg ctt gag acc cca ggg cca tac ttg ttg gat atc ata	1584
Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile	
515 520 525	
gtc ccg cat cag gag cac gtg ctg cct atg atc cca agc ggt ggt gct	1632
Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Ser Gly Gly Ala	
530 535 540	
ttc aag gac atg atc atg gag ggt gat ggc agg acc tcg tac	1674
Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser	
545 550 555	

<210> 16

<211> 557

<212> PRT

<213> Triticum aestivum

22/69

<400> 16

Val	Asp	Val	Phe	Ala	Tyr	Pro	Gly	Gly	Ala	Ser	Met	Glu	Ile	His	Gln
1				5					10					15	
Ala	Leu	Thr	Arg	Ser	Pro	Val	Ile	Thr	Asn	His	Leu	Phe	Arg	His	Glu
			20					25					30		
Gln	Gly	Glu	Ala	Phe	Ala	Ala	Ser	Gly	Tyr	Ala	Arg	Ala	Ser	Gly	Arg
		35					40					45			
Val	Gly	Val	Cys	Val	Ala	Thr	Ser	Gly	Pro	Gly	Ala	Thr	Asn	Leu	Val
	50					55					60				
Ser	Ala	Leu	Ala	Asp	Ala	Leu	Leu	Asp	Ser	Ile	Pro	Met	Val	Ala	Ile
65					70					75					80
Thr	Gly	Gln	Val	Pro	Arg	Arg	Met	Ile	Gly	Thr	Asp	Ala	Phe	Gln	Glu
				85					90					95	
Thr	Pro	Ile	Val	Glu	Val	Thr	Arg	Ser	Ile	Thr	Lys	His	Asn	Tyr	Leu
			100					105					110		
Val	Leu	Asp	Val	Glu	Asp	Ile	Pro	Arg	Val	Ile	Gln	Glu	Ala	Phe	Phe
		115					120					125			
Leu	Ala	Ser	Ser	Gly	Arg	Pro	Gly	Pro	Val	Leu	Val	Asp	Ile	Pro	Lys
	130					135						140			
Asp	Ile	Gln	Gln	Gln	Met	Ala	Val	Pro	Val	Trp	Asp	Thr	Pro	Met	Ser
145					150					155					160
Leu	Pro	Gly	Tyr	Ile	Ala	Arg	Leu	Pro	Lys	Pro	Pro	Ser	Thr	Glu	Ser
				165					170					175	
Leu	Glu	Gln	Val	Leu	Arg	Leu	Val	Gly	Glu	Ser	Arg	Arg	Pro	Ile	Leu
			180					185					190		
Tyr	Val	Gly	Gly	Gly	Cys	Ala	Ala	Ser	Gly	Glu	Glu	Leu	Arg	Arg	Phe
		195					200					205			
Val	Glu	Leu	Thr	Gly	Ile	Pro	Val	Thr	Thr	Thr	Leu	Met	Gly	Leu	Gly
	210					215						220			
Asn	Phe	Pro	Ser	Asp	Asp	Pro	Leu	Ser	Leu	Arg	Met	Leu	Gly	Met	His
225					230					235					240
Gly	Thr	Val	Tyr	Ala	Asn	Tyr	Ala	Val	Asp	Lys	Ala	Asp	Leu	Leu	Leu
				245					250				255		
Ala	Phe	Gly	Val	Arg	Phe	Asp	Asp	Arg	Val	Thr	Gly	Lys	Ile	Glu	Ala
			260					265					270		
Phe	Ala	Ser	Arg	Ser	Lys	Ile	Val	His	Ile	Asp	Ile	Asp	Pro	Ala	Glu
		275					280					285			
Ile	Gly	Lys	Asn	Lys	Gln	Pro	His	Val	Ser	Ile	Cys	Ala	Asp	Val	Lys
	290					295					300				

23/69

Leu Ala Leu Gln Gly Leu Asn Asp Leu Leu Asn Gly Ser Lys Ala Gln
 305 310 315 320
 Gln Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Gln Lys
 325 330 335
 Arg Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro
 340 345 350
 Gln Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile
 355 360 365
 Ile Ala Thr Gly Val Gly Gln His Gln Met Trp Ala Ala Gln Tyr Tyr
 370 375 380
 Thr Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala
 385 390 395 400
 Met Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro
 405 410 415
 Gly Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn
 420 425 430
 Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val
 435 440 445
 Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp
 450 455 460
 Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu
 465 470 475 480
 Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe
 485 490 495
 Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala
 500 505 510
 Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile
 515 520 525
 Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Ser Gly Gly Ala
 530 535 540
 Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser
 545 550 555

<210> 17
 <211> 1674
 <212> DNA
 <213> Triticum aestivum

<220>
 <221> CDS
 <222> (1)..(1671)

24/69

<220>

<221> modified_base

<222> (718)..(719)

<223> unknown nucleotide

<400> 17

gtc gac gtc ttc gcc tac ccc ggc ggc gcc tcc atg gag atc cac cag	48
Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln	
1 5 10 15	
gcg ctg acg cgc tgc ccc gtc atc acc aac cac ctc ttc cgc cac gag	96
Ala Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu	
20 25 30	
cag ggg gag gcg ttc gcg gcg tcc ggc tac gcc cgc gcg tcc ggc cgc	144
Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg	
35 40 45	
gtc ggc gtc tgc gtc gcc acc tcc ggc ccg ggg gcc acc aac ctc gtc	192
Val Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val	
50 55 60	
tcc gcg ctc gcc gac gcc ctc ctc gac tcc atc ccc atg gtc gcc atc	240
Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile	
65 70 75 80	
acg ggc cag gtc ccc cgc cgc atg atc ggc acg gac gcg ttc cag gag	288
Thr Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu	
85 90 95	
acg ccc ata gtg gag gtc acg cgc tcc atc acc aag cac aac tac ctg	336
Thr Pro Ile Val Glu Val Thr Arg Ser Ile Thr Lys His Asn Tyr Leu	
100 105 110	
gtc ctt gac gtg gag gat atc ccc cgc gtc atc cag gaa gcc ttc ttc	384
Val Leu Asp Val Glu Asp Ile Pro Arg Val Ile Gln Glu Ala Phe Phe	
115 120 125	
ctt gca tcc tct ggc cgc ccg ggg ccg gtg cta gtt gat atc ccc aag	432
Leu Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys	
130 135 140	
gac atc cag cag cag atg gct gtg ccc gtc tgg gac act cca atg agt	480
Asp Ile Gln Gln Gln Met Ala Val Pro Val Trp Asp Thr Pro Met Ser	
145 150 155 160	
ttg cca ggg tac atc gcc cgc ctg ccc aag cca cca tct act gaa tcg	528
Leu Pro Gly Tyr Ile Ala Arg Leu Pro Lys Pro Pro Ser Thr Glu Ser	
165 170 175	
ctt gag cag gtc ctg cgt ctg gtt ggc gag tca cgg cgc cca att ctg	576
Leu Glu Gln Val Leu Arg Leu Val Gly Glu Ser Arg Arg Pro Ile Leu	
180 185 190	
tat gtt ggt ggt ggc tgc gct gcg tct ggc gag gag ttg cgc cgc ttt	624
Tyr Val Gly Gly Gly Cys Ala Ala Ser Gly Glu Glu Leu Arg Arg Phe	
195 200 205	

25/69

gtt gag ctt act ggg att cca gtt aca act act ctg atg ggc ctt ggc	672
Val Glu Leu Thr Gly Ile Pro Val Thr Thr Thr Leu Met Gly Leu Gly	
210 215 220	
aac ttc ccc agc gac gac cca ctg tct ctg cgc atg ctt ggg atg nnt	720
Asn Phe Pro Ser Asp Asp Pro Leu Ser Leu Arg Met Leu Gly Met Asn	
225 230 235 240	
ggc act gtg tat gca aat tat gca gta gat aag gct gac ctg ttg ctc	768
Gly Thr Val Tyr Ala Asn Tyr Ala Val Asp Lys Ala Asp Leu Leu Leu	
245 250 255	
gca ttt ggt gtg cgg ttt gat gat cgt gtg act ggg aaa atc gag gct	816
Ala Phe Gly Val Arg Phe Asp Asp Arg Val Thr Gly Lys Ile Glu Ala	
260 265 270	
ttt gca agc agg tcc aag att gtg cac att gac att gac cca gct gag	864
Phe Ala Ser Arg Ser Lys Ile Val His Ile Asp Ile Asp Pro Ala Glu	
275 280 285	
att ggc aag aac aag cag cca cat gtc tcc att tgt gca gat gtt aag	912
Ile Gly Lys Asn Lys Gln Pro His Val Ser Ile Cys Ala Asp Val Lys	
290 295 300	
ctt gct tta cag ggg ttg aat gat cta tta aat ggg agc aaa gca caa	960
Leu Ala Leu Gln Gly Leu Asn Asp Leu Leu Asn Gly Ser Lys Ala Gln	
305 310 315 320	
cag ggt ctg gat ttt ggt cca tgg cac aag gag ttg gat cag cag aag	1008
Gln Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Gln Lys	
325 330 335	
agg gag ttt cct cta gga ttc aag act ttt ggc gag gcc atc ccg ccg	1056
Arg Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro	
340 345 350	
caa tat gct atc cag gta ctg gat gag ctg aca aaa ggg gag gcg atc	1104
Gln Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile	
355 360 365	
att gcc act ggt gtt ggg cag cac cag atg tgg gcg gct cag tat tac	1152
Ile Ala Thr Gly Val Gly Gln His Gln Met Trp Ala Ala Gln Tyr Tyr	
370 375 380	
act tac aag cgg cca cgg cag tgg ctg tct tcg tct ggt ttg ggg gca	1200
Thr Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala	
385 390 395 400	
atg gga ttt ggg tta cca gct gca gct ggc gct gct gtg gcc aac cca	1248
Met Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro	
405 410 415	
ggg gtt aca gtt gtt gac att gat ggt gat ggt agt ttc ctc atg aac	1296
Gly Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn	
420 425 430	

26/69

att cag gag ttg gcg ttg atc cgc att gag aac ctc cca gtg aag gtg 1344
 Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val
 435 440 445

atg ata ttg aac aac cag cat ctg gga atg gtg gtg cag tgg gag gat 1392
 Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp
 450 455 460

agg ttt tac aag gcc aat cgg gcg cac aca tac ctt ggc aac cca gaa 1440
 Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu
 465 470 475 480

aat gag agt gag ata tat cca gat ttt gtg acg att gct aaa gga ttc 1488
 Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe
 485 490 495

aac gtt cca gca gtt cga gtg acg aag aag agc gaa gtc act gca gca 1536
 Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala
 500 505 510

atc aag aag atg ctt gag acc cca ggg cca tac ttg ttg gat atc ata 1584
 Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile
 515 520 525

gtc ccg cat cag gag cac gtg ctg cct atg atc cca aac ggt ggt gct 1632
 Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Asn Gly Gly Ala
 530 535 540

ttc aag gac atg atc atg gag ggt gat ggc agg acc tcg tac 1674
 Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser
 545 550 555

<210> 18
 <211> 557
 <212> PRT
 <213> Triticum aestivum

<400> 18
 Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln
 1 5 10 15

Ala Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu
 20 25 30

Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg
 35 40 45

Val Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val
 50 55 60

Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile
 65 70 75 80

Thr Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu
 85 90 95

27/69

Thr	Pro	Ile	Val	Glu	Val	Thr	Arg	Ser	Ile	Thr	Lys	His	Asn	Tyr	Leu	100	105	110	
Val	Leu	Asp	Val	Glu	Asp	Ile	Pro	Arg	Val	Ile	Gln	Glu	Ala	Phe	Phe	115	120	125	
Leu	Ala	Ser	Ser	Gly	Arg	Pro	Gly	Pro	Val	Leu	Val	Asp	Ile	Pro	Lys	130	135	140	
Asp	Ile	Gln	Gln	Gln	Met	Ala	Val	Pro	Val	Trp	Asp	Thr	Pro	Met	Ser	145	150	155	160
Leu	Pro	Gly	Tyr	Ile	Ala	Arg	Leu	Pro	Lys	Pro	Pro	Ser	Thr	Glu	Ser	165	170	175	
Leu	Glu	Gln	Val	Leu	Arg	Leu	Val	Gly	Glu	Ser	Arg	Arg	Pro	Ile	Leu	180	185	190	
Tyr	Val	Gly	Gly	Gly	Cys	Ala	Ala	Ser	Gly	Glu	Glu	Leu	Arg	Arg	Phe	195	200	205	
Val	Glu	Leu	Thr	Gly	Ile	Pro	Val	Thr	Thr	Thr	Leu	Met	Gly	Leu	Gly	210	215	220	
Asn	Phe	Pro	Ser	Asp	Asp	Pro	Leu	Ser	Leu	Arg	Met	Leu	Gly	Met	Asn	225	230	235	240
Gly	Thr	Val	Tyr	Ala	Asn	Tyr	Ala	Val	Asp	Lys	Ala	Asp	Leu	Leu	Leu	245	250	255	
Ala	Phe	Gly	Val	Arg	Phe	Asp	Asp	Arg	Val	Thr	Gly	Lys	Ile	Glu	Ala	260	265	270	
Phe	Ala	Ser	Arg	Ser	Lys	Ile	Val	His	Ile	Asp	Ile	Asp	Pro	Ala	Glu	275	280	285	
Ile	Gly	Lys	Asn	Lys	Gln	Pro	His	Val	Ser	Ile	Cys	Ala	Asp	Val	Lys	290	295	300	
Leu	Ala	Leu	Gln	Gly	Leu	Asn	Asp	Leu	Leu	Asn	Gly	Ser	Lys	Ala	Gln	305	310	315	320
Gln	Gly	Leu	Asp	Phe	Gly	Pro	Trp	His	Lys	Glu	Leu	Asp	Gln	Gln	Lys	325	330	335	
Arg	Glu	Phe	Pro	Leu	Gly	Phe	Lys	Thr	Phe	Gly	Glu	Ala	Ile	Pro	Pro	340	345	350	
Gln	Tyr	Ala	Ile	Gln	Val	Leu	Asp	Glu	Leu	Thr	Lys	Gly	Glu	Ala	Ile	355	360	365	
Ile	Ala	Thr	Gly	Val	Gly	Gln	His	Gln	Met	Trp	Ala	Ala	Gln	Tyr	Tyr	370	375	380	
Thr	Tyr	Lys	Arg	Pro	Arg	Gln	Trp	Leu	Ser	Ser	Ser	Gly	Leu	Gly	Ala	385	390	395	400

28/69

Met Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro
 405 410 415
 Gly Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn
 420 425 430
 Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val
 435 440 445
 Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp
 450 455 460
 Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu
 465 470 475 480
 Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe
 485 490 495
 Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala
 500 505 510
 Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile
 515 520 525
 Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Asn Gly Gly Ala
 530 535 540
 Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser
 545 550 555

<210> 19
 <211> 1674
 <212> DNA
 <213> Triticum aestivum

<220>
 <221> CDS
 <222> (1)..(1671)

<220>
 <221> modified_base
 <222> (643)
 <223> unknown nucleotide

<220>
 <221> modified_base
 <222> (776)
 <223> unknown nucleotide

<220>
 <221> modified_base
 <222> (873)
 <223> unknown nucleotide

<220>
 <221> modified_base

29/69

<222> (879)

<223> unknown nucleotide

<400> 19

gtc gac gtc ttc gcc tac ccc ggc ggc gcc tcc atg gag atc cac cag	48
Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln	
1 5 10 15	
gcg ctg acg cgc tcg ccc gtc atc acc aac cac ctc ttc cgc cac gag	96
Ala Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu	
20 25 30	
cag ggg gag gcg ttc gcg gcg tcc ggc tac gcc cgc gcg tcc ggc cgc	144
Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg	
35 40 45	
gtc ggc gtc tgc gtc gcc acc tcc ggc ccg ggg gcc acc aac ctc gtc	192
Val Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val	
50 55 60	
tcc gcg ctc gcc gac gcc ctc ctc gac tcc atc ccc atg gtc gcc atc	240
Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile	
65 70 75 80	
acg ggc cag gtc ccc cgc cgc atg atc ggc acg gac gcg ttc cag gag	288
Thr Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu	
85 90 95	
acg ccc ata gtg gag gtc acg cgc tcc atc acc aag cac aac tac ctg	336
Thr Pro Ile Val Glu Val Thr Arg Ser Ile Thr Lys His Asn Tyr Leu	
100 105 110	
gtc ctt gac gtg gag gat atc ccc cgc gtc atc cag gaa gcc ttc ttc	384
Val Leu Asp Val Glu Asp Ile Pro Arg Val Ile Gln Glu Ala Phe Phe	
115 120 125	
ctt gca tcc tct ggc cgc ccg ggg ccg gtg cta gtt gat atc ccc aag	432
Leu Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys	
130 135 140	
gac atc cag cag cag atg gct gtg ccc gtc tgg gac act cca atg agt	480
Asp Ile Gln Gln Gln Met Ala Val Pro Val Trp Asp Thr Pro Met Ser	
145 150 155 160	
ttg cca ggg tac atc gcc cgc ctg ccc aag cca cca tct act gaa tcg	528
Leu Pro Gly Tyr Ile Ala Arg Leu Pro Lys Pro Pro Ser Thr Glu Ser	
165 170 175	
ctt gag cag gtc ctg cgt ctg gtt ggc gag tca cgg cgc cca att ctg	576
Leu Glu Gln Val Leu Arg Leu Val Gly Glu Ser Arg Arg Pro Ile Leu	
180 185 190	
tat gtt ggt ggt ggc tgc gct gcg tct ggc gag gag ttg cgc cgc ttt	624
Tyr Val Gly Gly Gly Cys Ala Ala Ser Gly Glu Glu Leu Arg Arg Phe	
195 200 205	

30/69

gtt gag ctt act ggg att nca gtt aca act act ctg atg ggc ctt ggc	672
Val Glu Leu Thr Gly Ile Thr Val Thr Thr Thr Leu Met Gly Leu Gly	
210 215 220	
aac ttc ccc agc gac gac cca ctg tct ctg cgc atg ctt ggg atg cat	720
Asn Phe Pro Ser Asp Asp Pro Leu Ser Leu Arg Met Leu Gly Met His	
225 230 235 240	
ggc act gtg tat gca aat tat gca gta gat aag gct gac ctg ttg ctc	768
Gly Thr Val Tyr Ala Asn Tyr Ala Val Asp Lys Ala Asp Leu Leu Leu	
245 250 255	
gca ttt gnt gtg cgg ttt gat gat cgt gtg act ggg aaa atc gag gct	816
Ala Phe Asp Val Arg Phe Asp Asp Arg Val Thr Gly Lys Ile Glu Ala	
260 265 270	
ttt gca agc agg tcc aag att gtg cac att gac att gac cca gct gag	864
Phe Ala Ser Arg Ser Lys Ile Val His Ile Asp Ile Asp Pro Ala Glu	
275 280 285	
att ggc aan aac aan cag cca cat gtc tcc att tgt gca gat gtt aag	912
Ile Gly Lys Asn Lys Gln Pro His Val Ser Ile Cys Ala Asp Val Lys	
290 295 300	
ctt gct tta cag ggg ttg aat gat cta tta aat ggg agc aaa gca caa	960
Leu Ala Leu Gln Gly Leu Asn Asp Leu Leu Asn Gly Ser Lys Ala Gln	
305 310 315 320	
cag ggt ctg gat ttt ggt cca tgg cac aag gag ttg gat cag cag aag	1008
Gln Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Gln Lys	
325 330 335	
agg gag ttt cct cta gga ttc aag act ttt ggc gag gcc atc ccg ccg	1056
Arg Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro	
340 345 350	
caa tat gct atc cag gta ctg gat gag ctg aca aaa ggg gag gcg atc	1104
Gln Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile	
355 360 365	
att gcc act ggt gtt ggg cag cac cag atg tgg gcg gct cag tat tac	1152
Ile Ala Thr Gly Val Gly Gln His Gln Met Trp Ala Ala Gln Tyr Tyr	
370 375 380	
act tac aag cgg cca cgg cag tgg ctg tct tcg tct ggt ttg ggg gca	1200
Thr Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala	
385 390 395 400	
atg gga ttt ggg tta cca gct gca gct ggc gct gct gtg gcc aac cca	1248
Met Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro	
405 410 415	
ggg gtt aca gtt gtt gac att gat ggt gat ggt agt ttc ctc atg aac	1296
Gly Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn	
420 425 430	

31/69

att cag gag ttg gcg ttg atc cgc att gag aac ctc cca gtg aag gtg 1344
 Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val
 435 440 445

atg ata ttg aac aac cag cat ctg gga atg gtg gtg cag tgg gag gat 1392
 Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp
 450 455 460

agg ttt tac aag gcc aat cgg gcg cac aca tac ctt ggc aac cca gaa 1440
 Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu
 465 470 475 480

aat gag agt gag ata tat cca gat ttt gtg acg att gct aaa gga ttc 1488
 Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe
 485 490 495

aac gtt cca gca gtt cga gtg acg aag aag agc gaa gtc act gca gca 1536
 Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala
 500 505 510

atc aag aag atg ctt gag acc cca ggg cca tac ttg ttg gat atc ata 1584
 Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile
 515 520 525

gtc ccg cat cag gag cac gtg ctg cct atg atc cca aac ggt ggt gct 1632
 Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Asn Gly Gly Ala
 530 535 540

ttc aag gac atg atc atg gag ggt gat ggc agg acc tcg tac 1674
 Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser
 545 550 555

<210> 20
 <211> 557
 <212> PRT
 <213> Triticum aestivum

<400> 20
 Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln
 1 5 10 15

Ala Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu
 20 25 30

Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg
 35 40 45

Val Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val
 50 55 60

Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile
 65 70 75 80

Thr Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu
 85 90 95

32/69

Thr	Pro	Ile	Val	Glu	Val	Thr	Arg	Ser	Ile	Thr	Lys	His	Asn	Tyr	Leu	100	105	110	
Val	Leu	Asp	Val	Glu	Asp	Ile	Pro	Arg	Val	Ile	Gln	Glu	Ala	Phe	Phe	115	120	125	
Leu	Ala	Ser	Ser	Gly	Arg	Pro	Gly	Pro	Val	Leu	Val	Asp	Ile	Pro	Lys	130	135	140	
Asp	Ile	Gln	Gln	Gln	Met	Ala	Val	Pro	Val	Trp	Asp	Thr	Pro	Met	Ser	145	150	155	160
Leu	Pro	Gly	Tyr	Ile	Ala	Arg	Leu	Pro	Lys	Pro	Pro	Ser	Thr	Glu	Ser	165	170	175	
Leu	Glu	Gln	Val	Leu	Arg	Leu	Val	Gly	Glu	Ser	Arg	Arg	Pro	Ile	Leu	180	185	190	
Tyr	Val	Gly	Gly	Gly	Cys	Ala	Ala	Ser	Gly	Glu	Glu	Leu	Arg	Arg	Phe	195	200	205	
Val	Glu	Leu	Thr	Gly	Ile	Thr	Val	Thr	Thr	Thr	Leu	Met	Gly	Leu	Gly	210	215	220	
Asn	Phe	Pro	Ser	Asp	Asp	Pro	Leu	Ser	Leu	Arg	Met	Leu	Gly	Met	His	225	230	235	240
Gly	Thr	Val	Tyr	Ala	Asn	Tyr	Ala	Val	Asp	Lys	Ala	Asp	Leu	Leu	Leu	245	250	255	
Ala	Phe	Asp	Val	Arg	Phe	Asp	Asp	Arg	Val	Thr	Gly	Lys	Ile	Glu	Ala	260	265	270	
Phe	Ala	Ser	Arg	Ser	Lys	Ile	Val	His	Ile	Asp	Ile	Asp	Pro	Ala	Glu	275	280	285	
Ile	Gly	Lys	Asn	Lys	Gln	Pro	His	Val	Ser	Ile	Cys	Ala	Asp	Val	Lys	290	295	300	
Leu	Ala	Leu	Gln	Gly	Leu	Asn	Asp	Leu	Leu	Asn	Gly	Ser	Lys	Ala	Gln	305	310	315	320
Gln	Gly	Leu	Asp	Phe	Gly	Pro	Trp	His	Lys	Glu	Leu	Asp	Gln	Gln	Lys	325	330	335	
Arg	Glu	Phe	Pro	Leu	Gly	Phe	Lys	Thr	Phe	Gly	Glu	Ala	Ile	Pro	Pro	340	345	350	
Gln	Tyr	Ala	Ile	Gln	Val	Leu	Asp	Glu	Leu	Thr	Lys	Gly	Glu	Ala	Ile	355	360	365	
Ile	Ala	Thr	Gly	Val	Gly	Gln	His	Gln	Met	Trp	Ala	Ala	Gln	Tyr	Tyr	370	375	380	
Thr	Tyr	Lys	Arg	Pro	Arg	Gln	Trp	Leu	Ser	Ser	Ser	Gly	Leu	Gly	Ala	385	390	395	400

```
<400> 21
gtc gac gtc ttc gcc tac ccc ggc ggc gcc tcc atg gag atc cac cag 48
Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln
      1              5              10              15
```

34/69

gcg ctg acg cgc tgc ccc gtc atc acc aac cac ctc ttc cgc cac gag	96,
Ala Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu	
20 25 30	
cag ggg gag gcg ttc gcg gcg tcc ggc tac gcc cgc gcg tcc ggc cgc	144
Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg	
35 40 45	
gtc ggc gtc tgc gtc gcc acc tcc ggc ccg ggg gcc acc aac ctc gtc	192
Val Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val	
50 55 60	
tcc gcg ctc gcc gac gcc ctc ctc gac tcc atc ccc atg gtc gcc atc	240
Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile	
65 70 75 80	
acg ggc cag gtc ccc cgc cgc atg atc ggc acg gac gcg ttc cag gag	288
Thr Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu	
85 90 95	
acg ccc ata gtg gag gtc acg cgc tcc atc acc aag cac aac tac ctg	336
Thr Pro Ile Val Glu Val Thr Arg Ser Ile Thr Lys His Asn Tyr Leu	
100 105 110	
gtc ctt gac gtg gag gat atc ccc cgc gtc atc cag gaa gcc ttc ttc	384
Val Leu Asp Val Glu Asp Ile Pro Arg Val Ile Gln Glu Ala Phe Phe	
115 120 125	
ctt gca tcc tct ggc cgc ccg ggg ccg gtg cta gtt gat atc ccc aag	432
Leu Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys	
130 135 140	
gac atc cag cag cag atg gct gtg ccc gtc tgg gac act cca atg agt	480
Asp Ile Gln Gln Gln Met Ala Val Pro Val Trp Asp Thr Pro Met Ser	
145 150 155 160	
ttg cca ggg tac atc gcc cgc ctg ccc aag cca cca tct act gaa tcg	528
Leu Pro Gly Tyr Ile Ala Arg Leu Pro Lys Pro Pro Ser Thr Glu Ser	
165 170 175	
ctt gag cag gtc ctg cgt ctg gtt ggc gag tca cgg cgc cca att ctg	576
Leu Glu Gln Val Leu Arg Leu Val Gly Glu Ser Arg Arg Pro Ile Leu	
180 185 190	
tat gtt ggt ggt ggc tgc gct gcg tct ggc gag gag ttg cgc cgc ttt	624
Tyr Val Gly Gly Gly Cys Ala Ala Ser Gly Glu Glu Leu Arg Arg Phe	
195 200 205	
gtt gag ctt act ggg att cca gtt aca act act ctg atg ggc ctt ggc	672
Val Glu Leu Thr Gly Ile Pro Val Thr Thr Thr Leu Met Gly Leu Gly	
210 215 220	
aac ttc ccc agc gac gac cca ctg tct ctg cgc atg ctt ggg atg cat	720
Asn Phe Pro Ser Asp Asp Pro Leu Ser Leu Arg Met Leu Gly Met His	
225 230 235 240	

35/69

ggc act gtg tat gca aat tat gca gta gat aag gct gac ctg ttg ntc	768
Gly Thr Val Tyr Ala Asn Tyr Ala Val Asp Lys Ala Asp Leu Leu Ile	
245 250 255	
nca ttt ggt gtg cgg ttt gat gat cgt gtg act ggg aaa atc gag gct	816
Thr Phe Gly Val Arg Phe Asp Asp Arg Val Thr Gly Lys Ile Glu Ala	
260 265 270	
ttt gca agc agg tcc aag att gtg cac att gac att gac cca gct gag	864
Phe Ala Ser Arg Ser Lys Ile Val His Ile Asp Ile Asp Pro Ala Glu	
275 280 285	
att ggc aag aac aag cag cca cat gtc tcc att tgt gcc gat gtt aag	912
Ile Gly Lys Asn Lys Gln Pro His Val Ser Ile Cys Ala Asp Val Lys	
290 295 300	
ctt gct tta cag ggg ttg aat gat cta tta aat ggg agc aaa gca caa	960
Leu Ala Leu Gln Gly Leu Asn Asp Leu Leu Asn Gly Ser Lys Ala Gln	
305 310 315 320	
cag ggt ctg gat ttt ggt cca tgg cac aag gag ttg gat cag cag aag	1008
Gln Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Gln Lys	
325 330 335	
agg gag ttt cct cta gga ttc aag act ttt ggc gag gcc atc ccg ccg	1056
Arg Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro	
340 345 350	
caa tat gct atc cag gta ctg gat gag ctg aca aaa ggg gag gcg atc	1104
Gln Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile	
355 360 365	
att gcc act ggt gtt ggg cag cac cag atg tgg gcg gct cag tat tac	1152
Ile Ala Thr Gly Val Gly Gln His Gln Met Trp Ala Ala Gln Tyr Tyr	
370 375 380	
act tac aag cgg cca cgg cag tgg ctg tct tcg tct ggt ttg ggg gca	1200
Thr Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala	
385 390 395 400	
atg gga ttt ggg tta cca gct gca gct ggc gct gct gtg gcc aac cca	1248
Met Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro	
405 410 415	
ggt gtt aca gtt gtt gac att gat ggt gat ggt agt ttc ctc atg aac	1296
Gly Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn	
420 425 430	
att cag gag ttg gcg ttg atc cgc att gag aac ctc cca gtg aag gtg	1344
Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val	
435 440 445	
atg ata ttg aac aac cag cat ctg gga atg gtg gtg cag tgg gag gat	1392
Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp	
450 455 460	

36/69

agg ttt tac aag gcc aat cgg gcg cac aca tac ctt ggc aac cca gaa 1440
 Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu
 465 470 475 480

aat gag agt gag ata tat cca gat ttt gtg acg att gct aaa gga ttc 1488
 Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe
 485 490 495

aac gtt cca gca gtt cga gtg acg aag aag agc gaa gtc act gca gca 1536
 Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala
 500 505 510

atc aag aag atg ctt gag acc cca ggg cca tac ttg ttg gat atc ata 1584
 Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile
 515 520 525

gtc ccg cat cag gag cac gtg ctg cct atg atc cca agc ggt ggt gct 1632
 Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Ser Gly Gly Ala
 530 535 540

ttc aag gac atg atc atg gag ggt gat ggc agg acc tcg tac 1674
 Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser
 545 550 555

<210> 22

<211> 557

<212> PRT

<213> Triticum aestivum

<400> 22

Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln
 1 5 10 15

Ala Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu
 20 25 30

Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg
 35 40 45

Val Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val
 50 55 60

Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile
 65 70 75 80

Thr Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu
 85 90 95

Thr Pro Ile Val Glu Val Thr Arg Ser Ile Thr Lys His Asn Tyr Leu
 100 105 110

Val Leu Asp Val Glu Asp Ile Pro Arg Val Ile Gln Glu Ala Phe Phe
 115 120 125

Leu Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys
 130 135 140

37/69

Asp	Ile	Gln	Gln	Gln	Met	Ala	Val	Pro	Val	Trp	Asp	Thr	Pro	Met	Ser	145	150	155	160
Leu	Pro	Gly	Tyr	Ile	Ala	Arg	Leu	Pro	Lys	Pro	Pro	Ser	Thr	Glu	Ser	165	170	175	
Leu	Glu	Gln	Val	Leu	Arg	Leu	Val	Gly	Glu	Ser	Arg	Arg	Pro	Ile	Leu	180	185	190	
Tyr	Val	Gly	Gly	Gly	Cys	Ala	Ala	Ser	Gly	Glu	Glu	Leu	Arg	Arg	Phe	195	200	205	
Val	Glu	Leu	Thr	Gly	Ile	Pro	Val	Thr	Thr	Thr	Leu	Met	Gly	Leu	Gly	210	215	220	
Asn	Phe	Pro	Ser	Asp	Asp	Pro	Leu	Ser	Leu	Arg	Met	Leu	Gly	Met	His	225	230	235	240
Gly	Thr	Val	Tyr	Ala	Asn	Tyr	Ala	Val	Asp	Lys	Ala	Asp	Leu	Leu	Ile	245	250	255	
Thr	Phe	Gly	Val	Arg	Phe	Asp	Asp	Arg	Val	Thr	Gly	Lys	Ile	Glu	Ala	260	265	270	
Phe	Ala	Ser	Arg	Ser	Lys	Ile	Val	His	Ile	Asp	Ile	Asp	Pro	Ala	Glu	275	280	285	
Ile	Gly	Lys	Asn	Lys	Gln	Pro	His	Val	Ser	Ile	Cys	Ala	Asp	Val	Lys	290	295	300	
Leu	Ala	Leu	Gln	Gly	Leu	Asn	Asp	Leu	Leu	Asn	Gly	Ser	Lys	Ala	Gln	305	310	315	320
Gln	Gly	Leu	Asp	Phe	Gly	Pro	Trp	His	Lys	Glu	Leu	Asp	Gln	Gln	Lys	325	330	335	
Arg	Glu	Phe	Pro	Leu	Gly	Phe	Lys	Thr	Phe	Gly	Glu	Ala	Ile	Pro	Pro	340	345	350	
Gln	Tyr	Ala	Ile	Gln	Val	Leu	Asp	Glu	Leu	Thr	Lys	Gly	Glu	Ala	Ile	355	360	365	
Ile	Ala	Thr	Gly	Val	Gly	Gln	His	Gln	Met	Trp	Ala	Ala	Gln	Tyr	Tyr	370	375	380	
Thr	Tyr	Lys	Arg	Pro	Arg	Gln	Trp	Leu	Ser	Ser	Ser	Gly	Leu	Gly	Ala	385	390	395	400
Met	Gly	Phe	Gly	Leu	Pro	Ala	Ala	Ala	Gly	Ala	Ala	Val	Ala	Asn	Pro	405	410	415	
Gly	Val	Thr	Val	Val	Asp	Ile	Asp	Gly	Asp	Gly	Ser	Phe	Leu	Met	Asn	420	425	430	
Ile	Gln	Glu	Leu	Ala	Leu	Ile	Arg	Ile	Glu	Asn	Leu	Pro	Val	Lys	Val	435	440	445	

38/69

Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp
 450 455 460

Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu
 465 470 475 480

Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe
 485 490 495

Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala
 500 505 510

Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile
 515 520 525

Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Ser Gly Gly Ala
 530 535 540

Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser
 545 550 555

<210> 23
 <211> 1677
 <212> DNA
 <213> Triticum aestivum

<220>
 <221> CDS
 <222> (1)..(1674)

<220>
 <221> modified_base
 <222> (766)
 <223> unknown nucleotide

<220>
 <221> modified_base
 <222> (839)
 <223> unknown nucleotide

<220>
 <221> modified_base
 <222> (912)
 <223> unknown nucleotide

<220>
 <221> modified_base
 <222> (1008)
 <223> unknown nucleotide

<400> 23
 gtc gac gtc ttc gcc tac ccc ggc ggc gcc tcc atg gag atc cac cag 48
 Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln
 1 5 10 15

39/69

gcg ctg acg cgc tgc ccc gtc atc acc aac cac ctc ttc cgc cac gag	96
Ala Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu	
20 25 30	
cag ggg gag gcg ttc gcg gcg tcc ggc tac gcc cgc gcg tcc ggc cgc	144
Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg	
35 40 45	
gtc ggc gtc tgc gtc gcc acc tcc ggc ccg ggg gcc acc aac ctc gtc	192
Val Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val	
50 55 60	
tcc gcg ctc gcc gac gcc ctc ctc gac tcc atc ccc atg gtc gcc atc	240
Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile	
65 70 75 80	
acg ggc cag gtc ccc cgc cgc atg atc ggc acg gac gcg ttc cag gag	288
Thr Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu	
85 90 95	
acg ccc ata gtg gag gtc acg cgc tcc atc acc aag cac aac tac ctg	336
Thr Pro Ile Val Glu Val Thr Arg Ser Ile Thr Lys His Asn Tyr Leu	
100 105 110	
gtc ctt gac gtg gag gat atc ccc cgc gtc atc cag gaa gcc ttc ttc	384
Val Leu Asp Val Glu Asp Ile Pro Arg Val Ile Gln Glu Ala Phe Phe	
115 120 125	
ctt gca tcc tct ggc cgc ccg ggg ccg gtg cta gtt gat atc ccc aag	432
Leu Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys	
130 135 140	
gac atc cag cag cag atg gct gtg ccc gtc tgg gac act cca atg agt	480
Asp Ile Gln Gln Gln Met Ala Val Pro Val Trp Asp Thr Pro Met Ser	
145 150 155 160	
ttg cca ggg tac atc gcc cgc ctg ccc aag cca cca tct act gaa tcg	528
Leu Pro Gly Tyr Ile Ala Arg Leu Pro Lys Pro Pro Ser Thr Glu Ser	
165 170 175	
ctt gag cag gtc ctg cgt ctg gtt ggc gag tca cgg cgc cca att ctg	576
Leu Glu Gln Val Leu Arg Leu Val Gly Glu Ser Arg Arg Pro Ile Leu	
180 185 190	
tat gtt ggt ggt ggc tgc gct gcg tct ggc gag gag ttg cgc cgc ttt	624
Tyr Val Gly Gly Gly Cys Ala Ala Ser Gly Glu Glu Leu Arg Arg Phe	
195 200 205	
gtt gag ctt act ggg att cca gtt aca act act ctg atg ggc ctt ggc	672
Val Glu Leu Thr Gly Ile Pro Val Thr Thr Thr Leu Met Gly Leu Gly	
210 215 220	
aac ttc ccc agc gac gac cca ctg tct ctg cgc atg ctt ggg atg cat	720
Asn Phe Pro Ser Asp Asp Pro Leu Ser Leu Arg Met Leu Gly Met His	
225 230 235 240	

40/69

ggc act gtg tat gca aat tat gca gta gat aag gct gac ctg ttg ntc	768
Gly Thr Val Tyr Ala Asn Tyr Ala Val Asp Lys Ala Asp Leu Leu Ile	
245 250 255	
gca ttt ggt gtg cgg ttt gat gat cgt gtg act ggg aaa atc gag gct	816
Ala Phe Gly Val Arg Phe Asp Asp Arg Val Thr Gly Lys Ile Glu Ala	
260 265 270	
ttt gca agc agg tcc aag att gng cac att gac att gac cca gct gag	864
Phe Ala Ser Arg Ser Lys Ile Glu His Ile Asp Ile Asp Pro Ala Glu	
275 280 285	
att ggc aag aac aag cag cca cat gtc tcc att tgt gca gat gtt aan	912
Ile Gly Lys Asn Lys Gln Pro His Val Ser Ile Cys Ala Asp Val Lys	
290 295 300	
ctt gct tta cag ggg ttg aat gat cta tta aat ggg agc aaa gca caa	960
Leu Ala Leu Gln Gly Leu Asn Asp Leu Leu Asn Gly Ser Lys Ala Gln	
305 310 315 320	
cag ggt ctg gat ttt ggt cca tgg cac aag gag ttg gat cag can aan	1008
Gln Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Thr Lys	
325 330 335	
agg gag ttt cct cta gga ttc aag act ttt ggc gag gcc atc ccg ccg	1056
Arg Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro	
340 345 350	
caa tat gct atc cag gta ctg gat gag ctg aca aaa ggg gag gcg atc	1104
Gln Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile	
355 360 365	
att gcc act ggt gtt ggg cag cac cag atg tgg gcg gct cag tat tac	1152
Ile Ala Thr Gly Val Gly Gln His Gln Met Trp Ala Ala Gln Tyr Tyr	
370 375 380	
act tac aag cgg cca cgg cag tgg ctg tct tcg tct ggt ttg ggg gca	1200
Thr Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala	
385 390 395 400	
atg gga ttt ggg tta cca gct gca gct ggc gct gct gtg gcc aac cca	1248
Met Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro	
405 410 415	
ggt gtt aca gtt gtt gac att gat ggt gat ggt agt ttc ctc atg aac	1296
Gly Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn	
420 425 430	
att cag gag ttg gcg ttg atc cgc att gag aac ctc cca gtg aag gtg	1344
Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val	
435 440 445	
atg ata ttg aac aac cag cat ctg gga atg gtg gtg cag tgg gag gat	1392
Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp	
450 455 460	

41/69

```

agg ttt tac aag gcc aat cgg gcg cac aca tac ctt ggc aac cca gaa 1440
Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu
465                      470                      475                      480

aat gag agt gag ata tat cca gat ttt gtg acg att gct aaa gga ttc 1488
Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe
                      485                      490                      495

aac gtt cca gca gtt cga gtg acg aag aag agc gaa gtc act gca gca 1536
Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala
                      500                      505                      510

atc aag aag atg ctt gag acc cca ggg cca tac ttg ttg gat atc ata 1584
Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile
                      515                      520                      525

gtc ccg cat cag gag cac gtg ctg cct atg atc cca aac ggt ggt gct 1632
Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Asn Gly Gly Ala
                      530                      535                      540

ttc aag gac atg atc atg gag ggt gat ggc agg acc tcg tac tga 1677
Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser Tyr
545                      550                      555

```

<210> 24

<211> 558

<212> PRT

<213> Triticum aestivum

<400> 24

```

Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln
  1                      5                      10                      15

Ala Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu
                20                      25                      30

Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg
                35                      40                      45

Val Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val
  50                      55                      60

Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile
  65                      70                      75                      80

Thr Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu
                85                      90                      95

Thr Pro Ile Val Glu Val Thr Arg Ser Ile Thr Lys His Asn Tyr Leu
                100                      105                      110

Val Leu Asp Val Glu Asp Ile Pro Arg Val Ile Gln Glu Ala Phe Phe
                115                      120                      125

Leu Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys
  130                      135                      140

```

42/69

Asp	Ile	Gln	Gln	Gln	Met	Ala	Val	Pro	Val	Trp	Asp	Thr	Pro	Met	Ser	145	150	155	160
Leu	Pro	Gly	Tyr	Ile	Ala	Arg	Leu	Pro	Lys	Pro	Pro	Ser	Thr	Glu	Ser	165	170	175	
Leu	Glu	Gln	Val	Leu	Arg	Leu	Val	Gly	Glu	Ser	Arg	Arg	Pro	Ile	Leu	180	185	190	
Tyr	Val	Gly	Gly	Gly	Cys	Ala	Ala	Ser	Gly	Glu	Glu	Leu	Arg	Arg	Phe	195	200	205	
Val	Glu	Leu	Thr	Gly	Ile	Pro	Val	Thr	Thr	Thr	Leu	Met	Gly	Leu	Gly	210	215	220	
Asn	Phe	Pro	Ser	Asp	Asp	Pro	Leu	Ser	Leu	Arg	Met	Leu	Gly	Met	His	225	230	235	240
Gly	Thr	Val	Tyr	Ala	Asn	Tyr	Ala	Val	Asp	Lys	Ala	Asp	Leu	Leu	Ile	245	250	255	
Ala	Phe	Gly	Val	Arg	Phe	Asp	Asp	Arg	Val	Thr	Gly	Lys	Ile	Glu	Ala	260	265	270	
Phe	Ala	Ser	Arg	Ser	Lys	Ile	Glu	His	Ile	Asp	Ile	Asp	Pro	Ala	Glu	275	280	285	
Ile	Gly	Lys	Asn	Lys	Gln	Pro	His	Val	Ser	Ile	Cys	Ala	Asp	Val	Lys	290	295	300	
Leu	Ala	Leu	Gln	Gly	Leu	Asn	Asp	Leu	Leu	Asn	Gly	Ser	Lys	Ala	Gln	305	310	315	320
Gln	Gly	Leu	Asp	Phe	Gly	Pro	Trp	His	Lys	Glu	Leu	Asp	Gln	Thr	Lys	325	330	335	
Arg	Glu	Phe	Pro	Leu	Gly	Phe	Lys	Thr	Phe	Gly	Glu	Ala	Ile	Pro	Pro	340	345	350	
Gln	Tyr	Ala	Ile	Gln	Val	Leu	Asp	Glu	Leu	Thr	Lys	Gly	Glu	Ala	Ile	355	360	365	
Ile	Ala	Thr	Gly	Val	Gly	Gln	His	Gln	Met	Trp	Ala	Ala	Gln	Tyr	Tyr	370	375	380	
Thr	Tyr	Lys	Arg	Pro	Arg	Gln	Trp	Leu	Ser	Ser	Ser	Gly	Leu	Gly	Ala	385	390	395	400
Met	Gly	Phe	Gly	Leu	Pro	Ala	Ala	Ala	Gly	Ala	Ala	Val	Ala	Asn	Pro	405	410	415	
Gly	Val	Thr	Val	Val	Asp	Ile	Asp	Gly	Asp	Gly	Ser	Phe	Leu	Met	Asn	420	425	430	
Ile	Gln	Glu	Leu	Ala	Leu	Ile	Arg	Ile	Glu	Asn	Leu	Pro	Val	Lys	Val	435	440	445	

43/69

Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp
 450 455 460

Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu
 465 470 475 480

Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe
 485 490 495

Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala
 500 505 510

Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile
 515 520 525

Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Asn Gly Gly Ala
 530 535 540

Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser Tyr
 545 550 555

<210> 25
 <211> 1674
 <212> DNA
 <213> Triticum aestivum

<220>
 <221> CDS
 <222> (1)..(1671)
 <220>
 <221> modified_base
 <222> (681)
 <223> unknown nucleotide

<220>
 <221> modified_base
 <222> (766)
 <223> unknown nucleotide

<400> 25
 gtc gac gtc ttc gcc tac cct ggc ggc gcg tcc atg gag atc cac cag 48
 Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln
 1 5 10 15

gcg ctg acg cgc tcg cca gtc atc acc aac cac ctc ttc cgc cac gag 96
 Ala Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu
 20 25 30

cag ggg gag gcg ttc gcg gcg tcc ggg tac gcc cgc gcg tcc ggc cgc 144
 Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg
 35 40 45

gtc ggc gtc tgc gtc gcc acc tcc ggc ccg ggg gcc acc aac ctc gtc 192
 Val Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val
 50 55 60

44/69

tcc gcg ctc gcc gac gct ctc ctc gac tcc atc ccc atg gtc gcc atc	240
Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile	
65 70 75 80	
acg ggc cag gtc ccc cgc cgc atg atc ggc acg gat gcg ttc cag gag	288
Thr Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu	
85 90 95	
acg ccc atc gtg gag gtc acg cgc tcc atc acc aag cac aac tac ctg	336
Thr Pro Ile Val Glu Val Thr Arg Ser Ile Thr Lys His Asn Tyr Leu	
100 105 110	
gtc ctt gac gtg gag gat atc ccc cgc gtc atc cag gaa gcc ttc ttc	384
Val Leu Asp Val Glu Asp Ile Pro Arg Val Ile Gln Glu Ala Phe Phe	
115 120 125	
ctc gca tcc tct ggc cgc ccg ggg ccg gtg ctg gtt gat atc ccc aag	432
Leu Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys	
130 135 140	
gac atc cag cag cag atg gct gtg cct gtc tgg gac acg ccg atg agt	480
Asp Ile Gln Gln Gln Met Ala Val Pro Val Trp Asp Thr Pro Met Ser	
145 150 155 160	
ttg cca ggg tac atc gcc cgc ctg ccc aag cca cca tct act gaa tcg	528
Leu Pro Gly Tyr Ile Ala Arg Leu Pro Lys Pro Pro Ser Thr Glu Ser	
165 170 175	
ctt gag cag gtc ctg cgt ctg gtt ggc gag tca cgg cgc cca att ctg	576
Leu Glu Gln Val Leu Arg Leu Val Gly Glu Ser Arg Arg Pro Ile Leu	
180 185 190	
tat gtt ggt ggt ggc tgc gct gca tct ggt gag gag ttg cgc cgc ttt	624
Tyr Val Gly Gly Gly Cys Ala Ala Ser Gly Glu Glu Leu Arg Arg Phe	
195 200 205	
gtt gag ctc act ggg att cca gtt aca act act ctt atg ggc ctt ggc	672
Val Glu Leu Thr Gly Ile Pro Val Thr Thr Thr Leu Met Gly Leu Gly	
210 215 220	
aac ttc ccn agt gac gac cca ctg tct ctg cgc atg ctg ggg atg cat	720
Asn Phe Pro Ser Asp Asp Pro Leu Ser Leu Arg Met Leu Gly Met His	
225 230 235 240	
ggc act gtg tat gca aat tat gca gta gat aag gct gac ctg ttg ntt	768
Gly Thr Val Tyr Ala Asn Tyr Ala Val Asp Lys Ala Asp Leu Leu Ile	
245 250 255	
gca ttt ggt gtg cgg ttt gat gat cgt gtg acc ggg aaa atc gag gct	816
Ala Phe Gly Val Arg Phe Asp Asp Arg Val Thr Gly Lys Ile Glu Ala	
260 265 270	
ttt gca agc agg tcc aag att gtg cac att gac att gac cca gct gag	864
Phe Ala Ser Arg Ser Lys Ile Val His Ile Asp Ile Asp Pro Ala Glu	
275 280 285	

45/69

att ggc aag aac aag cag cca cat gtc tcc att tgt gca gat gtt aag	912
Ile Gly Lys Asn Lys Gln Pro His Val Ser Ile Cys Ala Asp Val Lys	
290 295 300	
ctt gct tta cag ggg ttg aat gct cta tta aat ggg agc aaa gca caa	960
Leu Ala Leu Gln Gly Leu Asn Ala Leu Leu Asn Gly Ser Lys Ala Gln	
305 310 315 320	
cag ggt ctg gat ttt ggt cca tgg cac aag gag ttg gat cag cag aag	1008
Gln Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Gln Lys	
325 330 335	
agg gag ttt cct cta gga ttc aag act ttt ggt gag gcc atc ccg ccg	1056
Arg Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro	
340 345 350	
caa tat gct atc cag gta ctg gat gag ctg aca aaa ggg gag gcg atc	1104
Gln Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile	
355 360 365	
att gcc acc ggt gtt ggg cag cat cag atg tgg gcg gct cag tat tac	1152
Ile Ala Thr Gly Val Gly Gln His Gln Met Trp Ala Ala Gln Tyr Tyr	
370 375 380	
act tac aag cgg cca cgg cag tgg ctg tct tca tcc ggt ttg ggt gca	1200
Thr Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala	
385 390 395 400	
atg gga ttt ggg ttg cca gct gca gct ggc gct gct gtg gcc aac cca	1248
Met Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro	
405 410 415	
ggg gtt aca gtt gtt gac att gat ggg gat ggt agt ttc ctc atg aac	1296
Gly Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn	
420 425 430	
att cag gag ttg gcg ttg atc cgt att gag aac ctc cca gtg aag gtg	1344
Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val	
435 440 445	
atg ata ttg aac aac cag cat ctg gga atg gtg gtg cag tgg gag gat	1392
Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp	
450 455 460	
agg ttt tac aag gcc aac cgg gcg cac aca tac ctt ggc aac cca gaa	1440
Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu	
465 470 475 480	
aat gag agt gag ata tat cca gat ttt gtg acg att gct aaa gga ttc	1488
Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe	
485 490 495	
aac gtt ccg gca gtt cgt gtg acg aag aag agc gaa gtc act gca gca	1536
Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala	
500 505 510	

ttt aag gac atg atc atg gag ggt gat ggc agg acc tcg tac 1674
Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser
545 550 555

```
<210> 26
<211> 557
<212> PRT
<213> Triticum aestivum
```

```

<400> 26
Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln
  1          5          10          15
Ala Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu
          20          25          30
Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg
          35          40          45
Val Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val
          50          55          60
Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile
  65          70          75          80
Thr Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu
          85          90          95
Thr Pro Ile Val Glu Val Thr Arg Ser Ile Thr Lys His Asn Tyr Leu
          100          105          110
Val Leu Asp Val Glu Asp Ile Pro Arg Val Ile Gln Glu Ala Phe Phe
          115          120          125
Leu Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys
          130          135          140
Asp Ile Gln Gln Gln Met Ala Val Pro Val Trp Asp Thr Pro Met Ser
  145          150          155          160
Leu Pro Gly Tyr Ile Ala Arg Leu Pro Lys Pro Pro Ser Thr Glu Ser
          165          170          175
Leu Glu Gln Val Leu Arg Leu Val Gly Glu Ser Arg Arg Pro Ile Leu
          180          185          190
Tyr Val Gly Gly Gly Cys Ala Ala Ser Gly Glu Glu Leu Arg Arg Phe
          195          200          205

```

Val 210	Glu	Leu	Thr	Gly	Ile	Pro 215	Val	Thr	Thr	Thr	Leu 220	Met	Gly	Leu	Gly
Asn 225	Phe	Pro	Ser	Asp	Asp 230	Pro	Leu	Ser	Leu	Arg 235	Met	Leu	Gly	Met	His 240
Gly	Thr	Val	Tyr	Ala 245	Asn	Tyr	Ala	Val	Asp 250	Lys	Ala	Asp	Leu	Leu 255	Ile
Ala	Phe	Gly	Val 260	Arg	Phe	Asp	Asp	Arg 265	Val	Thr	Gly	Lys	Ile 270	Glu	Ala
Phe	Ala	Ser 275	Arg	Ser	Lys	Ile	Val 280	His	Ile	Asp	Ile	Asp 285	Pro	Ala	Glu
Ile	Gly 290	Lys	Asn	Lys	Gln	Pro 295	His	Val	Ser	Ile	Cys 300	Ala	Asp	Val	Lys
Leu 305	Ala	Leu	Gln	Gly	Leu 310	Asn	Ala	Leu	Leu	Asn 315	Gly	Ser	Lys	Ala	Gln 320
Gln	Gly	Leu	Asp	Phe 325	Gly	Pro	Trp	His	Lys 330	Glu	Leu	Asp	Gln 335	Gln	Lys
Arg	Glu	Phe	Pro 340	Leu	Gly	Phe	Lys	Thr 345	Phe	Gly	Glu	Ala	Ile 350	Pro	Pro
Gln	Tyr 355	Ala	Ile	Gln	Val	Leu	Asp 360	Glu	Leu	Thr	Lys	Gly 365	Glu	Ala	Ile
Ile 370	Ala	Thr	Gly	Val	Gly	Gln 375	His	Gln	Met	Trp	Ala 380	Ala	Gln	Tyr	Tyr
Thr 385	Tyr	Lys	Arg	Pro	Arg 390	Gln	Trp	Leu	Ser	Ser 395	Ser	Gly	Leu	Gly	Ala 400
Met	Gly	Phe	Gly	Leu 405	Pro	Ala	Ala	Ala	Gly 410	Ala	Ala	Val	Ala	Asn 415	Pro
Gly	Val	Thr	Val 420	Val	Asp	Ile	Asp	Gly 425	Asp	Gly	Ser	Phe	Leu 430	Met	Asn
Ile	Gln 435	Glu	Leu	Ala	Leu	Ile	Arg 440	Ile	Glu	Asn	Leu	Pro 445	Val	Lys	Val
Met 450	Ile	Leu	Asn	Asn	Gln	His 455	Leu	Gly	Met	Val	Val 460	Gln	Trp	Glu	Asp
Arg 465	Phe	Tyr	Lys	Ala	Asn 470	Arg	Ala	His	Thr	Tyr 475	Leu	Gly	Asn	Pro	Glu 480
Asn	Glu	Ser	Glu	Ile 485	Tyr	Pro	Asp	Phe	Val 490	Thr	Ile	Ala	Lys	Gly 495	Phe
Asn	Val	Pro	Ala 500	Val	Arg	Val	Thr	Lys 505	Lys	Ser	Glu	Val	Thr 510	Ala	Ala

Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile
515 520 525

Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser
545 550 555

```
<210> 27
<211> 1674
<212> DNA
<213> Triticum aestivum
```

```
<220>
<221> CDS
<222> (1)..(1671)
```

```
<220>
<221> modified_base
<222> (644)
<223> unknown nucleotide
```

<400> 27																
gtc	gac	gtc	ttc	gcc	tac	cct	ggc	ggc	gcg	tcc	atg	gag	atc	cac	cag	48
Val	Asp	Val	Phe	Ala	Tyr	Pro	Gly	Gly	Ala	Ser	Met	Glu	Ile	His	Gln	
1				5					10					15		
gcg	ctg	acg	cgc	tcg	cca	gtc	atc	acc	aac	cac	ctc	ttc	cgc	cac	gag	96
Ala	Leu	Thr	Arg	Ser	Pro	Val	Ile	Thr	Asn	His	Leu	Phe	Arg	His	Glu	
			20					25					30			
cag	ggg	gag	gcg	ttc	gcg	gcg	tcc	ggg	tac	gcc	cgc	gcg	tcc	ggc	cgc	144
Gln	Gly	Glu	Ala	Phe	Ala	Ala	Ser	Gly	Tyr	Ala	Arg	Ala	Ser	Gly	Arg	
		35					40					45				
gtc	ggc	gtc	tgc	gtc	gcc	acc	tcc	ggc	ccg	ggg	gcc	acc	aac	ctc	gtc	192
Val	Gly	Val	Cys	Val	Ala	Thr	Ser	Gly	Pro	Gly	Ala	Thr	Asn	Leu	Val	
	50					55					60					
tcc	gcg	ctc	gcc	gac	gct	ctc	ctc	gac	tcc	atc	ccc	atg	gtc	gcc	atc	240
Ser	Ala	Leu	Ala	Asp	Ala	Leu	Leu	Asp	Ser	Ile	Pro	Met	Val	Ala	Ile	
65					70					75					80	
acg	ggc	cag	gtc	ccc	cgc	cgc	atg	atc	ggc	acg	gat	gcg	ttc	cag	gag	288
Thr	Gly	Gln	Val	Pro	Arg	Arg	Met	Ile	Gly	Thr	Asp	Ala	Phe	Gln	Glu	
				85					90					95		
acg	ccc	atc	gtg	gag	gtc	acg	cgc	tcc	atc	acc	aag	cac	aac	tac	ctg	336
Thr	Pro	Ile	Val	Glu	Val	Thr	Arg	Ser	Ile	Thr	Lys	His	Asn	Tyr	Leu	
			100					105					110			
gtc	ctt	gac	gtg	gag	gat	atc	ccc	cgc	gtc	atc	cag	gaa	gcc	ttc	ttc	384
Val	Leu	Asp	Val	Glu	Asp	Ile	Pro	Arg	Val	Ile	Gln	Glu	Ala	Phe	Phe	
		115					120					125				

49/69

ctc gca tcc tct ggc cgc ccg ggg ccg gtg ctg gtt gat atc ccc aag	432
Leu Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys	
130 135 140	
gac atc cag cag cag atg gct gtg cct gtc tgg gac acg ccg atg agt	480
Asp Ile Gln Gln Gln Met Ala Val Pro Val Trp Asp Thr Pro Met Ser	
145 150 155 160	
ttg cca ggg tac atc gcc cgc ctg ccc aag cca cca tct act gaa tcg	528
Leu Pro Gly Tyr Ile Ala Arg Leu Pro Lys Pro Pro Ser Thr Glu Ser	
165 170 175	
ctt gag cag gtc ctg cgt ctg gtt ggc gag tca cgg cgc cca att ctg	576
Leu Glu Gln Val Leu Arg Leu Val Gly Glu Ser Arg Arg Pro Ile Leu	
180 185 190	
tat gtt ggt ggt ggc tgc gct gca tct ggt gag gag ttg cgc cgc ttt	624
Tyr Val Gly Gly Gly Cys Ala Ala Ser Gly Glu Glu Leu Arg Arg Phe	
195 200 205	
gtt gag ctg act ggg att cna gtt aca act act ctt atg ggc ctt ggc	672
Val Glu Leu Thr Gly Ile Xaa Val Thr Thr Thr Leu Met Gly Leu Gly	
210 215 220	
aac ttc ccc agt gac gac cca ctg tct ctg cgc atg ctg ggg atg cat	720
Asn Phe Pro Ser Asp Asp Pro Leu Ser Leu Arg Met Leu Gly Met His	
225 230 235 240	
ggc act gtg tat gca aat tat gca gta gat aag gct gac ctg ttg ctt	768
Gly Thr Val Tyr Ala Asn Tyr Ala Val Asp Lys Ala Asp Leu Leu Leu	
245 250 255	
gca ttt ggt gtg cgg ttt gat gat cgt gtg acc ggg aaa atc gag gct	816
Ala Phe Gly Val Arg Phe Asp Asp Arg Val Thr Gly Lys Ile Glu Ala	
260 265 270	
ttt gca agc agg tcc aag att gtg cac att gac att gac cca gct gag	864
Phe Ala Ser Arg Ser Lys Ile Val His Ile Asp Ile Asp Pro Ala Glu	
275 280 285	
att ggc aag aac aag cag cca cat gtc tcc att tgt gca gat gtt aag	912
Ile Gly Lys Asn Lys Gln Pro His Val Ser Ile Cys Ala Asp Val Lys	
290 295 300	
ctt gct tta cag ggg ttg aat gct cta tta aat ggg agc aaa gca caa	960
Leu Ala Leu Gln Gly Leu Asn Ala Leu Leu Asn Gly Ser Lys Ala Gln	
305 310 315 320	
cag ggt ctg gat ttt ggt cca tgg cac aag gag ttg gat cag cag aag	1008
Gln Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Gln Lys	
325 330 335	
agg gag ttt cct cta gga ttc aag act ttt ggt gag gcc atc ccg ccg	1056
Arg Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro	
340 345 350	

50/69

caa tat gct atc cag gta ctg gat gag ctg aca aaa ggg gag gcg atc	1104
Gln Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile	
355 360 365	
att gcc acc ggt gtt ggg cag cat cag atg tgg gcg gct cag tat tac	1152
Ile Ala Thr Gly Val Gly Gln His Gln Met Trp Ala Ala Gln Tyr Tyr	
370 375 380	
act tac aag cgg cca cgg cag tgg ctg tct tca tcc ggt ttg ggt gca	1200
Thr Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala	
385 390 395 400	
atg gga ttt ggg ttg cca gct gca gct ggc gct gct gtg gcc aac cca	1248
Met Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro	
405 410 415	
ggg gtt aca gtt gtt gac att gat ggg gat ggt agt ttc ctc atg aac	1296
Gly Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn	
420 425 430	
att cag gag ttg gcg ttg atc cgt att gag aac ctc cca gtg aag gtg	1344
Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val	
435 440 445	
atg ata ttg aac aac cag cat ctg gga atg gtg gtg cag tgg gag gat	1392
Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp	
450 455 460	
agg ttt tac aag gcc aac cgg gcg cac aca tac ctt ggc aac cca gaa	1440
Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu	
465 470 475 480	
aat gag agt gag ata tat cca gat ttt gtg acg att gct aaa gga ttc	1488
Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe	
485 490 495	
aac gtt ccg gca gtt cgt gtg acg aag aag agc gaa gtc act gca gca	1536
Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala	
500 505 510	
atc aag aag atg ctt gag acc cca ggg cca tac ttg ttg gat atc att	1584
Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile	
515 520 525	
gtc ccg cat cag gag cac gtg ctg cct atg atc cca agc ggt ggt gct	1632
Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Ser Gly Gly Ala	
530 535 540	
ttt aag gac atg atc atg gag ggt gat ggc agg acc tcg tac	1674
Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser	
545 550 555	

<210> 28

<211> 557

<212> PRT

<213> Triticum aestivum

51/69

<220>

<221> MOD_RES

<222> (215)

<223> unknown amino acid

<400> 28

Val	Asp	Val	Phe	Ala	Tyr	Pro	Gly	Gly	Ala	Ser	Met	Glu	Ile	His	Gln
1				5					10					15	

Ala	Leu	Thr	Arg	Ser	Pro	Val	Ile	Thr	Asn	His	Leu	Phe	Arg	His	Glu
			20					25					30		

Gln	Gly	Glu	Ala	Phe	Ala	Ala	Ser	Gly	Tyr	Ala	Arg	Ala	Ser	Gly	Arg
		35					40					45			

Val	Gly	Val	Cys	Val	Ala	Thr	Ser	Gly	Pro	Gly	Ala	Thr	Asn	Leu	Val
	50					55					60				

Ser	Ala	Leu	Ala	Asp	Ala	Leu	Leu	Asp	Ser	Ile	Pro	Met	Val	Ala	Ile
65					70					75					80

Thr	Gly	Gln	Val	Pro	Arg	Arg	Met	Ile	Gly	Thr	Asp	Ala	Phe	Gln	Glu
				85					90					95	

Thr	Pro	Ile	Val	Glu	Val	Thr	Arg	Ser	Ile	Thr	Lys	His	Asn	Tyr	Leu
			100					105					110		

Val	Leu	Asp	Val	Glu	Asp	Ile	Pro	Arg	Val	Ile	Gln	Glu	Ala	Phe	Phe
		115					120					125			

Leu	Ala	Ser	Ser	Gly	Arg	Pro	Gly	Pro	Val	Leu	Val	Asp	Ile	Pro	Lys
	130					135					140				

Asp	Ile	Gln	Gln	Gln	Met	Ala	Val	Pro	Val	Trp	Asp	Thr	Pro	Met	Ser
145					150					155					160

Leu	Pro	Gly	Tyr	Ile	Ala	Arg	Leu	Pro	Lys	Pro	Pro	Ser	Thr	Glu	Ser
				165					170					175	

Leu	Glu	Gln	Val	Leu	Arg	Leu	Val	Gly	Glu	Ser	Arg	Arg	Pro	Ile	Leu
			180					185					190		

Tyr	Val	Gly	Gly	Gly	Cys	Ala	Ala	Ser	Gly	Glu	Glu	Leu	Arg	Arg	Phe
		195					200						205		

Val	Glu	Leu	Thr	Gly	Ile	Xaa	Val	Thr	Thr	Thr	Leu	Met	Gly	Leu	Gly
	210					215					220				

Asn	Phe	Pro	Ser	Asp	Asp	Pro	Leu	Ser	Leu	Arg	Met	Leu	Gly	Met	His
225					230					235					240

Gly	Thr	Val	Tyr	Ala	Asn	Tyr	Ala	Val	Asp	Lys	Ala	Asp	Leu	Leu	Leu
				245					250				255		

Ala	Phe	Gly	Val	Arg	Phe	Asp	Asp	Arg	Val	Thr	Gly	Lys	Ile	Glu	Ala
			260					265					270		

52/69

Phe Ala Ser Arg Ser Lys Ile Val His Ile Asp Ile Asp Pro Ala Glu
 275 280 285
 Ile Gly Lys Asn Lys Gln Pro His Val Ser Ile Cys Ala Asp Val Lys
 290 295 300
 Leu Ala Leu Gln Gly Leu Asn Ala Leu Leu Asn Gly Ser Lys Ala Gln
 305 310 315 320
 Gln Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Gln Lys
 325 330 335
 Arg Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro
 340 345 350
 Gln Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile
 355 360 365
 Ile Ala Thr Gly Val Gly Gln His Gln Met Trp Ala Ala Gln Tyr Tyr
 370 375 380
 Thr Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala
 385 390 395 400
 Met Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro
 405 410 415
 Gly Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn
 420 425 430
 Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val
 435 440 445
 Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp
 450 455 460
 Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu
 465 470 475 480
 Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe
 485 490 495
 Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala
 500 505 510
 Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile
 515 520 525
 Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Ser Gly Gly Ala
 530 535 540
 Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser
 545 550 555

<210> 29

<211> 1674

53/69

<212> DNA
<213> Triticum aestivum

<220>
<221> CDS
<222> (1) .. (1671)

<220>
<221> modified_base
<222> (782)
<223> unknown nucleotide

<220>
<221> modified_base
<222> (800)
<223> unknown nucleotide

<220>
<221> modified_base
<222> (813)
<223> unknown nucleotide

<220>
<221> modified_base
<222> (839)
<223> unknown nucleotide

<220>
<221> modified_base
<222> (887)
<223> unknown nucleotide

<220>
<221> modified_base
<222> (912)
<223> unknown nucleotide

<220>
<221> modified_base
<222> (936)
<223> unknown nucleotide

<220>
<221> modified_base
<222> (966)
<223> unknown nucleotide

<220>
<221> modified_base
<222> (986)
<223> unknown nucleotide

<220>
<221> modified_base
<222> (1010)
<223> unknown nucleotide

54/69

<220>
 <221> modified_base
 <222> (1032)
 <223> unknown nucleotide

<220>
 <221> modified_base
 <222> (1042)
 <223> unknown nucleotide

<220>
 <221> modified_base
 <222> (1045)
 <223> unknown nucleotide

<220>
 <221> modified_base
 <222> (1116)
 <223> unknown nucleotide

<220>
 <221> modified_base
 <222> (1131)
 <223> unknown nucleotide

<220>
 <221> modified_base
 <222> (1167)
 <223> unknown nucleotide

<220>
 <221> modified_base
 <222> (1236)
 <223> unknown nucleotide

<400> 29
 gtc gac gtc ttc gcc tac cct ggc ggc gcg tcc atg gag atc cac cag 48
 Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln
 1 5 10 15
 gcg ctg acg cgc tcg cca gtc atc acc aac cac ctc ttc cgc cac gag 96
 Ala Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu
 20 25 30
 cag ggg gag gcg ttc gcg gcg tcc ggg tac gcc cgc gcg tcc ggc cgc 144
 Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg
 35 40 45
 gtc ggc gtc tgc gtc gcc acc tcc ggc ccg ggg gcc acc aac ctc gtc 192
 Val Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val
 50 55 60
 tcc gcg ctc gcc gac gct ctc ctc gac tcc atc ccc atg gtc gcc atc 240
 Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile
 65 70 75 80

55/69

acg ggc cag gtc ccc cgc cgc atg atc ggc acg gat gcg ttc cag gag	288
Thr Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu	
85 90 95	
acg ccc atc gtg gag gtc acg cgc tcc atc acc aag cac aac tac ctg	336
Thr Pro Ile Val Glu Val Thr Arg Ser Ile Thr Lys His Asn Tyr Leu	
100 105 110	
gtc ctt gac gtg gag gat atc ccc cgc gtc atc cag gaa gcc ttc ttc	384
Val Leu Asp Val Glu Asp Ile Pro Arg Val Ile Gln Glu Ala Phe Phe	
115 120 125	
ctc gca tcc tct ggc cgc ccg ggg ccg gtg ctg gtt gat atc ccc aag	432
Leu Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys	
130 135 140	
gac atc cag cag cag atg gct gtg cct gtc tgg gac acg ccg atg agt	480
Asp Ile Gln Gln Gln Met Ala Val Pro Val Trp Asp Thr Pro Met Ser	
145 150 155 160	
ttg cca ggg tac atc gcc cgc ctg ccc aag cca cca tct act gaa tcg	528
Leu Pro Gly Tyr Ile Ala Arg Leu Pro Lys Pro Pro Ser Thr Glu Ser	
165 170 175	
ctt gag cag gtc ctg cgt ctg gtt ggc gag tca cgg cgc cca att ctg	576
Leu Glu Gln Val Leu Arg Leu Val Gly Glu Ser Arg Arg Pro Ile Leu	
180 185 190	
tat gtt ggt ggt ggc tgc gct gca tct ggt gag gag ttg cgc cgc ttt	624
Tyr Val Gly Gly Gly Cys Ala Ala Ser Gly Glu Glu Leu Arg Arg Phe	
195 200 205	
gtt gag ctc act ggg att cca gtt aca act act ctt atg ggc ctt ggc	672
Val Glu Leu Thr Gly Ile Pro Val Thr Thr Thr Leu Met Gly Leu Gly	
210 215 220	
aac ttc ccc agt gac gac cca ctg tct ctg cgc atg ctg ggg atg cat	720
Asn Phe Pro Ser Asp Asp Pro Leu Ser Leu Arg Met Leu Gly Met His	
225 230 235 240	
ggc act gtg tat gca aat tat gca gta gat aag gct gac ctg ttg ctt	768
Gly Thr Val Tyr Ala Asn Tyr Ala Val Asp Lys Ala Asp Leu Leu Leu	
245 250 255	
gca ttt ggt gtg cng gtt gat gat cgt gtg anc ggg aaa atc gan gct	816
Ala Phe Gly Val Gln Val Asp Asp Arg Val Asn Gly Lys Ile Glu Ala	
260 265 270	
ttt gca agc agg tcc aag att gng cac att gac att gac cca gct gag	864
Phe Ala Ser Arg Ser Lys Ile Glu His Ile Asp Ile Asp Pro Ala Glu	
275 280 285	
att ggc aag aac aag cag cca cnt gtc tcc att tgt gca gat gtt aan	912
Ile Gly Lys Asn Lys Gln Pro His Val Ser Ile Cys Ala Asp Val Xaa	
290 295 300	

56/69

ctt gct tta cag ggg ttg aat gcn cta tta aat ggg agc aaa gca caa	960
Leu Ala Leu Gln Gly Leu Asn Ala Leu Leu Asn Gly Ser Lys Ala Gln	
305 310 315 320	
cag ggn ctg gat ttt ggt cca tgg cnc aag gag ttg gat cag caa aag	1008
Gln Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Gln Lys	
325 330 335	
ang gag ttt cct cta gga ttc aan act ttt ggn gan gcc atc ccg ccg	1056
Lys Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro	
340 345 350	
cca tat gct atc cag gta ctg gat gag ctg aca aaa ggg gag gcg atc	1104
Pro Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile	
355 360 365	
att gcc acc ggn gtt ggg cag cat can atg tgg gcg gct cag tat tac	1152
Ile Ala Thr Xaa Val Gly Gln His Thr Met Trp Ala Ala Gln Tyr Tyr	
370 375 380	
act tac aag cgg ccn cgg cag tgg ctg tct tca tcc ggt ttg ggt gca	1200
Thr Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala	
385 390 395 400	
atg gga ttt ggg ttg cca gct gca gct ggc ggc nct gtg gcc aac cca	1248
Met Gly Phe Gly Leu Pro Ala Ala Ala Gly Gly Xaa Val Ala Asn Pro	
405 410 415	
ggg gtt aca gtt gtt gac att gat ggg gat ggt agt ttc ctc atg aac	1296
Gly Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn	
420 425 430	
att cag gag ttg gcg ttg atc cgt att gag aac ctc cca gtg aag gtg	1344
Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val	
435 440 445	
atg ata ttg aac aac cag cat ctg gga atg gtg gtg cag tgg gag gat	1392
Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp	
450 455 460	
agg ttt tac aag gcc aac cgg gcg cac aca tac ctt ggc aac cca gaa	1440
Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu	
465 470 475 480	
aat gag agt gag ata tat cca gat ttt gtg acg att gct aaa gga ttc	1488
Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe	
485 490 495	
aac gtt ccg gca gtt cgt gtg acg aag aag agc gaa gtc act gca gca	1536
Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala	
500 505 510	
atc aag aag atg ctt gag acc cca ggg cca tac ttg ttg gat atc att	1584
Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile	
515 520 525	

57/69

gtc ccg cat cag gag cac gtg ctg cct atg atc cca agc ggt ggt gct 1632
 Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Ser Gly Gly Ala
 530 535 540

ttt aag gac atg atc atg gag ggt gat ggc agg acc tcg tac 1674
 Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser
 545 550 555

<210> 30
 <211> 557
 <212> PRT
 <213> Triticum aestivum

<220>
 <221> MOD_RES
 <222> (412)
 <223> unknown amino acid

<400> 30
 Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln
 1 5 10 15

Ala Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu
 20 25 30

Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg
 35 40 45

Val Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val
 50 55 60

Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile
 65 70 75 80

Thr Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu
 85 90 95

Thr Pro Ile Val Glu Val Thr Arg Ser Ile Thr Lys His Asn Tyr Leu
 100 105 110

Val Leu Asp Val Glu Asp Ile Pro Arg Val Ile Gln Glu Ala Phe Phe
 115 120 125

Leu Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys
 130 135 140

Asp Ile Gln Gln Gln Met Ala Val Pro Val Trp Asp Thr Pro Met Ser
 145 150 155 160

Leu Pro Gly Tyr Ile Ala Arg Leu Pro Lys Pro Pro Ser Thr Glu Ser
 165 170 175

Leu Glu Gln Val Leu Arg Leu Val Gly Glu Ser Arg Arg Pro Ile Leu
 180 185 190

Tyr Val Gly Gly Gly Cys Ala Ala Ser Gly Glu Glu Leu Arg Arg Phe
 195 200 205

58/69

Val	Glu	Leu	Thr	Gly	Ile	Pro	Val	Thr	Thr	Thr	Leu	Met	Gly	Leu	Gly	210	215	220	
Asn	Phe	Pro	Ser	Asp	Asp	Pro	Leu	Ser	Leu	Arg	Met	Leu	Gly	Met	His	225	230	235	240
Gly	Thr	Val	Tyr	Ala	Asn	Tyr	Ala	Val	Asp	Lys	Ala	Asp	Leu	Leu	Leu	245	250	255	
Ala	Phe	Gly	Val	Gln	Val	Asp	Asp	Arg	Val	Asn	Gly	Lys	Ile	Glu	Ala	260	265	270	
Phe	Ala	Ser	Arg	Ser	Lys	Ile	Glu	His	Ile	Asp	Ile	Asp	Pro	Ala	Glu	275	280	285	
Ile	Gly	Lys	Asn	Lys	Gln	Pro	His	Val	Ser	Ile	Cys	Ala	Asp	Val	Lys	290	295	300	
Leu	Ala	Leu	Gln	Gly	Leu	Asn	Ala	Leu	Leu	Asn	Gly	Ser	Lys	Ala	Gln	305	310	315	320
Gln	Gly	Leu	Asp	Phe	Gly	Pro	Trp	His	Lys	Glu	Leu	Asp	Gln	Gln	Lys	325	330	335	
Lys	Glu	Phe	Pro	Leu	Gly	Phe	Lys	Thr	Phe	Gly	Glu	Ala	Ile	Pro	Pro	340	345	350	
Pro	Tyr	Ala	Ile	Gln	Val	Leu	Asp	Glu	Leu	Thr	Lys	Gly	Glu	Ala	Ile	355	360	365	
Ile	Ala	Thr	Xaa	Val	Gly	Gln	His	Thr	Met	Trp	Ala	Ala	Gln	Tyr	Tyr	370	375	380	
Thr	Tyr	Lys	Arg	Pro	Arg	Gln	Trp	Leu	Ser	Ser	Ser	Gly	Leu	Gly	Ala	385	390	395	400
Met	Gly	Phe	Gly	Leu	Pro	Ala	Ala	Ala	Gly	Gly	Xaa	Val	Ala	Asn	Pro	405	410	415	
Gly	Val	Thr	Val	Val	Asp	Ile	Asp	Gly	Asp	Gly	Ser	Phe	Leu	Met	Asn	420	425	430	
Ile	Gln	Glu	Leu	Ala	Leu	Ile	Arg	Ile	Glu	Asn	Leu	Pro	Val	Lys	Val	435	440	445	
Met	Ile	Leu	Asn	Asn	Gln	His	Leu	Gly	Met	Val	Val	Gln	Trp	Glu	Asp	450	455	460	
Arg	Phe	Tyr	Lys	Ala	Asn	Arg	Ala	His	Thr	Tyr	Leu	Gly	Asn	Pro	Glu	465	470	475	480
Asn	Glu	Ser	Glu	Ile	Tyr	Pro	Asp	Phe	Val	Thr	Ile	Ala	Lys	Gly	Phe	485	490	495	
Asn	Val	Pro	Ala	Val	Arg	Val	Thr	Lys	Lys	Ser	Glu	Val	Thr	Ala	Ala	500	505	510	

<400> 31																
gtc	gac	gtc	ttc	gcc	tac	cct	ggc	ggc	gcg	tcc	atg	gag	atc	cac	cag	48
Val	Asp	Val	Phe	Ala	Tyr	Pro	Gly	Gly	Ala	Ser	Met	Glu	Ile	His	Gln	
1				5					10					15		
gcg	ctg	acg	cgc	tcg	cca	gtc	atc	acc	aac	cac	ctc	ttc	cgc	cac	gag	96
Ala	Leu	Thr	Arg	Ser	Pro	Val	Ile	Thr	Asn	His	Leu	Phe	Arg	His	Glu	
			20					25					30			
cag	ggg	gag	gcg	ttc	gcg	gcg	tcc	ggg	tac	gcc	cgc	gcg	tcc	ggc	cgc	144
Gln	Gly	Glu	Ala	Phe	Ala	Ala	Ser	Gly	Tyr	Ala	Arg	Ala	Ser	Gly	Arg	
		35					40					45				
gtc	ggc	gtc	tgc	gtc	gcc	acc	tcc	ggc	ccg	ggg	gcc	acc	aac	ctc	gtc	192
Val	Gly	Val	Cys	Val	Ala	Thr	Ser	Gly	Pro	Gly	Ala	Thr	Asn	Leu	Val	
	50					55					60					
tcc	gcg	ctc	gcc	gac	gct	ctc	ctc	gac	tcc	atc	ccc	atg	gtc	gcc	atc	240
Ser	Ala	Leu	Ala	Asp	Ala	Leu	Leu	Asp	Ser	Ile	Pro	Met	Val	Ala	Ile	
65					70					75				80		
acg	ggc	cag	gtc	ccc	cgc	cgc	atg	atc	ggc	acg	gat	gcg	ttc	cag	gag	288
Thr	Gly	Gln	Val	Pro	Arg	Arg	Met	Ile	Gly	Thr	Asp	Ala	Phe	Gln	Glu	
				85					90					95		
acg	ccc	atc	gtg	gag	gtc	acg	cgc	tcc	atc	acc	aag	cac	aac	tac	ctg	336
Thr	Pro	Ile	Val	Glu	Val	Thr	Arg	Ser	Ile	Thr	Lys	His	Asn	Tyr	Leu	
			100					105					110			
gtc	ctt	gac	gtg	gag	gat	atc	ccc	cgc	gtc	atc	cag	gaa	gcc	ttc	ttc	384
Val	Leu	Asp	Val	Glu	Asp	Ile	Pro	Arg	Val	Ile	Gln	Glu	Ala	Phe	Phe	
		115					120					125				
ctc	gca	tcc	tct	ggc	cgc	ccg	ggg	ccg	gtg	ctg	gtt	gat	atc	ccc	aag	432
Leu	Ala	Ser	Ser	Gly	Arg	Pro	Gly	Pro	Val	Leu	Val	Asp	Ile	Pro	Lys	
	130					135					140					

60/69

gac atc cag cag cag atg gct gtg cct gtc tgg gac acg ccg atg agt	480
Asp Ile Gln Gln Gln Met Ala Val Pro Val Trp Asp Thr Pro Met Ser	
145 150 155 160	
ttg cca ggg tac atc gcc cgc ctg ccc aag cca cca tct act gaa tcg	528
Leu Pro Gly Tyr Ile Ala Arg Leu Pro Lys Pro Pro Ser Thr Glu Ser	
165 170 175	
ctt gag cag gtc ctg cgt ctg gtt ggc gag tca cgg cgc cca att ctg	576
Leu Glu Gln Val Leu Arg Leu Val Gly Glu Ser Arg Arg Pro Ile Leu	
180 185 190	
tat gtt ggt ggt ggc tgc gct gca tct ggt gag gag ttg cgc cgc ttt	624
Tyr Val Gly Gly Gly Cys Ala Ala Ser Gly Glu Glu Leu Arg Arg Phe	
195 200 205	
gtt gag ctc act ggg att cca gtt aca act act ctt atg ggc ctt ggc	672
Val Glu Leu Thr Gly Ile Pro Val Thr Thr Thr Leu Met Gly Leu Gly	
210 215 220	
aac ttc ccc agt gac gac cca ctg tct ctg cgc atg ctg ggg atg cat	720
Asn Phe Pro Ser Asp Asp Pro Leu Ser Leu Arg Met Leu Gly Met His	
225 230 235 240	
ggc act gtg tat gca aat tat gca gta gat aag gct gac ctg ttg ctt	768
Gly Thr Val Tyr Ala Asn Tyr Ala Val Asp Lys Ala Asp Leu Leu Leu	
245 250 255	
gca ttt ggt gtg cgg ttt gat gat cgt gtg acc ggg aaa atc gag gct	816
Ala Phe Gly Val Arg Phe Asp Asp Arg Val Thr Gly Lys Ile Glu Ala	
260 265 270	
ttt gca agc agg tcc aag att gtg cac att gac att gac cca gct gag	864
Phe Ala Ser Arg Ser Lys Ile Val His Ile Asp Ile Asp Pro Ala Glu	
275 280 285	
att ggc aag aac aag cag cca cat gtc tcc att tgt gca gat gtt aag	912
Ile Gly Lys Asn Lys Gln Pro His Val Ser Ile Cys Ala Asp Val Lys	
290 295 300	
ctt gct tta cag ggg ttg aat gct cta tta aat ggg agc aaa gca caa	960
Leu Ala Leu Gln Gly Leu Asn Ala Leu Leu Asn Gly Ser Lys Ala Gln	
305 310 315 320	
cag ggt ctg gat ttt ggt cca tgg cac aag gag ttg gat cag cag aag	1008
Gln Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Gln Lys	
325 330 335	
agg gag ttt cct cta gga ttc aag act ttt ggt gag gcc atc ccg ccg	1056
Arg Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro	
340 345 350	
caa tat gct atc cag gta ctg gat gag ctg aca aaa ggg gag gcg atc	1104
Gln Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile	
355 360 365	

61/69

```

att gcc acc ggt gtt ggg cag cat cag atg tgg gcg gct cag tat tac 1152
Ile Ala Thr Gly Val Gly Gln His Gln Met Trp Ala Ala Gln Tyr Tyr
370 375 380

act tac aag cgg cca cgg cag tgg ctg tct tca tcc ggt ttg ggt gca 1200
Thr Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala
385 390 395 400

atg gga ttt ggg ttg cca gct gca gct ggc gct gct gtg gcc aac cca 1248
Met Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro
405 410 415

ggt gtt aca gtt gtt gac att gat ggg gat ggt agt ttc ctc atg aac 1296
Gly Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn
420 425 430

att cag gag ttg gcg ttg atc cgt att gag aac ctc cca gtg aag gtg 1344
Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val
435 440 445

atg ata ttg aac aac cag cat ctg gga atg gtg gtg cag tgg gag gat 1392
Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp
450 455 460

agg ttt tac aag gcc aac cgg gcg cac aca tac ctt ggc aac cca gaa 1440
Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu
465 470 475 480

aat gag agt gag ata tat cca gat ttt gtg acg att gct aaa gga ttc 1488
Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe
485 490 495

aac gtt ccg gca gtt cgt gtg acg aag aag agc gaa gtc act gca gca 1536
Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala
500 505 510

atc aag aag atg ctt gag acc cca ggg cca tac ttg ttg gat atc att 1584
Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile
515 520 525

gtc ccg cat cag gag cac gtg ctg cct atg atc cca aac ggt ggt gct 1632
Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Asn Gly Gly Ala
530 535 540

ttt aag gac atg atc atg gag ggt gat ggc agg acc tcg tac 1674
Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser
545 550 555

```

<210> 32
 <211> 557
 <212> PRT
 <213> Triticum aestivum

<400> 32
 Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln
 1 5 10 15

62/69

Ala	Leu	Thr	Arg	Ser	Pro	Val	Ile	Thr	Asn	His	Leu	Phe	Arg	His	Glu			
			20					25					30					
Gln	Gly	Glu	Ala	Phe	Ala	Ala	Ser	Gly	Tyr	Ala	Arg	Ala	Ser	Gly	Arg			
		35					40					45						
Val	Gly	Val	Cys	Val	Ala	Thr	Ser	Gly	Pro	Gly	Ala	Thr	Asn	Leu	Val			
	50					55					60							
Ser	Ala	Leu	Ala	Asp	Ala	Leu	Leu	Asp	Ser	Ile	Pro	Met	Val	Ala	Ile			
	65				70					75					80			
Thr	Gly	Gln	Val	Pro	Arg	Arg	Met	Ile	Gly	Thr	Asp	Ala	Phe	Gln	Glu			
				85					90					95				
Thr	Pro	Ile	Val	Glu	Val	Thr	Arg	Ser	Ile	Thr	Lys	His	Asn	Tyr	Leu			
			100					105					110					
Val	Leu	Asp	Val	Glu	Asp	Ile	Pro	Arg	Val	Ile	Gln	Glu	Ala	Phe	Phe			
		115					120					125						
Leu	Ala	Ser	Ser	Gly	Arg	Pro	Gly	Pro	Val	Leu	Val	Asp	Ile	Pro	Lys			
	130					135					140							
Asp	Ile	Gln	Gln	Gln	Met	Ala	Val	Pro	Val	Trp	Asp	Thr	Pro	Met	Ser			
	145				150					155					160			
Leu	Pro	Gly	Tyr	Ile	Ala	Arg	Leu	Pro	Lys	Pro	Pro	Ser	Thr	Glu	Ser			
				165					170					175				
Leu	Glu	Gln	Val	Leu	Arg	Leu	Val	Gly	Glu	Ser	Arg	Arg	Pro	Ile	Leu			
			180					185					190					
Tyr	Val	Gly	Gly	Gly	Cys	Ala	Ala	Ser	Gly	Glu	Glu	Leu	Arg	Arg	Phe			
		195					200					205						
Val	Glu	Leu	Thr	Gly	Ile	Pro	Val	Thr	Thr	Thr	Leu	Met	Gly	Leu	Gly			
	210					215					220							
Asn	Phe	Pro	Ser	Asp	Asp	Pro	Leu	Ser	Leu	Arg	Met	Leu	Gly	Met	His			
	225				230					235				240				
Gly	Thr	Val	Tyr	Ala	Asn	Tyr	Ala	Val	Asp	Lys	Ala	Asp	Leu	Leu	Leu			
				245					250				255					
Ala	Phe	Gly	Val	Arg	Phe	Asp	Asp	Arg	Val	Thr	Gly	Lys	Ile	Glu	Ala			
			260					265					270					
Phe	Ala	Ser	Arg	Ser	Lys	Ile	Val	His	Ile	Asp	Ile	Asp	Pro	Ala	Glu			
		275				280						285						
Ile	Gly	Lys	Asn	Lys	Gln	Pro	His	Val	Ser	Ile	Cys	Ala	Asp	Val	Lys			
	290					295					300							
Leu	Ala	Leu	Gln	Gly	Leu	Asn	Ala	Leu	Leu	Asn	Gly	Ser	Lys	Ala	Gln			
	305				310					315					320			

63/69

Gln Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Gln Lys
 325 330 335
 Arg Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro
 340 345 350
 Gln Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile
 355 360 365
 Ile Ala Thr Gly Val Gly Gln His Gln Met Trp Ala Ala Gln Tyr Tyr
 370 375 380
 Thr Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala
 385 390 395 400
 Met Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro
 405 410 415
 Gly Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn
 420 425 430
 Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val
 435 440 445
 Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp
 450 455 460
 Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu
 465 470 475 480
 Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe
 485 490 495
 Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala
 500 505 510
 Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile
 515 520 525
 Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Asn Gly Gly Ala
 530 535 540
 Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser
 545 550 555

<210> 33
 <211> 1674
 <212> DNA
 <213> Triticum aestivum

<220>
 <221> CDS
 <222> (1)..(1671)

<220>
 <221> modified_base

64/69

<222> (723)

<223> unknown nucleotide

<220>

<221> modified_base

<222> (1089)

<223> unknown nucleotide

<400> 33

gtc gac gtc ttc gcc tac cct ggc ggc gcg tcc atg gag atc cac cag	48
Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln	
1 5 10 15	
gcg ctg acg cgc tgc cca gtc atc acc aac cac ctc ttc cgc cac gag	96
Ala Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu	
20 25 30	
cag ggg gag gcg ttc gcg gcg tcc ggg tac gcc cgc gcg tcc ggc cgc	144
Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg	
35 40 45	
gtc ggc gtc tgc gtc gcc acc tcc ggc ccg ggg gcc acc aac ctc gtc	192
Val Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val	
50 55 60	
tcc gcg ctc gcc gac gct ctc ctc gac tcc atc ccc atg gtc gcc atc	240
Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile	
65 70 75 80	
acg ggc cag gtc ccc cgc cgc atg atc ggc acg gat gcg ttc cag gag	288
Thr Gly Gln Val Pro Arg Arg Met Ile Gly Thr Asp Ala Phe Gln Glu	
85 90 95	
acg ccc atc gtg gag gtc acg cgc tcc atc acc aag cac aac tac ctg	336
Thr Pro Ile Val Glu Val Thr Arg Ser Ile Thr Lys His Asn Tyr Leu	
100 105 110	
gtc ctt gac gtg gag gat atc ccc cgc gtc atc cag gaa gcc ttc ttc	384
Val Leu Asp Val Glu Asp Ile Pro Arg Val Ile Gln Glu Ala Phe Phe	
115 120 125	
ctc gca tcc tct ggc cgc ccg ggg ccg gtg ctg gtt gat atc ccc aag	432
Leu Ala Ser Ser Gly Arg Pro Gly Pro Val Leu Val Asp Ile Pro Lys	
130 135 140	
gac atc cag cag cag atg gct gtg cct gtc tgg gac acg ccg atg agt	480
Asp Ile Gln Gln Gln Met Ala Val Pro Val Trp Asp Thr Pro Met Ser	
145 150 155 160	
ttg cca ggg tac atc gcc cgc ctg ccc aag cca cca tct act gaa tcg	528
Leu Pro Gly Tyr Ile Ala Arg Leu Pro Lys Pro Pro Ser Thr Glu Ser	
165 170 175	
ctt gag cag gtc ctg cgt ctg gtt ggc gag tca cgg cgc cca att ctg	576
Leu Glu Gln Val Leu Arg Leu Val Gly Glu Ser Arg Arg Pro Ile Leu	
180 185 190	

65/69

tat gtt ggt ggt ggc tgc gct gca tct ggt gag gag ttg cgc cgc ttt	624
Tyr Val Gly Gly Gly Cys Ala Ala Ser Gly Glu Glu Leu Arg Arg Phe	
195 200 205	
gtt gag ctc act ggg att cca gtt aca act act ctt atg ggc ctt ggc	672
Val Glu Leu Thr Gly Ile Pro Val Thr Thr Thr Leu Met Gly Leu Gly	
210 215 220	
aac ttc ccc agt gac gac cca ctg tct ctg cgc atg ctg ggg atg cat	720
Asn Phe Pro Ser Asp Asp Pro Leu Ser Leu Arg Met Leu Gly Met His	
225 230 235 240	
ggn act gtg tat gca aat tat gca gta gat aag gct gac ctg ttg ctt	768
Gly Thr Val Tyr Ala Asn Tyr Ala Val Asp Lys Ala Asp Leu Leu Leu	
245 250 255	
gca ttt ggt gtg cgg ttt gat gat cgt gtg acc ggg aaa atc gag gct	816
Ala Phe Gly Val Arg Phe Asp Asp Arg Val Thr Gly Lys Ile Glu Ala	
260 265 270	
ttt gca agc agg tcc aag att gtg cac att gac att gac cca gct gag	864
Phe Ala Ser Arg Ser Lys Ile Val His Ile Asp Ile Asp Pro Ala Glu	
275 280 285	
att ggc aag aac aag cag cca cat gtc tcc att tgt gca gat gtt aag	912
Ile Gly Lys Asn Lys Gln Pro His Val Ser Ile Cys Ala Asp Val Lys	
290 295 300	
ctt gct tta cag ggg ttg aat gct cta tta aat ggg agc aaa gca caa	960
Leu Ala Leu Gln Gly Leu Asn Ala Leu Leu Asn Gly Ser Lys Ala Gln	
305 310 315 320	
cag ggt ctg gat ttt ggt cca tgg cac aag gag ttg gat cag cag aag	1008
Gln Gly Leu Asp Phe Gly Pro Trp His Lys Glu Leu Asp Gln Gln Lys	
325 330 335	
agg gag ttt cct cta gga ttc aag act ttt ggt gag gcc atc ccg ccg	1056
Arg Glu Phe Pro Leu Gly Phe Lys Thr Phe Gly Glu Ala Ile Pro Pro	
340 345 350	
caa tat gct atc cag gta ctg gat gag ctg acn aaa ggg gag gcg atc	1104
Gln Tyr Ala Ile Gln Val Leu Asp Glu Leu Thr Lys Gly Glu Ala Ile	
355 360 365	
att gcc acc ggt gtt ggg cag cat cag atg tgg gcg gct cag tat tac	1152
Ile Ala Thr Gly Val Gly Gln His Gln Met Trp Ala Ala Gln Tyr Tyr	
370 375 380	
act tac aag cgg cca cgg cag tgg ctg tct tca tcc ggt ttg ggt gca	1200
Thr Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala	
385 390 395 400	
atg gga ttt ggg ttg cca gct gca gct ggc gct gct gtg gcc aac cca	1248
Met Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro	
405 410 415	

66/69

ggt gtt aca gtt gtt gac att gat ggg gat ggt agt ttc ctc atg aac 1296
 Gly Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn
 420 425 430

att cag gag ttg gcg ttg atc cgt att gag aac ctc cca gtg aag gtg 1344
 Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val
 435 440 445

atg ata ttg aac aac cag cat ctg gga atg gtg gtg cag tgg gag gat 1392
 Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp
 450 455 460

agg ttt tac aag gcc aac cgg gcg cac aca tac ctt ggc aac cca gaa 1440
 Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu
 465 470 475 480

aat gag agt gag ata tat cca gat ttt gtg acg att gct aaa gga ttc 1488
 Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe
 485 490 495

aac gtt ccg gca gtt cgt gtg acg aag aag agc gaa gtc act gca gca 1536
 Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala
 500 505 510

atc aag aag atg ctt gag acc cca ggg cca tac ttg ttg gat atc att 1584
 Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile
 515 520 525

gtc ccg cat cag gag cac gtg ctg cct atg atc cca agc ggt ggt gct 1632
 Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Ser Gly Gly Ala
 530 535 540

ttt aag gac atg atc atg gag ggt gat ggc agg acc tcg tac 1674
 Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser
 545 550 555

<210> 34

<211> 557

<212> PRT

<213> Triticum aestivum

<400> 34

Val Asp Val Phe Ala Tyr Pro Gly Gly Ala Ser Met Glu Ile His Gln
 1 5 10 15

Ala Leu Thr Arg Ser Pro Val Ile Thr Asn His Leu Phe Arg His Glu
 20 25 30

Gln Gly Glu Ala Phe Ala Ala Ser Gly Tyr Ala Arg Ala Ser Gly Arg
 35 40 45

Val Gly Val Cys Val Ala Thr Ser Gly Pro Gly Ala Thr Asn Leu Val
 50 55 60

Ser Ala Leu Ala Asp Ala Leu Leu Asp Ser Ile Pro Met Val Ala Ile
 65 70 75 80

67/69

Thr	Gly	Gln	Val	Pro	Arg	Arg	Met	Ile	Gly	Thr	Asp	Ala	Phe	Gln	Glu	85	90	95
Thr	Pro	Ile	Val	Glu	Val	Thr	Arg	Ser	Ile	Thr	Lys	His	Asn	Tyr	Leu	100	105	110
Val	Leu	Asp	Val	Glu	Asp	Ile	Pro	Arg	Val	Ile	Gln	Glu	Ala	Phe	Phe	115	120	125
Leu	Ala	Ser	Ser	Gly	Arg	Pro	Gly	Pro	Val	Leu	Val	Asp	Ile	Pro	Lys	130	135	140
Asp	Ile	Gln	Gln	Gln	Met	Ala	Val	Pro	Val	Trp	Asp	Thr	Pro	Met	Ser	145	150	155
Leu	Pro	Gly	Tyr	Ile	Ala	Arg	Leu	Pro	Lys	Pro	Pro	Ser	Thr	Glu	Ser	165	170	175
Leu	Glu	Gln	Val	Leu	Arg	Leu	Val	Gly	Glu	Ser	Arg	Arg	Pro	Ile	Leu	180	185	190
Tyr	Val	Gly	Gly	Gly	Cys	Ala	Ala	Ser	Gly	Glu	Glu	Leu	Arg	Arg	Phe	195	200	205
Val	Glu	Leu	Thr	Gly	Ile	Pro	Val	Thr	Thr	Thr	Leu	Met	Gly	Leu	Gly	210	215	220
Asn	Phe	Pro	Ser	Asp	Asp	Pro	Leu	Ser	Leu	Arg	Met	Leu	Gly	Met	His	225	230	235
Gly	Thr	Val	Tyr	Ala	Asn	Tyr	Ala	Val	Asp	Lys	Ala	Asp	Leu	Leu	Leu	245	250	255
Ala	Phe	Gly	Val	Arg	Phe	Asp	Asp	Arg	Val	Thr	Gly	Lys	Ile	Glu	Ala	260	265	270
Phe	Ala	Ser	Arg	Ser	Lys	Ile	Val	His	Ile	Asp	Ile	Asp	Pro	Ala	Glu	275	280	285
Ile	Gly	Lys	Asn	Lys	Gln	Pro	His	Val	Ser	Ile	Cys	Ala	Asp	Val	Lys	290	295	300
Leu	Ala	Leu	Gln	Gly	Leu	Asn	Ala	Leu	Leu	Asn	Gly	Ser	Lys	Ala	Gln	305	310	315
Gln	Gly	Leu	Asp	Phe	Gly	Pro	Trp	His	Lys	Glu	Leu	Asp	Gln	Gln	Lys	325	330	335
Arg	Glu	Phe	Pro	Leu	Gly	Phe	Lys	Thr	Phe	Gly	Glu	Ala	Ile	Pro	Pro	340	345	350
Gln	Tyr	Ala	Ile	Gln	Val	Leu	Asp	Glu	Leu	Thr	Lys	Gly	Glu	Ala	Ile	355	360	365
Ile	Ala	Thr	Gly	Val	Gly	Gln	His	Gln	Met	Trp	Ala	Ala	Gln	Tyr	Tyr	370	375	380

68/69

Thr Tyr Lys Arg Pro Arg Gln Trp Leu Ser Ser Ser Gly Leu Gly Ala
 385 390 395 400
 Met Gly Phe Gly Leu Pro Ala Ala Ala Gly Ala Ala Val Ala Asn Pro
 405 410 415
 Gly Val Thr Val Val Asp Ile Asp Gly Asp Gly Ser Phe Leu Met Asn
 420 425 430
 Ile Gln Glu Leu Ala Leu Ile Arg Ile Glu Asn Leu Pro Val Lys Val
 435 440 445
 Met Ile Leu Asn Asn Gln His Leu Gly Met Val Val Gln Trp Glu Asp
 450 455 460
 Arg Phe Tyr Lys Ala Asn Arg Ala His Thr Tyr Leu Gly Asn Pro Glu
 465 470 475 480
 Asn Glu Ser Glu Ile Tyr Pro Asp Phe Val Thr Ile Ala Lys Gly Phe
 485 490 495
 Asn Val Pro Ala Val Arg Val Thr Lys Lys Ser Glu Val Thr Ala Ala
 500 505 510
 Ile Lys Lys Met Leu Glu Thr Pro Gly Pro Tyr Leu Leu Asp Ile Ile
 515 520 525
 Val Pro His Gln Glu His Val Leu Pro Met Ile Pro Ser Gly Gly Ala
 530 535 540
 Phe Lys Asp Met Ile Met Glu Gly Asp Gly Arg Thr Ser
 545 550 555

<210> 35

<211> 1524

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Consensus
sequence

<220>

<221> modified_base

<222> (1125)

<223> a, t, c or g

<400> 35

gtctgcgtcg ccacctccgg cccggggggcc accaacctcg tctccgcgct cgccgacgcc 60
 ctctcgact ccattcccat ggctcgccatc acgggccagg tccccgccc catgatcggc 120
 acggacgcgt tccaggagac gcccatagtg gaggtcacgc gctccatcac caagcacaac 180
 tacctgggtc ttgacgtgga ggatatcccc cgcgtcatcc aggaagcctt ctctctcgca 240
 tcctctggcc gcccgggggc ggtgctggtt gatatcccca aggacatcca gcagcagatg 300
 gctgtgcttg tctgggacac gccgatgagt ttgccagggt acatcgcccc cctgcccagg 360
 ccaccatcta ctgaatcgct tgagcaggtc ctgcgtctgg ttggcgagtc acggcgccca 420
 attctgtatg ttggtggtgg ctgcgctgca tctggcgagg agttgcgccc ctttgttgag 480

69/69

ctcactggga	ttccagttac	aactactctg	atgggccttg	gcaacttccc	cagcgacgac	540
ccactgtctc	tgcgcatgct	tgggatgcat	ggcactgtgt	atgcaaatta	tgcagtagat	600
aaggctgacc	tgttgcttgc	atttggtgtg	cggtttgatg	atcgtgtgac	tgggaaaatc	660
gaggcttttg	caagcaggtc	caagattgtg	cacattgaca	ttgaccacgc	tgagattggc	720
aagaacaagc	agccacatgt	ctccatttgt	gcagatgtta	agcttgcttt	acagggggtg	780
aatgctctat	taaatgggag	caaagcacia	cagggctctg	attttggtcc	atggcacaag	840
gagttggatc	agcagaagag	ggagtttcct	ctaggattca	agacttttgg	cgaggccatc	900
ccgccgcaat	atgctatcca	ggtactggat	gagctgacaa	aaggggaggc	gatcattgcc	960
actggtgttg	ggcagcacca	gatgtgggcg	gctcagtatt	acacttacia	gcggccacgg	1020
cagtggctgt	cttcgtctgg	tttgggggca	atgggatttg	ggttaccagc	tgcagctggc	1080
gctgctgtgg	ccaacccagg	tgttacagtt	gttgacattg	atggngatgg	tagtttcctc	1140
atgaacattc	aggagttggc	gttgatccgt	attgagaacc	tcccagtga	ggtgatgata	1200
ttgaacaacc	agcatctggg	aatggtggtg	cagtgggagg	ataggtttta	caaggccaat	1260
cgggcgcaca	cataccttgg	caaccacaga	aatgagagtg	agatatatcc	agattttgtg	1320
acgattgcta	aaggattcaa	cgttccggca	gttcgtgtga	cgaagaagag	cgaagtcact	1380
gcagcaatca	agaagatgct	tgagacccca	gggccatact	tgttggatat	catngtcccc	1440
catcaggagc	acgtgctgcc	tatgatccca	agcgggtggtg	ctttcaagga	catgatcatg	1500
gaggggtgatg	gcaggacctc	gtac				1524

WHAT IS CLAIMED IS:

1. An isolated IMI nucleic acid, wherein the nucleic acid comprises a polynucleotide sequence that comprises SEQ ID NO:3; or that encodes SEQ ID NO:4.
2. The isolated IMI nucleic acid of claim 1, wherein the nucleic acid comprises the polynucleotide sequence of SEQ ID NO:3.
3. The isolated IMI nucleic acid of claim 1, wherein the nucleic acid comprises a polynucleotide encoding the polypeptide sequence of SEQ ID NO:4.
4. A method of controlling weeds within the vicinity of a wheat plant, comprising applying an imidazolinone herbicide to the weeds and to the wheat plant, wherein the wheat plant has increased resistance to the imidazolinone herbicide as compared to a wild type variety of the wheat plant, wherein the plant comprises multiple IMI nucleic acids, and wherein at least one of the multiple IMI nucleic acids comprises SEQ ID NO:3; or encodes SEQ ID NO:4.
5. A method of modifying a plant's tolerance to an imidazolinone herbicide, wherein the plant comprises multiple IMI nucleic acids, comprising:
 - modulating the expression of multiple IMI nucleic acids, wherein at least one of the multiple IMI nucleic acids comprises SEQ ID NO:3; or encodes SEQ ID NO:4.
6. A method of producing a transgenic plant having increased resistance to an imidazolinone herbicide comprising:
 - i) transforming a plant cell with one or more expression vectors comprising multiple IMI nucleic acids, wherein the nucleic acids are derived from different genomes; and
 - ii) generating from the plant cell a transgenic plant with an increased resistance to an imidazolinone herbicide as compared to a wild type variety of the plant;

wherein at least one of the multiple IMI nucleic acids comprises SEQ ID NO:3; or encodes SEQ ID NO:4.

7. An expression cassette comprising a promoter operably linked to the IMI nucleic acid of any one of claims 1, 2, and 3.

8. The expression cassette of claim 7, wherein the promoter is capable of driving gene expression in a bacterium, a fungal cell, an animal cell, or a plant cell.

9. A non-human host cell transformed with the expression cassette of any one of claims 7 and 8.

10. The host cell of claim 9, wherein the host cell is selected from the group consisting of a bacterium, a fungal cell, an animal cell, and a plant cell.

11. A transformation vector comprising a gene of interest and a selectable marker gene, the selectable marker gene comprising a promoter operably linked to the IMI nucleic acid of any one of claims 1, 2, and 3, wherein the promoter drives expression of the IMI nucleic acid in a host cell.

12. The transformation vector of claim 11, wherein the host cell is selected from the group consisting of a bacterium, a fungal cell, an animal cell, and a plant cell.

13. A transformed plant cell comprising stably incorporated in its genome a polynucleotide molecule comprising the IMI nucleic acid of any one of claims 1, 2, and 3 operably linked to a promoter that drives expression of the IMI nucleic acid in a plant cell, wherein the IMI nucleic acid confers upon the plant cell increased tolerance to an imidazolinone herbicide as compared to an untransformed plant cell.

14. A plant cell comprising the IMI nucleic acid of any one of claims 1, 2, and 3.

15. A plant cell of a wheat plant, wherein the wheat plant is selected from the group consisting of:

- (i) a wheat plant of line Teal 11A, a representative sample of seed of said line having been deposited with ATCC under Patent Deposit Designation Number PTA-3953,
- (ii) a recombinant or genetically engineered derivative of a plant of line Teal 11A, a representative sample of seed of said line having been deposited with ATCC under Patent Deposit Designation Number PTA 3953, wherein the wheat plant comprises the herbicide resistance characteristics of the line Teal 11A, or
- (iii) a progeny bred from a plant of line Teal 11A, a representative sample of seed of said line having been deposited with ATCC under Patent Deposit Designation Number PTA3953, wherein the wheat plant comprises the herbicide resistance characteristics of the line Teal 11A;

wherein the recombinant or genetically engineered derivative and progeny comprise an IMI nucleic acid comprising the polynucleotide sequence set forth in SEQ ID NO:3 or encode a polypeptide sequence comprising amino acid sequence set forth in SEQ ID NO:4.

16. A method of controlling weeds within the vicinity of a wheat plant, comprising applying an imidazolinone herbicide to the weeds and to the wheat plant, wherein the wheat plant has increased resistance to the imidazolinone herbicide as compared to a wild type variety of the wheat plant, wherein the plant comprises multiple MI nucleic acids, and wherein the wheat plant is selected from the group consisting of:

- (i) a wheat plant of line Teal 11A, a representative sample of seed of said line having been deposited with ATCC under Patent Deposit Designation Number PTA 3953,
- (ii) a recombinant or genetically engineered derivative of a plant of line Teal 11A, a representative sample of seed of said line having been deposited with ATCC under Patent Deposit Designation Number PTA 3953, wherein the wheat plant comprises the herbicide resistance characteristics of the line Teal 11A, or
- (iii) a progeny bred from a plant of line Teal 11A, a representative sample of seed of said line having been deposited with ATCC under Patent Deposit Designation Number

PTA 3953, wherein the wheat plant comprises the herbicide resistance characteristics of the line Teal 11A;

wherein the recombinant or genetically engineered derivative and progeny comprise an IMI nucleic acid comprising the polynucleotide sequence set forth in SEQ ID NO:3 or encode a polypeptide sequence comprising amino acid sequence set forth in SEQ ID NO:4.

17. The method of claim 16, further comprising breeding of said progeny or producing said recombinant or genetically engineered derivate thereof.

18. The method of any one of claims 4, 5, 6, 16, and 17, wherein the imidazolinone herbicide is selected from the group consisting of 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-nicotinic acid, 2-(4-isopropyl)-4-methyl-5-oxo-2-imidazolin-2-yl)-3-quinolinecarboxylic acid, 5-ethyl-2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-nicotinic acid, 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-5-(methoxymethyl)-nicotinic acid, 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-5-methylnicotinic acid, and a mixture of methyl 6-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-m-toluate and methyl 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-p-toluate.

19. The method of any one of claims 4, 5, 6, 16, and 17, wherein the imidazolinone herbicide is 5-ethyl-2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-nicotinic acid.

20. The method of any one of claims 4, 5, 6, 16, and 17, wherein the imidazolinone herbicide is 2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-5-(methoxymethyl)-nicotinic acid.

1/42
Figure 1

Cross	Resistant (R)	Intermediate (I)	Susceptible (S)	Total F ₁ screened		
				R	I	S
Teal	0	0	334			
1A	59	0	0			
Teal x 1A	0	5	0	0	10	0
1A x Teal	0	5	0			
9A	66	0	0			
Teal x 9A	0	5	0	0	10	0
9A x Teal	0	5	0			
10A	66	0	0			
Teal x 10A	0	5	0	0	11	0
10A x Teal	0	6	0			
11A	53	0	0			
Teal x 11A	0	7	0	0	15	0
11A x Teal	0	8	0			
15A	48	0	0			
Teal x 15A	7	0	0	14	0	0
15A x Teal	7	0	0			
16A	66	0	0			
Teal x 16A	0	7	0	0	14	0
16A x Teal	0	7	0			

2/42
Figure 2

Cross	F ₂ Generation					BCF ₁ Generation ^c			
	Resistant (R)	Susceptible (S)	Ratio tested (R:S)	P Value ^a	Homogeneity of reciprocal crosses ^b	R	S	Ratio tested (R:S) ^d	P Value ^e
Teal x 1A	635	201	3:1	0.55	0.49	33	27	1:1	0.52
Teal x 9A	492	141	3:1	0.12	0.66	42	34	1:1	0.39
Teal x 10A	701	231	3:1	0.91	0.87	27	20	1:1	0.38
Teal x 11A	505	189	3:1	0.19	0.32	34	30	1:1	0.71
Teal x 15A	893	74	15:1	0.08	0.39	45	20	3:1	0.35
Teal x 16A	587	168	3:1	0.09	0.33	26	23	1:1	0.78

Figure 3

Cross	Resistant (R)	Segregating (Seg)	Susceptible (S)	Ratio Tested (R:Seg:S) ^a	P Value ^b	Total # Families
Teal x 1A	12	28	10	1:2:1	0.64	50
Teal x 9A	15	23	12	1:2:1	0.66	50
Teal x 10A	9	27	14	1:2:1	0.52	50
Teal x 11A	14	26	8	1:2:1	0.40	48
Teal x 15A	36	55	9	7:8:1	0.21	100
Teal x 16A	12	25	11	1:2:1	0.94	48

3/42
Figure 4

Cross	Resistant (R)	Susceptible (S)	Ratio tested (R:S)	P Value ^a
1A x 9A	506	0	-	-
1A x 10A	567	0	-	-
1A x 15A	501	0	-	-
1A x 16A	814	0	-	-
1A x SWP965001	309	0	-	-
9A x 10A	603	0	-	-
9A x 15A	424	0	-	-
9A x 16A	336	0	-	-
9A x SWP965001	407	0	-	-
10A x 15A	547	0	-	-
10A x 16A	409	0	-	-
10A x SWP965001	686	0	-	-
15A x 16A	298	0	-	-
15A x SWP965001	410	0	-	-
16A x SWP965001	509	0	-	-
SWP965001 x 11A	688	47	15:1	0.93
1A x 11A	735	56	15:1	0.37
11A x 9A	446	42	15:1	0.00
11A x 10A	557	46	15:1	0.19
11A x 15A	600	14	63:1	0.20
11A x 16A	390	34	15:1	0.16

4/42

Figure 5

Cross	Resistant (R)	Segregating (Seg)	Susceptible (S)	Ratio Tested (R:Seg:S) ^a	P Value ^b	Total # Families
SWP965001 x 11A	32	42	7	7:8:1	0.57	81
1A x 11A	33	58	9	7:8:1	0.07	100
11A x 9A	36	49	5	7:8:1	0.77	90
11A x 10A	34	59	7	7:8:1	0.14	100
11A x 16A	45	47	7	7:8:1	0.86	99

5/42
Figure 6

Imazamox Conc. (uM)	% Uninhibited AHAS Activity			
	Teal	11A	BW755	15A
0.8	71.1	84.8	90.0	92.6
1.6	55.2	71.2	76.9	88.4
3.1	41.8	59.7	65.7	84.3
6.3	30.9	50.3	56.6	80.3
12.5	22.3	42.9	49.6	76.3
25.0	16.2	37.6	44.5	72.5
50.0	12.6	34.3	41.4	68.8
100.0	11.4	33.1	40.4	65.2

Figure 7

Genotype	10X		30X	
	%Injured	%No Injury	%Injured	%No Injury
BW755 (one gene)	100	0	100	0
Teal 15A (two gene)	0	100	100	0
15A/11A (three gene)	33	67	48	52

Figure 8

SEQ ID NO:																								
10												20												
M	A	T	A	A	A	A	A	A	A	S	A	A	T	A	K	T	G	R	K	N	H	Q	R	14
ATG GCT ACG ACC GCC GCG GCC GCG GCC GCG GCC GCG GCC GCG GCC GCG ACC GGC CGT AAG AAC CAC CAG CGA																								
V	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	16
GT-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
V	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	18
GT-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
V	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	20
GT-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
V	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	22
GT-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
V	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	24
GT-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
30												50												
H	H	V	L	P	A	R	G	R	V	G	A	A	A	V	R	C	S	A	V	S	P	P	S	14
CAC CAC GTC CTT CCC GCT CGA GGC GCG GCG GCG GCG GCG GCG GTC AGG TGC TCG GCG GTG TCC CCG GTC ACC CCG CCG TCC																								
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23

90										100																	
E	R	C	G	V	S	D	V	F	A	Y	P	G	G	G	A	S	M	E	I	H	Q	A	L	T	R	S	P
GAG	CGG	TGC	GGC	GTC	AGC	GAC	GTG	TTC	GCC	TAC	CCG	GGC	GGC	GGC	GCC	TCC	ATG	GAG	ATC	CAC	CAG	GCG	CTG	ACG	CGC	TCC	CCG
X	X	X	X	X	X	D	V	F	A	Y	P	G	G	G	A	S	M	E	I	H	Q	A	L	T	R	S	P
---	---	---	---	---	---	C	GAC	GTC	TTC	GCC	TAC	CCC	GGC	GGC	GGC	TCC	ATG	GAG	ATC	CAC	CAG	GCG	CTG	ACG	CGC	TCC	CCC
X	X	X	X	X	X	D	V	F	A	Y	P	G	G	G	A	S	M	E	I	H	Q	A	L	T	R	S	P
---	---	---	---	---	---	C	GAC	GTC	TTC	GCC	TAC	CCC	GGC	GGC	GGC	TCC	ATG	GAG	ATC	CAC	CAG	GCG	CTG	ACG	CGC	TCC	CCC
X	X	X	X	X	X	D	V	F	A	Y	P	G	G	G	A	S	M	E	I	H	Q	A	L	T	R	S	P
---	---	---	---	---	---	C	GAC	GTC	TTC	GCC	TAC	CCC	GGC	GGC	GGC	TCC	ATG	GAG	ATC	CAC	CAG	GCG	CTG	ACG	CGC	TCC	CCC
X	X	X	X	X	X	D	V	F	A	Y	P	G	G	G	A	S	M	E	I	H	Q	A	L	T	R	S	P
---	---	---	---	---	---	C	GAC	GTC	TTC	GCC	TAC	CCC	GGC	GGC	GGC	TCC	ATG	GAG	ATC	CAC	CAG	GCG	CTG	ACG	CGC	TCC	CCC
X	X	X	X	X	X	D	V	F	A	Y	P	G	G	G	A	S	M	E	I	H	Q	A	L	T	R	S	P
---	---	---	---	---	---	C	GAC	GTC	TTC	GCC	TAC	CCC	GGC	GGC	GGC	TCC	ATG	GAG	ATC	CAC	CAG	GCG	CTG	ACG	CGC	TCC	CCC
X	X	X	X	X	X	D	V	F	A	Y	P	G	G	G	A	S	M	E	I	H	Q	A	L	T	R	S	P
---	---	---	---	---	---	C	GAC	GTC	TTC	GCC	TAC	CCC	GGC	GGC	GGC	TCC	ATG	GAG	ATC	CAC	CAG	GCG	CTG	ACG	CGC	TCC	CCC

SUBSTITUTE SHEET (RULE 26)

Figure 8 Continued

SUBSTITUTE SHEET (RULE 26)

SUBSTITUTE SHEET (RULE 26)

280										290																	
G	E	S	R	R	P	I	L	Y	V	G	G	G	C	S	A	S	G	D	E	L	R	R	W	F	V	E	L
GGC	GAG	TCA	CGG	CGC	CCG	ATT	CTC	TAT	GTC	GGT	GGT	GGC	TGC	TCT	GCA	TCT	GGT	GAC	GAA	TTG	CGC	TGG	TTT	GTT	GAG	CTG	
G	E	S	R	R	P	I	L	Y	V	G	G	G	C	A	A	S	G	E	E	L	R	R	R	F	V	E	L
GGC	GAG	TCA	CGG	CGC	CCA	ATT	CTG	TAT	GTT	GGT	GGT	GGC	TGC	GCT	GCG	TCT	GGC	GAG	GAG	TTG	CGC	CGC	TTT	GTT	GAG	CTT	
G	E	S	R	R	P	I	L	Y	V	G	G	G	C	A	A	S	G	E	E	L	R	R	R	F	V	E	L
GGC	GAG	TCA	CGG	CGC	CCA	ATT	CTG	TAT	GTT	GGT	GGT	GGC	TGC	GCT	GCG	TCT	GGC	GAG	GAG	TTG	CGC	CGC	TTT	GTT	GAG	CTT	
G	E	S	R	R	P	I	L	Y	V	G	G	G	C	A	A	S	G	E	E	L	R	R	R	F	V	E	L
GGC	GAG	TCA	CGG	CGC	CCA	ATT	CTG	TAT	GTT	GGT	GGT	GGC	TGC	GCT	GCG	TCT	GGC	GAG	GAG	TTG	CGC	CGC	TTT	GTT	GAG	CTT	
G	E	S	R	R	P	I	L	Y	V	G	G	G	C	A	A	S	G	E	E	L	R	R	R	F	V	E	L
GGC	GAG	TCA	CGG	CGC	CCA	ATT	CTG	TAT	GTT	GGT	GGT	GGC	TGC	GCT	GCG	TCT	GGC	GAG	GAG	TTG	CGC	CGC	TTT	GTT	GAG	CTT	
G	E	S	R	R	P	I	L	Y	V	G	G	G	C	A	A	S	G	E	E	L	R	R	R	F	V	E	L
GGC	GAG	TCA	CGG	CGC	CCA	ATT	CTG	TAT	GTT	GGT	GGT	GGC	TGC	GCT	GCG	TCT	GGC	GAG	GAG	TTG	CGC	CGC	TTT	GTT	GAG	CTT	
G	E	S	R	R	P	I	L	Y	V	G	G	G	C	A	A	S	G	E	E	L	R	R	R	F	V	E	L
GGC	GAG	TCA	CGG	CGC	CCA	ATT	CTG	TAT	GTT	GGT	GGT	GGC	TGC	GCT	GCG	TCT	GGC	GAG	GAG	TTG	CGC	CGC	TTT	GTT	GAG	CTT	
G	E	S	R	R	P	I	L	Y	V	G	G	G	C	A	A	S	G	E	E	L	R	R	R	F	V	E	L
GGC	GAG	TCA	CGG	CGC	CCA	ATT	CTG	TAT	GTT	GGT	GGT	GGC	TGC	GCT	GCG	TCT	GGC	GAG	GAG	TTG	CGC	CGC	TTT	GTT	GAG	CTT	
G	E	S	R	R	P	I	L	Y	V	G	G	G	C	A	A	S	G	E	E	L	R	R	R	F	V	E	L
GGC	GAG	TCA	CGG	CGC	CCA	ATT	CTG	TAT	GTT	GGT	GGT	GGC	TGC	GCT	GCG	TCT	GGC	GAG	GAG	TTG	CGC	CGC	TTT	GTT	GAG	CTT	
G	E	S	R	R	P	I	L	Y	V	G	G	G	C	A	A	S	G	E	E	L	R	R	R	F	V	E	L
GGC	GAG	TCA	CGG	CGC	CCA	ATT	CTG	TAT	GTT	GGT	GGT	GGC	TGC	GCT	GCG	TCT	GGC	GAG	GAG	TTG	CGC	CGC	TTT	GTT	GAG	CTT	
G	E	S	R	R	P	I	L	Y	V	G	G	G	C	A	A	S	G	E	E	L	R	R	R	F	V	E	L
GGC	GAG	TCA	CGG	CGC	CCA	ATT	CTG	TAT	GTT	GGT	GGT	GGC	TGC	GCT	GCG	TCT	GGC	GAG	GAG	TTG	CGC	CGC	TTT	GTT	GAG	CTT	
G	E	S	R	R	P	I	L	Y	V	G	G	G	C	A	A	S	G	E	E	L	R	R	R	F	V	E	L
GGC	GAG	TCA	CGG	CGC	CCA	ATT	CTG	TAT	GTT	GGT	GGT	GGC	TGC	GCT	GCG	TCT	GGC	GAG									

Figure 8 Continued

330										340										350																																		
M	H	G	T	V	Y	A	N	Y	A	V	D	K	A	D	L	L	L	A	F	G	V	R	F	D	D	R	ATG	CAT	GGC	ACG	GTG	TAC	GCA	AAT	TAT	GCC	GTG	GAT	AAG	GCT	GAC	CTG	TTG	CTT	GCG	TTT	GGT	GTG	CGG	TTT	GAT	GAT	CGT	
M	H	G	T	V	Y	A	N	Y	A	V	D	K	A	D	L	L	L	A	F	G	V	R	F	D	D	R	ATG	CAT	GGC	ACT	GTG	TAT	GCA	AAT	TAT	GCA	GTA	GAT	AAG	GCT	GAC	CTG	TTG	CTC	GCA	TTT	GGT	GTG	CGG	TTT	GAT	GAT	CGT	
M	N	G	T	V	Y	A	N	Y	A	V	D	K	A	D	L	L	L	A	F	G	V	R	F	D	D	R	ATG	NNT	GGC	ACT	GTG	TAT	GCA	AAT	TAT	GCA	GTA	GAT	AAG	GCT	GAC	CTG	TTG	CTC	GCA	TTT	GGT	GTG	CGG	TTT	GAT	GAT	CGT	
M	H	G	T	V	Y	A	N	Y	A	V	D	K	A	D	L	L	L	A	F	D	V	R	F	D	D	R	ATG	CAT	GGC	ACT	GTG	TAT	GCA	AAT	TAT	GCA	GTA	GAT	AAG	GCT	GAC	CTG	TTG	CTC	GCA	TTT	GNT	GTG	CGG	TTT	GAT	GAT	CGT	
M	H	G	T	V	Y	A	N	Y	A	V	D	K	A	D	L	L	L	I	T	F	G	V	R	F	D	D	R	ATG	CAT	GGC	ACT	GTG	TAT	GCA	AAT	TAT	GCA	GTA	GAT	AAG	GCT	GAC	CTG	TTG	NTC	NCA	TTT	GGT	GTG	CGG	TTT	GAT	GAT	CGT
M	H	G	T	V	Y	A	N	Y	A	V	D	K	A	D	L	L	L	I	A	F	G	V	R	F	D	D	R	ATG	CAT	GGC	ACT	GTG	TAT	GCA	AAT	TAT	GCA	GTA	GAT	AAG	GCT	GAC	CTG	TTG	NTC	GCA	TTT	GGT	GTG	CGG	TTT	GAT	GAT	CGT
360										370										380																																		
V	T	G	K	I	E	A	F	A	S	R	A	K	I	V	H	I	D	I	D	P	A	E	I	G	K	N	GTG	ACA	GGG	AAA	ATT	GAG	GCT	TTT	GCA	AGC	AGG	GCC	AAG	ATT	GTG	CAC	ATT	GAC	ATT	GAT	CCA	GCA	GAG	ATT	GGA	AAG	AAC	
V	T	G	K	I	E	A	F	A	S	R	S	K	I	V	H	I	D	I	D	P	A	E	I	G	K	N	GTG	ACT	GGG	AAA	ATC	GAG	GCT	TTT	GCA	AGC	AGG	TCC	AAG	ATT	GTG	CAC	ATT	GAC	CCA	GCT	GAG	ATT	GGC	AAG	AAG	AAC		
V	T	G	K	I	E	A	F	A	S	R	S	K	I	V	H	I	D	I	D	P	A	E	I	G	K	N	GTG	ACT	GGG	AAA	ATC	GAG	GCT	TTT	GCA	AGC	AGG	TCC	AAG	ATT	GTG	CAC	ATT	GAC	CCA	GCT	GAG	ATT	GGC	AAG	AAG	AAC		
V	T	G	K	I	E	A	F	A	S	R	S	K	I	V	H	I	D	I	D	P	A	E	I	G	K	N	GTG	ACT	GGG	AAA	ATC	GAG	GCT	TTT	GCA	AGC	AGG	TCC	AAG	ATT	GTG	CAC	ATT	GAC	CCA	GCT	GAG	ATT	GGC	AAN	AAN	AAC		
V	T	G	K	I	E	A	F	A	S	R	S	K	I	V	H	I	D	I	D	P	A	E	I	G	K	N	GTG	ACT	GGG	AAA	ATC	GAG	GCT	TTT	GCA	AGC	AGG	TCC	AAG	ATT	GTG	CAC	ATT	GAC	CCA	GCT	GAG	ATT	GGC	AAG	AAG	AAC		
V	T	G	K	I	E	A	F	A	S	R	S	K	I	V	H	I	D	I	D	P	A	E	I	G	K	N	GTG	ACT	GGG	AAA	ATC	GAG	GCT	TTT	GCA	AGC	AGG	TCC	AAG	ATT	GTG	CAC	ATT	GAC	CCA	GCT	GAG	ATT	GGC	AAG	AAG	AAC		
V	T	G	K	I	E	A	F	A	S	R	S	K	I	V	H	I	D	I	D	P	A	E	I	G	K	N	GTG	ACT	GGG	AAA	ATC	GAG	GCT	TTT	GCA	AGC	AGG	TCC	AAG	ATT	GTG	CAC	ATT	GAC	CCA	GCT	GAG	ATT	GGC	AAG	AAG	AAC		

Figure 8 Continued

440																																			
+																																			
G	E	I	P	P	Q	Y	A	I	Q	V	L	D	E	L	T	K	G	E	A	I	I	A	T	G	V										
GGT	GAA	GAG	ATC	CCA	CCG	CAA	TAT	GCC	ATT	CAG	GTG	CTG	GAT	GAG	CTG	ACG	AAA	GGT	GAG	GCA	ATC	ATC	GCT	ACT	GGT	GTT									
+																																			
G	E	A	I	P	P	Q	Y	A	I	Q	V	L	D	E	L	T	K	G	E	A	I	I	A	T	G	V									
GGC	GAG	GCC	ATC	CCG	CCG	CAA	TAT	GCT	ATC	CAG	GTA	CTG	GAT	GAG	CTG	ACA	AAA	GGG	GAG	GCG	ATC	ATT	GCC	ACT	GGT	GTT									
+																																			
G	E	A	I	P	P	Q	Y	A	I	Q	V	L	D	E	L	T	K	G	E	A	I	I	A	T	G	V									
GGC	GAG	GCC	ATC	CCG	CCG	CAA	TAT	GCT	ATC	CAG	GTA	CTG	GAT	GAG	CTG	ACA	AAA	GGG	GAG	GCG	ATC	ATT	GCC	ACT	GGT	GTT									
+																																			
G	E	A	I	P	P	Q	Y	A	I	Q	V	L	D	E	L	T	K	G	E	A	I	I	A	T	G	V									
GGC	GAG	GCC	ATC	CCG	CCG	CAA	TAT	GCT	ATC	CAG	GTA	CTG	GAT	GAG	CTG	ACA	AAA	GGG	GAG	GCG	ATC	ATT	GCC	ACT	GGT	GTT									
+																																			
G	E	A	I	P	P	Q	Y	A	I	Q	V	L	D	E	L	T	K	G	E	A	I	I	A	T	G	V									
GGC	GAG	GCC	ATC	CCG	CCG	CAA	TAT	GCT	ATC	CAG	GTA	CTG	GAT	GAG	CTG	ACA	AAA	GGG	GAG	GCG	ATC	ATT	GCC	ACT	GGT	GTT									
+																																			
460												470												480											
+																																			
G	Q	H	Q	M	W	A	A	Q	Y	Y	T	Y	K	R	P	R	Q	W	L	S	S	A	G	L	G	A									
GGG	CAG	CAC	CAG	ATG	TGG	GCG	GCA	CAA	TAT	TAC	ACC	TAC	AAG	CGG	CCA	CGG	CAG	TGG	CTG	TCT	TCG	GCT	GGT	CTG	GGC	GCA									
+																																			
G	Q	H	Q	M	W	A	A	Q	Y	Y	T	Y	K	R	P	R	Q	W	L	S	S	S	G	L	G	A									
GGG	CAG	CAC	CAG	ATG	TGG	GCG	GCT	CAG	TAT	TAC	ACT	TAC	AAG	CGG	CCA	CGG	CAG	TGG	CTG	TCT	TCG	TCT	GGT	TTG	GGG	GCA									
+																																			
G	Q	H	Q	M	W	A	A	Q	Y	Y	T	Y	K	R	P	R	Q	W	L	S	S	S	G	L	G	A									
GGG	CAG	CAC	CAG	ATG	TGG	GCG	GCT	CAG	TAT	TAC	ACT	TAC	AAG	CGG	CCA	CGG	CAG	TGG	CTG	TCT	TCG	TCT	GGT	TTG	GGG	GCA									
+																																			
G	Q	H	Q	M	W	A	A	Q	Y	Y	T	Y	K	R	P	R	Q	W	L	S	S	S	G	L	G	A									
GGG	CAG	CAC	CAG	ATG	TGG	GCG	GCT	CAG	TAT	TAC	ACT	TAC	AAG	CGG	CCA	CGG	CAG	TGG	CTG	TCT	TCG	TCT	GGT	TTG	GGG	GCA									
+																																			
G	Q	H	Q	M	W	A	A	Q	Y	Y	T	Y	K	R	P	R	Q	W	L	S	S	S	G	L	G	A									
GGG	CAG	CAC	CAG	ATG	TGG	GCG	GCT	CAG	TAT	TAC	ACT	TAC	AAG	CGG	CCA	CGG	CAG	TGG	CTG	TCT	TCG	TCT	GGT	TTG	GGG	GCA									
+																																			
G	Q	H	Q	M	W	A	A	Q	Y	Y	T	Y	K	R	P	R	Q	W	L	S	S	S	G	L	G	A									
GGG	CAG	CAC	CAG	ATG	TGG	GCG	GCT	CAG	TAT	TAC	ACT	TAC	AAG	CGG	CCA	CGG	CAG	TGG	CTG	TCT	TCG	TCT	GGT	TTG	GGG	GCA									

Figure 8 Continued

490										510																
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----																										
M	G	F	G	L	P	A	A	A	G	A	S	V	A	N	P	G	V	T	V	V	D	I	D	G	D	G
ATG	GGA	TTT	GGG	CTG	CCT	GCT	GCA	GCT	GGT	GCT	TCT	GTG	GCT	AAC	CCA	GGT	GTC	ACA	GTT	GTT	GAT	ATT	GAT	GGG	GAT	GGT
M										M																
M	G	F	G	L	P	A	A	A	G	A	A	V	A	N	P	G	V	T	V	V	D	I	D	G	D	G
ATG	GGA	TTT	GGG	TTA	CCA	GCT	GCA	GCT	GGC	GCT	GCT	GTG	GCC	AAC	CCA	GGT	GTT	ACA	GTT	GTT	GAC	ATT	GAT	GGT	GAT	GGT
M										M																
M	G	F	G	L	P	A	A	A	G	A	A	V	A	N	P	G	V	T	V	V	D	I	D	G	D	G
ATG	GGA	TTT	GGG	TTA	CCA	GCT	GCA	GCT	GGC	GCT	GCT	GTG	GCC	AAC	CCA	GGT	GTT	ACA	GTT	GTT	GAC	ATT	GAT	GGT	GAT	GGT
M										M																
M	G	F	G	L	P	A	A	A	G	A	A	V	A	N	P	G	V	T	V	V	D	I	D	G	D	G
ATG	GGA	TTT	GGG	TTA	CCA	GCT	GCA	GCT	GGC	GCT	GCT	GTG	GCC	AAC	CCA	GGT	GTT	ACA	GTT	GTT	GAC	ATT	GAT	GGT	GAT	GGT
M										M																
M	G	F	G	L	P	A	A	A	G	A	A	V	A	N	P	G	V	T	V	V	D	I	D	G	D	G
ATG	GGA	TTT	GGG	TTA	CCA	GCT	GCA	GCT	GGC	GCT	GCT	GTG	GCC	AAC	CCA	GGT	GTT	ACA	GTT	GTT	GAC	ATT	GAT	GGT	GAT	GGT
M										M																
M	G	F	G	L	P	A	A	A	G	A	A	V	A	N	P	G	V	T	V	V	D	I	D	G	D	G
ATG	GGA	TTT	GGG	TTA	CCA	GCT	GCA	GCT	GGC	GCT	GCT	GTG	GCC	AAC	CCA	GGT	GTT	ACA	GTT	GTT	GAC	ATT	GAT	GGT	GAT	GGT
520										530										540						
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----																										
S	F	L	M	N	I	Q	E	L	A	L	I	R	I	E	N	L	P	V	K	V	M	V	L	N	N	Q
AGC	TTC	CTC	ATG	AAC	ATT	CAG	GAG	CTG	GCA	TTG	ATC	CGC	ATT	GAG	AAC	CTC	CCT	GTG	AAG	GTG	ATG	GTG	TTG	AAC	AAC	CAA
S										S										S						
S	F	L	M	N	I	Q	E	L	A	L	I	R	I	E	N	L	P	V	K	V	M	I	L	N	N	Q
AGT	TTC	CTC	ATG	AAC	ATT	CAG	GAG	TTG	GCG	TTG	ATC	CGC	ATT	GAG	AAC	CTC	CCA	GTG	AAG	GTG	ATG	ATA	TTG	AAC	AAC	CAG
S										S										S						
S	F	L	M	N	I	Q	E	L	A	L	I	R	I	E	N	L	P	V	K	V	M	I	L	N	N	Q
AGT	TTC	CTC	ATG	AAC	ATT	CAG	GAG	TTG	GCG	TTG	ATC	CGC	ATT	GAG	AAC	CTC	CCA	GTG	AAG	GTG	ATG	ATA	TTG	AAC	AAC	CAG
S										S										S						
S	F	L	M	N	I	Q	E	L	A	L	I	R	I	E	N	L	P	V	K	V	M	I	L	N	N	Q
AGT	TTC	CTC	ATG	AAC	ATT	CAG	GAG	TTG	GCG	TTG	ATC	CGC	ATT	GAG	AAC	CTC	CCA	GTG	AAG	GTG	ATG	ATA	TTG	AAC	AAC	CAG
S										S										S						
S	F	L	M	N	I	Q	E	L	A	L	I	R	I	E	N	L	P	V	K	V	M	I	L	N	N	Q
AGT	TTC	CTC	ATG	AAC	ATT	CAG	GAG	TTG	GCG	TTG	ATC	CGC	ATT	GAG	AAC	CTC	CCA	GTG	AAG	GTG	ATG	ATA	TTG	AAC	AAC	CAG

Figure 8 Continued

550										560										570										580										590									
H	L	G	M	V	V	Q	W	E	D	R	F	Y	K	A	N	R	A	H	T	Y	L	G	N	P	E	C																							
CAT TTG GGT ATG GTG GTG CAA TGG GAG GAT AGG TTT TAC AAG GCG AAT AGG GCG CAT ACA TAC TTG GGC AAC CCG GAA TGT																																																	
H	L	G	M	V	V	Q	W	E	D	R	F	Y	K	A	N	R	A	H	T	Y	L	G	N	P	E	N																							
CAT CTG GGA ATG GTG GTG CAG TGG GAG GAT AGG TTT TAC AAG GCC AAT CGG GCG CAC ACA TAC CTT GGC AAC CCA GAA AAT																																																	
H	L	G	M	V	V	Q	W	E	D	R	F	Y	K	A	N	R	A	H	T	Y	L	G	N	P	E	N																							
CAT CTG GGA ATG GTG GTG CAG TGG GAG GAT AGG TTT TAC AAG GCC AAT CGG GCG CAC ACA TAC CTT GGC AAC CCA GAA AAT																																																	
H	L	G	M	V	V	Q	W	E	D	R	F	Y	K	A	N	R	A	H	T	Y	L	G	N	P	E	N																							
CAT CTG GGA ATG GTG GTG CAG TGG GAG GAT AGG TTT TAC AAG GCC AAT CGG GCG CAC ACA TAC CTT GGC AAC CCA GAA AAT																																																	
H	L	G	M	V	V	Q	W	E	D	R	F	Y	K	A	N	R	A	H	T	Y	L	G	N	P	E	N																							
CAT CTG GGA ATG GTG GTG CAG TGG GAG GAT AGG TTT TAC AAG GCC AAT CGG GCG CAC ACA TAC CTT GGC AAC CCA GAA AAT																																																	
H	L	G	M	V	V	Q	W	E	D	R	F	Y	K	A	N	R	A	H	T	Y	L	G	N	P	E	N																							
CAT CTG GGA ATG GTG GTG CAG TGG GAG GAT AGG TTT TAC AAG GCC AAT CGG GCG CAC ACA TAC CTT GGC AAC CCA GAA AAT																																																	
570										580										590																													
E	S	E	I	Y	P	D	F	V	T	I	A	K	G	F	N	I	P	A	V	R	V	T	K	K	S	E																							
GAG AGC GAG ATA TAT CCA GAT TTT GTG ACT ATT GCT AAG GGG TTC AAT ATT CCT GCA GTC CGT GTA ACA AAG AAG AGT GAA																																																	
E	S	E	I	Y	P	D	F	V	T	I	A	K	G	F	N	V	P	A	V	R	V	T	K	K	S	E																							
GAG AGT GAG ATA TAT CCA GAT TTT GTG ACG ATT GCT AAA GGA TTC AAC GTT CCA GCA GTT CGA GTG ACG AAG AAG AGC GAA																																																	
E	S	E	I	Y	P	D	F	V	T	I	A	K	G	F	N	V	P	A	V	R	V	T	K	K	S	E																							
GAG AGT GAG ATA TAT CCA GAT TTT GTG ACG ATT GCT AAA GGA TTC AAC GTT CCA GCA GTT CGA GTG ACG AAG AAG AGC GAA																																																	
E	S	E	I	Y	P	D	F	V	T	I	A	K	G	F	N	V	P	A	V	R	V	T	K	K	S	E																							
GAG AGT GAG ATA TAT CCA GAT TTT GTG ACG ATT GCT AAA GGA TTC AAC GTT CCA GCA GTT CGA GTG ACG AAG AAG AGC GAA																																																	
E	S	E	I	Y	P	D	F	V	T	I	A	K	G	F	N	V	P	A	V	R	V	T	K	K	S	E																							
GAG AGT GAG ATA TAT CCA GAT TTT GTG ACG ATT GCT AAA GGA TTC AAC GTT CCA GCA GTT CGA GTG ACG AAG AAG AGC GAA																																																	
E	S	E	I	Y	P	D	F	V	T	I	A	K	G	F	N	V	P	A	V	R	V	T	K	K	S	E																							
GAG AGT GAG ATA TAT CCA GAT TTT GTG ACG ATT GCT AAA GGA TTC AAC GTT CCA GCA GTT CGA GTG ACG AAG AAG AGC GAA																																																	

SUBSTITUTE SHEET (RULE 26)

Figure 9

10										20										30										40										50										60										70										80										90										100										110										120										130										140										150										160										170										180										190										200										210										220										230										240										250										260										270										280										290										300										310										320										330										340										350										360										370										380										390										400										410										420										430										440										450										460										470										480										490										500										510										520										530										540										550										560										570										580										590										600										610										620										630										640										650										660										670										680										690										700										710										720										730										740										750										760										770										780										790										800										810										820										830										840										850										860										870										880										890										900										910										920										930										940										950										960										970										980										990										1000										1010										1020										1030										1040										1050										1060										1070										1080										1090										1100										1110										1120										1130										1140										1150										1160										1170										1180										1190										1200										1210										1220										1230										1240										1250										1260										1270										1280										1290										1300										1310										1320										1330										1340										1350										1360										1370										1380										1390										1400										1410										1420										1430										1440										1450										1460										1470										1480										1490										1500										1510										1520										1530										1540										1550										1560										1570										1580										1590										1600										1610										1620										1630										1640										1650										1660										1670										1680										1690										1700										1710										1720										1730										1740										1750										1760										1770										1780										1790										1800										1810										1820										1830										1840										1850										1860										1870										1880										1890										1900										1910										1920										1930										1940										1950										1960										1970										1980										1990										2000										2010										2020										2030										2040										2050										2060										2070										2080										2090										2100										2110										2120										2130										2140										2150										2160										2170										2180										2190										2200										2210										2220										2230										2240										2250										2260										2270										2280										2290										2300										2310										2320										2330										2340										2350										2360										2370										2380										2390										2400										2410										2420										2430										2440										2450										2460										2470										2480										2490										2500										2510										2520										2530										2540										2550										2560										2570										2580										2590										2600										2610										2620										2630										2640										2650										2660										2670										2680										2690										2700										2710										2720										2730										2740										2750										2760										2770										2780										2790										2800										2810										2820										2830										2840										2850										2860										2870										2880										2890										2900										2910										2920										2930										2940										2950										2960										2970										2980										2990										3000										3010										3020										3030										3040										3050										3060										3070										3080										3090										3100										3110										3120										3130										3140										3150										3160										3170										3180										3190										3200										3210										3220										3230										3240										3250										3260										3270										3280										3290										3300										3310										3320										3330										3340										3350										3360										3370										3380										3390										3400										3410										3420										3430										3440										3450										3460										3470										3480										3490										3500										3510										3520										3530										3540										3550										3560										3570										3580										3590										3600										3610										3620										3630										3640										3650										3660										3670										3680										3690										3700										3710										3720										3730										3740										3750										3760										3770										3780										3790										3800										3810										3820										3830										3840										3850										3860										3870										3880										3890										3900										3910										3920										3930										3940										3950										3960										3970										3980										3990										4000										4010										4020										4030										4040										4050										4060										4070										4080										4090										4100										4110										4120										4130										4140										4150										4160										4170										4180										4190										4200										4210										4220										4230										4240										4250										4260										4270										4280										4290										4300										4310										4320										4330										4340										4350										4360										4370										4380										4390										4400										4410										4420										4430										4440										4450										4460										4470										4480										4490										4500										4510										4520										4530										4540										4550										4560										4570										4580										4590										4600										4610										4620										4630										4640										4650										4660										4670										4680										4690										4700										4710										4720										4730										4740										4750										4760										4770										4780										4790										4800										4810										4820										4830										4840										4850										4860										4870										4880										4890										4900										4910										4920										4930										4940										4950										4960										4970										4980										4990										5000										5010										5020										5030										5040										5050										5060										5070										5080										5090										5100										5110										5120										5130										5140										5150										5160										5170										5180										5190										5200										5210										5220										5230										5240										5250										5260										5270										5280										5290										5300										5310										5320										5330										5340										5350										5360										5370										5380										5390										5400										5410										5420										5430										5440										5450										5460										5470										5480										5490										5500										5510										5520										5530										5540										5550										5560										5570										5580										5590										5600										5610										5620										5630										5640										5650										5660										5670										5680										5690										5700										5710										5720										5730										5740										5750										5760										5770										5780										5790										5800										5810										5820										5830										5840										5850										5860										5870										5880										5890										5900										5910										5920										5930										5940										5950										5960										5970										5980										5990										6000										6010										6020										6030										6040										6050										6060										6070										6080										6090										6100										6110										6120										6130										6140										6150										6160										6170										6180										6190										6200										6210										6220										6230										6240										6250										6260										6270										6280										6290										6300										6310										6320										6330										6340										6350										6360										6370										6380										6390										6400										6410										6420										6430										6440										6450										6460										6470										6480										6490										6500										6510										6520										6530										6540										6550										6560										6570										6580										6590										6600										6610										6620										6630										6640										6650										6660										6670										6680										6690										6700										6710										6720										6730										6740										6750										6760										6770										6780										6790										6800										6810										6820										6830										6840										6850										6860										6870										6880										6890										6900										6910										6920										6930										6940										6950										6960										6970										6980										6990										7000										7010										7020										7030										7040										7050										7060										7070										7080										7090										7100										7110										7120										7130										7140										7150										7160										7170										7180										7190										7200										7210										7220										7230										7240										7250										7260										7270										7280										7290										7300										7310										7320										7330										7340										7350										7360										7370										7380										7390										7400										7410										7420										7430										7440										7450										7460										7470										7480										7490										7500										7510										7520										7530										7540										7550										7560										7570										7580										7590										7600										7610										7620										7630										7640										7650										7660										7670										7680										7690										7700										7710										7720										7730										7740										7750										7760										7770										7780										7790										7800										7810										7820										7830										7840										7850										7860										7870										7880										7890										7900										7910										7920										7930										7940										7950										7960										7970										7980										7990										8000										8010										8020										8030										8040										8050										8060										8070										8080										8090										8100										8110										8120										8130										8140										8150										8160										8170										8180										8190										8200										8210										8220										8230										8240										8250										8260										8270										8280										8290										8300										8310										8320										8330										8340										8350										8360										8370										8380										8390										8400										8410										8420										8430										8440										8450										8460										8470										8480										8490										8500										8510										8520										8530										8540										8550										8560										8570										8580										8590										8600										8610										8620										8630										8640										8650										8660										8670										8680										8690										8700										8710										8720										8730										8740										8750										8760										8770										8780										8790										8800										8810										8820										8830										8840										8850										8860										8870										8880										8890										8900										8910										8920										8930										8940										8950										8960										8970										8980										8990										9000										9010										9020										9030										9040										9050										9060										9070										9080										9090										9100										9110										9120										9130										9140										9150										9160										9170										9180										9190										9200										9210										9220										9230										9240										9250										9260										9270										9280										9290										9300										9310										9320										9330										9340										9350										9360										9370										9380										9390										9400										9410										9420										9430										9440										9450										9460										9470										9480										9490										9500										9510										9520										9530										9540										9550										9560										9570										9580										9590										9600										96									
----	--	--	--	--	--	--	--	--	--	----	--	--	--	--	--	--	--	--	--	----	--	--	--	--	--	--	--	--	--	----	--	--	--	--	--	--	--	--	--	----	--	--	--	--	--	--	--	--	--	----	--	--	--	--	--	--	--	--	--	----	--	--	--	--	--	--	--	--	--	----	--	--	--	--	--	--	--	--	--	----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	-----	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	----	--	--	--	--	--	--	--	--	--

19/42

Figure 9 Continued

60												70												80											
P	A	P	P	A	T	P	L	R	P	G	P	A	E	P	R	K	G	A	D	I	L	V	E	A	L										
CCG	GCG	CCG	CCG	GCC	ACG	CCG	CTC	CGG	CCG	TGG	GGG	CCG	GCC	GAG	CCC	CGC	AAG	GCG	GAC	ATC	CTC	GTG	GAG	GCG	CTG										
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X										
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X										
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X										
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X										
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X										
X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X										
90												100																							
E	R	C	G	V	S	D	V	F	A	Y	P	G	A	S	M	E	I	H	Q	A	L	T	R	S	P										
GAG	CGG	TGC	GGC	GTC	AGC	GAC	GTG	TTC	GCC	TAC	CCG	GGC	GGC	GCG	TCC	ATG	GAG	ATC	CAC	CAG	GCG	CTG	ACG	CGC	TCC	CCG									
X	X	X	X	X	X	D	V	F	A	Y	P	G	A	S	M	E	I	H	Q	A	L	T	R	S	P										
X	X	X	X	X	X	--C	GAC	GTC	TTC	GCC	TAC	CCT	GGC	GGC	TCC	ATG	GAG	ATC	CAC	CAG	GCG	CTG	ACG	CGC	TCC	CCA									
X	X	X	X	X	X	D	V	F	A	Y	P	G	A	S	M	E	I	H	Q	A	L	T	R	S	P										
X	X	X	X	X	X	--C	GAC	GTC	TTC	GCC	TAC	CCT	GGC	GGC	TCC	ATG	GAG	ATC	CAC	CAG	GCG	CTG	ACG	CGC	TCC	CCA									
X	X	X	X	X	X	D	V	F	A	Y	P	G	A	S	M	E	I	H	Q	A	L	T	R	S	P										
X	X	X	X	X	X	--C	GAC	GTC	TTC	GCC	TAC	CCT	GGC	GGC	TCC	ATG	GAG	ATC	CAC	CAG	GCG	CTG	ACG	CGC	TCC	CCA									
X	X	X	X	X	X	D	V	F	A	Y	P	G	A	S	M	E	I	H	Q	A	L	T	R	S	P										
X	X	X	X	X	X	--C	GAC	GTC	TTC	GCC	TAC	CCT	GGC	GGC	TCC	ATG	GAG	ATC	CAC	CAG	GCG	CTG	ACG	CGC	TCC	CCA									
X	X	X	X	X	X	D	V	F	A	Y	P	G	A	S	M	E	I	H	Q	A	L	T	R	S	P										
X	X	X	X	X	X	--C	GAC	GTC	TTC	GCC	TAC	CCT	GGC	GGC	TCC	ATG	GAG	ATC	CAC	CAG	GCG	CTG	ACG	CGC	TCC	CCA									

Figure 9 Continued

110	120	130
V I T N H L F R H E Q G E A F A A S G Y A R A S G R V	GTC ATC ACC AAC CAC CAC CTC TTC CGC CAC GAG CAG GAG CAG GGG GAG GAG GCG TTC GCG GCG TCC GGG TAC GCG CGC GCG TCC GGC CGC GTC	
V I T N H L F R H E Q G E A F A A S G Y A R A S G R V	GTC ATC ACC AAC CAC CAC CTC TTC CGC CAC GAG CAG GAG CAG GGG GAG GAG GCG TTC GCG GCG TCC GCG GCG TCC GCG TCC GGC CGC GTC	
V I T N H L F R H E Q G E A F A A S G Y A R A S G R V	GTC ATC ACC AAC CAC CAC CTC TTC CGC CAC GAG CAG GAG CAG GGG GAG GAG GCG TTC GCG GCG TCC GCG GCG TCC GCG TCC GGC CGC GTC	
V I T N H L F R H E Q G E A F A A S G Y A R A S G R V	GTC ATC ACC AAC CAC CAC CTC TTC CGC CAC GAG CAG GAG CAG GGG GAG GAG GCG TTC GCG GCG TCC GCG GCG TCC GCG TCC GGC CGC GTC	
V I T N H L F R H E Q G E A F A A S G Y A R A S G R V	GTC ATC ACC AAC CAC CAC CTC TTC CGC CAC GAG CAG GAG CAG GGG GAG GAG GCG TTC GCG GCG TCC GCG GCG TCC GCG TCC GGC CGC GTC	
V I T N H L F R H E Q G E A F A A S G Y A R A S G R V	GTC ATC ACC AAC CAC CAC CTC TTC CGC CAC GAG CAG GAG CAG GGG GAG GAG GCG TTC GCG GCG TCC GCG GCG TCC GCG TCC GGC CGC GTC	
V I T N H L F R H E Q G E A F A A S G Y A R A S G R V	GTC ATC ACC AAC CAC CAC CTC TTC CGC CAC GAG CAG GAG CAG GGG GAG GAG GCG TTC GCG GCG TCC GCG GCG TCC GCG TCC GGC CGC GTC	
V I T N H L F R H E Q G E A F A A S G Y A R A S G R V	GTC ATC ACC AAC CAC CAC CTC TTC CGC CAC GAG CAG GAG CAG GGG GAG GAG GCG TTC GCG GCG TCC GCG GCG TCC GCG TCC GGC CGC GTC	
140	150	160
G V C V A T S G P G A T N L V S A L A D A L L D S V P	GGG GTC TGC GTC GCC ACC TCC GGC CCC GGG GCA ACC AAC CTC GTG TCC GCG CTC GCG GAG GCG GCG GCT CTC GAC TCC GTC CCG	
G V C V A T S G P G A T N L V S A L A D A L L D S I P	GGG GTC TGC GTC GCC ACC TCC GGC CCG GGG GCG ACC AAC CTC GTC TCC GCG CTC GCG GAG GCG GCT CTC GAC TCC ATC CCC	
G V C V A T S G P G A T N L V S A L A D A L L D S I P	GGG GTC TGC GTC GCC ACC TCC GGC CCG GGG GCG ACC AAC CTC GTC TCC GCG CTC GCG GAG GCG GCT CTC GAC TCC ATC CCC	
G V C V A T S G P G A T N L V S A L A D A L L D S I P	GGG GTC TGC GTC GCC ACC TCC GGC CCG GGG GCG ACC AAC CTC GTC TCC GCG CTC GCG GAG GCG GCT CTC GAC TCC ATC CCC	
G V C V A T S G P G A T N L V S A L A D A L L D S I P	GGG GTC TGC GTC GCC ACC TCC GGC CCG GGG GCG ACC AAC CTC GTC TCC GCG CTC GCG GAG GCG GCT CTC GAC TCC ATC CCC	
G V C V A T S G P G A T N L V S A L A D A L L D S I P	GGG GTC TGC GTC GCC ACC TCC GGC CCG GGG GCG ACC AAC CTC GTC TCC GCG CTC GCG GAG GCG GCT CTC GAC TCC ATC CCC	

SUBSTITUTE SHEET (RULE 26)

SUBSTITUTE SHEET (RULE 26)

Figure 9 Continued

SUBSTITUTE SHEET (RULE 26)

Figure 9 Continued

330										340										350										
M	H	G	T	V	Y	A	N	Y	A	V	A	D	L	L	L	A	F	G	V	R	F	D	D	R						
ATG CAT GGC ACG GTG TAC GCA AAT TAT GCC GTG GAT AAG GCT GAC CTG TTG CTT GCG TTT GGT GTG CGG TTT GAT GAT GAT CGT																														
M	H	G	T	V	Y	A	N	Y	A	V	A	D	L	L	L	I	A	F	G	V	R	F	D	D	R					
ATG CAT GGC ACT GTG TAT GCA AAT TAT GCA GTA GAT AAG GCT GAC CTG TTG NTT GCA TTT GGT GTG CGG TTT GAT GAT GAT CGT																														
M	H	G	T	V	Y	A	N	Y	A	V	A	D	L	L	L	A	F	G	V	R	F	D	D	R						
ATG CAT GGC ACT GTG TAT GCA AAT TAT GCA GTA GAT AAG GCT GAC CTG TTG CTT GCA TTT GGT GTG CGG TTT GAT GAT GAT CGT																														
M	H	G	T	V	Y	A	N	Y	A	V	A	D	L	L	L	A	F	G	V	Q	V	D	D	R						
ATG CAT GGC ACT GTG TAT GCA AAT TAT GCA GTA GAT AAG GCT GAC CTG TTG CTT GCA TTT GGT GTG CNG GTT GAT GAT GAT CGT																														
M	H	G	T	V	Y	A	N	Y	A	V	A	D	L	L	L	A	F	G	V	R	F	D	D	R						
ATG CAT GGC ACT GTG TAT GCA AAT TAT GCA GTA GAT AAG GCT GAC CTG TTG CTT GCA TTT GGT GTG CGG TTT GAT GAT GAT CGT																														
M	H	G	T	V	Y	A	N	Y	A	V	A	D	L	L	L	A	F	G	V	R	F	D	D	R						
ATG CAT GGC ACT GTG TAT GCA AAT TAT GCA GTA GAT AAG GCT GAC CTG TTG CTT GCA TTT GGT GTG CGG TTT GAT GAT GAT CGT																														
M	H	G	T	V	Y	A	N	Y	A	V	A	D	L	L	L	A	F	G	V	R	F	D	D	R						
ATG CAT GGN ACT GTG TAT GCA AAT TAT GCA GTA GAT AAG GCT GAC CTG TTG CTT GCA TTT GGT GTG CGG TTT GAT GAT GAT CGT																														
360										370																				
V	T	G	K	I	E	A	F	A	S	R	A	K	I	V	H	I	D	I	D	P	A	E	I	G	K	N				
GTG ACA GGG AAA ATT GAG GCT TTT GCA AGC AGG GCC AAG ATT GTG CAC ATT GAC ATT GAC ATT GAT CCA GCA GAG ATT GGA AAG AAC																														
V	T	G	K	I	E	A	F	A	S	R	S	K	I	V	H	I	D	I	D	P	A	E	I	G	K	N				
GTG ACC GGG AAA ATC GAG GCT TTT GCA AGC AGG TCC AAG ATT GTG CAC ATT GAC ATT GAC CCA GCT GAG ATT GGC AAG AAC																														
V	T	G	K	I	E	A	F	A	S	R	S	K	I	V	H	I	D	I	D	P	A	E	I	G	K	N				
GTG ACC GGG AAA ATC GAG GCT TTT GCA AGC AGG TCC AAG ATT GTG CAC ATT GAC ATT GAC CCA GCT GAG ATT GGC AAG AAC																														
V	N	G	K	I	E	A	F	A	S	R	S	K	I	E	H	I	D	I	D	P	A	E	I	G	K	N				
GTG ANC GGG AAA ATC GAN GCT TTT GCA AGC AGG TCC AAG ATT GNG CAC ATT GAC ATT GAC CCA GCT GAG ATT GGC AAG AAC																														
V	T	G	K	I	E	A	F	A	S	R	S	K	I	V	H	I	D	I	D	P	A	E	I	G	K	N				
GTG ACC GGG AAA ATC GAG GCT TTT GCA AGC AGG TCC AAG ATT GTG CAC ATT GAC ATT GAC CCA GCT GAG ATT GGC AAG AAC																														
V	T	G	K	I	E	A	F	A	S	R	S	K	I	V	H	I	D	I	D	P	A	E	I	G	K	N				
GTG ACC GGG AAA ATC GAG GCT TTT GCA AGC AGG TCC AAG ATT GTG CAC ATT GAC ATT GAC CCA GCT GAG ATT GGC AAG AAC																														

Figure 9 Continued

380										390										400									
K	Q	P	H	V	S	I	C	A	D	V	K	L	A	L	Q	G	L	N	A	L	L	L	Q	Q	S	T	T		
AAG	CAA	CCA	CAT	GTG	TCA	ATT	TGC	GCA	GAT	GTT	AAG	CTT	GCT	TTA	CAG	GGC	TTG	AAT	GCT	CTG	CTA	CAA	CAG	AGC	ACA	ACA			
K	Q	P	H	V	S	I	C	A	D	V	K	L	A	L	Q	G	L	N	A	L	L	L	N	G	S	K	A		
AAG	CAG	CCA	CAT	GTC	TCC	ATT	TGT	GCA	GAT	GTT	AAG	CTT	GCT	TTA	CAG	GGG	TTG	AAT	GCT	CTA	TTA	AAT	GGG	AGC	AAA	GCA			
K	Q	P	H	V	S	I	C	A	D	V	K	L	A	L	Q	G	L	N	A	L	L	L	N	G	S	K	A		
AAG	CAG	CCA	CAT	GTC	TCC	ATT	TGT	GCA	GAT	GTT	AAG	CTT	GCT	TTA	CAG	GGG	TTG	AAT	GCT	CTA	TTA	AAT	GGG	AGC	AAA	GCA			
K	Q	P	H	V	S	I	C	A	D	V	K	L	A	L	Q	G	L	N	A	L	L	L	N	G	S	K	A		
AAG	CAG	CCA	CNT	GTC	TCC	ATT	TGT	GCA	GAT	GTT	AAN	CTT	GCT	TTA	CAG	GGG	TTG	AAT	GCN	CTA	TTA	AAT	GGG	AGC	AAA	GCA			
K	Q	P	H	V	S	I	C	A	D	V	K	L	A	L	Q	G	L	N	A	L	L	L	N	G	S	K	A		
AAG	CAG	CCA	CAT	GTC	TCC	ATT	TGT	GCA	GAT	GTT	AAG	CTT	GCT	TTA	CAG	GGG	TTG	AAT	GCT	CTA	TTA	AAT	GGG	AGC	AAA	GCA			
K	Q	P	H	V	S	I	C	A	D	V	K	L	A	L	Q	G	L	N	A	L	L	L	N	G	S	K	A		
AAG	CAG	CCA	CAT	GTC	TCC	ATT	TGT	GCA	GAT	GTT	AAG	CTT	GCT	TTA	CAG	GGG	TTG	AAT	GCT	CTA	TTA	AAT	GGG	AGC	AAA	GCA			
K	Q	P	H	V	S	I	C	A	D	V	K	L	A	L	Q	G	L	N	A	L	L	L	N	G	S	K	A		
AAG	CAG	CCA	CAT	GTC	TCC	ATT	TGT	GCA	GAT	GTT	AAG	CTT	GCT	TTA	CAG	GGG	TTG	AAT	GCT	CTA	TTA	AAT	GGG	AGC	AAA	GCA			
410										420										430									
K	T	S	S	D	F	S	A	W	H	N	E	L	D	Q	Q	K	R	E	F	P	L	G	Y	K	T	F			
AAG	ACA	AGT	TCT	GAT	TTT	AGT	GCA	TGG	CAC	AAT	GAG	TTG	GAC	CAG	CAG	AAG	AGG	GAG	TTT	CCT	CTG	GGG	TAC	AAA	ACT	TTT			
Q	Q	G	L	D	F	G	P	W	H	K	E	L	D	Q	Q	K	R	E	F	P	L	G	F	K	T	F			
CAA	CAG	GGT	CTG	GAT	TTT	GGT	CCA	TGG	CAC	AAG	GAG	TTG	GAT	CAG	CAG	AAG	AGG	GAG	TTT	CCT	CTA	GGA	TTC	AAG	ACT	TTT			
Q	Q	G	L	D	F	G	P	W	H	K	E	L	D	Q	Q	K	R	E	F	P	L	G	F	K	T	F			
CAA	CAG	GGT	CTG	GAT	TTT	GGT	CCA	TGG	CAC	AAG	GAG	TTG	GAT	CAG	CAG	AAG	AGG	GAG	TTT	CCT	CTA	GGA	TTC	AAG	ACT	TTT			
Q	Q	G	L	D	F	G	P	W	H	K	E	L	D	Q	Q	K	K	E	F	P	L	G	F	K	T	F			
CAA	CAG	GGN	CTG	GAT	TTT	GGT	CCA	TGG	CNC	AAG	GAG	TTG	GAT	CAG	CAA	AAG	ANG	GAG	TTT	CCT	CTA	GGA	TTC	AAN	ACT	TTT			
Q	Q	G	L	D	F	G	P	W	H	K	E	L	D	Q	Q	K	R	E	F	P	L	G	F	K	T	F			
CAA	CAG	GGT	CTG	GAT	TTT	GGT	CCA	TGG	CAC	AAG	GAG	TTG	GAT	CAG	CAG	AAG	AGG	GAG	TTT	CCT	CTA	GGA	TTC	AAG	ACT	TTT			
Q	Q	G	L	D	F	G	P	W	H	K	E	L	D	Q	Q	K	R	E	F	P	L	G	F	K	T	F			
CAA	CAG	GGT	CTG	GAT	TTT	GGT	CCA	TGG	CAC	AAG	GAG	TTG	GAT	CAG	CAG	AAG	AGG	GAG	TTT	CCT	CTA	GGA	TTC	AAG	ACT	TTT			
Q	Q	G	L	D	F	G	P	W	H	K	E	L	D	Q	Q	K	R	E	F	P	L	G	F	K	T	F			
CAA	CAG	GGT	CTG	GAT	TTT	GGT	CCA	TGG	CAC	AAG	GAG	TTG	GAT	CAG	CAG	AAG	AGG	GAG	TTT	CCT	CTA	GGA	TTC	AAG	ACT	TTT			

440										450																			
G	E	E	I	P	P	Q	Y	A	I	Q	V	L	D	E	L	T	K	G	E	A	I	I	A	T	G	V			
GGT	GAA	GAG	ATC	CCA	CCG	CAA	TAT	GCT	ATC	ATT	CAG	GTG	CTG	GAT	GAG	CTG	ACG	AAA	GGT	GAG	GCA	ATC	ATC	GCT	ACT	GGT	GTT		
G	E	A	I	P	P	Q	Y	A	I	Q	V	L	D	E	L	T	K	G	E	A	I	I	A	T	G	V			
GGT	GAG	GCC	ATC	CCG	CCG	CAA	TAT	GCT	ATC	CAG	GTA	CTG	GAT	GAG	CTG	ACA	AAA	GGG	GAG	GCG	ATC	ATT	GCC	ACC	GGT	GTT			
G	E	A	I	P	P	Q	Y	A	I	Q	V	L	D	E	L	T	K	G	E	A	I	I	A	T	G	V			
GGT	GAG	GCC	ATC	CCG	CCG	CAA	TAT	GCT	ATC	CAG	GTA	CTG	GAT	GAG	CTG	ACA	AAA	GGG	GAG	GCG	ATC	ATT	GCC	ACC	GGT	GTT			
G	E	A	I	P	P	Q	Y	A	I	Q	V	L	D	E	L	T	K	G	E	A	I	I	A	T	G	V			
GGN	GAN	GCC	ATC	CCG	CCG	CAA	TAT	GCT	ATC	CAG	GTA	CTG	GAT	GAG	CTG	ACA	AAA	GGG	GAG	GCG	ATC	ATT	GCC	ACC	GGN	GTT			
G	E	A	I	P	P	Q	Y	A	I	Q	V	L	D	E	L	T	K	G	E	A	I	I	A	T	G	V			
GGT	GAG	GCC	ATC	CCG	CCG	CAA	TAT	GCT	ATC	CAG	GTA	CTG	GAT	GAG	CTG	ACA	AAA	GGG	GAG	GCG	ATC	ATT	GCC	ACC	GGT	GTT			
G	E	A	I	P	P	Q	Y	A	I	Q	V	L	D	E	L	T	K	G	E	A	I	I	A	T	G	V			
GGT	GAG	GCC	ATC	CCG	CCG	CAA	TAT	GCT	ATC	CAG	GTA	CTG	GAT	GAG	CTG	ACN	AAA	GGG	GAG	GCG	ATC	ATT	GCC	ACC	GGT	GTT			
460										470										480									
G	Q	H	Q	M	W	A	A	Q	Y	Y	T	Y	K	R	P	R	Q	W	L	S	S	A	G	L	G	A			
GGG	CAG	CAC	CAG	ATG	TGG	GCG	GCA	CAA	TAT	TAC	ACC	TAC	AAG	CGG	CCA	CGG	CAG	TGG	CTG	TCT	TCA	TCC	GGT	TTG	GGT	GCA			
G	Q	H	Q	M	W	A	A	Q	Y	Y	T	Y	K	R	P	R	Q	W	L	S	S	S	G	L	G	A			
GGG	CAG	CAT	CAG	ATG	TGG	GCG	GCT	CAG	TAT	TAC	ACT	TAC	AAG	CGG	CCA	CGG	CAG	TGG	CTG	TCT	TCA	TCC	GGT	TTG	GGT	GCA			
G	Q	H	Q	M	W	A	A	Q	Y	Y	T	Y	K	R	P	R	Q	W	L	S	S	S	G	L	G	A			
GGG	CAG	CAT	CAG	ATG	TGG	GCG	GCT	CAG	TAT	TAC	ACT	TAC	AAG	CGG	CCA	CGG	CAG	TGG	CTG	TCT	TCA	TCC	GGT	TTG	GGT	GCA			
G	Q	H	Q	M	W	A	A	Q	Y	Y	T	Y	K	R	P	R	Q	W	L	S	S	S	G	L	G	A			
GGG	CAG	CAT	CAN	ATG	TGG	GCG	GCT	CAG	TAT	TAC	ACT	TAC	AAG	CGG	CCN	CGG	CAG	TGG	CTG	TCT	TCA	TCC	GGT	TTG	GGT	GCA			
G	Q	H	Q	M	W	A	A	Q	Y	Y	T	Y	K	R	P	R	Q	W	L	S	S	S	G	L	G	A			
GGG	CAG	CAT	CAG	ATG	TGG	GCG	GCT	CAG	TAT	TAC	ACT	TAC	AAG	CGG	CCA	CGG	CAG	TGG	CTG	TCT	TCA	TCC	GGT	TTG	GGT	GCA			
G	Q	H	Q	M																									

SUBSTITUTE SHEET (RULE 26)

Figure 9 Continued

550												560																							
H	L	G	M	V	V	Q	W	E	D	R	F	Y	K	A	N	R	A	H	T	Y	L	G	N	P	E	C									
CAT	TTG	GGT	ATG	GTG	GTG	CAA	TGG	GAG	GAT	AGG	TTT	TAC	AAG	GCG	AAT	AGG	GCG	CAT	ACA	TAC	TTG	GGC	AAC	CCG	GAA	TGT									
H	L	G	M	V	V	Q	W	E	D	R	F	Y	K	A	N	R	A	H	T	Y	L	G	N	P	E	N									
CAT	CTG	GGA	ATG	GTG	GTG	CAG	TGG	GAG	GAT	AGG	TTT	TAC	AAG	GCC	AAC	CGG	GCG	CAC	ACA	TAC	CTT	GGC	AAC	CCA	GAA	AAT									
H	L	G	M	V	V	Q	W	E	D	R	F	Y	K	A	N	R	A	H	T	Y	L	G	N	P	E	N									
CAT	CTG	GGA	ATG	GTG	GTG	CAG	TGG	GAG	GAT	AGG	TTT	TAC	AAG	GCC	AAC	CGG	GCG	CAC	ACA	TAC	CTT	GGC	AAC	CCA	GAA	AAT									
H	L	G	M	V	V	Q	W	E	D	R	F	Y	K	A	N	R	A	H	T	Y	L	G	N	P	E	N									
CAT	CTG	GGA	ATG	GTG	GTG	CAG	TGG	GAG	GAT	AGG	TTT	TAC	AAG	GCC	AAC	CGG	GCG	CAC	ACA	TAC	CTT	GGC	AAC	CCA	GAA	AAT									
H	L	G	M	V	V	Q	W	E	D	R	F	Y	K	A	N	R	A	H	T	Y	L	G	N	P	E	N									
CAT	CTG	GGA	ATG	GTG	GTG	CAG	TGG	GAG	GAT	AGG	TTT	TAC	AAG	GCC	AAC	CGG	GCG	CAC	ACA	TAC	CTT	GGC	AAC	CCA	GAA	AAT									
H	L	G	M	V	V	Q	W	E	D	R	F	Y	K	A	N	R	A	H	T	Y	L	G	N	P	E	N									
CAT	CTG	GGA	ATG	GTG	GTG	CAG	TGG	GAG	GAT	AGG	TTT	TAC	AAG	GCC	AAC	CGG	GCG	CAC	ACA	TAC	CTT	GGC	AAC	CCA	GAA	AAT									
570												580												590											
E	S	E	I	Y	P	D	F	V	T	I	A	K	G	F	N	I	P	A	V	R	V	T	K	K	S	E									
GAG	AGC	GAG	ATA	TAT	CCA	GAT	TTT	GTG	ACT	ATT	GCT	AAG	GGG	TTC	AAT	ATT	CCT	GCA	GTC	CGT	GTA	ACA	AAG	AAG	AGT	GAA									
E	S	E	I	Y	P	D	F	V	T	I	A	K	G	F	N	V	P	A	V	R	V	T	K	K	S	E									
GAG	AGT	GAG	ATA	TAT	CCA	GAT	TTT	GTG	ACG	ATT	GCT	AAA	GGA	TTC	AAC	GTT	CCG	GCA	GTT	CGT	GTG	ACG	AAG	AAG	AGC	GAA									
E	S	E	I	Y	P	D	F	V	T	I	A	K	G	F	N	V	P	A	V	R	V	T	K	K	S	E									
GAG	AGT	GAG	ATA	TAT	CCA	GAT	TTT	GTG	ACG	ATT	GCT	AAA	GGA	TTC	AAC	GTT	CCG	GCA	GTT	CGT	GTG	ACG	AAG	AAG	AGC	GAA									
E	S	E	I	Y	P	D	F	V	T	I	A	K	G	F	N	V	P	A	V	R	V	T	K	K	S	E									
GAG	AGT	GAG	ATA	TAT	CCA	GAT	TTT	GTG	ACG	ATT	GCT	AAA	GGA	TTC	AAC	GTT	CCG	GCA	GTT	CGT	GTG	ACG	AAG	AAG	AGC	GAA									
E	S	E	I	Y	P	D	F	V	T	I	A	K	G	F	N	V	P	A	V	R	V	T	K	K	S	E									
GAG	AGT	GAG	ATA	TAT	CCA	GAT	TTT	GTG	ACG	ATT	GCT	AAA	GGA	TTC	AAC	GTT	CCG	GCA	GTT	CGT	GTG	ACG	AAG	AAG	AGC	GAA									

Figure 9 Continued

600										610										620									
V	R	A	A	I	K	K	M	L	E	T	P	G	P	Y	L	L	D	I	I	I	V	P	H	Q	E	H	V		
GTG	CGT	GCC	GCC	ATC	AAG	AAG	ATG	CTC	GAG	ACT	CCA	GGG	CCA	TAC	TTG	TTG	GAT	ATC	ATC	ATC	GTC	CCG	CAC	CAG	GAG	CAT	GTG		
V	T	A	A	I	K	K	M	L	E	T	P	G	P	Y	L	L	D	I	I	I	V	P	H	Q	E	H	V		
GTG	ACT	GCA	GCA	ATC	AAG	AAG	ATG	CTT	GAG	ACC	CCA	GGG	CCA	TAC	TTG	TTG	GAT	ATC	ATT	ATT	GTC	CCG	CAT	CAG	GAG	CAC	GTG		
V	T	A	A	I	K	K	M	L	E	T	P	G	P	Y	L	L	D	I	I	I	V	P	H	Q	E	H	V		
GTG	ACT	GCA	GCA	ATC	AAG	AAG	ATG	CTT	GAG	ACC	CCA	GGG	CCA	TAC	TTG	TTG	GAT	ATC	ATT	ATT	GTC	CCG	CAT	CAG	GAG	CAC	GTG		
V	T	A	A	I	K	K	M	L	E	T	P	G	P	Y	L	L	D	I	I	I	V	P	H	Q	E	H	V		
GTG	ACT	GCA	GCA	ATC	AAG	AAG	ATG	CTT	GAG	ACC	CCA	GGG	CCA	TAC	TTG	TTG	GAT	ATC	ATT	ATT	GTC	CCG	CAT	CAG	GAG	CAC	GTG		
V	T	A	A	I	K	K	M	L	E	T	P	G	P	Y	L	L	D	I	I	I	V	P	H	Q	E	H	V		
GTG	ACT	GCA	GCA	ATC	AAG	AAG	ATG	CTT	GAG	ACC	CCA	GGG	CCA	TAC	TTG	TTG	GAT	ATC	ATT	ATT	GTC	CCG	CAT	CAG	GAG	CAC	GTG		
V	T	A	A	I	K	K	M	L	E	T	P	G	P	Y	L	L	D	I	I	I	V	P	H	Q	E	H	V		
GTG	ACT	GCA	GCA	ATC	AAG	AAG	ATG	CTT	GAG	ACC	CCA	GGG	CCA	TAC	TTG	TTG	GAT	ATC	ATT	ATT	GTC	CCG	CAT	CAG	GAG	CAC	GTG		
V	T	A	A	I	K	K	M	L	E	T	P	G	P	Y	L	L	D	I	I	I	V	P	H	Q	E	H	V		
GTG	ACT	GCA	GCA	ATC	AAG	AAG	ATG	CTT	GAG	ACC	CCA	GGG	CCA	TAC	TTG	TTG	GAT	ATC	ATT	ATT	GTC	CCG	CAT	CAG	GAG	CAC	GTG		
630										640										650									
L	P	M	I	P	S	G	G	A	F	K	D	M	I	L	D	G	D	G	R	T	V	Y	.						
CTG	CCT	ATG	ATC	CCA	AGT	GGG	GGC	GCA	TTC	AAG	GAC	ATG	ATC	CTG	GAT	GGT	GAT	GGC	AGG	ACT	GTG	TAT	TAA						
L	P	M	I	P	S	G	G	A	F	K	D	M	I	M	E	G	D	G	R	T	S								
CTG	CCT	ATG	ATC	CCA	AGC	GGT	GGT	GCT	TTT	AAG	GAC	ATG	ATC	ATG	GAG	GGT	GAT	GGC	AGG	ACC	TCG	TAC							
L	P	M	I	P	S	G	G	A	F	K	D	M	I	M	E	G	D	G	R	T	S								
CTG	CCT	ATG	ATC	CCA	AGC	GGT	GGT	GCT	TTT	AAG	GAC	ATG	ATC	ATG	GAG	GGT	GAT	GGC	AGG	ACC	TCG	TAC							
L	P	M	I	P	S	G	G	A	F	K	D	M	I	M	E	G	D	G	R	T	S								
CTG	CCT	ATG	ATC	CCA	AGC	GGT	GGT	GCT	TTT	AAG	GAC	ATG	ATC	ATG	GAG	GGT	GAT	GGC	AGG	ACC	TCG	TAC							
L	P	M	I	P	N	G	G	A	F	K	D	M	I	M	E	G	D	G	R	T	S								
CTG	CCT	ATG	ATC	CCA	AAC	GGT	GGT	GCT	TTT	AAG	GAC	ATG	ATC	ATG	GAG	GGT	GAT	GGC	AGG	ACC	TCG	TAC							
L	P	M	I	P	S	G	G	A	F	K	D	M	I	M	E	G	D	G	R	T	S								
CTG	CCT	ATG	ATC	CCA	AGC	GGT	GGT	GCT	TTT	AAG	GAC	ATG	ATC	ATG	GAG	GGT	GAT	GGC	AGG	ACC	TCG	TAC							

Figure 10

Partial DNA sequence and deduced amino acid sequence of TealIMI1 15A

SEQ ID NO:2	D	V	F	A	Y	P	G	G	A	S	M	E	I	H	Q	A	L	T	R	S	P					
SEQ ID NO:1	C	GAC	GTC	TTC	GCC	TAC	CCC	GGC	GGC	TCC	ATG	GAG	ATC	CAC	CAG	GCG	CTG	ACG	CGC	TCG	CCC					
V	I	T	N	H	L	F	R	H	E	Q	G	E	A	F	A	A	S	G	Y	A	R	A	S	G	R	V
GTC	ATC	ACC	AAC	CAC	CTC	TTC	CGC	CAC	GAG	CAG	GGG	GAG	GCG	TTC	GCG	TCC	GGC	TAC	GGC	TCC	GGC	TCC	GGC	CGC	CGC	GTC
G	V	C	V	A	T	S	G	P	G	A	T	N	L	V	S	A	L	A	D	A	L	L	D	S	I	P
GGC	GTC	TGC	GTC	GCC	ACC	TCC	GGC	CCG	GGG	GCC	ACC	AAC	CTC	GTC	TCC	GCG	CTC	GCC	GAC	GCC	CTC	CTC	GAC	TCC	ATC	CCC
M	V	A	I	T	G	Q	V	P	R	R	M	I	G	T	D	A	F	Q	E	T	P	I	V	E	V	T
ATG	GTC	GCC	ATC	ACG	GGC	CAG	GTC	CCC	CGC	CGC	ATG	ATC	GGC	ACG	GAC	GCG	TTC	CAG	GAG	ACG	CCC	ATA	GTG	GAG	GTC	ACG
R	S	I	T	K	H	N	Y	L	V	L	D	V	E	D	I	P	R	V	I	Q	E	A	F	F	L	A
CGC	TCC	ATC	ACC	AAG	CAC	AAC	TAC	CTG	GTC	CTT	GAC	GTG	GAG	GAT	ATC	CCC	CGC	GTC	ATC	CAG	GAA	GCC	TTC	TTC	CTT	GCA
S	S	G	R	P	G	P	V	L	V	D	I	P	K	D	I	Q	Q	Q	M	A	V	P	V	W	D	T
TCC	TCT	GGC	CGC	CCG	GGG	CCG	GTG	CTA	GTT	GAT	ATC	ATC	AAG	GAC	ATC	CAG	CAG	ATG	GCT	GTG	CCC	GTC	TGG	GAC	ACT	
P	M	S	L	P	G	Y	I	A	R	L	P	K	P	P	S	T	E	S	L	E	Q	V	L	R	L	V
CCA	ATG	AGT	TTG	CCA	GGG	TAC	ATC	GCC	CGC	CTG	CCC	CCC	AAG	CCA	CCA	TCT	ACT	GAA	TCG	CTT	GAG	CAG	GTC	CTG	CGT	GTT
G	E	S	R	R	P	I	L	Y	V	G	G	G	C	A	A	S	G	E	E	L	R	R	F	V	E	L
GGC	GAG	TCA	CGG	CGC	CCA	ATT	CTG	TAT	GTT	GGT	GGT	GGC	TGC	GCT	GCG	TCT	GGC	GAG	GAG	TTG	CGC	CGC	TTT	GTT	GAG	CTT
T	G	I	P	V	T	T	T	L	M	G	L	G	N	F	P	S	D	D	P	L	S	L	R	M	L	G
ACT	GGG	ATT	CCA	GTT	ACA	ACT	ACT	CTG	ATG	GGC	CTT	GGC	AAC	TTC	CCC	AGC	GAC	GAC	CCA	CTG	TCT	CTG	CGC	ATG	CTT	GGG

M	H	G	T	V	Y	A	N	A	Y	A	V	D	K	A	D	L	L	I	A	F	G	V	R	F	D	D	R
ATG	CAT	GGC	ACT	GTG	TAT	GCA	AAT	TAT	GCA	GTA	GAT	AAG	GCT	AAG	GCT	GAC	CTG	TTG	NTC	GCA	TTT	GGT	GTG	CGG	TTT	GAT	GAT
V	T	G	K	I	E	A	F	A	S	R	S	K	K	I	E	H	I	D	I	D	P	A	E	I	G	K	N
GTG	ACT	GGG	AAA	ATC	GAG	GCT	TTT	GCA	AGC	AGG	TCC	AAG	ATT	GNG	CAC	ATT	GAC	ATT	GAC	CCA	GCT	GAG	ATT	GGC	AAG	AAC	
K	Q	P	H	V	S	I	C	A	D	V	K	L	A	L	Q	G	L	N	D	L	L	G	S	K	A	A	
AAG	CAG	CCA	CAT	GTC	TCC	ATT	TGT	GCA	GAT	GTT	AAN	CTT	GCT	TTA	CAG	GGG	TTG	AAT	GAT	CTA	TTA	AAT	GGG	AGC	AAA	GCA	
Q	Q	G	L	D	F	G	P	W	H	K	E	L	D	Q	Q	K	R	E	F	P	L	G	F	K	T	F	
CAA	CAG	GGT	CTG	GAT	TTT	GGT	CCA	TGG	CAC	AAG	GAG	TTG	GAT	CAG	CAN	AAN	AGG	GAG	TTT	CCT	CTA	GGA	TTC	AAG	ACT	TTT	
G	E	A	I	P	P	Q	Y	A	I	Q	V	L	D	E	L	T	K	G	E	A	I	I	A	T	G	V	
GGC	GAG	GCC	ATC	CCG	CCG	CAA	TAT	GCT	ATC	CAG	GTA	CTG	GAT	GAG	CTG	ACA	AAA	GGG	GAG	GCG	ATC	ATT	GCC	ACT	GGT	GTT	
G	Q	H	Q	M	W	A	A	Q	Y	Y	T	Y	K	R	P	R	Q	W	L	S	S	S	G	L	G	A	
GGG	CAG	CAC	CAG	ATG	TGG	GCG	GCT	CAG	TAT	TAC	ACT	TAC	AAG	CGG	CCA	CGG	CAG	TGG	CTG	TCT	TCT	TCT	GAT	TTG	GGG	GCA	
M	G	F	G	L	P	A	A	A	G	A	A	V	A	N	P	G	V	T	V	V	D	I	D	G	D	G	
ATG	GGA	TTT	GGG	TTA	CCA	GCT	GCA	GCT	GGC	GCT	GCT	GTG	GCC	AAC	CCA	GGT	GTT	ACA	GTT	GAC	ATT	GAT	GGT	GAT	GGT	GGT	
S	F	L	M	N	I	Q	E	L	A	L	I	R	I	E	N	L	P	V	K	V	M	I	L	N	N	Q	
AGT	TTC	CTC	ATG	AAC	ATT	CAG	GAG	TTG	GCG	TTG	ATC	CGC	ATT	GAG	AAC	CTC	CCA	GTG	AAG	GTG	ATG	ATA	TTG	AAC	AAC	CAG	
H	L	G	M	V	V	Q	W	E	D	R	F	Y	K	A	N	R	A	H	T	Y	L	G	N	P	E	N	
CAT	CTG	GGA	ATG	GTG	GTG	CAG	TGG	GAG	GAT	AGG	TTT	TAC	AAG	GCC	AAT	CGG	GCG	CAC	ACA	TAC	CTT	GGC	AAC	CCA	GAA	AAT	
E	S	E	I	Y	P	D	F	V	T	I	A	K	G	F	N	V	P	A	V	R	V	T	K	K	S	E	
GAG	AGT	GAG	ATA	TAT	CCA	GAT	TTT	GTG	ACG	ATT	GCT	AAA	GGA	TTC	AAC	GTT	CCA	GCA	GTT	CGA	GTG	ACG	AAG	AAG	AGC	GAA	

V	T	A	A	I	K	K	M	L	E	T	P	G	P	Y	L	L	D	I	I	V	P	H	Q	E	H	V
GTC	ACT	GCA	GCA	ATC	AAG	AAG	ATG	CTT	GAG	ACC	CCA	GGG	CCA	TAC	TTG	TTG	GAT	ATC	ATA	GTC	CCG	CAT	CAG	GAG	CAC	GTG

L	P	M	I	P	N	G	G	A	F	K	D	M	I	M	E	G	D	G	R	T	S	Y			
CTG	CCT	ATG	ATC	CCA	AAC	GGT	GGT	GCT	TTC	AAG	GAC	ATG	ATC	ATG	GAG	GGT	GAT	GGC	AGG	ACC	TCG	TAC	TGA		

Figure 11

Partial DNA sequence and deduced amino acid sequence of TealIMI2 11A

SEQ ID NO:4	D	V	F	A	Y	P	G	G	A	S	M	E	I	H	Q	A	L	T	R	S	P						
SEQ ID NO:3	C	GAC	GTC	TTC	GCC	TAC	CCT	GGC	GGC	TCC	ATG	GAG	ATC	CAC	CAG	GCG	CTG	ACG	CGC	TCG	CCA						
V	I	T	N	H	L	F	R	H	E	Q	G	E	A	F	A	A	S	G	Y	A	R	A	S	G	R	V	
GTC	ATC	ACC	AAC	CAC	CTC	TTC	CGC	CAC	GAG	CAG	GGG	GAG	GCG	TTC	GCG	TCC	GGG	TAC	GCC	CGC	CGC	GCG	TCC	GGC	CGC	GTC	
G	V	C	V	A	T	S	G	P	G	A	T	N	L	V	S	A	L	A	D	A	L	L	D	S	I	P	
GGC	GTC	TGC	GTC	GCC	ACC	TCC	GGC	CCG	GGG	GCC	ACC	AAC	CTC	GTC	TCC	GCG	CTC	GCC	GAC	GCT	CTC	CTC	GAC	TCC	ATC	CCC	
M	V	A	I	T	G	Q	V	P	R	R	M	I	G	T	D	A	F	Q	E	T	P	I	V	E	V	T	
ATG	GTC	GCC	ATC	ACG	GGC	CAG	GTC	CCC	CGC	CGC	ATG	ATC	GGC	ACG	GAT	GCG	TTC	CAG	GAG	ACG	CCC	ATC	GTG	GAG	GTC	ACG	
R	S	I	T	K	H	N	Y	L	V	L	D	V	E	D	I	P	R	V	I	Q	E	A	F	F	L	A	
CGC	TCC	ATC	ACC	AAG	CAC	AAC	TAC	CTG	GTC	CTT	GAC	GTG	GAG	GAT	ATC	CCC	CGC	GTC	ATC	CAG	GAA	GCC	TTC	TTC	CTC	GCA	
S	S	G	R	P	G	P	V	L	V	D	I	P	K	D	I	Q	Q	Q	M	A	V	P	V	W	D	T	
TCC	TCT	GGC	CGC	CCG	GGG	CCG	GTG	CTG	CTG	GTT	GAT	ATC	CCC	AAG	GAC	ATC	CAG	CAG	ATG	GCT	GTG	CCT	GTC	TGG	GAC	ACG	
P	M	S	L	P	G	Y	I	A	R	L	P	P	K	P	P	S	T	E	S	L	E	Q	V	L	R	L	V
CCCG	ATG	AGT	TTG	CCA	GGG	TAC	ATC	GCC	CGC	CTG	CTG	CCC	AAG	CCA	CCA	TCT	ACT	GAA	TCG	CTT	GAG	CAG	GTC	CTG	CGT	GTT	
G	E	S	R	R	P	I	L	Y	V	G	G	G	C	A	A	S	G	E	E	L	R	R	F	V	E	L	
GGC	GAG	TCA	CGG	CGC	CCA	ATT	CTG	TAT	GTT	GGT	GGT	GGC	TGC	GCT	GCA	TCT	GGT	GAG	GAG	TTG	CGC	CGC	TTT	GTT	GAG	CTC	
T	G	I	P	V	T	T	T	L	M	G	L	G	N	F	P	S	D	D	P	L	S	L	R	M	L	G	
ACT	GGG	ATT	CCA	GTT	ACA	ACT	ACT	CTT	ATG	GGC	CTT	GGC	AAC	TTC	CCC	AGT	GAC	GAC	CCA	CTG	TCT	CTG	CGC	ATG	CTG	GGG	

Figure 11 continued

M H G T V Y A N Y A V D K A D L L L A F G V R F D D R
 ATG CAT GGC ACT GTG TAT GCA AAT TAT GCA GTA GAT AAG GCT GAC CTG TTG CTT GCA TTT GGT GTG CGG TTT GAT GAT CGT

V T G K I E A F A S R S K I V H I D I D P A E I G K N
 GTG ACC GGG AAA ATC GAG GCT TTT GCA AGC AGG TCC AAG ATT GTG CAC ATT GAC ATT GAC CCA GCT GAG ATT GGC AAG AAC

K Q P H V S I C A D V K L A L Q G L N A L L N G S K A
 AAG CAG CCA CAT GTC TCC ATT TGT GCA GAT GTT AAG CTT GCT TTA CAG GGG TTG AAT GCT CTA TTA AAT GGG AGC AAA GCA

Q Q G L D F G P W H K E L D Q Q K R E F P L G F K T F
 CAA CAG GGT CTG GAT TTT GGT CCA TGG CAC AAG GAG TTT CCT CTA GGA TTC AAG ACT TTT

G E A I P P Q Y A I Q V L D E L T K G E A I I A T G V
 GGT GAG GCC ATC CCG CCG CAA TAT GCT ATC CAG GTA CTG GAT GAG GGG GAG GCG ATC ATT GCC ACC GGT GTT

G Q H Q M W A A Q Y T Y K R P R Q W L S S G L G A
 GGG CAG CAT CAG ATG TGG GCG GCT CAG TAT TAC ACT TAC AAG CCG CCA CCG CAG TGG CTG TCT TCA TCC GGT TTG GGT GCA

M G F G L P A A G A V A N P G V T V V D I D G D G
 ATG GGA TTT GGG TTG CCA GCT GCA GCT GGC GCT GTG GCC AAC CCA GGT GTT ACA GTT GAT GAT GAT GAT GGT

S F L M N I Q E L A L I R I E N L P V K V M I L N N Q
 AGT TTC CTC ATG AAC ATT CAG GAG TTG GCG TTG GCT ATC CGT ATT GAG AAC CTC CCA GTG AAG GTG ATG ATA TTG AAC AAC CAG

H L G M V V Q W E D R F Y K A N R A H T Y L G N P E N
 CAT CTG GGA ATG GTG GTG CAG TGG GAG GAT AGG TTT TAC AAG GCC AAC CCG GCG CAC ACA TAC CTT GGC AAC CCA GAA AAT

E S E I Y P D F V T I A K G F N V P A V R V T K K S E
 GAG AGT GAG ATA TAT CCA GAT TTT GTG ACG ATT GCT AAA GGA TTC AAC GTT CCG GCA GTT CGT GTG ACG AAG AAG AGC GAA

Figure 11 continued

V	T	A	A	I	K	K	M	L	E	T	P	G	P	Y	L	L	D	I	I	V	P	H	Q	E	H	V
GTC	ACT	GCA	GCA	ATC	AAG	AAG	ATG	CTT	GAG	ACC	CCA	GGG	CCA	TAC	TTG	TTG	GAT	ATC	ATT	GTC	CCG	CAT	CAG	GAG	CAC	GTG
L	P	M	I	P	N	G	G	A	F	K	D	M	I	M	E	G	D	G	R	T	S					
CTG	CCT	ATG	ATC	CCA	AAC	GGT	GGT	GCT	TTT	AAG	GAC	ATG	ATC	ATG	GAG	GGT	GAT	GGC	AGG	ACC	TCG	TAC				

Figure 12

Als1_ORF_Teal	(SEQ ID NO: 5)	(1)	GTCTGCGTCGCCACCTCCGGCCCGGGGCCACCAACCTCGTCTCCGCGCT	51
Als2_ORF_Teal	(SEQ ID NO: 6)	(1)	GTCTGCGTCGCCACCTCCGGCCCGGGGCCACCAACCTCGTCTCCGCGCT	100
Als3_ORF_Teal	(SEQ ID NO: 7)	(1)	GTCTGCGTCGCCACCTCCGGCCCGGGGCCACCAACCTCGTCTCCGCGCT	
Consensus			GTCTGCGTCGCCACCTCCGGCCCGGGGCCACCAACCTCGTCTCCGCGCT	
Als1_ORF_Teal		(51)	CGCCGACGCCCTCCTCGACTCCCATCCCATGGTCGCCATCACGGGCCAGG	
Als2_ORF_Teal		(51)	CGCCGACGCTCTCCTCGACTCCCATCCCATGGTCGCCATCACGGGCCAGG	
Als3_ORF_Teal		(51)	CGTGACGCCCTCCTCGACTCCCATCCCATGGTCGCCATCACGGGCCAGG	
Consensus		(51)	CGCCGACGCCCTCCTCGACTCCCATCCCATGGTCGCCATCACGGGCCAGG	
Als1_ORF_Teal		(101)	TCCCCCGCGCATGATCGGCACGGACGCGTTCCAGGAGACGCCCATAGTG	150
Als2_ORF_Teal		(101)	TCCCCCGCGCATGATCGGCACGGATCGTTCCAGGAGACGCCCATCGTG	
Als3_ORF_Teal		(101)	TCCCCCGCGCATGATCGGCACGGACGCGTTCCAGGAGACGCCCATAGTG	
Consensus		(101)	TCCCCCGCGCATGATCGGCACGGACGCGTTCCAGGAGACGCCCATAGTG	
Als1_ORF_Teal		(151)	GAGGTACGCGCTCCATCACCAGCACAACTACCTGGTCTTGACGTGGA	200
Als2_ORF_Teal		(151)	GAGGTACGCGCTCCATCACCAGCACAACTACCTGGTCTTGACGTGGA	
Als3_ORF_Teal		(151)	GAGGTACGCGCTCCATCACCAGCACAACTACCTGGTCTTGACGTGGA	
Consensus		(151)	GAGGTACGCGCTCCATCACCAGCACAACTACCTGGTCTTGACGTGGA	
Als1_ORF_Teal		(201)	GGATATCCCCCGCGTCAATCCAGGAAGCCTTCTTCCCTTGCAATCCTCTGGCC	250
Als2_ORF_Teal		(201)	GGATATCCCCCGCGTCAATCCAGGAAGCCTTCTTCCCTTGCAATCCTCTGGCC	
Als3_ORF_Teal		(201)	GGATATCCCCCGCGTCAATCCAGGAAGCCTTCTTCCCTTGCGTCTCTGGCC	
Consensus		(201)	GGATATCCCCCGCGTCAATCCAGGAAGCCTTCTTCCCTTGCAATCCTCTGGCC	
Als1_ORF_Teal		(251)	GCCCGGGCCGGTGCTAGTTGATATCCCCAAGGACATCCAGCAGAGATG	300
Als2_ORF_Teal		(251)	GCCCGGGCCGGTGCTAGTTGATATCCCCAAGGACATCCAGCAGAGATG	
Als3_ORF_Teal		(251)	GCCCGGGCCGGTGCTAGTTGATATCCCCAAGGATATCCAGCAGAGATG	
Consensus		(251)	GCCCGGGCCGGTGCTAGTTGATATCCCCAAGGACATCCAGCAGAGATG	

Figure 12 Continued

Als1_ORF_Teal	(301)	GCTGTGCCCCGTCTGGGACACTCCAATGAGTTTGCCAGGGTACATCGCCCCG	350
Als2_ORF_Teal	(301)	GCTGTGCCCTGTCTGGGACACGCCGATGAGTTTGCCAGGGTACATCGCCCCG	
Als3_ORF_Teal	(301)	GCCGTGCCCTATCTGGGACACGCCGATGAGTTTGCCAGGGTACATCGCCCCG	
Consensus	(301)	GCTGTGCCCTGTCTGGGACACGCCGATGAGTTTGCCAGGGTACATCGCCCCG	
Als1_ORF_Teal	(351)	CCTGCCCAAGCCACCATCTACTGAATCGCTTGAGCAGGTCCTGCCGTCTGG	400
Als2_ORF_Teal	(351)	CCTGCCCAAGCCACCATCTACTGAATCGCTTGAGCAGGTCCTGCCGTCTGG	
Als3_ORF_Teal	(351)	CCTGCCCAAGCCACCATCTACTGAATCGCTTGAGCAGGTCCTGCCGTCTGG	
Consensus	(351)	CCTGCCCAAGCCACCATCTACTGAATCGCTTGAGCAGGTCCTGCCGTCTGG	
Als1_ORF_Teal	(401)	TTGGCGAGTCA CGCGGCCCAATTCTGTATGTTGGTGGTGGCTGCCGTGCG	450
Als2_ORF_Teal	(401)	TTGGCGAGTCA CGCGGCCCAATTCTGTATGTTGGTGGTGGCTGCCGTGCG	
Als3_ORF_Teal	(401)	TTGGCGAGTCA CGCGGCCCAATTCTGTATGTTGGTGGTGGCTGCCGTGCG	
Consensus	(401)	TTGGCGAGTCA CGCGGCCCAATTCTGTATGTTGGTGGTGGCTGCCGTGCG	
Als1_ORF_Teal	(451)	TCTGGCGAGGAGTTGCCGCCGCTTTGTGTGAGCTTACTGGGATTCCAGTTAC	500
Als2_ORF_Teal	(451)	TCTGGTGAGGAGTTGCCGCCGCTTTGTGTGAGCTCACTGGGATTCCAGTTAC	
Als3_ORF_Teal	(451)	TCCGGCGAGGAGTTGCCGCCGCTTTGTGTGAGCTCACTGGGATTCCGGTTAC	
Consensus	(451)	TCTGGCGAGGAGTTGCCGCCGCTTTGTGTGAGCTCACTGGGATTCCAGTTAC	
Als1_ORF_Teal	(501)	AAC TACTCTGATGGGCCCTTG GCAACTTCCCAGCGACGACCCACTGTCTC	550
Als2_ORF_Teal	(501)	AAC TACTCTTATGGGCCCTTG GCAACTTCCCAGTGACGACCCACTGTCTC	
Als3_ORF_Teal	(501)	AAC TACTCTGATGGGCCCTTG GCAACTTCCCAGCGACGACCCACTGTCTC	
Consensus	(501)	AAC TACTCTGATGGGCCCTTG GCAACTTCCCAGCGACGACCCACTGTCTC	
Als1_ORF_Teal	(551)	TGCGCATGCTTGGGATGCATGGCACTGTGTATGCAAAATTATGCAGTAGAT	600
Als2_ORF_Teal	(551)	TGCGCATGCTGGGGATGCATGGCACTGTGTATGCAAAATTATGCAGTAGAT	
Als3_ORF_Teal	(551)	TGCGCATGCTTGGGATGCATGGCACTGTGTATGCAAAATTATGCAGTCGAT	
Consensus	(551)	TGCGCATGCTTGGGATGCATGGCACTGTGTATGCAAAATTATGCAGTAGAT	

Figure 12 Continued

Als1_ORF_Teal	601	(601)	AAGCTGACCTGTTGCTCGCATTTTGGTGTGCGGTTTGATGATCGTGTGAC	650
Als2_ORF_Teal		(601)	AAGCTGACCTGTTGCTTGCAATTTGGTGTGCGGTTTGATGATCGTGTGAC	
Als3_ORF_Teal		(601)	AAGCTGACCTGTTGCTTGCAATTTGGTGTGCGGTTTGATGATCGCGTGAC	
Consensus		(601)	AAGCTGACCTGTTGCTTGCAATTTGGTGTGCGGTTTGATGATCGTGTGAC	
Als1_ORF_Teal		651	TGGGAAAATCGAGGCTTTTGGCAAGCAGGTCCAAGATTGTGCACATTGACA	700
Als2_ORF_Teal		(651)	CGGAAAATCGAGGCTTTTGGCAAGCAGGTCCAAGATTGTGCACATTGACA	
Als3_ORF_Teal		(651)	TGGGAAAATCGAGGCTTTTGGCAAGCAGGTCCAAGATTGTGCACATTGACA	
Consensus		(651)	TGGGAAAATCGAGGCTTTTGGCAAGCAGGTCCAAGATTGTGCACATTGACA	
Als1_ORF_Teal		701	TTGACCCAGCTGAGATTGGCAAGAACAAGCAGCCACATGTCTCCATTTGT	750
Als2_ORF_Teal		(701)	TTGACCCAGCTGAGATTGGCAAGAACAAGCAGCCACATGTCTCCATTTGT	
Als3_ORF_Teal		(701)	TTGACCCAGCTGAGATTGGCAAGAACAAGCAGCCACATGTCTCCATTTGT	
Consensus		(701)	TTGACCCAGCTGAGATTGGCAAGAACAAGCAGCCACATGTCTCCATTTGT	
Als1_ORF_Teal		751	GCAGATGTTAAGCTTGCTTTACAGGGGTTGAATGATCTATTAAATGGGAG	800
Als2_ORF_Teal		(751)	GCAGATGTTAAGCTTGCTTTACAGGGGTTGAATGCTCTATTAAATGGGAG	
Als3_ORF_Teal		(751)	GCAGATGTTAAGCTTGCTTTACAGGGGTTGAATGCTCTATTAAATGGGAG	
Consensus		(751)	GCAGATGTTAAGCTTGCTTTACAGGGGTTGAATGCTCTATTAAATGGGAG	
Als1_ORF_Teal		801	CAAAGCACAAACAGGGTCTGGATTTTGGTCCATGGCACAAAGGAGTTGGATC	850
Als2_ORF_Teal		(801)	CAAAGCACAAACAGGGTCTGGATTTTGGTCCATGGCACAAAGGAGTTGGATC	
Als3_ORF_Teal		(801)	CAAAGCACAAACAGGGTCTGGATTTTGGTCCATGGCACAAAGGAGTTGGATC	
Consensus		(801)	CAAAGCACAAACAGGGTCTGGATTTTGGTCCATGGCACAAAGGAGTTGGATC	
Als1_ORF_Teal		851	AGCAGAAAGAGGGAGTTTCCTCTAGGATTCAAGACTTTTGGCGAGGCCATC	900
Als2_ORF_Teal		(851)	AGCAGAAAGAGGGAGTTTCCTCTAGGATTCAAGACTTTTGGCGAGGCCATC	
Als3_ORF_Teal		(851)	AGCAGAAAGAGGGAGTTTCCTCTAGGATTCAAGACTTTTGGCGAGGCCATC	
Consensus		(851)	AGCAGAAAGAGGGAGTTTCCTCTAGGATTCAAGACTTTTGGCGAGGCCATC	

Figure 12 Continued

Als1_ORF_Teal	901	(901)	CCGCCGAATATGCTATCCAGGTACTGGATGAGCTGACAAAGGGAGGC	950
Als2_ORF_Teal		(901)	CCGCCGAATATGCTATCCAGGTACTGGATGAGCTGACAAAGGGAGGC	
Als3_ORF_Teal		(901)	CCGCCGAATATGCTATCCAGGTACTGGATGAGCTGACAAAGGGAGGC	
Consensus		(901)	CCGCCGAATATGCTATCCAGGTACTGGATGAGCTGACAAAGGGAGGC	
Als1_ORF_Teal		(951)	GATCATTGCCACTGGTGTGGCAGCACCATGATGTGGCGGCTCAGTATT	1000
Als2_ORF_Teal		(951)	GATCATTGCCACCGGTGTGGCAGCATCATGATGTGGCGGCTCAGTATT	
Als3_ORF_Teal		(951)	GATCATTGCTACTGGTGTGGCAGCACCATGATGTGGCGGCTCAGTATT	
Consensus		(951)	GATCATTGCCACTGGTGTGGCAGCACCATGATGTGGCGGCTCAGTATT	
Als1_ORF_Teal		1001	ACACTTACAAGCGGCCACGGCAGTGGCTGTCTTCGTCTGGTTTGGGGCA	1050
Als2_ORF_Teal		(1001)	ACACTTACAAGCGGCCACGGCAGTGGCTGTCTTCGTCTGGTTTGGGGCA	
Als3_ORF_Teal		(1001)	ACACTTACAAGCGGCCACGGCAGTGGCTGTCTTCGTCTGGTTTGGGGCA	
Consensus		(1001)	ACACTTACAAGCGGCCACGGCAGTGGCTGTCTTCGTCTGGTTTGGGGCA	
Als1_ORF_Teal		1051	ATGGGATTGGGTTACCAGCTGCAGCTGGCGTGTGTGGCCAAACCCAGG	1100
Als2_ORF_Teal		(1051)	ATGGGATTGGGTTGCCAGCTGCAGCTGGCGTGTGTGGCCAAACCCAGG	
Als3_ORF_Teal		(1051)	ATGGGATTGGGTTACCAGCTGCAGCTGGCGTGTGTGGCCAAACCCAGG	
Consensus		(1051)	ATGGGATTGGGTTACCAGCTGCAGCTGGCGTGTGTGGCCAAACCCAGG	
Als1_ORF_Teal		1101	TGTTACAGTTGTTGACATTGATGGTGATGGTAGTTTCCTCATGAACATTC	1150
Als2_ORF_Teal		(1101)	TGTTACAGTTGTTGACATTGATGGGATGGTAGTTTCCTCATGAACATTC	
Als3_ORF_Teal		(1101)	TGTTACAGTTGTTGACATTGATGGAGATGGTAGTTTCCTCATGAACATTC	
Consensus		(1101)	TGTTACAGTTGTTGACATTGATGGTAGTTTCCTCATGAACATTC	
Als1_ORF_Teal		1151	AGGAGTTGGCGTTGATCCGCATTGAGAACCTCCAGTGAAGGTGATGATA	1200
Als2_ORF_Teal		(1151)	AGGAGTTGGCGTTGATCCGTTATTGAGAACCTCCAGTGAAGGTGATGATA	
Als3_ORF_Teal		(1151)	AGGAGTTGGCATTTGATCCGTTATTGAGAACCTCCCTGTGAAGGTGATGATA	
Consensus		(1151)	AGGAGTTGGCGTTGATCCGTTATTGAGAACCTCCAGTGAAGGTGATGATA	

Figure 12 Continued


Als1_ORF_Teal	(1201)	1201	TTGAACAACCA	1250
Als2_ORF_Teal	(1201)		TCATCTGGGAATGGTGTGCAGTGGGAGATAGGTTT	
Als3_ORF_Teal	(1201)		TCATCTGGGAATGGTGTGCAGTGGGAGATAGGTTT	
Consensus	(1201)		TTGAACAACCA	
			TCATCTGGGAATGGTGTGCAGTGGGAGATAGGTTT	
Als1_ORF_Teal	(1251)	1251	CAAGGCCAAATCGGGCGCACACATACCTTGGCAACCCAGAAAATGAGAGTG	1300
Als2_ORF_Teal	(1251)		CAAGGCCAAATCGGGCGCACACATACCTTGGCAACCCAGAAAATGAGAGTG	
Als3_ORF_Teal	(1251)		CAAGGCCAAATCGGGCGCACACATACCTTGGCAACCCAGAAAATGAGAGTG	
Consensus	(1251)		CAAGGCCAAATCGGGCGCACACATACCTTGGCAACCCAGAAAATGAGAGTG	
Als1_ORF_Teal	(1301)	1301	AGATATATCCAGATTTTGTGACGATTGCTAAAGGATTCAACGTTCCAGCA	1350
Als2_ORF_Teal	(1301)		AGATATATCCAGATTTTGTGACGATTGCTAAAGGATTCAACGTTCCGGCA	
Als3_ORF_Teal	(1301)		AGATATATCCAGATTTTGTGACGATTGCTAAAGGATTCAACGTTCCGGCA	
Consensus	(1301)		AGATATATCCAGATTTTGTGACGATTGCTAAAGGATTCAACGTTCCGGCA	
			AGATATATCCAGATTTTGTGACGATTGCTAAAGGATTCAACGTTCCGGCA	
Als1_ORF_Teal	(1351)	1351	GTTCCGAGTGACGAAGAAGAGCGAAGTCACTGCAGCAATCAAGAAGATGCT	1400
Als2_ORF_Teal	(1351)		GTTCCGAGTGACGAAGAAGAGCGAAGTCACTGCAGCAATCAAGAAGATGCT	
Als3_ORF_Teal	(1351)		GTTCCGAGTGACGAAGAAGAGCGAAGTCACTGCAGCAATCAAGAAGATGCT	
Consensus	(1351)		GTTCCGAGTGACGAAGAAGAGCGAAGTCACTGCAGCAATCAAGAAGATGCT	
			GTTCCGAGTGACGAAGAAGAGCGAAGTCACTGCAGCAATCAAGAAGATGCT	
Als1_ORF_Teal	(1401)	1401	TGAGACCCCAAGGCCATACCTTGTGGATATCATAGTCCCGCATCAGGAGC	1450
Als2_ORF_Teal	(1401)		TGAGACCCCAAGGCCATACCTTGTGGATATCATAGTCCCGCATCAGGAGC	
Als3_ORF_Teal	(1401)		TGAGACCCCAAGGCCATACCTTGTGGATATCATAGTCCCGCATCAGGAGC	
Consensus	(1401)		TGAGACCCCAAGGCCATACCTTGTGGATATCATAGTCCCGCATCAGGAGC	
			TGAGACCCCAAGGCCATACCTTGTGGATATCATAGTCCCGCATCAGGAGC	
Als1_ORF_Teal	(1451)	1451	ACGTGCTGCCTATGATCCCAAGCGGTGGTCTTTCAAGGACATGATCATG	1500
Als2_ORF_Teal	(1451)		ACGTGCTGCCTATGATCCCAAGCGGTGGTCTTTTAAGGACATGATCATG	
Als3_ORF_Teal	(1451)		ACGTGCTGCCTATGATCCCAAGCGGTGGTCTTTCAAGGACATGATCATG	
Consensus	(1451)		ACGTGCTGCCTATGATCCCAAGCGGTGGTCTTTCAAGGACATGATCATG	
			ACGTGCTGCCTATGATCCCAAGCGGTGGTCTTTCAAGGACATGATCATG	

Figure 12 Continued

	1501	1524
Als1_ORF_Teal	(1501)	GAGGGTGATGGCAGGACCTCGTAC
Als2_ORF_Teal	(1501)	GAGGGTGATGGCAGGACCTCGTAC
Als3_ORF_Teal	(1501)	GAGGGTGATGGCAGGACCTCGTAC
Consensus	(1501)	GAGGGTGATGGCAGGACCTCGTAC

42/42

Figure 13



Cross	Resistant (R)	Intermediate (I)	Susceptible (S)	Total F ₁ screened		
				R	I	S
Teal	0	0	334			
1A	59	0	0			
Teal x 1A	0	5	0	0	10	0
1A x Teal	0	5	0			
9A	66	0	0			
Teal x 9A	0	5	0	0	10	0
9A x Teal	0	5	0			
10A	66	0	0			
Teal x 10A	0	5	0	0	11	0
10A x Teal	0	6	0			
11A	53	0	0			
Teal x 11A	0	7	0	0	15	0
11A x Teal	0	8	0			
15A	48	0	0			
Teal x 15A	7	0	0	14	0	0
15A x Teal	7	0	0			
16A	66	0	0			
Teal x 16A	0	7	0	0	14	0
16A x Teal	0	7	0			