



US00D748917S

(12) **United States Design Patent**
McDonough et al.

(10) **Patent No.:** **US D748,917 S**

(45) **Date of Patent:** **** Feb. 9, 2016**

(54) **CARRYING DEVICE**

(71) Applicant: **ZIPPO MANUFACTURING COMPANY**, Bradford, PA (US)

(72) Inventors: **James M. McDonough**, Bradford, PA (US); **Brian Barber**, Cyclone, PA (US); **Howard Tripp, II**, Plymouth, MN (US); **Neal Barnes**, Medina, MN (US)

(73) Assignee: **ZIPPO MANUFACTURING COMPANY**, Bradford, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/502,855**

(22) Filed: **Sep. 19, 2014**

D288,033 S *	2/1987	Lodico	D3/289
5,210,891 A *	5/1993	Avital	A45C 3/10
			224/156
5,378,220 A *	1/1995	Bunn	B65F 1/0006
			383/104
D360,492 S *	7/1995	Horn	D3/229
D376,692 S *	12/1996	Hartman	D3/315
D398,082 S	9/1998	Martz	
5,823,594 A *	10/1998	Hayes	A45F 5/00
			224/250
5,911,463 A	6/1999	Fesko	
D481,539 S	11/2003	Martz	
D548,955 S *	8/2007	Ramsell	D3/204
D640,055 S	6/2011	Maillet	
D665,899 S	8/2012	Authier	
D665,964 S *	8/2012	Epps	D34/35
D683,137 S *	5/2013	Davis	D3/315
D685,952 S *	7/2013	Dixon	D30/109
D717,502 S *	11/2014	Dixon	D30/109
D724,792 S *	3/2015	Renforth	D30/109

* cited by examiner

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/419,397, filed on Apr. 27, 2012, now abandoned.

(51) **LOC (10) Cl.** **03-02**

(52) **U.S. Cl.**
USPC **D3/315**

(58) **Field of Classification Search**
USPC D3/315, 316, 270, 276, 279; D23/410
CPC A45C 9/00; A45F 5/00; B65F 1/0006
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

1,665,184 A	4/1928	Thrower	
3,792,806 A	2/1974	Layton	
4,248,364 A	2/1981	Anderson	
D268,223 S	3/1983	Faulkner	
D272,202 S	1/1984	Ring	
D282,602 S *	2/1986	Allen	D3/287

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Charles Hanson

(74) *Attorney, Agent, or Firm* — Squire Patton Boggs (US) LLP


(57) **CLAIM**

The ornamental design for a carrying device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a carrying device;
FIG. 2 is a side view;
FIG. 3 is an alternate side view of a carrying device;
FIG. 4 is an another alternate side view;
FIG. 5 is yet another alternate side view;
FIG. 6 is a top view of a carrying device; and,
FIG. 7 is a bottom view of a carrying device.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG.2




FIG.3




FIG. 4




FIG. 5




FIG. 6




FIG. 7