



(11) **EP 3 691 477 B1**

(12) **EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention
of the grant of the patent:
17.07.2024 Bulletin 2024/29

(21) Application number: **18785331.2**

(22) Date of filing: **08.10.2018**

(51) International Patent Classification (IPC):
A24B 15/12 ^(2006.01) **A24F 47/00** ^(2020.01)

(52) Cooperative Patent Classification (CPC):
A24B 15/12; A24B 3/14; A24C 5/01

(86) International application number:
PCT/EP2018/077321

(87) International publication number:
WO 2019/068930 (11.04.2019 Gazette 2019/15)

(54) **RECONSTITUTED PLANT SHEET FOR DEVICES THAT HEAT TOBACCO WITHOUT BURNING IT**

FOLIE AUS REKONSTITUIERTER PFLANZE FÜR VORRICHTUNGEN ZUR ERWÄRMUNG VON
TABAK OHNE VERBRENNUNG

FEUILLE DE PLANTE RECONSTITUÉE POUR DISPOSITIFS QUI CHAUFFENT LE TABAC SANS
LE BRÛLER

(84) Designated Contracting States:
**AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO
PL PT RO RS SE SI SK SM TR**

(30) Priority: **06.10.2017 FR 1759393**

(43) Date of publication of application:
12.08.2020 Bulletin 2020/33

(73) Proprietor: **SWM Luxembourg Sarl
5326 Contern (LU)**

(72) Inventors:
• **BILLON, Jérôme
72700 Spay (FR)**

• **JARDIN, Cédric
72700 Spay (FR)**
• **ROUILLARD, Stéphane
72700 Spay (FR)**

(74) Representative: **Plasseraud IP
66, rue de la Chaussée d'Antin
75440 Paris Cedex 09 (FR)**

(56) References cited:
**EP-A1- 1 790 240 WO-A1-2017/097840
WO-A2-2012/164009 CN-A- 104 856 212
CN-A- 107 136 553 GB-A- 1 426 095
US-A- 4 497 331 US-A- 5 501 237**

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

Description**Field of the invention**

5 **[0001]** The invention is in the field of devices for heating tobacco without burning it and the subject of said invention is a reconstituted plant sheet obtained by a papermaking process and comprising solid additives.

Context of the invention

10 **[0002]** A large number of devices for heating tobacco without burning it have been developed for avoiding the formation of harmful constituents during tobacco combustion. By way of example, mention may be made of the applications published under the numbers WO 2016/026810 and WO 2016/207407 which describe such devices. In these devices, the tobacco is heated at a temperature below the combustion temperature without being burnt, which leads to the formation of an aerosol. The aerosol generated during the heating of the tobacco replaces the cigarette smoke, has
15 advantageous organoleptic properties and is inhaled by the user. This thus allows the user to inhale the tobacco aromas while very significantly reducing said user's exposure to the harmful constituents. Examples of tobacco heating devices and substrates used in said devices can be found in WO2017/097840A1 and WO2012/164009A2.

[0003] Documents US5501237A, CN104856212A and CN107136553A disclose reconstituted plant sheets for use in cigarettes.

20 **[0004]** Conventional tobacco is not suitable for such devices, since it does not make it possible to generate a large amount of aerosol having advantageous organoleptic properties. Reconstituted tobacco is more suitable for these heating devices, since it makes it possible to generate a large amount of aerosol having advantageous organoleptic properties.

[0005] It nevertheless remains important to have good control of the amount of tobacco aromas in the aerosol formed so as not to create frustration in the user of the heating devices. It may also be advantageous to provide the user of said
25 heating devices with aromas other than those of tobacco.

[0006] In order to diversify the aromas and to control the amount thereof in the aerosol, it is possible to add solid additives to the reconstituted tobacco. However, this poses the problem of the loss of the solid additives added to the reconstituted tobacco.

[0007] The inventors have developed a reconstituted plant sheet comprising:

- 30
- 1 or 2 fibrous supports comprising plant fibres,
 - a plant extract, -an aerosol-generating agent, and
 - a solid additive, wherein the solid additive is plant dust and wherein the aerosol-generating agent represents from 15% to 35% by dry weight of the reconstituted plant sheet.
- 35

[0008] If the reconstituted plant sheet of the invention comprises 1 fibrous support, then the additive is attached to the support via the plant extract. The loss of additive by the reconstituted plant sheet of the invention is therefore advantageously minimized.

[0009] If the reconstituted plant sheet of the invention comprises 2 fibrous supports, then the additive is trapped
40 between the 2 fibrous supports and the plant extract makes it possible to attach the 2 fibrous supports to one another. The loss of additive by the reconstituted plant sheet of the invention is more minimized accordingly.

[0010] The term "fibrous support" is used herein to denote a base web comprising refined plant fibres, the base web being obtained by a papermaking process. The fibrous support comprises two faces, a front face and a back face.

[0011] Typically, each fibre support can comprise fibres of one and the same plant or one fibrous support can comprise
45 fibres of one plant and the other support can comprise fibres of another plant. Typically, each fibrous support can comprise fibres of one or more plants.

[0012] Typically, the fibrous support or the 2 fibrous supports comprises or comprise the plant extract. Typically, the solid additive is in contact with a fibrous support. For example, the solid additive can be on a fibrous support, in a fibrous support, on and in a fibrous support, or between the 2 fibrous supports.

50 **[0013]** The solid additive is according to the invention plant dust; additionally a diluent, a texturing agent, a powdered or encapsulated flavouring, a dye, a gel or a mixture thereof can be used.

[0014] The content of solid additive will depend on the solid additive. Typically, the weight content of dry matter of the solid additive in the reconstituted plant sheet can be from 0.1% to 70%, in particular from 5% to 50%, more particularly from 12% to 35%.

55 **[0015]** For the purposes of the present application, the term "plant dust" denotes a plant particle of which the size is from 0.01 μm to 50 μm , in particular from 0.025 μm to 30 μm , more particularly from 0.05 μm to 20 μm . Typically, the plant dust comprises the aromatic compounds which give the aerosol the plant aromas. Typically, the plant dust can result from various plant parts, the plant parts being the plant parts themselves or the result of the transformation of

various plant parts. Typically, the plant dust can be obtained by the treatment of one or more plant parts, such as shredding, threshing or mixing and shredding the plant parts.

[0016] The weight content of plant dust is determined by controlling the amount of plant dust incorporated during the manufacturing of the reconstituted plant sheet.

[0017] Typically, the weight content of dry matter of the plant dust in the reconstituted plant sheet may be from 1% to 70%, in particular from 5% to 65%, more particularly from 10% to 30%.

[0018] Typically, the diluent can be CaCO_3 .

[0019] Typically, the texturing agent can be guar gum, potato starch, agar-agar or a mixture thereof.

[0020] Typically, the powdered flavouring can be cocoa powder, tripotassium citrate, or a powdered aromatic preparation.

[0021] Typically, the dye can be beta-carotene, sunset yellow, powdered apricot juice or turmeric.

[0022] Typically, the gel can be a silica gel, a polysaccharide gel, an alumina gel or a mixture thereof.

[0023] Typically, the silica gel can be an amorphous silica gel, a modified silica gel such as an Amino Propyl Silyl (APS) modified silica gel, an Amino Ethyl Amino Propyl Silyl (AEPS) modified silica gel, an Amino Ethyl Amino Ethyl Amino Propyl Silyl (AEAEAPS) modified silica gel, or a mixture thereof.

[0024] The plant extract corresponds to all of the water-soluble products of the plant. Advantageously, the plant extract comprises the compounds which give the aerosol organoleptic properties and/or therapeutic properties.

[0025] The organoleptic properties and the therapeutic properties of the aerosol formed by heating the reconstituted plant sheet may depend on the weight content of dry matter of the plant extract included in said reconstituted plant sheet of the present invention.

[0026] The weight content of dry matter of the plant extract depends on the plant used, and more particularly on the content of aromatic compounds or of compounds having therapeutic properties of the plant used.

[0027] Let S_p be the weight content of dry matter of the plant extract included in the reconstituted plant sheet of the present invention. Typically, S_p can be from 5% to 47%, in particular from 25% to 45%.

[0028] In order to determine S_p , use may be made of the following method:

The reconstituted plant sheet to be analysed is ground in order to achieve a particle size of less than or equal to 1 mm. The reconstituted plant sheet is then mixed with boiling water for 30 minutes in order to extract the whole of the plant extract. S_p is calculated from the difference between the dry weight of the sample of reconstituted plant sheet to be analysed and the dry weight of the fibrous residue after extraction.

[0029] Typically, the fibrous support(s) of the reconstituted plant sheet of the invention can also comprise an aerosol-generating agent.

[0030] The aerosol-generating agent is a compound which allows the formation of an aerosol when it is heated, for example in contact with hot air.

[0031] The aerosol-generating agent represents from 15% to 35% by dry weight of the reconstituted plant sheet.

[0032] According to one embodiment, the weight content of dry matter of plant extract and of aerosol-generating agent in the sheet of the invention is from 8% to 55%, in particular from 10% to 46%, more particularly from 20% to 45%.

[0033] Typically, the aerosol-generating agent can be a polyol, a non-polyol or a mixture thereof. Typically, a polyol-generating agent can be sorbitol, glycerol, propylene glycol, triethylene glycol or a mixture thereof. Typically, a non-polyol generating agent can be lactic acid, glyceryl diacetate, glyceryl triacetate, triethyl citrate, isopropyl myristate or a mixture thereof. According to one embodiment, the aerosol-generating agent is glycerol, propylene glycol or a mixture of glycerol and propylene glycol, glycerol being preferred.

[0034] An aerosol can be generated during the heating of the reconstituted plant sheet of the invention comprising an aerosol-generating agent. Advantageously, the fibrous support comprises aromatic compounds such that the aerosol generated by the heating of the reconstituted plant sheet has advantageous organoleptic properties for the user. Likewise, the plant extract and, where appropriate, the solid additive give this aerosol aromas of the plant. By simply changing reconstituted plant sheet, the user can easily vary the aromas of the aerosol generated by the heating of said reconstituted plant sheet.

[0035] The plant extract and the solid additive are also distributed in a controlled manner in the reconstituted plant sheet of the invention. By virtue of this control, the concentration of aromas in the aerosol is advantageously constant, which does not cause the user any frustration.

[0036] The plant fibres, the plant extract and the plant dust can be independently obtained from a plant chosen from spore plants, seed plants or a mixture thereof. In particular, the plant may be a plant chosen from the tobacco plant, food plants, aromatic plants, perfume plants, medicinal plants, plants of the family *Cannabaceae*, or a mixture thereof, more particularly the plant may be the tobacco plant.

[0037] If the plant is a medicinal plant, the aerosol generated by the heating of the reconstituted plant sheet can also have therapeutic properties such that the reconstituted plant sheet can be used for a therapeutic treatment.

[0038] Advantageously, a plant extract obtained from a mixture of plants makes it possible to offer a broad panel of organoleptic properties and/or therapeutic properties. Advantageously, plant dust obtained from a mixture of plants

makes it possible to offer a broad panel of organoleptic properties and/or therapeutic properties. A mixture of plants also makes it possible to counteract the unpleasant organoleptic properties of a plant of the mixture, for example a medicinal plant, with the pleasant organoleptic properties of another plant of the mixture, for example the tobacco plant, an aromatic plant or a fragrant plant.

[0039] Typically, the plant fibres can be obtained from a first plant, the plant extract can be obtained from the first plant or from a second plant and the plant dust can be obtained from the first plant, from the second plant or from a third plant. Indeed, the fibres of a plant may not have mechanical properties which allow the formation of a fibrous support; nevertheless, the extract and the dust of this plant can give the aerosol desired organoleptic properties and/or therapeutic properties. Conversely, the fibres of a plant can have mechanical properties which allow the formation of the sheet(s) comprising plant fibres, but the extract and the dust of this plant may not give the aerosol desired organoleptic properties and/or therapeutic properties. Furthermore, by mixing an extract of a plant with dust of another plant, it is possible to obtain a reconstituted plant sheet which generates an aerosol having multiple organoleptic properties and/or therapeutic properties.

[0040] Advantageously, mixing plants in order to obtain the plant fibres makes it possible to adjust the mechanical properties of the reconstituted plant sheet and/or the organoleptic or chemical properties of the aerosol.

[0041] When the plant is the tobacco plant, then the tobacco fibres, the tobacco extract and the tobacco dust can be obtained from any tobacco plant or type of tobacco, for example Virginia tobacco, Burley tobacco, air-cured tobacco, dark air-cured tobacco, Orient tobacco, sun-cured tobacco, fire-cured tobacco or a mixture thereof.

[0042] Typically, the food plants are garlic, coffee, ginger, liquorice, rooibos, Stevia rebaudiana, tea, cacao, camomile, maté.

[0043] Typically, the aromatic plants are basil, turmeric, clove, laurel, oregano, mint, rosemary, sage, thyme.

[0044] Typically, the perfume plants are lavender, rose, eucalyptus.

[0045] Typically, the medicinal plants are those indicated in the document, list A of traditionally used medicinal plants (French pharmacopeia January 2016 published by the Agence Nationale de Sécurité du Médicament (ANSM) [French National Agency for Drug and Health Product Safety] or plants known to comprise compounds which have therapeutic properties. Typically, the medicinal plants listed are ginkgo, ginseng, sour cherry, peppermint, willow and red vine.

[0046] Typically, eucalyptus is among the medicinal plants known to comprise compounds which have therapeutic properties.

[0047] Typically, the plant fibres and the plant extract of the reconstituted plant sheet of the present invention can result from various plant parts, the plant parts being plant parts themselves or the result of the transformation of various plant parts. Typically, the plant parts can be whole plant parts or debris originating from the threshing or mixing and shredding of the plant parts.

[0048] Typically, the plant parts can be selected from the plant parts that are richest in aromatic compounds giving the aerosol its organoleptic properties. Typically, these parts may be the whole plant, the aerial plant parts such as the flower bud, the branch bark, the stem bark, the leaves, the flower, the fruit and its peduncle, the seed, the petal or the flower head, or the underground parts, for example the bulb, the roots, the root bark, the rhizome, or a mixture thereof. The plant part may also be the result of mechanical, chemical or mechanical-chemical transformation of one or more plant parts, for instance the shell protecting the cacao bean resulting from the bean dehulling process.

[0049] Typically, the parts of the tobacco plant may be the parts that are richest in aromatic compounds giving the aerosol its organoleptic properties. Typically, the parts of the tobacco plant may be the parenchyma (lamina) optionally with stems of the tobacco plant added thereto. Typically, the parts of the tobacco plant may be the leaves of the tobacco plant or the fragments originating from the threshing, or the mixing and shredding, of the leaves and ribs of the tobacco plant.

[0050] Among the food plants, the garlic bulb, the coffee cherry, the rhizome of ginger, the liquorice root and the leaves of rooibos, Stevia rebaudiana, or tea may for example be selected as parts.

[0051] Among the aromatic plants, clove flower buds (the cloves), basil, laurel and sage leaves, mint, oregano, rosemary and thyme leaves and flower head, or the rhizome of turmeric may for example be selected as parts.

[0052] Typically, among the perfume plants, lavender flower and flower head, or rose flower bud and petals may be selected.

[0053] Among the medicinal plants listed in the French pharmacopeia, ginkgo leaf, the underground part of ginseng, the peduncle of the sour cherry fruit (cherry stalk), the leaves and the flower head of peppermint, the stem bark and the leaves of willow, or the leaves of red vine may for example be selected.

[0054] Typically, the weight content of dry matter of the plant fibres included in the reconstituted plant sheet is from 20% to 92%, in particular from 25% to 75%, more particularly from 30% to 45%.

[0055] Typically, the fibrous support(s) of the reconstituted plant sheet may also comprise cellulosic plant fibres.

[0056] The cellulosic plant fibres are fibres obtained by a chemical or mechanical or thermomechanical cooking process, such as wood pulp, hemp, or annual plants such as flax for example. A mixture of these cellulosic plant fibres may also be used.

[0057] Advantageously, these cellulosic plant fibres can improve the mechanical strength properties of the reconstituted plant sheet.

[0058] Typically, the cellulosic plant fibres can represent from 0.5% to 15%, in particular from 5% to 10%, more particularly 8% by weight of dry matter of the reconstituted plant sheet.

5 **[0059]** Typically, the reconstituted plant sheet comprising 1 fibrous support can have a basis weight of from 20 g/m² to 150 g/m², in particular from 50 g/m² to 100 g/m², more particularly from 62 g/m² to 68 g/m².

[0060] Typically, the reconstituted plant sheet comprising 2 fibrous supports can have a basis weight of from 50 g/m² to 250 g/m², in particular from 100 g/m² to 150 g/m², more particularly from 110 g/m² to 115 g/m².

10 **[0061]** Advantageously, the basis weight of the sheet of the invention makes it possible to obtain a breaking up strength which allows the sheet to be used in a heating device.

[0062] Typically, the water content in the reconstituted plant sheet of the invention is less than 20%, in particular from 3% to 15%, more particularly from 5% to 12%.

[0063] According to one particular embodiment, the reconstituted plant sheet comprises:

- 15
- 1 fibrous support comprising a plant extract and an aerosol-generating agent, and
 - plant dust in contact with the fibrous support,

in which:

- 20
- the weight content of dry matter of the plant fibres in said reconstituted plant sheet is from 5% to 92%, in particular from 10% to 70%, more particularly from 30% to 35%,
 - the aerosol-generating agent represents from 0% to 50%, in particular from 8% to 40%, more particularly from 15% to 35% by weight of dry matter of said reconstituted plant sheet,
 - the weight content of dry matter of the plant dust in said reconstituted plant sheet may be from 10% to 70%, in
- 25
- particular from 15% to 65%, more particularly from 25% to 35% by dry weight relative to the total weight of said reconstituted plant sheet, and
 - the weight content of dry matter of the plant extract in said reconstituted plant sheet is from 5% to 47%, in particular from 35% to 45%.

30 **[0064]** According to one particular embodiment, the reconstituted plant sheet comprises:

- at least one of the 2 fibrous supports comprising a plant extract and an aerosol-generating agent, and
- plant dust in contact with the fibrous support,

35 in which:

- the weight content of dry matter of the plant fibres in said reconstituted plant sheet is from 5% to 92%, in particular from 10% to 70%, more particularly from 35% to 45%,
 - the aerosol-generating agent represents from 0% to 50%, in particular from 8% to 40%, more particularly from 15%
- 40
- to 35% by weight of dry matter of said reconstituted plant sheet,
 - the weight content of dry matter of the plant dust in said reconstituted plant sheet may be from 5% to 70%, in particular from 10% to 65%, more particularly from 11% to 13% by dry weight relative to the total weight of said reconstituted plant sheet, and
 - the weight content of dry matter of the plant extract in said reconstituted plant sheet is from 5% to 47%, in particular
- 45
- from 20% to 45%.

[0065] Typically, the reconstituted plant sheet of the present invention comprising 1 fibrous support can be manufactured according to a process comprising the following steps:

- 50
- a₁) providing the fibrous support,
 - bi) bringing the plant extract into contact with the fibrous support, and
 - c₁) bringing the solid additive into contact with the fibrous support,

step b₁) possibly being carried out at the same time as step c₁),

55 said process also comprising a step:

s₁) of drying after step c₁) of bringing the solid additive into contact with the fibrous support, wherein the aerosol-generating agent is brought into contact with the fibrous support before, after or at the same time as the plant extract, as the solid additive or as a mixture of plant extract and solid additive.

[0066] Typically, the reconstituted plant sheet of the present invention comprising 2 fibrous supports can be manufactured according to a process comprising the following steps:

- a₂) providing the 2 fibrous supports,
- b₂) bringing the plant extract into contact with at least one of the 2 fibrous supports,
- c₂) bringing the solid additive into contact with at least one of the 2 fibrous supports, and
- d₂) stacking the 2 fibrous supports such that the solid additive is between the 2 fibrous supports,

step b₂) possibly being carried out at the same time as step c₂),

said process also comprising a step:

s₂) of drying after step d₂) of stacking the 2 fibrous supports, wherein the aerosol-generating agent is brought into contact with the fibrous supports before, after or at the same time as the plant extract, as the solid additive or as a mixture of plant extract and solid additive.

[0067] According to the invention, the fibrous support(s) are manufactured using a papermaking process. Typically, the fibrous support(s) provided during step a₁) or a₂) may be obtained by passing the refined plant fibres into a papermaking machine. According to one preferred mode of the invention, a papermaking process will be used. According to this embodiment, a reconstituted plant sheet according to the invention is a reconstituted plant sheet capable of being obtained by a papermaking process.

[0068] Typically, the fibrous support(s) provided during step a₁) or a₂) may be wet and therefore have at least one wet face. The fibrous support(s) may typically have a water content of from 20% to 80%, in particular from 25% to 70%, more particularly from 30% to 60%.

[0069] Typically, the fibrous support(s) provided during step a₁) or a₂) may have a basis weight of from 10 g/m² to 60 g/m², in particular from 20 g/m² to 55 g/m², more particularly from 32 g/m² to 62 g/m².

[0070] According to one embodiment, the plant fibres of the fibrous support and the plant extract are obtained according to the following steps:

- e) mixing one or more plant parts with a solvent in order to extract the plant extract of the plant fibres,
- f) separating the plant extract from the plant fibres.

[0071] The plant extract and the plant fibres are therefore typically obtained by a dissociation process.

[0072] During step e), one or more plant parts are mixed with a solvent, for example in a digester, in order to extract the plant extract of the plant fibres. During step f), the plant extract is separated from the plant fibres, for example by passing through a screw press, in order to isolate and obtain, on the one hand, the plant fibres and, on the other hand, the plant extract.

[0073] Typically, the solvent may be a apolar solvent, an aprotic polar solvent, a protic polar solvent or a mixture thereof, in particular the solvent may be methanol, dichloromethane, ethanol, acetone, butanol, water or a mixture thereof, more particularly the solvent is ethanol, acetone, water or a mixture thereof.

[0074] According to one particular embodiment, the solvent is an aqueous solvent, more particularly the solvent is water.

[0075] Those skilled in the art will know how to adapt the temperature of the solvent during step e) to the plant, to the plant parts and to the plant parts to be treated. Typically, the temperature of the solvent during the treatment of a root or of a bark will be higher than the temperature of the solvent during the treatment of a leaf or of a petal.

[0076] Typically, the temperature of the solvent during step e) may be from 10°C to 100°C, in particular from 30°C to 90°C, more particularly from 50°C to 80°C.

[0077] According to the embodiment in which the solvent is water and the plant is tobacco, the temperature of the water may typically be from 30°C to 80°C. Typically, for the treatment of the stems of a tobacco plant, the temperature of the water may be from 50°C to 80°C. Typically, for the treatment of the parenchymas of a tobacco plant, the temperature of the water may be from 30°C to 70°C.

[0078] Typically, the plant fibres are refined in a refiner and can then be passed into the papermaking machine in order to form the fibrous support.

[0079] Typically, the plant fibres may originate from various plants.

[0080] The fibres of each plant may be obtained separately according to the dissociation process described above. They may then be mixed such that this mixture of fibres of various plants passes into the papermaking machine in order to form the fibrous support. It is also possible to obtain fibres from various plants together by combining one or more parts of the various plants and then subjecting them to the dissociation process described above. The temperature of the water will then be adapted to the plants to be treated and, in particular, to the plant requiring the highest temperature of the water for extracting the extract of this plant. This alternative embodiment is very advantageous since it makes it possible to obtain the fibres of the various plants without carrying out several dissociation processes in parallel.

[0081] Typically, the plant extract may be an extract of various plants.

[0082] The extract of various plants may be obtained by mixing various plant extracts obtained separately according to the dissociation process described above. It is also possible to obtain the extract of various plants by combining one or more parts of the various plants and then subjecting them to the dissociation process described above. The temperature of the water will then be adapted to the plants to be treated and, in particular, to the plant requiring the highest temperature of the water for extracting the extract of this water-soluble plant. This alternative embodiment is very advantageous since it makes it possible to obtain the extract of various plants without carrying out several processes in parallel. In these two situations, the extract of various plants is brought into contact with the fibrous support during steps b_1) and b_2).

[0083] Typically, various plant extracts, obtained according to the dissociation process described above, may also be brought into contact with the fibrous support(s) separately during steps b_1) and b_2).

[0084] Typically, during step b_2), the plant extract may be brought into contact with one fibrous support or the two fibrous supports.

[0085] Typically, during step b_1) or b_2), the plant extract may be brought into contact with one face of the fibrous support(s) or with the two faces of the fibrous support(s).

[0086] Typically, steps b_1) and b_2) of bringing the plant extract into contact may be carried out by impregnation or by spraying, in particular by impregnation. Typically, the impregnation may be carried out using a size press.

[0087] Typically, the plant extract may be concentrated before being brought into contact with the fibrous support(s) during steps b_1) and b_2). A device such as a vacuum evaporation device may be used for concentrating the plant extract.

[0088] Steps c_1) and c_2) make it possible to bring the solid additive into contact with at least one of the two faces of the fibrous support(s), in particular a wet face of the support(s), more particularly the face of the fibrous support(s) that is brought into contact with the plant extract. Typically, this step makes it possible to disperse the solid additive on and/or in the fibrous support(s).

[0089] Typically, steps c_1) and c_2) of bringing the solid additive into contact can be carried out by dispersion or by sprinkling, in particular by sprinkling.

[0090] When steps b_1) and b_2) are carried out at the same time as steps c_1) and c_2), then the plant extract may typically be mixed with the solid additive and this mixture is brought into contact with the fibrous support(s). Typically, the bringing into contact of this mixture can be carried out by impregnation or by spraying, in particular by impregnation. Typically, the impregnation can be carried out using a size press.

[0091] The aerosol-generating agent is brought into contact with the fibrous support(s) before, after or at the same time as the plant extract, as the solid additive or as the mixture of plant extract and solid additive, in particular at the same time as the plant extract.

[0092] Typically, step d_2) can have the objective of covering the face of the fibrous support in contact with the solid additive, with the other fibrous support. When the two fibrous supports have one face in contact with the solid additive, then step d_2) typically has the objective of bringing these two faces into contact such that the solid additive is between the two fibrous supports.

[0093] Typically, step d_2) of stacking the fibrous supports can be carried out by adhesion of the face of the fibrous support(s) that is in contact with the solid additive, with the face of the other fibrous support. In order to facilitate the adhesion of the two faces, the face of the other fibrous support may be wet.

[0094] Typically, the drying step s_1) makes it possible to attach the solid additives to the fibrous supports in order to form the reconstituted plant sheet.

[0095] Typically, the drying step s_2) makes it possible to attach the fibrous supports to one another and to trap the solid additive between the fibrous supports in order to form the reconstituted plant sheet.

[0096] Those skilled in the art will know how to adjust the parameters of the drying steps s_1) and s_2) so as to allow the attachment of the solid additive to the fibrous support(s).

[0097] Typically, during drying steps s_1) and s_2), the drying temperature may be from 90°C to 130°C, in particular from 70°C to 110°C when the reconstituted plant sheet comprises an aerosol-generating agent.

[0098] Typically, steps s_1) and s_2) may be carried out by infrared lamp, American battery drying drums, hot-air drying in a tunnel dryer, a vertical dryer, a fluidized-bed dryer, a pneumatic dryer, in particular in a tunnel dryer.

[0099] The reconstituted plant sheet of the invention may then be cut into sheets, leaves similar to strips of tobacco or rolled into a roll. Several sheets may be assembled in order to form a mixture of sheets.

[0100] The reconstituted plant sheet of the invention comprising the aerosol-generating agent may be used in a device for heating tobacco without burning it.

[0101] For the purposes of the present invention, the term "device for heating tobacco without burning it" denotes any device which allows the formation of an aerosol intended to be inhaled by a consumer. The aerosol replaces the smoke, thus allowing the user to inhale the plant aromas while at the same time very significantly reducing said user's exposure to the harmful constituents.

[0102] Typically, a heating device comprises, in the direction of the airflow, an air inlet, a heating element, a chamber intended to put in place and hold the reconstituted plant sheet of the invention comprising the aerosol-generating agent,

and an air outlet intended to be put in the user's mouth. The air inlet, the heating element, the chamber and the air outlet are typically connected together at least fluidically.

[0103] Typically, when the heating device is used, air is aspirated by the user into the heating device via the air inlet; the aspirated air then passes through the heated portion in order to obtain heated air; in contact with the reconstituted plant sheet of the invention comprising the aerosol-generating agent, held in the chamber, an aerosol is formed by the heated air and is then inhaled by the user. If the plant is a medicinal plant, then the aerosol formed has therapeutic properties. Furthermore, by virtue of the heating device, there is no combustion of the sheet. The user can therefore take advantage of the organoleptic properties of the plant, and optionally of the tobacco, while at the same time very significantly reducing his or her exposure to the harmful constituents.

Examples

Example 1: Reconstituted tobacco sheet with $n = 1$ (not according to the invention)

1) Obtaining of the reconstituted tobacco sheet

[0104] A fibrous support comprising tobacco fibres and having a basis weight of 62 g/m^2 is impregnated with 7.5 g of tobacco extract. After impregnation, the fibrous support weighs 9 g and has a basis weight of 108 g/m^2 . Once the impregnation has been carried out, 1.4 g of tobacco dust is sprinkled onto one face of the fibrous support. The impregnated and sprinkled sheet is then dried at 95°C for 540 seconds.

2) Characterizations of the reconstituted tobacco sheet

[0105] The weight contents of dry matter of the plant fibres, of the plant extract and of plant dust in the reconstituted plant sheet are indicated in the table below.

Contents		
Plant fibres	Plant extract	Plant dust
31%	39%	30%

[0106] The reconstituted plant sheet is subjected to a Buroma cutting test.

[0107] The loss of plant dust is 2.6%, which is very low.

[0108] The reconstituted tobacco sheet obtained is then shredded in order to be smoked without combustion. The organoleptic properties of the aerosol thus generated are satisfactory for the user.

Example 2: Reconstituted tobacco sheet with $n = 2$

1) Obtaining of the reconstituted tobacco sheet

[0109] Two fibrous supports having a basis weight of 32 g/m^2 are obtained by passing plant fibres into a papermaking machine.

[0110] 2.7 g of mint dust are then sprinkled onto a wet face of one of the two fibrous supports. The sprinkled fibrous support thus obtained is then dried.

[0111] The stacking of the second fibrous support and of the sprinkled and dried fibrous support is then carried out by adhesion of a wet face of the second fibrous support with the face of the sprinkled and dried fibrous support in contact with the plant dust in order to form a sandwich of fibrous supports, in which the dust is trapped between the two fibrous supports.

[0112] The sandwich of fibrous supports is then dried using a device of Rapid Köthen type.

[0113] The dried sandwich of fibrous supports is then impregnated with 3.64 g of tobacco extracts and glycerol in order to obtain a sandwich of impregnated fibrous supports.

[0114] The sandwich of the impregnated fibrous supports is then dried at 90°C for 540 seconds.

2) Characterizations of the reconstituted plant sheet

[0115] The weight contents of dry matter of the plant fibres, of the plant extract and of plant dust in the reconstituted plant sheet are indicated in the table below.

Contents		
Plant fibres	Tobacco extracts + aerosol-generating agent	Mint dust extracts
42%	46%	12%

[0116] The reconstituted plant sheet is subjected to the same Buroma cutting test as the reconstituted plant sheet of Example 1.

[0117] The loss of dust is 4.9%, which is very low.

[0118] The reconstituted plant sheet obtained is then shredded in order to be smoked without combustion. The organoleptic properties of the aerosol thus generated are satisfactory for the user.

Claims

1. Reconstituted plant sheet comprising:

- 1 or 2 fibrous supports comprising refined plant fibres,
 - a plant extract,
 - an aerosol-generating agent, and
 - a solid additive,
- wherein the solid additive is plant dust,
wherein the aerosol-generating agent represents from 15% to 35% by dry weight of the reconstituted plant sheet.

2. Reconstituted plant sheet according to Claim 1, in which the aerosol-generating agent is sorbitol, glycerol, propylene glycol, triethylene glycol, lactic acid, glyceryl diacetate, glyceryl triacetate, triethyl citrate or isopropyl myristate, or a mixture thereof.

3. Reconstituted plant sheet according to Claim 1 or Claim 2, in which the weight content of dry matter of the plant fibres is from 20% to 92%, in particular from 25% to 75%, more particularly from 30% to 45%.

4. Reconstituted plant sheet according to any one of Claims 1 to 3, further comprising a second solid additive chosen from a diluent, a texturing agent, powdered or encapsulated flavourings or a mixture thereof.

5. Reconstituted plant sheet according to any one of Claims 1 to 4, in which the plant dust content is from 1% to 70% by dry weight relative to the total weight of said reconstituted plant sheet, in particular from 5% to 65%, more particularly from 10% to 30%.

6. Reconstituted plant sheet according to any one of Claims 1 to 5, in which the plant is chosen from spore plants, seed plants or a mixture thereof.

7. Reconstituted plant sheet according to Claim 6, in which the plant is chosen from the tobacco plant, food plants, aromatic plants, perfume plants, medicinal plants, plants of the family *Cannabaceae*, or a mixture thereof.

8. Reconstituted plant sheet according to Claim 7, in which the plant is chosen from garlic, coffee, ginger, liquorice, rooibos, Stevia rebaudiana, tea, cacao, camomile, mate, basil, turmeric, clove, laurel, oregano, mint, rosemary, sage, thyme, lavender, rose, eucalyptus, ginkgo, ginseng, sour cherry, peppermint, willow and red vine, or mixture thereof.

9. Reconstituted plant sheet according to Claim 8, in which the plant is rooibos.

10. Process for manufacturing a reconstituted plant sheet as defined in Claims 1 to 9 and comprising 1 fibrous support, said process comprising the following steps:

- a₁) providing the fibrous support,
- b₁) bringing the plant extract into contact with the fibrous support, and
- c₁) bringing the solid additive into contact with the fibrous support,

step b₁) possibly being carried out at the same time as step c₁),
said process also comprising a step:

s₁) of drying after step c₁) of bringing the solid additive into contact with the fibrous support,
wherein the aerosol-generating agent is brought into contact with the fibrous support before, after or at the
same time as the plant extract, as the solid additive or as a mixture of plant extract and solid additive.

11. Process for manufacturing a reconstituted plant sheet as defined in Claims 1 to 9 and comprising 2 fibrous supports,
said process comprising the following steps:

a₂) providing the 2 fibrous supports,
b₂) bringing the plant extract into contact with at least one of the 2 fibrous supports,
c₂) bringing the solid additive into contact with at least one of the 2 fibrous supports, and
d₂) stacking the 2 fibrous supports such that the solid additive is between the 2 fibrous supports,
step b₂) possibly being carried out at the same time as step c₂),
said process also comprising a step:
s₂) of drying after step d₂) of stacking the 2 fibrous supports,
wherein the aerosol-generating agent is brought into contact with the fibrous supports before, after or at the
same time as the plant extract, as the solid additive or as a mixture of plant extract and solid additive.

12. Process according to Claim 10 or Claim 11, in which the fibrous support or the 2 fibrous supports are obtained by
passing refined plant fibres into a papermaking machine, in particular the fibrous support or the 2 fibrous supports
are obtained by a papermaking process.

13. Process according to any one of Claims 10 to 12, in which the plant fibres and the plant extract are obtained according
to the following steps:

e) mixing one or more plant parts with water in order to extract the plant extract of the plant fibres,
f) separating the plant extract from the plant fibres.

14. Use of the reconstituted plant sheet as defined in Claims 1 to 9 in a device for heating tobacco without burning it.

Patentansprüche

1. Rekonstituiertes Pflanzenblatt, umfassend:

- 1 oder 2 faserige Träger, umfassend veredelte Pflanzenfasern,
- einen Pflanzenextrakt,
- ein aerosolerzeugendes Mittel, und
- ein festes Additiv, wobei das feste Additiv Pflanzenstaub ist, wobei das aerosolerzeugende Mittel 15 bis 35
% des Trockengewichts des rekonstituierten Pflanzenblattes darstellt.

2. Rekonstituiertes Pflanzenblatt nach Anspruch 1, wobei das aerosolerzeugende Mittel Sorbit, Glycerin, Propyleng-
lykol, Triethylenglykol, Milchsäure, Glyceryldiacetat, Glyceryltriacetat, Triethylcitrat oder Isopropylmyristat oder eine
Mischung davon ist.

3. Rekonstituiertes Pflanzenblatt nach Anspruch 1 oder Anspruch 2, wobei der Gewichtsanteil der Trockenmasse der
Pflanzenfasern 20 % bis 92 %, insbesondere 25 % bis 75 %, mehr bevorzugt 30 % bis 45 % beträgt.

4. Rekonstituiertes Pflanzenblatt nach einem der Ansprüche 1 bis 3, ferner umfassend ein zweites festes Additiv,
ausgewählt aus einem Verdünnungsmittel, einem Strukturmittel, pulverförmigen oder eingekapselten Aromastoffen
oder einer Mischung davon.

5. Rekonstituiertes Pflanzenblatt nach einem der Ansprüche 1 bis 4, wobei der Gehalt an Pflanzenstaub 1 % bis 70
% des Trockengewichts, relativ zum Gesamtgewicht des rekonstituierten Pflanzenblattes, ist, insbesondere 5 % bis
65 %, mehr bevorzugt 10 % bis 30 %.

6. Rekonstituiertes Pflanzenblatt nach einem der Ansprüche 1 bis 5, wobei die Pflanze aus Sporenpflanzen, Samenpflanzen oder einer Mischung davon ausgewählt ist.

7. Rekonstituiertes Pflanzenblatt nach Anspruch 6, wobei die Pflanze ausgewählt ist aus der Tabakpflanze, Nahrungspflanzen, Aromapflanzen, Parfümpflanzen, Arzneipflanzen, Pflanzen der Familie der *Cannabaceae* oder einer Mischung davon.

8. Rekonstituiertes Pflanzenblatt nach Anspruch 7, wobei die Pflanze ausgewählt ist aus Knoblauch, Kaffee, Ingwer, Lakritz, Rooibos, Stevia rebaudiana, Tee, Kakao, Kamille, Mate, Basilikum, Kurkuma, Nelke, Lorbeer, Oregano, Minze, Rosmarin, Salbei, Thymian, Lavendel, Rose, Eukalyptus, Ginkgo, Ginseng, Sauerkirsche, Pfefferminze, Weide und roter Weinrebe oder einer Mischung davon.

9. Rekonstituiertes Pflanzenblatt nach Anspruch 8, wobei die Pflanze Rooibos ist.

10. Verfahren zur Herstellung eines rekonstituierten Pflanzenblattes wie in den Ansprüchen 1 bis 9 definiert, umfassend 1 faserigen Träger, wobei das Verfahren die folgenden Schritte umfasst:

a₁) Bereitstellen des faserigen Trägers,

b₁) In-Kontakt-Bringen des Pflanzenextrakts mit dem faserigen Träger, und

c₁) In-Kontakt-Bringen des festen Additivs mit dem faserigen Träger, wobei der Schritt b₁) möglicherweise gleichzeitig mit dem Schritt c₁) durchgeführt wird, wobei das Verfahren auch einen Schritt:

s₁) des Trocknens nach dem Schritt c₁) des In-Kontakt-Bringens des festen Additivs mit dem faserigen Träger umfasst,

wobei das aerosolerzeugende Mittel mit dem faserigen Träger in Kontakt gebracht wird, vor, nach oder zur gleichen Zeit wie der Pflanzenextrakt, das feste Additiv oder wie eine Mischung aus Pflanzenextrakt und festem Additiv.

11. Verfahren zur Herstellung eines rekonstituierten Pflanzenblattes, wie in den Ansprüchen 1 bis 9 definiert und umfassend 2 faserige Träger, wobei das Verfahren die folgenden Schritte umfasst:

a₂) Bereitstellen der 2 faserigen Träger,

b₂) In-Kontakt-Bringen des Pflanzenextrakts mit mindestens einem der 2 faserigen Träger,

c₂) In-Kontakt-Bringen des festen Additivs mit mindestens einem der 2 faserigen Träger, und

d₂) Stapeln der 2 faserigen Träger, sodass das feste Additiv zwischen den 2 faserigen Trägern ist, wobei der Schritt b₂) möglicherweise gleichzeitig mit dem Schritt c₂) durchgeführt wird, wobei das Verfahren einen Schritt:

s₂) des Trocknens nach dem Schritt d₂) des Stapelns der 2 faserigen Träger umfasst, wobei das aerosolerzeugende Mittel mit den faserigen Trägern in Kontakt gebracht wird, vor, nach oder zur gleichen Zeit wie der Pflanzenextrakt, das feste Additiv oder eine Mischung aus Pflanzenextrakt und festem Additiv.

12. Verfahren nach Anspruch 10 oder Anspruch 11, wobei der faserige Träger oder die 2 faserigen Träger durch Überführen veredelter Pflanzenfasern in eine Papiermaschine erhalten werden, insbesondere werden der faserige Träger oder die 2 faserigen Träger durch einen Papierherstellungsprozess erhalten.

13. Verfahren nach einem der Ansprüche 10 bis 12, wobei die Pflanzenfasern und der Pflanzenextrakt nach folgenden Schritten gewonnen werden:

e) Mischen eines oder mehrerer Pflanzenteile mit Wasser, um den Pflanzenextrakt aus den Pflanzenfasern zu extrahieren,

f) Separieren des Pflanzenextrakts von den Pflanzenfasern.

14. Verwendung des rekonstituierten Pflanzenblattes wie im Anspruch 1 bis 9 definiert in einer Vorrichtung zum Erhitzen von Tabak, ohne diesen zu verbrennen.

Revendications

1. Feuille de plante reconstituée comprenant :

- 1 ou 2 supports fibreux comprenant des fibres de plante raffinées,
- un extrait de plante,
- un agent générateur d'aérosol, et
- un additif solide,

où l'additif solide est des poussières de plante,

où l'agent générateur d'aérosol représente de 15% à 35%, en poids sec de la feuille de plante reconstituée.

2. Feuille de plante reconstituée selon la revendication 1, dans laquelle l'agent générateur d'aérosol est le sorbitol, la glycérine, le propylène glycol, le triéthylène glycol, l'acide lactique, le diacétate de glycéryle, le triacétate de glycéryle, le citrate de triéthyle ou le myristate d'isopropyle ou un mélange de ceux-ci.

3. Feuille de plante reconstituée selon la revendication 1 ou la revendication 2, dans laquelle la teneur en poids en matière sèche des fibres de plante est de 20% à 92%, en particulier de 25% à 75%, plus particulièrement de 30% à 45%.

4. Feuille de plante reconstituée selon l'une quelconque des revendications 1 à 3, comprenant en outre un second additif solide choisi parmi un diluant, un agent texturant, des arômes en poudre ou encapsulés ou un mélange de ceux-ci.

5. Feuille de plante reconstituée selon l'une quelconque des revendications 1 à 4, dans laquelle la teneur en poussières de plantes est de 1% à 70% en poids sec par rapport au poids total de la feuille de plante reconstituée, en particulier de 5% à 65%, tout particulièrement de 10% à 30%.

6. Feuille de plante reconstituée selon l'une quelconque des revendications 1 à 5, dans laquelle la plante est choisie parmi les plantes à spores, les plantes à graines ou un mélange de ceux-ci.

7. Feuille de plante reconstituée selon la revendication 6, dans laquelle la plante est choisie parmi la plante de tabac, les plantes alimentaires, les plantes aromatiques, les plantes à parfum, les plantes médicinales, les plantes de la famille des *Cannabaceae* ou un mélange de ceux-ci.

8. Feuille de plante reconstituée selon la revendication 7, dans laquelle la plante est choisie parmi l'ail, le café, le gingembre, la réglisse, le rooibos, le stevia rebaudiana, le thé, le cacaoyer, la camomille, le maté, le basilic, le curcuma, le giroflier, le laurier, l'origan, la menthe, le romarin, la sauge, le thym, la lavande, la rose, l'eucalyptus, le ginkgo, le ginseng, le griottier, la menthe poivrée, le saule et la vigne rouge ou un mélange de ceux-ci.

9. Feuille de plante reconstituée selon la revendication 8, dans laquelle la plante est le rooibos.

10. Procédé de fabrication d'une feuille de plante reconstituée telle que définie dans les revendications 1 à 9 et comprenant 1 support fibreux, ledit procédé comprenant les étapes suivantes :

a₁) fourniture du support fibreux,

b₁) mise en contact de l'extrait de plante avec le support fibreux, et

c₁) mise en contact de l'additif solide avec le support fibreux,

l'étape b₁) pouvant être réalisée en même temps que l'étape c₁),

ledit procédé comprenant en outre une étape :

s₁) de séchage après l'étape c₁) de mise en contact de l'additif solide avec le support fibreux,

où l'agent générateur d'aérosol est mis en contact avec le support fibreux avant, après ou en même temps que l'extrait de plante, que l'additif solide ou qu'un mélange de l'extrait de plante et l'additif solide.

11. Procédé de fabrication d'une feuille de plante reconstituée telle que définie dans les revendications 1 à 9 et comprenant 2 supports fibreux, ledit procédé comprenant les étapes suivantes :

a₂) fourniture des 2 supports fibreux,

b₂) mise en contact de l'extrait de plante avec au moins un des 2 supports fibreux,

c₂) mise en contact de l'additif solide avec au moins un des 2 supports fibreux, et

d₂) empilage des 2 supports fibreux de sorte que l'additif solide soit compris entre les 2 supports fibreux,

l'étape b₂) pouvant être réalisée en même temps que l'étape c₂),

ledit procédé comprenant en outre une étape :

EP 3 691 477 B1

s₂) de séchage après l'étape d₂) d'empilage des 2 supports fibreux,
où l'agent générateur d'aérosol est mis en contact avec le support fibreux avant, après ou en même temps que
l'extrait de plante, que l'additif solide ou qu'un mélange de l'extrait de plante et l'additif solide.

- 5 **12.** Procédé selon la revendication 10 ou la revendication 11 dans lequel le ou les 2 supports fibreux sont obtenus en passant des fibres de plante dans une machine à papier, en particulier le ou les 2 supports fibreux sont obtenus par un procédé papetier.
- 10 **13.** Procédé selon l'une quelconque des revendications 10 à 12 dans lequel, les fibres de plante et l'extrait de plante sont obtenus selon les étapes suivantes :
- e) mélange d'une ou des parties de la plante à de l'eau afin d'extraire l'extrait de plante des fibres de plante,
f) séparation de l'extrait de plante des fibres de plante.
- 15 **14.** Utilisation de la feuille de plante reconstituée telle que définie dans les revendications 1 à 9 dans un dispositif de chauffage de tabac sans le brûler.

20

25

30

35

40

45

50

55

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- WO 2016026810 A [0002]
- WO 2016207407 A [0002]
- WO 2017097840 A1 [0002]
- WO 2012164009 A2 [0002]
- US 5501237 A [0003]
- CN 104856212 A [0003]
- CN 107136553 A [0003]

Non-patent literature cited in the description

- French pharmacopeia. Agence Nationale de Sécurité du Médicament, January 2016 [0045]