



HU000025056T2

(19) **HU****MAGYARORSZÁG**
Szellemi Tulajdon Nemzeti Hivatala(11) Lajstromszám: **E 025 056**(13) **T2****EURÓPAI SZABADALOM**
SZÖVEGÉNEK FORDÍTÁSA(21) Magyar ügyszám: **E 10 743083**(22) A bejelentés napja: **2010. 08. 05.**

(96) Az európai bejelentés bejelentési száma:

EP 20100743083

(97) Az európai bejelentés közzétételi adatai:

EP 2467489 A2 **2011. 02. 24.**

(97) Az európai szabadalom megadásának meghirdetési adatai:

EP 2467489 B1 **2015. 05. 27.**(51) Int. Cl.: **C12N 158/66** (2006.01)

(86) A nemzetközi (PCT) bejelentési szám:

PCT/EP 10/061456

(87) A nemzetközi közzétételi szám:

WO 11020710

(30) Elsőbbségi adatok:

09305761 **2009. 08. 17.** **EP**

(72) Feltaláló(k):

MERTEN, Otto-Wilhelm, F-78121 Crespières (FR)**MAREK, Martin, 582 76 (CZ)****VAN OERS, Monique, NL-Renkum 6871 WK (NL)**

(73) Jogosult(ak):

GENETHON, 91000 Evry (FR)

(74) Képviselő:

dr. Láng Tivadarné, SBGK Szabadalmi**Ügyvivői Iroda, Budapest**(54) **Bakulovírus virion szennyeződéstől mentes biogógyszerek bakulovírus-alapú termelése**

Az európai szabadalom ellen, megadásának az Európai Szabadalmi Közlönyben való meghirdetésétől számított kilenc hónapon belül, felszólalást lehet benyújtani az Európai Szabadalmi Hivatalnál. (Európai Szabadalmi Egyezmény 99. cikk(1))

A fordítást a szabadalmas az 1995. évi XXXIII. törvény 84/H. §-a szerint nyújtotta be. A fordítás tartalmi helyességét a Szellemi Tulajdon Nemzeti Hivatala nem vizsgálta.



(11) **EP 2 467 489 B1**

(12) **EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention
of the grant of the patent:
27.05.2015 Bulletin 2015/22

(21) Application number: **10743083.7**

(22) Date of filing: **05.08.2010**

(51) Int Cl.:
C12N 15/866 (2006.01)

(86) International application number:
PCT/EP2010/061456

(87) International publication number:
WO 2011/020710 (24.02.2011 Gazette 2011/08)

(54) **Baculovirus-based production of biopharmaceuticals free of contaminating baculoviral virions**

Baculovirus-basierte Herstellung von Biopharmazeutika ohne kontaminierende baculovirale Virionen

Production des produits biopharmaceutiques à base de Baculovirus dépourvus de virions baculoviraux contaminants

(84) Designated Contracting States:
**AL AT BE BG CH CY CZ DE DK EE ES FI FR GB
GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO
PL PT RO SE SI SK SM TR**

(30) Priority: **17.08.2009 EP 09305761**

(43) Date of publication of application:
27.06.2012 Bulletin 2012/26

(73) Proprietor: **GENETHON
91000 Evry (FR)**

(72) Inventors:
• **MERTEN, Otto-Wilhelm
F-78121 Crespières (FR)**
• **MAREK, Martin
582 76 (CZ)**
• **VAN OERS, Monique
NL-Renkum 6871 WK (NL)**

(74) Representative: **Sekhri, Redha et al
Cabinet Becker & Associés
25, rue Louis le Grand
75002 Paris (FR)**

(56) References cited:
WO-A-01/12829 US-A1- 2006 166 363

- **TANG X D ET AL: "Characterization of a Bombyx mori nucleopolyhedrovirus with Bmvp80 disruption" VIRUS RESEARCH, AMSTERDAM, NL, vol. 138, no. 1-2, 1 December 2008 (2008-12-01), pages 81-88, XP025656973 ISSN: 0168-1702 [retrieved on 2008-10-05]**
- **POSSEE ROBERT D ET AL: "Generation of Baculovirus Vectors for the High-Throughput Production of Proteins in Insect Cells" BIOTECHNOLOGY AND BIOENGINEERING, vol. 101, no. 6, December 2008 (2008-12), pages 1115-1122, XP002552791 ISSN: 0006-3592**

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

Description

[0001] The present invention relates to methods for the production of biopharmaceuticals implementing a baculovirus-based system. These methods advantageously allow the production of biopharmaceuticals with reduced or no contaminating baculoviral virions.

[0002] Over the past two decades the baculovirus-insect cell technology has become a very frequently used eukaryotic expression system for the production of recombinant proteins, not only for scientific purposes, but more and more for human and veterinary medicine (Condreay and Kost, 2007, van Oers, 2006). In particular, recombinant baculoviruses derived from *Autographa californica* multicapsid nucleopolyhedrovirus (AcMNPV) are widely employed for large-scale production of heterologous proteins in cultured insect cells. The main reasons for the frequent application of this system are: (1) high levels of expression of foreign proteins, (2) insect cells are able to grow in a suspension culture and thus are easy to scale up, (3) the proteins synthesized in insect cells are processed and modified post-translationally, (4) well-developed manipulation techniques for the viral vectors resulting in a flexible expression system, and 5) non-pathogenic to humans, as the baculovirus host range is restricted to insects and invertebrates. Recombinant baculovirus vectors are being used for the production of individual proteins, as for sub-unit vaccine purposes, but also for higher order structures containing one or more proteins, such as enzyme complexes, viruses or virus-like particles.

[0003] Virus-like particles (VLPs) are highly organised structures that self-assemble from virus-derived structural proteins. These stable and versatile nano-particles possess excellent adjuvant properties capable of inducing innate and acquired immune responses (Ludwig & Wagner, 2007). During the past years, VLPs have been applied in other branches of biotechnology taking advantage of their structural stability and tolerance towards manipulation to carry and display heterologous molecules or serve as building blocks for novel nanomaterials. For immuno-therapeutic and prophylactic applications, many types of virus-like particles (VLP) have been successfully produced in baculovirus-infected insect cells (Noad & Roy, 2003, van Oers et al., 2006, Ramqvist et al., 2007). The first commercial achievement of baculovirus VLP technology for use in humans is the human papillomavirus (HPV) vaccine recently marketed by GlaxoSmithKline, prophylactic against HPV strains 16 and 18. The L1 protein of each of these types of HPV was expressed via a recombinant baculovirus vector and the resulting VLPs were combined to produce the vaccine Cervarix™ (Harper et al., 2006).

[0004] Today, there is a huge effort to develop baculovirus-derived influenza virus-like particles as well as influenza subunit-vaccines as a new generation of non-egg and non-mammalian cell culture-based candidate vaccine. Non-replicating influenza virus-like particles are effective in eliciting a broadened, cross-clade protective immune response to proteins from emerging H5N1 influenza isolates giving rise to a potential pandemic influenza vaccine candidate for humans that can be stockpiled for use in the event of an outbreak of H5N1 influenza (Bright et al., 2008). An influenza subunit vaccine produced in insect cells is close to FDA approval (Cox and Hollister, 2009). Similar strategies could in principle be applied for vaccines against the pandemic influenza such as the recent outbreak of Swine flu.

[0005] For gene therapy purposes, baculovirus-insect cell technology is also being applied for the production of infectious adeno-associated virus vectors (e.g. Urabe et al., 2002) and lentiviral vectors (Lesch et al., 2008). For the production of AAV vectors insect cells are co-infected with three recombinant baculoviruses - One producing the AAV replicase (REP) proteins, one carrying the cap functions for producing the AAV viral structural proteins (VP1, VP2, VP3), and a third baculovirus comprising an AAV-ITR vector with the ability to carry and transfer transgenes. Recently an improved version of this production had been published which is based on the use of only recombinant baculoviruses, one of them carrying the rep and cap functions of AAV (Smith et al. 2009). The produced AAV vector is indistinguishable from that produced in mammalian cells in its physical and biological properties. The yield of the AAV-ITR vector particles approached 5×10^4 per Sf9 insect cell demonstrating that the system is able to produce high quantities of AAV vectors in a simple manner. Currently, clinical trials with baculovirus-derived AAV vectors are underway for instance for lipoprotein lipase deficiency (Amsterdam Molecular Therapeutics B.V.). As an alternative, scalable approach to produce lentiviral vectors (Lesch et al., 2008) mammalian 293T cells were transduced simultaneously by four recombinant baculoviruses produced in insect cells to express all elements required for generation of a safe lentivirus vector. The unconcentrated lentiviral titers in mammalian cell culture media were on average 2.5×10^6 TU ml⁻¹, comparable to titers of the lentiviruses produced by conventional four-plasmid transfection methods. In addition, there is a general effort to convert lentiviral vector production methods into better scalable insect cell-based technologies.

[0006] Tjia et al., 1983 discovered that BVs can be internalized by mammalian cells and even some of the viral DNA reached the cell nucleus. Further studies showed that baculoviruses can enter mammalian cells and mediate expression of *Escherichia coli* chloramphenicol acetyl-transferase under the Rous sarcoma virus promoter (Carbonell et al., 1985). These findings led to the development of novel baculovirus-based gene delivery vehicles for mammalian cells (Boyce & Bucher, 1996, Hofmann et al., 1995, Condreay and Kost, 2007, Kaikkonen et al., 2008). Today, there is strong evidence that baculovirus-derived gene delivery vectors can mediate transient and stable expression of foreign genes in mammalian cells following antibiotic selection (Lackner et al., 2008).

[0007] There is still poor knowledge about transcriptional activities of baculovirus promoters in mammalian cells. It has been demonstrated that the transactivator protein IE1 of AcMNPV is functional in mammalian cells (Murges et al.,

1997) as well as the early-to-late (ETL) promoter (Liu et al., 2006a,b). Among the other imperfectly explored areas is the interaction of baculoviruses with components of the mammalian immune system. AcMNPV virus is able to induce antiviral cytokine production, which protects cells from infection with vesicular stomatitis virus and influenza virus (Abe et al., 2003, Gronowski et al., 1999). AcMNPV is also recognized by Toll-like receptor 9 on dendritic cells and macrophages, and AcMNPV induces antitumor acquired immunity (Kitajima & Takaku, 2008). These results suggest that AcMNPV has the potential to be an efficient virus or tumor therapy agent which induces innate and acquired immunity. In spite of universally positive effects of AcMNPV on components of the humoral and adaptive cell-mediated immunity in mice, the interaction of baculoviruses with the human immune system can be slightly different. Additionally, immuno-adjuvant properties of AcMNPV should be fully separated from immune response against target vaccine/biopharmaceuticals produced in insect cells.

[0008] These features of baculoviruses are strongly disadvantageous in cases where baculoviruses are utilized for the production of vaccines or viral vectors for therapeutical purposes (e.g. AAV, lentivirus). Contamination of the produced biopharmaceuticals with both types of baculovirus virions - budded virions (BVs) and occlusion-derived virions (ODVs) should, therefore, be avoided. In general, the recombinant proteins can be produced in insect cells as cytosolic, membrane-bound, or extra-cellularly secreted proteins. The latter secreted proteins are highly "contaminated" with baculoviral BVs present in the culture medium. It can be very difficult to separate undesirable baculovirus virions from produced recombinant biopharmaceuticals in some production and purification configurations. It has been shown for instance that these BVs can cause problems during the purification process of AAV vectors produced with baculovirus-insect cell technology (personal communication O. Merten, Genethon). On the other hand, there are also ODVs, always formed inside the nuclei of infected cells, in all conventional baculovirus-insect cell expression systems, even if occlusion bodies are not formed, due to replacement of the polyhedrin open reading frame by a desired gene. Analogously, these virions can co-purify with intracellularly produced recombinant proteins or VLPs during purification process.

[0009] In summary, the separation of recombinant proteins and, especially, VLPs from baculovirus particles, requires a lot of effort and occurs at high costs. In addition, it results in reduced efficiency of recombinant protein production. Therefore, the development of an improved baculovirus-insect cell technology allowing high expression of heterologous proteins while eliminating baculovirus BV and ODV production is highly desirable, and is the topic of this patent application. Such a baculovirus virion-free production system would represent a significant improvement over existing systems for the production of all kinds of biopharmaceuticals in insect cells.

[0010] The present invention is based on the identification of efficient baculovirus-insect cell based methods for producing biopharmaceuticals with reduced amounts or absence of baculovirus virions.

[0011] An object of the present invention thus provides a method for the production of a biopharmaceutical product, comprising:

- (a) infecting a biopharmaceutical-producing insect cell with at least one baculovirus, said at least one baculovirus comprising a genome coding for said biopharmaceutical product, and
- (b) maintaining the biopharmaceutical-producing insect cell under conditions such that the biopharmaceutical product is produced,

wherein each genome of said at least one baculovirus is deficient for vp80 or wherein said biopharmaceutical-producing insect cell comprises an expression control system allowing the inactivation of vp80.

[0012] In an embodiment, the invention relates to the above method, wherein vp80 is made deficient in said genome by mutation, for example by way of nucleotide substitution, insertion or deletion.

[0013] In another embodiment, the invention relates to the above method, wherein the biopharmaceutical-producing insect cell is a recombinant insect cell comprising a construct expressing a dsRNA specific for vp80, the dsRNA being optionally expressed under the control of an inducible promoter.

[0014] In a further embodiment, the invention relates to the above method, wherein the at least one baculovirus is produced before step (a) in a baculovirus-producing cell expressing a complementing copy of vp80.

[0015] In another embodiment, the invention relates to the above method, wherein the deficiency or inactivation of vp80 does not affect very late gene expression from said baculovirus in comparison to very late gene expression from the wild-type baculovirus vector.

[0016] In yet another embodiment, the invention relates to the above method, wherein the at least one baculovirus is preferably derived from AcMNPV or *Bombyx mori* (Bm) NPV.

[0017] In a further embodiment, the invention relates to the above method, wherein the biopharmaceutical product is a recombinant protein, a recombinant virus, a virus-derived vector, or a virus-like particle.

[0018] In another embodiment, the invention relates to the above method, wherein the biopharmaceutical product is a recombinant AAV vector. Furthermore, the invention relates to the above method, wherein the biopharmaceutical product is a vaccine. Representative examples of vaccines that can be produced with the method of the present invention include, but are not limited to, influenza virus-like particles or influenza subunit vaccines, and vaccines against Human

papillomavirus.

[0019] In a further embodiment, the invention relates to the above method, wherein the biopharmaceutical product is coded by at least one gene introduced in the recombinant baculovirus genome under the control of a baculovirus promoter, preferably the p10 or polyhedrin promoter.

[0020] Another object of the invention provides the use of a baculovirus-insect cell system for the production of a biopharmaceutical product wherein the baculovirus-insect cell system comprises a biopharmaceutical-producing insect cell infected with at least one recombinant baculovirus, wherein:

- the, or each, recombinant baculovirus comprises a recombinant baculovirus genome that encodes the biopharmaceutical product, or at least one component of the biopharmaceutical product, and
- the recombinant baculovirus genome is deficient for *vp80*, or the biopharmaceutical-producing insect cell comprises an expression control system allowing the inactivation of *vp80*.

[0021] Yet another object described herein relates to a bacmid comprising a baculovirus genome, wherein said genome is deficient for a gene essential for proper baculovirus virion assembly, preferably wherein the genome of said baculovirus is deficient for *vp80*, *vp39*, *p6.9* or *vp1054*. In a particular aspect, said bacmid is derived from AcMNPV and is lacking the *vp80* ORF.

[0022] A further object described herein relates to a recombinant AcMNPV baculovirus vector, wherein the genome of said baculovirus is deficient for a gene essential for proper baculovirus virion assembly, preferably wherein the genome of said baculovirus is deficient for *vp80*, *vp39*, *vp1054* or *p6.9*. In a particular aspect, the invention relates to a recombinant AcMNPV baculovirus lacking the *vp80* ORF.

[0023] Also described herein is also an insect cell infected with the above mentioned recombinant AcMNPV baculovirus.

[0024] Another described object relates to an insect cell, comprising a construct expressing a dsRNA specific for a gene essential for proper baculovirus virion assembly, preferably directed against *vp80*, *vp39*, *vp1054* and/or *p6.9*, said construct being preferably integrated in the genome of the insect cell.

[0025] A further object described herein relates to an insect cell comprising an expression cassette coding for a gene essential for proper baculovirus virion assembly. In particular, the invention relates to said insect cell, wherein the gene coded by the expression cassette is *vp80*, *vp39*, *vp1054* and/or *p6.9*.

[0026] Another object described herein relates to a method for the production of a baculovirus deficient for at least one gene essential for proper baculovirus virion assembly, comprising the step of transfecting an insect cell comprising an expression cassette coding for a gene essential for proper baculovirus virion assembly, with a bacmid comprising a baculoviral genome, wherein said genome is deficient for a gene essential for proper baculovirus virion assembly, preferably wherein the genome of said baculovirus is deficient for *vp80*, *vp39*, *p6.9* and/or *vp1054*, wherein the gene essential for proper baculovirus virion assembly deficient in said bacmid is the gene coded by the expression cassette comprised in said insect cell.

[0027] The present invention relates to the production of biopharmaceuticals in insect cells by implementing a baculoviral system, but without coproduction of contaminating baculovirus virions. The methods of the invention simplify the downstream processing of biopharmaceuticals produced in insect cells to a large extent.

[0028] Thus, the invention relates to methods for the production of a biopharmaceutical product implementing a baculoviral system designed to avoid the production of contaminating baculoviral virions. The method of the present invention comprises the infection of biopharmaceutical-producing insect cells with at least one baculovirus coding for said biopharmaceutical product.

[0029] Baculoviruses are enveloped DNA viruses of arthropods, two members of which are well known expression vectors for producing recombinant proteins in cell cultures. Baculoviruses have circular double-stranded genomes (80-200 kbp) which can be engineered to allow the delivery of large genomic content to specific cells. The viruses used as a vector are generally *Autographa californica* multicausid nucleopolyhedrovirus (AcMNPV) or *Bombyx mori* (Bm)NPV (Kato et al., 2010).

[0030] Baculoviruses are commonly used for the infection of insect cells for the expression of recombinant proteins. In particular, expression of heterologous genes in insects can be accomplished as described in for instance U.S. 4,745,051; Friesen et al (1986); EP 127,839; EP 155,476; Vlak et al (1988); Miller et al (1988); Carbonell et al (1988); Maeda et al (1985); Lebacqz-Verheyden et al (1988); Smith et al (1985); Miyajima et al (1987); and Martin et al (1988). Numerous baculovirus strains and variants and corresponding permissive insect host cells that can be used for protein production are described in Luckow et al (1988), Miller et al (1986); Maeda et al (1985) and McKenna (1989).

[0031] According to the present invention, any genome derived from a baculovirus commonly used for the recombinant expression of proteins and biopharmaceutical products may be used. For example, the baculovirus genome may be derived from for instance AcMNPV, BmNPV, *Helicoverpa armigera* (HearNPV) or *Spodoptera exigua* MNPV, preferably from AcMNPV or BmNPV. In particular, the baculovirus genome may be derived from the AcMNPV clone C6 (genomic sequence: Genbank accession no. NC_001623.1 -SEQ ID NO:1).

[0032] The terms "Biopharmaceutical", "Biopharmaceuticals" and "Biopharmaceutical Product" are intended to define medical drugs produced using biotechnology. As such, biopharmaceuticals may correspond to recombinantly produced drugs such as recombinant proteins, notably recombinant hormones or recombinant proteins for use as vaccines, viruses, for example therapeutic recombinant AAV or other viral vectors for use in gene therapy, as well as virus-like-particles (or VLPs). Such biopharmaceuticals are intended to be administered to a subject in need thereof for the prophylactic or curative treatment of a disease condition in said subject which may be of either human or animal origin.

[0033] A biopharmaceutical product may correspond to a single chain protein or peptide, for example in the case of a therapeutic recombinant protein, or may be a complex structure such as a virus or a virus-like particle. In the latter two cases, the components of the complex may be expressed from several recombinant baculoviruses, each carrying at least one component of the complex structure, or from a single baculovirus whose genome has been genetically modified by the insertion of sequences encoding all the components of the complex. For example, for the production of a recombinant AAV, a system comprising three baculoviruses may be used: a baculovirus coding for the AAV Rep proteins, a baculovirus coding the AAV Cap proteins and a baculovirus coding the AAV-ITR genome comprising a therapeutic gene between the two AAV ITRs. A system comprising two baculoviruses is also available now, for which the DNA sequences coding for the AAV Rep proteins and the AAV Cap proteins are provided by one baculovirus.

[0034] In a preferred embodiment of the invention, the heterologous gene(s) encoding the biopharmaceuticals are placed under the control of a baculoviral promoter. For example, the heterologous gene(s) is (are) placed under the control of the polyhedrin or p10 promoter, or of any other baculoviral promoter commonly used for expression in an insect cell (e.g. ie-1, p6.9, gp64 or the *Orchytia pseudotsugata* (Op) MNPV ie-2 promoter). In a preferred embodiment of the invention, the baculoviral promoter is selected from very late expression promoters, for example from the p10 and polyhedrin promoters, preferably under the control of the polyhedrin promoter.

[0035] In the method described herein, at least one gene essential for proper baculovirus virion assembly is either absent from the genome of the recombinant baculovirus(es) implemented in the above described method, or its expression is prevented. The inventors have shown that the deletion or inactivation of such genes results in the reduction, or even the complete absence, of budded virions and/or occlusion derived virions, the two forms of a baculovirus.

[0036] A "gene essential for proper baculovirus virion assembly" is a gene whose deficiency or inactivation in a baculovirus-producing cell negatively impacts the number of BVs and ODVs produced from said cell. Such a gene may be identified as provided in the herein below examples. In particular, one can use double stranded RNAs specific for a particular baculoviral gene to assess the impact of the absence of said particular gene on the production of BVs and ODVs, for example by detecting the expression of a reporter gene present in the baculoviral genome in the cell culture, and thus determine the spreading or absence of spreading of the baculovirus (single-infection phenotype). Alternatively baculovirus virions may be detected by the presence of baculoviral structural proteins or genome sequences in the culture medium when sampling for BV production. Both virion types may be detected by electron microscopy.

[0037] Herein described is a method wherein the gene essential for proper baculovirus virion assembly is selected from *vp80*, *vp39*, *vp1054* and *p6.9*. More preferably, the gene is selected from *vp80* and *vp39*, said gene being preferably *vp80*. In the method of the invention, the gene essential for proper baculovirus virion assembly is *vp80*.

[0038] The present disclosure provides the inactivation of genes essential for proper baculovirus virion assembly. Several strategies may be implemented for this purpose, and in particular: the mutation, for example by deletion, of the selected gene(s) in the recombinant baculovirus genome; or the reduction of the expression of the selected gene by an expression control system provided in the biopharmaceutical-producing insect cell intended to be infected by the baculovirus. Preferably, the expression control system involves the down-regulation by RNA interference of the expression of the protein(s) encoded by the selected gene(s).

[0039] In one embodiment of the the present disclosure, the genome of the at least one baculovirus implemented in the method of the invention is deficient for at least one gene essential for proper baculovirus virion assembly, in particular for a gene coding for *vp80*, *vp39*, *vp1054* and/or *p6.9*, preferably for *vp80* and/or *vp39*, and even more preferably for *vp80*. More particularly, said genome is derived from AcMNPV, more particularly from AcMNPV clone C6 genome sequence (Genbank accession no. NC_001623.1 - SEQ ID NO: 1). Accordingly, in one aspect the present disclosure provides the method as defined above, wherein the baculoviral genome is an AcMNPV genome, in particular an AcMNPV clone C6 genome, deficient for the gene coding for *vp80*, *vp39*, *vp1054* and/or *p6.9*, preferably for *vp80* and/or *vp39*, and even more preferably for *vp80*. As is well known in the art and specified in Genbank accession no. NC_001623.1, these genes are positioned as follows in AcMNPV clone C6 genome (i.e. in SEQ ID NO:1): positions 89564-91639 for *vp80*; positions 75534-76577 for *vp39* (complementary sequence); positions 45222-46319 for *vp1054*; positions 86712-86879 for *p6.9* (complementary sequence).

[0040] It should be noted that in case the biopharmaceutical product is a complex product comprising various subunits each encoded by different baculoviruses, the genomes of all the implemented recombinant baculoviruses are deficient for the selected essential gene, so as to avoid complementation of one genome by another. In other words, when several baculoviruses are used to infect the same biopharmaceutical-producing insect cell, each of these baculoviruses are deficient for the same gene(s) essential for proper baculovirus virion assembly.

[0041] According to the present invention, a gene may be made deficient by mutating said gene. A mutation of a gene essential for proper baculovirus virion assembly is a modification of said gene that results in the complete absence of a functional essential gene product. Accordingly, said mutation may result in the introduction of one or several stop codon in the open reading frame of the mRNA transcribed from the gene essential for proper baculovirus virion assembly or may correspond to the deletion, either total or partial, of the gene essential for proper baculovirus virion assembly. A gene essential for the proper baculovirus virion assembly may be mutated by way of nucleotide substitution, insertion or deletion in the sequence of all or a part of the wild type gene (for example in the sequence provided in Genbank Accession No. NC_001623.1, for a genome derived from AcMNPV). The mutation may correspond to the complete deletion of the gene, or to only a part of said gene. For example, one may delete at least 50%, more preferably at least 60%, more preferably at least 70%, more preferably at least 80% and even preferably more at least 90% of the gene essential for proper baculovirus virion assembly.

The mutant baculovirus genome may be produced using standard methods well known in the art, such as site-directed mutagenesis (see, e.g., Sambrook et al. (1989)) and Lambda red recombination (Datsenko & Wanner, 2000). The gene essential for proper baculovirus virion assembly may in particular be deleted as provided in the below examples. In summary, one can make use of the mutant loxP sites described by Suzuki et al. (2005), by replacing either totally or in part the gene essential for proper baculovirus virion assembly with a reporter gene flanked by mutant LoxP sites by recombination. The reporter gene (for example the gene coding for chloramphenicol acetyl transferase (*cat*) is then excised by implementing a recombination with Cre recombinase.

[0042] This embodiment is illustrated in the below examples and is detailed for baculoviruses whose genome has been modified by deleting a 2074-bp fragment of the *vp80* ORF in the AcMNPV genome. This particular genome is part of the present invention, but is given as a non limiting example of what is a mutant baculovirus genome according to the invention.

[0043] It should be noted that recombinant engineering of the baculovirus genome may result in the insertion of several sequences like cloning sites or recombination sites (for example one remaining LoxP site after recombination with Cre recombinase). This is irrelevant as long as the resulting genome is made deficient for the selected gene essential for proper baculovirus virion assembly.

[0044] In this embodiment, wherein the genome of the at least one baculovirus is deficient for at least one gene essential for proper assembly of baculovirus virion, the production of recombinant budded baculovirus particles needed for the initial infection of the cells producing the bio-pharmaceuticals requires the implementation of special cells rescuing the deficient gene, i.e. these baculovirus-producing cells express the selected gene. In other terms, the baculovirus-producing cell expresses a complementing copy of the at least one gene essential for proper baculovirus virion assembly which is deficient in the baculovirus genome. For example, a Sf9-derived cell line constitutively producing the product of the gene essential for proper assembly of the baculovirus virion may be established. This recombinant cell line is used for production of baculovirus seed stock while conventional insect cell lines like Sf9, Sf21 or High-five cell lines can be infected with the produced baculovirus for heterologous expression of the biopharmaceutical product. Accordingly, the present disclosure also relates to an insect cell modified so as to express a gene essential for proper baculovirus assembly, said gene being mutated in a baculovirus used for the production of biopharmaceuticals, as defined above. Such a cell line used for the production of the mutant baculovirus vector implemented in the method of the present invention is referred to as a "baculovirus-producing cell". When the baculovirus genome is deficient for a gene essential for proper baculovirus virion assembly, the baculovirus-producing insect cell must provide and express said gene in order to complement the deficiency and to produce an infectious baculovirus. In a particular embodiment, the insect cell used for the production of the baculovirus is modified by transfection with an expression cassette coding for at least one gene essential for proper baculovirus virion assembly. In an embodiment, said expression cassette is integrated in the genome of said cell. One may also use insect cells transiently transfected with at least one plasmid comprising the expression cassette. The terms "expression cassette" denote a construct comprising the coding sequence of a gene of interest functionally linked to expression control sequences. Such an expression cassette may be a plasmid comprising the ORF of a gene essential for proper baculovirus virion assembly placed under the control of a promoter functional in the selected insect cell, and does not contain baculovirus genome sequences other than the gene essential for proper baculovirus virion assembly to be complemented and optionally the promoter sequence allowing the expression of said gene (in particular, an expression cassette is not a bacmid or any other baculovirus entire genome). Exemplary expression control sequences may be chosen among promoters, enhancers, insulators, etc. In one embodiment, the complementing gene is derived from the genome of the baculovirus in which the gene essential for proper baculovirus virion assembly has been made deficient. In another embodiment, the complementing gene originates from the genome of a different baculovirus species than the baculovirus genome used for the production of biopharmaceuticals. For example, the baculovirus used for the production of biopharmaceuticals may be derived from the AcMNPV genome, and the complementing gene introduced in the baculovirus-producing cell is derived from BmNPV or SeMNPV. More specifically, the baculovirus genome may be made deficient for *vp80*, *vp39*, *vp1054* and/or *p6.9* and the baculovirus-producing cell may comprise a copy of a gene from BmNPV or SeMNPV able to complement these genes (e.g. as provided in the examples,

p6.9 is deleted in the AcMNPV genome and the baculovirus-producing cell provides a rescuing copy of SeMNPV p6.9 gene).

[0045] The present disclosure thus also provides a method for the production of a baculovirus deficient for at least one gene essential for proper baculovirus virion assembly, comprising the step of transfecting an insect cell comprising an expression cassette coding for a gene essential for proper baculovirus virion assembly, with a bacmid comprising a baculoviral genome, wherein said genome is deficient for a gene essential for proper baculovirus virion assembly, preferably wherein the genome of said baculovirus is deficient for *vp80* or *vp39*, *p6.9* and/or *vp1054*, wherein the gene essential for proper baculovirus virion assembly deficient in said bacmid is the gene coded by the expression cassette comprised in said insect cell. According to this method, the gene deficient in the baculoviral genome is complemented by the gene expressed in the insect cell. The cells transfected with the bacmid are maintained in conditions such that baculovirus virions are produced. These produced baculovirus virions, which comprise a genome where at least one gene essential for proper baculovirus virion assembly is lacking, are then collected for their subsequent use for infecting biopharmaceutical-producing insect cells for the production of the biopharmaceutical.

[0046] In the embodiment where the genome of the baculovirus is deficient for at least one gene essential for baculovirus virion assembly, the biopharmaceutical-producing insect cell must be unable to complement the deficiency of said gene. Otherwise, the deficiency would be rescued by the biopharmaceutical-producing cell and BVs and ODVs might be produced. The presence or absence of a gene essential for proper baculovirus assembly may be monitored for example by checking said cell by a PCR specific to said gene or by detection of the protein product of this gene (for example by western-blot with an antibody specific to said gene product). Cells expressing a functional product of the gene essential for proper baculovirus virion assembly which has been made deficient in the genome of the implemented baculovirus intended to infect said cell must be disregarded as bio-pharmaceutical producing cells.

[0047] In another embodiment of the invention, the expression of the gene essential for proper assembly of baculovirus virions is controlled by an expression control system. The term "expression control system" defines a modification of the baculovirus-producing insect cell system/ the biopharmaceutical-producing cell system and/or yet another adaptation of the viral genome, resulting in the specific regulation of the gene essential for proper baculovirus virion assembly. This system may be an inducible expression system (for example Tet-On, Tet-Off, ecdysone-based systems (Dai et al., 2005) or baculovirus homologous region (hr) containing elements, such as the *hr2* system described by Aslanidi et al., (2009) allowing the desired triggering or shutdown of the essential gene, an RNA interference expressing construct or a combination of these.

[0048] In a particular embodiment, the expression of the gene essential for proper assembly of baculovirus is inactivated by RNA mediated silencing, or RNA interference (Salem & Maruniak, 2007, Kanginakudru et al., 2007). Preferably, a insect-cell derived cell line, in particular a Sf9-derived cell line, is established by stably transforming such a cell with a construct coding for a gene-specific double stranded RNA (dsRNA) to silence the expression of the gene essential for proper baculovirus virion assembly. This dsRNA expressing cell line is used for the expression of the biopharmaceutical product after infection with the recombinant baculovirus(es) carrying the gene coding for said biopharmaceutical product. In this embodiment, seed stock recombinant baculovirus(es) may be produced with conventional Sf9, Sf21 or High-Five cell lines (i.e. without the need of a complementing copy of the gene in the cell), since in this case the baculovirus genome comprises the wild-type gene essential for proper baculovirus virion assembly.

[0049] In yet another embodiment of the invention, the gene essential for proper baculovirus virion assembly is placed under the control of an inducible promoter, allowing either the expression or repression of said gene under controlled conditions.

[0050] In a preferred embodiment, the number of baculovirus virions produced in the method of the present invention is reduced by at least 50% in comparison to the number of baculovirus otherwise produced by the biopharmaceutical-producing cell using a baculovirus genome comprising all the genes essential for proper baculovirus virion assembly. More preferably, the number of baculovirus virions is reduced by at least 60%, at least 70%, at least 80%, at least 90% and most preferably by at least 95% in comparison to a wild type baculovirus genome.

[0051] As discussed above, the use of insect cell/baculovirus systems for the production of biopharmaceuticals in the prior art is characterized by the co-production of huge quantities of recombinant baculoviruses (and may be over 10^8 pfu/ml) in parallel to the biopharmaceutical product, needing carefully developed and optimized downstream processing protocols to inactivate and eliminate this baculovirus contamination. Inactivation can be performed by the addition of a detergent step leading to disintegration of the lipid layer of the contaminating baculovirus, such as used for the purification of virus like particles for vaccine purposes (porcine parvovirus-VLPs (Maranga et al. (2002)) or rotavirus-VLPs (Mellado et al. (2008)) or the purification of different serotypes of AAV (Smith et al. 2009).

Further efficient separation steps have been used: centrifugation (Wang et al. (2000); Maranga et al. (2002); Mellado et al. (2008)), microfiltration (Tellez. (2005)) negative elimination of baculovirus proteins (e.g. Mellado et al. (2008)) or positive affinity chromatography (retention/capture of a biopharmaceutical - flow through of the contaminating proteins, such as capture of the vp7 protein of rotavirus by Concanavalin A chromatography (Mellado et al. (2008), capture of the immunogenic chimeric rVP2H infectious bursal disease virus particles by immobilized metal-ion affinity chromatography

(Wang et al. (2000)) or capture of different AAV serotypes by immunoaffinity chromatography using camelid antibodies (Smith et al. 2009). In particular, due to the use of highly specific immunoligands, the use of immunoaffinity allows the complete separation of the to be purified biopharmaceutical (e.g. specific AAV) from any contaminant, and in the case of the baculovirus system, from the huge contamination by baculovirus due to the concomitant production of baculovirus in parallel to the biopharmaceutical.

[0052] These references present very clearly the need of these different process steps for inactivating and eliminating residual baculovirus contaminants, because without these steps, the biopharmaceutical product is still considerably contaminated by various baculovirus proteins and cannot be used for clinical purposes.

[0053] The method of the present invention allows a significant reduction of the number of contaminating baculovirus virions, or even a complete absence. As a consequence, a reduced number of purification steps will be necessary for getting a biopharmaceutical for clinical purposes (or even no purification step if no baculoviral virion is produced). Thus, the biopharmaceutical production and purification protocol is simplified because by using the method of the present invention, the need for eliminating residual baculovirus virion is greatly reduced. In case a simplified purification protocol is still to be applied, the skilled artisan may select at least one of the above identified methods and protocols to obtain a purified biopharmaceutical product.

[0054] Preferably, the selected essential gene is a gene whose inactivation does not affect baculoviral very late gene expression, compared to the original baculovirus vector. In the AcMNPV genome (and other alpha-baculoviruses), the p10 and polyhedrin promoters are the very late expression promoters and it should be noted that in baculovirus/insect cell production systems, the heterologous gene is most commonly inserted under the control of these very strong promoters allowing expression of very large amounts of recombinant proteins. The inactivation of a gene essential for proper baculovirus virion assembly, which does not affect very late gene expression is thus preferred. The terms "does not affect very late gene expression" denotes the fact that the level of recombinant protein expression from very late baculovirus promoter comprised in the genome of a baculovirus modified according to the invention is at least 70% in comparison to the levels obtained from a non-modified genome, more preferably greater than 80%, more preferably greater than 90%. It should be mentioned that the level of expression of a biopharmaceutical product from a very late baculoviral promoter may even be greater than 100% of the level obtained with the non-modified vector in the method of the present invention.

[0055] Among the genes tested by the inventors, the *vp80* gene is used in the present invention since its deletion does not affect very late expression, while it totally prevents production of BVs and results in a significant reduction in the number of intracellular nucleocapsids, the precursors of ODVs.

[0056] Very late expression may be evaluated by placing a reporter gene, for example a gene coding for a GFP, in particular *egfp*, or a luciferase gene, under the control of the polyhedrin or p10 promoter in a wild type AcMNPV vector and in a mutant AcMNPV genome from which the essential gene has been inactivated, and by comparing the expression of the product of the reporter gene from both genomes. Preferably, very late expression from the vector with a mutated baculovirus backbone is at least 60% of the expression level obtained with the wild type AcMNPV vector and preferably higher than 80%, more preferably higher than 90%, as measured from a reporter gene under the control of either p10 or polyhedrin gene promoters.

[0057] The present disclosure also relates to a method for screening baculoviral genes, the inactivation of which could be useful for producing biopharmaceuticals without contaminating baculovirus virions in an insect cell - baculovirus system as defined above, comprising:

- a) providing a cell culture of cells containing a baculoviral genome;
- b) contacting said cell culture with means for inactivating at least one test baculoviral gene of said baculoviral genome, for example with RNA interference; and
- c) testing virion formation from said cell culture in comparison to virion formation from a cell culture not contacted with said means;

wherein a test gene is selected as potentially useful for producing biopharmaceuticals if its inactivation results in a reduction of baculoviral virion formation.

[0058] In a particular embodiment, the method for screening of further comprise step d) of testing very late gene expression from the cell culture contacted with said means in comparison to very late gene expression from a cell culture not contacted with said means;

wherein a test gene is selected as potentially useful for producing biopharmaceuticals if its inactivation results in a reduction of baculoviral virion formation and if it does not affect very late gene expression from said baculoviral genome.

[0059] The present disclosure also relates to a method for screening baculoviral genes, the inactivation of which could be useful for producing biopharmaceuticals without contaminating baculovirus virions in an insect cell - baculovirus system as defined above, comprising:

- inactivating at least one test gene of a baculoviral genome (for example by deletion of said test gene in said genome);
- evaluating baculoviral very late gene expression from said baculoviral genome as defined above;
- determining production of baculoviral virions from cells containing said baculoviral genome;
- wherein a gene is selected as potentially useful for the production of biopharmaceuticals if its inactivation
- 5 - results in a reduction in the production of baculoviral virions, and
- does not affect very late gene expression from said baculoviral genome, as defined above.

[0060] In a particular embodiment of the method for screening a baculoviral gene, the inactivation of which could be useful for producing biopharmaceuticals, the inactivation of the test gene is carried out with dsRNA specific for said test gene. In particular, the candidate baculovirus gene can be identified by knocking down its expression by RNA interference to test its role in virion formation.

[0061] The invention will now be illustrated with the following examples, which are provided as non limiting exemplary embodiments of the invention.

Legends to the figures

[0062]

Figure 1. dsRNA-mediated gene silencing screening. Insect Sf9 cells were seeded in 24-well tissue culture plates (2×10^5 cells/well) in 1 ml Sf-900 II SFM culture medium at 28°C. After two hours, the culture medium was removed, and the cells were infected with recombinant baculovirus carrying the *egfp* gene under control of the polyhedrin promoter (AcMNPV-EGFP) under standard conditions. **(A)** Determination of very late gene expression level using fluorescent microscopy. Cells were infected at MOI=10 TCID₅₀ units/cell and transfection with gene-specific dsRNA for vp1054, vp39, vp80, dbp and ec-27 was performed at 1 h post infection (p.i.). The level of very late gene expression was checked by EGFP-specific fluorescence at 48 h p.i. dsRNAs specific for *egfp* and *cat* sequences were used as RNAi controls. **(B)** Measurement of very late gene expression levels by an immunoblotting-based assay. The cells were infected with AcMNPV-EGFP at MOI=1 and transfection with gene-specific dsRNA was also performed at 1 h p.i.. The level of very late gene expression was analyzed by using a rabbit anti-EGFP polyclonal antiserum at 48 h p.i. Anti-vp39 and anti- α -tubulin antibodies were used as internal controls. **(C)** Titration and detection of produced budded virions in dsRNA-treated cells. Budded virions were harvested at 36 hours p.i., and used either for end-point dilution assays to measure titers of infectious virions, or for PCR-based detection to check the presence of virus particles. **(D)** Presence of occlusion-derived virions and rod-shaped structures in *vp39*- and *vp80*-down-regulated cells. The cells were harvested 36 hours p.i., lysed, and the cell lysates were ultracentrifuged through a cushion of 40% sucrose solution (45,000 rpm for 1 hour, Beckman SW55). Pellets were resuspended in demi-water and analyzed by negative staining electron microscopy. The bars represent 100 nm.

Figure 2. Construction of the AcMNPV *vp80*-null bacmid. **(A)** Strategy for construction of a *vp80*-null bacmid containing a complete deletion of the AcMNPV *vp80* open-reading frame via homologous recombination in *E. coli*. At the first step, a 2074-bp fragment encompassing the *vp80* ORF was deleted and replaced with a sequence cassette containing the chloramphenicol (*cat*) resistance gene flanked by modified *loxP* (LE and RE) sites. Subsequently, the antibiotic resistance gene (*cat*) was eliminated from the bacmid sequence using the Cre/*loxP* recombination system. The promoter sequence of the *p48* gene and the polyadenylation signal of the *he65* gene were remained intact. Oligonucleotide pairs were used in PCR analysis of the wild-type locus and two *vp80* knock-out genotypes to confirm the deletion of the *vp80* ORF and the correct insertion/deletion of the chloramphenicol resistance gene cassette, as indicated by unilateral arrows. Their names are designated according to nucleotide sequence coordinates. Primers for *cat* gene cassette amplification are named cat-F and cat-R. **(B)** PCR-based detection of the presence or absence of sequence modifications in the *vp80* locus in the original AcMNPV bacmid (Ac-wt), Ac-*vp80*null(+cat), and Ac-*vp80*null(-cat) bacmids. The top figure confirms the *vp80* gene deletion and the insertion of the *cat* cassette into the *vp80* locus with primer pairs 90292/90889 and cat-F/cat-R. The bottom figure is showing PCR-based verification of the correct recombination processes in the *vp80* locus using the 89507/91713 primer pair.

Figure 3. Viral replication capacity of AcMNPV-*vp80* knockout and repaired bacmid constructs using transfection-infection assays **(A)** Schematic representation of expression cassettes transposed into the polyhedrin locus. Four repair constructs were made (*vp80* driven by its native promoter, *vp80* driven by the polyhedrin promoter, N-terminally FLAG-tagged *vp80* and C-terminally FLAG-tagged *vp80*, both expressed from its native promoter). The bacmid genome backbones used for transfection assays are indicated on the left. As positive control of viral replication the wild type AcMNPV (bMON14272) bacmid was used. The Ac-gp64null bacmid was used as negative control representing a prototype bacmid with a "single-cell infection" phenotype. **(B)** Time course fluorescence microscopy

showing the propagation of the infection in Sf9 cells transfected with indicated bacmid constructs. Progress of viral infection was checked by EGFP detection at indicated times post transfection. At 120 hours p.t., the cell culture supernatants were collected to initiate a secondary infection. **(C)** Secondary infection assay. EGFP was detected at 72 hours p.i. to signal the progress of infection.

Figure 4. Growth curves of AcMNPV-*vp80*null repaired bacmid constructs generated from a transfection time-course assays. Sf9 cells were transfected with 5.0 μ g of DNA from each repair bacmid. (a) *vp80* driven by its native promoter, (b) *vp80* driven by the polyhedrin promoter, (c) N-terminally FLAG-tagged *vp80*, and (d) C-terminally FLAG-tagged *vp80*, both expressed from the *vp80* promoter. Cell culture supernatants were harvested at the indicated time points post-transfection and analysed for the production of infectious budded virus by an TCID₅₀ end-point dilution assay. Infectivity was determined by monitoring EGFP expression. The points indicate the averages of titers derived from three independent transfections, and the error bars represent the standard deviation.

Figure 5. The AcMNPV-*vp80*null mutant is unable to produce any infectious/non-infectious budded virions. The Sf9 cells were independently transfected with 20 μ g of bacmid DNA of Ac- Δ *vp80* (a), Ac-wt (b), Ac- Δ *vp80*-*vp80* (c), Ac- Δ *vp80*-pH-*vp80* (d), Ac- Δ *vp80*-FLAG-*vp80* (e), or Ac- Δ *vp80*-*vp80*-FLAG (f). Five days p.t., the budded virus-enriched cell culture supernatants were ultracentrifuged and budded viruses were observed by negative staining electron microscopy **(A)**. The bars represent 200 nm. Paralelly, harvested budded virions were also either separated on SDS-PAGE, blotted and immuno-detected using anti-VP39 antibody or used for PCR-based detection to detect the presence of viral particles **(B)**.

Figure 6. The null bacmid mutant in the *vp80* gene forms small number of nucleocapsids, and is deficient in production of occlusion-derived virions. The Sf9 cells transfected either with Ac- Δ *vp80* (A to D), Ac- Δ *vp80*-*vp80* (E, F), or Ac-wt (G, H) were fixed, stained, embedded and thin-sectioned as described in Materials and Methods. **(A)** Representative overview of Sf9 cell transfected with Ac-*vp80*null bacmid mutant. **(B)** The Ac-*vp80*null mutant does form less number of nucleocapsids in the virogenic stroma **(C)**, and no occlusion-derived virions in the ring zone of transfected cells **(D)**. On the other hand, repair bacmid construct Ac- Δ *vp80*-*vp80* fully regenerates formation of plenty nucleocapsids in the virogenic stroma **(E)**, as well as normally-appearing occlusion-derived virions in the ring zone of transfected cells **(F)**. Representative images of the virogenic stroma **(G)** and the ring zone **(H)** of cells transfected with Ac-wt bacmid. Bars represent 500 nm. Abbreviations: Nc, nucleocapsid; NM, nuclear membrane; Nu, nucleus; RZ, ring zone; Mi, mitochondrion; ODV, occlusion-derived virions; VS, virogenic stroma.

Figure 7. Functional complementation of the Ac-*vp80*null bacmid mutant using the trans-acting *vp80* gene. The Sf9 cells were transfected with either pIZ-flag-*vp80* (A) or pIZ (B) vector, and subjected to Zeocin-based selection. Three weeks post-transfection, a polyclonal Zeocin resistant populations of cells were seeded to new 6-well plate and transfected with the Ac-*vp80*null bacmid mutant to check complementation activity. Virus propagation was monitored by EGFP-specific fluorescence at 72 h and 96 h p.t. At 120 hours p.t., the cell culture supernatants were collected to initiate a secondary infection in untreated (wild-type) Sf9 cells (right panel). EGFP was detected at 72 hours p.i. to signal the progress of infection. EGFP was detected at 120 hours p.i. to signal the progress of infection.

Figure 8. Construction of an AcMNPV *vp39*-null bacmid. (A) Strategy for construction of a *vp39*-null bacmid containing a partial deletion of the AcMNPV *vp39* open-reading frame via homologous recombination in *E. coli*. At the first step, an internal 498-bp fragment of the *vp39* ORF was deleted and replaced with a sequence cassette containing the chloramphenicol (*cat*) resistance gene flanked by modified *loxP* (LE and RE) sites. Subsequently, the *cat* gene was eliminated from the bacmid sequence using the Cre/*loxP* recombination system. The promoter sequences of the *lef-4* and *cg-30* genes were not affected. Arrows indicate the positions of oligonucleotide pairs used in PCR analysis of the wild-type locus and two *vp39* knock-out genotypes to confirm the partial deletion of the *vp39* ORF and the correct insertion/deletion of the *cat* gene cassette. Primers names are designated according to the nucleotide sequence coordinates. **(B)** PCR-based detection of the presence or absence of sequence modifications in the *vp39* locus of Ac-wt, Ac-*vp39*null(+*cat*), and Ac-*vp39*null(-*cat*) bacmids. The figure is showing the PCR-based verification of the correct recombination processes in the *vp39* locus using the 75834/76420 primer pair.

Figure 9. Determination of viral replication capacity of AcMNPV-*vp39* knockout and repaired bacmid constructs using transfection-infection assays (A) Schematic representation of expression cassettes, Tn7-based transposed into the polyhedrin locus. (1) *vp39* expressed form the polyhedrin promoter, (2) a double gene *vp39* and *lef-4*, both driven by their native promoters, (3) a double gene *vp39* and *cg-30* both driven by the polyhedrin promoter, and finally (4) a double gene construct of N-terminally FLAG-tagged *vp39* driven by the polyhedrin promoter and the *cg-30* ORF expressed from both its native and also the more upstream polyhedrin promoter. The parental bacmid

genome backbones used for transfection assays are indicated on the left. The wild type AcMNPV (bMON14272) bacmid was used as positive control of viral replication. **(B)** Time course fluorescence microscopy showing the propagation of the infection in Sf9 cells transfected with indicated bacmid constructs. Viral progressions were checked by EGFP detection at indicated times post transfection. At 168 hours p.t., the cell culture supernatants were collected to initiate a secondary infection. **(C)** Secondary infection assay. EGFP detection was performed at 72 hours p.i. to measure progress of the infection.

Figure 10. Construction of an AcMNPV *vp1054*-null bacmid. **(A)** Strategy for the construction of a *vp1054*-null bacmid containing a deletion of the AcMNPV *vp1054* open-reading frame via homologous recombination in *E. coli*. A 955-bp sequence from the 3'-end of the *vp1054* ORF was deleted and replaced with a *cat* sequence cassette flanked by modified *loxP* (LE and RE) sites. At the same time, a single point mutation was introduced to change the first translation codon ATG→Met to ACG→Thr, to prevent translation into a C-truncated VP1054 protein. It also meant that the internal AAT codon no. 32 of *lef-10* was mutated to AAC, both encoding Asn. Subsequently, the *cat* gene was eliminated using the *Cre/loxP* recombination system. The promoter sequence of *vp1054/lef-10* was not affected in the bacmid construct. Since the polyadenylation signal of the *lef-10* gene was removed, a novel synthetic poly-A signal combined with stop codon (TAATAAA) was introduced at the 3'-end of the *lef-10* ORF. Arrows represent locations of oligonucleotide pairs used in the PCR analysis of the wild-type locus and two *vp1054* knock-out genotypes to confirm the deletion of the *vp1054* ORF and correct insertion/deletion of the *cat* cassette. **(B)** PCR-based detection of the presence or absence of sequence modifications in the *vp1054* locus of Ac-wt, Ac-*vp1054*null(+*cat*), and Ac-*vp1054*null(-*cat*) bacmids. The top figure is showing confirmation of the *vp1054* gene deletion and insertion of the *cat* cassette into *vp1054* locus using primer pairs 90292/90889 and *cat*-F/*cat*-R. The bottom figure shows CR-based verification of the correct recombination processes in the *vp1054* locus using the 89507/91713 primer pair.

Figure 11. Viral replication capacity of AcMNPV-*vp1054* knockout and repaired bacmid constructs using transfection-infection assays **(A)** Schematic representation of expression cassettes transposed into the polyhedrin locus. The bacmid genome backbones used for transfection assays are indicated on the left. Two Ac-*vp1054*null-derived constructs were made: first construct carrying only *egfp* marker gene under control of p10 promoter, and second construct carrying both *egfp* marker and over-lapping *lef-10/vp1054* locus directed from their natural promoter sequences (d). As positive control of viral replication the wild type AcMNPV (bMON14272) bacmid was used (a). The Ac-gp64null bacmid was used as negative control representing a prototype bacmid with a "single-cell infection" phenotype (b). **(B)** Time course fluorescence microscopy showing the propagation of the infection in Sf9 cells transfected with indicated bacmid constructs. Progress of viral infection was checked by EGFP detection at indicated times post transfection. At 120 hours p.t., the cell culture supernatants were collected to initiate a secondary infection. **(C)** Secondary infection assay. EGFP was detected at 72 hours p.i. to signal the progress of infection

Figure 12. Construction of an AcMNPV *p6.9*-null bacmid. **(A)** Strategy for construction of a *p6.9*-null bacmid containing a complete deletion of the AcMNPV *p6.9* open-reading frame via homologous recombination in *E. coli*. A 164-bp fragment of the *p6.9* ORF was deleted and replaced with a *cat* resistance gene flanked by modified *loxP* (LE and RE) sites. Subsequently, the *cat* gene was eliminated from the bacmid sequence using *Cre/loxP* recombination. The promoter sequence of *p6.9* gene was left unaffected, since its sequence is overlapping with the *p40* ORF. Arrows represent locations of primer pairs used in the PCR analysis of the wild-type locus and two *p6.9* knock-out genotypes. **(B)** PCR-based detection of the presence or absence of sequence modifications in the *p6.9* locus of Ac-wt, Ac-*vp6.9*null(+*cat*), and Ac-*vp6.9*null(-*cat*) bacmids. The top figure shows the insertion of the *cat* cassette into the *p6.9* locus using primer pairs *cat*-F/*cat*-R. The bottom figure shows PCR-based verification of the correct recombination processes in the *p6.9* locus using the 86596/86995 primer pair.

Figure 13. Viral replication capacity of AcMNPV-*p6.9* knockout and repaired bacmid constructs using transfection-infection assays **(A)** Schematic representation of expression cassettes transposed into the polyhedrin locus. Two repair constructs were made (AcMNPV *p6.9* and SeMNPV *p6.9* genes, both driven by the AcMNPV *p6.9* promoter). The bacmid genome backbones used for transfection assays are indicated on the left. As positive control of viral replication the wild type AcMNPV (bMON14272) bacmid was used. The Ac-gp64null bacmid was used as negative control representing a prototype bacmid with a "single-cell infection" phenotype. **(B)** Time course fluorescence microscopy showing the propagation of the infection in Sf9 cells transfected with indicated bacmid constructs. Progress of viral infection was checked by EGFP detection at indicated times post transfection. At 120 hours p.t., the cell culture supernatants were collected to initiate a secondary infection. **(C)** Secondary infection assay. EGFP was detected at 72 hours p.i. to signal the progress of infection. **(D)** Comparisons of growth curves of AcMNPV-*p6.9*null (a), AcMNPV-*p6.9*null rescued with AcMNPV *p6.9* (b), and AcMNPV-*p6.9*null rescued with SeMNPV *p6.9* (c) constructs with wild-type (Ac-wt) bacmid. Sf9 cells were transfected with 5.0 µg of DNA from each bacmid, cell

culture supernatants were harvested at the indicated time points post-transfection and analysed for the production of infectious budded virus by an TCID₅₀ end-point dilution assay. Infectivity was determined by monitoring EGFP expression. The points indicate the averages of titers derived from three independent transfections, and the error bars represent the standard deviation.

Figure 14: Western blot analysis of Flag:vp80 in cells, BV and ODV (A) Time course of vp80 expression in infected insect cells. Sf9 cells were infected with the Ac-Δvp80-Flag-vp80 repair virus, and harvested at an indicated time points. Flag-VP80 was detectable by western blot analysis from 12 h to 72 h p.i. as a band of approximately 95 kDa. In addition, a second Flag-VP80-specific band of ~80 kDa accumulated from 48 h till 72 h p.i. Tubulin was used as an internal loading control. **(B)** The VP80 associates with the nucleocapsid fraction of BV. Two days p.i., BVs were purified by isokinetic ultracentrifugation in a sucrose gradient and separated into nucleocapsid (Nc) and envelope (Env) fractions by Nonidet-P40-based extraction. Flag-VP80 was detected in the Nc fraction as a double-band with molecular weights between the two variants (80-kDa and 95-kDa) detected in infected Sf9 cells (upper panel). Correct separation into Nc and Env fractions was controlled by anti-VP39 and anti-GP64 antibodies (bottom panels). **(C)** VP80 is also a structural component of ODV- nucleocapsids. Sf9 cells were co-infected with Ac-Δvp80-Flag-vp80 (MOI=25) and AcMNPV strain E2 (MOI=5) viruses. Five days p.i., ODVs were released from occlusion bodies and subsequently separated into nucleocapsid (Nc) and envelope (Env) fractions. Western blot analysis showed that VP80 is present in the DV Nc fraction as a single band of ~80 kDa. Proper fractionation into Nc and Env fractions was controlled using anti-PIF-1 antiserum (bottom panel).

Figure 15. Functional complementation of the Ac-vp80null bacmid defective in BV production by trans-complementation. (A) Detection of FLAG:VP80 in a transgenic Sf9-derived cell line (Sf9-vp80) by Western analysis. Tubulin was used as an internal loading control. **(B)** Time-course fluorescence microscopy (EGFP) to follow the infection in Sf9-vp80 cells transfected (i) or infected (ii) with the Ac-Δvp80 bacmid (a,b). At 120 h p.t., the cell culture supernatants were collected to initiate a secondary infection in either Sf9-vp80 (a) or Sf9 (b) cells (panels on the right side). As negative control Ac-Δvp80 was propagated in Sf9 cells (c), Ac-wt propagated in Sf9 cells (d) was used as positive control. **(C)** Comparative release of infectious BV virions. Sf9-vp80 cells were transfected with the Ac-Δvp80 bacmid and Sf9 cells with either the Ac-Δvp80 (negative control) or the Ac-wt (positive control) bacmid. BVs were quantified in cell culture supernatants at 6 days p.t. by end point dilution. Representative results of three independent assays with error bars giving the SD are shown.

Figure 16. Analysis of foreign gene expression by trans-complemented, replication-deficient baculovirus seed. Sf9 cells were infected with Ac-wt, Ac-Δvp80-Flag:vp80 or Ac-Δvp80 virus seed (MOI=10 TCID₅₀ units per cell), all expressing *egfp* from the very late *p10* promoter. **(A)** At 48 h p.i. the presence of EGFP, Flag:VP80 and GP64 was analyzed by Western blotting. Actin was used as an internal loading control. **(B)** Photomicrographs of cells expressing EGFP 72 h p.i. (top), and relative amount of EGFP measured by ELISA at 48 and 72 h p.i. (bottom) **(C)** Photomicrographs of cells expressing EGFP 72 h p.i. (top), and analysis of BV release to test for revertant genotypes by TCID₅₀ titration (bottom). The results of three independent assays are shown with error bars (SD) (B and C).

Figure 17. The novel baculovirus-insect cell technology approach designated for the production of biopharmaceuticals free of contaminating baculoviral virions. (A) Insect cell engineering to express an essential viral factor (vp80) to complement a *vp80* mutation in the virus. The transgenic Sf9 cells encode the *vp80* ORF and a resistance gene allowing antibiotics-based selection of the transgenic cells. (B) Generation of an Ac-Δvp80 bacmid defective in production of BV and ODV virions. The bacmid lacks the entire *vp80* ORF. (C) Production of a baculovirus seed stock by trans-complementation in the engineered Sf-vp80 cells. The Sf9-vp80 cells are transfected with the Ac-Δvp80 bacmid to produce trans-complemented virus progeny. After budded virus propagation, high-titer virus stocks are produced in the Sf9-vp80 packaging cells (D) Baculovirus-based recombinant protein expression. Conventional Sf9 cells are infected with the trans-complemented budded virus progeny. Recombinant protein is expressed from very late baculovirus promoters (*p10* or *polh*) allowing high levels of expression, while no contaminating baculovirus virions (BV/ODV) are produced.

EXAMPLES

Example I

Materials and Methods

Insect cells and viruses

[0063] *Spodoptera frugiperda* (Sf9) cells were maintained in SF900-II serum-free medium (Invitrogen) under standard conditions. Recombinant bacmiv-derived AcMNPV virus (AcMNPV-EGFP) carrying an *egfp* reporter gene under control of the very late polyhedrin promoter transposed into the polyhedrin locus was obtained from Pijlman et al. (2006). The virus was propagated and its titers were determined by an end-point dilution assay in Sf9 cells.

In vitro synthesis of dsRNA

[0064] The method used to synthesize dsRNA is similar to that described by Ramadan et al. (2007) with minor modifications. All DNA templates were PCR amplified using primers with twenty-five nucleotide overhangs homologous to the T7 RNA polymerase promoter sequence 5'-gcttctaatacgactcactataggg-3'. The sequences of the primers indicated below are given in Table 1. The following primers were used for amplifying these genes: primers vp39-F and vp39-R for *vp39*; primers 45510 and 46235 for *vp1054*, primers 90292 and 90889 for *vp80*; primers ec-27-F and ec-27-R for *odv-ec27*; and primers dbp-F and dbp- for *dbp*. To test the efficiency of the RNAi studies we made dsRNA against *egfp* with primers gfp-F and gfp-R, and to have a negative control we made dsRNA with primers cat-F and cat-R for the chloramphenicol acetyl transferase (*cat*) gene.

[0065] The PCR products were purified using the Illustra GFX PCR DNA and Gel Band Purification Kit (GE Healthcare, Buckinghamshire, UK) and were used as templates for dsRNA *in vitro* synthesis using the T7 RiboMAX™ Express RNAi System (Promega, Madison, WI, USA) according to manufacturer's protocol. Briefly, approximately 1 µg of purified DNA templates were used for RNA synthesis at 37°C for 4 h. After synthesis, DNA templates were removed by digestion with DNase. Complementary RNA strands were annealed by incubation at 70°C for 10 min followed by slow cooling to room temperature (~30 min). Non-annealed (single-stranded) RNA molecules were degraded by RNase A treatment (30 min, 37°C). Finally, the dsRNA was isopropanol precipitated, resuspended in DEPC-treated sterile water to a final concentration of 0.5-1 mg/ml, and its purity and integrity were checked by agarose gel electrophoresis. The dsRNA was kept at -80°C in aliquots of 40 µl. Immediately before transfection, the dsRNA was thawed on ice.

RNAi procedure in baculovirus-infected insect cells

[0066] Sf9 cells were seeded in 24-well tissue culture plates (2×10^5 cells/well) in 1 ml Sf900-II culture medium without serum at 28°C. After two hours, the culture medium was removed, and the cells were infected with recombinant baculovirus AcMNPV-EGFP at a multiplicity of infection (MOI) of 10 TCID₅₀ units/cell for 1 h, under standard conditions. One hour post infection (p.i.), dsRNA (20 µg/well) was introduced into the cells by Cellfectin™-based (Invitrogen) transfection in Grace's serum-free medium. After 4 h, the transfection mixture was replaced with Sf900-II serum-free medium. The cells were incubated for a total of 48 h p.i. at 28°C and then harvested by centrifuging at $1000 \times g$ for 5 min for Western blot and electron microscopy analysis. However, one fifth of the culture medium was harvested at 36 h p.i., and used for titration of budded virions by end-point dilution assays or for PCR-based detection of viral DNA. In all the experiments, dsRNA corresponding to the *cat* gene was taken as negative control. On the other hand, *egfp* gene-specific dsRNA was used as positive control for the RNAi procedure.

SDS-polyacrylamide electrophoresis and western blotting

[0067] For immuno-detection, the Sf9 cells were disrupted in 125 mM Tris-HCl, 2% sodium dodecyl sulfate (SDS), 5% 2-mercapthoethanol, 10% glycerol, 0.001% bromophenol blue, pH 6.8 at 95°C for 10 min. Proteins were separated in 10% SDS-polyacrylamide gels, and subsequently transferred to Immobilon-P membranes (Millipore) by semi-dry electroblotting. Membranes were blocked for 30 min in 1 × PBS containing 2% fat-extracted milk powder, followed by incubation for 1 h at room temperature with either rabbit polyclonal anti-GFP antiserum (Molecular Probes), rabbit polyclonal anti-VP39 antiserum, or monoclonal anti-α-tubulin antibody (Sigma-Aldrich), all diluted 1/2000 in 1x PBS containing 0.2% milk power. After washing (3x 10 min) in 1 × PBS, the membranes were incubated with 1/4000 dilution of either goat anti-rabbit IgG or rabbit anti-mouse IgG antibodies conjugated with alkaline phosphatase (Sigma). After final washing (3x 10 min) in AP buffer (100 mM Tris-Cl [pH 9.5], 100 mM NaCl, 5 mM MgCl₂), the blots were developed with 5-bromo-4-chloro-3-indolyl phosphate nitroblue tetrazolium (NBT)/5-bromo-4-chloro-3-indolylphosphate (BCIP)

(Bio-Rad) according to the manufacturer's instructions.

Preparation of viral genomic DNA and its PCR-based detection

[0068] Two-hundred microliters of cell culture medium were collected at 36 h p.i. and used for preparation of viral DNA. The cells and cell debris were removed from samples by centrifuging at $1000 \times g$ for 5 min. Supernatants containing budded virions were quantitatively transferred to new sterile tubes and centrifuged again at $12000 \times g$ for 90 min. Pelleted BVs were re-suspended in 200 μ l TE buffer (10 mM Tris-HCl [pH 7.5], 1 mM EDTA) containing Proteinase K (540 μ g/ml), and incubated at 55°C for 2 h. A phenol:chloroform:isoamyl alcohol (25:24:1) and a chloroform extraction were subsequently performed. The DNA was precipitated by adding an equal amount of isopropanol and the pellet was washed with 70% ethanol. The DNA pellet was dissolved in 15 μ l sterile water, and 2 μ l of the final DNA solution was applied to PCR-based detection of the *vp39* gene sequence using primers mentioned above. All PCR reactions were performed in 25 μ l volumes including: 2 μ l DNA, 200 μ M dNTPs, 10 pmol of each primer, 1.5 mM $MgCl_2$ and 1.5 U GoTaq DNA polymerase (Promega). Amplification conditions were as follows: an initial denaturation at 94°C for 2 min, after which 30 cycles of denaturation (30 s at 94°C), primer annealing (20 s at 60°C) and primer extension (25 s at 72°C). The termination cycle was 7 min at 72°C. Negative controls were included in all PCR amplifications to test for contaminants in the reagents. Aliquots (3.0 μ l) of the PCR products were analysed by electrophoresis in 1.2% (w/v) agarose gels, with $1 \times$ TAE buffer, stained with ethidium bromide (0.5 μ g/ml).

Generation of an antibiotic resistance gene-free AcMNPV *vp80*-null bacmid

[0069] To determine whether the VP80 protein has an essential role in the context of viral progeny production, we constructed an AcMNPV bacmid (derived from bMON14272 (from Invitrogen)) with a deletion of the *vp80* ORF by homologous recombination in *E. coli*. To accomplish this, a *cat* gene flanked by mutant *LoxP* sites (Suzuki et al., 2005) was amplified using PCR primers *vp80*-KO-F and *vp80*-KO-R (see Table 1) from a plasmid comprising a *cat* gene flanked by mutant *LoxP* sites. The resulting PCR fragment, which contained the *cat* gene flanked by mutant *LoxP* sites and AcMNPV ~50-bp homology sequences to the 5' or 3' proximal region of the *vp80* ORF, was treated with *DpnI* and gel-purified to eliminate the template plasmid. The PCR product was then transformed into DH10 β *E. coli* cells containing bMON14272 (Invitrogen) and the Lambda RED recombinase-producing plasmid pKD46 (Datsenko & Wanner, 2000), which had been prepared in the following manner. Transformed DH10 β -bMON14272/pKD46 *E. coli* cells were grown in 50-ml LB (2.0% peptone, 0.5% yeast extract, 85.5 mM NaCl, [pH 7.0]) cultures with kanamycin (50 μ g/ml), ampicillin (100 μ g/ml) and L-arabinose (1.5 mg/ml) at 30°C to an OD₆₀₀ of ≈ 0.6 and then made electrocompetent by a standard procedure. The electroporated cells were incubated at 37°C for 3 h in 3 ml LB medium and plated on LB-agar containing chloramphenicol at a concentration of 6.5 μ g/ml. After 48-h incubation at 37°C, the chloramphenicol-resistant colonies were streaked to fresh LB-agar medium with 34 μ g/ml chloramphenicol. The plates were incubated at 37°C overnight, and colonies resistant to chloramphenicol were selected for further confirmation of the relevant genotype by PCR. Primers 90292 and 90889 were used to confirm the absence of the *vp80* ORF, and primers *cat*-F and *cat*-R were employed to verify the presence of *cat* cassette into bacmid (detailed sequences in Table 1).

[0070] To eliminate the introduced antibiotic resistance gene (*cat*) from the bacmid backbone, a Cre/*LoxP* recombinase system was employed. A Cre recombinase-carrying plasmid pCRE obtained from Jeanine Louwerse (LUMC Leiden, The Netherlands) was introduced into DH10 β -bMON14272-*vp80*null *E. coli* cells, and CRE expression was subsequently induced by the addition of isopropyl thiogalactoside (IPTG). Briefly, the electroporated cells were incubated at 37°C for 3 h in 3 ml of LB medium (2.0% peptone, 0.5% yeast extract, 85.5 mM NaCl, [pH 7.0]) and plated on LB-agar medium containing 50 μ g/ml kanamycin, 100 μ g/ml ampicillin and 2mM IPTG. After 24-h incubation, colonies resistant to kanamycin and ampicillin were selected for further verification of the desired genotype by PCR. In PCR-based analysis, primers 89507 and 91713 (Table 1) were used to verify elimination of *cat* gene from bacmid backbone. Positive clones were also confirmed by DNA-sequencing.

[0071] To recover transposition competence, the helper transposase-encoding plasmid pMON7124 (Invitrogen) was re-introduced into DH10 β -bMON14272-*vp80*null *E. coli* cells. Finally, the *egfp* reporter gene was introduced into the *vp80*-null bacmid to facilitate observation of its behaviour in insect cells. Briefly, the *egfp* reporter gene was amplified using PCR oligonucleotides *gfp*-*NheI*-F and *gfp*-*SphI*-R (Table 1) from plasmid pEGFP-N3 (Clontech). The PCR product was cloned into plasmid pJet1.2/Blunt using CloneJET™ PCR Cloning Kit (Fermentas) according to manufacturer's protocol. Subsequently, the *egfp* ORF was excised from error-free pJet1.2-*egfp* with *NheI* and *SphI* and subcloned into *NheI*/*SphI*-digested pFastBacDUAL (Invitrogen), to generate plasmid pFB-*egfp*. An expression cassette containing the *egfp* reporter gene under transcriptional control of the very late p10 promoter was transposed from pFB-*egfp* into polyhedrin locus of *vp80*-null bacmid as described in the Bac-to-Bac manual (Invitrogen). In the resulting genome, the complete *vp80* ORF has been removed (see Figure 2). This corresponds to the deletion of 2074 bp from nucleotide positions 89564 to 91637 in the AcMNPV clone C6 genome provided in SEQ ID NO: 1.

Construction of repaired *vp80*-null bacmids

[0072] To prepare *vp80* repair donor vectors, we modified plasmid pFB-egfp (noted above) by removing the polyhedrin promoter and replacing it with a fragment containing the *vp80* promoter region and the *vp80* ORF. First, a 2300-bp fragment containing both the *vp80* promoter and ORF sequence was amplified using primers pvp80-*Stul*-F and vp80-*Xba*-R (Table 1) from bacmid bMON 14272 template, and cloned into vector pJet1.2/Blunt (Fermentas) to form pJet1.2-pvp80-*vp80*. After DNA sequence verification, the *vp80* cassette was excised from pJet1.2-pvp80-*vp80* by *Stul/Xba* double digestion, and then subcloned into *Bst*1107I/*Xba*-digested and gel-purified pFB-egfp to generate donor plasmid pFB-egfp-pvp80-*vp80*. Parallely, a donor plasmid pFB-egfp-polh-*vp80*, where *vp80* ORF is driven by the very late polyhedrin promoter (polh) was constructed. To this aim, a 2105-bp fragment carrying the *vp80* ORF was amplified using primers vp80-*Sac*I-F and vp80-*Xba*-R (Table 1) and cloned into pJet1.2/Blunt, to generate pJet1.2-*vp80*. In the final step, the *vp80* ORF was cut out (*Sac*I/*Xba*) from pJet1.2-*vp80*, and subcloned into *Sac*I/*Xba*-digested pFB-egfp, to create pFB-egfp-polh-*vp80*.

[0073] To overcome a problem associated with the inavailability of anti-VP80 antibody, FLAG tag decoration (N- and C-terminus fusion) of VP80 was performed to facilitate immunodetection. The N-terminally fused FLAG-*vp80* sequence was generated by a double-step PCR strategy, a so-called fusion PCR. First, a 259-bp fragment containing the *vp80* promoter and the FLAG tag was PCR amplified using primers pvp80-*Stul*-F and vp80-FLAG-R1 from the bMON14272 bacmid template. After gel-purification and DNA quantification, the 259-bp fragment was used as forward primer in a second step PCR amplification with the reverse primer vp80-*Xba*-R on the bMON 14272 bacmid template. The final PCR product (2324 bp) was cloned into vector pJet1.2/Blunt (Fermentas) to form pJet1.2-pvp80-FLAG-*vp80*. After DNA sequence verification, the FLAG-*vp80* cassette was excised from pJet1.2-pvp80-FLAG-*vp80* by *Stul/Xba* double digestion, and then subcloned into *Bst*1107I/*Xba*-digested and gel-purified pFB-egfp to generate donor plasmid pFB-egfp-pvp80-FLAG-*vp80*. The C-terminally fused *vp80*-FLAG cassette was amplified using pvp80-*Stul*-F and vp80-FLAG-R from the bMON14272 bacmid template. The 2324-bp fragment was cloned into pJet1.2/Blunt, and subsequently transfer into pFB-egfp in a similar way as previous constructs.

[0074] The inserts of all developed donor plasmids were transposed into the *vp80*-null bacmid following the Bac-to-Bac protocol (Invitrogen). Screening of transposition-positive constructs into the *polh* locus was done by a the triplex PCR-based assay employing a M13 forward and reverse primers and a gentamicin resistance gene-specific primer GenR (Table 1).

Transfection-infection assay

[0075] Bacmid DNAs were prepared from 1.5-ml over-night bacterial cultures of 2 to 3 independent colonies carrying the bacmid with the inserted heterologous gene according to the Bac-to-Bac manual (Invitrogen) and were analyzed in parallel. For transfections, 1 μ g of each bacmid DNA preparation was used to transfect 1×10^6 Sf9 cells in a 6-well plate by the Cellfectin™-based transfection protocol as described in the Bac-to-Bac (Invitrogen) manual. From 72 h to 120 h post transfection (p.t.), viral propagation was checked by fluorescence microscopy. At 120 h p.t., the cell culture medium was centrifuged for 5 min at $2000 \times g$ to remove cell debris, and this clarified supernatant was used to infect 1.5×10^6 Sf9 cells in 6-well plates. After 72 h p.i., the spread of virus infection was again monitored by fluorescence microscopy. In all experiments, a wild-type bMON14272 bacmid carrying the *egfp* reporter gene under control of the p10 promoter was used as positive control. A bMON14272-gp64null bacmid also carrying the *egfp* reporter gene under control p10 promoter served as negative control, since it has lost the ability of cell-to-cell movement of the infection (Lung et al., 2002).

Time-course characterization of viral propagation in cell culture

[0076] Time course analyses were performed to compare budded virus production of the AcMNPV-*vp80*null virus and the various repair constructs in comparison to the wild type AcMNPV bacmid (Ac-wt) all containing *egfp*. Briefly, the Sf9 cells were seeded in 6-well tissue culture plates (1×10^6 cells/well in 1 ml Sf900-II culture medium without serum at 28°C. After two hours, the culture medium was removed, and the cells were transfected with 5 μ g bacmid DNA, under standard conditions as recommended in Bac-to-Bac manual (Invitrogen). Cell culture supernatants were harvested at 24, 48, 72, 96 and 120 h p.t., and analysed for the production of infectious budded virus by an end-point dilution assay to determine the tissue culture infective dose 50 (TCID₅₀). Infection was determined by monitoring *egfp* expression (from the p10 promoter). The average values of infectious titers derived from three independent transfections were calculated and plotted into graphs.

Transmission electron microscopy

[0077] Insect Sf9 cells were seeded in 25T flask (3.5×10^6 cells/flask), and transfected with 20 μ g either the Ac- Δ vp80,

rescue Ac- Δ vp80-vp80 or Ac-wt bacmid construct. After 48 h p.t., the cells were harvested and prepared for transmission electron microscopy as described previously (van Lent et al., 1990). Samples were examined and photographed with a Philips CM12 electron microscope.

5 Budded virus production assay

[0078] Insect Sf9 cells were seeded in two 25T flasks (3.5×10^6 cells/flask), and transfected with 20 μ g either Ac- Δ vp80, Ac- Δ vp80-vp80, Ac- Δ vp80-pH-vp80, Ac- Δ vp80-FLAG-vp80, Ac- Δ vp80-vp80-FLAG, or Ac-wt bacmid construct. Five days p.t., the BV-enriched cell culture supernatants were harvested, and ultracentrifuged through a cushion of 10% sucrose solution (25,000 rpm for 1.5 hour, Beckman SW32). Pelleted budded virions were resuspended in sterile demi-water, and prepared for either negative staining electron microscopy, SDS-polyacrylamide electrophoresis, or PCR-based detection (as mentioned the above

15 Purification of ODVs and rod-shaped structures from infected cells

[0079] The presence of ODVs and rod-like structures in infected/transfected insect cells was analyzed by electron microscopy (EM). For this purpose, insect cells were harvested 48 h p.i., lysed and the cell lysates were ultracentrifuged through a 40% sucrose cushion in TE (1 mM Tris-HCl pH 7.4, 0.1 mM EDTA) buffer (45,000 rpm for 1 hour, Beckman SW55). Pellets were resuspended in sterile demi-water and analyzed by negative staining EM as described previously (van Lent et al., 1990).

Development of transgenic Sf9-derived cell line expressing vp80

[0080] To develop a cell line, which produces the VP80 protein, a 2105-bp fragment carrying the vp80 ORF was amplified using primers vp80-SacI-F and vp80-XbaI-R (Table 1) and cloned into pJet1.2/Blunt, to generate pJet1.2-vp80. In the next step, the vp80 ORF was cut out (SacI/XbaI) from pJet1.2-vp80, and subcloned into SacI/XbaI-digested pIZ (Invitrogen), to create pIZ-vp80. The resulting plasmid vector pIZ-vp80 was linearized with Eco57I, and gel-purified. Sf9 cells were seeded in six-well plate (1×10^6 cells/well), and transfected with 10 μ g of the linearized vector. After 24 hours post-transfection, cells were selected by cell culture medium containing Zeocin™ (300 μ g/ml) for 2 to 3 weeks, until no control Sf9 cells survived under the same conditions. Cells were then propagated as an uncloned cell line.

Generation and characterization of a AcMNPV vp39-null bacmid

[0081] To study the role of vp39 gene in the context of viral progeny production and the nucleocapsid assembly process, we constructed an AcMNPV bacmid (bMON14272) with a deletion of vp39 by homologous recombination in *E. coli* according to the same procedure as noted above for the AcMNPV vp80null bacmid construct. Since the sequence of the vp39 ORF is overlapping with promoter sequences of both flanking ORFs (*cg-30* and *lef-4*), only an internal part of the vp39 ORF could be deleted, to avoid de-regulations of *cg-30* and *lef-4* expression. To reach this, a *cat* gene flanked by mutant *LoxP* sites was amplified using PCR primers vp39-KO- and vp39-KO-R (Table 1) from a plasmid comprising a *cat* gene flanked by mutant *LoxP* sites. The resulting PCR fragment, which contained the *cat* gene flanked by mutant *LoxP* sites and ~50-bp sequences homologous to an internal region of the vp39 ORF, was treated with *DpnI* and gel-purified to eliminate the template plasmid. The PCR product was then transformed into DH10 β *E. coli* cells containing bacmid bMON14272 (Invitrogen) and Lambda RED recombinase-producing plasmid pKD46 (Datsenko & Wanner, 2000) prepared in the above mentioned manner. In the final step, colonies resistant to kanamycin were subjected to PCR-based analysis using primers 75834 and 76420 (Table I) to verify insertion/elimination of the *cat* gene from the bacmid backbone. Positive clones were further verified by DNA-sequencing of the obtained PCR products. According to this protocol, an internal part (498 nt = 166 aa) of the vp39 ORF was removed, coordinates: 75894-76391 as indicated in Figure 9.

50 Construction and analysis of repaired vp39-null bacmids

[0082] To prepare a vp39 repair donor vector, we modified plasmid pFB-egfp (noted above) by introduction of the vp39 ORF under control of the polyhedrin promoter. Initially, a 1073-bp fragment was amplified using primers vp39-SacI-F and vp39-XbaI-R (see Table I for primer sequences) from the bMON14272 template, and cloned into vector pJet1.2/Blunt (Fermentas) to form pJet1.2-vp39. After DNA sequence verification, the vp39 ORF was excised from pJet1.2-vp39 by SacI/XbaI double digestion, and then subcloned into SacI/XbaI-digested and gel-purified pFB-egfp to generate donor plasmid pFB-egfp-vp39. After an unsuccessful attempt to rescue AcMNPV vp39null with pFB-egfp-vp39, a set of novel donor plasmids was prepared. First, a 2498-bp fragment containing vp39 and *lef-4* ORFs was PCR-

generated using primers *vp39-Stul-F* and *lef-4-XbaI-R* from bacmid bMON14272 template, and cloned into vector pJet1.2/Blunt (Fermentas) to form pJet1.2-*vp39-lef-4*. After DNA sequence confirmation, the fragment containing *vp39* and *lef-4* ORFs was excised from pJet1.2-*vp39-lef-4* by *Stul/XbaI* double digestion, and then subcloned into *Stul/XbaI*-digested and gel-purified pFB-egfp to generate donor plasmid pFB-egfp-*vp39-lef-4*.

Parallely, donor plasmid pFB-egfp-*vp39-cg30* was constructed, where both *vp39* and *cg-30* ORFs are driven from the very late polyhedrin promoter, and the *cg-30* ORF can also use its native promoter situated inside the 3'-end of the *vp39* ORF. Briefly, a 1868-bp fragment carrying both *vp39* and *cg-30* ORFs was amplified using primers *cg30-XbaI-F* and *vp39-XbaI-R* (noted above) and cloned into pJet1.2/Blunt, to generate pJet1.2-*vp39-cg30*. The *vp39/cg-30* cassette was subcloned as *SacI/XbaI* into pFB-egfp, to create pFB-egfp-*vp39-cg30*. Additionally, a similar donor vector pFB-egfp-FLAG-*vp39-cg30* was constructed, where *vp39* ORF is N-terminally FLAG-tagged. The same strategy was employed to develop this vector, only the reverse primer *vp39-FLAG-SacI-R* was used to amplified *vp39/cg-30* cassette instead of the *vp39-XbaI-R* primer.

[0083] All developed donor plasmids were transposed into *vp39*-null bacmid following the Bac-to-Bac kit protocol (Invitrogen) and screened as detailed above for *vp80* repair bacmids. The functional analysis was performed as described above for the *vp80* constructs.

Generation and analysis of AcMNPV *vp1054*-null bacmid

[0084] To verify the essential role of the *vp1054* gene in the context of viral progeny production and nucleocapsid assembly, we constructed an AcMNPV bacmid (bMON14272) with a deletion of *vp1054* by homologous recombination in *E. coli* according to the same procedure as for the *vp80* null bacmid construct with minor alternations. Since the *vp1054* ORF is overlapping with the essential *lef-10* ORF, we could not remove the whole *vp1054* ORF, but only a 955-bp nucleotide 3'-end part of the ORF. To prevent translation of the C-truncated VP1054 mutant in insect cells, we decide to mutate the first translation codon ATG→Met to ACG→Thr. This single nucleotide substitution did also change an internal codon no. 32 (AAT) to AAC of *lef-10* ORF, however, both are encoding the same amino acid (Asn). To accomplish this, we first amplified the 5'-end of the *vp1054* ORF using primers *vp1054-KO-F* and *vp1054-KO-R1* from bacmid bMON14272 (Invitrogen). The 214-bp PCR product contained a mutation of the ATG start codon of the *vp1054* ORF, introduced a synthetic stop/poly-A signal sequence for the *lef-10* ORF, and has a 3'-end sequence homology overhang to the *cat* cassette to facilitate the second PCR, and a 49-bp homology sequence to the 5'-end of *vp1054* ORF to mediate Lambda RED-directed homologous recombination in *E. coli*. After gel-purification and DNA quantification, the 214-bp fragment was used as forward primer in a second step PCR with reverse primer *vp1054-KO-R2* with a plasmid comprising a *cat* gene flanked with mutant *LoxP* sites as template. The resulting 1230-bp PCR fragment, which contained the *cat* gene flanked by mutant *LoxP* sites, a mutated 5'-end of the *vp1054* ORF and ~50-bp sequences homologous to the 5' or 3' proximal region of the *vp1054* ORF, was treated with *DpnI* and gel-purified to eliminate the template plasmid. Recombination of this PCR product with the bMON 14272 bacmid was performed as described above for the *vp80* mutant. Kanamycin resistant colonies were verified by PCR with primer pairs *cat-F/cat-R*, 45510/46235, and 45122 and 46441 to check the insertion/elimination of the *cat* gene from the bacmid backbone. Insertion sites were also confirmed by DNA-sequencing. This method resulted in the deletion of 955 bp from nucleotide positions 45365 to 46319 in the AcMNPV clone C6 genome provided in SEQ ID NO: 1. All primers sequences are given in Table 1.

Construction of a repaired *vp1054*-null bacmid construct

[0085] To prepare *vp1054* repair donor vector, we modified plasmid pFB-egfp (noted above) by removing the polyhedrin promoter and replacing it with a fragment containing the *vp1054* promoter region and the *vp1054* ORF. First, a 1714-bp fragment containing both the *vp1054* promoter and ORF sequence was amplified using primers *vp1054-Rep-F* and *vp1054-Rep-R* from bacmid bMON 14272 template, and cloned into vector pJet1.2/Blunt (Fermentas) to form pJet1.2-*pvp1054-vp1054*. After DNA sequence verification, the *vp1054* cassette was excised from pJet1.2-*pvp1054-vp1054* by *Stul/XbaI* double digestion, and then subcloned into *BstI*11071/*XbaI*-digested and gel-purified pFB-egfp to generate donor plasmid pFB-egfp-*pvp1054-vp1054*. The developed donor plasmids were transposed into the *vp1054*-null bacmid following the Bac-to-Bac protocol (Invitrogen) and screened. Recombinant bacmids were analyzed as detailed above for *vp80* bacmids.

Generation and analysis of AcMNPV *p6.9*-null bacmid

[0086] To verify the essential role of *p6.9* in the context of viral progeny production, we constructed an AcMNPV bacmid (bMON14272) with a deletion of *p6.9* by homologous recombination in *E. coli*. To accomplish this, a chloramphenicol resistance gene (*cat*) flanked by mutant *LoxP* sites was amplified using PCR primers *p6.9-KO-F* and *p6.9-KO-R* from a plasmid comprising a this *cat* gene flanked by mutant *LoxP* sites. Mutant viruses were obtained following the

same procedure as for the other mutants. For the PCR-based analysis of the finally obtained mutant clones the primer pairs cat-F and cat-R and 86596 and 86995 were used to check insertion/elimination of *cat* gene from bacmid backbone. Positive clones were also confirmed by DNA-sequencing. This method results in the deletion of 164 bp from nucleotide positions 86716 to 86879 in the AcMNPV clone C6 genome provided in SEQ ID NO: 1. Table 1 for primer sequences.

Construction and functional analysis of repaired p6.9-null bacmids

[0087] To prepare p6.9 repair donor vectors, the pFB-GFP-p6.9 vector was used, which was constructed by Marcel Westenberg (Wageningen University). To make this vector, the AcMNPV p6.9 promoter sequence was amplified from the plasmid pAcMP1 (Hill-Perkins & Possee, 1990) with primers pp6.9-F and pp6.9-R using the high-fidelity Expand long-template PCR system (Roche). The PCR product was cloned as *Sall* fragment into pFastBac1 (Invitrogen), from which the *polyhedrin* promoter was deleted in advance by fusing the *Bst*1107I to the *Stu*I site, to obtain pFB1-p6.9. The p6.9 promoter from pFB1-p6.9 was re-cloned as *Sna*BI/*Bam*HI fragment into the *Bst*1107I and *Bam*HI sites of pFast-BacDUAL (Invitrogen), thereby deleting the *polyhedrin* promoter. Subsequently, the *egfp* reporter gene was cloned downstream of the p10 promoter into the *Xma*I site to obtain pFB-GFP-p6.9. Finally, the p6.9 genes of AcMNPV and *Spodoptera exigua* (Se)MNPV were PCR amplified from either the AcMNPV bacmid (bMON14272) or SeMNPV genomic DNA by using the high-fidelity Expand long-template PCR system and primers generating *Eco*RI and *Not*I at the 5' and 3' ends, respectively (Table 1). The PCR products were cloned downstream of the p6.9 promoter in the *Eco*RI/*Not*I sites of pFB-GFP-p6.9. All generated clones were sequenced to verify the incorporated p6.9 sequences.

[0088] The expression cassettes of both developed donor plasmids were transposed into the p6.9-null bacmid following the Bac-to-Bac protocol (Invitrogen). Screening of transposition-positive constructs into the *polh* locus was done by the triplex PCR-based assay as described above for the *vp80* constructs. The analysis was performed as for the *vp80* constructs

Results

Silencing of AcMNPV *vp80* does not affect baculovirus very late gene expression

[0089] We explored the effect of transfecting Sf9 cells with different dsRNAs during infection with AcMNPV-GFP. To trigger dsRNA-induced silencing of selected baculoviral genes (*vp1054*, *vp39*, *vp80*, *dbp* and *odv-ec27*), we generated gene-specific dsRNAs using *in vitro* T7 RNA polymerase-based synthesis. However, when we began these studies it was not clear what amount and time point of dsRNA transfection is the most effective to silence baculoviral genes. To determine an optimal amount of dsRNA for RNAi assay purpose in baculovirus-infected cells, we first attempted to silence reporter *egfp* gene with different amounts of dsRNA. These pilot assays showed that the most potent RNAi effect is achieved using 100 pg dsRNA per cell (data not shown). At the same time, it was also proved that RNAi treatment has no negative effect on the production of infectious budded virions progeny. We also tried to transfect dsRNA into the cells at two different time points, 24 h prior to infection or 1 h p.i.. The results proved that transfection performed at 1 h p.i. is more efficient in silencing of genes expressed at late/very late phases of baculoviral infection in contrast to transfection carried out at 24 h prior to infection (data not shown). In addition, to ensure that knock-down was gene-specific, dsRNA corresponding to the *cat* gene was transfected as an RNAi negative control. Herein, we could observe a moderate inhibition of baculovirus infection propagation in comparison to untransfected insect cells. However, the same phenomenon was also observed when insect cells were treated only with transfection reagents. Therefore, we could conclude that the effect can be explained by a negative impact (cytotoxicity) of the presence of transfection reagents on cell viability.

Silencing screening of baculovirus genes revealed that down-regulation of *vp1054*, *vp39*, *dbp* and *odv/ec-27* is also associated with a reduction or inhibition of very late gene expression measured by EGFP detection (Fig. 1A and 1B). The highest levels of this inhibition were observed in *dbp*- and *odv/ec-27*-targeted cells. The cause of this effect can be explained by the presence of bi-cistronic and overlapping mRNA transcripts, which are produced during a baculovirus replication cycle. Eventually, a cross-reaction with targets of limited sequence similarities can also be involved in the process. Only cells treated with *vp80* dsRNA showed a similar level of EGFP expression as untransfected cells or particularly with *cat* dsRNA-treated cells. Importantly, very few EGFP-producing cells were observed in insect cells where *egfp*-specific dsRNA was introduced (positive RNAi control), showing that the transfection efficiency was high. Based on our RNAi screening achievements, the *vp80* gene (locus) seems to be a suitable candidate for RNAi-based targeting in context of interference with baculoviral very late gene expression.

Knock-down of *vp80* totally prevents production of BVs and normally appearing ODVs

[0090] To determine the roles of selected candidate genes (*vp1054*, *vp39*, *vp80*, *dbp* and *odv/ec-27*) in production of

budded virions progeny, cell culture medium (36 h p.i.) from dsRNA-treated cells was examined for the presence of BVs. End-point dilution-based titrations confirmed that all tested genes are essential for infectious budded virus progeny production (Fig. 1C). We were not able to detect any infectious BVs in *vp80*- and *dbp*-targeted cells. In addition, PCR-based assay indicated that defective or non-infectious viral particles are also not produced in *vp80*-targeted cells. It is important to point out that the results also showed a significant decrease in the production of infectious BVs in the RNAi controls (*egfp*- and *cat*-specific dsRNA-treated cells) compared to untransfected cells. The cytotoxicity of transfection reagents is again the assumed cause of this negative effect. Electron microscopy analysis of cell lysates showed that formation of ODVs and rod-like structures was totally inhibited in cells treated with dsRNA-*vp39* as expected (Fig. 1D). Production of ODVs and rod-like structures was also significantly reduced in insect cells treated with dsRNA-*vp80* (Fig. 1D). However, in *vp80*-targeted cells we could mostly find nucleocapsids of aberrant phenotypes (pointed shape). On the other hand, introduction of dsRNA-*cat* into insect cells did not cause any changes in the production of ODVs.

The AcMNPV *vp80* gene is essential for viral replication

[0091] An AcMNPV deletion virus was constructed as detailed in Fig. 2. Repair constructs were designed such that the wild-type *vp80* ORF or N- and C-terminally FLAG-tagged *vp80* genes along with its native or polyhedrin promoter regions were inserted into the polyhedrin locus along with the *egfp* gene under the p10 promoter (Fig. 3A). To investigate the function of the *vp80* gene, Sf9 cells were transfected with either the knock-out or repair bacmid constructs and monitored for EGFP expression by fluorescence microscopy. When Ac-*vp80* null was introduced into Sf9 cells, no viral propagation was observed in cell culture at 72 h to 120 h p.t. We could observe only a "single-cell infection" phenotype similar to the phenotype of Ac-gp64null bacmid (Fig. 3B). The results indicate that Ac-*vp80*null is able to reach the very late phase of infection as confirmed by p10 promoter-driven EGFP expression. From 72 h to 120 hours p.t., widespread EGFP expression could be seen in insect cell monolayers that were transfected with the three repair (*vp80* driven from its native promoter, *vp80* driven from polyhedrin promoter and N-terminally FLAG-tagged *vp80* driven from its native promoter) constructs indicating that these bacmids were able to produce levels of infectious budded virions sufficient to initiate secondary infection at similar level as the wild-type bacmid (Fig. 3B). In contrast, in insect cells transfected with C-terminally FLAG-tagged *vp80* repair constructs, by 72 h p.t. EGFP expression was only observed in isolated cells that were initially transfected indicating that this bacmid construct is defective in viral replication (Fig. 3B). However, by 96 h p.t. formation of tiny plaques was observed and by 120 h p.t. very few plaques of normal size were developed. The results show that the C-terminal flagged mutant is strongly delayed in producing budded virus and showed that an unmodified C-terminus is very important for the function of VP80. At 5 days p.t., cell culture supernatants were removed and added to freshly plated Sf9 cells and then incubated for 3 days to detect infection by virus generated from cells transfected with these bacmids. As expected, Sf9 cells incubated with supernatants from the transfections with repair constructs showed numerous EGFP expressing cells (Fig. 3C). Nevertheless, cells incubated with supernatant from C-terminally FLAG-tagged constructs showed a significant reduction in the number of EGFP-positive cells. On the other hand, in insect cells incubated with supernatant from the transfection with the *vp80* knockout, no EGFP expression was detected at any time-point analyzed up to 72 h (Fig. 3C).

[0092] Moreover, to characterize the exact effect of deletion of the *vp80* gene on AcMNPV infection, the viral propagation in transfected Sf9 cells was compared between Ac-wt, Ac- Δ *vp80*, Ac- Δ *vp80*-*vp80*Rep, Ac- Δ *vp80*-*polh*-*vp80*Rep, Ac- Δ *vp80*-FLAG-*vp80*Rep and Ac- Δ *vp80*-*vp80*-FLAGRep. Cell culture supernatants of all the above bacmid constructs were analysed at indicated time points for BV production (Fig. 4). As expected, the repaired Ac- Δ *vp80*-*vp80*Rep, Ac- Δ *vp80*-*polh*-*vp80*Rep, Ac- Δ *vp80*-FLAG-*vp80*Rep viruses showed kinetics of viral replication consistent with wild-type virus (Ac-wt) propagation. Budded virion production by the C-terminal flagged Ac- Δ *vp80*-*vp80*-FLAGRep virus was reduced to approximately 0.06% compared to the Ac-wt virus or the other repaired viruses.

[0093] These results indicate that the *vp80* gene is essential for infectious BV production. It has clearly been proven that the whole sequence of *vp80* ORF can completely be deleted from the bacmid backbone and adequately rescued by introduction of the *vp80* ORF into a heterologous site (polyhedrin locus) of the genome. We also showed that *vp80* gene expression can be driven by the heterologous polyhedrin promoter sequence with no negative effect on viral replication in cell culture. Additionally, we observed that the N-terminus in contrast to the C-terminus of VP80 is permissive to gene modifications (epitope tag-labeling). We noted that the kinetics of the C-terminally FLAG-tagged VP80 virus was significantly delayed when compared with all other rescue or wild-type viruses, indicating the functional importance of the VP80 C-terminus.

VP80 is required for production of both BV and ODV

[0094] The results described above indicated that the Ac-*vp80*null mutant is completely defective in production of infectious budded virus. However, there was also a possibility that the mutant can still produce non-infectious budded particles. To investigate the ability, Sf9 cells were transfected with either the knock-out, repair or wild-type bacmid

constructs and 7 days p.t. cell culture mediums were ultracentrifuged to pellet budded viruses. The formed pellets were either analyzed by negative staining electron microscopy or by Western blot- and PCR-based detection to confirm the presence of the budded viruses. No intact budded virus, virus-like particles, nor its structures (such as major capsid protein VP39 and viral genome sequence) were revealed in the pellet from the cells transfected with the Ac-*vp80*null mutant (Fig. 5A and 5B). On the other hand, all analyzed repair constructs produced normally-appearing budded virus as compared with budded virus-derived from the wild-type virus (Fig. 5A). Nevertheless, it was very difficult to find representative budded virions in the pellet derived from C-terminally FLAG-tagged *vp80* gene repair construct-transfected cells.

[0095] To further characterize deletion of the *vp80* gene on baculovirus life cycle, electron microscopy was performed with ultra-thin sections generated from bacmid-transfected cells. The Ac-*vp80*null-transfected cells developed typically phenotype of baculovirus-infected cell with an enlarged nucleus, a fragmented host chromatin, an electron-dense virogenic stroma, etc. (Fig. 6A). The absence of VP80 did not prevent formation of normally-appearing nucleocapsids inside the virogenic stroma (Fig. 6C). The formed nucleocapsids were phenotypically undistinguishable from those produced by either the Ac-*vp80*null repair or Ac-wt bacmids. However, an abundance of assembled nucleocapsids was rather less as compared with cells-transfected with the Ac-*vp80*null repair or Ac-wt bacmids (Fig. 6E and 6G). In addition, no occlusion-derived virions nor bundles of nucleocapsids prior to an envelopment could be observed in the peristromal compartment of a nucleoplasm (so called the ring zone) of Ac-*vp80*null bacmid-transfected cells (Fig. 6B and 6D). It seems that VP80 plays a role during maturation of nucleocapsids and/or their release/transport from the virogenic stroma. Eventually, VP80 can somehow contribute to an efficient nucleocapsid assembly which could be explained by small number of nucleocapsids present in the virogenic stroma of Ac-*vp80*null transfected cells. When the *vp80* gene was re-introduced back into the bacmid mutant, a lot of nucleocapsids and occlusion-derived virions could be seen in the ring zones of transfected cells (Fig. 6F). An abundance and morphology of occlusion-derived virions produced in Ac-Δ*vp80*-*vp80* repair bacmid-transfected cells were similar to those produced by wild-type bacmid (Fig. 6F and 6H).

VP80 function can be complemented by the trans-acting *vp80* gene

[0096] To prove that VP80 function can be complemented by the trans-acting *vp80* ORF, a complementation assay was performed with a transgenic cell line, Sf9-*vp80*, that was stably transformed with the *vp80* gene expressed under control of an early baculovirus *Orgyia pseudotsugata* ie-2 promoter. In the assay, both Sf9 and Sf9-*vp80* cells were transfected with the Ac-*vp80*null bacmid mutant (Fig. 7). Virus infection spread was monitored by EGFP-specific fluorescence at 72 h and 96 h p.t. In Sf9-*vp80* cells we could observe viral plaques demonstrating the virus spread. On the other hand, in Sf9 cells only "single-cell infection" phenotype could be seen as previously described above. After six days, the cell culture supernatants were harvested and used as a inoculum to infect fresh groups of Sf9 cells. After 5 days, EGFP-positive cells were monitored by fluorescence microscopy. Only "single-cell infection" phenotype was observed in Sf9 cells receiving the supernatant from Sf9-*vp80* cells. As assumed, no EGFP signal was detected in Sf9 cells receiving the supernatant from Sf9 cells. These results show that the Ac-*vp80*null can be rescued by VP80-expressing cells (Sf9-*vp80*) and demonstrate that the observed complementation is due to VP80 protein expressed from the host cell line and not from acquisition of the *vp80* gene from the cell line. In other words, the results match requirements asked to produce biopharmaceuticals (EGFP protein in our model assay) without contaminating baculovirus virions.

Generation and characterization of *vp39*-null bacmid

[0097] To study the functionality of the AcMNPV *vp39* gene during virus infection, an *vp39*-null AcMNPV bacmid was constructed by partial deletion of the *vp39* gene. The deletion construct was selected by its resistance to chloramphenicol indicating that site-specific deletion of the *vp39* gene had occurred. In the resulting *vp39*-null AcMNPV bacmid, the internal part of *vp39* gene was correctly replaced by the *cat* gene. Subsequently, the *cat* was eliminated by Cre/LoxP recombination (Fig. 8A). The *vp39* sequence was removed from nucleotides 75894 to 76391 according to the AcMNPV clone C6 genome sequence (SEQ ID NO:1). The structure of the *vp39* deletion constructs was confirmed by PCR using primers 75834 and 76420 (Fig. 8B). A 647-bp DNA fragment was amplified when wild-type AcMNPV bacmid was used as a template, whereas a 1113-bp DNA fragment could be amplified on AcMNPV *vp39*-null(+*cat*) template (Fig. 8B). When the final construct AcMNPV-*vp80*null(-*cat*) with eliminated *cat* cassette was used in PCR analysis, only a short 183-bp DNA fragment could be detected (Fig. 8B). The results were confirmed by DNA sequencing.

Functional mapping of *vp39* ORF indicates a presumable functional relationship between *vp39* and *cg-30* ORFs

[0098] The repair constructs were designed in such a way that the wild-type *vp39* ORF under control of the polyhedrin promoter sequence was inserted into the polyhedrin locus along with the *egfp* gene controlled by the p10 promoter (Fig. 9A). To investigate the function of the *vp39* gene, Sf9 cells were transfected with either the knock-out or repair bacmid

constructs and monitored for EGFP expression by fluorescence microscopy. When Ac-*vp39* null was introduced into Sf9 cells, no viral propagation was observed from 72 h to 168 h p.t. We could observe only a "single-cell infection" phenotype similar to the phenotype of the Ac-gp64null bacmid (Fig. 9B).

[0099] These results indicate that the Ac-*vp39*null construct is able to reach the very late phase of infection as shown by the p10 promoter-driven EGFP expression. Unexpectedly, no viral propagation could be seen in insect cell monolayers that were transfected with the *vp39* repair (*vp39* driven from polyhedrin, Ac- Δ *vp39*-polh-*vp39*Rep) constructs (Fig. 3B). For this reason, we decided to prepare three extra repair bacmids carrying both *vp39* and *lef-4* ORFs under controls of their native promoters. When the insect cells were transfected with these repair constructs again viral replication did not occur (Fig. 9B) and a "single-cell infection" phenotype was observed from 72 h to 168 h p.t. Interestingly, in insect cell monolayers that were transfected with the repair constructs carrying both *vp39* (or FLAG-tagged *vp39*) and *cg-30* we could observe tiny clusters of EGFP-positive cells (3-5 cells) (Fig. 9B). However, we did not see a full-value viral replication as that of the wild-type vector (Ac-wt),

[0100] At 7 days p.t., cell culture supernatants were collected and added to freshly plated Sf9 cells, which were then incubated for 3 days to detect infection by virus generated from cells transfected with all bacmids mentioned here (Fig. 9C). As expected, Sf9 cells incubated with the supernatant from Ac-wt transfections, showed numerous EGFP expressing cells. On the other hand, cells incubated with supernatants from Ac- Δ *vp39*-polh-*vp39*Rep and Ac- Δ *vp39*-*vp39*-*lef-4*Rep constructs did not show any EGFP-positive cells. However, in insect cells incubated with supernatants from Ac- Δ *vp39*-*vp39*-*cg30*Rep and Ac- Δ *vp39*-FLAG-*vp39*-Rep, a number of EGFP-expressing cells was detected (Fig. 9C). These results indicated that a possible functional relationship between the *vp39* and *cg-30* ORFs is required for baculovirus replication.

[0101] Since the *vp39* ORF sequence overlaps with the promoter sequences of the two flanking ORFs (*lef-4* and *cg-30*), we could not delete the whole *vp39* ORF in our *vp39*null bacmid construct. It may therefore also be that C- and/or N-truncated mutant(s) of *vp39* may be expressed which may interfere as a competitive inhibitor with the normal VP39 protein.

Construction and analysis of *vp1054*-null bacmid

[0102] To study the functionality of the AcMNPV *vp1054* gene during virus infection, an *vp1054*-null AcMNPV bacmid was constructed by partially deleting the *vp1054* gene from AcMNPV bacmid (bMON14272) by homologous recombination in *E. coli*. The deletion construct was selected by its resistance to chloramphenicol that indicated that site-specific deletion of the *vp1054* gene had occurred. In the resulting *vp1054*-null AcMNPV bacmid, the 955-bp 3'-end part of the *vp1054* gene was correctly replaced by the *cat* gene. Subsequently, the antibiotic resistance cassette (*cat*) was eliminated from bacmid backbone using Cre/*LoxP* recombination system (Fig. 10A). The deleted sequence was removed from the nucleotide coordinates 45365 to 46319 according to the AcMNPV clone C6 genome sequence (SEQ ID NO:1). The structure of all the deletion constructs was confirmed by PCR (Fig. 10B). When the *vp1054* gene is present, as in the parental wild-type AcMNPV bacmid, a 775-bp PCR product can be amplified using primers 45510 and 46235, whereas a 596-bp PCR fragment amplified with *cat*-F and *cat*-R primers is produced only when *cat* gene was introduced into bacmid sequence in case of AcMNPV *vp1054*null(+*cat*) construct (Fig 10B). Correct recombination process was also confirmed by PCR mapping of *vp1054* locus using primers 45122 and 46441. A 1320-bp DNA fragment was amplified when wild-type AcMNPV bacmid was used as a template, whereas a 1353-bp DNA fragment could be amplified on AcMNPV *vp1054*-null(+*cat*) template (Fig. 10B). When final construct AcMNPV-*vp1054*null(-*cat*) with eliminated *cat* cassette was used in PCR analysis, only a 423-bp DNA fragment could be detected (Fig. 10B). Positive clones were successfully verified by DNA sequencing.

AcMNPV *vp1054* gene is essential for viral replication

[0103] The repair construct was designed such that the AcMNPV *vp1054* ORF with its native promoter region was inserted into the polyhedrin locus along with the *egfp* gene under the control of the p10 promoter (Fig. 11A). Since the *vp1054* promoter and ORF sequences are overlapping with *lef-10* ORF, the repair construct is also capable to express LEF-10. To investigate the function of the *vp1054* gene, Sf9 cells were transfected with either the *vp1054* knock-out or repair bacmid construct and monitored for EGFP expression by fluorescence microscopy. When Ac-*vp1054* null construct was introduced into Sf9 cells, no viral propagation was observed in cell culture at 72 h to 120 h p.t. We could observe only a "single-cell infection" phenotype similar to the phenotype of Ac-gp64null bacmid (Fig. 11 B). The results indicate that Ac-*vp1054*null is able to reach the very late phase of infection as confirmed by p10 promoter-driven EGFP expression. In other word, the results suggest that the expression of late expression factor 10, LEF-10, was not affected in *vp1054*-null bacmid mutant. From 72 h to 120 hours p.t., widespread EGFP expression could be seen in insect cell monolayers that were transfected with the repair constructs (Ac- Δ *vp1054*-*vp1054*). The results are indicating that the repair bacmid is able to produce levels of infectious budded virions sufficient to initiate secondary infection at similar level as the wild-

type bacmid (Fig. 11 B). At 6 days p.t., cell culture supernatants were removed and added to freshly plated Sf9 cells and then incubated for 3 days to detect infection by virus generated from cells transfected with these bacmids. As expected, Sf9 cells incubated with supernatants from the transfections with the repair constructs showed numerous EGFP expressing cells (Fig. 11 C). On the other hand, in insect cells incubated with supernatant from the transfection with the *Ac-vp1054* null knockout, no EGFP expression was detected at any time-point analyzed up to 72 h (Fig. 11 C).

[0104] These results indicate that the *vp1054* gene is essential for infectious BV production. It has clearly been proven that the 955-bp 3'-end sequence part of the *vp1054* ORF can completely be deleted from the bacmid backbone and adequately rescued by introduction of the AcMNPV *vp1054* ORF into a heterologous site (polyhedrin locus) of the genome. In addition, the results proved that deletion of the *vp1054* gene does not affect very late gene expression, as demonstrated by EGFP-positive cells in cells transfected with *Ac-vp1054* null bacmid mutant (Fig. 11 B).

Generation and characterization of p6.9-null bacmid

[0105] To study the functionality of the AcMNPV p6.9 gene during virus infection, an *vp80*-null AcMNPV bacmid was constructed by deleting the p6.9 gene from AcMNPV bacmid (bMON14272) by homologous recombination in *E. coli*. The deletion construct was selected by its resistance to chloramphenicol that indicated that site-specific deletion of the p6.9 gene had occurred. In the resulting p6.9-null AcMNPV bacmid, the p6.9 gene was correctly replaced by the *cat* gene. Subsequently, the antibiotic resistance cassette (*cat*) was eliminated from bacmid backbone using Cre/LoxP recombination system (Fig. 12A). The deleted sequence was removed from the translational start codon (ATG→Met) to the stop codon (TAT→Tyr), nucleotide coordinates 86716 to 86879 according to the AcMNPV clone C6 genome sequence (SEQ ID NO:1). The stop codon of the *p6.9* orf was not removed since its sequence is overlapping with the stop codon of flanked *lef-5* orf. The structure of all the deletion constructs was confirmed by PCR (Fig. 12 B). When the *p6.9* gene is present, as in the parental wild-type AcMNPV bacmid, a 596-bp PCR fragment could be only amplified with cat-F and cat-R primers when *cat* gene was introduced into bacmid sequence in case of AcMNPV *p6.9* null(+*cat*) construct (Fig. 12B). Correct recombination process was also confirmed by PCR mapping of *p6.9* locus using primers 86596 and 86995. A 400-bp DNA fragment was amplified when wild-type AcMNPV bacmid was used as a template, whereas a 1220-bp DNA fragment could be amplified on AcMNPV *vp80*-null(+*cat*) template (Fig. 12B). When final construct AcMNPV-*vp80* null(-*cat*) with eliminated *cat* cassette was used in PCR analysis, only a short 290-bp DNA fragment could be detected (Fig. 12B). Positive clones were successfully verified by DNA sequencing.

AcMNPV p6.9 gene is essential for viral replication

[0106] The repair constructs were designed such that the wild-type AcMNPV or SeMNPV *p6.9* ORFs with AcMNPV *p6.9* promoter region were inserted into the polyhedrin locus along with the *egfp* gene under the p10 promoter (Fig. 13A). To investigate the function of the *p6.9* gene, Sf9 cells were transfected with either the *p6.9* knock-out or repair bacmid constructs and monitored for EGFP expression by fluorescence microscopy. When *Ac-p6.9* null was introduced into Sf9 cells, no viral propagation was observed in cell culture at 72 h to 120 h p.t. We could observe only a "single-cell infection" phenotype similar to the phenotype of *Ac-gp64* null bacmid (Fig. 13B). The results indicate that *Ac-p6.9* null is able to reach the very late phase of infection as confirmed by p10 promoter-driven EGFP expression. From 72 h to 120 hours p.t., widespread EGFP expression could be seen in insect cell monolayers that were transfected with the two repair constructs (*Ac-Δp6.9-Acp6.9* and *Ac-Δp6.9-Sep6.9*). The results are indicating that these two repair bacmids are able to produce levels of infectious budded virions sufficient to initiate secondary infection at similar level as the wild-type bacmid (Fig. 13B). At 6 days p.t., cell culture supernatants were removed and added to freshly plated Sf9 cells and then incubated for 3 days to detect infection by virus generated from cells transfected with these bacmids. As expected, Sf9 cells incubated with supernatants from the transfections with the repair constructs showed numerous EGFP expressing cells (Fig. 13C). On the other hand, in insect cells incubated with supernatant from the transfection with the *Ac-p6.9* null knockout, no EGFP expression was detected at any time-point analyzed up to 72 h (Fig. 3C). Moreover, to characterize the exact effect of deletion of the *p6.9* gene on AcMNPV infection, the viral propagation in transfected Sf9 cells was compared between *Ac-wt*, *Ac-Δp6.9*, *Ac-Δp6.9-Acp6.9Rep*, *Ac-Δp6.9-Sep6.9Rep*. Cell culture supernatants of all the above bacmid constructs were analysed at indicated time points for BV production (Fig. 13D). As expected, the repaired *Ac-Δp6.9-Acp6.9Rep* and *Ac-Δp6.9-Sep6.9Rep* viruses showed kinetics of viral replication consistent with wild-type virus (*Ac-wt*) propagation.

[0107] These results indicate that the *p6.9* gene is essential for infectious BV production. It has clearly been proven that the whole sequence of *p6.9* ORF can completely be deleted from the bacmid backbone and adequately rescued by introduction of the AcMNPV *vp80* ORF into a heterologous site (polyhedrin locus) of the genome. We also showed that *p6.9* gene can be complemented efficiently by the SeMNPV-derived *p6.9* ORF (M. Westenberg). In addition, the results proved that deletion of the *p6.9* gene does not affect very late gene expression, as demonstrated by EGFP-positive cells in cells transfected with *Ac-p6.9* null bacmid mutant (Fig. 15B). **Example II.** The inventors have amended

the best mode of the present invention in the following example.

Materials and Methods

5 Generation of an antibiotic resistance gene-free AcMNPV *vp80*-null bacmid

[0108] To determine whether the VP80 protein has an essential role in the context of viral progeny production, we constructed an AcMNPV bacmid (derived from bMON14272 (from Invitrogen)) with a deletion of the *vp80* ORF by homologous recombination in *E. coli*. To accomplish this, a *cat* gene flanked by mutant *LoxP* sites (Suzuki et al., 2005) was amplified using PCR primers *vp80*-KO-F and *vp80*-KO-R (see Table 1) from a plasmid comprising a *cat* gene flanked by mutant *LoxP* sites. The resulting PCR fragment, which contained the *cat* gene flanked by mutant *LoxP* sites and AcMNPV ~50-bp homology sequences to the 5' or 3' proximal region of the *vp80* ORF, was treated with *DpnI* and gel-purified to eliminate the template plasmid. The PCR product was then transformed into DH10 β *E. coli* cells containing bMON14272 (Invitrogen) and the Lambda RED recombinase-producing plasmid pKD46 (Datsenko & Wanner, 2000), which had been prepared in the following manner. Transformed DH10 β -bMON14272/pKD46 *E. coli* cells were grown in 50-ml LB (2.0% peptone, 0.5% yeast extract, 85.5 mM NaCl, [pH 7.0]) cultures with kanamycin (50 μ g/ml), ampicillin (100 μ g/ml) and L-arabinose (1.5 mg/ml) at 30°C to an OD₆₀₀ of $\approx$ 0.6 and then made electrocompetent by a standard procedure. The electroporated cells were incubated at 37°C for 3 h in 3 ml LB medium and plated on LB-agar containing chloramphenicol at a concentration of 6.5 μ g/ml. After 48-h incubation at 37°C, the chloramphenicol-resistant colonies were streaked to fresh LB-agar medium with 34 μ g/ml chloramphenicol. The plates were incubated at 37°C overnight, and colonies resistant to chloramphenicol were selected for further confirmation of the relevant genotype by PCR. Primers 90292 and 90889 were used to confirm the absence of the *vp80* ORF, and primers *cat*-F and *cat*-R were employed to verify the presence of *cat* cassette into bacmid (detailed sequences in Table 1).

[0109] To eliminate the introduced antibiotic resistance gene (*cat*) from the bacmid backbone, a Cre/*LoxP* recombinase system was employed. A Cre recombinase-carrying plasmid pCRE obtained from Jeanine Louwerse (LUMC Leiden, The Netherlands) was introduced into DH10 β -bMON14272-*vp80*null *E. coli* cells, and CRE expression was subsequently induced by the addition of isopropyl thiogalactoside (IPTG). Briefly, the electroporated cells were incubated at 37°C for 3 h in 3 ml of LB medium (2.0% peptone, 0.5% yeast extract, 85.5 mM NaCl, [pH 7.0]) and plated on LB-agar medium containing 50 μ g/ml kanamycin, 100 μ g/ml ampicillin and 2mM IPTG. After 24-h incubation, colonies resistant to kanamycin and ampicillin were selected for further verification of the desired genotype by PCR. In PCR-based analysis, primers 89507 and 91713 (Table 1) were used to verify elimination of *cat* gene from bacmid backbone. Positive clones were also confirmed by DNA-sequencing.

[0110] To recover transposition competence, the helper transposase-encoding plasmid pMON7124 (Invitrogen) was re-introduced into DH10 β -bMON14272-*vp80*null *E. coli* cells. Finally, the *egfp* reporter gene was introduced into the *vp80*-null bacmid to facilitate observation of its behaviour in insect cells. Briefly, the *egfp* reporter gene was amplified using PCR oligonucleotides *gfp*-*NheI*-F and *gfp*-*SphI*-R (Table 1) from plasmid pEGFP-N3 (Clontech). The PCR product was cloned into plasmid pJet1.2/Blunt using CloneJET™ PCR Cloning Kit (Fermentas) according to manufacturer's protocol. Subsequently, the *egfp* ORF was excised from error-free pJet1.2-*egfp* with *NheI* and *SphI* and subcloned into *NheI*/*SphI*-digested pFastBacDUAL (Invitrogen), to generate plasmid pFB-*egfp*. An expression cassette containing the *egfp* reporter gene under transcriptional control of the very late p10 promoter was transposed from pFB-*egfp* into polyhedrin locus of *vp80*-null bacmid as described in the Bac-to-Bac manual (Invitrogen). In the resulting genome, the complete *vp80* ORF has been removed (see Figure 2). This corresponds to the deletion of 2074 bp from nucleotide positions 89564 to 91637 in the AcMNPV clone C6 genome provided in SEQ ID NO: 1.

45 Construction of repaired *vp80*-null bacmids

[0111] To prepare *vp80* repair donor vectors, we modified plasmid pFB-*egfp* (noted above) by removing the polyhedrin promoter and replacing it with a fragment containing the *vp80* promoter region and the *vp80* ORF. First, a 2300-bp fragment containing both the *vp80* promoter and ORF sequence was amplified using primers *pvp80*-*StuI*-F and *vp80*-*XbaI*-R (Table 1) from bacmid bMON14272 template, and cloned into vector pJet1.2/Blunt (Fermentas) to form pJet1.2-*pvp80*-*vp80*. After DNA sequence verification, the *vp80* cassette was excised from pJet1.2-*pvp80*-*vp80* by *StuI*/*XbaI* double digestion, and then subcloned into *Bst*1107I/*XbaI*-digested and gel-purified pFB-*egfp* to generate donor plasmid pFB-*egfp*-*pvp80*-*vp80*. Parallely, a donor plasmid pFB-*egfp*-*polh*-*vp80*, where *vp80* ORF is driven by the very late polyhedrin promoter (*polh*) was constructed. To this aim, a 2105-bp fragment carrying the *vp80* ORF was amplified using primers *vp80*-*SacI*-F and *vp80*-*XbaI*-R (Table 1) and cloned into pJet1.2/Blunt, to generate pJet1.2-*vp80*. In the final step, the *vp80* ORF was cut out (*SacI*/*XbaI*) from pJet1.2-*vp80*, and subcloned into *SacI*/*XbaI*-digested pFB-*egfp*, to create pFB-*egfp*-*polh*-*vp80*.

[0112] To overcome a problem associated with the inavailability of anti-VP80 antibody, FLAG tag decoration (N- and

C-terminus fusion) of VP80 was performed to facilitate immunodetection. The N-terminally fused FLAG-*vp80* sequence was generated by a double-step PCR strategy, a so-called fusion PCR. First, a 259-bp fragment containing the *vp80* promoter and the FLAG tag was PCR amplified using primers *pvp80-Stul-F* and *vp80-FLAG-R1* from the bMON14272 bacmid template. After gel-purification and DNA quantification, the 259-bp fragment was used as forward primer in a second step PCR amplification with the reverse primer *vp80-XbaI-R* on the bMON 14272 bacmid template. The final PCR product (2324 bp) was cloned into vector pJet1.2/Blunt (Fermentas) to form pJet1.2-*pvp80-FLAG-vp80*. After DNA sequence verification, the FLAG-*vp80* cassette was excised from pJet1.2-*pvp80-FLAG-vp80* by *Stul/XbaI* double digestion, and then subcloned into *Bst1107I/XbaI*-digested and gel-purified pFB-*egfp* to generate donor plasmid pFB-*egfp-pvp80-FLAG-vp80*. The C-terminally fused *vp80-FLAG* cassette was amplified using *pvp80-Stul-F* and *vp80-FLAG-R* from the bMON14272 bacmid template. The 2324-bp fragment was cloned into pJet1.2/Blunt, and subsequently transfer into pFB-*egfp* in a similar way as previous constructs.

[0113] The inserts of all developed donor plasmids were transposed into the *vp80*-null bacmid following the Bac-to-Bac protocol (Invitrogen). Screening of transposition-positive constructs into the *polh* locus was done by a triplex PCR-based assay employing a M13 forward and reverse primers and a gentamicin resistance gene-specific primer GenR (Table 1).

Transfection-infection assay

[0114] Bacmid DNAs were prepared from 1.5-ml over-night bacterial cultures of 2 to 3 independent colonies carrying the bacmid with the inserted heterologous gene according to the Bac-to-Bac manual (Invitrogen) and were analyzed in parallel. For transfections, 1 µg of each bacmid DNA preparation was used to transfect 1×10^6 Sf9 cells in a 6-well plate by the Cellfectin™-based transfection protocol as described in the Bac-to-Bac (Invitrogen) manual. From 72 h to 120 h post transfection (p.t.), viral propagation was checked by fluorescence microscopy. At 120 h p.t., the cell culture medium was centrifuged for 5 min at $2000 \times g$ to remove cell debris, and this clarified supernatant was used to infect 1.5×10^6 Sf9 cells in 6-well plates. After 72 h p.i., the spread of virus infection was again monitored by fluorescence microscopy. In all experiments, a wild-type bMON14272 bacmid carrying the *egfp* reporter gene under control of the p10 promoter was used as positive control. A bMON14272-gp64null bacmid also carrying the *egfp* reporter gene under control p10 promoter served as negative control, since it has lost the ability of cell-to-cell movement of the infection (Lung et al., 2002).

Time-course characterization of viral propagation in cell culture

[0115] Time course analyses were performed to compare budded virus production of the AcMNPV-*vp80*null virus and the various repair constructs in comparison to the wild type AcMNPV bacmid (Ac-wt) all containing *egfp*. Briefly, the Sf9 cells were seeded in 6-well tissue culture plates (1×10^6 cells/well in 1 ml Sf900-II culture medium without serum at 28°C. After two hours, the culture medium was removed, and the cells were transfected with 5 µg bacmid DNA, under standard conditions as recommended in Bac-to-Bac manual (Invitrogen). Cell culture supernatants were harvested at 24, 48, 72, 96 and 120 h p.t., and analysed for the production of infectious budded virus by an end-point dilution assay to determine the tissue culture infective dose 50 (TCID₅₀). Infection was determined by monitoring *egfp* expression (from the p10 promoter). The average values of infectious titers derived from three independent transfections were calculated and plotted into graphs.

Transmission electron microscopy

[0116] Insect Sf9 cells were seeded in 25T flask (3.5×10^6 cells/flask), and transfected with 20 µg either the Ac- Δ *vp80*, rescue Ac- Δ *vp80-vp80* or Ac-wt bacmid construct. After 48 h p.t., the cells were harvested and prepared for transmission electron microscopy as described previously (van Lent et al., 1990). Samples were examined and photographed with a Philips CM12 electron microscope.

Budded virus production assay

[0117] Insect Sf9 cells were seeded in two 25T flasks (3.5×10^6 cells/flask), and transfected with 20 µg either Ac- Δ *vp80*, Ac- Δ *vp80-vp80*, Ac- Δ *vp80-pH-vp80*, Ac- Δ *vp80-FLAG-vp80*, Ac- Δ *vp80-vp80-FLAG*, or Ac-wt bacmid construct. Five days p.t., the BV-enriched cell culture supernatants were harvested, and ultracentrifuged through a cushion of 10% sucrose solution (25,000 rpm for 1.5 hour, Beckman SW32). Pelleted budded virions were resuspended in sterile demi-water, and prepared for either negative staining electron microscopy, SDS-polyacrylamide electrophoresis, or PCR-based detection (as mentioned the above).

Purification of ODVs and rod-shaped structures from infected cells

[0118] The presence of ODVs and rod-like structures in infected/transfected insect cells was analyzed by electron microscopy (EM). For this purpose, insect cells were harvested 48 h p.i., lysed and the cell lysates were ultracentrifuged through a 40% sucrose cushion in TE (1 mM Tris-HCl pH 7.4, 0.1 mM EDTA) buffer (45,000 rpm for 1 hour, Beckman SW55). Pellets were resuspended in sterile demi-water and analyzed by negative staining EM as described previously (van Lent et al., 1990).

Purification and fractionation of BV and ODV virions

[0119] To produce BVs, 3.0×10^7 Sf9 cells were infected with Ac- Δ vp80-Flag-vp80 or control Ac-wt virus at an MOI=1. Six days p.i., 72 ml of BV-enriched medium was collected and centrifuged at $1,500 \times g$ for 10 min. The supernatant was then ultracentrifuged at $80,000 \times g$ (Beckman SW28 rotor) for 60 min at 4°C. The BV pellet was resuspended in 350 μ l 0.1 $\times$ TE buffer, and loaded onto a linear sucrose gradient (25 to 56% (w/v), and ultracentrifuged at $80,000 \times g$ (Beckman SW55 rotor) for 90 min at 4°C. The formed BV band was collected and diluted in 12 ml 0.1 $\times$ TE. The BV preparation was concentrated at $80,000 \times g$ for 60 min at 4°C. The final virus pellet was resuspended in 150 μ l of 0.1 $\times$ TE.

[0120] To produce ODVs, 6.0×10^7 Sf9 cells were co-infected with Ac- Δ vp80-Flag-vp80 (MOI=25) and AcMNPV (MOI=5) viruses (strain E2, Smith & Summers, 1979). Five days p.i., the infected cells were harvested, and ODVs were purified from viral occlusion bodies as described previously (Braunagel et al., 1994). The final ODV pellet was resuspended in 0.5 ml of 0.1 $\times$ TE (10 mM Tris, 1 mM EDTA, pH=7.5). The purified BV and ODV virions were fractionated into envelope and nucleocapsid fractions as described previously (Braunagel et al., 1994). Final fractions were processed for SDS-PAGE and immunoblotted against either mouse monoclonal anti-Flag antibody (Stratagene), rabbit polyclonal anti-VP39 antiserum (kindly provided by Lorena Passarelli, Kansas State University, USA), rabbit polyclonal anti-GP64 antiserum (kindly provided by Hualin Wang and Felfei Yin, Wuhan Institute of Virology, China (Yin et al., 2008), or rabbit polyclonal antiserum against *per os* infectivity factor 1 (PIF-1) (kindly provided by Ke Peng, Wageningen University, The Netherlands (Peng et al., 2010).

Development of transgenic Sf9-derived cell line expressing vp80

[0121] To develop a cell line, which produces the VP80 protein, a 2105-bp fragment carrying the *vp80* ORF was amplified using primers *vp80-SacI-F* and *vp80-XbaI-R* (Table 1) and cloned into pJet1.2/Blunt, to generate pJet1.2-*vp80*. In the next step, the *vp80* ORF was cut out (*SacI/XbaI*) from pJet1.2-*vp80*, and subcloned into *SacI/XbaI*-digested pIZ (Invitrogen), to create pIZ-*vp80*. The resulting plasmid vector pIZ-*vp80* was linearized with *Eco57I*, and gel-purified. Sf9 cells were seeded in six-well plate (1×10^6 cells/well), and transfected with 10 μ g of the linearized vector. After 24 hours post-transfection, cells were selected by cell culture medium containing Zeocin™ (300 μ g/ml) for 2 to 3 weeks, until no control Sf9 cells survived under the same conditions. Cells were then propagated as an uncloned cell line.

Recombinant protein expression with the *vp80null* virus

[0122] To measure the capacity to express recombinant protein with the Ac- Δ vp80 (trans-complemented) virus seed, 3.0×10^7 non-transformed Sf9 cells were infected (independent triplicate assay) with Ac-wt, Ac- Δ vp80-Flag-vp80 (both produced in non-transformed cell line) or Ac- Δ vp80 virus (produced in the Sf9-*vp80* cell line) at a MOI=10. All of these virus seeds are expressing *egfp* as a model heterologous gene from the baculovirus very late *p10* promoter. At 48 h and 72 h p.i. cells and culture medium were harvested and used for Western blotting, enzyme-linked immunosorbent assay (ELISA) or BV titration (see above). For Western blotting the same antibodies as mentioned above were used to detect the Flag-tag, EGFP, and GP64, as well as a monoclonal mouse anti-actin antibody (ImmunO).

[0123] For relative quantification, Maxisorp 96-well plates (Nunc) were coated overnight at 4°C with 100 ng of rabbit polyclonal anti-GFP antibody (Molecular Probes) in a volume of 100 μ l per well, which was followed standard ELISA procedures as previously described (Fric et al., 2008). The percentage of EGFP production was calculated (independent triplicate assay) according to the formula: % EGFP expression = (test absorbance_{nh} - background absorbance)/(Ac-wt EGFP_{72h} - background absorbance) $\times$ 100%, where nh represents the time point p.i. The statistical significance of the observed differences between the control Ac-wt and the experimental Ac- Δ vp80-Flag-vp80 and Ac- Δ vp80 genotypes was analyzed with the Student's *t*-test.

Results

The AcMNPV *vp80* gene is essential for viral replication

[0124] An AcMNPV deletion virus was constructed as detailed in Fig. 2. Repair constructs were designed such that the wild-type *vp80* ORF or N- and C-terminally FLAG-tagged *vp80* genes along with its native or polyhedrin promoter regions were inserted into the polyhedrin locus along with the *egfp* gene under the p10 promoter (Fig. 3A). To investigate the function of the *vp80* gene, Sf9 cells were transfected with either the knock-out or repair bacmid constructs and monitored for EGFP expression by fluorescence microscopy. When Ac-*vp80* null was introduced into Sf9 cells, no viral propagation was observed in cell culture at 72 h to 120 h p.t. We could observe only a "single-cell infection" phenotype similar to the phenotype of Ac-*gp64*null bacmid (Fig. 3B). The results indicate that Ac-*vp80*null is able to reach the very late phase of infection as confirmed by p10 promoter-driven EGFP expression. From 72 h to 120 hours p.t., widespread EGFP expression could be seen in insect cell monolayers that were transfected with the three repair (*vp80* driven from its native promoter, *vp80* driven from polyhedrin promoter and N-terminally FLAG-tagged *vp80* driven from its native promoter) constructs indicating that these bacmids were able to produce levels of infectious budded virions sufficient to initiate secondary infection at similar level as the wild-type bacmid (Fig. 3B). In contrast, in insect cells transfected with C-terminally FLAG-tagged *vp80* repair constructs, by 72 h p.t. EGFP expression was only observed in isolated cells that were initially transfected indicating that this bacmid construct is defective in viral replication (Fig. 3B). However, by 96 h p.t. formation of tiny plaques was observed and by 120 h p.t. very few plaques of normal size were developed. The results show that the C-terminal flagged mutant is strongly delayed in producing budded virus and showed that an unmodified C-terminus is very important for the function of VP80. At 5 days p.t., cell culture supernatants were removed and added to freshly plated Sf9 cells and then incubated for 3 days to detect infection by virus generated from cells transfected with these bacmids. As expected, Sf9 cells incubated with supernatants from the transfections with repair constructs showed numerous EGFP expressing cells (Fig. 3C). Nevertheless, cells incubated with supernatant from C-terminally FLAG-tagged constructs showed a significant reduction in the number of EGFP-positive cells. On the other hand, in insect cells incubated with supernatant from the transfection with the *vp80* knockout, no EGFP expression was detected at any time-point analyzed up to 72 h (Fig. 3C).

[0125] Moreover, to characterize the exact effect of deletion of the *vp80* gene on AcMNPV infection, the viral propagation in transfected Sf9 cells was compared between Ac-wt, Ac- Δ *vp80*, Ac- Δ *vp80*-*vp80*Rep, Ac- Δ *vp80*-polh-*vp80*Rep, Ac- Δ *vp80*-FLAG-*vp80*Rep and Ac- Δ *vp80*-*vp80*-FLAGRep. Cell culture supernatants of all the above bacmid constructs were analysed at indicated time points for BV production (Fig. 4). As expected, the repaired Ac- Δ *vp80*-*vp80*Rep, Ac- Δ *vp80*-polh-*vp80*Rep, Ac- Δ *vp80*-FLAG-*vp80*Rep viruses showed kinetics of viral replication consistent with wild-type virus (Ac-wt) propagation. Budded virion production by the C-terminal flagged Ac- Δ *vp80*-*vp80*-FLAGRep virus was reduced to approximately 0.06% compared to the Ac-wt virus or the other repaired viruses.

[0126] These results indicate that the *vp80* gene is essential for infectious BV production. It has clearly been proven that the whole sequence of *vp80* ORF can completely be deleted from the bacmid backbone and adequately rescued by introduction of the *vp80* ORF into a heterologous site (polyhedrin locus) of the genome. We also showed that *vp80* gene expression can be driven by the heterologous polyhedrin promoter sequence with no negative effect on viral replication in cell culture. Additionally, we observed that the N-terminus in contrast to the C-terminus of VP80 is permissive to gene modifications (epitope tag-labeling). We noted that the kinetics of the C-terminally FLAG-tagged VP80 virus was significantly delayed when compared with all other rescue or wild-type viruses, indicating the functional importance of the VP80 C-terminus.

VP80 is required for production of both BV and ODV

[0127] The results described above indicated that the Ac-*vp80*null mutant is completely defective in production of infectious budded virus. However, there was also a possibility that the mutant can still produce non-infectious budded particles. To investigate the ability, Sf9 cells were transfected with either the knock-out, repair or wild-type bacmid constructs and 7 days p.t. cell culture mediums were ultracentrifuged to pellet budded viruses. The formed pellets were either analyzed by negative staining electron microscopy or by Western blot- and PCR-based detection to confirm the presence of the budded viruses. No intact budded virus, virus-like particles, nor its structures (such as major capsid protein VP39 and viral genome sequence) were revealed in the pellet from the cells transfected with the Ac-*vp80*null mutant (Fig. 5A and 5B). On the other hand, all analyzed repair constructs produced normally-appearing budded virus as compared with budded virus-derived from the wild-type virus (Fig. 5A). Nevertheless, it was very difficult to find representative budded virions in the pellet derived from C-terminally FLAG-tagged *vp80* gene repair construct-transfected cells.

[0128] To further characterize deletion of the *vp80* gene on baculovirus life cycle, electron microscopy was performed with ultra-thin sections generated from bacmid-transfected cells. The Ac-*vp80*null-transfected cells developed typically

phenotype of baculovirus-infected cell with an enlarged nucleus, a fragmented host chromatin, an electron-dense virogenic stroma, etc. (Fig. 6A). The absence of VP80 did not prevent formation of normally-appearing nucleocapsids inside the virogenic stroma (Fig. 6C). The formed nucleocapsids were phenotypically undistinguishable from those produced by either the Ac-*vp80*null repair or Ac-wt bacmids. However, an abundance of assembled nucleocapsids was rather less as compared with cells-transfected with the Ac-*vp80*null repair or Ac-wt bacmids (Fig. 6E and 6G). In addition, no occlusion-derived virions nor bundles of nucleocapsids prior to an envelopment could be observed in the peristromal compartment of a nucleoplasm (so called the ring zone) of Ac-*vp80*null bacmid-transfected cells (Fig. 6B and 6D). It seems that VP80 plays a role during maturation of nucleocapsids and/or their release/transport from the virogenic stroma. Eventually, VP80 can somehow contribute to an efficient nucleocapsid assembly which could be explained by small number of nucleocapsids present in the virogenic stroma of Ac-*vp80*null transfected cells. When the *vp80* gene was re-introduced back into the bacmid mutant, a lot of nucleocapsids and occlusion-derived virions could be seen in the ring zones of transfected cells (Fig. 6F). An abundance and morphology of occlusion-derived virions produced in Ac- Δ *vp80*-*vp80* repair bacmid-transfected cells were similar to those produced by wild-type bacmid (Fig. 6F and 6H).

VP80 is associated with nucleocapsids of both BV and ODV

[0129] To investigate the association of VP80 with BV preparations, BVs were collected at 48 h p.i. and nucleocapsid and envelope fractions were separated. The Flag-VP80 protein was only detected in the nucleocapsid fraction as a double-band of molecular masses ranging between 80-kDa and 95-kDa that were observed in infected Sf9 cells (Fig. 14A, upper panel). Correct separation into nucleocapsid and envelope fractions was confirmed with antibodies against VP39 (nucleocapsid only) and GP64 (envelope only) (Fig. 14A, lower panels).

[0130] To examine whether VP80 is also associated with ODVs, Sf9 cells were co-infected with the Ac- Δ *vp80*-Flag-*vp80* and occlusion body (OB)-producing wt AcMNPV viruses to provide the POLH protein. Western blot analysis showed that VP80 associates with the nucleocapsid fraction of ODVs and in this case migrates as a single band of ~80 kDa, corresponding to the 80-kDa form produced in the very late phase of infection (Fig. 14B, upper panel). Proper fractionation into nucleocapsid and envelope fractions was controlled with antiserum against PIF-1, an ODV envelope protein (Fig. 14B, lower panel).

The function of VP80 can be rescued by genetic *trans*-complementation

[0131] To verify whether a *vp80* deletion in the viral genome can be complemented by a *vp80* ORF offered in *trans* under control of a constitutive promoter, a transgenic cell line expressing Flag-tagged *vp80* was constructed. In these cells VP80 was mainly produced as a protein of approximately 95-kDa as was shown by Western blot analysis with anti-Flag antibody (Fig. 15A). Two minor bands, one of ~80-kDa and second of ~65-kDa were also observed.

[0132] In *trans*-complementation assays, Sf9-*vp80* cells were transfected with the Ac- Δ *vp80* bacmid, and the spread of virus infection was monitored by EGFP-specific fluorescence at 96 h and 120 h p.t. (Fig. 15Ba-c). Viral plaques were seen in the transfected Sf9-*vp80* cells demonstrating that the virus was transmitted from cell to cell. Nevertheless, we noted that the number and size of the developed plaques was significantly smaller than observed in Sf9 cells transfected with the Ac-wt bacmid (Fig. 15d). As a control, non-transgenic Sf9 cells showed only single-cell infections when transfected with the Ac- Δ *vp80* bacmid (Fig. 15Bc).

[0133] When the culture medium of the Ac- Δ *vp80* transfected Sf9-*vp80* cells was used to infect freshly seeded non-transgenic Sf9 cells a "single-cell infection" phenotype was observed (Fig. 15Bb, *right panel*). Hence, the BV particles resulting from *trans*-complementation were able to enter cells but were defective in producing new BV. This also shows that the Ac- Δ *vp80* did not revert to Ac-wt in the Sf9-*vp80* cells, by picking up the transgene from the host cells. As predicted, no EGFP signal was detected in Sf9 cells receiving the supernatant from Ac- Δ *vp80*-transfected, non-transgenic Sf9 cells (Fig. 15Bc, *right panel*). The numbers of infectious BVs released from the Sf9-*vp80* cells transfected with the Ac- Δ *vp80* bacmid were compared with those produced in Sf9 cells transfected with Ac-wt at 6 days p.i. This experiment showed that the current *trans*-complementation system is approximately 25 fold less effective in BV production than the classical Sf9-based production system (Fig. 15C).

Trans-complemented, replication-deficient Ac-*vp80*null virus is competent to express high levels of recombinant protein

[0134] To assess the effect of the *vp80* gene deletion on the level of recombinant protein expression, a bench-scale comparative production assay has been performed. Herein, the Sf9 cells were in parallel infected with three types of baculovirus seeds at an MOI=10, namely (i) Ac-wt, (ii) Ac- Δ *vp80*-Flag-*vp80* (both produced in Sf9 cells), and (iii) Ac- Δ *vp80* (produced in Sf9-*vp80* cells) all encoding EGFP. Western blotting profiles showed that the EGFP protein was expressed at identical levels for all three tested baculovirus genotypes as was the GP64 glycoprotein which served here

for control purposes (Fig. 16A, *upper panel*). The relative amount of EGFP was quantified by ELISA at 48 and 72 h p.i. in infected cell lysates (Fig. 16B) and did not reveal any statistically significant difference in EGFP levels between the three tested baculovirus genotypes. The results thus demonstrate that the *trans*-complemented Ac- Δ vp80 virus seed, although defective in viral replication, is as capable to produce recombinant protein as conventional baculovirus expression vectors as long as the initial multiplicity of infection is high enough to infect all cells.

[0135] Also during the production culture, revertant virus genotypes carrying the *vp80* gene were not detected, as no *de novo* expressed Flag-VP80 protein (Fig. 16A) was detected in immunoblots. Theoretically, a certain quantity of Flag-VP80 protein associated with the *trans*-complemented virus seed is entering the insect cells, but this was no longer detected at very late times post-infection and is probably degraded by either lysosome- or proteasome-mediated activity. In the same experiment, no BV release was recorded in cell culture supernatants originated from Sf9 cells inoculated with the Ac- Δ vp80 virus seed (Fig. 16C), demonstrating that neither revertant virus generation nor wild-type virus contamination had occurred.

Summary

[0136] In this study we focused on the improvement of conventional baculovirus-based expression tools with the goal to eliminate contaminating baculovirus progeny from manufactured recombinant protein(s). This effort is strongly driven by pharmaceutical perspectives, since recombinant baculovirus-expressed therapeutics are being more and more used in human and veterinary medicine. Hence, we aimed to identify baculovirus gene(s), whose targeting results in a deficiency of baculovirus virion production, but does not or, only mildly affect very late gene expression. In this way high level expression of heterologous genes will be safeguarded.

[0137] A summarizing overview of the new technology with the *vp80* gene as example is presented in Fig. 16. Using bacmid-based engineering the inventors constructed an AcMNPV genome lacking the *vp80* gene (Fig. 16B). Functional genomics and electron microscopy analyses revealed that *vp80* deficiency prevents production of both BVs and ODVs. In parallel, Sf9 cells were engineered to produce VP80 to *trans*-complement the Ac- Δ vp80 knock-out bacmid (Fig. 14A,C). Finally, we proved that *trans*-complemented, replication-deficient baculovirus seed is capable to produce an amount of recombinant protein similar to that produced by conventional baculovirus vectors (Fig. 14D).

Table 1. List of PCR primers in order of appearance in the text.

SEQ ID #	Primer name	Sequence	Orientation
2	vp39-F	5'-gcttctaatacgactcactatagggctcgatccgctaagcgttct-3'	Forward
3	vp39-R	5'-gcttctaatacgactcactatagggacgcaacgcgttatacacag-3'	Reverse
4	45510	5'-gcttctaatacgactcactatagggacagcgtgtacgagtgcat-3'	Forward
5	46235	5'-gcttctaatacgactcactatagggatctcgagcgtgtagctggt-3'	Reverse
6	90292	5'-gcttctaatacgactcactatagggaccgccaacattacacc-3'	Forward
7	90889	5'-gcttctaatacgactcactatagggctattggcacgtttgct-3'	Reverse
8	ec-27-F	5'-gcttctaatacgactcactatagggaaagcagacactcggcagat-3'	Forward
9	ec-27-R	5'-gcttctaatacgactcactataggggtgagtggttcaacctcag-3'	Reverse
10	dbp-F	5'-gcttctaatacgactcactatagggcgctcgctagttttgttct-3'	Forward
11	dbp-R	5'-gcttctaatacgactcactatagggaaagatcggaagtggtga-3'	Reverse
12	gfp-F	5'-gcttctaatacgactcactatagggctgaccctgaagttcatctg-3'	Forward
13	gfp-R	5'-gcttctaatacgactcactatagggaaactccagcaggaccatgt-3'	Reverse
14	cat-F	5'-gcttctaatacgactcactatagggacggcatgatgaacctgaat-3'	Forward
15	cat-R	5'-gcttctaatacgactcactatagggatcccaatggcatcgtaaag-3'	Reverse
16	vp80-ko-F	5'-ctgtattgtaactgtaagcgcacatggtgcattcgataaaccttataatgtg-gctggaatgccct-3'	Forward
17	vp80-ko-R	5'-aaatgtactgaataataaaaaaataaaaaatatttataattttttaccgtt-cgtatagcatacat-3'	Reverse
18	89507	5'-agcggctgtaaatgttaaacc-3'	Forward

EP 2 467 489 B1

(continued)

SEQ ID #	Primer name	Sequence	Orientation
19	91713	5'-tgtataaacaatatgttaatatgtg-3'	Reverse
20	gfp-NheI-F	5'-ccaaaccgctagcaacatggtgagcaagggcgag-3'	Forward
21	gfp-SphI	5'-aggaaagggcatgcttaacgcgtaccggtctgtacagctcgccatgc-3'	Reverse
22	pvp80-StuI-F	5'-ggaacaaaggcctgagctcaaagtaagaccctttactgtcc-3'	Forward
23	vp80-XbaI-R	5'-ccttctatctagattatataacattgtagtgtcg-3'	Reverse
24	vp80-SacI-F	5'-ttatcttgagctcaatatgaacgattccaattctc-3'	Forward
25	vp80-FLAG-R1	5'-caacagagaattggaatcggtcttatcgctcatccttgtaatc- catattataaggttatatcgaatg-3'	Reverse
26	vp80-FLAG-R	5'-ccttctatctagattacttatcgctcatccttgtaatcataacat- ttagtggcggtc-3'	Reverse
27	M13-F	5'-cccagtcacgacgtgtgaaaacg-3'	Forward
28	M13-R	5'-agcggataacaattcacacagg-3'	Reverse
29	GenR	5'-agccacactactcccaacatc-3'	Reverse
30	vp39-ko-F	5'-cttctatcggtgtgtacaac-3'	Forward
31	vp39-ko-R	5'-gcgtatcatgacgatggatg-3'	Reverse
32	vp39-SacI-F	5'-aagggtctctagattagacgctattcctccac-3'	Forward
33	vp39-XbaI-R	5'-ttatcttgagctcaatatggcgctagtgccg-3'	Reverse
34	vp39-StuI-F	5'-ggaacaaaggcctgagctcttagacggctattcctccac-3'	Forward
35	lef-4-XbaI-R	5'-ccttctatctagattaatttggcagcattcggtc-3'	Reverse
36	cg-30-XbaI-F	5'-aagggtctctagattaatctacattttgtaacatttg-3'	Forward
37	vp39-FLAG-SacI-R	5'-ttatcttgagctcaatatggattacaaggatgacgacgataaggc- gctagtggcggtg-3'	Reverse
38	vp1054-ko-F	5'-gtactgaagataattttttgatagataataattacattattttaa- acgtgttcgaccaagaaaccgat-3'	Forward
39	vp1054-ko-R1	5'-agggcgaattccagcacactttattacgtggacgcttactttgc-3'	Reverse
40	vp1054-ko-R2	5'-gataagaatgctgtttaacaaataggtcagctgttaaatact- ggcgtgtaccgttcgtatagcatacat-3'	Reverse
41	vp1054-Rep-F	5'-gggtgttaggcctgagctccttggtagctgttagagtgt-3'	Forward
42	vp1054-Rep-R	5'-tccttctctagattacacgtgtgtgcgtgcaga-3'	Reverse
43	p6.9-ko-F	5'-gcttcgttcattcgctactgtcggtgtgtggaatgtcgtgtgtt- aagtgtgctggaattcgccct-3'	Forward
44	p6.9-ko-R	5'-aatattaataaggtaaaaattacagctacataaattacacaattta- aactaccgttcgtatagcatacat-3'	Reverse
45	Ac-p6.9-F	5'-tttgaattcatggttgccgaagctccaagac-3'	Forward
46	Ac-p6.9-R	5'-tttgccgctctaatagtagcgtgttctgtaac-3'	Reverse
47	Se-p6.9-F	5'-tttgaattcatgtatcgctcgttcgtcatc-3'	Forward
48	Se-p6.9-R	5'-tttgccgctctaatagtggcgacgtctgtatc-3'	Reverse
49	86596	5'-gggcttagtttaaaatcttgca-3'	Forward
50	86995	5'-aattcaaacgaccaagacgag-3'	Reverse
51	45122	5'-gcaatcatgacgaacgtatgg-3'	Forward

(continued)

SEQ ID #	Primer name	Sequence	Orientation
52	46441	5'-cgataattttccaagcgctac-3'	Reverse
53	pp6.9-F	5'-ggtcgacgtaccaaatccggtttgacgacg-3'	Forward
54	pp6.9-R	5'-ggtcgacggatccggtttaaattgtgaattatg-3'	Reverse
55	75834	5'-cttctatcgggtgtgacaac-3'	Forward
56	76420	5'-gcgtatcatgacgatggatg-3'	Reverse

References

[0138]

- Abe, T., Takahashi, H., Hamazaki, H., Miyano-Kurosaki, N., Matsuura, Y. & Takaku, H. (2003). Baculovirus induces an innate immune response and confers protection from lethal influenza virus infection in mice. *Journal of Immunology* 171, 1133-1139.
- Aslanidi, G., Lamb, K. & Zolotukhin, S. (2009). An inducible system for highly efficient production of recombinant adeno-associated virus (rAAV) vectors in insect Sf9 cells. *Proceedings of the National Academy of Sciences U S A* 106, 5059-5064.
- Boyce, F. M. & Bucher, N. L. R. (1996). Baculovirus-mediated gene transfer into mammalian cells. *Proceedings of the National Academy U S A* 93, 2348-2352.
- Braunagel, S. C. & Summers, M. D. Autographa californica nuclear polyhedrosis virus, PDV, and ECV viral envelopes and nucleocapsids: Structural proteins, antigens, lipid and fatty acid profiles. *Virology* 202, 315 (1994).
- Bright, R. A., Carter, D. M., Crevar, C. J., Toapanta, F. R., Steckbeck, J. D., Cole, K. S., Kumar, N. M., Pushko, P., Smith, G., Tumpey, T. M. & Ross, T. M. (2008). Cross-clade protective immune responses to influenza viruses with H5N1 HA and NA elicited by an influenza virus-like particle. *PLoS ONE* 3.
- Carbonell, L. F., Klowden, M. J. & Miller, L. K. (1985). Baculovirus-mediated expression of bacterial genes in dipteran and mammalian cells. *Journal of Virology* 56, 153-160.
- Carbonell L. F., Hodge M. R., Tomalski, M. D., Miller, L. K. (1988). Synthesis of a gene coding for an insect-specific scorpion neurotoxin and attempts to express it using baculovirus vectors. *Gene* 73, 409-18.
- Charlton, C. A. & Volkman, L. E. (1991). Sequential rearrangement and nuclear polymerization of actin in baculovirus-infected *Spodoptera frugiperda* cells. *Journal of Virology* 65, 1219-27.
- Charlton, C. A. & Volkman, L. E. (1993). Penetration of Autographa californica nuclear polyhedrosis virus nucleocapsids into IPLB Sf 21 cells induces actin cable formation. *Virology* 197, 245-54.
- Cohen, D. P. A., Marek, M., Davies, B. G., Vlask, J. M. & van Oers, M. M. (2009). Encyclopedia of Autographa californica nucleopolyhedrovirus genes. *Virologica Sinica* 24, 359
- Condreay, J. P. & Kost, T. A. (2007). Baculovirus expression vectors for insect and mammalian cells. *Curr Drug Targets* 8, 1126-31.
- Cox, M. M. J. & Hollister, J. (2009). FluBlok, A next generation influenza vaccine manufactured in insect cells. *Biologicals* 37, 182-189.
- Dai, X., Willis, L.G., Palli, S.R. & Theilmann, D.A. (2005). Tight transcriptional regulation of foreign genes in insect cells using an ecdysone receptor-based inducible system. *Protein Expression and Purification* 42, 236-245.
- Datsenko, K. A. & Wanner, B. L. (2000). One-step inactivation of chromosomal genes in *Escherichia coli* K-12 using PCR products. *Proceedings of the National Academy of Sciences U S A* 97, 6640-6645.
- Fric, J., Marek, M., Hrusková, V., Holán, V. & Forstová J. (2008). Cellular and humoral immune responses to chimeric EGFP-pseudocapsids derived from the mouse polyomavirus after their intranasal administration. *Vaccine* 26, 3242
- Friesen, P. D. & Miller, L. K. (1986). The regulation of baculovirus gene expression in: "The Molecular Biology of Baculoviruses" (W. Doerfler and P. Boehm, eds.) Springer-Verlag, Berlin, pp. 31-49.
- Funk, C. J. & Consigli, R. A. (1993). Phosphate cycling on the basic protein of *Plodia interpunctella* granulosis virus. *Virology* 193, 396-402.
- Gheysen, D., Jacobs, E., De Foresta, F., Thiriart, C., Francotte, M., Thines, D. & De Wilde, M. (1989). Assembly and release of HIV-1 precursor pr55(gag) virus-like particles from recombinant baculovirus-infected insect cells. *Cell* 59, 103-112.
- Gronowski, A. M., Hilbert, D. M., Sheehan, K. C. F., Garotta, G. & Schreiber, R. D. (1999). Baculovirus stimulates antiviral effects in mammalian cells. *Journal of Virology* 73, 9944-9951.

- Harper, D. M., Franco, E. L., Wheeler, C. M., Moscicki, A.-B., Romanowski, B., Roteli-Martins, C. M., Jenkins, D., Schuind, A., Costa Clemens, S. A. & Dubin, G. (2006). Sustained efficacy up to 4-5 years of a bivalent L1 virus-like particle vaccine against human papillomavirus types 16 and 18: follow-up from a randomised control trial. *The Lancet* 367, 1247-1255.
- 5 Hill-Perkins, M. S., & Possee, R.D. (1990). A baculovirus expression vector derived from the basic protein promoter of *Autographa californica* nuclear polyhedrosis virus. *Journal of General Virology* 71: 971-976.
- Hofmann, C., Sandig, V., Jennings, G., Rudolph, M., Schlag, P. & Strauss, M. (1995). Efficient gene transfer into human hepatocytes by baculovirus vectors. *Proceedings of the National Academy of Sciences U S A* 92, 10099-10103.
- 10 Jeong, S. H., Qiao, M., Nascimbeni, M., Hu, Z., Rehmann, B., Murthy, K. & Liang, T. J. (2004). Immunization with hepatitis C virus-like particles induces humoral and cellular immune responses in nonhuman primates. *Journal of Virology* 78, 6995-7003.
- Jing Chen, S., Er Hui, Z., Lun Guang, Y., Hong Ling, Z. & Peng Fei, J. (2009). A high efficient method of constructing recombinant *Bombyx mori* (silkworm) multiple nucleopolyhedrovirus based on zero-background Tn7-mediated transposition in *Escherichia coli*. *Biotechnology Progress* 25, 524-529.
- 15 Kaikkonen, M. U., Viholainen, J. I., Narvanen, A., Ylä-Herttuala, S. & Airenne, K. J. (2008). Targeting and purification of metabolically biotinylated baculovirus. *Human Gene Therapy* 19, 589-600.
- Kanginakudru, S. S., Royer C., Edupalli S.V., Jalabert A., Mauchamp B., Chandrashekararajah, Prasad S.V., Chavancy G., Couble P., Nagaraju J. (2007). Targeting ie-1 gene by RNAi induces baculoviral resistance in lepidopteran cell lines and in transgenic silkworms. *Insect molecular biology* 16, 635-644.
- 20 Kato, T., Kajikawa, M., Maenaka, K. & Park, E. Y. (2010). Silkworm expression system as a platform technology in life science. *Applied Microbiology and Biotechnology* 85, 459-470.
- Kelly, D. C., Brown, D. A., Ayres, M. D., Allen, C. J. & Walker, I. O. (1983). Properties of the major nucleocapsid protein of *Heliothis zea* singly enveloped nuclear polyhedrosis virus. *Journal of General Virology* 64, 399-408.
- 25 Kitajima, M. & Takaku, H. (2008). Induction of antitumor acquired immunity by baculovirus *Autographa californica* multiple nuclear polyhedrosis virus infection in mice. *Clinical and Vaccine Immunology* 15, 376-378.
- Kost, T. A., Condreay, J. P. & Jarvis, D. L. (2005). Baculovirus as versatile vectors for protein expression in insect and mammalian cells. *Nature Biotechnology* 23, 567-575.
- Lackner, A., Genta, K., Koppensteiner, H., Herbacek, I., Holzmann, K., Spiegl-Kreinecker, S., Berger, W. & Grusch, M. (2008). A bicistronic baculovirus vector for transient and stable protein expression in mammalian cells. *Analytical Biochemistry* 380, 146-148.
- 30 Lebacqz-Verheyden AM, Kasprzyk PG, Raum MG, Van Wyke Coelingh K, Lebacqz JA, Battey JF. (1988) Posttranslational processing of endogenous and of baculovirus-expressed human gastrin-releasing peptide precursor. *Molecular and Cell Biology* 8, 3129-35.
- 35 Lesch, H. P., Turpeinen, S., Niskanen, E. A., Mähönen, A. J., Airenne, K. J. & Ylä-Herttuala, S. (2008). Generation of lentivirus vectors using recombinant baculoviruses. *Gene Therapy* 15, 1280-1286.
- Li, X., Pang, A., Lauzon, H. A. M., Sohi, S. S. & Arif, B. M. (1997). The gene encoding the capsid protein P82 of the *Choristoneura fumiferana* multicapsid nucleopolyhedrovirus: Sequencing, transcription and characterization by immunoblot analysis. *Journal of General Virology* 78, 2665-2673.
- 40 Liu, X., Li, K., Song, J., Liang, C., Wang, X. & Chen, X. (2006a). Efficient and stable gene expression in rabbit intervertebral disc cells transduced with a recombinant baculovirus vector. *Spine* 31, 732-735.
- Liu, Y. K., Chu, C. C. & Wu, T. Y. (2006b). Baculovirus ETL promoter acts as a shuttle promoter between insect cells and mammalian cells. *Acta Pharmacologica Sinica* 27, 321-327.
- Lopez, M. G., Alfonso, V., Carrillo, E. & Taboga, O. (2009). Trans-complementation of polyhedrin by a stably transformed Sf9 insect cell line allows occ- baculovirus occlusion and larval per os infectivity. *Journal of Biotechnology* 145, 199-205.
- 45 Lu, A. & Carstens, E. B. (1992). Nucleotide sequence and transcriptional analysis of the p80 gene of *Autographa californica* nuclear polyhedrosis virus: a homologue of the *Orgyia pseudotsugata* nuclear polyhedrosis virus capsid-associated gene. *Virology* 190, 201-209.
- 50 Luckow, V.A. & Summers, M.D. (1988). Trends in the development of baculovirus expression vectors. *Bio/Technology* 6, 47-55.
- Luckow, V. A., Lee, S. C., Barry, G. F. & Olins, P. O. (1993). Efficient generation of infectious recombinant baculoviruses by site-specific transposon-mediated insertion of foreign genes into a baculovirus genome propagated in *Escherichia coli*. *Journal of Virology* 67, 4566-79
- 55 Ludwig, C. & Wagner, R. (2007). Virus-like particles-universal molecular toolboxes. *Current Opinion in Biotechnology* 18, 537-545.
- Lung, O., Westenberg, M., Vlak, J. M., Zuidema, D. & Blissard, G. W. (2002). Pseudotyping *Autographa californica* multicapsid nucleopolyhedrovirus (AcMNPV): F proteins from group II NPVs are functionally analogous to AcMNPV

GP64. *Journal of Virology*. 76, 5729-5736.

Maeda, S., Kawai, T., Obinata, M., Fujiwara, H., Horiuchi, T., Saeki, Y., Sato, Y. & Furusawa M. (1985). Production of human alpha-interferon in silkworm using a baculovirus vector. *Nature* 315, 592-4.

Maranga, L., Rueda, P., Antonis, A. F., Vela, C., Langeveld, J. P., Casal, J. I., & Carrondo, M. J. (2002). Large scale production and downstream processing of a recombinant porcine parvovirus vaccine. *Applied Microbiology Biotechnology* 59, 45-50.

Martin, B. M., Tsuji, S., LaMarca, M. E., Maysak, K., Eliason, W., Ginns, E. I. (1988). Glycosylation and processing of high levels of active human glucocerebrosidase in invertebrate cells using a baculovirus expression vector. *DNA* 7, 99-106.

McKenna, K. A., Hong, H., van Nunen & Granados, R. R. (1989). Establishment of new *Trichoplusia ni* cell lines in serum-free medium for baculovirus and recombinant protein production. *Journal of Invertebrate Pathology* 71, 82-90

Mellado, M. C., Peixoto, C., Cruz, P. E., Carrondo, M. J. & Alves, P. M. (2008) Purification of recombinant rotavirus VP7 glycoprotein for the study of in vitro rotavirus-like particles assembly. *Journal of Chromatography B Analytical Technology Biomedical Life Science*. 874, 89-94

Miller, D. W., Safer, P. & Miller, L. K. (1986). in *Genetic Engineering: Principles and Methods* Vol. 8 (eds Setlow, J. & Hollaender, A.) Plenum Publishing, New York, pp. 277-298.

Miller, L.K. (1988). Baculoviruses as gene expression vectors. *Annual Review Microbiology*. 42, 177-99.

Miyajima, A., Schreurs, J., Otsu, K., Kondo, A., Arai, K. & Maeda, S. (1987). Use of the silkworm, *Bombyx mori*, and an insect baculovirus vector for high-level expression and secretion of biologically active mouse interleukin-3. *Gene* 58, 273-81.

Mortola, E. & Roy, P. (2004). Efficient assembly and release of SARS coronavirus-like particles by a heterologous expression system. *FEBS Letters* 576, 174-178.

Muller, R., Pearson, M. N., Russell, R. L. Q. & Rohrmann, G. F. (1990). A capsid-associated protein of the multicapsid nuclear polyhedrosis virus of *Orgyia pseudotsugata*: Genetic location, sequence, transcriptional mapping, and immunocytochemical characterization. *Virology* 176, 133-144.

Murges, D., Kremer, A. & Knebel-Morsdorf, D. (1997). Baculovirus transactivator IE1 is functional in mammalian cells. *Journal of General Virology* 78, 1507-1510.

Noad, R. & Roy, P. (2003). Virus-like particles as immunogens. *Trends in Microbiology* 11, 438-444.

Olszewski, J. & Miller, L. K. (1997). Identification and characterization of a baculovirus structural protein, VP1054, required for nucleocapsid formation. *Journal of Virology* 71, 5040-50.

Peng, K., van Oers, M.M., Hu, Z.H., van Lent, J.W.M., Vlak, J.M. (2010). Baculovirus per os infectivity factors form a complex on the surface of occlusion derived virus. *Journal of Virology* (in press).

Pijlman, G. P., Roode, E. C., Fan, X., Roberts, L. O., Belsham, G. J., Vlak, J. M. & van Oers, M. M. (2006). Stabilized baculovirus vector expressing a heterologous gene and GP64 from a single bicistronic transcript. *Journal of Biotechnology* 123, 13-21.

Ramadan, N., Flockhart, I., Booker, M., Perrimon, N. & Mathey-Prevot, B. (2007). Design and implementation of high-throughput RNAi screens in cultured *Drosophila* cells. *Nature Protocols* 2, 2245-2264.

Ramqvist, T., Andreasson, K. & Dalianis, T. (2007). Vaccination, immune and gene therapy based on virus-like particles against viral infections and cancer. *Expert Opinion on Biological Therapy* 7, 997-1007.

Salem, T. Z. & Maruniak, J. E. (2007). A universal transgene silencing approach in baculovirus-insect cell system. *Journal of Virological Methods* 145, 1-8.

Sambrook, J., Fritsch, E. F. & Maniatis, T. (1989). *Molecular Cloning. A Laboratory Manual*, Cold Spring Harbor, NY. Slack, J. & Arif, B. M. (2006). The baculoviruses occlusion-derived virus: virion structure and function. *Advances in virus research* 69, 99-165.

Smith, G. E., Ju, G., Ericson, B. L., Moschera, J., Lahm, H. W., Chizzonite, R. & Summers, M.D. (1985). Modification and secretion of human interleukin 2 produced in insect cells by a baculovirus expression vector. *Proceedings National Academy of Sciences U S A* 82, 8404-8.

Smith, R. H., Levy, J. R. & Kotin, R. M. (2009). A simplified baculovirus-AAV expression vector system coupled with one-step affinity purification yields high-titer rAAV stocks from insect cells. *Molecular Therapy* 17, 1888-1896.

Smith, G.E. & Summers, M.D. (1979). Restriction maps of five *Autographa californica* MNPV variants, *Trichoplusia ni* MNPV, and *Galleria mellonella* MNPV DNAs with endonucleases *Sma*I, *Kpn*I, *Bam*HI, *Sac*I, *Xho*I, and *Eco*RI. *Journal of Virology* 30, 828-838.

Suzuki, N., Nonaka, H., Tsuge, Y., Okayama, S., Inui, M. & Yukawa, H. (2005). Multiple large segment deletion method for *Corynebacterium glutamicum*. *Applied Microbiology and Biotechnology* 69, 151-161.

Tang, X.-D., Xu, Y.-P., Yu, L.-I., Lang, G.-J., Tian, C.-H., Zhao, J.-F. & Zhang, C.-X. (2008). Characterization of a *Bombyx mori* nucleopolyhedrovirus with Bmvp80 disruption. *Virus Research* 138, 81-88.

Tellez, M. (2005). Process optimization protocol for tangential flow filtration of insect cells and baculovirus. Presented at WilBio Conference on Baculovirus & Insect Cell Culture - Process Development and Production Issues, Savan-

nah/Georgia, 21st - 24th February, 2005.

Thiem, S. M. & Miller, L. K. (1989a). A baculovirus gene with a novel transcription pattern encodes a polypeptide with a zinc finger and a leucine zipper. *Journal of Virology* 63, 4489-4497.

Thiem, S. M. & Miller, L. K. (1989b). A baculovirus gene with a novel transcription pattern encodes a polypeptide with a zinc finger and a leucine zipper. *Journal of Virology* 63, 4489-97.

Thiem, S. M. & Miller, L. K. (1989c). Identification, sequence, and transcriptional mapping of the major capsid protein gene of the baculovirus *Autographa californica* nuclear polyhedrosis virus. *Journal of Virology* 63, 2008-2018.

Tjia, S. T., Meyer zu Altenschildesche, G. & Doerfler, W. (1983). *Autographa californica* nuclear polyhedrosis virus (AcNPV) DNA does not persist in mass cultures of mammalian cells. *Virology* 125, 107-117.

Urabe, M., Ding, C. & Kotin, R. M. (2002). Insect cells as a factory to produce adeno-associated virus type 2 vectors. *Human Gene Therapy* 13, 1935-1943.

van Lent, J. W. M., Groenen, J. T. M., Klinge-Roode, E. C., Rohrmann, G. F., Zuidema, D. & Vlak, J. M. (1990). Localization of the 34 kDa polyhedron envelope protein in *Spodoptera frugiperda* cells infected with *Autographa californica* nuclear polyhedrosis virus. *Archives of Virology* 111, 103-114.

van Oers, M. M. (2006). Vaccines for Viral and Parasitic Diseases Produced with Baculovirus Vectors. In *Advances in Virus Research* 68. 193-253.

Vlak J. M., Klinkenberg, F. A, Zaal, K.J., Usmany, M., Klinge-Roode, E. C., Geervliet, J. B., Roosien, J. & van Lent, J.W. (1988). Functional studies on the p10 gene of *Autographa californica* nuclear polyhedrosis virus using a recombinant expressing a p10-beta-galactosidase fusion gene. *Journal of General Virology* 69, 765-76.

Wang, M. Y, Kuo, Y. Y., Lee, M. S, Doong, S. R, Ho, J. Y, Lee, L. H. (2000). Self-assembly of the infectious bursal disease virus capsid protein, rVP2, expressed in insect cells and purification of immunogenic chimeric rVP2H particles by immobilized metal-ion affinity chromatography. *Biotechnology and Bioengineering* 67, 104-11.

Wu, W., Liang, H., Kan, J., Liu, C., Yuan, M., Liang, C., Yang, K. & Pang, Y. (2008). *Autographa californica* multiple nucleopolyhedrovirus 38K is a novel nucleocapsid protein that interacts with VP1054, VP39, VP80, and itself. *Journal of Virology* 82, 12356-12364.

Yin, F., M. Wang, Y. Tan, F. Deng, J. M. Vlak, Z. Hu, and H. Wang. 2008. A functional F analogue of AcMNPV GP64 from the *Agrotis segetum* granulovirus. *Journal of Virology* 82, 8922-8926.

SEQUENCE LISTING

[0139]

<110> GENETHON

<120> BACULOVIRUS-BASED PRODUCTION OF BIOPHARMACEUTICALS FREE OF CONTAMINATING BACULOVIRAL VIRIONS

<130> B943PC00

<160> 56

<170> PatentIn version 3.3

<210> 1

<211> 133894

<212> DNA

<213> *Autographa californica* nucleopolyhedrovirus

<400> 1

EP 2 467 489 B1

	gaattctacc	cgtaaagcga	gtttagtttt	gaaaaacaaa	tgacatcatt	tgtataatga	60
	catcatcccc	tgattgtggt	ttacaagtag	aattctatcc	gtaaagcgag	ttcagttttg	120
5	aaaacaaatg	agtcatacct	aaacacgtta	ataatcttct	gatatcagct	tatgactcaa	180
	gttatgagcc	gtgtgcaaaa	catgagataa	gtttatgaca	tcatccactg	atcgtgcgtt	240
	acaagtagaa	ttctactcgt	aaagccagtt	cggttatgag	ccgtgtgcaa	aacatgacat	300
10	cagcttatga	ctcatacttg	attgtgtttt	acgcgtagaa	ttctactcgt	aaagcgagtt	360
	cggttatgag	ccgtgtgcaa	aacatgacat	cagcttatga	gtcataatta	atcgtgcgtt	420
15	acaagtagaa	ttctactcgt	aaagcgagtt	gaaggatcat	atttagttgc	gtttatgaga	480
	taagattgaa	agcacgtgta	aaatgtttcc	cgcgcgttgg	cacaactatt	tacaatgcgg	540
	ccaagttata	aaagattcta	atctgatatg	ttttaaaaca	cctttgcggc	ccgagttggt	600
20	tgcgtacgtg	actagcgaag	aagatgtgtg	gaccgcagaa	cagatagtaa	aacaaaaccc	660
	tagtattgga	gcaataatcg	atttaaccaa	cacgtctaaa	tattatgatg	gtgtgcattt	720
	tttgccggcg	ggcctgttat	acaaaaaaat	tcaagtacct	ggccagactt	tgccgcctga	780
25	aagcatagtt	caagaattta	ttgacacggt	aaaagaattt	acagaaaagt	gtcccggcat	840
	gttggtgggc	gtgcaactgca	cacacggtat	taatcgcacc	ggttacatgg	tgtgcagata	900
30	tttaatgcac	accctgggta	ttgcgccgca	ggaagccata	gatagattcg	aaaaagccag	960
	aggtcacaaa	attgaaagac	aaaattacgt	tcaagattta	ttaatttaat	taatattatt	1020
	tgcattcttt	aacaaatact	ttatcctatt	ttcaaattgt	tgcgcttctt	ccagcgaacc	1080
35	aaaactatgc	ttcgcttgct	ccgttttagct	tgtagccgat	cagtggcggt	gttccaatcg	1140
	acggtaggat	taggccgat	attctccacc	acaatgttgg	caacgttgat	gttacgttta	1200
	tgcttttggg	tttccacgta	cgtcttttgg	ccggtaatag	ccgtaaacgt	agtgccgtcg	1260
40	cgcgtcacgc	acaacaccgg	atgtttgcgc	ttgtccgcgg	ggtattgaac	cgcgcgatcc	1320
	gacaaatcca	ccactttggc	aactaaatcg	gtgacctgcg	cgtctttttt	ctgcattatt	1380

45

50

55

EP 2 467 489 B1

	tcgtctttct tttgcatggt ttcctggaag ccggtgtaca tgcggttttag atcagtcatg	1440
	acgcgcgtga cctgcaaate tttggcctcg atctgcttgt ccttgatggc aacgatgcgt	1500
5	tcaataaact cttgtttttt aacaagtacc tcggtttttt gcgccaccac cgcttgacgc	1560
	gcgttttgtgt gctcggtgaa tgcgcgaatc agcttagtca ccaactgttt gctctcctcc	1620
	tcccgttgtt tgatcgcggg atcgtacttg ccggtgcaga gcacttgagg aattacttct	1680
10	tctaaaagcc attcttgtaa ttctatggcg taaggcaatt tggacttcat aatcagctga	1740
	atcacgcggg atttagtaat gagcactgta tgcggctgca aatacagcgg gtcgcccctt	1800
	ttcacgacgc tgttagaggt agggccccc ttttggatgg tctgctcaaa taacgatttg	1860
15	tatttattgt ctacatgaac acgtatagct ttatcacaaa ctgtatattt taaactgtta	1920
	gcgacgtcct tggccacgaa ccggacctgt tggtcgcgct ctagcacgta ccgcagggtg	1980
	aacgtatcct ctccaaattt aaattctcca attttaacgc gagccatttt gatacacgtg	2040
20	tgtcgatttt gcaacaacta ttgtttttta acgcaaaacta aacttattgt ggtaagcaat	2100
	aattaaatat gggggaacat gcgcgcgtac aacactcgtc gttatgaacg cagacggcgc	2160
	cggtctcggc gcaagcggct aaaacgtgtt gcgcgttcaa cgcggaacac atcgcaaaag	2220
25	ccaatagtac agttttgatt tgcataataa cggcgatttt ttaaattatc ttatttaata	2280
	aatagttatg acgcctacaa ctccccgccc gcgttgactc gctgcacctc gagcagttcg	2340
	ttgacgcctt cctccgtgtg gccgaacacg tcgagcgggt ggtcgatgac cagcggcgtg	2400
30	ccgcacgcga cgcacaagta tctgtacacc gaatgatcgt cgggcgaagg cacgtcggcc	2460
	tccaagtggc aatattggca aattcgaaaa tatatacagt tgggttgttt gcgcatatct	2520
	atcgtggcgt tgggcatgta cgtccgaacg ttgatttgca tgcaagccga aattaaatca	2580
35	ttgcgattag tgcgattaaa acgttggtaca tcctcgcttt taatcatgcc gtcgattaaa	2640
	tcgcgcaatc gaggcaagtg atcaaagtgt ggaataatgt tttctttgta ttcccagtc	2700
	aagcgcagcg cgtattttta caaactagcc atcttgtaag ttagtttcat ttaatgcaac	2760
40	tttatccaat aatatattat gtatcgcacg tcaagaatta acaatgcgcc cgttgctgca	2820
	tctcaacacg actatgatag agatcaaata aagcgcgaat taaatagctt gcgacgcaac	2880
	gtgcacgacg tgtgcacgcg ttccggcacg agctttgatt gtaataagtt ttacgaagc	2940
45	gatgacatga cccccgtagt gacaacgacg acgccccaaa gaactgccga ctacaaaatt	3000
	accgagtatg tcggtgacgt taaaactatt aagccatcca atcgaccgtt agtcgaatca	3060
	ggaccgctgg tgcgagaagc cgcgaagtat ggcgaatgca tcgtataacg tgtggagtcc	3120
50	gctcattaga gcgtcatgtt tagacaagaa agctacatat ttaattgatc ccgatgattt	3180
	tattgataaa ttgaccctaa ctccatacac ggtattctac aatggcgggg ttttgggtcaa	3240
	aatttccgga ctgcgattgt acatgctgtt aacggctccg cccactatta atgaaattaa	3300
55	aaattccaat tttaaaaaac gcagcaagag aaacatttgt atgaaagaat gcgtagaagg	3360

EP 2 467 489 B1

	aaagaaaaat gtcgtcgaca tgctgaacaa caagattaat atgcctccgt gtataaaaaa	3420
	aatattgaac gatttgaaag aaaacaatgt accgcgcggc ggtatgtaca ggaagagggt	3480
5	tataactaaac tgttacattg caaacgtggg ttcgtgtgcc aagtgtgaaa accgatgttt	3540
	aatcaaggct ctgacgcatt tctacaacca cgactccaag tgtgtgggtg aagtcattgca	3600
	tcttttaaat aaatcccaag atgtgtataa accaccaaacc tgccaaaaaa tgaaaactgt	3660
10	cgacaagctc tgctcgtttg ctggcaactg caagggtctc aatcctattt gtaattattg	3720
	aataataaaa caattataaa tgctaaattt gttttttatt aacgatacaa accaaacgca	3780
	acaagaacat ttgtagtatt atctataatt gaaaacgcgt agttataatc gctgaggtaa	3840
15	tatttataaat cattttcaaa tgattcacag ttaatttgcg acaatataat tttattttca	3900
	cataaactag acgccttgct gtcttcttct tcgtattcct tctctttttc atttttctcc	3960
	tcataaaaaat taacatagtt attatcgtat ccatatatgt atctatcgta tagagtaa	4020
20	tttttgttgt cataaatata tatgtctttt ttaatggggg gtatagtacc gctgcgcata	4080
	gtttttctgt aatttacaac agtgctatct tctggtagtt cttcggagtg tgttgcttta	4140
	attattaaat ttatataatc aatgaatttg ggatcgctcg ttttgtacaa tatgttgccg	4200
25	gcatagtacg cagcttcttc tagttcaatt acaccatttt ttagcagcac cggattaaca	4260
	taactttcca aaatgttgta cgaaccgtta aacaaaaaca gttcacctcc cttttctata	4320
	ctattgtctg cgagcagttg tttgttggtt aaaataacag ccattgtaat gagacgcaca	4380
30	aactaatatc acaaactgga aatgtctatc aatatatagt tgctgatatc atggagataa	4440
	ttaaaatgat aaccatctcg caaataaata agtatcttac tgttttcgta acagttttgt	4500
35	aataaaaaaa cctataaata tgccggatta ttcataccgt cccaccatcg ggcgtacct	4560
	cgtgtacgac aacaagtact acaaaaattt aggtgccgtt atcaagaacg ctaagcgcaa	4620
	gaagcacttc gccgaacatg agatcgaaga ggctaccctc gacccctag acaactacct	4680
40	agtggtgtag gatcctttcc tgggaccggg caagaaccaa aaactcactc tcttcaagga	4740
	aatccgtaat gttaaaccgg acacgatgaa gcttgtcgtt ggatggaaag gaaaagagtt	4800
	ctacagggaa acttggaacc gcttcatgga agacagcttc cccattgtta acgaccaaga	4860
45	agtgatggat gttttccttg ttgtcaacat gcgtccact agaccaacc gttgttacia	4920
	attcctggcc caacacgctc tgcgttgcca ccccgactat gtacctcatg acgtgattag	4980
	gatcgtcgag ccttcatggg tgggcagcaa caacgagtag cgcatacagc tggctaagaa	5040
50	gggcggcggc tgcccaataa tgaaccttca ctctgagtac accaactcgt tcgaacagtt	5100
	catcgatcgt gtcactctggg agaacttcta caagcccatc gtttacatcg gtaccgactc	5160
	tgctgaagag gaggaattc tccttgaagt ttccctgggtg ttcaaagtaa aggagtttgc	5220
55	accagacgca cctctgttca ctgggtccggc gtattaaaac acgatacatt gttattagta	5280

EP 2 467 489 B1

	catttattaa gcgctagatt ctgtgcgttg ttgattttaca gacaattggt gtacgtattt	5340
	taataattca ttaaatttat aatcttttagg gtggtatggt agagcgaaaa tcaaatgatt	5400
5	ttcagcgtct ttatatctga atttaaatat taaatcctca atagatttgt aaaatagggt	5460
	tcgattagtt tcaaacaagg gttgtttttc cgaaccgatg gctggactat ctaatggatt	5520
	ttcgcctcaac gccacaaaac ttgccaaatc ttgtagcagc aatctagctt tgtcgatatt	5580
10	cgtttgtggt ttgttttgta ataaagggtc gacgtcgttc aaaatattat gcgcttttgt	5640
	atttctttca tcaactgctg tagtgtacaa ttgactcgac gtaaacacgt taaataaagc	5700
	ttggacatat ttaacatcgg gcgtgttagc tttattaggc cgattatcgt cgtcgtccca	5760
15	accctcgtcg ttagaagttg cttccgaaga cgattttgcc atagccacac gacgcctatt	5820
	aatttgtgctg gctaacacgt ccgcgatcaa atttgtagtt gagctttttg gaattatttc	5880
	tgattgctgg cgtttttggg cgggtttcaa tctaactgtg cccgatttta attcagacaa	5940
20	cacgttagaa agcgatggtg caggcgggtg taacatttca gacggcaaat ctactaatgg	6000
	cggcgggtggt ggagctgatg ataaatctac catcgggtga ggcgcaggcg gggctggcgg	6060
	cggaggcggg ggcggaggtg gtggcgggtg tgcagacggc ggtttaggct caaatgtctc	6120
25	tttaggcaac acagtcggca cctcaactat tgtactgggt tcgggcgcgg tttttggttt	6180
	gaccggctctg agacgagtgc gatttttttc gtttctaata gcttccaaca attgttgtct	6240
	gtcgtctaaa ggtgcagcgg gttgagggtc cgtcggcatt ggtggagcgg gcggcaattc	6300
30	agacatcgat ggtggtggtg gtggtggagg cgctggaatg ttaggcacgg gagaagggtg	6360
	tggcggcgggt gccgccggtg taatttgttc tggtttagtt tgttcgcgca cgattgtggg	6420
	caccggcgca ggcgccgctg gctgcacaac ggaaggctgt ctgcttcgag gcagcgttg	6480
35	gggtggtggc aattcaatat tataattgga atacaaatcg taaaaatctg ctataagcat	6540
	tgtaatttcg ctatcgttta ccgtgccgat atttaacaac cgctcaatgt aagcaattgt	6600
	attgtaaaga gattgtctca agctcggatc ccgcacgcgg ataacaagcc ttttcatttt	6660
40	tactacagca ttgtagtggc gagacaattc gctgtcgtcg acgtacatgt atgctttgtt	6720
	gtcaaaaacg tcgttggtgca gctttaaaat atttaaaaga acatctctgt tcagcaccac	6780
	tgtgttgtcg taaatgttgt ttttgataat ttgcgcttcc gcagtatcga cacgttcaaa	6840
45	aaattgatgc gcatcaattt tgttgttcct attattgaat aaataagatt gtacagattc	6900
	atatctacga ttcgtcatgg ccaccacaaa tgctacgctg caaacgctgg tacaatttta	6960
	cgaaaactgc aaaaacgtca aaactcggta taaaataatc aacgggcgct ttggcaaaat	7020
50	atctatttta tcgcacaagc ccactagcaa attgtatttg cagaaaacaa tttcggcgca	7080
	caattttaac gctgacgaaa taaaagtcca ccagttaatg agcgaccacc caaattttat	7140
55	aaaaatctat tttaatcacg gttccatcaa caaccaagtg atcgtgatgg actacattga	7200
	ctgtcccgat ttatttgaaa cactacaaat taaaggcgag ctttcgtacc aacttgtag	7260

EP 2 467 489 B1

	caatattatt agacagctgt gtgaagcgct caacgatttg cacaagcaca atttcataca	7320
	caacgacata aaactcgaaa atgtcttata tttcgaaagca cttgatcgcg tgtatgtttg	7380
5	cgattacgga ttgtgcaaac acgaaaactc acttagcggtg cacgacggca cgttggagta	7440
	ttttagtcgg gaaaaaattc gacacacaac tatgcacggt tctgttgact ggtacgccgt	7500
	cggcgtgtta acatacaagt tgctaaccgg cggccgacac ccatttgaaa aaagcgaaga	7560
10	cgaaatgttg gacttgaata gcatgaagcg tctgcagcaa tacaatgaca ttggcgtttt	7620
	aaaacacggt cgtaacgtta acgctcgtga ctttgtgtac tgcctaacaa gatacaacat	7680
	agattgtaga ctcacaaatt acaaacaaat tataaaacat gagtttttgt cgtaaaaatg	7740
15	ccacttgttt tacgagtaga attctacgtg taacacacga tctaaaagat gatgtcattt	7800
	tttatcaatg actcatttgt tttaaaacag acttgtttta cgagtagaat tctacgtgta	7860
	aagcatgatc gtgagtgggtg ttaataaaat cataaaaatt attgtaaatg tttattattt	7920
20	aaaaacgatt caaatatata ataaaaacaa tctacatcta tttcttcaca atccataaca	7980
	cacaacaggt ccatcaatga gtttttgtct ttatccgaca tactatgtgc atgtaacaaa	8040
25	tcaaatacat cttttaaatt tttatacaca tctttacatt gtctaccaa atctttaata	8100
	accctataac aaggaaaaga cttttcttct tgcgtgggtt tgccgcgcag atattgaaat	8160
	aaaatgtgca tgcacgacaa cttgtgttta ctaaaatgct ccttgccctat accgcaaac	8220
30	cggccataca tttcggcgat tacacgcgga caattgtacg attcgtctac gtgtaaacga	8280
	tcatcataat cactcttgcg caaacgaata aattttttca ccgcttccga caaacgaggc	8340
	accaattcgg cgggcacgct tcgatacatt attctgtgca cataagttac cacacaaaat	8400
35	ttattgtacc accatccgac aacgctcgta ttagggttga acacgttggc gatgcgcagc	8460
	agtttcccg tttctcatgaa atattcaaag cggcccaaaa taatttgcaa gcaatccaac	8520
	atgtcttgag aaatttctcg ttcaaaattg ttcaaagaga atatctgcca tccgttttga	8580
40	acgcgcacgc tgacgggaac caccgcatcg atttgtcca acacttcacg gacgttatcg	8640
	tcgatgcca tctgttcgct ggtgctgaac caatgggaaa ggctcttgat ggaatcgccc	8700
	gcgtctatca tcttgaccgc ttcgtcaaag gtgcaactgc cgctcttcaa acgccgcata	8760
45	gcggtcacgt cccgctctat gcacgacata ccgtttacgt acgattctga taggtattcc	8820
	tgaactatac ggtaatgggtg atacgactcg ccatacacgt cgtgcacctc attgtattta	8880
	gcataataat tgtaaattat taactttgca gcgagagaca tgttgtcagt aaagcgggtgc	8940
50	taggctcaat aatactgatg tacaggcacg cgtgctatct atatataatt tcgcaaggag	9000
	gggagctggt atcggttgct attattaaag aatggccgtc tgtttttatc acaagcttg	9060
55	cagcctcaac catgaagcgt cgtcattgta aattaaattc tctgcctcaa gaattatttg	9120
	acaagattgt cgagtattta tctttatctg attactgcaa tttgggtgct gtctgtaaaa	9180

EP 2 467 489 B1

	gaccttctag	taaatataac	gtgatatttg	atagtactaa	tcaccaacat	ttgaaaggcg	9240
	tgtacaaaaa	gacagacgtg	caaataacaa	gctacaacga	atacatcaac	tgtatttgca	9300
5	acgaactgag	acaagacgaa	ttctatgcca	aatcatcatg	gattgcgagt	atttgcggtc	9360
	accagagagc	gacaatTTTT	agtgtacaa	ataaacaagt	agaaatgaaa	tatcatttgt	9420
	ataatatagc	aattgtggaa	agtgaagatt	gcaacggatt	ttacccattt	gagccaacgc	9480
10	gcgattgttt	aatatgcaaa	caaaaaaacc	aatgtcctcg	taattcattt	attgtttcgt	9540
	tgtgtaaata	tttagaaaaa	caaaatgtac	aatcaaactt	tatatattat	ttatacgaaa	9600
	taaatacata	ataataacta	ttatacatgt	ttttatttta	caatacttcc	tgtataacct	9660
15	ctctaactac	attaggagta	caatccacgt	caattacacg	tttagctatt	tttctaattt	9720
	tgtaatgttt	atcgtagagt	ttttcgtaa	tacattgaat	agccaacaag	ggatttgggt	9780
	gcacaccgtc	atagagtact	tccatgtcgt	cttcaaagcg	catttttcgc	ttgcgaaaat	9840
20	gccgtctttg	gcccaaaaca	aaagcgagtt	tgatgcggtc	gtcgatgcgt	tccgaaaata	9900
	cggccaaatg	ctgggtgtttg	gtgatgtcgc	gcggaaacgt	caccgtgcc	tttttgcttt	9960
	ccgccacgac	ggcggttttc	aatttttcgg	ccgactgcag	catgttaagt	ttggcgctga	10020
25	gttcgtgcaa	acgcaattca	aactgtctca	acctgttgcc	cacctcgttc	ttgaacgtct	10080
	cgtgggtgac	cataaatttt	tcgctgtttg	cattcagttt	ctttacatgt	tttaaaacag	10140
	attcaatctt	gtcgcgcaaa	tcacacgcgt	cgccttcagt	ttgaatgtgc	agcaacgcgt	10200
30	tgcttttggt	ggcaaaattt	aaccgcatca	aaatttccaa	caaccgcgtc	ttggtcgcga	10260
	acaatgcgcc	caacgagttg	agatcgcggt	tggatctctg	tttgtgaaaa	acaatttcgt	10320
	ttaaatggta	aacttgatcg	ccgtcccaat	tgcaatcaag	tatgtcgtcg	tgcgcaattt	10380
35	caagaccttt	gcaaaaatct	atcacattgt	agcattttgc	gttcgtgtcg	ctgtgcacgt	10440
	atctgtactt	gaaactgtgc	gtgttgcaat	tgaatgagtc	ccatttaacg	atgtgcgacc	10500
	attgttgggc	gtttatgtgg	tactttttgt	agtcgtctgc	attgaaccga	tcttcggcgg	10560
40	cgatggcgtc	gttgcgttg	tcaccggacc	acatccacca	gttcataaac	caggatagca	10620
	ttgcttttagc	ttgtctagca	attcctttgt	tatacaacga	gaaaatttcg	ttcccttata	10680
	attatagctg	tacggtgcgc	gtatttgttt	gttaacgtta	caaaaaatat	ccctgtccac	10740
45	gtccggccaa	tactgcaacg	tgagcgcgtc	caagtttgaa	tcttgcatat	gcggaacgta	10800
	caaacgtacg	gcctctctca	cacaatgcgc	aaaactgccc	ggctgaatgt	aatcactgtc	10860
	caactttgca	ggtttctcga	aagccttgta	ccgatgcacg	cgaacatttt	gagcggacgt	10920
50	gatttttaaac	ttgtcgggtga	attttaacca	caaatgaaat	ccacggttgc	cggatacat	10980
	gactcttgac	acgttctctt	ccgtgtaaaa	caacagaaac	gccgtggcgc	caatgtaaat	11040
55	tttcagcatt	aaatcgtggt	cgtcaacata	atttttgtaa	tcggcgtcta	cgacccattc	11100
	cctgccgccg	ccgtcgtcca	acggtttgac	gtgcacgtcg	gacactttgt	tttgcaaat	11160

EP 2 467 489 B1

	ataactatac aattgtgcgg aggtatcaaa atatctgtcg gcgtgaatcc agcgcgcggtt	11220
	gaccgtcatg aacgcgtact tgcggctgtc gttgtacgca atggcgtccc acatcatgtc	11280
5	gacgcgccttc tgcgtataat tgcacactaa catgttgccc tttgaacttg acctcgattg	11340
	tgtaaat tttt tggctataaa aaggtcaccc tttaaaattt gttacataat caaattacca	11400
	gtacagttat tgcggttgaa gcaaaatgac tattctctgc tggcttgcac tgetgtctac	11460
10	gcttactgct gtaaagtcgg ccaatatatt ggccgtgttt cctacgccag cttacagcca	11520
	ccatatagtg taaaaagtg atattgaagc ccttgccgaa aaatgtcaca acgttacggg	11580
	cgtcaagccc aaactgtttg cgtattcaac taaaacttat tgcggttaata tcacggaaat	11640
15	taatgccgac atgtctgttg agcaatacaa aaaactagtg gcgaattcgg caatgttttag	11700
	aaagcgcgga gtggtgtccg atacagacac ggtaaccgcc gctaactacc taggcttgat	11760
	tgaaatgttc aaagaccagt ttgacaatat caacgtgcgc aatctcattg ccaacaacca	11820
20	gacgtttgat ttagtcgtcg tggagcgtt tgccgattat gcgttggtgt ttggtcactt	11880
	gtacgatccg gcgcccgtaa ttcaaactgc gcctggctac ggtttggcgg aaaactttga	11940
	cacggtcggc gccgtggcgc ggcaccccggt ccaccatcct aacatttggc gcagcaattt	12000
25	cgacgacacg gaggcaaacg tgatgacgga aatgcgtttg tataaagaat ttaaaatttt	12060
	ggccaacatg tccaacgcgt tgctcaaaca acagtttgga cccaacacac cgacaattga	12120
	aaaactacgc aacaagggtgc aattgctttt gctaaacctg catcccatat ttgacaacaa	12180
30	ccgacccgtg ccgcccagcg tgcagtatct tggcggagga atccatcttg taaagagcgc	12240
	gccgttgacc aaattaagtc cggtcacaa cgcgcaaagtg aacaagtcaa aaagcgggaa	12300
35	gatttacgta agttttgggt cgagcattga caccaaatcg tttgcaaacg agtttcttta	12360
	catgttaatc aatacgttca aaacgttgga taattacacc atattatgga aaattgacga	12420
	cgaagtagta aaaaacataa cgttgcccgc caacgtaatc acgcaaaatt ggtttaatca	12480
40	acgcgcgctg ctgcgtcata aaaaaatggc ggcggtttatt acgcaaggcg gactacaatc	12540
	gagcgcagag gccttggaag ccgggatacc catggtgtgt ctgcccatga tgggcgacca	12600
	gttttaccat gcgcacaaat tacagcaact cggcgtagcc cgcgccttg acactgttac	12660
45	cgtttccagc gatcaactac tagtggcgat aaacgacgtg ttgtttaacg cgcctaccta	12720
	caaaaaacac atggccgagt tatatgcgt catcaatcat gataaagcaa cgtttccgcc	12780
	tctagataaa gccatcaaat tcacagaacg cgtaattcga tatagacatg acatcagtcg	12840
50	tcaattgtat tcattaaaaa caacagctgc caatgtaccg tattcaaatt actacatgta	12900
	taaatctgtg ttttctattg taatgaatca cttaacacac ttttaattac gtcaataaat	12960
	gttattcacc attatttacc tgggtttttt gagaggggct ttgtgcgact gcgcacttcc	13020
55	agcctttata aacgctcacc aaccaaagca ggtcattatt gtgccaggac gttcaaaggc	13080

EP 2 467 489 B1

gaaacatcga aatggagtct gttcaaacgc gcttatgtgc cagtagcaat caatttgctc 13140
 cggtcaaaaa gcgccagctt gccgtgccgg tcggttctgt gaacagtttg acacacacca 13200
 5 tcacctccac caccgtcacc agcgtgattc caaaaaatta tcaagaaaaa cgtcagaaaa 13260
 tatgccacat aatatcttcg ttgcgtaaca cgcacttgaa tttcaataag atacagtctg 13320
 tacataaaaa gaaactgcgg catttgcaaa atttgctaag aaaaaagaac gaaattattg 13380
 10 ccgagttggt tagaaaactt gaaagtgcac agaagaagac aacgcacaga aatattagta 13440
 aaccagctca ttggaaatac tttggagtag tcagatgtga caacacaatt cgcacaatta 13500
 ttggcaacga aaagtttgta aggagacgtt tggccgagct gtgcacattg tacaacgccg 13560
 15 agtacgtgtt ttgccaagca cgcgccgatg gagacaaaga tcgacaggca ctagcgagtc 13620
 tgctgacggc ggcgtttggt tcgcgagtca tagtttatga aaatagtcgc cggttcgagt 13680
 ttataaatcc ggacgagatt gctagtggta aacgtttaat aattaaacat ttgcaagatg 13740
 20 aatctcaaag tgatattaac gcctattaat ttgaaagggt aggaagagcc caattgcgtt 13800
 gagcgcatta ccataatgcc atgtatttta atagatactg agatctgttt aaatgtcaga 13860
 tgccgttctc cttttgccaa attcaaagta ttgattattg tagatggctt tgatagcgct 13920
 25 tatattcagg ctaccttttg tagcattagc gatagtgtaa caattgttaa caaatctaac 13980
 gaaaagcatg taacgtttga cgggtttgta aggccggacg atgaaggtag aacaatgcct 14040
 tatgtcattg gaccattata ttctgtgcac gctgctgtcg ccgaccgtaa agtgaaggac 14100
 30 gtggtggatt caattcaaaa ccaacagaca atgttaaaag tattttattaa cgaggctaata 14160
 gtgtataaca aatggaatat gcttaaagggt ttaatttata ataataacaa tgaatctgtt 14220
 ttagtaaaat aatgtagtaa aatttataaa ggtagataaa aattataata ttaataaaaa 14280
 35 aaataatggt actaaatggg ttccctgcgtt aaattatttt acgggtagac agctattaac 14340
 tatttttattt attttttaaat ttaaataaat gtattgttag aaaattgtgt tgttttatta 14400
 gtataacgaa aaaatacatg acataaacgc cttccaattt tggtcacaca aactcttggtg 14460
 40 tggatagttt acgtaatgag ttaaataaggc gggcagttgt ccgctaaacg tgcggtggt 14520
 caagtagatg tgcattaatt tacgacaacc caaagcgggg ccgcttatgt caagtatttt 14580
 tttcacaaaa ttggaatgg tttcgttttg ttccctgtac aaacacatgt cgggtgtgatc 14640
 45 gttgacgcac gagttgtacg attccgccgg caggttgcca aacaagcgct tgagatgctt 14700
 gagtctgcgt tcaattttat aatcaaactt gttggtgaaa atgtctttca gcaagcacat 14760
 taactggtcg ttcaaacgc gctgcaacga cgacaccaac acatgatatt cgtttccaaa 14820
 50 aagcgaaaaa tttttgatgc agcgggccgc gttgaagggt cgtttcataa tgcgcacgtt 14880
 gacaaaaaac acgttgaaag acagcggggc tgtggttatt ttaacgccgt tgcggtata 14940
 55 ctctctgacg ccgtctgcgc ttgttatgtc aatttgtagc gcaaatctaa ccaaatcaaa 15000
 ctcatcggtg tactgtgtct ttatgcattt tatatggcgg tttaagtgca agttgatttg 15060

EP 2 467 489 B1

gccgtttaat ctataggctc cgttttgata acatttcagc actaccaacg gatccgacat 15120
 gtaaaacttga cgcgtttagca cgtccaattc agcgtaatgt tggtcgacgc atttttgtaa 15180
 5 attagtttgc aggttgcaaa acatttttgc gcaaaagccg taatagtcaa aatctatgca 15240
 ttttaaatgcg cttctgtcgt cgtcaatatg gcatgtcacg gctgcgcctc cagttaacac 15300
 gaataaaccg ccgtttttcgc aaactacggc ttcgaaacaa tctttgataa atgccaaactt 15360
 10 tgcttttagcc acaattttat cgcgcaggcg atcttcaata tcctttgtcg taatataagg 15420
 taggacgcca agatttagtt gattcaacaa acgttccata atgaatagcg gcgacgcaac 15480
 acgactacac tgttcaaagt cgcacgcaaa acaaaccctt gcaactttat ttgccaatcg 15540
 15 taatcacagt agttttttacg agtacgccat cgcgtttgta agcacattgc tttttaaaaa 15600
 taatttaaatt ttaatgaccg cgtgcaattt gatcaactcg ttgatcaact ttgaactcaa 15660
 catgtttggt aaaagtttat tgctaaatgg atttgttaat ttctgcattg ctaacagcga 15720
 20 cggggttacg attcaacata aaatgttaac caacgtgtta agttttttgt tggaaaaata 15780
 ttattaaaaa taaataaata aacttgttca gttctaatta ttgttttatt ttttataaaa 15840
 taatacaatt ttattttatac attaatactt tggatattat taatacaatt atttacaata 15900
 25 ctttattttac actataatac tttattttaca ttagtactaa attaatacta aattacgcta 15960
 atactaaatt aatactttat ataatacaaaa ataatacttt atataatact ttctaatacat 16020
 cataaacggg taatagtttt ttctcttgaa atttacgctg caactcttcg ctaaaacaca 16080
 30 tgggcggttg agtgggagcg ggtggagtag gagtccttac gggtttgatg ggcgacagtt 16140
 ctctggactt gcggaacagc ttgggcgaaa acgtcggcgt gcgccgacta atgattttctt 16200
 35 catcgacga ggcgtcgac attgtgcacg cgtccggtga ggtacacaaa actttcttg 16260
 gcacgctgta caccggcttg ggcacgctat atgtgttgcc aaaactagaa ctcgttgttg 16320
 ttgccgaacg gagacgatgg gtgtgaagac ggcgatggct gtgaagacaa gtccgaaggc 16380
 40 gcgataaaag atgaaagtgt ttctgaaacc gaagtgggtg tagaagtggg agaaggcggg 16440
 tgcgttacgg caaccacgct gctgctattt ctgccttcgg agaccacttc cagcaatcta 16500
 gagttactct ctcgttcttc gcggcgatag tcaatgtcgc aataatgttc ataagatgcc 16560
 45 ttttcggctt cggcgcgcct tttcatgtat atgtgttgac gcatctcctt taactgcacg 16620
 taaaaattcc agcattgcac agccagtatc gtaagcacgc ccattatgat tacgggataa 16680
 ttttgattaa acacggtcgg ctcgatgatc cttacaatcg ctcggcacat gatgcatttt 16740
 50 ttgtaaatgt tcacatacac acagttttgg ctcaaggttt cggatatttc gtagtcaatt 16800
 tccagatata cgatagagtt ccagcacatt gattccaaat cgtagtgcac atataaaaca 16860
 55 tctagcgccg gtagatgacc atttttgaac acgtagatgt gaaacgcggc aaacagcatc 16920
 caacacagcc cagtgatcac gtttaccata atacacgtga tagcgacgta aaagttttct 16980

EP 2 467 489 B1

	ttcgcattga aatttacatt tgtgtttgaa gagctgctgc gatttttcgt ccacacgata	17040
	atcttccata taaaataaaa catgtaaaat aatatccaca tgccgaacgc cagcattatc	17100
5	ggtagataga gattgataac cgattgcttt ccttcaatth ccagcaaaaa cgcgtatctg	17160
	ctgtctatca ctcccattat agataacaca aacactatca gatatgctaa taataatgag	17220
	gcattaagcc cgaattgtaa aactgcagtg attttattta acattttgaa tatttaattc	17280
10	aacaactaag taatggcaat atgtatcgag tactgatcgt gtttttcctg ttcgtgtttc	17340
	tttatatagt gtaccagccc ttttatcagg catacttgca tatcggacat gccaacaag	17400
	attacaatga cacgttggac gataggatgg attacattga atccgtaatg cgtagaaggc	17460
15	actacgtgcc gattgaagcg ttgcccgcaa tcaggtttga tactaatctc ggacgcttg	17520
	ccggtgacac gattaaatgc atgtcgggtgc ctttgtttgt tagtgacatt gacctgccga	17580
	tgtttgattg tagtcagata tgcgataacc cgtctgccc gtattttctt gtcaacgaaa	17640
20	cggatgtgtt tgtggtcaac ggccacagac tgacggtggg cggatactgc tccactaata	17700
	gtttgccccg caactgtaat cgcgagacga gcgtcatttt aatgagtctc aatcagtgg	17760
	cgtgcatagc cgaggacccg cgttactatg cgggcacaga taacatgacg caactcgcag	17820
25	gcagacaaca ctttgaccgc attatgccg gacagagtga taggaacgtc ctgtttgacc	17880
	gattactagg ccgagaggtg aacgtgacca ctaacacgtt tcgccgcagc tgggacgagt	17940
	tgctggagga cggcactagg cggttcgaaa tgcgctgcaa cggccgagat aacaacaata	18000
30	atctcatggt tgttaatccg cttaatcccc tcgagtgtct cccgaacgtg tgactaacg	18060
	ttagcaacgt gcacaccagt gttagaccg tatttgaaac gggagagtgt gactgcggcg	18120
	acgaagcggc cagcgtgtt acgcacattg tgcgggggga caggacctct atgtgtgcca	18180
35	gcattataga tggcctggat aaaagtacgg catcatatag atatcgcgta gagtgcgtta	18240
	atctgtacac ctctattcta aattattcta ataacaaatt gttatgtccc agtgacactt	18300
	ttgatagtaa cacggacgca gcttttgctt ttgaagtgc cggctcctac cctttatcgc	18360
40	gcaacggcat caacgagcca acttatcgtt tttatcttga taccagatct cgagttaatt	18420
	acaatgacgt cagagggcag ttatcttaat tgtgataaca caaacaataa gtcatttaaa	18480
	tgttacgtca gtagttagta tataagccgt acatgttggc ttgcaaattc agtcaatatc	18540
45	aggcttttat catggacggc gtaaagctgc tagggacgtg cgcgctaata attttggtat	18600
	cgacgacgag tacagttgtc gggcgtgacc gtatcacgtt tacgccgata gaagatagcg	18660
	caggcctcat gtttgaacgc atgtacggct tgcgacatca tacagacgac agatttgtgt	18720
50	ttgtgaaaaa attcaatttt gtttcggtgc tgcaagagct caataatatc aaatctaaaa	18780
	ttgaattata tgaagcgcaa gtttcaactt gcacaaacgt cagacaaata aaacagaaca	18840
	gatcgagtat catcaaagct cgcattgaaa atcagctgca gtttttgacg caactaaaca	18900
55	aaaatctcat cacatactct gtggaaagca gcattttaag caacgacgtg ctggacaaca	18960

EP 2 467 489 B1

	tcgatctgga	atatgacgac	agcgggtgagt	ttgacgttta	cgacgaatac	gaacagcctt	19020
	cgcatttgag	caacatgact	gtatccgacg	cgcaagcttt	gctccgaaac	ccgcccaaag	19080
5	acagagtaat	gtttttggac	acggttacca	ccagcgacgt	gagcagcaaa	tacgaagaat	19140
	acataaaactg	cattgtgagc	aaccgtaccg	ttgaaaacga	gtgcatgttt	ttagccaaca	19200
	tgatgaacgt	gctcaacgac	aaattggacg	acgcagcagc	tttggccaaag	atgctggagc	19260
10	gaatagtaaa	acaaacgcga	aagaacaaac	tcaacatctc	caacacggtt	atagacgacg	19320
	acacgctgct	aacggaaatg	aaaaaattaa	cacaaaacttt	atacaaccaa	aaccgcgtgt	19380
	gggtagtgga	ttttaacaag	gacatgaata	gttatcttoga	tttgtcgcaa	gcgtataaat	19440
15	tgcattttata	tggtgattta	aacacgggtca	ttatgtttat	taccatgcca	ttgttaaaat	19500
	ccaccgccgt	ttcgtttaat	ttgtatcgcg	tcatgacggg	gcctttttgc	agggggcaaaa	19560
	tgtgtctgct	tatcatttcg	ggcaatgaat	actttgggat	tacagacagc	aaaaactatt	19620
20	atgtgcccgt	atctgataac	tttagacaag	attgccaaaga	gtttacgggc	tacaatgagt	19680
	ttttgtgtcc	cgaaactgag	ccgattgcc	ctatgaactc	gaaagtgtgc	gagattgaaa	19740
25	tgtttatggg	tcgatatagc	gacgacgtgg	acaacatgtg	cgacattagg	gtggccaatt	19800
	ataatcccaa	aaaagcttac	gtgaacactt	taatagacta	ccgaaaatgg	ttgtacattt	19860
	ttccaaacac	gaccgtgtcc	gtccactatt	attgtcacga	cgcgcttgta	gaagttgata	19920
30	caaaagtttc	gcccggcgtt	ggtgttatgt	tttcgactat	ggcgcaaacg	tgttcgatta	19980
	gaataacgta	tgatgtgacc	ataactgtag	attcgcgatt	ttatgtcagc	cattcaacta	20040
	catactggcc	taaaaagaaa	tttaatttta	acaactacat	cgaccaaatg	ttgcttgaaa	20100
35	aagcgaccac	cagttttata	ccgactgttg	acaattttac	ccggcccgtt	ttattgcaac	20160
	ttcctcataa	atttcacatt	aaagattaca	catcgacgcc	ccatcatttt	ttccatcagt	20220
	ctaaaattta	caccaacagc	gcggcgcccg	acgaagactc	gcaagacgac	agtaatacca	20280
40	ccgtgggttat	tatcgctatt	gtcgctgcaa	tgatcctatt	ctgtggatta	ttgttatattt	20340
	tgttttgctg	tataaaaaaa	cggtgtcatc	aatcaaataa	cgtgggttg	caatacaaaa	20400
	ataacaatga	atttgtcaca	atttgcaata	atttagaaga	caatcgagca	tacattaatt	20460
45	tacctaata	atacgatagc	gatgatatgc	caaaaccatt	gtacccttta	cttggtctta	20520
	atgatgattt	gttaaaagat	gataaacctg	tggtgtaccc	tatgattata	gaaagaataa	20580
	aataaaacat	gtataattga	aataaatata	ttattttaata	aaatgttttt	tatttatata	20640
50	ctattttcta	ttacatattc	caatgcacac	aaatgtttta	tggtatcag	ttttaatttt	20700
	actaatcgt	ctaaacaaaa	attattcact	tgctgttttt	catccatttg	acatatggcg	20760
55	tttataaata	attcgctgtg	ttttatgaac	gaatcgtaaa	ccgctgcctg	ggccttcagc	20820
	acggtcggcg	cattgtattt	ttgggtaaag	tacgcaatat	ttttagtcaa	acacagagat	20880

EP 2 467 489 B1

	tttaaatctt	tttcatttat	atccaagtcg	gaacaatcgt	atacaaaatc	tagcttttca	20940
	ctttcgggcg	cgcccagata	ctggtttacg	agttcgagct	gctccacttg	gcctttgata	21000
5	tcggccgcta	tgcacaacat	tttgtcgatt	gcagtttcat	tgtttttaac	ataataatth	21060
	ttaacttttt	tattttgcaa	tttaatacaa	ctattttaaat	tcgcttgacc	tttcttacia	21120
	agcgcagtta	atatgcaaga	catttttgact	tataataaaa	aacaaaactt	ttatatattc	21180
10	atthattgth	caataataac	aaatattcca	ggcttaaaaag	ctaacgaata	gggcttttcg	21240
	gtaatthttc	tattattcat	gtccgtcatc	tgcactctct	tgccgtactt	gacgccgtca	21300
	atgggtgccc	tcatgtacat	tttaactctc	tccgaagggt	cgtctatttt	gtccatttcg	21360
15	aacaatctat	caaaatcttc	aacgtctatt	ctctgcatat	caagaggaac	gtttctgata	21420
	tttccgggtg	cgtaaattga	tccgttgthg	tcacggthga	ttatgtaaaa	ccgacgaatc	21480
	aacatgtcgc	gctcgctagt	tttgttctta	tccggcaaat	gaatgcacac	gtttggthtc	21540
20	atcttcaaag	gaaaatcgct	ttgcaagthg	ttttgcaaaa	tgttgccaaa	tatatthgth	21600
	tgtthgtgaa	tgtctccgta	ttgaatgcta	aaaaactggc	caaagthgct	tttggcacgt	21660
	tttatggthc	caaagtcgga	aaaccaaath	ccgcagggtc	tgccctgcac	tcttggaccg	21720
25	atgggtgtac	tagtcttgcc	gttggccggc	tccaacacca	cgatattttt	atcgggctcg	21780
	ggatacaact	tgtcttccca	ttcgtgcaaa	ctgttcaaat	tagacagtcg	acaaaattcg	21840
	tttttcaaaa	atctgccttc	gaaacaacta	caattcagta	ttgaaaagth	gcctcgthtc	21900
30	acattaatcg	ccatctgctc	ctgccacaac	atcttcgtca	actcgtgtgg	ctccaattga	21960
	atggacgacg	gcgtaaaata	gcacattacg	cccgtthtcg	cgtgtthtcac	gttaaaaagc	22020
	ccgctgtthg	acggcaccag	ctgctggthc	tcaccacctt	ccgatctthc	ccgcttcggc	22080
35	tggtthgtcg	cgctgctcga	atatccatcg	ccaatctthc	gtthtagthc	catgctaccg	22140
	acgtgcgctg	tctgctgtgg	ttcaagthct	attgaagthg	ttcacagaat	ataagatata	22200
	taataaatat	ggacgactct	gttgccagca	tgtgcgtaga	caacgcgtht	gcgtacacta	22260
40	ctgacgattt	attgaaaaat	attcctthta	gtcattccaa	atgcgcccct	ttcaagctac	22320
	aaaattacac	cgtthtgaag	cggthtagca	acgggthtat	cgacaagtht	gtggacgthg	22380
	gctctatcag	cgagthgcaa	aagthtaatt	ttaagataga	tcggctaacc	aactacatat	22440
45	caaacattth	cgagtacgag	ttttagthtt	tagaacacga	tttgtccaca	gtgcacgtca	22500
	ttaacgccga	aacaaaaacc	aaactgggcc	atataaacgt	gtcgctaaac	caaaacgacg	22560
	caaacgtgct	cattthgacc	gtaactthta	cgagctaaaa	tgaacgagga	cacgcccccg	22620
50	ttttattthta	tcagcgtgtg	tgacaactth	cgcgacaaca	ccgccgaaca	cgtattcgac	22680
	atgttaatat	aaagacatag	ttcgtthtga	aattatccca	ttgaaaacac	ggcgtthatt	22740
	aacagctthga	tcgttaacgg	gtthaaatac	aatcaagthg	acgatcacgt	tgtgtgcgag	22800
55	tattgcgaag	cagaaataaa	aaattggthc	gaagacgagth	gtattgaata	tgcacacgta	22860

EP 2 467 489 B1

	accttgtcgc	cgtattgcgc	gtatgctaac	aagatcgccg	agcgtgaatc	gtttggcgac	22920
	aacattacca	tcaacgctgt	actagtgaac	gaaggcaaac	ccaagtgtgt	gtacagatgc	22980
5	atgtccaatt	tacagtcgcg	tatggatacg	tttgttaact	tttggcctgc	cgcattgcgt	23040
	gacatgatta	caaacattgc	ggaagcggga	ctttttttaca	cgggtcgcgg	agacgaaact	23100
	gtgtgtttct	tttgcgactg	ttgcgtacgt	gattggcata	ctaatagaaga	cacctggcag	23160
10	cgacacgccg	cgaacacccc	gcaatgttat	tttgtattgt	cgggtgaaagg	taaagaattt	23220
	tgtcaaaaact	caattactgt	cactcacggt	gataaacgtg	acgacgacaa	tttaaacgaa	23280
	aacgccgacg	acattgagga	aaaatatgaa	tgcaaagtct	gtctcgaacg	ccaacgcgac	23340
15	gccgtgctta	tgccgtgtcg	gcattttttgc	gtttgcgttc	agtgttattt	tggattagat	23400
	caaaagtgtc	cgacgtgtcg	tcaggacgtc	accgatttta	taaaaatatt	tgtgggtgtaa	23460
	taaaaatggtg	ttcaacgtgt	actacaacgg	ctattatgtg	gaaaaaaaaat	tctccaagga	23520
20	gtttttaatt	catattgcgc	ctgatttgaa	aaacagcgtc	gactggaacg	gcagcacgcg	23580
	caaacagctg	cgcgttctag	acaagcgcgc	ctacagggcag	gtgttgact	gcaacggcag	23640
	atactactgg	cccgatggca	caaagtttgt	ctctcatccg	tacaacaaat	ctattcgcac	23700
25	gcacagcgca	acagtcaaac	ggaccgacag	ctcgcacgca	ttaaaaagcc	acgtggtcga	23760
	caaacgaccg	cgcgcgtctt	tagattctcc	tcgcttgga	ggatatgttt	tggcatcgtc	23820
	gcccatacca	cacagcgact	ggaatgaaga	actaaagctg	tacgcccaga	gccacggcta	23880
30	cgacgactac	gacgacaatt	tagaagatgg	cgaaatcgac	gaacgtgact	ctttaaaaag	23940
	tttaataaat	catctagacg	acttgaatgt	attagaaaaa	caataaaaaca	tgtattaaaa	24000
35	ataataataa	taaaactata	ttttgtaata	tataatgtat	tttatttaaa	aattgtctat	24060
	tccgtagttg	agaaagtttt	gtcttgactt	cataactctc	ttctccatat	tctgcagctc	24120
	gtttacgttt	tttgtgacgc	ttttaatttt	ctcaaatgc	tggctgtcaa	tagttatttt	24180
40	ttgcttttgt	ctattaattt	cttccaattg	agatttttaa	tctcgctgag	attgagatgc	24240
	gttgtaattc	cttgagaaca	tcttgagaaa	acatacagat	gaggtaaaac	agcatctttt	24300
	atccaaatta	ggagttaatt	attattcatt	tgtatcgcca	ccatttgctc	gtacacatct	24360
45	tccataaaaat	ggttattttt	attgcgataa	gtgttgccat	tgacattttg	caaatgtcgt	24420
	aggttaaagg	ggcaaatggg	ctgcgtggcc	gataaaagat	tccagttcaa	caatccctct	24480
	tcgcccccg	ttaacttgaa	aatggcgcta	cacgtttcta	cgctatcgtg	ttcctgttga	24540
50	gtggcgacacg	gttcgaccag	tatcatcttg	tgatatgcgg	ttttgacatt	catgtgcaac	24600
	ggaataaactt	gcgggtcatc	gcattcgtcg	gaattaagct	ttaaatggcg	tccgtatgct	24660
	ttccaaagtt	tttcgtcgtc	gaaccgcggc	actgcttgca	agtcgacgcg	gggaaacggc	24720
55	gctctgtaca	aaacgcctaa	attcaaaaac	tgattgcatt	gttgacgctc	tgtccaatcg	24780

EP 2 467 489 B1

	acgcgatttt	tgtaattttg	aaacagcatc	aggttgaacg	ccgcgctggc	gcgcacgttt	24840
	gtaatcactg	tgtaattgat	cagcttgtgc	caatactggg	cattgaaatt	ttcttcaaac	24900
5	tcattttctaa	actctggatg	cgcaaacatg	tgtctaattg	agtacgcggg	cggggcggtg	24960
	aacgcagtc	atttgtcaat	acacttccag	tctgaatgta	acgtgttcac	caaaccggga	25020
	tattcgtcaa	acacgagcat	gtgatccgac	cacggtatgc	tgtgggcgat	caatttttagt	25080
10	tcttgacgc	ggccttcgcg	taagcaatac	aaaatgagcg	cgtcgctgat	cttgacacag	25140
	tcttgcatgt	acgcggacaa	attaacgttt	tccatacagc	tcacattggt	tattagcgcc	25200
	gtgttcaagt	gtttgtat	ggacacataa	tcgtagtgtg	tgtactgttt	aatgggttct	25260
15	tgaaacatt	cttttagtag	tatgtgactg	gccactatgc	gtttccaatt	taatttgtgt	25320
	gcgtattttt	gctgcaccga	caacgagagg	ttattgtaat	ttttggatat	ttcttccatg	25380
	tccaacaagt	ccccaaacgc	gagtataaaa	tcttgcgta	aaaatttttg	ctcagacacc	25440
20	aacgaccaga	tcaaatgtga	tttaaacctg	ttggcgattg	ttatcgacaa	cggcgaaatt	25500
	gaaataattt	tccaatccaa	cttggtgcga	aacacgtgaa	taaaatcgac	gcgtccgtaa	25560
	cattcgcgcg	atatgcgctt	ccaaaacgtg	tcactttgca	aattaagcaa	atagacacga	25620
25	ttgttgggag	atttgacggc	caattcaatt	atttttatat	attctttttg	ctttaaagcg	25680
	cgttgtagca	cttggttgg	agccatgtcg	actgaagctc	cacgctgttt	gaagcaaggt	25740
	gaccgttttg	gtcggcatgt	tcaaacgtcg	attacatgtt	tgctttgcat	caaaatggcg	25800
30	taattaatta	agaaacaaca	tgaaagccat	ctgcatcatt	agcggcgatg	ttcatggaaa	25860
	aatttat	caacaagaat	cagcgaatca	accgcttaaa	attagcggct	atttgttaaa	25920
	tttgccctga	ggtttgacg	gctttcacgt	gcacgaatat	ggcgacacga	gcaacgggtg	25980
35	cacgtcggcc	ggtgagcact	ttaatccac	caatgaggac	cacggcgctc	ccgatgctga	26040
	aattaggcat	gttggcgact	tgggcaacat	aaaatcggct	ggctacaatt	cactgaccga	26100
	agtaaacatg	atggacaacg	ttatgtctct	atatggcccg	cataatatta	tcggaagaag	26160
40	tttggtcgtg	cacacggaca	aagacgattt	gggccttacc	gatcatccgt	tgagcaaaac	26220
	aaccggcaat	tctggcggcc	gtttgggatg	cggaataatt	gccatatgta	aatgatgtca	26280
	tcgttctaac	tcgctttacg	agtagaattc	tacgtgtaaa	acataatcaa	gagatgatgt	26340
45	catttg	ttcaaaactga	actcaagaaa	tgatgtcatt	tgtttttcaa	aactgaactg	26400
	gctttacgag	tagaattcta	cttgtaacgc	atgatcaagg	gatgatgtca	tttg	26460
	aaaaccgaac	tcgctttacg	agtagaattc	tacttgtaaa	acataatcga	aagatgatgt	26520
50	catttg	ttaaaattga	actggcttta	cgagtagaat	tctacttgta	aaacacaatc	26580
	gagagatgat	gtcatat	gcacacggct	ctaattaaac	tcgctttacg	agtaaaattc	26640
55	tacttgtaac	gcatgatcaa	gggatgatgt	attggatgag	tcatttg	ttcaaaacta	26700
	aactcgttt	acgagtagaa	ttctacttgt	aacgcacgcc	caagggatga	tgtcatttat	26760

EP 2 467 489 B1

	ttgtgcaaag ctgatgtcat cttttgcaca cgattataaa cacaatcaaa taatgactca	26820
	tttgtttttc aaaactgaac tcgcttttacg agtagaattc tacttgtaaa acacaatcaa	26880
5	gcgatgatgt catttttaaaa atgatgtcat ttgtttttca aaactaaact cgcttttacga	26940
	gtagaattct acgtgtaaaa cacaatcaag ggatgatgtc atttactaaa ataaaaataat	27000
	tattttaaata aaaatgtttt tattgtaaaa tacacattga ttacacgtga catttacgat	27060
10	ggcgaacaat aatttcactt tttatattag gacacgacgt gtatatagga aagcttaagc	27120
	gtttcaataa agccatggcg tacacgctaa gcttgcccag cttgcggctc tttgaaatct	27180
	gtagttttcg gggagtaccg tcgttcttca gtgccacata cgtcaacttg cgatcgta	27240
15	ctttataata cgtgtttag ttatTTTTTTT ccagaaattc cctcataaag caatccttgg	27300
	ataaagtttt tgatccgtac agttggccac accggtccat gcacaggtag acacacgtga	27360
	tggcgTTTTg aatgacgatg cgatttctgt caacggcaac gcgcttgaat atggtgtcga	27420
20	cgttgtccga ttcaatggtt ccgtaaacag ctccgtctgg atttactgcc aaaaactgcc	27480
	ggtaataaaa cagctggccg ggaatagacg tgcccgtgat gtgtgtcagc agagctgagc	27540
	agtcagccat agaggctaga gctacaagtg ccagcaagcg atacatgatg aactttaagt	27600
25	ccccacagca aactggcgct tttatataaa aatttgggcc atttttggcg attagataat	27660
	ttttgaagat tagataatat tgagattagt taataatttg tgtgattaga taacttttta	27720
30	gggtattgcg cattataaat caaggctcag ttgtataaac tgctctggcg tgtaaaactg	27780
	cagacttaag ttttttgcaa aactcggctc tgaatcgcta aaatctttct gaccggtggt	27840
	tagattaatt cggccagccg cgtcgccac ataaaaagat tgttccttgt caatatgct	27900
35	aaactgtttg gccatctcgc gccacattcc cgtgtcgggc tttcgatgct catccttgtt	27960
	gggcgacaca taaaacgata tgggcacgcc agtagctttt ttaatattct ctaatttata	28020
	taataaatcg ctcgctttga ttttgccgga acctaaatgg gcttggttcg taaaaacaac	28080
40	taaatcgtag cctaattcgt acaaacgctt tagcttgtgt gcgcacggaa ggagctgcca	28140
	gtcgtctggg ttttttgga atttggaccg tgtctttgag ctaattagcg tgccgtccaa	28200
	atcaaaaagcc gcaatttttg ttcttttagc gccgtcatga accgcgtacg catacaaac	28260
45	gggctgctgt aacgtccaca tggatgaatgc atcttactca aagtcacatc attcgtacgc	28320
	gtttgtgtcc aggtcgggcg ttgaaaaatt gtagcttgcc attagatcgg atagcgattc	28380
	aaattttgta agcgtttgta gcgcacgttt ggcatcttgt ttaaaattac acgacgacag	28440
50	acagtaaaaa tattcctcga taagcatgac tacaccata tcaactgttta agtgctcgac	28500
	gtagttgttg catgttatgt cgcgtgtgcc gcgatacgcg tgatttcggt gaaaatcaca	28560
	ccacaaccag tcggcgtgcg tgtaacaaag tcgacagcga aacaatttat cgttttccaa	28620
55	aaaatttaaa tactcgacag ttttgcagct tagattccgc gtttgattca ccttaaaac	28680

EP 2 467 489 B1

	gtcgtcagcc tctataatct cgggcaacag cttgccttgt tgccccatcg tatcgatcac	28740
	ctcccccaag tggcccggtg ttatattaag tcgtttaaaa tcatattattg cttcctgcac	28800
5	gtcggcctgg taatttttga ccacgggctg ggaaatcaat tgccgttgaa gggaaataat	28860
	tcgtggtgtg ggtatcggcc gcctgttgca caattccacc agcgggtggag gcaagggcgc	28920
	attcacagca accgttgtca tttataagta atagtgtaaa aatgcaaata ttcataaaaa	28980
10	cattgacggg caaaaccatt accgccgaaa cggaacccgc agagacgggtg gccgatctta	29040
	agcaaaaaat tgccgataaa gaaggtgtgc ccgtagatca acaaagactt atctttgcgg	29100
	gcaaacaaact ggaagattcc aaaactatgg ccgattacaa tattcagaag gaatctactc	29160
15	ttcacatggt gttacgatta cgaggagggt attaataata acaataataa aaaccattaa	29220
	atatacataa aagtttttta tttaatctga catatttgta tcttgtgtat tatcgctaac	29280
	cattaaaagt gctggagcca cagtgttgcg gcgagtcttt atagaagatc gttgtttggc	29340
20	tggaaactgag cttttccttt tcctgctgcc gctaataggga gtgggcacgt actctgtagt	29400
	agacgggtgca acgggcaact tgagcgctac cgtcttaaat ttggccatac ttttagtgat	29460
	gaaatcgcg cgttaacactt cgtcgtaaat gttacttagc agaggcgcaa cattgtgatt	29520
25	aaatgtctcg tttacaagc tgtaaaaactc cgaataaagc ttatcgcgca tttcgcagct	29580
	ctccttcaat tctgccaaat ttgcgttggt aagcaccaca gtctgtcttt ttttgctcgc	29640
	tggaaattgct gcgttctcgc ttgaagacga cgatgtcgat cggtcggcca tttttttgcc	29700
30	cagcttttca gtgtgatcaa aaatgaacac aaaatctgcc aattcgggct tgtttttcac	29760
	caaatcccac atggccgggc tactaggcca ctcgggctgc ttgatcttag tgtaccaact	29820
	gttaaacaaa atgtatttat tgttgtaaat cactttcttc ttgcgtttgg acattttgcg	29880
35	ttcgtcttgc atgacaggca ccacgttaag gatatagtta atgttctttc tttccaagaa	29940
	atttacaata acggccagct ggtccatggt ggatttggtg taagagctcg attccagttt	30000
	attcaacagc ttttcatttt tgacacaggg ccgagctctcc ggagattggt gctccggcac	30060
40	gtttaccatg tttgcttctt gtaaaccttt gaaacaaccc gtttgtattc ttgatgatat	30120
	atttttttaa tgcccaacaa cctggcaatt cgtttgtgat gaagacacac cttacgcttc	30180
	gaacatttgt cggtgattac tgtgaaatgg cctaaattag ctcttatata ttcttttata	30240
45	cgctcaaacg acacgatgtc caacatgtgc gcgcagacgt tttctgtgtt catcgtgtgc	30300
	ttgagcgtgt tgatggcttc cctgaacagc gcttgatatt cgctgcgagt caagcagtc	30360
	gaatcacacc cgcctaagtg cgtgcaattt ttggggggca tcgttgtcta tctttttcag	30420
50	agtggcgtag aaaaagtcct gcaattgcct attatcaaaa cgcgccttga cgctgcgcac	30480
	aaaatcaaaa aattcaatgt aattgctgta atcgtacgtg atcagttggt tgtcgttcac	30540
55	ataattaaag tatttggtga gcggcacgat ggccaggctg cgcgctatct cgcaattgaa	30600
	gcgtcggggt tttaacatta tacggtagtc attgccaaac gtgcccgga acaacttcac	30660

EP 2 467 489 B1

	ggtgtacgtg ttgggttttg cgttcacgtt aatcaagttg ccgcgcacga cgcttacgta	30720
	tatcaaatac ttgtaggtga cgccgtcatc tttccattgt aacgtaaattg gcaacttgta	30780
5	gatgaacgcg ctgtcaaaaa accggccagt ttcttccaca aactcgcgca cggctgtctc	30840
	gtaaaactttt gcgtcgcaac aatcgcgatg acctcgtggt atggaaattt tttctaaaaa	30900
	agtgtcgttc atgtcggcgg cgggcgcgtt cgcgctccgg tacgcgcgac gggcacacag	30960
10	caggacagcc ttgtccggct cgattatcat aaacaatcct gcagcgtttc gcattttaca	31020
	tatttgacac ttaaaaaatt gcgcacacga gcaccatcgt ttgataccta attgcaacta	31080
	tttacaattt atcagtttac gttgaaccgg ttttaatttt ttagatccgt ccttgttcag	31140
15	ttgcaagttg actaaatgac aaaatttttc ggttctgcaa aaccgccctt gtctgttcca	31200
	cccgttgtat ttgaaaaaac tttttttcac gcggcgacaa ctgcttgtat aatattgcc	31260
	aatgtaaaca tgcaaaattt tgttactctc gtcaaaacag cggttggcgt tccattccat	31320
20	aattttttta ttatttatca acgatggcca ttgtaaattg tcgtcattta tacgcatcat	31380
	atgatttaac aaaagctttt cgtatagcgg aacttcaatt cccttggaac atttttcaaa	31440
	cgataattta atttgtttct cggttggcag catttcatgc ttgattaaca atcgcctgac	31500
25	ttttatagcc acgtttatgt ctttgcacag caaatgtggg ttgtcgacaa tgtaatagt	31560
	caaagcattt gttacggcaa atgcgtagtt tgatttgacg acgccctttt tcttgacggg	31620
	cattgcggct tttaaaatta cttgcaagca ttgtacgaat acctctttgt gtttaaaaca	31680
30	taatatggac aaacatcggc gaaacaattt gtaataatta tgaaatccca aattgcagg	31740
	tttaaaacttc tttgttactt gttttataat aaataaaatt tgctgacca tgtctgcgcc	31800
35	cacaacttta attaacatt tgtgcgcata ttgattgtct cgttgttccc aaccggaaaa	31860
	ttgattgatc tcgagccacc ggcattggtc gtttgatacc gtcgttaacg ccgacgctcc	31920
	tgctgtttg attacgggtt ctaaaagacg aaacagcagc gtaaatttgt ttttgcgtcg	31980
40	gtagtatttt ggcaggcaat aatcaaaaaa atccgtaagc aattctctgc atctattaat	32040
	attcgttgcg tacgaatcga gtttttcaaa aattactttg tttgtatgaa aataacgttt	32100
	gggcttctca caataataat cttcgttgta gaacagaaac ggtttgcgag aattggcacg	32160
45	tttgtccatg attggctcag tgtaacgatt gattcaaatac aaaattgaca acacgtttgc	32220
	cgtaatgtgc accggttcgc acacgtttgc cgcgtatgta atccatgttt atttcgctgt	32280
	cgcaattgat tacacgattg tggtgggcgg cgcgttttat tgaatttagg cgacgcgtcg	32340
50	acaactccaa aggattgtaa agcgcagatt tttccagagt aaacgagttt aagtggccac	32400
	cgttgaacca ttccagagcc acgatttgtt acagcaaaaa gaatatttct ttgtcgacgt	32460
	tttcaaacgc aaacttgttt tttaggcaat agtagtaaaa ttttaacgaa ttgtataaat	32520
55	aaaacataaa attgccattt ttaaagtaaa attctacatc cgtgacgaac aaaaggttta	32580

EP 2 467 489 B1

	ctattttgtt ctccaacaag tgtgccaatt ttcttaagta caccattgaa tttttgtcgt	32640
	cgcccatctc gatcaacaac acgtacggcg ttttggaatt taaaattatt ctaaaatttt	32700
5	cctgttgcaa cgattccaca gcgtccgacc aatatgacgc tgccacctct agacagatgt	32760
	atttcttgga aaacacgtgt cgtttgataa cctcgtgat ggacgtgatc gattgtaaat	32820
	acttttcaaa cgtcgcgtct tcccaaccac gcaccgaaac gggcgtgtc gtgtcgggct	32880
10	gatgtttgaa atccaaacca ctctgaatta acttggttgt gattcgtatg ctcaactgtt	32940
	gacccaacgt gtagtgatct tcgtaggcgc gctcccacat cacgttacac acaaatttga	33000
	cgagatcatc aacgtctttc tgttgcaaaa ttccgcgcaa acgcgccaca tcgcccttgt	33060
15	accaccgatc tcggcacaca agctgtagca tttttaaatc gtgatcgctc aagctattaa	33120
	ttctgggttag atttatatag tcgtcaatat cctcgggcgt ggtttgcgctc atgtctgtaa	33180
	aacgtgcaaa atcaaacatt tttatgttgt agtcgaatct aacaaatcca tcggcggttca	33240
20	cttgcaacttc gcgctttaca aaacgaggta gcgtgtaatc gaaccggtt aaatagattg	33300
	cgtacaaaac cagcacttca tcttccagtt tgcacgcttg cggcaaaaat tgtgtggtgt	33360
	gctccaaccg ggtgacaaac atgactatgg aaaataacgc ggaattcaac agacgactag	33420
25	agtacgtggg cacgatcgcc acaatgatga aacgaacatt gaacgtttta cgacagcagg	33480
	gctattgcac gcaacaggat gcggattctt tgtgcgtgtc agacgacacg gcggcctggt	33540
	tatgcggcgc tttgcgcacc tgcaattttg tategttccg cgtgcacatc gaccagtttg	33600
30	agcatccaaa tccggcggtt gaatatttta aatttgaaga aagtctggcg caacgccaac	33660
	acgtgggccc gcgttacacg tacatgaatt acacgctttt taaaaacgtc gtggccctca	33720
	aattggctgt gtacacgcgc acgctacaag ctaacatgta cgcggacggg ttgccgtatt	33780
35	ttgtgcaaaa tttttcagaa acaagctaca aacatgttcg tgtgtatgtt agaaaacttg	33840
	gtgcgataca agtagcgaca ttatcagttt acgaacaaat tattgaagat acaataaatg	33900
	aactcgtcgt caatcacgtt gattagataa tgtccgtgtt aaatgtgata tcttagatta	33960
40	cgagcgcgca ataaccatag tttaatcgaa gagaatagcc gtcgccacaa tggataatta	34020
	caaattgcaa ttgcaagaat tttttgacca agcgcgcgac aacgacgatc ccaactttga	34080
	acatcaaacg cccaatctat tggcgcatca gaaaaaggc atacagtgga tgattaacag	34140
45	agaaaaaac ggccggccca acggcggcgt gcttgccgac gacatgggac tcggcaaac	34200
	gctctctgtg ctaatgttaa tcgcaaaaaa caactctcta caattgaaaa ctctaatagt	34260
	gtgtcctttg tctttaatca atcattgggt aaccgaaaac aagaagcatg atttaaattt	34320
50	taacatttta aagtattaca aatctttgga tgccgacacg gttgagcatt accacattgt	34380
	ggtgaccacg tacgacgttt tattggcaca tttcaaattg atcaaacaaa ataaacagtc	34440
	aagtctgttt tcaaccgcgt ggcatcgagt tgttctagat gaagcgcata ttatcaaaaa	34500
55	ctgcaagacg ggcgtgcaca acgccgcgtg cgctttgacc gcaacaaacc gatggtgcat	34560

EP 2 467 489 B1

	taccggcaca	ccgatccaca	acaagcattg	ggacatgtac	tcgatgatta	attttttgca	34620
	atgtcgtcct	tttaacaatc	caagagtgtg	gaaaaatgta	aataaaaaaca	acgactctac	34680
5	aaatcgcata	aaaagtatta	ttaaaaaaat	tgtttttaaaa	cgcgacaaat	ctgaaatttc	34740
	ttctaacatt	cctaaacaca	cggttgagta	tgtacatgtt	aatttttaatg	aagaagaaaa	34800
	aacgttgtag	gataaattaa	agtgtgaatc	ggaagaggcg	tatgtgaagg	ctgtggcagc	34860
10	gcgtgaaaac	gaaaacgcac	taagccgatt	gcagcaaattg	cagcacgtgt	tatggctaata	34920
	actgaaattg	aggcaaattc	gctgccaccc	gtatttggtc	atgcacggta	aaaatatttt	34980
	ggaaacaaac	gactgtttta	aaatggatta	tatgagcagc	aagtgcaaac	gagtgtctga	35040
15	cttggttagac	gacattttga	acacaagcaa	cgacaagata	atattggttt	cgcaatgggt	35100
	ggaatattta	aaaatatttg	aaaacttttt	taaacaaaaa	aacattgcta	cgttaattgta	35160
	cacggggcaa	ttaaaagtgg	aagacaggat	tttggtccgag	acgacattca	atgatgctgc	35220
20	caatactcaa	catcgaattt	tgtgtctttc	cattaagtgc	ggcggcgctcg	ggttaaactt	35280
	aataggcgga	aaccacattg	taatgttgga	gcctcattgg	aaccgcgcaa	ttgaattgca	35340
	ggcgcaagac	cgaatcagtc	gtatgggaca	aacaaaaaac	acgtacgtgt	acaagatgct	35400
25	aaatgtggaa	gacaacagca	tcgaaaaata	cattaaacia	cgccaagaca	aaaagattgc	35460
	gtttgtcaac	acgggtcttg	aagagactct	gctcaattac	gaagacatta	aaaaattttt	35520
	caacttgtag	ctggtaagtc	gtcatgaaca	cccgatatgc	tacttgctat	gtttgctgacg	35580
30	agttggtgta	cttggttaag	aaaacgttta	gtaacatgtc	cccttcggcc	gctgctgttt	35640
	accaacggcg	catggccatt	gttaaaaaacg	gtatcgtgct	gtgccacagt	tgttcgtcgg	35700
	aactaaaaat	tggcaacggc	gtttcgattc	caattttacc	ccaccgcgct	caacaacatg	35760
35	cacgacggtc	gcgttaagac	gcaagcgctt	cgagttttgg	cccgtctcgt	acctccgctg	35820
	tacgactcga	ccgtcgatcg	acacggctgc	aagggtgttca	cggtgcggcg	ctacaacaga	35880
40	cgcgtaatcg	actttgcggg	cattcgcaac	aaaacgctgg	aatcatttaa	aacggataga	35940
	aacttgccgc	tcaacacaga	atgcaatgtg	aaagttgtcg	acagtgcattg	catgcgttgc	36000
	agaaaaagtt	tcgcagttta	ccccgccggt	acctatctgc	attgcggaca	ttcgtgtctg	36060
45	tgcaccgact	gcgacgaaac	ggtaaacgtg	gacaacacgt	gtcctaaatg	taaaagcggc	36120
	attagatata	aattaaaata	caaaactttg	taacatgttg	ccctacgaaa	tgggtgattgc	36180
	cgtgttggtt	tacttgctgc	cggtgcagat	tctaaattta	aaccttcctt	ttgcatacca	36240
50	aaaaagtgtg	ctgtttgcca	gcaactctgc	aaaagttaac	gaacgcatca	ggcggcgagc	36300
	gcgtgacgac	aacgacgacg	accttatatt	ttactacaaa	cagttcataa	agattaatttt	36360
	tttaactaaa	aaaataataa	atgtttataa	taaaactgaa	aagtgtatta	gagcgacggt	36420
55	tgatggctcg	tatgtgggta	cacgcgacgt	tttaatgtgc	tttgtaaaaca	agagttatat	36480

EP 2 467 489 B1

	gaagcaattg ctgcgcgagg ttgacactcg cattacacta cagcaacttg ttaaaatgta	36540
	tagtccagaa tttggttttt atgtaaatag caaaattatg tttgtgttaa ctgaatcggt	36600
5	gttggcgtct atttgtttta aacactcggt cggcaaatgc gagtggttgg aaaaaatat	36660
	aaaaactgtg tgtttacaat taagaaaaat ttgtattaat aataagcaac attcgacatg	36720
	tctatcgat tgattattgt catagtgtga atatttttaa tatgtttttt gtacctatca	36780
10	aatagcaata ataaaaatga tgccaataaa aacaatgctt ttattgatct caatcccttg	36840
	ccgctcaatg ctacaaccgc tactactacc actgccgttg ctaccaccac taccaacaac	36900
	aacaacagca tagtggcctt tcggcaaaac aacattcaag aactacaaaa ctttgaacga	36960
15	tggttcaaaa ataatctctc atattcgttt agccaaaaag ctgaaaaggt ggtaaatccc	37020
	aatagaaatt ggaacgacaa cacggtattt gacaatttga gtccgtggac aagcgttccg	37080
	gactttggta ccgtgtgcca cacgctcata gggatttgcg tacgctacaa caacaccagc	37140
20	gacacgttat accagaacct tgaattggct tacaatctca ttaacgggct gcgcatactt	37200
	tgcagcaaac tgcccgatcc gccgccgcac caacaagcgc cctggggccc ggtcgccgat	37260
	tggtaccatt tcacaatcac aatgcccgag gtgtttatga acattaccat tgtgctaaac	37320
25	gaaacgcagc attacgacga agctgcgtcc ctacgcgtt actggctcgg cttgtatctg	37380
	cccacggccg tcaactogat gggctggcac cggacggcag gcaactcaat gcgcattgggt	37440
	gtgccctaca cgtacagtca aatcttgcgc ggatattcat tggcgcaaat taggcaagag	37500
30	cagggataac aagaaatcct aaacacgac gcgtttccgt acgtgactca aggcaacggc	37560
	ttgcaactcg attcgatata catcgatcac attgaactgc gcgcttacgg ctatttgata	37620
	aattcatact ttacgtttgc ctattacacg tactattttg gagacgaggt aatcaacacg	37680
35	gtgggtttga cgagagccat cgaaaacgtg ggcagtcccg agggagtgtg ggtgccaggc	37740
	gtcatgtctc gaaacggcac gttgtactct aacgtgatag gcaactttat tacgtatccg	37800
	ttggccgtcc attcggccga ttactccaaa gtgttgacca aactttcaaa aacatattac	37860
40	ggttcggttg tgggcgtaac gaataggttg gcttactacg aatccgatcc cacaacaac	37920
	attcaagcgc ccctgtggac catggcgcgg cgcatattga atcggcgcgg cagaattatc	37980
	aactataatg ccaacacggt gtcgtttgag tcgggtatta ttttgcaag tttgaacgga	38040
45	atcatgcgca tcccgtcggg caccacgtcc acgcagtcgt tcagaccgac cattggccaa	38100
	acggctatat ccaaaaccga cacggccggc gccatttttg tgtacgcaa gtttgcggaa	38160
	atgaacaatt tgcaatttaa atcgtgcacg ttgttctacg atcacggcat gttccagcta	38220
50	tattacaaca ttggcgtgga accaaaactcg ctcaacaaca caaacgggcg ggtgattgtg	38280
	ctaagcagag acacgtcggt caacaccaac gatttgcac ttgaagcgca aagaattaac	38340
	aacaacaact cgtcggaagg caccacgttc aacggtgtgg tctgtcatcg cgttcctatc	38400
55	acaaacatca acgtgccttc tctgaccgtt cgaagtccca attctagcgt cgaactagtc	38460

EP 2 467 489 B1

	gagcagataa ttagttttca aacaatgtac acggccacgg cttcggcctg ttacaaatta	38520
	aacgtcgaag gtcattcggg ttccctgaga gcttttagag ttaattccga cgaaaacatt	38580
5	tatgtaaacg tgggcaacgg cggttaaagcc ctgtttaatt atccctgggt aatgggtcaaa	38640
	gaaaataaca aagtgtcttt catgtcggct aacgaagaca ctactatacc atttagcggt	38700
	ataatgaatt ccttcacctc tatcggcgaa ccagctttgc aatactctcc atcaaattgc	38760
10	tttgtgtatg gaaacggttt caaattgaac aacagcacgt ttgatttaca atttattttt	38820
	gaaattgtgt aattatattt agggagaatg tgatattcaa aagactgact gttaacacaa	38880
	aagactgata ttgttggtgt tacaaaatag ataataaac aaaaaataaa ttaaatatta	38940
15	tttattttatt aaactgttta attttaatgc taacgcgtac aaatcacgt gttccgacgt	39000
	ggacatggaa ttgcgcagaa aagtcttgat agtgtcgtt tcttcgccgt catccacttc	39060
	catatatattg atttcttcct cgatttgcat ttccaagttt gcgtattctt gcaaataata	39120
20	atctagtcgt tgggcgacct cgccaatttt aaataatata ttatccgaca ccaaatgcc	39180
	gcgagtgact gtgcgctcca tcatcctggc actttttaat gtgaatatta aaaggttggt	39240
	gcatatatat cggtaaacgt ttatgtttac tttcacgtta gctcgtttca ttgatgtaaa	39300
25	catttagttt tataacagcg tcggtaattt tattttttta agtaaacaga ccaaatcaa	39360
	aggtgtcttc gacaggtacg attattttcc cattgacact gttttcgtgc acagatataa	39420
	ttttatcacc gtttattatt ttgcccacac acacgtactc gtttcttctc aagccaacta	39480
30	tttctaaca attcactttt ctattatcgt gtacgcaatt aaaagtaaac gaagcgctac	39540
	aattgtcgta ttctattaca attctgcggc atttataaaa ttattaatg ttgacgcaaa	39600
35	ttccatgcag cgcattccatt tcgtactgca aatgcggcgc aattaaaaaa tttcctcgtc	39660
	gttgtaaca atcttgggcg ctaaaaagca cgccaacacg cccacgtctt taatgcaata	39720
	ttccaatttg aacggcagtt cctcggacat gtatattgtc acggtgggcg ccaaaggagc	39780
40	ggcttttagca aaatgacaca agtaatcgcc cgcaaaagtg tgcgttacgg tttgctttgc	39840
	tttgagaacg gaaaagtttt cggtgtccgc gctcatctgc acgtccgccg agccaatgtc	39900
	gccatttgct ctaaaactgca gaccttctt ggaacacgac acaataatat cgtggtcgaa	39960
45	ttgcgtcatg tctttgcaca cctgcgcaaa ctgcgacgtc gacatgtgga cgacgcaatc	40020
	gtaatcgcta tccggaattc ccaaattgtc cacgtcgatg cacatcaact tgagcgtgta	40080
	cgtgcagatt ctattgtcgt tggtgaacac gaacgccatc acatcgccct gatcttccgc	40140
50	tttcatcagt acagagctgc gctcgttaac gcatttgaca attttactta aactgtttat	40200
	ggacacggtg agcggcacgt tgcggtcaca tctatatattt ttgaaaccct cggcgtgtag	40260
	ttgcaacgac acgagcgga catgcgaggt gtccataacc tgcattgctta cgctcgtatt	40320
55	atcacaatca aaagtagcgt gcggcagcag atccttaaaa gtttccacca gcctcttcaa	40380

EP 2 467 489 B1

	aactgcgccg gttttaaat cgccttcgaa catttttagc agtgattcta attgcagctg	40440
	ctcttttgata caactaat ttcgacgacg atgcgagctt ttattcaacc gagcgtgcat	40500
5	gtttgcaatc gtgcaagcgt tatcaat ttcattatcgt attgttgac atcaacaggc	40560
	tggacaccac gttgaactcg ccgcagttt gcggcaagtt ggacccgccg cgcacccaat	40620
	gcaaactttc cgacattctg ttgcctacga acgattgatt ctttgtccat tgatcgaagc	40680
10	gagtgccttc gactttttcg tgtccagtgt ggcttgttt aataaattct ttgaaaatat	40740
	tgtcgggtgt attattaaat agcatgtatg gtatgttgaa gatgggataa cgcttgccgt	40800
	gcgggtcgctc atgattttcca ccgcgcacca catatttgcg ctcaatttta tcaaaattgg	40860
15	actggcgaga caaaaacgag acgggcgaca ggcatatttg gccgtgcgta ccatcttcgg	40920
	ccatccactc ggtcaggtct tcgctgcggt taaacacacc tttctgaccg tgaatgccac	40980
	atatttttat tccttccaaa tcgttggtgg acgtgactat gactatttta agcataacgt	41040
20	tgtcgcggtt aaccaccatg ctggcgctga gtttttcaat tttttgattt ttaatttgctc	41100
	taaagtaaac gtacactttg taaacgttaa aattgccgtt ggtgcacgtt tcaattttgt	41160
	accgtcggcc gtcgtacacc caattaatct ttgcgttgct caccaacaca ccggccatgt	41220
25	acagcacaag tccgtcgtct agcgcaacgt aatttttgct gctactattc gtaaaacttta	41280
	ctaaacacga ctgcttgggg ccgaccacaa gcttgccctt caatttgctc actttgttgt	41340
	tgtataaaca aatgggcagc gcaatgtgcg gaatgtacgg atcttcggcg gtcagaggtt	41400
30	tattgtctcg caccaacgct cacaatttaa acattttatt gttgagcaaa atggacttgt	41460
	ttaccgccac agagtagcca tttggtaaac ccgatacgca attttcctct ttgtactcaa	41520
	acacgggcat ggcattcttt agattgggta gggacacaat caatttggtt acgggcgtgg	41580
35	tatgaaataa atgtataaaa ttacgataat aatactgctc caacttggtt atgagcgatt	41640
	tgacgtcatc gttttctacg atcgtacact gaataatggg attatagtat atagaatgtt	41700
	tatagtggta ttcgtagggg gtcaacaata cgttaatgtc ggcttcggtt ttcacccgca	41760
40	actttttttt gatgcatatc attccttcgt gatgattaac gtaaagtatt ctgtctgtaa	41820
	tcttcaattc gatgggcgcc atgtttcttt tcatagtgtt cacgataaac gacgtgtttg	41880
	atttttaaaca ttttaaat tggggtctat cattaaacgc gatcagcaac gagtcgtctt	41940
45	gaacgtcgtt gaggtcgtcc acgaacgcga ccagattgtg ttttagcaaa tattgaaatt	42000
	tttgcgcaac catttcgtag tccacgttgg gcaaacatgc gttgcggcaa aggaaaaact	42060
	ttttgcccg caccgtcatt tcgccgtgaa aaaaactgcc aataaatttc acaaaatcct	42120
50	ttttttgctt caacattttc tggcgcgatgc tgcgttggtt gattcgcgcc acctcgttgc	42180
	cgacgcgata ttttaacacg ggcaacgaaa tttcaatatt gttattgctg ctgttgctct	42240
	gttgattggg aaagactttg cgttgcttgc taaaagt tttt cgatacgcaa tatatgagac	42300
55	gcccggtgac tatacaatcg acaatctttt tcgactcttt gttgtacaag acgctttgaa	42360

EP 2 467 489 B1

	ttttacgacg cttgttcgcc accgtgtacg cgtcgtcgtc ggccgtcttg tcgagaactc	42420
	gttgatagtt ttgcaaaatt gtcgaagtta ataacagttc tatcaaatag gcgtgcttgt	42480
5	atacaatttt gttggccaaa ctgtctatag aatagtttat gtcgtgattc ataataattt	42540
	ttatgtgttc cacgagttgt tgcttgtgaa gcgtgttgta ttcgaagaga aaatcgagcg	42600
	gtttccattt gccgctgttg gccagatatg tttccagcac agaattttaa tcttccgtca	42660
10	ctacgtaatc gctagcgtac acgtctcgag caaacaggac gtcgtcttgt ttgtcgtaaa	42720
	ctagttaggat tgcgcgattg atgtgcttct cttgatccac gttgccgtac aaaaacatgc	42780
	gtttgcaatg tttggcgtat agcttgtcgt agaaattgtg caccaaacg ttgttgttca	42840
15	tcattatgtt gggaaaactc aaaaatctgc cgtccagcat aaaagttccg ttaatatgtt	42900
	tgtttgcgtc gacatcgtcc gtttctctaa attgcttgtc taagcgcgtg ccgaatataa	42960
	cgggcacaca tttatgcatt acgcaactga gctgttcatt aagagcgcaa cacaaataag	43020
20	acttgcgttc ttgaatagcg caaaaaagca tacgttcatt gctgtttgta gcgcaatcaa	43080
	aagtatatatt taatttgtat ttattttcaa ttctatcgta caactcgttg aaatcttgaa	43140
	ccacgtccgt catcgtgaag cgattactgc gactaatta tgtctaaacg tgttcgtgaa	43200
25	cggtcggttg tttcggatga aacggccaaa cgcattcgac aaaacgaaca ctgtcatgcc	43260
	aaaaatgaat cttttttggg gttttgcaac ttggaagaaa ttgattatta tcaatgttta	43320
	aaaatgcaat acgttccgga ccaaaagttt gacaacgatt ttattttaac agtgtacaga	43380
30	atggccaacg tggtgacgaa acaagttaga ccgtataaca gtatcgacga aaagcaccat	43440
	tacaacacgg tgcgtaacgt gttgatttta ataaaaaatg cgcgtttagt gcttagtaat	43500
35	agtgtcaaaa agcaatacta tgacgatgtg ttaaaattga aaaaaatac agacttgga	43560
	tcgtacgatc cattgattac ggtcttttta caaattggcg aatctgtaaa tgaagaaata	43620
	caaaaactca gaaaagcttt ggtcaatatt ttactaata aacccgacaa gtcggatata	43680
40	aacaacccag atgtagtttc gtatcaattt atttttggca gagtacaaaa attgtataac	43740
	agggaatta aacaaaaaac taaaactata attgtaaaac gtcctacaac tatgaacaga	43800
	attcaaatag attggaatac tctttccgaa gacgaacaaa aaatgactag acaagaaatt	43860
45	gccgaaaaaa ttgtaaagcc ttgttttgag caatttggca ctatattaca catatacgta	43920
	tgctctttta aacacaaccg aattattgtc gagtatgcaa actcagagtc ggtacaaaaa	43980
	gccatgactg taaatgacga cactcgattt acagttacag agttttccgt ggttcagtac	44040
50	tacaacgtgg ccaaaacaga aatggtgaac cagcgaattg acataataag caaggacatt	44100
	gaggatttaa gaaacgcttt aaaatcttac acataaatta aaatatcgaa caaaggaaaa	44160
	aaacaattgt aacaaaaata atttacatta aaattttaca gtttttttct agtgtcgtac	44220
55	ttttttacaa tgcgtctgtt gtccgtcgag cattgcaaac atattgtgga cggcgcaaaa	44280

EP 2 467 489 B1

	tagcaaaca	aaggcacgtc	cgcgctctcc	cacgctattc	taaaacgatg	aatccatatt	44340
	aatttttcat	tgtcgccaaa	cgctcgctccg	ctgcctcctt	ccaataacaa	atactcagaa	44400
5	acacaaacat	gtacaattgc	tgtcgcgggcg	ttaattgtcg	ctgtttttcc	aaatagtcta	44460
	ttatgggaaa	caaacacttg	tcacaacaca	aatactcggt	aattgtcaca	accgacaagc	44520
	acattttggca	aaatgcgtcg	caatttttgt	acggacgaga	ttctatgcga	agttcggtgt	44580
10	ccatgacgtc	ttgggtccac	tttttcaaca	agacactttt	atatttgtga	tttgtacaac	44640
	tttggtacgt	gttagagtgt	ttttgataag	ctttgataag	tttaaaactg	ttggagtaag	44700
	gccacgtcat	tatgttctgc	accttttgtt	taaaagacag	aaattactat	atgttcaaac	44760
15	tatttaaaga	ttattggcca	acgtgcacga	cagaatgcc	gatatgtctt	gagaaaattg	44820
	acgataacgg	gggcatagt	gcaatgcccg	acactggcat	gttaaacttg	gaaaagatgt	44880
	ttcacgaaca	atgtattcag	cgttggcgct	gcgaacatac	tcgagatccc	tttaatcggt	44940
20	ttataaaata	ttattttaac	tttcccccaa	aaacactaga	ggagtgcac	gtgatgcttc	45000
	gagaaactaa	agggctctata	ggcgatcacg	aaattgatcg	cgtttacaaa	cgcgtttatc	45060
	aacgcgttac	acaggaagac	gccctggaca	ttgaactcga	ttttaggcat	ttttttaaaa	45120
25	tgcaatcatg	acgaacgtat	ggttcgcgac	ggacgtcaac	ctgatcaatt	gtgtactgaa	45180
	agataattta	tttttgatag	ataataatta	cattatttta	aatgtgttcg	accaagaaac	45240
	cgatcaagtt	agacctctgt	gcctcggtga	aattaacgcc	cttcaaaccg	atgcggccgc	45300
30	ccaagccgat	gcaatgctgg	atacatcctc	gacgagcgaa	ttgcaaagta	acgcgtccac	45360
	gtaacaatta	ttcagatccc	gataacgaaa	acgacatggt	gcacatgacc	gtgttaaaca	45420
	gcgtgttttt	gaacgagcac	gcgaaattgt	attatcgga	cttggtgcgc	aacgatcaag	45480
35	ccgaggcgag	aaaaacaatt	ctcaacgccg	acagcggtga	cgagtgcatt	ttaattagac	45540
	caattcgtac	ggaacatttt	agaagcgctg	acgaggctgg	cgaacacaa	atgagcgttt	45600
	taaagatcat	catcgatgcg	gtcatcaagt	acattggcaa	actggccgac	gacgagtaca	45660
40	ttttgatagc	ggaccgcatg	tatgtcgatt	taatctattc	cgaatttagg	gccattattt	45720
	tgctcaaaag	cgcgctacatt	atcaaaggag	attacgcaga	aagcgatagt	gaaagcgggc	45780
	aaagtgtcga	cgtttgtaat	gaactcgaat	atccttggaa	attaattacg	gcgaacaatt	45840
45	gtattgtttc	tacggacgag	tcacgtcagt	cgcaatacat	ttatcgcaat	tttcttttgt	45900
	acaatacagt	cttgaccgca	attcttaaac	aaaacaatcc	attcgacgta	attgccgaaa	45960
	atacttctat	ttcaattata	gtcaggaatt	tgggcagctg	tccaaacaat	aaagatcggg	46020
50	taaagtgtctg	cgatcttaat	tacggcggcg	tcccgcgggg	acatgtcatg	tgcccgcggc	46080
	gtgagatcac	caaaaaattt	tttcattacg	caaagtgggt	tcgaaatccc	aacaagtaca	46140
	aacgatacag	cgagttaatc	gcgcgccaat	cagaaaccgg	cgccggatct	gcgagtttac	46200
55	gcgaaaacgt	aaacaaccag	ctacacgctc	gagatgtgtc	tcaattacat	ttattggatt	46260

EP 2 467 489 B1

gggaaaactt tatgggtgaa ttcagcagtt attttggctt gcacgcacac aacgtgtagc 46320
 atcgccagta tttaacagct gacctatttg ttaaacaaagc attcttatct caataattgg 46380
 5 tccgacgtgg tgacaattgt atccacaatc atgaaaaaag tagcgcttgg aaaaattatc 46440
 gaaaacacag tagaaagcaa atataaaagc aacagtgtgt cgtcgtcatt gtcaacgggc 46500
 gccagtgcaa aattgagttt aagcgaatat tacaaaaactt ttgaagcaaa taaagtgggc 46560
 10 cagcacacta cgtacgacgt ggtcggcaag cgagattaca cgaaatttga caaattgggtg 46620
 aaaaaatatt gacatgctgc gatcaatcat gcgacgtttc aagagtacaa acaatctcag 46680
 caaaaaaccc tccgattatt atgtagtggt atgtccaaag tgttattttg tgacgtcggc 46740
 15 cgaagtgagc gtggctgaat acatagaaat gcataaaaaat tttaacacga aattcgccga 46800
 tcggtgccct aacgatttta ttgtgaccaa ctctaaaagt tggaataatc atgaaaattg 46860
 ttctgcccta ttttaccctc tgtgttaata aagtttggtg tttgtatttt gtggttttat 46920
 20 ttattttacgc tagatattgg gtttaagggt cttagaaata gagttgtatt ttccctacca 46980
 aaagggattt gagcttcata taaatacaat attcgctcga caagcggttt atttcactcg 47040
 25 gaggtattat atcaggcagt cgaacgtgcg cgatgaaaca tcccgtttac gctagatatt 47100
 tggagtttga tgatgtagtg ttagatttga ctagtttaat attttttagag tttgataacg 47160
 ctcaaaatga agagtacatt atttttatga atgtaaaaaa ggcgtttttac aaaaactttc 47220
 30 acattacttg tgatctgtcg cttgaaacgc tgaccgtggt ggtgtacgaa aaagctcgcc 47280
 taattgtgaa acaaattggag tttgagcagc cgccaaaactt tgttaatttt atcagtttca 47340
 acgcgaccga caacgacaac tccatgataa tagacttggtg ttccgacgcg cgcataatcg 47400
 35 tggccaagaa gctgacgccc gacgaaacgt atcatcagcg cgtgtccgga tttttggatt 47460
 ttcaaaaacg taactgcata cctcggcccc caatcgagtc ggacccaaaa gtgcgagacg 47520
 ccttggatcg tgaactagaa ataaaactat acaagtagaa aaaaattaat ttattaatag 47580
 40 ttgtaataat tatcttcgtc ctcactcttcg ctgggtgcat aatgcggtgg tgtgtttgtg 47640
 ttttgtttta atcgtttgcg cgtcgacacc acttcgccga taggaaattt tttggatttc 47700
 gcattaaatg ccctcttagc gacgcgccgt ttacgactac taaacatgtt gacgcgctcg 47760
 45 tcgtcttcag tgtcataatc cgtgctagtg ttttcgttgt tattttctat gagacgatcg 47820
 tttgatthag ttttcgtaga attgtccgcg ttatcgtcgc tttcgtcgat gtcgtcccta 47880
 actatctcgt aggcggcttt gcgcggaatc caagattttg caatgtatct attttaacgt 47940
 50 acttttcttc gagegctttt ctagctttat gcatagcaat gtcttcgtcg ccgcggttca 48000
 ttttatgata ctttgtaaac gtctcgacga ataacttttt ggcgcgagga ggcatttttt 48060
 cattgtataa catatcgga atttgataga ttgtaattag aattaagcaa gttcgtcttc 48120
 55 ggttgtagtg tattcggttt ctgtatctgt agtggaatcc tctgtactag tagtagtgtc 48180

EP 2 467 489 B1

	gctattgttg gcgtcaggcc ttggctgcc	tttacgctct atcaacatgt attttttct	48240
	aacagcacia catgctagct tggtagctat	ctgtgtcgac ttatatattt gtaaaactacg	48300
5	atcgtagaat ttttcaaata tcctcttacc	gttataggga aggttttgat aatatttagg	48360
	caacatatca ataaaagaca atataaaaac	tttgtgtttg tgttttattt atcacataaa	48420
	atggacgtct ggcaagaatc acaaccaata	ttagtgtttt ttttcttaca ttacgagatt	48480
10	caacttgata ctaaaattaa ttattaatta	aattaaatta aattttgaag cattttttcg	48540
	ctatcgtttt cagactcaaa attatcgacg	ctatcgctat gaaaagcgta atatttggtg	48600
	gctttgagat attctatat	ttgtctattt ttaacaataa acacgcgact	cttttcgtcg 48660
15	cgtctacca taacaccgtt tttacaaatg	gaaatgtatt tgtaaaacgg caacagagcg	48720
	tcgcgagttt ttttaagtaa cagcttttgc	tccgctgtgg cgccacaaa tatttttacg	48780
	ggcccgctcg aattaatgtt taaattaa	tttttaagtc gacgctcgcg cgacttggtt	48840
20	tgccattctt tagcgcgcgt cgcgtcacac	agcttggtcca caatgtggtt tttgtcaaac	48900
	gaagattcta tgacgtgttt aaagttagg	tcgagtaaag cgcaaactt ttttaataa	48960
	tagtttctaa tttttttatt attcagcctg	ctgtcgtgaa taccgtatat ctcaacgctg	49020
25	tctgtgagat tgcgtattc tagcctttt	agtttttcgc tcatcgactt gatattgtcc	49080
	gacacatttt cgtcgatttg cgttttgatc	aacgacttga gcagagacac gttaatcaac	49140
	tgttcaaatt gatccatatt aactatatca	acccgatgcg tatatggtgc gtaaaatata	49200
30	ttttttaacc ctcttatact ttgcactctg	cgtaataacg cgttcgtgta cagacgtaat	49260
	catgttttct tttttggata aaactcctac	tgagtttgac ctcatattag accctcacia	49320
	gttgcaaaac gtggcatttt ttaccaatga	agaatttaaa gttattttta aaaatttcat	49380
35	cacagattta aagaagaacc aaaaattaa	ttatttcaac agtttaatcg accaattaat	49440
	caacgtgtac acagacgcgt cggtgaaaa	cacgcagccc gacgtgttg ctaaaattat	49500
	caaatcaact tgtgttatag tcacagattt	gccgtccaac gtgtttctca aaaagttgaa	49560
40	gaccaacaag tttacagaca ctattaatta	tttaattttg ccccacttta ttttgtggga	49620
	tcacaatttt gttatatatt taaacaaagc	tttcaattct aaacatgaaa acgatctggt	49680
	tgacatttcg ggcgctctgc agaaaatcaa	acttacacac ggtgtcatca aagatcagtt	49740
45	gcagagcaaa aacgggtacg cggccaata	cttgtaacgc acgtttctca acacggcctc	49800
	gttctacgcc aacgtgcaat gtttaaatgg	tgtcaacgaa attatgccgc cgcggagcag	49860
	cgtaaagcgc tattatggac gtgatgtgga	caacgtgcgt gcatggacca cgcgtcatcc	49920
50	caacattagc cagctgagta cgcaagtctc	ggacgtccac attaacgagt catctaccga	49980
	ctggaatgta aaagtgggtc tgggaatatt	tcccggcgct aacacagact gcgacggtga	50040
55	caaaaaaatt attacatttt tacccaaacc	taattcccta atcgactcgg aatgcctttt	50100
	gtacggcgac cctcggttta atttcatttg	ctttgacaaa aaccgtttgt cgtttgtgtc	50160

EP 2 467 489 B1

	acaacaaatt	tattatttgt	acaaaaatat	tgacgcaatg	gaggcgttgt	ttaaattctac	50220
	accatttggt	tacgcgctgt	ggcaaaaaaca	taaacatgag	cagtttgcac	agaggctaga	50280
5	gatgttggtg	cgtgattttt	gcttaattgc	cagttcaaac	gctagttatt	tactttttaa	50340
	acagcttaca	cagctcatag	ctaacgaaga	aatgggtgtg	ggagatgaag	aaatattcaa	50400
	tttaggcggc	caattttag	acatgattaa	aagcgggtgt	aaaggcagtc	aaaatctgat	50460
10	taaaagcacg	caacaatacc	gacagacttt	aaatacagat	attgaaactg	tgtcttcacg	50520
	agccaccacc	agtttaaata	gttacatatc	ttctcacaat	aaggtaaaag	tgtgtggcgc	50580
	cgacatatat	cataacacgg	ttgtgttaca	gagcgtgttt	attaaaaata	actatgtttg	50640
15	ttacaaaaac	gacgaacgta	caatcatgaa	tatttgcgct	ttgccctctg	agtttctgtt	50700
	tccagaacat	ttgctcgaca	tgttcattga	atgataatat	aaatagagcg	catttgattg	50760
	catgcaatca	gtgttttatt	aatttttagag	caacatgtac	gataaattta	tgatctatct	50820
20	tcacttgaat	gggctgcacg	gagaagcaaa	atactacaaa	tatttaaatgt	ctcaaattgga	50880
	ttttgaaaat	caagtagccg	atgaaatcaa	gcggttttgt	gaaactcgtc	tgaaaccggc	50940
	aatcagttgc	aacactttta	ctgcggaaag	tctcaatacg	ctcgtagaca	gcgtagtctg	51000
25	caaaaatgga	ctgttaaatac	cttacgccaa	agaagtacag	tttgctttgc	aatatctttt	51060
	tgacgatgac	gaaatatcca	aacgagatca	agatggcttt	aaactatttt	tattacataa	51120
30	ttatgacagg	tgtgaaaata	tggaagaata	ttttttaatt	aacaatttta	gcatagcaga	51180
	ctacgaattt	gaagacatgt	ttgaaattgt	tcgtattgat	tgtagagatc	tgttattact	51240
	tcttgctaaa	tataatatgt	aattaaaatt	ttgtttgttt	tattaaaatc	ctggattaaa	51300
35	aaatgacgaa	taatttgatt	tgcgtgcacg	ccaacaagat	tcttcgtcat	tatgatcaat	51360
	gcgtgcatca	agtttatgct	tttgtaattg	gcttctgacc	actttagcca	tttgagcgta	51420
	tctgcattcg	tcgtctagag	tttcaaacac	cagatcggcg	caattataaa	atccttcacc	51480
40	cacgggatct	atgcgctgcc	aacgcacata	cattacaaat	tgatttgacc	tgtacgggat	51540
	tactacgggt	atagaataga	ctagactggt	gtcacataat	gaatcgcccg	gatttggaat	51600
	taaatttgaa	tcgttaccac	ctatgtattc	taattcgttc	caagttattg	gattgcgacg	51660
45	atcccagttt	gatttagtaa	taaacacttc	aaaataactg	ggctcgtgta	tggtgtttgg	51720
	acaaaaatga	acattcatct	gataaaccgg	ttgatagcga	tttaaataata	gcgtatttgg	51780
	cctccagttg	ttaaaagggt	cgtccattcc	gcttttatca	ccaaacacag	aattgcgatc	51840
50	gtttgaaccg	gcaccgcaaa	gtgtgtgcgg	cacaaccctt	tgtttgatta	ggtcaaaatc	51900
	gtcataatta	ggaccggcca	cagccgcgta	ttccatatac	tgttgaaaca	tgtattgcgc	51960
	tgtggaagcg	gccgccccgg	attctaaatc	gagagctoga	tatttataat	agactgattt	52020
55	gtaagcattg	cggcacgcgg	cgtcgggaat	gttatcgcca	ttgtcgggcc	aataaaagtt	52080

EP 2 467 489 B1

	tccatcttta aaacatttat attgacgggc cgtcggcacg gacaaatagc cgtgagagcg	52140
	cactgccggc gcgatgaatcg cagcaaaaca tgcaattaat aatgcaatca ttatgattat	52200
5	acttatagaa cactaatcgg aataataacc gctgtcgtaa tcttgggtcaa aaacggttatg	52260
	ttgaaacata ataacacctt acagtaacat acaataaaac aacatagtat cgtatataat	52320
	tataaaacttt attttttcat ttatatacaa caaaatttat acgtattggt agcacattga	52380
10	gtgtcatttt cgtgtctga actatcacia tcatcgtcat catcatcatc attgtcatcg	52440
	tcgtcgtcac gtttgcgttt gacactgcat tttttttggt taattttcac taacactggt	52500
	tcttttcgat cgtacaattg attctgcatg tacttttgca tgatcgggtt aaaacacttt	52560
15	gcaattttat ccttttggtc gtcgcaaat atttcagca actcgttcat aaatgtgcac	52620
	aaaatgccca tgtgttttat ccagctgatt cgcattttca ctggatcgaa caaacgcaag	52680
	gggtacgctt tttctgttac cttgccttcg atgtctatca aaaggtagcg gatacgatct	52740
20	ccgttgccgg gcacaaaatc cgtgccttg ttaacaaaaa tttctctaca atgcctagcc	52800
	accgtaatca cgcgtctttt ggtgacgga cctcattat cgtcagttga tttgcgtttt	52860
	ttgcccggtt tatcgttata ggtcatacta aagctgtagt cggccaacga ttttgatttg	52920
25	gcaaaactcat catagtattc ataaaaacta gtctgtaaac ttgcaaaca tttgtccatg	52980
	tcctaatgac gcaatatttg ttccactgcc gtccctaaacg cgattctcat aaaaacgggc	53040
	atatcctttt taactaacca acccttgat acgattttat tctcactgtt gagatagcaa	53100
30	tattttttct tttttaatag tattaaaact ttcattaaat tttcaaagtc cattttgtaa	53160
	ccgtccgtga atgagttatt aacgcgtgtc tcaacatgtg tgcatatttg ttttaatgtg	53220
	tcggtttcgt tggatatttc gttatagtta aatgtgggca aaacaaatgt agaactctgtg	53280
35	tcgccgtaca caactttaaa agtgatgctg cccagattga atttttctaa aatctcaggg	53340
	tcgttgctca aaccttcaat cagagaaatg gccagccgca actgattgag accaactcta	53400
	gtgatgtagt ttgcaagcac tttgtaaaaa atgccataat aaccgtatat gctattggcg	53460
40	gtgcgcttca cggaattttg tttttgatcg tacagatcgt acaagaatgc cgattcgctt	53520
	tgattgtcgc gattcttttt aaatttgac ctttcgctta acaattttta tagcaattta	53580
	acaactattg cagcgaatt gtggttcaaa tacacgttgc cgtcttcgca taaaattaaa	53640
45	ttggacaaac aagcacaat ggctatcatt atagtcaagt acaaagaatt aaaatcgaga	53700
	gaaaaacgct tcttgtaaat gcctgcacga ggttttaaca ctttgccgcc tttgtacttg	53760
	accgtttgat tggcgggtcc caaattgatg gcattcttag gtatgttttt tagaggatct	53820
50	aattttcttt tgagattaga aatacccgct gcggctttgt cggctttgaa ttggcccgat	53880
	attattgaca gatcgttttt gttaaaaaaa tacgggtcag gtcctcttt gccggtgctc	53940
	tcgttaatgc gctgtttgt gatggctgcg taaaagcacg ccacgctaata caaatgcgaa	54000
55	atattacata tcacgtcgtc tgtacacaaa cgatgcaata tacattgcga atatacagaa	54060

EP 2 467 489 B1

	tcggccat	ttt	tcaatttgac	aaacaatttt	atcggcaaca	tgcaatcctg	cacgttgtac	54120
	ttggcaatca	cgtccagccg	tcgagtgttg	tacatcttga	ccatttcggt	ccaaggcaaa		54180
5	tcgattttgt	tttcacccaa	atagtaacta	ctgattgtgt	tcaattgaaa	gttttcaact		54240
	ttatgctgat	tagaatcgct	gctgaaaaat	ttatacaaat	caatgtgaat	gtaatagtta		54300
	aaataatacg	tgtccacttt	gttgcccaac	ttgtttataa	acagctttgt	cgtcggcgcc		54360
10	gcagccggca	aatcgtaacg	ctttaatagc	attttggttt	tattcaatcg	tccaagtata		54420
	tagggcagat	caaatacgtc	tccgttaaaa	tccaaaatca	catcgggatt	tgtaattttt		54480
	atcatgtcaa	aaaacgctgt	aatcatgtcg	atttcatttt	gaaacatgac	cacatacgctg		54540
15	tcacgtcat	aggtctctgg	aatctgggtc	ggcagcttgt	gatacataaa	acaaaatttt		54600
	gcatactcgt	cgttttttga	caccacaaat	cctatagaca	ttatgcaatc	aaccgatgct		54660
	ttcgacatgt	tgtggccgtc	cgaatgagtc	tcaatgtcat	agcacgacaa	aacgggcatg		54720
20	atgccgctgg	ttaaagtcac	ttcatcgacc	aactcaaagt	cttcattaaa	atgttgcaaa		54780
	ttaaacatgc	gcgtcgtcga	tccaccgaca	tagttatttt	ggcagcgttg	tgttttcttg		54840
	aatcgcatat	aggcgccttc	cacaaacggc	gtttgcatgt	gtacgcgatt	aacgttgtga		54900
25	agaaacttgt	ccaaacacgc	cgcgttgtcc	gatggcgctg	ctttgtttct	ttcgtattta		54960
	atcacgttta	tcttgttcaa	ataatttcct	tccacgcccc	gcgccacaaa	cgtggtgtag		55020
30	ctgatgcact	tggtgcggca	agacggaaat	atgtgcttgt	cgtagcattg	tttgtaagaa		55080
	tacaaattta	gttttacttt	aaagtaaaac	tgacgacttc	gttctttgat	atttgtatta		55140
	caaaatgcaa	acaagcaacc	ttgtttttca	tcgtaatgca	aacgaatgat	acgaaacgta		55200
35	tcggctgaag	taatattgaa	ttctcctggt	tttgcatatt	ctgcaaagcg	cgttttgagt		55260
	tcattgtaag	gatatatttt	cattttttaa	tatgcagcga	tggcccaa	atggaggcac		55320
	agacgtcaac	acgcgcactg	tacacgattt	gttaaacacc	ataaacacca	tgagtgtctg		55380
40	aatcaaaaact	ctggagcggg	atgagcacgc	tttgcgagag	attcaciaag	tcgttgtaat		55440
	tttgaaaccg	tccgcgaaca	cacatagctt	tgaacccgac	gctctgccgg	cgttgattat		55500
	gcaattttta	tcggatttcg	ccggccgaga	tatcaacacg	ttgacgcaca	acatcaacta		55560
45	caagtacgat	tacaattatc	cgcgcggcgc	cgtgcccgcg	atgcaaccac	cgccaccgcc		55620
	tcctcaaccc	cccgcgccac	ctcaaccacc	gtattacaac	aattatccgt	attatccgcc		55680
	gtatccggtt	tcgacaccgc	cgcacaacaca	gccgccagaa	tcgaacgtcg	cgggcgtcgg		55740
50	cggctcgcaa	agtttgaaac	aaatcacgtt	gactaacgag	gaggagtctg	aactggcggc		55800
	tttattttaa	aacatgcaaa	cgaacatgac	ttgggaactt	gttcaaaatt	tcgttgaaat		55860
	gttaatcagg	atcgtacgcg	tgacacgtagt	aaacaacgtg	accatgatta	acgttatatc		55920
55	gtctataact	tccgttcgaa	cattaattga	ttacaatttt	acagaattta	ttagatgcgt		55980

EP 2 467 489 B1

	ataccaaaaa	acaaacatac	gtttttgcaat	agatcagtat	ctgtgcacta	acatagttac	56040
	gttttatagat	ttttttacta	gagtcctttta	tttggtgatg	cgaacaaatt	ttcagttcac	56100
5	cacttttgac	caattgaccc	aatactctaa	cgaactttac	acaagaattc	aaacgagcat	56160
	acttcaaagc	gcggctcctc	tttctcctcc	gaccgtggaa	acggtcaaca	gcgatatcgt	56220
	catttcaaat	ttgcaagaac	aattaaaaag	agaacgcgct	ttgatgcaac	aaatcagcga	56280
10	gcaacataga	attgcaaacg	aaagagtggg	aactctgcaa	tcgcaatacg	acgagttgga	56340
	tttaaagtat	aaagagatat	ttgaagacaa	aagtgaattc	gcacaacaaa	aaagtgaaaa	56400
	cgtgcgaaaa	attaaacaat	tagagagatc	caacaaagaa	ctcaacgaca	ccgtacagaa	56460
15	attgagagat	gaaaatgccg	aaagattgtc	tgaaatacaa	ttgcaaaaag	gcgattttgga	56520
	cgaatataaa	aacatgaatc	gccagttgaa	cgaggacatt	tataaaactca	aaagaagaat	56580
	agaatcgaca	tttgataaag	attacgtcga	aaccttgaac	gataaaattg	aatcgttgga	56640
20	aaagcaattg	gatgataaac	aaaattttaa	ccgggaacta	agaagcagca	tttcaaaaat	56700
	agacgaaact	acacagaggt	acaaacttga	cgccaaagat	attatggaac	tcaaacagtc	56760
	ggtatcgatt	aaagatcaag	aaattgccat	gaaaaacgct	caatathtag	aattgagtgc	56820
25	tatatatcaa	caaactgtaa	atgaattaac	tgcaactaaa	aatgaattgt	ctcaagtcgc	56880
	gacaaccaat	caaagttht	ttgcagaaaa	tgaagaatct	aaagtgcctt	tagaaggcac	56940
	gttgccgttt	atagatagct	tttatcaaat	aattatgcag	attgaaaaac	ctgattacgt	57000
30	gccgatttct	aaaccacagc	ttacagcaca	agaaagtata	tatcaaacgg	attatatcaa	57060
	agattgggtg	caaaaattga	ggtctaaact	gtcaaacgcc	gacgttgcca	atttgcaatc	57120
	agtttccgaa	ttgagtgatt	taaaaagtca	aataatttct	attgtaccac	gaaatattgt	57180
35	aaatcgaatt	ttaaaagaaa	attataaagt	aaaagtagaa	aatgtcaatg	cagaattact	57240
	ggaaaagtgt	gctgtcacia	gtgctgtaag	cgcttttagta	cagcaatatg	aacgatcaga	57300
	aaagcaaaac	gttaaactta	gacaagaatt	cgaataaaaa	ttaaacgatt	tacaaagatt	57360
40	attggagcaa	aatcagactg	atthttgagtc	aatatcagag	tttatctcac	gagatccggc	57420
	tttcaacaga	aatttaaattg	acgagcgatt	ccaaaacttg	aggcaacaat	acgacgaaat	57480
	gtctagtaaa	tattcagcct	tggaacgcac	taaaattaaa	gagatggagt	ctattgcaga	57540
45	tcaggctgtc	aaatctgaaa	tgagtaaatt	aaacacacaa	ctagatgaat	taaactcttt	57600
	atthttgtaaa	tataatcgta	aagctcaaga	catatthtgag	tggaaaaacta	gcattgcttaa	57660
	aagggtacgaa	acgttggcgc	gaacaacagc	ggccagcggt	caaccaaacg	tcgaatagaa	57720
50	ttacaaaaat	ttatattcat	tttcatcttc	gtcatacttc	aacagtccca	acacgttcat	57780
	gttgtgattc	tcgccgttct	cgacagttac	gtaaaatagtt	actthtgatta	aattatcttc	57840
	cagcagcatt	gagatttgat	tgaaatccgc	acatagcttt	tgtagcgaat	ccgcttcgggt	57900
55	ttttttatth	gtgttgacgt	agaaaacaga	tttgttccat	ttgcccaagt	cggagaggt	57960

EP 2 467 489 B1

	agaacagtca tccgaatcgg caatgttcaa ctcgtcgctt ttaaactgca caataaactt	58020
	ggtatcgccc atgtcatttt cttccaattc gctttttaac acatttacat tgtacgaagc	58080
5	aacgtgtttg ttcgatcgac taatgttgat ctttgcgttt gtgcaatttt gcaaatttga	58140
	atatgcttcg ctttcttttag cctcgacaaa ttcgatgcgc gtagagttga ccacgttcca	58200
	attcatgtac acgtttgatc cattaaaaat ttgttgacac ttataactgt aaatggtaaa	58260
10	gatttggttt tcattgtctt ttaaataattt aaacacctca ttgatgtcgt cagaccctt	58320
	tatatgttgc ttgaatagat ttattagtgt tttcgcatcg acagaacatt ccacttgaac	58380
	cacgtcggga tcgtcgttga gatttttgta cacaacctca aaaacaactt tgtacaaacc	58440
15	gctgttgatt ttcttgtaga taaatttgta ctttacaata atattgacgc catcttcatt	58500
	ttcaaaatgt ttgttagtca aatagtcgct catgggggtt gcagtttcaa tttccatttc	58560
	acattctttg tattcgttga tctgaatcat ttgactaaac tttgttttca cataatttaa	58620
20	actaatgtca tagcacttgc cttcttccat gtctttgaaa gattgcgaat cgccgtagta	58680
	ttcttgaatt ttgttgcgac acattattcg aaaagtgtaa tggatttcatt tatcgatact	58740
	caacgtcatt ttgctcatca atttaccact aatccttttg taattttctc taatcttctt	58800
25	ggggctactg gccatagcca tgcgttttat aagcggctca ccgctacttt ctccagacaa	58860
	agatcttttg gtcgccatat tgctgttgct gatagtggg aatctatccg atggcaaata	58920
	ctgaatggcg acgaaatcga agtgtcgcca gagcacctgt cgttagcgtg gagggagttg	58980
30	attataaacg tggccagcaa cacgccgctc gacaacacgt tcagaacaat gtttcaaaaa	59040
	gccgattttg aaaatttcga ctacaacacg ccgatttgtt acaattttaa aacaaaaact	59100
35	ttaacaatgt acaacgagag aataagagcg gctctgaaca gaccgctccg atttaacgat	59160
	caaacgggtc atgttaatat tgcgtacgta tttttgttct ttatttgat agttttgctg	59220
	agcgtgttgg ccgtcttttt cgacacaaac attgcgaccg acacgaagag taaaaatgtt	59280
40	gcagcaaaaa ttaaataaac tcaaagatgg tttgaacacg ttcagcagca agtcggtggg	59340
	ttgcgctcgc tcaaaattat ttgacaaacg cccaacgcgc agacctagat gttggcgaaa	59400
	actatcagag atcgacaaaa agtttcacgt ttgccgacac gttgacacgt ttttgattt	59460
45	gtgcggcgga ccgggcgagt ttgccaaact taccatgtcg ttgaaccgc tttgcaaagc	59520
	gtatggcgtc acgttgacaa acaactcggg gtgcgtgtac aaaccgacag tgcgcaaacg	59580
	caaaaatttc acaaccatta cggggcccgga caagtcaggc gacgtgtttg ataaaaatgt	59640
50	tgtatttgag attagcatca agtgtggcaa cgcgtgcgat ctggtgttgg cagatggctc	59700
	ggttgacggt aatggacgcg aaaacgaaca agaacgtctc aactttgatt tgatcatgtg	59760
	cgagacgcag ctaattttta tttgcctgcg tcccggcggc aattgcgttt taaaagtttt	59820
55	cgacgcgttt gaacacgaaa cgatccaaat gctaaacaag tttgttaacc atttcgaaaa	59880

EP 2 467 489 B1

	atggggtttta	tacaaaccgc	cttcttctcg	gcctgccaat	tccgaacgct	atttaatttg	59940
	tttcaataaa	ttagttagac	cgtattgtaa	caattatgtc	aacgagttgg	aaaaacagtt	60000
5	tgaaaaatat	tatcgcatac	aattaaaaaa	cttaaacaaag	ttgataaaact	tgttgaaaat	60060
	ataacgtgtg	tataaaaagc	cagcggcttc	aaatcaggca	tcattcaaca	tggattcgct	60120
	agccaatttg	tgcttgaaaa	ccctgcctta	caagtttgag	ccgcctaagt	ttttacgaac	60180
10	aaaatattgc	gacgcatgtc	gctacagatt	tttaccaaaa	ttttctgatg	aaaaattttg	60240
	tggacaatgc	atatgcaaca	tatgcaacaa	tccaaaaaat	atagattgtc	catcatcata	60300
	tatatcgaaa	attaaaccga	agaaagaaaa	caaagaaata	tatattacca	gcaacaagtt	60360
15	taataaaaacg	tgcaaaaacg	aatgtaatca	acaatcaaac	cggagatggt	taatttccta	60420
	ttttacaaat	gaaagttgta	aagagctcaa	ttgttggttg	tttaataaaa	actgttacat	60480
	gtgtttggaa	tataaaaaga	atttatacaa	tgtaaatttg	tatacgattg	atggctcattg	60540
20	tccttcgttt	aaagccgttt	gtttttcatg	tataaaaaga	atcaaaacgt	gccaagtttg	60600
	caatcaacct	ttattgaaaa	tgtacaaaaga	gaagcaagaa	gagcgtttga	agatgcagtc	60660
	gctgtacgca	acgttggccg	atgtagattt	aaaaatatta	gacatttacg	atgtcgacaa	60720
25	ttattctaga	aaaatgatat	tgtgtgctca	atgtcatata	tttgcacgct	gtttttgtac	60780
	caataccatg	caatgttttt	gtcctcgaca	gggttataag	tgtgaatgta	tatgccgacg	60840
	atctaataat	tttaaaaata	atgtattgtg	tgtaaaaagt	aaagcggcct	gttttaataa	60900
30	aatgaaaata	aaacgtgttc	caaaatggaa	gcatagtgtg	gattatactt	tcaaaagtat	60960
	atacaagtta	ataaatgttt	aatttttaagg	atattgttat	ggaataaaact	ataaaatgaa	61020
	tttgatgcaa	tttaattttt	tgatactttc	cacagacggg	agattcagaa	cgatggcaaa	61080
35	catgtcgcta	gacaatgagt	acaaaacttga	attggccaaa	acggggctgt	tttctcacia	61140
	taacctgatt	aaatgtatag	gctgtcgcac	gattttggac	aagattaacg	ccaagcaaat	61200
	taaacgacac	acgtattcga	attattgcat	atcgtcaacc	aacgcgttga	tgttcaatga	61260
40	atcgatgaga	aaaaaatcat	ttacgagttt	taaaagctct	cggcgtcagt	ttgcatcaca	61320
	atccgtgggc	gttgacatgt	tggtctgtcg	cggcttctat	tattttggca	aagccggcca	61380
	tttgcgttgt	tccggatgcc	atatagtttt	taaatataaa	agcgtagacg	acgccaacg	61440
45	ccggcacaaa	caaaattgca	agttttctcaa	cgcaatagaa	gactattccg	tcaatgaaca	61500
	atttggcaaa	ctcgatgttg	cggaaaaaga	aatactggct	gccgatttga	ttcctccgcg	61560
	gctaagcgtt	aaaccttcgg	cgccgccgcg	cgaaccgcta	actcaacagg	tctccgaatg	61620
50	caaagtttgt	tttgatagag	aaaaatcggg	gtgtttcatg	ccgtgccgtc	acctggctgt	61680
	gtgcacggaa	tgttcgcgtc	ggtgcaagcg	ttgttgtgtg	tgcaacgcaa	aaattatgca	61740
	gcgcacgaa	acattacctc	agtaaacatt	gcaaacgact	acgacattct	ttaaaaataa	61800
55	gctatatata	aatattgcat	tgtatgacaa	aaaaattatt	aacctactgc	aaagtaaaac	61860

EP 2 467 489 B1

	ttgtaaaagg	cttttcaaaa	aaatttgcca	gtttattttg	tcgctgcgtc	gtgtcgcac	61920
	taagcgacga	agacgacagc	gacggtgac	gctattatca	gtataataac	aattgtaatt	61980
5	tcatatacat	aaatattgta	aaataaaaga	catattattg	tacataaatgt	tttattgtaa	62040
	ttaaattaat	acaccaattt	aaacacatgt	tgatgttggt	gtgaataatt	tttaaatttt	62100
	tacttttttc	gtcaaacact	atggcggtgc	tttcgattag	ttttttcgtt	agcatttcat	62160
10	ctaaaaaatc	aaactgtttg	cccgccgctg	ttagggtatc	tatggtgtag	tcgggcgtgt	62220
	cgctgtttag	atattggtcc	acttcgcgca	ttatgtccaa	gacgttggtc	tgcaaatgaa	62280
	tgagctttgt	caccacgtcc	acggacgtgt	tcatgtttct	tttttgaaaa	ctaaattgca	62340
15	acaattgtac	gtgtccacta	tacaattcgg	cttaatatata	tcgtcggcgc	aatcgtattt	62400
	gcaatccaat	ttcgtgttca	acaaattggt	gatgatatac	ttgaacgtgc	acgttttcaa	62460
	tttgtcctta	tcggccaacg	caagtttcaa	ttcgtctctg	aaagtttcta	aaattttgtc	62520
20	tttattgttg	tcaaattcgt	gcgtgttgcg	ttccaaccac	aatttgaacg	gctcgtcgac	62580
	aaaaatgctg	cgcaacacct	cgtacaactg	tctgcctaac	gtgtacactt	gctcgtattc	62640
	tttcatgctg	acctctttgc	taacgtacat	tactaaaaaa	tctacaagta	ttttcaaaca	62700
25	tttghtaatag	gcgacgtatt	ttgatttaag	ttttaaacgg	tccaccgtgt	attcgtccac	62760
	gttcgcatcg	accacttttc	gattattatc	gccgcttggt	gccggcgcgt	cggcctgttc	62820
	ggttttaact	atatccggtt	caatatttaa	agtttcaaaa	gatttaaatg	cattcataaa	62880
30	atcatctttt	tgctttggcg	tggtcaatgg	taaatctatc	gaggagtgtg	cgtccgtgtg	62940
	ctcttcgggc	acgctgttca	gacgtaacgt	aatctttttg	ggatcgtctt	catcgggtat	63000
35	caaatcggtc	ttaattttat	tagaattgag	caacgacatg	gtggtcgctt	gtaaatttaa	63060
	taaattaatt	aaagactgaa	attgtatatt	gcacaaattt	attttcattt	ttattgatct	63120
	tactattaat	acgctggcag	ttggtatgct	tcatccattt	ttgtgactag	aaaatttgct	63180
40	aaaaaactga	gctcgtcctg	tgttaaaacg	ttgtcgtcca	cgaatctatg	caatgtaaat	63240
	gttactactga	cattgtttta	caatgcatgt	attaaaaaat	caacctgtcg	cctactgagt	63300
	ttattagaag	agtcgaccgt	ttctactagt	ttgtagattt	tgttattttc	aatttcattg	63360
45	tttaaaaaaca	tgtttaactac	tcgtttgagt	ttaagcgaaa	aatccttggt	cggatagact	63420
	tgttcgacac	gccaatggtc	aagagtgggt	ttgaccacgg	acaccttggt	ggtgaacgtc	63480
	gtcgatttga	ccagttcggg	gaaaaagttt	ttcattaaat	tggaacattt	aacaaacact	63540
50	tatcaatcta	ttgagctggg	atttttgttt	agaatcgcat	caagcgcttg	ctcgatctcc	63600
	aatttttttc	ggacgctctt	agctttatga	ctcgggtatg	cttctacggg	agactcgggtg	63660
	ttcttactta	taatggccgg	gctgacgata	ataaacacga	gaaacaatat	gagcagatac	63720
55	aaaaagatgc	tgtttttcctt	tttgtcatac	actaggctaa	atatggccag	tcgcgccaac	63780

EP 2 467 489 B1

	aacaaatata aattcatttt tattccctta ctctattcgt tgcgatagta caacaacgat	63840
	tctcccgacg aaccggacga attgcgatta tgctgcgcgt cgtcgtcgtc gttgttggtc	63900
5	tctctctcgc tgctcgtttc gtctaaacct atattgtatt tgttcaagta atgtttggtg	63960
	cttgccgagg attcgtggtt cattaatttg gccacttttt gtaaaggcac gccgctattg	64020
	tataggttac tgctcaaata atgtcttata atgttgctgc gcggccgttc catctcgacg	64080
10	cccgactctt caaggagtcg cctgaaatct ttgaaggcg tgcaggtgtt tttagatatt	64140
	tgcaaatgg tcgggtttcg tgaataaatc tcgcgtgcc aattccaacgg tttcattttg	64200
	atgttggtga gtgtgttatt acgactgcgt tttcgtttta aattaatcgt gtcgtgtgc	64260
15	agttttcctc ttttaattag cacgttgaga tcgtccacgc tgagttggcg cgcttcgttg	64320
	attcgcatac ccgtccctaa catgatgcaa aacactatcg cgtccctaata tagaccgcgg	64380
	tcgtgaacat aatcgctgtt gagcatttta attttatcat taataaaatt taatatggta	64440
20	tctattacgt ttttaagcat taaattcttt tccttttccc tgatatattt gagctccttg	64500
	tcgcgcggca gcataaccat gcggggaatt ttgtattcgg gcaagttcat catgttggtg	64560
	taaaagttaa tagtcaactg tagtgtttct ttgggtgacc agcgaagtgc gagcatgcgc	64620
25	ctgcacagtt cttggggatc aatgagaagt gtttggtttt ctatcgagtc aaactccttg	64680
	tccaacgagt acgacatgct ttccagggtga acatcgtcta ccgagcagta cacaatttta	64740
	atgaatcgag acttgtaact ttttaaagtg gtgggcgcaa acggtttggg gaacatgtac	64800
30	ttgctccaca gactgttggt tttcacctcg tcgggcgtgc atcgttgccg atcgttggtc	64860
	aaatcgaaca cggactcgaa ccggggagcg gattgaattt ttattttcca agaattaaaa	64920
	ttgttttcgt tgcaaacatt aaaaccgttc attgtgggtta atcaaattta ttaaaaacaa	64980
35	aaggagaatc ggtgtcaata ctatccgaat attgttggtg ttctcttaata attacgaaat	65040
	aatatattac atacagcagt aagaataaag ctataaaaagc gactacacta attaaaatta	65100
	taattcccgc cgacacgttg ctcgctcgtg tgctatagcc caccatgtcg tttattggca	65160
40	ttttgtgaac gggctcgcta aattgttgcg gttcgtggc agtatcgtcg ttgagcgcca	65220
	atttcaacgg gatgtattcc accttttcgt ggttgcccaa ccgatagtag ggcacgtcca	65280
	aattcatggt tacaacttat ttgctaacag gaatttatgc aacaaaagtg gtttggtctt	65340
45	gatgagacgc aatttgaaat acttgctgca tttacgttta agattgtatt ccatgcgggc	65400
	ggcgggtgtg tagtcgtacg cgctcgcgct gtgatacacg agccgtaaat tggttgcggt	65460
	gcgcaaacac ttggcgccct gtttggtcga atgctgtttt atgcgtctgt taagattgct	65520
50	cgtgatgccc gtgtacaatt ttccattgtc ttgccgcaga atgtacacgc accacacctt	65580
	gttggtgtac agagtcgtcg ccatgattat gcagtgccgc ctttcgtgtt cggccgagtg	65640
	gcgttagggc cagccggggc aataatcgcg ttggcgctct tggtgtgaatt tatttggtga	65700
55	aaaataaaac gtcttagagt ttcgttttgg aacgccaat cggccaagct ctccctggcaa	65760

EP 2 467 489 B1

	gcgcttttgg tcaaatgagc ggccggcgaa ttgaccgcgt tggcgggcga cgtaagaag	65820
	gtggcgttct ggaacatgct gggtgcttg ccggtcgcg tcgccagctc ggccatgtaa	65880
5	ttgaatatgt tggcagacgc agatagcggc gccaaaaacg caacgttctc ttttaaactc	65940
	atgactcgcg ccctgttttt ttcgttcagc acgtagtggg agtaatcgcc gccgcccggca	66000
	aacagatcgt caatcacggc gttgatcaga tcgttgatca tgttgatgtg cggaaagcga	66060
10	cgcgactcga ctgcgctctg tatgtttggc ggccagagtgg cgtgcttgag caacagagtc	66120
	atgtaattgt tggccagctg ctgattgaaa ggtaacggaa tgggaatgtt gcacgtcacc	66180
	gcttccgcca ccatgtactg gacggccaga ctgagttgtt tggcggcctc ggccaaagcg	66240
15	tctttgcccc acatatcagc gccaccgttg taaaactttt gcgcgtacgc cggcagcgaa	66300
	tttagcacia acgatggctg aaatatattt gaatcgctcg acagggactc ggccgcgttg	66360
	ctctgtcccc actctttttg caaccgaatc aggtggcgta tcatggtttc ctccgattca	66420
20	aaccgcttta ccacgtttac gctgattggg ttcgtgtcga tgcacatgtc acgaatagt	66480
	tttataaaaa gaatcatgag aggactaagt tctgacatgt cattgcacct gtaatatcta	66540
25	ataatctttt gaacaaaatc cacacatttg ttgtacaaa tagattcacc ggcgtcgagc	66600
	gtcggttctt tgctcttggt gtacgggtgca atcgctaccg agtttgtgct gttgctgcgg	66660
	ctcgtgtaat ccatcctggt gtcgcgctg gcgacggctg taggcaccgt cgcggcgggc	66720
30	acgtacccgg gcgcgttgta agtttgcgcg ctggtgaata tggccgttgc cggattagag	66780
	ggatacctca gcggcgagag ggtgttgtaa taaaatttgc cacgttcacg tgtcatactt	66840
	tttatttgta ctcttatgat taaaaactc aatatacggg ttacttataa tatagtgtt	66900
35	gtgacaaaa agcgataata aaattaacaa aattatcaac agttaatca tggaaaattt	66960
	ttcaacgttg aataacaaca aaaaatggc gcaggtcaac agcaccgtt gaaaactgac	67020
	gcgccgacac aaaatgcttt cgcaatttct aaaagccaca ttaaacgaat tttcaccttt	67080
40	gatataatca cgcagttctt ttttacaaca ttcgtcgcac aaaattaaca cttttataat	67140
	gaggccgtcg gtgtgtatcg tttgaaatgt ccgcggttga ctgcctggat gaaattcaaa	67200
	cgagtaccca gtggacacgt gtatctgtgc aaaataatgg gctaatatcg aggcgccgt	67260
45	ttttttaacc tttacttttg atattttaat aacattaatg ttgttatttg cgtaatcaga	67320
	gtttttattg tggatgatcat cgtacaaata atgaagcaac agttcactat cgtatttaat	67380
	cttgtttagc gttgtcaagt ttttgtttct taggcgttgg agcgtctccg tcgtcgatat	67440
50	tttcttcgaa atcgagtcca acaacgtcgg cgtttccttc ttgctcatcg atagcggcgg	67500
	cggaggcggc ctctccgtcg tcgtcattcg cgtttctac agtgcgtttg ggcgacgacg	67560
	tgtgtacagc agcgtccgtc ttactattat cggaccgcca aatttttgtt tgaaataaca	67620
55	tttggccctt gttcaacttt atttcggcgc agttaaacat tattgcatta agatcatatt	67680

EP 2 467 489 B1

	cgccgttttg caccaaattg cacaaaacac catagttgcc gcacgacact gtagaatagg	67740
	cgtttttgta caacaatctg agttgcggcg agctagccac cttgataata tgggcgccaa	67800
5	cgccccgttt ttttaagtaa tattcgtctt caattataaa atctagtacg ttttcatctt	67860
	cactgttgat ttgggcgttc acgatgatgt ctggcgtaat gttgctcatg cttgccattt	67920
	ttcttataat agcgtttact ttaatgtatt tggcaattta ttttgaattt gacgaaacga	67980
10	ctttcaccaa gcggctccaa gtgatgactg aatatgtgaa gcgcaccaac gcagacgaac	68040
	ccacaccgga cgtaataggc tacgtgtcgg atattatgca aaacacttat attgtaacgt	68100
	ggttcaacac cgtcgacctt tccacctatc acgaaagcgt gcatgatgac cggattgaaa	68160
15	tttttgattt cttaaataca aaatttcaac ctgttgatcg aatcgtaacac gatcgcgtta	68220
	gagcaaatga tgaaaatccc aacgagttta ttttgagcgg cgacaaggcc gacgtgacca	68280
	tgaaatgccc cgcataTTTT aactttgatt acgcacaact aaaatgtgtt cccgtgccgc	68340
20	cgtgcgacaa caagtctgcc ggtctttatc ccatggacga gcgtttgctg gacacgttgg	68400
	tgttgaacca acacttggaac aaagattatt ctaccaacgc gcacttgtat catcccacgt	68460
	tctatcttag gtgttttgca aacggagcgc acgcagtcga agaatgtcca gataattaca	68520
25	cgtttgacgc ggaaaccggc cagtgtaaag ttaacgaatt gtgtgaaaac aggccagacg	68580
	gctatatact atcatacttt cctccaatt tgctcgtcaa ccagtttatg cagtgcgtaa	68640
	atgggcgcca cgtggtgggc gaatgccccg cgaataaaat atttgatcgc aacttaatgt	68700
30	cgtgcgtgga agcgcacccg tgcgcgttta acggcgccgg acacacgtac ataacggccg	68760
	atatcggcga cacgcaatat ttcaaagtgt tgaataataa cgagtcacaa ctgataacgt	68820
	gcatcaaccg gatcagaaac tctgacaacc agtacgagtg ttccggcgac tccagatgca	68880
35	tagatttacc caacggtacg ggccaacatg tattcaaaca cgttgacgac gatatttcgt	68940
	acaacagtggt ccaattggtg tgcgataatt ttgaagtatt ttccgacatc gaatgtgatc	69000
	aatcaaacgt gtttgaaaac gcgttgttta tggacaaatt tagattaaac atgcaattcc	69060
40	caactgaggt gtttgacggc accgcgtgcg tgccagccac cgcggacaat gtcaactttt	69120
	tacgttccac gtttgccatt gaaaatatc caaaccatta tggcatcgac atgcaaacct	69180
45	ccatgttggg cacgaccgaa atggttaaac agttggtttc caaagatttg tcgttaaaca	69240
	acgacgccat ctttgetcaa tggtttttgt atgcgagaga caaagacgcc atcgggctta	69300
	accggttcac cggcgagcct atcgactgtt ttggagacaa cttgtacgat gtgtttgacg	69360
50	ctagacgcgc aaacatttgt aacgattcgg gaacgagcgt tttaaaaacg ctcaattttg	69420
	gcgatggcga gtttttaaac gtattgagca gcacgctgac cggaaaagat gaggattatc	69480
	gccaattttg tgctatatcc tacgaaaacg gccaaaaaat cgtagaaaac gaacattttc	69540
55	agcgacgtat attgacaaat atactacagt cggacgtttg tgccgacctata tactacac	69600
	tttaccaaaa atatactaca ctaaactcta aatatactac aactccactt caatataacc	69660

EP 2 467 489 B1

	acactctcgt	aaaacggccc	aaaaatatcg	aaatatatgg	ggcaaataca	cgtttaaaaa	69720
	acgctacgat	tccaaaaaac	gctgcaacta	ttccgcccgt	gtttaatccc	tttgaaaacc	69780
5	agccaaataa	caggcaaaac	gattctattc	taccctctgt	taaccctttt	caaacgaccg	69840
	acgccgtatg	gtacagcgaa	ccaggtggcg	acgacgacca	ttgggtagtg	gcgccgcca	69900
	ccgcaccacc	tccaccgccc	gagccagaac	cagagccaga	acccgagcca	gaacccgagc	69960
10	cagagttacc	gtcaccgcta	atattagaca	acaaagattt	attttattca	tgccactact	70020
	cggttccggt	tttcaagcta	accagttgtc	atgcggaaaa	tgacgtcatt	attgatgctt	70080
	taaacgagtt	acgcaacaac	gttaaagtgg	acgctgattg	cgaattggcc	aaagacctat	70140
15	cgcacgtttt	gaacgcgtac	gcttatgtgg	gcaatgggat	tggttgtaga	tccgcgtacg	70200
	acggagatgc	gatagtggta	aaaaaagaag	ccgtgcctag	tcacgtgtac	gccaacctga	70260
	acacgcaatc	caacgacggc	gtcaaataca	accgttggtt	gcacgtcaaa	aacggccaat	70320
20	acatggcgtg	tcccgaagaa	ttgtacgata	acaacgaatt	taaatgtaac	atagaatcgg	70380
	ataaattata	ctatttggtt	aattttacaag	aagattccat	tgtataaaca	ttttatgtcg	70440
	aaaacaaatg	acatcattcc	ggatcatgat	ttacgcgtag	aattctactt	gtaaagcaag	70500
25	ttaaaataag	ccgtgtgcaa	aaatgacatc	agacaaatga	catcatctac	ctatcatgat	70560
	catgttaata	atcatgtttt	aaaatgacat	cagcttatga	ctaataattg	atcgtgcgtt	70620
30	acaagtagaa	ttctactcgt	aaagcgagtt	tagttttgaa	aaacaaatga	gtcatcatta	70680
	aacatgttaa	taatcgtgta	taaaggatga	catcatccac	taatcgtgcg	ttacaagtag	70740
	aattctactc	gtaaagcgag	ttcggttttg	aaaaacaaat	gacatcattt	cttgattgtg	70800
35	ttttacacgt	agaattctac	tcgtaaagta	tggttcagttt	aaaaaacaaa	tgacatcatt	70860
	ttacagatga	catcatttct	tgattatggt	ttacaagtag	aattctactc	gtaaagcaag	70920
	tttagtttta	aaaaacaaat	gacatcatct	cttgattatg	ttttacaagt	agaattctac	70980
40	tcgtaaagcg	agtttagttt	tgaaaaacaa	atgacatcat	ctcttgatta	tgttttacaa	71040
	gtagaattct	actcgtaaag	cgagtttagt	tttcaaaaac	aaatgacatc	atcccttgat	71100
	catgcgttac	aagtagaatt	ctactcgtaa	agcgagttga	attttgatta	caaataattt	71160
45	gtttatgata	gcaagtataa	ataaccgcac	aaagttaa	ttttttcatt	tacttgtcac	71220
	catgtttcga	atatacccta	ataacacaac	tggtgccggg	tgtttagtgg	gtgacattat	71280
	tcaagttcgt	tataaagatg	tatcacatat	tcgctttttg	tcagattatt	tatctttgat	71340
50	gcctaacggt	gcgattgtaa	acgaatatgg	acctaacaac	cagttagtaa	taaaacgcaa	71400
	aaacaaatcg	ctgaaaagct	tgcaagattt	gtgtctggac	aaaatagccg	tttcgctcaa	71460
	gaaacctttt	cgtcagttaa	aatcgttaaa	tgctgtttgt	ttgatgcgag	acattatatt	71520
55	ttcgtcgggt	ttaccaatta	tttttaatcc	ggctttgcta	caaagaaaag	tgccgcagcg	71580

EP 2 467 489 B1

	cagcgtggga tatttcatga attcaaaatt ggaaagggtt gccaatgtg atcgggggtca	71640
	tgctcgttgaa gagaaacaat tgcagagtaa tttgtatata gattatTTTT gtatgatttg	71700
5	tggtttaaat gtttttaaaa taaaagaata acaatttaca cattgtttta ttacatggat	71760
	aatgttggtt gtttgacatt aaagggttatc atgggtgcaat gattaataat aaaacaatat	71820
	tatgacatta ttttcctggt attttacaat ataaaatcac accaatgtg caaagtttta	71880
10	ttatttggtt gtcgacggtc gaggggtcag cggcgtgtgc aacaataaaa aacatgaagc	71940
	tgtaacaat tttgatttta ttttattcat tttttatgaa tttgcaagcg ctaccagatt	72000
	accatcaagc aaataggtgt gtgttgctgg gaactcgcat tggatggaac gatgacaata	72060
15	gccaaagatcc caacgtatat tggaaatggt gttaaataaa agtgaatata ttttttataa	72120
	aatTTTTtat ttaaaattcc aagtaatccc tgcaaacatt aaacactgta ggtattttta	72180
	aatcttgcca catgcgaaca acgcacggcc tgctcgtcga caccgctatt acattatatt	72240
20	ttcctctgat atagttgtta aacaatttta attttaataa ataatcttta caagtatcgt	72300
	ctgaaggcct cataaacaat ttatatgatt taatatcaaa atacttttca atccagtttc	72360
	gagtgggctg ttcacaaatt acgcttctcc cgctcataaa cagcataatt gcgtcgtggc	72420
25	aatTTgcaa atacttaacg caagtaataa cgtctaagcg ggcttcatct tgagcaactc	72480
	tattatcaaa atcataaaac gatctatttg tgggcaaagc tactgtaccg tctaaatcac	72540
	ataatacagc gcggggaaat ttgtcgcga caggaacgta atattcgaaa ttattttacct	72600
30	ttagaaactt tttatattgc tttttaatag tttctggatt taatggaaat ttatcagagc	72660
	gtttataatt gcgttcaaga gccgtttcca aagaaacgtc catcaaacgc gttaaaaaat	72720
	ggtaattatg cgttgcgcc attttttgcc acatgtccac cgattgagtg ttcaaattag	72780
35	tgctcgtgac aaccacgttg gcaccacatt ttgcggcttt taaaaactgt tcaatgcaca	72840
	ttttggtaat ttgttcttct ttagtttgtc tacatttccg cgattgggta tagaaagcgt	72900
	tcagttttgt ataatcgccg tttaaaaaca acttaacgcg cagctcgtct ctgttgattt	72960
40	ctgtatagcc ttttaaactt ttggcatacg tgcttttgcc cgaacccgaa atgcctatca	73020
	acaccaacaa ttgttttgaa gaaggcaatt taattgttgg agcaagttaa ttatttaatg	73080
	cctgcttagt cgatacaaat tttataatat ttttgatcat ttttaatttt tcaggctcgg	73140
45	ttaattttta aaattcgctc tccacatcga tcgtttgtgc tttacgacat ctgtacgcta	73200
	aacatttcca cggcaaagtt tgcaccagtt cgttgaaacg ctgttgattc aaagtcaaac	73260
	ccgacaccat aatatttatt gtagactcgt tgggtgaacgt gtttctagca tcaacgtacg	73320
50	gtttaatgac acttttttaa tgcgggaaaa gagctagaaa gtcacgtgt tcgccattta	73380
	taacaagctg cgccaattta gtaggatttt cagcacggct ctgatttttg tgcatttca	73440
	aatacacgtc gcttttaatc ttgcatagtg gcgcgttggt tttatcgtaa actacaaatc	73500
55	cttcttccaa atttttcaac tgggccgcgt gttcgacaca ttcttgcaca gacgtaaact	73560

EP 2 467 489 B1

	cgtaacattt	ggggtatttg	caaaacggca	aattggaaca	gtaaaaataa	tcgcccgttt	73620
	cgttgtttct	gcttgccaaa	taccacaacg	ttggctgttc	atcgtaaacg	gttacaattc	73680
5	tgttgtgttt	gcttggtaac	tcaaacatgt	gagtcgacgc	gcagtctaaa	tattcgttac	73740
	acaacgcttg	aaattgattg	tgggcctcgt	caagttgaag	agcttgcaaa	actaaacgtt	73800
	taaacgtcac	gtctgacacg	caaaggtttt	ctgcaaaaagc	acttcctcgg	gtgctggcat	73860
10	gccattcgcc	gttgtacttg	tagattttta	ttaaacttcc	gtcgattttt	tcgtaaaact	73920
	taaaattctc	cttcgattgg	aacagtttgt	gatgagcatc	ttcgccgccg	atattttgta	73980
	gcaattcttg	aaaattaaag	aaacgatcga	aagaacgcga	cacaacggcg	tacgtgcggc	74040
15	tgtaagaat	taaaccgcga	cattccacga	ccacaggatg	atctcgatcg	cgttcaaacg	74100
	attcgtaatt	agaaccatc	aatcgtgtt	cgttataatt	tttaattttg	actttaaact	74160
	tgtcacaaag	atcttctact	ccgccgtttg	caagtagacg	cgaaacgtgc	aacatgattg	74220
20	ctgtttaata	atgcatacca	atgctaaact	gtctattata	taaagtgcag	tgataacttt	74280
	gttatcaacg	cgttcgatgc	cgacatatat	aaacgcaatg	taacagtttt	tgctagtacc	74340
	atcgcataca	acattatgaa	tacaaggggt	tgtgttaata	ataataaaat	gatatttatg	74400
25	aatgctttgg	gcttgcaacc	tcaaagtaaa	ttgaaaatta	ttgcacataa	aatactagaa	74460
	aaatgtaaac	gtgacgcgta	cacgcgtttc	aagggcgtaa	aggcgatcaa	gaatgaacta	74520
30	aaaacataca	atcttacggt	gcaacaatac	aacgaggcgc	tcaatcagtg	cgctttaaac	74580
	gatagccgat	ggcgcgacac	aaataattgg	catcacgata	ttgaagaagg	tgtgaaaata	74640
	aacaagagac	atatatatag	agttaatttt	aattctaaaa	ccaagaaat	tgaagaatat	74700
35	tattacatta	aagtagaatg	ttatgtaaac	agttaattaa	tctacattta	ttgtaacatt	74760
	tgtggttaata	gtggcggttg	ttatacattt	atatgattgt	aatgttgtgt	actcgttttg	74820
	taataaattt	ttgtgtttta	tcaattcaat	atcttttattt	gataaaacct	tattttcgct	74880
40	actcaatttg	gcgttttttag	acgcaagttt	tgcgtaatcg	tcattgagcg	atcttagcgc	74940
	cttttcagtt	gtaattcggt	tcagttgcaa	ttcttttaaaa	gatttatgca	tgttgttgta	75000
	gtcgctttta	atcttgctta	acttttcttg	catagaaacg	cttgtttggt	gtaatttgct	75060
45	taaatctaata	tggtgtttta	tggtgagctg	cgtttggtcg	gcaatgtcta	cctgtagttt	75120
	ttttagtatc	gcttggtgct	cagacagcat	agtgtcgctg	gcatttgcggt	tggtgtcttc	75180
	tgcgctgctc	aacagacttt	tttcaaacaa	cacactggcc	aaagaggccg	catcaaaatt	75240
50	agcgtttatt	ttattccatt	gtgcgacact	cgacgcgctg	catttaataca	catccacaac	75300
	gtttcggttt	acgctgtaaa	cggtgaaatg	caaactttca	accctacaca	agggacatgg	75360
	tacttttttt	cgttttctaa	tcttgcggtat	acacattgag	cataattgat	gtttgcacgt	75420
55	gtctagttct	aatacgggta	ttatagtcaa	tctgtctatt	ggttgacagaa	aataattttt	75480

EP 2 467 489 B1

	aattttctgca accgaaaaac aaatgttgca ttgcaattta acaaactcca ttttttagacg	75540
	gctatttcctc cacctgcttc gcctgcaaca ccaggcgag gacctgccac tgcgcgcgcg	75600
5	cccagagtag cgtaggatt tgctcttggg ataaagtcgt tgcgcaaaaa gttgttttct	75660
	gaattgatta tttggtatcc caaaaacagc ggaacgtacg tcgggtattc ttcgtatccg	75720
	ctaagcgttc tgtccagctc acgtgtgtcg ccttcaaatt tcaaaacggt tctaatttgc	75780
10	aaacgattgg gttgacttct cataatgtca ctgcttctta tcgggttgta caactcgggg	75840
	ccgtcgggca cagacgcgac cagaccggtt tcgtcaatta tacacgtggc gcaatttcta	75900
	aacctcaatt cctccgtgtc gatttgcaag tactcgggcg ctactgcgcg tcgaatcaaa	75960
15	ttttgcaaaa atccactgta attgttaaatt aattgatcgc cagcacccgc tcgaagcgct	76020
	cgggcgttgg tcacgtcaaa gaaacgcaat tcgtctcgcg acaccgcgca aaaaaacgtg	76080
	ttcgggtttg tgggtgccag aatgcttttt gtagttgcgt aaacgctgtg tataacgcgt	76140
20	tgctgtttgc ttgtgaaacc ttcggtatat tttagattgt cgcatatagt gttaactgcg	76200
	ttttcgttgt tatatatcaa atgaaagatt agctgttcgg cttgcatcat actgtttaga	76260
	ttaaacacgt cttggttaatt ggttgcgctt ggaattaaaa ttcgcttgat acctctttct	76320
25	ttattttcaa ctaaatgcct agcgatcgtc attttgaatt gattgtcgtc ttcgtcgaaa	76380
	atgggcacaaa ccatttttga catttttaaaa cgttttatga ggtggttgtt gcaaataaac	76440
	catccatcgt catgatacgc gtcgggcgaa cacggcgatt tgtatgttat gcacgcgtcg	76500
30	aacgacacga tggacgcgaa aatgcagcga ttaactctca tttgtcgcgg cgccataccc	76560
	acgggcacta gcgccatatt gttgccgtta taaatatgga ctacggcgat tttgtgattg	76620
	agaaagaaat ctcttattca ataaatttta gccagattt gttgtataaa atttttaaatt	76680
35	cttatattgt tcctaattat tcgctggcac aacaatattt cgatttgtac gacgaaaacg	76740
	gctttcgcac tcgtatacct attcagagcg cttgcaataa cataatatca agcgtgaaaa	76800
	agactaattc caaacacaaa aaatttgttt attggcctaa agataccaac gcgttggtgc	76860
40	cgttggtgtg gagagaaagc aaagaaatca aactgcctta caagactctt tcgcacaact	76920
	tgagtaaaat aattaaagtg tacgtttacc aacacgataa aattgaaatc aaatttgaac	76980
45	atgtatattt ttcgaaaagt gacattgatc tatttgattc cacgatggcg aacaagatat	77040
	ccaaaactgct gactttgttg gaaaatgggg acgcttcaga gacgctgcaa aactcgcaag	77100
	tgggcagcga tgaaattttg gcccgcatat gtctcgaata tgaatttgac gacgacgcgc	77160
50	ccgacgacgc gcagctaaac gtgatgtgca acataattgc ggacatggaa gcgttaaccg	77220
	acgcgcacaaa catatcaccg ttcgtgccgt tgaccacggt gattgacaag atggcccctc	77280
	gaaaatttga acgggaacaa aaaatagtgt acggcgacga cgcgttcgac aacgcgtccg	77340
55	taaaaaaatg ggcgctcaaa ttggacggta tgcggggcag aggtctgttt atgcgcaatt	77400
	tttgcattat tcaaaccgac gatatgcaat tctacaaaac caaaatggcc aatctgtttg	77460

EP 2 467 489 B1

	cgctaaacaa cattgtggcc tttcaatgcg aggttatgga caaacaaaag atttacatta	77520
	cagattttgct gcaagtgttt aaatacaaat acaacaatcg aacacagtac gaatgcgggcg	77580
5	tgaacgcgctc atacgctata gatccggtga cggccatcga atgtataaac tacatgaaca	77640
	acaacgtgca aagcgtcacg ttgaccgaca cttgccccgc aattgaattg cggtttcagc	77700
	aatttttttga tccaccgcta cagcagagca attacatgac cgtgtccgtg gacgggtatg	77760
10	tcgtgctcga caccgagttg agatacgtca aatataaatg gatgccaaac accgagttag	77820
	agtatgacgc cgtgaataag tcgtttaaca cactcaatgg gccattgaac ggtctcatga	77880
	ttttaaccga cttgccggag ttactgcacg aaaacattta cgaatgtgta atcacggaca	77940
15	cgacaataaa cgtgttgaaa catcgtcgcg accgaatcgt gccaaattaa agcacgttaa	78000
	gcggatacaa cgggcagtcg gagctgttaa agtcaataca accatcgtta acaaacgaat	78060
	acgcattgtt gtgacagctg aggatataaa aaggaataga gaagtaattg caatgaaata	78120
20	tcccgttaca attccacggc acagcgtatg ttgctcgagt tctatcagtt gcacacaacg	78180
	gcctaagaaa atttattaat gcttcatttg tatctatatt agaaggataa tacataggtt	78240
	cgcccaaagg actgggagaa ggccggcgcg aaggtgtagg tgtaggagga ataggagaag	78300
25	gcggcgcgca aggtgtaggt gttggaggaa taggagaagg cggcgcgcaa ggtgtaggtg	78360
	taggaggaat aggagaaggt ggaggtgtag gtgtaggtgt tggaggtata ggtgttgag	78420
	gaggtgtagg tgtaggtgtt ggaggtatag gtgttgagg aggtgtaggc gaaggtggag	78480
30	aaggtgtagg agtaggtgga ggtgtaggta acggtacaat tgggtggagat gtaggtggtg	78540
	gtacaattgg tggatttgga tacaattcct gaatgtcgtc taatattttt aaagttaata	78600
35	aaattattat aaataaattt aatattatta ttattattat tatcacaata atgtaccaca	78660
	tggtgcttaa atataaaaat taaacaaaga atgttgattt attgcaaatt taacaatttt	78720
	ttgtattctc cccatgtcat gcgttcgtaa tgagcggggc gttttttatt tctttgtatc	78780
40	cacttgtaat cgttaatgtg gttgtgaaaa gtcatactga cgtaggccat taaatttttc	78840
	atgagcatat tatttgacac aactgcaaca tctgcgcctg ccgtttcttg ctggtacgaa	78900
	tcgacaaaacg taatgtctgt gccgtatttt tctttgtcaa gtgcaatttc tataagctca	78960
45	atgtggtaaa tgatgaaacc tttgacgttc atataatgat cgcggcacat ggcgcactgt	79020
	agtatgaaaa atacgttgta aaatagcacc ttcatgtttt tcaactgctg catgacaaaa	79080
	tctaaaactgc ttttgtctcg cgtatacacc atatcgctga tgatgagact gagaaagtgc	79140
50	atggtgtccc atatggtagt aaacgtgtaa gtaaaactct tgggctggca cgaacgcaaa	79200
	ttgagttctg tggttttgtc cataaattct atgcgaaact gttgcaagtc catgtcgggg	79260
	gatgcgttaa tggcccatc gatcaactgc tgcacctcgt acttttgaat gtctttgtat	79320
55	ttcatcaaac acgcaaatg gtataagtaa gttgcttgcg aagacaacag tttggtgagg	79380

EP 2 467 489 B1

	tgcgctcgatt tagaggctcg caaaaggtct atgagacgaa acgaatacaa cagatagctg	79440
	tcttttgaac gagaaaaaag cggcgtcagc ggtatcatgg cgactagcaa aacgatcgtg	79500
5	ctgtacttgt gtcaggcgcc ggccacagcg tcgttgtacg ttagcgcaga cacggacgcc	79560
	gacgagccta ttattttatt cgaaaatatt acagaatgtc ttacggacga ccaatgcgac	79620
	aagtttactt attttctga actcaaacag gagcaagcct tatttatgaa aaaagtatac	79680
10	aaacacttgg tgcttaaaaa cgagggtgct ttaacaaac accacgtatt gttcgatgca	79740
	atgattatgt ataagacata tgtgcatttg gtcgacgagt ctgcttcgg aagcaacggt	79800
	atcaactatt gcgaacagtt tatcacggcc atttttgaaa tttttacgct cagcagtaaa	79860
15	atcgctcgtgg ccgtgcccggt caattgggaa aacgataatt taagtgtact tttgaaacat	79920
	ttgcacaacc taaatctcat tggaattgaa attgtaaatt aaaacaaatc atgtggggaa	79980
	tcgtgttact tatcgttttg ctcatactgt tttatcttta ttggacgaat gcattaaatt	80040
20	tcaattcctt aaccgagtcg tcgccaggt tagggcagag cagcgactcg gtggaattag	80100
	acgagaacaa acaattaaac gtaaagctga ataacggccg ggtggccaac ttgcgcacgc	80160
	cacacggcga taataaattg agccaagtgt atattgccga aaaaccgcta tctatagacg	80220
25	acatagtcaa agagggtcc aacaaggtgg gactaacag cgtttttctg ggacccgtat	80280
	acgactatgg aatcaaatca ccaaacgcgg ccagcacatc tagtaatgta accatgacgc	80340
	gcggcgccgc aaactttgat atcaagggaat tcaagtccat gtttatcgta ttcaagggtg	80400
30	tgacgcccac taaaactgta gaggacaatg gcatgttgcg attcgaagtc gacaacatga	80460
	ttgtgtgttt gatcgacccc aacacggcgc cgctgtccga acgagaggtg cgcgaattgc	80520
	gcaaatctaa ttgcactttg gtgtacacaa gaaacgcggc agctcagcaa gttttatttg	80580
35	aaaataactt taccgtcatt aatgctgaac aaaccgccta tctcaaaaac tataaatcat	80640
	acagagaaat gaattaataa aacaaaaagt ctattttatat aatatattat ttattaacat	80700
	acaaaatttg gtacactagt gttcaaatcg tttctgttca acgccattgt catgttataa	80760
40	aacacatttg tagttttatt gtaattattt ttaaatttat ttttaatttg ctgtaataaa	80820
	acttgttcat taaatacaaa agactttgaa ctacttgcgt ttatattctt tttataattg	80880
	tactgaacaa acgaggggtg caaaaagtgt ttgaaatgct gcacggcaat acctatcatc	80940
45	tcctccattt tgcctctctc tattgtaata gtggcactgc gcaccgtttt aatgtttaga	81000
	atgtaaatga gcgcatacag cggactattg ttggtgctca agcacattag gttgtgctta	81060
	tgcatagggg cgttgctcag cagcgttttg tatactacaa agcccgtttt ggggtcgcgt	81120
50	ctgtacatta gtacgtgcga caaaaacaaa cgcaccggcg tcacaagcga ctcgtaatac	81180
	atgctttcta tcggaaactg tttggacttg atgtgttcgt acacggagcc ggcaaaactg	81240
55	acgctgtcta caaacttatg gttcgtgtaa acaatcaaaa atctgtcttg tacaccgtcg	81300
	tcataatcgt ccacgtacag cggcttggtg ttaacaatta acattttgta gttggcttca	81360

EP 2 467 489 B1

	tacttttagca gcccttggtgta ttttctgctc ttggaatcgc tcttgctcga atcggcatgc	81420
	ttcttaaaagt acgactcgcgt gcattgtttc aactcgttga tagtgtacaa ctgcgagttg	81480
5	agtttgctca cttccttgtc gctcgtttcc ttgttggtgact ctccgctgtg gttgtcatcg	81540
	tcaaacttgt gcatcaacac caaatagtcc aacagctcaa aaaacgacga cttgcccga	81600
	cccggttcgc cgggcatgta aatagccttc tttccgtaat ctacgggaat ggccaaacta	81660
10	gcggcgaaat gcatcaacat aatcgcgttc gcgtgattaa aattggtgaa gcgtttaaag	81720
	tacaaatagc cttcgacaat ctttttcaaa taattgtacg agtactcctt caagtccact	81780
	ttggacatga tgatgcgcat gtagaatcga gtcagccaag tgggcaaata gtccgtgctg	81840
15	cgcgccaata tgattttgtc ccaccacaca ttgtacttct tcaagatcat taacgcgtcg	81900
	gcgtggtgcg tgtaaaattt ggaaatgtta tccgattctt caaactgaac atcgggttca	81960
	cgtgcaacat catcgcgcaa ttcggttaaa aacaaacgtt tatcattaaa cttgtccatc	82020
20	aacatgtcga catattcgat tttgtgaatt gttcgataca agtactgaat aattttgttg	82080
	tgttcttttg aaaaaaactc tccgtgttg ttaacaaatt cgctgttcgt gcgaatcaac	82140
25	gtggtcgaca cgtacgtttt gttagtataa attagcatcc aaatcaattc gctcaattct	82200
	gcatcgttac cgaacatgtc cgccatcaag cagactttta gcgcttttct attgatcttt	82260
	attttcttgt agcatttgca ttttggtcga gatcccgata ccggttgaccg acacgggttg	82320
30	catttttaggt tgtgcaacat gtcggaaacc ctgttcttgt ttacgtacag agcgagcgta	82380
	atcagatttt catcgtccaa attccacaaa tcgcgaaaca ggttgtttaa cgcgactcgc	82440
	atcgcggtt ggcatgtgtt gcaattgccc atgtagttaa ctatggccgt gttagttttt	82500
35	agcattttta catctcggca cattttggcg atgtgataag ttctataaat gctgagctcg	82560
	tcggcgctag tagatagcat gtaattaaac gcgtcctcgg gcaaatactt ttcgtcggtg	82620
	ggcttcttga atgtctgcgg caacgtggtg cccaacaaaa atggacagct cgaatgaaag	82680
40	ctgttggtga acacgttgta cacaccgtgc gttgtcaagt acaagtattt ccaattgtta	82740
	aattttatgt tgctcaactt gtaacaattg cttttggtca atttgaatag gtcacacctt	82800
	ttctttacaa tttgataatg tttgccgttg aaaaccaaata tgactccggt cactacgttt	82860
45	tccaattttt taaagaatcc ttacacaca atgtcaggcg gcaagtttag cgccatcaca	82920
	ttctcgtacg tgtacgccc caattcatcg tgatccaaaa tttcgttttt agccgactga	82980
	gtcaaatata tcatgtagt tatgccaaaa taatagccca acgatacgca caatttggtg	83040
50	tcgtcaaagt caaaccaatg attgcaggcc ctattaaaca ctattttctc ttgttttttg	83100
	taaggctcac atcgtttcaa agcttcattc aaagcttctt tgtcgcaggc aaataatgat	83160
	tcacacaaaa gttccaaaaa cagtttgatg tcggtttctc tgtacgagaa attttcgttc	83220
55	ttggtcaata tcttcacag tacatagatt aaaaaatcaa aattttttaa tttgcttttt	83280

EP 2 467 489 B1

	tcaaagtatt gttgtagaag gtttggatcg ttggctcggt cgtgggtcgc caaaacttta	83340
	accatgttct cgtgaattgc tataagcccc aaattgattt gcgtttgaat gtagtctgca	83400
5	ttttcgctgc tcgccgatat aatgggtacg atgcgcggtt ttctggaacg cgtgtcgctc	83460
	aagtccacgt cgtttttgtc aaaattgttg ttctcgaaca ctctgaggct tttgaggttg	83520
	acgttgacga tatgcttgta cttgggcacc gtaatgcatt cctccaaatt aatgtcgcc	83580
10	ctaattgtaat tgaaaaaatt tttatccgaa ttgaccagct cgccattaac tttgcacgtg	83640
	gccacagtgc cgtcggccat tttgagtata aacaagtctt cgtgagaatc gtcaaacttg	83700
	gtttttccat ttacaaacag cgtttgcggc ggatcgtgat tcgtgcgcag gctgagctcg	83760
15	acgttgagaa aacatttagg gtcaaacaca aacaaatcca cagggcctag tttttgttg	83820
	tgtatgattg gtatcgtggg ttcgatgaca attccaaatt ttatatataa aaacagctgc	83880
	catccgttaa aagagaaagc ttgctttttg ggccagttgg gccataata gtaatcgccc	83940
20	gcttgcaagc atttgtaaat gtatccaggg tcggtgctct tgaaaaaatc ttcaaaatta	84000
	atatactttt gtatgatgtc atagtgttc ttcaaatga aaggttttac aaaaatgcaa	84060
	aaatcgttac tttccaacac ccagtcgtgg ccgtctaatt tttgagctgc gtgtttctct	84120
25	gcaggttcct cgggtgtctc gcaagatgcg cccatgtcgt gtttcgcgca cggaccgtta	84180
	aagttgttcc taattgtgtt taagaactgt tgaaagtgtg tgacgtactc aaacaatcta	84240
	cgtgttcctg ttcgcgtgtt tctaattgatt aaatgatttg catcttgcaa gttgttaatc	84300
30	tcgtacgttt tgtcttgagg cacgtttttc aaaaaaatt gtaaaatgtt gtcaatcatg	84360
	ttggctatcg tgtttgtact tttcgtgtta atttatataa taatttogat caaaaatcac	84420
	catccattct tacatagaat agaaacgcta atacaagatt tcaacaacac attgttgttt	84480
35	ggcgcgtatg tacagattta cgatttaagc acgcccgcgc gcaccgaacg attgtttatt	84540
	attgcgcccg aaaatgtggt gttgtataat ttaacaaaaa cgctctatta ttacttggac	84600
	tcggcgaacg tgttttgtcc caacgagttt agcgtgacca cgttcacgca atccactatt	84660
40	aaaacgatca acgagacggg aatatatgcc accgcatgca cgccgggtcag cagcttgacg	84720
	ctaattgaac attttgcaac attaaaaaat aacgtgcccg atcacacgct cgttctcgat	84780
	gtggctcgacc aacagattca gttttcaata ctcgacatta tcaattatatt gatttacaat	84840
45	ggctacgtgg atttgttggc cgaataacgc gtatatagac gcttgtagct tcatcgtagt	84900
	aatcatttta atacatttga ttgaactaaa catacatctg caatgggtga aagagtcact	84960
	aaattttgca atggaaaacg gcgataaaga agacagcgac aatgaataga gtttatatatt	85020
50	ttatttaata aaatattgtt cgtaatccat aatgttttgt attatttcat tgtgataatg	85080
	ttcccaatct tgcacggggg tggggcatcg tttgactttg acgtagaaat cgtacgcgta	85140
	gttattagtt ggcagatcgt cgacaagtgt gatcgacttg aaaaagttaa catttttatc	85200
55	gctcaaatat ttaattacaa tttttggcga tttgggtata ttgttgctcg atcgatgatt	85260

EP 2 467 489 B1

	gtgaatgtca	aaaacaaatt	tatttttcaat	gaaacgcttt	tttaaattgt	aatctacaat	85320
	agcgttgtgt	gaattttgaa	ctaaatcaga	gcgttcttct	tgaacgggtg	aaccttcgct	85380
5	gataatgata	tcaaaatagc	cttccaaatc	gacgtctcgc	atcgagtgtg	ctacatgata	85440
	tctactgcc	tacgaccaca	agactaaaac	gcaacccatc	tcgtgcaact	cctgcaagct	85500
	gtcatacaca	aacggatctc	gaatctcaac	ttgctcctct	tcggttatga	gagtgtgtgc	85560
10	caaatcaaac	acgaccacgt	gcggaaatcc	ccacgtcaaa	gattcgcttt	tgagagagac	85620
	cactttgtag	tgtggcaata	gaaaccattc	tttaagaaac	gaatacattg	gcggtttgtt	85680
	gctaagcacg	cacatgtggc	ccaacactgg	cgttttgaat	gcgcgtttaa	tattgtgcct	85740
15	gatgtcgcgc	atgtcgtcgg	cgggcgcttt	gaatatattg	atacagtaat	tgtaattgtt	85800
	ttctatgata	ttgcacagct	gcgggtcgtt	gcaaaattga	aatattacat	attcaaaaaa	85860
	tttatacttt	tcaaagccaa	ggtatttgag	gtcggcgctac	tcgcttaaaa	cgagaacatg	85920
20	tcgtttgatg	atggcgctcg	taaggcgcaa	acagatccat	ttgctttgaa	gcgaggaggc	85980
	cataatgtac	aaaaatggac	cagttacgcc	ttattttaaac	tgtttaaga	gtttcgtata	86040
	aacaaaaact	actctaaact	aatagatttc	ttaacagaaa	attttcccaa	caacgtcaaa	86100
25	aacaaaacgt	tcaacttttc	gtctaccggc	catctgtttc	actcgttgca	cgcgtacgtg	86160
	cccagcgtca	gtgatttggt	gaaagagcgc	aaacaaattc	gattgcagac	agaatatttg	86220
30	gcaaagctgt	tcaacaacac	aataaacgat	ttcaaactgt	acactgagct	gtacgagttt	86280
	atcgaacgga	ccgaaggcgt	cgattgctgt	tgtccgtgcc	agctattgca	caagagtcta	86340
	ctcaacacca	aaaattacgt	ggaaaactta	aattgcaaac	tgtttgacat	aaagccgccc	86400
35	aaatttaaaa	aggaaccttt	tgacaacatt	ctttacaagt	attccctaaa	ttacaaaagt	86460
	ttgttgttga	aaaaaaagga	aaaacatacc	agcactgggt	gtacacgcaa	aaagaaaatc	86520
	aaacacaggc	aaatattgaa	tgataaagtt	atttattttac	aaaacagtaa	taaaaataaa	86580
40	ctatttgagc	ttagcgggct	tagtttaaaa	tcttgacagac	atgattttgt	aacagtcgaa	86640
	agccaaacga	gggcaggcga	cgaaatcgct	tcgttcattc	gctactgtcg	gctgtgtgga	86700
	atgtctggtt	gttaatagta	gcgtgttctg	taacttcggc	gacctgtcga	tgaacggctc	86760
45	ctggatcttc	tgtatgtgcg	gggtctaccc	gggcggcgctc	tgtaaccgga	gcttctgcgc	86820
	ctgcgtgtcg	aaccatatgt	ggtaccggtt	gaagaacggc	gacggcgacg	ataaaccatg	86880
	tttaaattgt	gtaatttatg	tagctgtaat	ttttacctta	ttaatatttt	ttacgctttg	86940
50	cattcgacga	ctgaactccc	aaatatatgt	ttaactcgtc	ttggtcgttt	gaatttttgt	87000
	tgctgtgttt	cctaataattt	tccatcacct	taaatatggt	attgtaatcc	tcaatgttga	87060
	acttgcaatt	ggacacggca	tagttttcca	tagtcgtgta	aaacatggta	ttggctgcat	87120
55	tgtaatacat	ccgactgagc	gggtacggat	ctatgtgttt	gagcagcctg	ttcaaaaact	87180

EP 2 467 489 B1

	ctgcatcgtc gcaaaacgga atttcggtac cgctgttgat gtattgttgc ggctgcaaca	87240
	tttgtatctt ttcgcgcgcg tcgatcaaca attcttcaag agtgggtcgt ttgtcgcgct	87300
5	gtaaagccac gttttgtaac agcactatct tcgcatatct cataatcgga ctgttgaaac	87360
	agcgtgcaaa cgacgaccgc ataatatcga cggtcgtcaa gtcgattgtg gtcgaaggca	87420
	tctccaacag agatcgcacg gcgtccaaca gcgtgtccgt ttgaacctgc gtcatttgcg	87480
10	gtctgcacgt gtagtcgtca aacgtgggtt cgagcagttt gaacaacgaa tgatactttt	87540
	ccgatcgcag caaaaatatc atgggtcatga ccacgtcgct gattttgtat tctgtagaac	87600
	tggtgctggt caacgaatag tgatggatta gtttgcgagc agcatttctg tatcggcgca	87660
15	tgttgatcaa ctcttcggaa ggctgcgcgg gcgcggcggc gttggctcgc gcaaacaaat	87720
	ttattacggg acgcggcgta ggctgcgcgg acgctggcgc ggcgacgacg tccgcgtttc	87780
	ccgccgcgta ctgagacgct atggcagcgt tgttatttaa aattgtgttt tgcgatttgc	87840
20	gagccacgtg catcataaaa tttatcaaca cgtcgggtgt caactgcacg ctttgatgtt	87900
	cgtcgcagag caaaggaaat agctggggcc atatcgccaa ttgcataggc tcgtctatct	87960
	ttaaccgcaa tttgtttatt tccaaataca acgcgatagc gtcacatcgt accgcgacg	88020
25	cacacttact ctgtaactat cacttggatc gtgttgtcgt aaacgcttcc caaaaagtct	88080
	aacacgttga ccgtttogat tctattcaac ttaattgtgg acgcgttggc ttgcatcggt	88140
	tccaacagac tgcgcgctcc gacagattga gtagacaaaa tttttaaact ttccgtctta	88200
30	ttgggcgtaa tgcgttgat taacaacgac gcagccgttt gagaggccgc agtgttgatg	88260
	gtttgcaaca tgtcgacggc cgccatttgc gtttgcgccg aaggctcttgc tggcggcctg	88320
	ttgcggcggt ttcttcgtgc ttgcgacatg ttgtcgtcag tgtccatata ggtatcattt	88380
35	attgaagcaa tcatggttga gttcgataag cagagatatt tcgttgtcca attggtactt	88440
	ggtaatgatg tgccttataa atgtttcggg cacaatcatt tctgtcatta gcacgttaca	88500
	aatatctatt ttgatcaatt tcaatttatg aattaacaga ttaatgtttt cgtccgagta	88560
40	cttgctcatg atgaaacgac aaacgttgcg gagttccaac tccgctaccg gatacgtttt	88620
	gttgggcaaa ctctctaaat agtgtctcaa ataaaagccg atcaatacgg tggacgctat	88680
	tttgttaacc tttttcattt tagtattgcg gccatttct atcatgaagt ttttaacgg	88740
45	tagcaacagc ctgtctccgt tagcaacagt ggagcagccg ttgcattgcg cgctcaaat	88800
	actcaacacg cgctcgtgat cttcttggcg caatccgacg gttgcttttt tgcatctttt	88860
	gacaaatggc acgcacatgt cgcgtttcgt gtacaaagaa tacgctttgt cgcaaatcaa	88920
50	gttatagaaa aattgcacaa atatctgcgt aatcaagttg ttttcgttaa taatgtcact	88980
	ttcgtttttg taatcggttc gaagcaacac gtacaacatc agaggcatgc cgaacatggg	89040
	tcttaaaaaa atgtcccaac cattttgcaa gcccgctcg aggggtgctca gcgaggacgc	89100
55	caagtatttg catttgcact caaaacattg aattttgttt gcgggcttgc acgactgaca	89160

EP 2 467 489 B1

	catgatcgca tccacgtcgg gtgccggcgt cggattgtaa tatttttgca agtattgcat	89220
	aatggctcta aaatggggta cctgtttgat aaactcgtcg cgcaaaaata tcgaaaaaat	89280
5	gttttttaca ttgtgtatgt tgtctgtgtt gttggcttga ttctcaaaac tactctttat	89340
	ggaaacaata cttttgttaa attctgtgaa aaaagtaaga cttttactgt ccacgatcaa	89400
	gctttgggttg aaatatTTTTTg aaaataaaaa acacaacgaa tcgatttcat cttgtaacaa	89460
10	ttgcgcttca aaacacacgt tttcaaagcg gtcgtaaattg ttaaacctta aactgtattg	89520
	taatctgtaa gcgcacatgg tgcattcgat ataaccttat aatatgaacg attccaattc	89580
	tctgttgatt acgcgttttg cagcgcaaat actgtccaga aacatgcaaa cgggtggatgt	89640
15	gattgttgac gacaaaacgc tcagtttggga agaaaaaata gacacgttga ccagcatggg	89700
	gttggctgta aatagcccg cgcgaatcgcc gccgcgggta acatccagcg acctggccgc	89760
	atcgatcatt aaaaataaca gcaaaatggg gggcaacgat tttgaaatgc gatacaacgt	89820
20	gttgcgtatg gccgtcgttt ttgttaagca ttatcccaag tattacaacg agacgaccgc	89880
	cggtttagtt gccgaaatag aaagtaatct gttgcaatat caaaattatg taaaccaagg	89940
	caattatcag aacattgagg gttacgatag tttattaaat aaggcgggaag agtgttatgt	90000
25	taaaattgat agactattta aagagagcat taaaaaatc atggacgaca cggaagcggt	90060
	cgaaagagaa caggaagcgg agagattgag ggccgaacaa actgccgcaa acgctcttct	90120
30	ggagaggcga gcgcagacgt ccgcagacga tgcgttaaat cgtgccgacg ccaatatcc	90180
	cacggcatTTT agcgatccgc ttccaggccc cagcgcgccg cggtagatgt acgaaagttc	90240
	agagtcggac acgtacatgg aaaccgccc acgtaccgcc gaacattaca ccgatcagga	90300
35	caaagactac aacgcggcgt aactgccga cgagtacaat tccctgggtca agacgggttct	90360
	tttgcgttta atcgaagagg cgctggccac tctaaaaaat cggttgcaca taacaactat	90420
	tgatcaattg aaaaagtta gagattatct gaatagcgat gctgatgctg gagaatttca	90480
40	aatattttta aaccaggaag attgtgtgat actgaaaaat ttgtcaaatt tagcgtcaaa	90540
	gtttttcaac gtctgttgcg tggccgacac gttagaggta atgttggaag cgcttcgcaa	90600
	taatattgag ttggtgcagc ctgaaagcga tgccgtacgg cgaatagtca taaaaatgac	90660
45	gcaagaaatt aaagattcga gcacgcgcgt gtacaacatt gccatgtaca aaagcgatta	90720
	tgacgccata aaaaacaaaa acattaaaaac cttgttcgac ttgtacaacg acaggctgcc	90780
	aatcaatttc ttggacacgt ccgcaaccag tccagtccgc aaaacttccg gcaagagatc	90840
50	tgcggaagac gacttggtgc cgactcgag cagcaaacgt gccaatagac ccgaaattaa	90900
	tgtaatatcg tcagaagacg agcaggaaga tgatgacgtt gaagatgtcg actacgaaaa	90960
	agaaagtaaa cgcagaaaat tagaagacga agattttctc aaattaaaag cattagaatt	91020
55	tagcaaggac attgtcaacg aaaagcttca aaaaattatt gtggtcaccg acggtatgaa	91080

EP 2 467 489 B1

acggctgtac gaatactgca actgcaaaaa ttcttttagag actttaccga gcgcccgtaa 91140
ctatggcagc ttgctcaaaa ggctaaacct gtacaatctc gatcatatcg aaatgaatgt 91200
5 aaatttttac gagttgctgt ttccattgac actgtacaat gacaatgata acagtgacaa 91260
aacgctttct catcaattgg taaattacat atttttggcc agtaactatt ttcaaaactg 91320
cgctaaaaac ttcaactata tgcgcgaaac ttttaacgtg tttggcccggt ttaaacaaat 91380
10 cgactttatg gtcattgttg ttataaaatt taacttttta tgcgacatgc gtaattttgc 91440
caaattaatc gacgagctgg tgcccaacaa acagcccaac atgagaattc acagcgtggt 91500
ggctcatgagg gataaaattg ttaaaactagc ttttagtaat ttacaatttc aaaccttttc 91560
15 aaagaaagac aagtcgcgca acacaaaaca tttgcaaaga ctaataatgt tgatgaacgc 91620
aaactacaat gttatataat aaaaaattat aaaatatttt taatttttat ttatattcag 91680
tacatttaca catattaaca tattgtttat acaaattctt ataataatta tgattttaaat 91740
20 tgaattgttg tctaaacaaa ttaaacactt tattaacaaa taacttttcg ttgtaatttt 91800
ttactttgca catgttataa caaaaaatta aaattttcat catgtctgat ttgtctatgg 91860
cgctcacagtt gcttttaatg taatcgcaag ttaaccactc aaaaggaccc ttttctattt 91920
25 ttaatttggt taaatcttta taatcagact tcagtttgta aattagattt ccacatcgaa 91980
taataaatcc ttccagcggg ctttggggaa acattaaaga cttgaaattt aacctttcta 92040
caaaatcggt gtacaaatat ttgtgacacg gaatagtatt aaacccacg ttagtcaaca 92100
30 actcttgccg ctccacaaag ggacaaaact ccccgccgta taattgaatt tcgtaagcgt 92160
agtatttcaa actctctttc tgggtccacgt agttaattac gttaatgggt gtcgtttttg 92220
cgctcgtcttt ccaacccatt aattcgccgt agacaataaa accgtcattg aaccgcgcct 92280
35 gaagcgatcg catgcacggt tctaaatctt ttcgatgag gtaataattc ataaaattgc 92340
cgtccggtct gtaagtgttt cttgaccggt acgtaatttt attttggttg caaatgattc 92400
tgaaattaca accgtccaac ttttcttgaa caataatttc tttgtcggcc aacgtacctt 92460
40 ttttaccttg atctagatgc gacacagatg gataaatttg atacacaatt ttattctcat 92520
cttcgggcat tacgggtccg cgttcattta acgcgtacat gacaatgttg tggcgaatgt 92580
cggtcgcgctc cggcgggtct ggacacgtgg gcagtcgtgc ctgcaattgt tgcttccatt 92640
45 gttgaaaata ttcgggtccat tcttggtgat actcgccgag ttgcatgagt tttacgtaca 92700
gttttaaaag tttgacattc tttacaaaata acgttagagt ttcgtcgatt ttgtatcctc 92760
cattattttt gtttaaatcc aatacattta aatcgttcac taccagttga ttgtttttat 92820
50 ccatcgtaat ttttatctca tcgcccacgt tgaacaacat gtttaaaatt ttggtggatt 92880
tcggcgcacg tttataatct aaataatatt caacgtacac gtaattgaac atgagctgca 92940
acaatccttt ggcatgttc aaaattttgt atctcatcaa agtataaata attttcacca 93000
55 tcgacaccgt catcaacttg gttacaaact cgtacaattg caagttttca ataccgtatt 93060

EP 2 467 489 B1

	tgtctttaa	atcttcacgt	ttactgaaca	tgcttaattc	gggagatttt	ccagtcaaaa	93120
	tgccaattaa	tcccggtgtac	aagtcaacgt	atttgacatc	gttgcccgat	tcatcttttg	93180
5	catgtcgtatt	tttcaaaagc	tctttattgt	cgataaattt	ttcaaagggtc	tctcgatcac	93240
	atttagtgta	aatatggtag	tcagtgtcgc	tgctttcgac	cgcgtatccc	ttggcatggc	93300
	tgcccgatc	aatgcaaagt	tacacccatgt	tagaatgtgc	tgcttactgt	gcctgtatca	93360
10	agccttatat	acctcaaaat	atttcacatt	tttgcacat	cgtaaaatat	acatgcatat	93420
	aattgtgtac	aaaatatgac	tcattaatcg	atcgtgcgtt	acaagtagaa	ttctactggt	93480
	aaagcaagtt	cggttgtgag	ccgtgtgcaa	aacatgacat	cataactaat	catgtttata	93540
15	atcatgtgca	aaatatgaca	tcatccgacg	attgtgtttt	acaagtagaa	ttctactcgt	93600
	aaagcgagtt	taaaaatttt	gtgacgtcaa	tgaacaacg	tgtaatat	tttacaatat	93660
	ttaagtga	cattatgact	tccaataatt	ttgtggatgt	ggatacgttt	gcaagacaat	93720
20	tgattacaga	taaatgtagt	gctctaata	aagtgcggat	ctgttgccg	caaacatttt	93780
	agagattgta	gagaaggcca	gagacaagta	ttttgagggc	caactcaaaa	aaactatgaa	93840
	tacattaaaa	aattattttt	acgaaaaaat	atatggacga	ttcgatagat	tataaagatt	93900
25	ttaacagacg	catcctattg	atagttttta	aattcgcttt	aaacaagagc	acaatacttt	93960
	ccatcgta	aagagatcat	cgagtggcca	ttaaacgttt	aaacaaaatt	aaccccgatt	94020
30	taaagagttc	tccgcgcaat	gcttcagcat	tacaatgaat	gtttggaaaa	tctagacaat	94080
	ccagtcacgg	acgaacatca	tttggtgaca	aaagagttgc	tacaaaaata	tttatcgaag	94140
	cgtttgaata	cagttacacc	aacactaatg	ccatcagcat	ggacaaaaca	gatgaatttg	94200
35	attttattaa	accggcattg	aaacctttgc	cagatgcaag	accgccatcg	cttttgcca	94260
	acgtgatgaa	cgaacgtaaa	agaaaattac	aaaacaccaa	ctcaacggca	aaatgtttgc	94320
	taccagcacc	accgccacaa	ttgcgtaaac	ttgaaaaaaa	gaatcattta	ttgcctttgt	94380
40	tttctttgta	attatattgt	tgcatcttcta	tttctaata	catagttttc	taataaagta	94440
	gtttcatatt	tttggttttg	tacagtaatt	gtttcttggt	ttaacaagat	cacaaccaat	94500
	aacataaaga	ataacacaat	cataacaaaa	attaaaaagc	cgcatactac	tagaacaat	94560
45	tctttaatta	gcgatcggtt	tctattttaca	aattggccga	gctgatcgcc	ttcagtcggc	94620
	gagttgtggg	cttggtgat	gtcgacgata	ttgttgccgg	cgcgaccgcc	tgctgctctc	94680
	gatataatgt	cgcccgccgt	cggtttcatg	atgtgcttaa	ctacaaataa	tagttgtact	94740
50	tgacggggcgt	caccgtgatg	ccgtctgctaa	aacctccgtc	cgtaagacg	cgttgcgtta	94800
	caaaattaat	gtttgtccga	ttagcgtagt	cggaataatc	aaacgtgttg	ggcggactaa	94860
	aatcgggcat	gttgatgggc	acaatgccgc	tggagctgat	agcaatgctg	tcgttcttgc	94920
55	aaaacagccg	aatttttttg	tagggctctg	ctttattcgg	cgcagacgac	accatctggt	94980

EP 2 467 489 B1

	caaagtgtgtt caattttatg attacgttgg gtaccaattg ataggggaaa attattttct	95040
	ggaacatttt gacaaagtcc acaaccgttt ggctatagtc gggaatgccg agcaaagact	95100
5	gcgcctgttt aatgtatttg agactggagc ggtttactgt agcgcaattg gatggcacgt	95160
	cgcccttcat aagccggcgc gttctctccc aattcaattt gttgtacaaa ttatcaatct	95220
	cctcgtgcgg cagattgatt acatagcgcg cgggctgttt gcgatattga aagatgcaaa	95280
10	aaatgcgttt caacgacaat atcttcacca tgggtggacgt ttccagattg aacataaca	95340
	aaaagtcatt gctttccacc aattctttaa aatgagacag cggaatttca caagcgatcg	95400
	gtcgcgaaatt gctttttatt ggaggcggaa cgctttgacc gttgcgggtt tttagtaacg	95460
15	cgctgcacgc agattgcatg tccgtttcgg gatacgtaaa ctcgatggga catttggggt	95520
	tttcatggtg aacgatcata gtgttgcaat aaaacaagtt gttggtcagg agcacgctaa	95580
	aaacacgcgt ttcgcccga ccgatttcgg tgatgggtac caacgggttc cagtagacta	95640
20	tgggtggcgga cgctgttttt tttggcgatc gactgtctat gttaacatca tgctcgtgcc	95700
	tgtacactag cacagaattg aattttggaa attgtttttt gtcaatgtac aaccggtcgt	95760
	cgtctgtggg cacgtacacg atcaagtttt cgattaattt gttgcctacg tcgctttgcg	95820
25	gttccaccaa attgtgaggg aacgcaaaaa agcgatcgct aatacaaaact tgaatctgaa	95880
	acgggcactc catcgtgatg tatatgtctt acttcattag acttttagatt attttaattt	95940
	gtgaactcgt accgtattca atagggtgtc gggcacgtaa ttgtaatggt aaaacagatc	96000
30	ctgttgaaca cgtgcgttgt tcactacgat tgaaatgcaa aaatacatca agtacataaa	96060
	cactatgatt agaaaggtag cagacagaaa atatttcatc tttaaatctt atgctagtgt	96120
	aataaaatac atagtacttt tatacgttta tttatatttg ttttctttgt tataaccgta	96180
35	attgtaaaac ttgtgatcgt gctcgccagg cataatttct ttgcacatca gcttgcgaa	96240
	atatgtgaca tcttcgtaca ccgatttctt gatgttacca tcgtgaagcg ttgtcggctt	96300
	gagagggttg cggtcgttgt tgtaaaaatt ttgcaccgaa taattatcca tagtcagca	96360
40	caggcaatgt cactgatgca tatgctttta ttttttattg cattcagtta ttatatgatt	96420
	taataaacgt acacaatagc acgtttatcg gttaaagata actttcaata tataaaagtg	96480
	tttgaattgc gagaccgtca acataacggt tatcaacgcg atgactaaac gacaatttgc	96540
45	tttgcgtgtt gtgtggcacc acgacaacca atttgtttgc aacacggacg aatacccggt	96600
	ttggcacaac attgaatacc atgcacggcg ctataaatgc atcgttttgt actgtgtgga	96660
	aaacgacgga tcgctacaac tgcccgtttg caaaaacata aatctcataa attataaaaa	96720
50	agcgtatcct cattattatg gaaactgtgt tgacagtata gtgaaacgtg ctggcaaaaa	96780
	ttgattatat gaaagtaact gcaatgttaa acccccacct gttggacgtc gcgtacaatt	96840
	atttgctgtt gatggacatg gattgtgtgg tgcaaagcgt gcaatggaaa caattgtcaa	96900
55	ccgacacgta ttgttttgag ccgttttacg actctcaaat taaatggttg tacgcgccca	96960

EP 2 467 489 B1

	aaagcggaca aagttttgat agttatcttg aaaactatgc aactctaatt cgagtcaaac	97020
	aagtgcagca acatcgaaaa gaattaatac tgcatttgtgt ggatttttctt acaatgaaag	97080
5	caaatgacaa ttttatgggtg ttcaaaaatt atattaacat gattataaaa gtgtatttgc	97140
	aatttttaca ttacagattt cccatcaatt ttgaggacaa cacgatgaaa ccttgtgtaa	97200
	atttaacttt tagacgtggc ggcagttgga aaactcaact gcaaccgta tgcaattatg	97260
10	tttacaaaag taaaaatatg ccaaaattta ttaataaaaa caaattaatt taaacaagcg	97320
	tttttattga caatactcac atttgatatt atttataatc aagaaatgat gtcatttgtt	97380
	ttcaaaattg aactggcttt acgagtagaa ttttacttgt aaaacacaat caagaaatga	97440
15	tgatcatTTTT gtacgtgatt ataaacatgt ttaaacatgg tacattgaac ttaatttttg	97500
	caagttgata aacatgatta atgtacgact catttgtttg tgcaagttga taaacgtgat	97560
	taatatatga ctcatatgtt tgtgcaaaaa tgatgtcatc gtacaaactc gctttacgag	97620
20	tagaattcta cttgtaacgc atgatcaagg gatgatgtca tttgtttttt taaaattcaa	97680
	ctcgctttac gagtagaatt ctacttgtaa aacacaatcg agggatgatg tcatttgtag	97740
	aatgatgtca tttgtttttc aaaaccgaac tcgctttacg agtagaattc tacttgtaac	97800
25	gcaagatcgg tggatgatgt catttttaaa atgatgtcat cgtacaaact cgctttacga	97860
	gtagaattct acgtgtaaaa cacgattaca gcacttcgta gttgtatcga aaattgttca	97920
	atggctcttt gttaatgtcg taattgatta atatgtcgta caatttggcg gcgttgtgtt	97980
30	tgcacacgac cgtttttagt tcttgaaaca ttttttcgtg tatgtttagc atgttgtatt	98040
	tcagagtgcg atgtgtaatg ctggtgacga gcatcaaaat gataaaatct aaagcggcta	98100
35	atttgtaatc ccgttcatac gctctgtaat cgccaacaac tctgtggcca gatcttttta	98160
	gattttgaca ggcgttatgg tacgaattga taatatctac tatagtttct cttgttatcg	98220
	gtttgtcgat taaactgtta acaaacatca cgttgcccaa gcgcgacggt ttagacaccg	98280
40	acttgTTTT tgtctgttca aatttgtaca aattaaaaac gctcatagac tggctcgtcag	98340
	gcagtgtgtc gttatacaaa caaaatggta aaacgtttta ttcgacaaac gacgagcaca	98400
	ttaaagtttg ttggctgtta acgtcctggg gatgtaaact gttattcata acgtaacaca	98460
45	cttcaatgtc ggaatgcttg ttttcaaatt tgtccttgtc tacagtttca atgggtgattg	98520
	agcgaggttt gagtttattt tctaaattca tttggatatt ttcaatatgg tataccaccg	98580
	acacgttggt agccagcgat ccttgattgg ttttaatcat attcaaaata ttcattgat	98640
50	ggttgaaaaa agagtctgtc aaaacgtttg tgcgttgtt aaatatcgct ttccaggggt	98700
	tactgttgcg tgactcaacg acggccgtgt aacataacaa gcgcgccagt tgcatgtgcg	98760
	acaacttaat gttatcaatg tcggtgatgt ttggcaccag attttcattg ccgtcttcca	98820
55	gtagcgtgct cagttcggtc gagtagttat tcaacgatcg attgtgcgat tcaaacaagt	98880

EP 2 467 489 B1

	ttactatcgc aggttgtaca tagtttttta tgtcgtcaaa ttgaattata tcgatcttgt	98940
	ccttgtttctc cagcataaac gacaaatfff ttaggtcgaa tttaatatff ggccggtfff	99000
5	cgttggactt tttgtaatff aacaacatcg ccaacagttt gtgtaactcg ccgttagctt	99060
	gatctttgct aaacagttta ttggtagcgt aattcacggt gtcgttcaaa aacagcaact	99120
	cgttgatgat cattttttgt aaaagcgcgt acttgctcat gttgacagaa tctcttacat	99180
10	ttcagttgta aacgcgtctg tacaaattgg ccatgcgatt cggaatgcac acggggatcg	99240
	tgcgagccag tgccgtttgg cgaaatagca ttttttcata gccgctcgaa caatcgcacg	99300
	cgccggcgga aaattgcacc gtgttcaaat tcatattcaa ccggccgctg ttgcatagat	99360
15	aaggcctcgg tgttcccgta tcgtccacca agtctctgta cgtgctcacg catgtttgag	99420
	acacgacaaa atctccgccg gcggagaaaa cgtgaaccaa gccagtgcg ggatcgcatt	99480
	ctatcaagtc cggagcctgc gcgtttacca aagcgtcgga ggcggtgcaa aagccatcct	99540
20	ggcaggtcaa ctcgtttgca gcgctggaga tcacgcagtt gtctctacac tgctgatccg	99600
	tcacgcacgg taaccggttc aatgaacaat ctacgcctcg attgcgctga aacgtaaaat	99660
	ttaacggcgg cgcttccaac tcgttaatgt gcatgtatgc atcttgcaaa ataaatffff	99720
25	gaacaaatff aaacgtgtac atgtacacga ttagtataat taccagtaga ataagtatff	99780
	gccaaaagtt caacatgatc gtcttaactg agtgtgaaaa gcgtgggtgtg acgcacgaaa	99840
	tgactgggtg cgcaaaaaat aaaccggggt ctatataact cggcgtcgac cgcggttcatt	99900
30	tttaccgtca tgcatctgac ggctaagtga ttgctcgttc ctaacgcgct caaaaagcgg	99960
	gacgtgaaat acattttataa tacctatffg aaaaattaca gtgtaattga aggtgtgatg	100020
	tggtgcaatg gcgattgtff ggccgtgggt gtgttgacc gaaatcagct gcaaacacg	100080
35	gacatggaag tgttgagag tttagaatac actagtgaca acattgaact gttatgcgaa	100140
	aaaatatgtg tgatagttga taattacgac aagtattacc aaaaaaattg tgtataaata	100200
	aaataccaaa ttttattata tcattttgtt ttattttaata attaaagaat acaacgccac	100260
40	atctattcct agtacaacaa ataatttgat tattatffff gagtgcacat taaaaataa	100320
	caaacagtgt aaaaatacta cagaataata caatacataa atattatagt aaatagctgc	100380
	aattttgata gcgtaattta tactttgata tttttcaacg tacaacgtta aatgttgata	100440
45	cgcatatttc acaataaaca aaatfffftct aatatgccat ttgtccgcaa ttgtttttgc	100500
	gatatacaaag cctttttcaa acaattgaaa aattgcaaac aaaaccacgt acatgacgtt	100560
	atacatagtg ttaaagttff tacataacaa ttctataatg aagaaaattg ctaaacacgg	100620
	catgagcgcg cacataatcg cgttgccgc aaatatctcg tacgtacaaa aatactcgga	100680
	cattctccaa taagtaaaat gcattttgct attatactgt tgtttcttct agtgattatt	100740
50	gcaatagtgt acacgtatgt agacttgata gatgtgcacc atgaagaggt gcgttatcct	100800
55	attacggtff ttgacaacac acgcgcgccg cttattgaac cgccgtccga aatagtaatc	100860

EP 2 467 489 B1

gaaggcaatg cacacgaatg tcacaaaact ttgacgccgt gcttcacaca cggcgattgc 100920
gatctgtgcc gcgaaggatt agccaactgc cagttgtttg acgaagatac aatagtcaag 100980
5 atgctgtggag atgacggcca agaacacgag acgcttattc gagcgggaga agcgtactgc 101040
ttggcttttg atcgagaacg cggccgatcg tgtaacccca acacgggtgt gtggttgttg 101100
gccgaaactg aaactggttt cgctcttttg tgcaactget tacggcccgg acttgttacg 101160
10 cagctcaaca tgtacgaaga ctgcaacgtg cccgtgggct gcgcgcctca cggccgtatc 101220
gacaatatca acagcgcttc gatccgggtg gtgtgcgacg acgggtacgt gagcgactat 101280
aacgccgaca ccgaaactcc gtattgccgt ccgcgcaccg tgcgcgacgt aatgtacgac 101340
15 gagagttttt ttccgcgggc gccatgcgca gacggccaag ttcgtctgga tcatccggcg 101400
ctcaatgatt tttaccgcag acactttaga ctcgaagaca tttgctgat cgacccttgc 101460
tcggtggacc cgattagcgg gcaacgcaca tcgggacgct tatttcacca accaaccgta 101520
20 aatggtgtgg gaatcaacgg atgcaattgt ccggccgatg acgggttact gcccggtgtt 101580
aatcgacaca ccgccgacac gggcatggtt agacaagcg accgcaccgt cgcgaacgct 101640
tgcttgacgc cgtttaacgt gcacatgtta tcgttgcgtc atgtggatta caaatttttc 101700
25 tggggccgca gcgaccacac cgagtttgcc gacgcggaca tgggtgttca agcgaatgtc 101760
aaccaactca gtcacgaacg gtatcgagcg attttgtact cgttgctcga gtcgcacccg 101820
gacgtaacag aaatcgtaac agtcaacatg ggtgtcatga aaatttccgt gtcatacgat 101880
30 accacattga aaaatatact attaccatct tctgttttta ggctatttag atttaaagaa 101940
agtggcactg ctcagccggt atgcttcttt ccaggcgtag gacggtgcat aaccgtcaat 102000
35 tccgattcgt gcatcaggcg acacgctggt ggtcaagtgt ggaccgcaga aacgttcacc 102060
aactcgtggt gtgtactgag tcgtgaaggt acgcatataa aagtttggag tcgcgcgtca 102120
cgatatccac gcggagacgc gcctgcagcg ttaagattgc gcggcttctt tctgaacaac 102180
40 gatcgcgaaac gaaacacaat aagagcggtc actacaggcg acatgacca agggaacaa 102240
atagacgcat taaccctaat acttgaaact taccctaaact actctgtata acaacatgag 102300
catttttaaaa gttgtagaag cgtgcaattt ggacacacact tttttaaaat tgggttattt 102360
45 atttagggcc aagacttggt tggatatcgc ttagataat ttggaactat tgcgtcgaaa 102420
gactaacata aaagaagtgg cagtcagtgt aaacaagaaa actacagagt gtttgcaatt 102480
gaaacgaaaa atagataaaa aaattgcaca acgtgtttta ataaaaattt acactatcaa 102540
50 atgatgacat cataacgggt tcaatattct gtgtgcaaaa ataaatgaca tcatatttca 102600
aaactgtttt acgcgtaaaa ttctactggt aaaacaagtt tgagatatga tgtcatcatc 102660
acaaataata gtatgtaata aaataaacat atttgtgtgt aaatataatt tattacaaat 102720
55 aaattttaca ttgaatcaat ctgtcttcgt gtttggttga aggtcttcga atcttgtgtt 102780

EP 2 467 489 B1

tcagccccctc gggatgggtca aaatgcgccg tagtaattgt taatggatct ttcaacgatt 102840
 ttttgcccat ggcgagtgtg acaaacgcgg ccacgacaaa cagcaggata atcagtttca 102900
 5 tgggtgttcta tattcgacaa tatatgggtc gcttctaaat caccttgtcc ccaaaagcct 102960
 cttttatagt tttttagaac acgttgtgta ttccaacagt aattgttcca tctctttcaa 103020
 cagccattca gcatccggtc gttgactgta atcatgctga attaatattac aaacaatttc 103080
 10 ggtcaattta ggatggcctt gggataaact tgccggcatt tgctgtacat tgtttctaaa 103140
 gttagttagc gtagtttcgc gttccaaagc agtcttgaag ggcattatca attcgaataa 103200
 aacaatgccc aaactataca tgtcattttt ggggggtgtac acttttttga tttgttctgg 103260
 15 tgcagcgtac aaagtatat tttgagggtt gtttttgata aacgttttgt atagactgcc 103320
 aaacatgccg cccacataca aatcaaagtc gggcccagtc atgaaaatat cttcgggatt 103380
 aatattgtgg tgacgatat ttacggaatg aatcgctttc acggcgctca ccaaatcaac 103440
 20 aaacttgcta atataaaagc caaaatccgc cggaacttta atgttgggtct ttgcaaaagt 103500
 ttgcaaatg cgttgtttca aatagtgcgt caacatgtac tcgttttagag gcgacgcaat 103560
 atatatgcgg tgctgcgcgc gattcaaata aaccaattgt tcgggtttca tggatatacag 103620
 25 ttaagtgtta acgcgtcact aaattcagac acgagcgcac gccctatata catacaattt 103680
 atcgacacaag atgcttaacg cgatctgttt ataaactaaa acgcaactgca ataaatttta 103740
 gcaagcattt gtatttaatc aatcgaaccg tgcaactgata taagaattaa aaatgggttt 103800
 30 gtttgcggtg tgacaaaaat acacaaggct gtcgaccgac acaaaaatga agtttcccta 103860
 tgttgcggtg tcgtacatca acgtgacgct gtgcacctac accgccatgt tgggtgggata 103920
 catggttaaca ttcaatgact ccagcgaatt gaaatattta caatactggt tgctgttgct 103980
 35 gtttttgatg tccgtgggtg taaacgctcc gactctgtgg acgatgctca aaaccacaga 104040
 agcccatgaa gtaatttacg aaatgaagct gttccacgcc atgtacttta gtaacgtgct 104100
 gttgaattat gtgggtgttt tggacaatca aatgggtaca aattttgttt ttgttaacaa 104160
 40 ttttaattcac tgttgtgtac tttttatgat atttggtgaa ttgcttatcc tgttgggcca 104220
 cacaatgggc acgtacacgg attatcaata tgtcaaatcg tgttatatgg ttatattggt 104280
 tgtttcagtt atgagtgtta ctattgttat gggtttagag tgtttgaaaa cgaaactaat 104340
 45 tgataacagt ttgatgttta acgcgtttgt gtgcgctttg tacattgtga ttgcaataat 104400
 gtggtcttta aaaaataatt tgactagtta ttacgtttca aatttataaa gtattcaagt 104460
 tgttccgttt tcatacaacg atccgcgcgc accgttctct aacattgtaa tggatgacat 104520
 50 aaaaaataaa aaataattta taaaaatgtt ttttattctt tcacaattct gtaaattcta 104580
 aacaaaaaat ataaatacaa acttattatg ttgtcgtcta aataaacatc aatttgtaaa 104640
 55 tctggacacc tattcatatc attgatatta cagtctacta tacaacaatt aaaactaacc 104700
 aaattatctt tacaacaatt aaagcaatta aaacaattta aataatcttc attgtcgtcg 104760

EP 2 467 489 B1

tataagtttta tttgcactgt agacgggtgtt acacagcgat ccattcgacg ttcgtgttcg 104820
atcaactttc tcgccaaactt gtaccataaa aattgtttgg acaaaaagtt ttccaacaat 104880
5 ggtaacggcc aattcaacgt gacgatgcgc acgtcctcgg gtatgcattt gttaaaaaac 104940
acacagctcg ctttaccaaa cgaaagcaaa ggtactaaat atggcgccat tggctgattt 105000
gttattccaa gataattaca aataaactga tccgtcgtgg ggtgataact ggcagggtgc 105060
10 agctttaaat aatcttcaac gttgttgcgc cgcaaaagtc tgcattttac acgcgttggt 105120
aatcccacga cttttgcatg taaaatcgga tccaaatact gcagaatcgt gtctataatt 105180
tctaattgga aacgtatgcg ttttgctcgt gggcgctttg taacgctcga catcctaata 105240
15 acaactaaca caaaactaaa atgataactca atatatgtct tttacagttc atcttttaggt 105300
ttaaactgtg cgtttatcgc gttgagcaag tcgccgttat cggcatcaat ctccaagca 105360
aacaggccgc ccaatttatt tcggctcgaca tatttaactt ttcctaacac agagtcgacg 105420
20 ctgtcaaacg aaatcaaact acctttactt ttatcgaaaa cgtacgacgc ttgagcggcg 105480
ctgtcaaacg tgtacacata attgttgaga tctttttgaa tttgacgata atctacaaca 105540
ccgtcctccc acgtgcccga ccccgcccg ttgccagtgc cggaaaaata gttgtcattc 105600
25 gtataatttg ttacgccggt ccagccgcgg ccgtacatgg cgacgccac aattattttg 105660
ttgggatcga cgccttggtt cagtaacgca tcgacagcgt agtgtgtagt gtatagctct 105720
30 tccgagttcc aacttggcgc gtagactgtt gtttggtagc ccaaaccgt gtttgaccaa 105780
gcccttttaa aatcgtaact catgagaaat attttgcta atgacttttg cgcttcggcg 105840
tagtttacca cggcaatctt gtcgtaaccc gcgcttatag cgcttgtaa ttcgtaaacc 105900
35 ctgccggttt gcgcttcgag gtcgtctagc attgcgcgca gtcctccaa caacaaaatg 105960
tatgttttgg cgtcacgcgc cgcacgccc aacgacgggt tagcccttt gccgcccga 106020
aactccaat cgatgtctac accgtcaaag aatttccaca cttgcagaaa ttccttaacc 106080
40 gaactacaa aaacgtttct tttttcaaca tcgtgcataa aataaaatgg gtctgataga 106140
gtccagcctc ctattgaagg aagaattttt aaatgggggt ttgctaattt tgccgccatc 106200
aactgtccaa aattgccttt atacggctcg ttccaagcgg acacaccttt ttggggtttt 106260
45 tgtacggcgg ccacaggatc gtgaatggca actttgaaat cttcgcgtcc cttgcacgat 106320
ctttgcaaag attcaaagct tccgggtatc gttttgaggg cgtcgtttat tccatcgccg 106380
ccgcagatgg gtatgaaacc atacaacaag tgtgataaat ttggcaaggg aactttgtct 106440
50 acgggaaagt tgcgcccgtc cacacccac tcaacaaagt acgcagcgac aattttatcc 106500
tctctcctgc caggtttgtt gttttccagc catgtgtatt cgagcgggtc cagatggccg 106560
ccgtcgggtgt ctgcgacttt gaccaacacg ggatcgctca cggaacagcc gtcctcattg 106620
55 caaagtttga cagcatgtt aaattgcccg ctcaacaaga ctttaatggt agccctttta 106680

EP 2 467 489 B1

ctttcggcgt cgcctttcca tacctgctgc tcgtcaaaca acacgtacgc tatgtcgcca 106740
 atgtcgcggt tccagacggt ccaactgact tgaacgtcga cttgttcttt aggcctttatt 106800
 5 aaattttcgt aagcgggtggc ctcgtaatth atttctacga ggcataaatt gcgatcggcc 106860
 caatcgatca ccggcgtgcc gggaaatcgcg ttagaaacgg cgaccaacca caaacgtht 106920
 aacaatttgt acaacattth aattttatctt aatttttaagt tghtaattatt ttatgtaaaa 106980
 10 aaatgaacaa aattttgtth tattttgtth tgtacggcgt tghtaaacagc gcggcgtacg 107040
 accttttgaa agcgcctaatt tattttgaag aattttgttca tcgattcaac aaagattatg 107100
 gtacggaagt tgaataattg cgaagattca aaattttcca acacaattta aatgaatta 107160
 15 ttaataaaaa ccaaacgat tcggccaaat atgaataaaa caaattctcg gattttgtcca 107220
 aagacgaaac tatcgcaaaa tacacaggth tgtctttgcc tttcagact caaatthtt 107280
 gcaaaagtaat agtcctagac cagccaccgg gcaaaaggcc cttgaattc gactggcgctc 107340
 20 gtctcaacaa agtcactagc gtaaaaaatc agggcatgtg tggcgctgc tggcgthttg 107400
 ccactctggc tagtttgaa agtcaattth caatcaacaa taaccagthg attaatctgt 107460
 cggagcagca aatgatgat tgtgattthg tcgacgctgg ctghtaacggc ggcttgtthg 107520
 25 acacagcgth cgaagccatc attaaaatgg gcggcgtaca gctggaaagc gactatccat 107580
 acgaagcaga caataacaat tgccgtatga actccaataa gtttctagth caagtaaaag 107640
 attgttatag atacattacc gtgtacgagg aaaaacttaa agatttghta cgccttgtcg 107700
 30 gccctattcc tatggccata gacgtgccc acattgttaa ctataaacag ggtattataa 107760
 aatattgtth caacagcggt ctaaaccatg cgttcttht agtgggttat ggtgttgaaa 107820
 acaacattcc atattggacc ttaaaaaaca cttggggcac ggattgggga gaggacggat 107880
 35 ttttcagggt acaacaaaac ataaacgct gtggtatgag aaacgaactt gcgtctactg 107940
 cagtcattta ttaatctcaa cacactcgct atttggaaaca taatcatatc gtctcagtag 108000
 ctcaaggtag agcgtagcgc tctggatcgt atagatcttg ctaaggthgt gatttcaagt 108060
 40 ctgcctgag atattaaaaa actttgtaat ttaaaaaatt ttattttata atatacaatt 108120
 aaaaactata caattthttt ttattacatt aataatgata caattthttt tattacattt 108180
 aatattgtct attacgtht ctaatcatc agtaaaaaa taaaatcaca attaatataa 108240
 45 ttacaaagth aactacatga ccaaacatga acgaagtcaa tttagcggcc aattcgctt 108300
 cagccatgga agtgatgtcg ctacagactgg tgccgacgcc gccaaacttg gtgttctcca 108360
 tgggtgtht gaggthgctt tttgttggg caataaacga ccagccgctg gcattcttcc 108420
 50 aactgtcgtg ataggthgtg ttgccgatgg tcgggatcca aaactcgacg tcgtcgtcaa 108480
 ttgctagthc cttgtagthg ctaaaatcta tgcatthgca cgagthcgtg ttggccacc 108540
 aacgcccttc tttgtagatg ctgtgtthgt agcaattact ggtgtgtgcc ggcggtthg 108600
 55 tgcacggcat cagcaaaaac gtgtcgtccg aaaaaatgt tgaagaaaca gattgtthca 108660

EP 2 467 489 B1

5 tgagattgcc aatcaaacgc tcgtccacct tggccacgga gactatcagg tcgtgcagca 108720
 tattgttttag cttgtttgatg tgcgcatgca tcagctcaat gttcattttc agcaaatacgt 108780
 10 tttcgtacat cagctcctct tgaatatgca tcaggtcgcc tttggtggca gtgtctccct 108840
 ctgtgtactt ggctctaacg ttgtggcgcc aagtggcgcg ccgcttcttg actcgggtgct 108900
 cgactttgcg tttaatgcat ctgttaaact tgcagttcca cgtgttttta gaaagatcat 108960
 15 atatatcatt gtcaatcaaa cagtgttcgc gtgtcaccga ctcggggtta tttttgtcat 109020
 ctttaatgag cagacacgca gcttttattt ggcgcggtgt gaacgtagac ttttgtttga 109080
 gaatcatact cagcccgctc cgatgaagca cagtgtccac ggtcacgttg atgggggttg 109140
 20 cctcagcgtc caaaatgtat acctggcact cgtccgtgtc gtccctggcac tcgagcctgc 109200
 tgtacatttt cgaagtggaa atgccgcctc gccacgattt gttgcacgtg tgggtgcgaa 109260
 agtgattgtt attctgccgc ttcaccaact ctttgccttt gacctactgg ccgcgccct 109320
 25 cgttgtcgcg aaaacagtcg tcgctgtcac tgccccaacg gtcgatcagc tcttcgcccc 109380
 cctcgcaactg ctgcctgatg ctccacataa gcaaatcctc tttgccaca ttcagcgttt 109440
 tcatggtttc ttcgacgctg gtgttgggat ccagcgagcc gccgttgtac gcatacgcct 109500
 30 ggtagtacc cttgtagccg ataatacgt tttcgttgta gtccgtctcc acgatgggtga 109560
 tttccacgtc cttttgcagc gtttccttgg gcggggtaat gtccaagttt ttaatcttgt 109620
 acggacccgt cttcatttgc gcgttgcaag gctccgcgcg aaaggcagaa tgcgcgcgcg 109680
 ccgcaaaaag cacatataaa acaatagcgc ttaccatctt gcttgtgtgt tccttattga 109740
 35 agccttggtg tgactgattt actagtagca ttgaggcatc ttatataccc gaccgttata 109800
 tggcctacgt gacacaaggc acgttggttag attaataatc ttatcttttt atcttaattg 109860
 ataagattat ttttatctgg ctgttataaa aacgggatca tgaacacgga cgctcagtcg 109920
 40 acatcgaaca cgcgcaactt catgtactct cccgacagca gtctggaggt ggtcatcatt 109980
 accaattcgg acggcgatca cgatggctat ctggaactaa ccgcccgcgc caaagtcatt 110040
 tcaccttttc ttagcaacgg cagttcggcc gtgtggacca acgcggcgcc ctgcacaaa 110100
 45 ttgattaaaa acaataaaaa ttatattcat gtgtttggtt tatttaaata tctgtcaaata 110160
 tacaatttaa ataataaaaa gcgtcctaaa gattattaca cccttaaata gattattagc 110220
 gacttgctta tgggcgctca aggcacaagta tttgatccgc tttgcgaagt aaaaacgcaa 110280
 50 ctgtgtgcga ttcaggagag tctcaacgag gctatcttga ttttgaacgt tcatagcaac 110340
 gatgcggccg ccaaccgcgc tgcgccagac attacaaggt tgcaagaact gatacaagat 110400
 ttgcagtcct aatacaataa aaaaattacc tttaccactg atacaatttt ggagaattta 110460
 55 aaaaatataa aggatttaat gtgcctgaat aaataataat aagggttttg tacgatttca 110520
 acaatgaact tttgggccac gtttagcatt tgtctggtgg gttatttggg gtacgcggga 110580

EP 2 467 489 B1

cacttgaata acgagctaca agaaataaaa tcaatattag tggatcatgta cgaatctatg 110640
 gaaaaagcatt tttccaatgt ggtagacgaa attgattctc ttaaaacgga cacgtttatg 110700
 5 atgttgagca acttgcaaaa taacacgatt cgaacgtggg acgcagttgt aaaaaatggc 110760
 aaaaaaatat ccaatctcga cgaaaaaatt aacgtgttat taacaaaaaa cggggtagtt 110820
 aacaacgtgc taaacgttca ataaacgctt atcactaagt taatatacta aaaatcacat 110880
 10 agtcactaca atatttcaaa atatgaagcc gacgaataac gttatgttcg acgacgcgtc 110940
 ggtcctttgg atcgacacgg actacattta tcaaaattta aaaatgcctt tgcaggcggt 111000
 tcaacaactt ttgttcacca ttccatctaa acatagaaaa atgatcaacg atgcggggcg 111060
 15 atcgtgtcat aacacggtca aatacatggg ggacatttac ggagcggcgg ttctggtttt 111120
 gcgaacgcct tgctcgttcg ccgaccagtt gttgagcaca tttattgcaa acaattattt 111180
 gtgctacttt taccgtcgtc gccgatcacg atcacgctca cgatcacgct cgcgatcacg 111240
 20 ttctcctcat tgcagacctc gttcgcgctc tcctcattgc agacctcgtt cgcgatctcg 111300
 gtcccgtct agatcgcggg cacgttcacg gtctcccagg cgaggcgctc gacaaatatt 111360
 cgacgcgctg gaaaagattc gtcatcaaaa cgacatgttg atgagcaacg tcaaccaaatt 111420
 25 aaatctcaac caaactaatc aatttttaga attgtccaac atgatgacgg gcgtgcgcaa 111480
 tcaaaacgtg cagctcctcg cggcgttgga aaccgctaaa gatgttattt tgaccagatt 111540
 aaacacattg cttgccgaga ttacagactc gttacccgac ttgacgtcca tgtagataaa 111600
 30 attagctgaa caattgttg acgccatcaa cacggtgcag caaacctgcg caacgagttg 111660
 aacaacacca actctatttt gaccaattta gcgtcaagcg tcacaaacat caacgggtacg 111720
 ctcaacaatt tgctagccgc tatcgaaaac ttagtagggc gcggcggcgg tggcaatttt 111780
 35 aacgaagccg acagacaaaa actggacctc gtgtacactt tggttaacga aatcaaaaat 111840
 atactcacgg gaacgctgac aaaaaataa gcatgtccga caaaacacca acaaaaaagg 111900
 gtggcagcca tgcatgacg ttgcgagagc gcggcgtaac aaaaccccca aaaaagtctg 111960
 40 aaaagttgca gcaatacaag aaagccatcg ctgccgagca aacgctgcgc accacagcag 112020
 atgtttcttc tttgcagaac cccggggaga gtgccgtttt tcaagagttg gaaagattag 112080
 agaatgcagt tgtagtatta gaaaatgaac aaaaacgatt gtatcccata ttagatacgc 112140
 45 ctcttgataa ttttattgtc gcattcgtga atccgacgta tcccatggcc tattttgtca 112200
 ataccgatta caaatataaa ctagaatgtg ccagaatcag aagcgattta ctttataaaa 112260
 acaaaaacga agtcgctatc aacaggccta agatcgcgtc ttttaaattg caattgaaca 112320
 50 acgtaatttt agacactata gaaactattg aatacgattt acaaaaataa gttctcacia 112380
 ttactgcacc tgttcaagat caagaactaa gaaaaatccat tatttatattt aatattttta 112440
 55 atagtgcagc ttgggaagta ccaaagtata tgaaaaaatt gtttgatgaa atgcaattgg 112500
 aacctcccg ctttttacca ttaggtcttt agatttggtg aggctagcac gtcgacatca 112560

EP 2 467 489 B1

5 tgtttgcgtc gttgacctca gagcaaaagc tgttattaaa aaaatataaa ttttaacaatt 112620
 atgtgaaaac gatcgagttg agtcaagcgc agttggctca ttggcgttca aacaaagata 112680
 ttcagccaaa acctttggat cgtgcagaaa ttttacgtgt cgaaaaggcc accaggggac 112740
 aaagcaaaaa tgagctgtgg acgctattgc gtttggatcg caacacagcg tctgcatcgt 112800
 ccaactcgtc cggcaacatg ttacaacgac cagcgcctttt gtttggaaac ggcgaagaaa 112860
 10 gtcacgtcaa agaaaccaac ggcacatcatg tagaccacat gcgcgaaatc atagaaagta 112920
 aaattatgag cgcggtcggt gaaacggttt tggattgcgg catgttcttt agcccccttg 112980
 gtttgcacgc cgcttcgccc gatgcgtatt tttctctcgc cgacggaacg tggatcccag 113040
 15 tggaaataaa atgtccgtac aattaccgag acacgaccgt ggagcagatg cgtgtcagat 113100
 tggggaacgg caatcgcaag tatcgcgatg aacacaccgc gctgttggtt aacaagaaag 113160
 gcacgcccc a gttcgaaatg gtcaaaacgg atgcgcatta caagcaaatg caacggcaga 113220
 20 tgtatgtgat gaacgcgcct atgggctttt acgtgggtcaa attcaaaca aatttggtgg 113280
 tggtttctgt gccgcgcgac gaaacgttct gcaacaaaga actgtctacg gaaaacaacg 113340
 cgtagctggc gtttgccgtg gaaaactcca actgcgcgcg ctaccaatgc gccgacaagc 113400
 25 gacggctttc attcaaaacg cacagctgca atcacaaacta tagtgggtcaa gaaatcgatg 113460
 ctatgggtcga tcgcggaata tatttagatt atggacattt aaaatgtgcg tactgtgatt 113520
 ttagctcaga cagtcgggaa acgtgcgatt ctgtttttaa acgcgagcac accaactgca 113580
 30 aaagttttaa cttgaaacat aaaaactttg acaatcctac atactttgat tatgttaaaa 113640
 gattgcaaag tttgctaaag agtcaccact ttagaaaacga cgctaaaaca cttgcctatt 113700
 35 ttggttacta ttttaactcat acaggaaccc tgaagacctt ttgctgcgga tcgcaaaact 113760
 cgtcgcccac caaacacgat catttaaacg actgtgtata ttatttgga ataaaaataa 113820
 ctttatatt atataaatt cttttattta tacatttggt tatacaattt tatttacgac 113880
 40 aaatattgac tcgttggttca gaaagttaa taagcttgct aatttcttcg gcttgcaaag 113940
 ggctgccaac gcgttcgttt tgaatgcgcg taatccggtt tacgggtattg ttggcgcgaa 114000
 caataaactc ctcaactggc aaattaacaa ttttgtttgc gtactcattg tgcactgcgg 114060
 45 ccagggtttg tagaatgttt tcgggaaaaa tggcaattct attaaatttg acatgttttt 114120
 gattgtatac atagttttga tattcttcca gcgtaggata tttgtttaa ctcttgacgc 114180
 attcaatgta caatttggtc agtgacaaaa ttctgtttaa atccaaacga gaacatttct 114240
 50 caaaagttaa ttcttgaccg ttgaaatgta cactttgcaa ttgtttcaat aaactgtcgt 114300
 aaaaagttaa tccttcttca agcacaaacg cggggcgcat cgtgttatct acaacgctta 114360
 55 tgtacttgct aaaatcttca attatatgat agaaatacaa atatctctcc gcgtttatgg 114420
 acgtgtcgtt taaaacatgt tcgtcaacaa ctccgttatg atttactttc aaaaatttca 114480

EP 2 467 489 B1

aatcttgcaa agcgtccgcg ttggtcaact tgttgataat aaatttgtct ttgcattcaa 114540
 acgctctggt tgcaatccac tccacagcgt ccaaaacgga catgcgttta aacatgttga 114600
 5 tacgttttag acaatacgtc cgttttttta ccgcctcaac gttcacgtcc gtgtagtcgc 114660
 accattgcag gatttgcaac atgtcctcgg caaaatgcgc gaactgccgc agcttttctc 114720
 ttccaaaatg ttgattgtcg tgtttaaaaa gcaacgttga aatttccgag acataccaca 114780
 10 aagccgtggg caattttact ttgatcagcg gctccatagc caggttgctg aacccgatca 114840
 tgcattccgt gttgttaatg cggtaaatga catagcgttt aaagtagtcc tttacattat 114900
 cgtcaatgta tttcgcgtcg tttatgtgct tgtacagcaa atagtacata aggcccgcg 114960
 15 taaacgcgac ctttttagcg tcaaaatacg tgcacgcaa cacgtaatcg ttgtattcgt 115020
 cgaattgctc gttgggcact atggcgcccg taaaaggcg tctgctgcgc ggtgacaaac 115080
 gcgttccatg ctgaatcaac tgcttcaaac tttccaaatt ataacaatat tcaattgaat 115140
 20 ttttaatctc tttattttgg ctccataaaa gaggaaactc gagtcggctt ttaaacttgg 115200
 tcaaactgcc ctgaattggt tcaaacaagt tgtaatgtgt taacaatatg gccggcacac 115260
 cgctatcggt ggctaaaata caatcgggga atcgaatatt ttctacgttg ctgtaatcgt 115320
 25 acgcttcgtc gtcgtcgttg gcaacaacat cgtcggtttc gccgttaacg ctcgtaact 115380
 tgttctgata gtgtaaattt ttcattacat caaaagcgta tgacttggtg cgattgtgca 115440
 aataatttat ggccgtgcta atgggtgctg cgataatttt atcaaaattg agaacatcgg 115500
 30 cgttatacaa cgttttataa aattctgttg acttgaacgt gtttacaac tcatttttat 115560
 ttttaatctg gtcaaaaatc atactagaat tgtagtttg tttgatttcg ctgaatagcc 115620
 gctggcggag acgcttcagc ttgtccacct cgtttaacac gttggcgtcc gtcggcatgg 115680
 35 aattgataaa tttgaaccga acaaaagaca gcagttcatc ttttttcgat ataaaatttt 115740
 cggttgtaat gatatcgtag ttaaattctt tgggttaaatt gaccattcg accatttcat 115800
 cgttgcgata aatcttgca gtcgagttgt tgacaaacgc cgaggcaacg gacaaatcaa 115860
 40 tctgttccgt gttattattg atggcataaa acacaatgcg ttcgaaacta aacggttttt 115920
 cgttttagcaa atttttgcaa acgtttgcct catttttgga aatttgccg tccgtcacca 115980
 tgtacaaaag tttcaacttg ccgtcgagca agtttatatt cttgtgaatc cactttatga 116040
 45 attcgtggg cctggtgtca gtaccctcgc cattgcggcg caaataacga ctcttgacgt 116100
 ctccgatttc tttttggcgg caataagcac tccaatgcaa atacaaaact ttgtcgcaac 116160
 tactgatgtt ttcgatttca ttctgaaatt gttctaaagt ttgtaacgcg ttcctgttaa 116220
 50 agtaatagtc cgagtttgtc gacaaggaat cgtcgggtggc gtacacgtag tagttaatca 116280
 tcttggtgat tgatatttaa ttttggcgac ggatttttat atacacgagc ggagcggcca 116340
 55 cgttctgtaa catgagtgat cgtgtgtgtg ttatctctgg cagcgcgata gtggtcgcga 116400
 aaattacacg cgcgtcgtaa cgtgaacgtt tatattataa atattcaacg ttgcttgat 116460

EP 2 467 489 B1

taagtgagca tttgagcttt accattgcaa aatgtgtgta atttttccgg tagaaatcga 116520
 cgtgtcccag acgattattc gagattgtca ggtggacaaa caaaccagag agttgggtgta 116580
 5 cattaacaag attatgaaca cgcaattgac aaaacccggt ctcattgatgt ttaacatttc 116640
 gggtcctata cgaagcgta cgcgcaagaa caacaatttg cgcgacagaa taaaatcaaa 116700
 agtcgatgaa caatttgatc aactagaacg cgattacagc gatcaaattg atggattcca 116760
 10 cgatagcatc aagtatttta aagatgaaca ctattcggta agttgccaaa atggcagcgt 116820
 gttgaaaagc aagtttgcta aaattttaaa gagtcattgat tataaccgata aaaagtctat 116880
 tgaagcttac gagaaatact gtttgcccaa attggtcgac gaacgcaacg actactacgt 116940
 15 ggcggtatgc gtgttgaaagc cgggatttga gaacggcagc aaccaagtgc tatctttcga 117000
 gtacaacccg attggtaaca aagttattgt gccgtttgct cacgaaatta acgacacggg 117060
 actttacgag tacgacgtcg tagcttacgt ggacagtggt cagtttgatg gcgaacaatt 117120
 20 tgaagagttt gtgcagagtt taatattgcc gtcgtcggtt aaaaattcgg aaaaggtttt 117180
 atattacaac gaagcgtcga aaaacaaaag catgatctac aaggcttttag agtttactac 117240
 agaatcgagc tggggcaaat ccgaaaagta taattggaaa attttttgta acggttttat 117300
 25 ttatgataaa aaatcaaaag tgttgatgt taaattgcac aatgtaacta gtgcactcaa 117360
 caaaaatgta atattaaaca caattaaata aatgttaaaa tttattgcct aatattattt 117420
 tgtcattgct tgtcatttat taatttggat gatgtcattt gtttttaaaa ttgaactggc 117480
 30 tttacgagta gaattctacg cgtaaaacac aatcaagtat gattcataat ctgatgtcat 117540
 gttttgtaca cggctcataa ccgaactggc tttacgagta gaattctact tgtaatgcac 117600
 35 gatcagtggg tgatgtcatt tgtttttcaa atcgagatga tgcattggtt tgcacacggc 117660
 tcataaaact gctttacgag tagaattcta cgtgtaacgc acgatcgatt gatgagtcac 117720
 ttgttttgca atatgatatc atacaatatg actcatttgt ttttcaaaac cgaacttgat 117780
 40 ttacgggtag aattctactt gtaaagcaca atcaaaaaga tgatgtcatt tgtttttcaa 117840
 aactgaactc gctttacgag tagaattcta cgtgtaaaac acaatcaaga aatgatgtca 117900
 tttgttataa aaataaaagc tgatgtcatg ttttgacat ggctcataac taaactcgct 117960
 45 ttacgggtag aattctacgc gtaaaacatg attgataatt aaataattca tttgcaagct 118020
 atacgttaaa tcaaacggac gttatggaat tgtataatat taaatatgca attgatccaa 118080
 caaataaaat tgtaatagag caagtcgaca atgtggacgc gtttgtgcat attttagaac 118140
 50 cgggtcaaga agtggtcgac gaaacgctaa gccagtacca ccaatttcct ggcgtcgta 118200
 gttcgattat tttcccgcaa ctcggtgtaa acacaataat tagcgttttg agcgaagacg 118260
 gcagtttgct cacgttgaaa ctogaaaaca cttgttttaa ttttcacgtg tgcaataaac 118320
 55 gctttgtgtt tggcaatttg ccagcggcgg tcgtgaataa tgaaacgaag caaaaactgc 118380

EP 2 467 489 B1

gcattggagc tccaatTTTT gccggcaaaa agctggTTTT ggtcgtgacg gcgtttcatc 118440
gtgttgccga aaacgaatgg ctgttaccgg tgacgggaat tcgagaggcg tcccagctgt 118500
5 cgggacatat gaaggTgctg aacggcgTcc gtgttgaaaa atggcgaccc aacatgtccg 118560
tctacgggac tgtgcaattg ccgtacgata aaattaaaca gcatgcgctc gagcaagaaa 118620
ataaaaacgcc aaacgcgttg gagtcttTgtg tgctattTTta caaagattca gaaatacgca 118680
10 tcacttacia caagggggac tatgaaatta tgcatttgag gatgccggga cctttaattc 118740
aaccacaacac aatatattat agttaaataa gaattattat caaatcattt gtatattaat 118800
taaaaatacta tactgtaaat tacattttat ttacaatcat gtcaaagcct aacgttttga 118860
15 cgcaaatttt agacgcggtt acggaaacta acacaaaggt tgacagtgtt caaactcagt 118920
taaacgggct ggaagaatca ttccagcttt tggacggttt gcccgctcaa ttgaccgatc 118980
ttaacactaa gatctcagaa attcaatcca tattgaccgg cgacattgtt ccggatcttc 119040
20 cagactcact aaagcctaag ctgaaaaccc aagcttttga actcgattca gacgctcgtc 119100
gtggtaaacg cagttccaag taaatgaatc gtttttaaaa taacaaatca attgttttat 119160
aatattcgta cgattctttg attatgtaat aaaatgtgat cattaggaag attacgaaaa 119220
25 atataaaaaa tatgagttct gtgtgtataa caaatgctgt aaacgccaca attgtgtttg 119280
ttgcaaataa acccagtatt atttgattaa aattgttgtt ttctttgttc atagacaata 119340
gtgtgttttg cctaaacgtg tactgcataa actccatgcg agtgtatagc gagctagtgg 119400
30 ctaacgcttg ccccaacaaa gtagattcgt caaaatcctc aatttcatca ccctcctcca 119460
agtttaacat ttggccgTcg gaattaactt ctaaagatgc cacataatct aataaatgaa 119520
atagagattc aaacgtggcg tcatcgTccg ttctgacat ttccgaaaag aactcgggca 119580
35 taaactctat gatttctctg gacgtggtgt tgcgaaact ctcaaagTac gcagtcagga 119640
acgtgcgcga catgtcgtcg ggaaactcgc gcggaaacat gttgttgtaa ccgaacgggt 119700
cccatagcgc caaaacaaa tctgccagcg tcaatagaat gagcacgatg ccgacaatgg 119760
40 agctggcttg gatagcgatt cgagttaacg ctttggcagt cacggTcagc gttttgatgg 119820
cgatcacgtt gagcgagtgc actaacgcgg ctttgtaagt ctctcccaac atgcgcacgg 119880
tcacgcgccg agtcgtgcta agcaacatgt gtttcatggc cggaatgaga gaagtgttaa 119940
45 tttttttcaa catgctttta aaccgggaca ttagcatatc aaagccaatg tccgtagcaa 120000
taccgaaaac gagcgcgtaa tcttcaaaa acgatgttat aattgactcc aagtcttggT 120060
cgctgattga acggtcgagc gcctcgaaaT gttcgacacg tgcacgttcg ttaccgcggT 120120
aattgtatgc gatcggagtt ttagtaaagc cggtttcggc cgtgtacgtg atctggacgg 120180
gcgaccgctt gacgatcatg cccaaatcgt ttagtgTtgT atttttgTta aaaagtTTTT 120240
55 caaattccaa gtctgtggcg ttatcgcgca cgctgcgcca ttgcgctagt attgcgttgT 120300
agtccacgtt gggTcgtggc ggtagtatgc tggaaggcgc tttgtaatca aaatcgcgca 120360

EP 2 467 489 B1

gttcgctaaa aatggtgttg gccagcattt tgaaagtgc aaagatcgtg tcgcccagca 120420
cgaatccgat gagcgattcc caccatctaa acgaacaacc gccgttgaat agctctctgc 120480
5 cgaaacgtcg acagtaggct tcgttgaatt cgcctttaa gcgttcggga aacaaggggt 120540
cgggatcggg ccgaacgtta aaagccggca catcgtccac gcccatgatc gtgtgttctt 120600
cggcgcgcaa gtatgggctg ttaaagtaca ttttggacag cgagtccact aagatgcatt 120660
10 tgttgtcgag cgtgtatcta aactcggcag actgaacttg ggtttcggcg ccttcacgca 120720
tgcccgccgc cctgtccagg tggtagcacg cgggctgcgc gtaaccacg ctagtctcgg 120780
aggtctgcat gtacatgaac ggcgtcgtgt tggacacgac gccggtttcg tgaaacggat 120840
15 agcagctcat gcttacacac ccgcgcttgc tgaaagccag tttgacggcc agcgctttgt 120900
cggccaattt cggcggcaca taataatcgt cgtcacttga cgcgggacgc agcgtgtagt 120960
cgattagtat atgcggaaac ctggtgcgcc atctcgaaat aaactcgaga cgatgcata 121020
20 gtatggcata cctactggca ttagttaaat cgacggctgt taaaaccgcc atgttatata 121080
ggacttaaaa taaacaacaa tatataatga aatatttatt agattatatt atagcaatac 121140
atttacattt attataacaa tactttttat ttaatctgat tatattataa cgatacattt 121200
25 ttatttagac attgttattt acaatattaa ttaacttttt atacattttt aaatcataat 121260
atataatcat ttcgttgtgc atttcaaagc ttttgatagc ttcaaagtaa tacatgaatt 121320
tagagtattc aggaaaatga taaacgttgg taaaccgcga tttggtacaa tataacacgg 121380
30 gatttttata atacagttta gtttttttac acaatttgca atagtgttga gttgtagggt 121440
tcaaaggaaa cgtgattgcy ccgtccaata cctgggtaaa ctttttgact ttaacagtgg 121500
35 caaacacggg tcctttgata cccgaaaatc ggttgtcttg cagagcggcc atcatttcgc 121560
ttggctcttg aagtataaaa cagttgacgt catccaccac gtcgggtctg gtgcacatgc 121620
ttcggtagcg ctgcaacact atattggtgt atgtttccct gagaacgaga ccgccgggtg 121680
40 tgctaagatc gattgtttga atgcgctcgt tgggctcttt gtgatttcga attatgcgcc 121740
gaattatttc aaacactttg cagttgtgat cgtcaattct caattcttta acttccgtcg 121800
tgtgctctaa acttacaggg aaaatgtatt ggtaaaaaa cctctctctg gctaaatagc 121860
45 tgaggtcgac caaattgata gaaggatata tttcgtagc ggtttttgga acgttgtgat 121920
atagatagca tttttgacag cagatgtcta tgcggtcagg atcgtccaac ggcttttcga 121980
tgtgaaccac aacatacaaa aaccattcgc gcgtgttgc tttgaatcta taattgcaag 122040
50 tgggtgcatc cgaatcgctc atgtgctcca tagtcttctt gtatttcaca ggctgcttg 122100
caaatttgcc cgtcatgcgc atatctttgc tgtttatgta gcccataatg taattgggtg 122160
aaaattttag cgtggctttc atgatgtcgc gttctaaatc gctcatgaaa tgcatacgta 122220
55 gatcgcgctc ttgtttgaaa tccagtttgt cgtgtacgc gggcaaacct tcaaacttgt 122280

EP 2 467 489 B1

tcccaaactc gggcggcaca aaatatccat cttttctgtt gacgactggt tttttactta 122340
 caatgctgct gtgctccaac ggcttggcgc gagaggtgca cataggetgt ttaggcggag 122400
 5 agatgcgcgt aggtggtttg atgttagatt ttggcggcgc acgaacaggc gacggcggcg 122460
 agttggcggc aggcgctggc aaagatttgg caccaccctt gcccccggtc cttggcgcgt 122520
 caaaaatgtt attctctcga aaaaaacggt tcattgtaac tgtagttag cactcagaaa 122580
 10 tcaacacgat actgtgcacg ttcagccatc gagaggcttt atatatggaa accttatcta 122640
 tagagataag attgtatatg cgtaggagag cctggtcacg taggcacttt gcgcacggca 122700
 ctagggetgt ggaggggaca ggctatataa agcccgtttg cccaactcgt aaatcagtat 122760
 15 caattgtgct ccggcgcaaca cgctcgcttg cgcgcgggat agtataagta attgataacg 122820
 ggcaacgcaa catgataaga accagcagtc acgtgctgaa cgtccaggaa aatataatga 122880
 cgtcaaaactg tgcgtcatcg ccatattcgt gcgaggcaac gtccgcttgc gcagaagctc 122940
 20 agcaggtaat gatcgataac tttgttttct ttcacatgta caacgccgac atacaaattg 123000
 acgcaaagct gcaatgcggc gtgcgctcgg ccgcgcttgc aatgatcgac gataaacatt 123060
 tggaaatgta caagcataga atagagaata aattttttta ttactatgat caatgtgccg 123120
 25 acattgccaa acccgaccgt ctgcccgatg acgacggcgc gtgctgtcac cattttatct 123180
 ttgatgcccc acgtattatt caatgtatta aagagattga aagcgcgtac ggctgtcgtg 123240
 atcgcgccaa tgtaatatgt ttttatccgt acttgaaaca gttgcgagac gcgttgaaagc 123300
 30 taattaaaaa ctcttttgcg tgttgtttta aaattataaa ttctatgcaa atgtacgtga 123360
 acgagttaat atcaaattgc ctgttgttta ttgaaaagct ggaaactatt aataaaaactg 123420
 ttaaagttaa gaatttgttt gtagacaatt tggttttgta cgaatgcaat gtttgtaaag 123480
 35 aaatatctac ggatgaaaga tttttaaaagc caaaagaatg ttgcgaatac gctatatgca 123540
 acgcgtgctg cgttaacatg tggaagacgg ccaccacgca cgcaaaatgt ccagcgtgca 123600
 ggacatcgta taaataagca cgcaacgcaa aatgagtggt ggcggaact tgttgactct 123660
 40 ggaaagagat catttttaa atttattttt gaccagctat tttgatttaa aagataatga 123720
 acatgttccct tcagagccta tggcatttat tcgcaattac ttgaattgca cgtttgattt 123780
 gctagacgat gccgtgctca tgaactatct caattacttg caaagcatgc aattgaaaca 123840
 45 tttggtgggc agcacgtcga caaacatttt caagtttgta aagccacaat ttagatttgt 123900
 gtgcgatcgc acaactgtgg acattttaga atttgacacg cgcatgtaca taaaacccgg 123960
 cacgcccgtg tacgccacga acctgttcac gtccaatccc cgcaagatga tggctttcct 124020
 50 gtacgctgaa tttggcaagg tgtttaaaaa taaaatattc gtaaacaatca acaactacgg 124080
 ctgcgtgttg gcgggcagtg ccggtttctt gttcgacgat gcgtacgtgg attggaatgg 124140
 55 tgtgcgaatg tgtgcggcgc cgcgattaga taacaacatg catccgttcc gactgtatct 124200
 actgggcgag gacatggcta agcactttgt cgataataat atactaccgc cgcacccttc 124260

EP 2 467 489 B1

taacgcaaag actcgcaaaa tcaacaattc aatgtttatg ctgaaaaact tttacaaagg 124320
 tctgccgctg ttcaaataca agtacacggg ggtgaacagc actaaaatcg tgacccgaaa 124380
 5 acccaacgat atattttaatg agatagataa agaattaaat ggcaactgtc cgtttatcaa 124440
 gtttattcag cgcgactaca tattecgacgc ccagtttccg ccagatttgc ttgatttgct 124500
 aaacgaatac atgaccaaaa gctcgatcat gaaaaataatt accaagtttg tgattgaaga 124560
 10 aaaccccgct atgagcgggtg aaatgtctcg cgagattatt cttgatcgct actcagtaga 124620
 caattatcgc aagctgtaca taaaaatgga aataaccaac cagtttcctg tcatgtacga 124680
 tcatgaatcg tcgtacattt ttgtgagcaa agactttttg caattgaaag gcactatgaa 124740
 15 cgcgttctac gcgccaagc agcgtatatt aagtattttg gcggtgaatc gtttggttg 124800
 cgccacggaa acgatcgact ttcattccaa cctgctcgtg taccggcaga gttcgccgcc 124860
 ggtccggttg acgggcgacg tgtatgttgt tgataagaac gaaaaagttt ttttggtcaa 124920
 20 acacgtgttc tcaaacacgg tgccctgcata tcttttaata agaggtgatt acgaaagttc 124980
 gtctgacttg aaatcccttc gcgatttgaa tccgtgggtt cagaacacgc ttctcaaatt 125040
 attaatcccc gactcggtag aataatatga tttacactga tcccactact ggcgctacga 125100
 25 ctagcacaga cgtcgtccgt ccacaaacta tttaaacagg ctaactcaa acatgttctt 125160
 gaccatcttg gctgtagtag taattattgc tttataaatt atatttggtc aatctagcag 125220
 30 taatggaaac agctcggggg gtaatgtacc tccaaacgcc ctgggggggtt ttgtaaatcc 125280
 tttaaacgct accatgcgag ctaatccctt tatgaacacg cctcaaaggc aaatgttgta 125340
 gataagtgtg taaaaaatga aacgtatcaa atgcaacaaa gttcgaacgg tcaccgagat 125400
 35 tgtaaacagc gatgaaaaaa tccaaaagac ctacgaattg gctgaatttg atttaaaaaa 125460
 tctaagcagt ttagaaagct atgaaactct aaaaattaaa ttggcgctca gcaaatacat 125520
 ggctatgctc agcaccctgg aaatgactca accgctgttg gaaatattta gaaacaaagc 125580
 40 agacactcgg cagattgccg ccgtgggtgt tagcacatta gcttttatac acaatagatt 125640
 ccatcccctt gttactaatt ttactaacia aatggagttt gtgggtcactg aaaccaacga 125700
 cacaagcatt cccggagaac ccattttgtt tacggaaaac gaaggtgtgc tgctgtgttc 125760
 45 cgtggacaga ccgtctatcg ttaaaatgct aagccgcgag tttgacaccg aggctttagt 125820
 aaactttgaa aacgacaact gcaacgtgcg gatagccaag acgtttggcg cctctaagcg 125880
 caaaaaacag acgcgcagcg atgattacga gtcaaataaa caaccaatt acgatatgga 125940
 50 tttgagcgat tttagcataa ctgaggttga agccactcaa tatttaactc tgttgctgac 126000
 cgtcgaacat gcctattttac attattatat ttttaaaaaa tacgggggtgt ttgaatattg 126060
 caaatcgcta acggaccatt cgctttttac caacaaattg cgatcgacaa tgagcacaaa 126120
 55 aacgtctaatt ttactgttaa gcaaatcaaa atttaccatt gaagattttg acaaaaataaa 126180

EP 2 467 489 B1

ctcaaattct gtaacatcag ggtttaatat atataat tttt aataaataat taaataatat 126240
 acaatgtttt tattaattat atttttaata ttaattaaaa gtattaatat ttaaaaaaat 126300
 5 gaatcaaatt catctaaagt gtcacagcga taaaatttgt cctaaagggg attttggcct 126360
 caacgccgat ccctatgatt gcacggcgta ttatctgtgt ccgcataaag tgcaaatgtt 126420
 ttgcgaatta aatcacgaat ttgacttgga ctccgccagc tgcaagccta tcgtgtacga 126480
 10 tcacacgggc agcgggtgta cggctcgcat gtatagaaac ttgttactat gaagagcggg 126540
 tttccagttg cacaacacta ttatcgattt gcagttcggg acataaatgt ttaaataatat 126600
 cgatgtcttt gtgatgcgcg cgacattttt gttaggttatt gataaaatga acggatacgt 126660
 15 tgcccgacat tatcattaaa tccttggcgt agaatttgtc ggggccattg tccgtgtgcg 126720
 ctagcatgcc cgtaacggac ctcgactttt tggcttcaaa ggttttgccg acagacaaaa 126780
 tgtgccacac ttgcagctct gcatgtgtgc gcgttaccac aaatcccaac ggcgcagtg 126840
 20 acttgttgta tgcaataaaa tctcgataaa ggcgcggcgc gcgaatgcag ctgatcacgt 126900
 acgctcctcg tgttccgttc aaggacgggtg ttatcgacct cagattaatg tttatcggcc 126960
 gactgttttc gtatccgctc accaaacgcg tttttgcatt aacattgtat gtcggcggat 127020
 25 gttctatata taatttgaat aaataaacga taaccgcgtt ggttttagag ggcataataa 127080
 aagaaatatt gttatcgtgt tcgccattag ggcagtataa attgacgttc atgttgata 127140
 ttgtttcagt tgcaagtiga cactggcggc gacaagatcg tgaacaacca agtgactatg 127200
 30 acgcaaatta attttaacgc gtcgtacacc agcgttcga cgcggtcccg agcgtcgttc 127260
 gacaacagct attcagagtt ttgtgataaa caacccaacg actatttaag ttattataac 127320
 catccacccc cggatggagc cgacacgggtg atatctgaca gcgagactgc ggcagcttca 127380
 35 aactttttgg caagcgtcaa ctcgtaact gataatgatt tagtggaatg tttgctcaag 127440
 accactgata atctcgaaga agcagttagt tctgcttatt attcggaatc ccttgagcag 127500
 cctgttgtgg agcaaccatc gccagttct gcttatcatg cggaatcttt tgagcattct 127560
 40 gctggtgtga accaaccatc ggcaactgga actaaacgga agctggacga atacttgga 127620
 aattcacaag gtgtggtggg ccagtttaac aaaattaaat tgaggcctaa atacaagaaa 127680
 agcacaattc aaagctgtgc aacccttgaa cagacaatta atcacaacac gaacatttgc 127740
 45 acggtcgtt caactcaaga aattacgcat tattttacta atgattttgc gccgtattta 127800
 atgcgtttcg acgacaacga ctacaattcc aacaggttct ccgaccatat gtccgaaact 127860
 ggttattaca tgtttgtggg taaaaaagt gaagtgaagc cgtttgaaat tatatttgc 127920
 50 aagtacgtga gcaatgtggg ttacgaatat acaacaatt attacatggg agataatcgc 127980
 gtgtttgtgg taacttttga taaaattagg tttatgattt cgtacaattt ggttaaagaa 128040
 55 accggcatag aaattcctca ttctcaagat gtgtgcaacg acgagacggc tgcacaaaat 128100
 tgtaaaaaat gccatttcgt cgatgtgcac cacacgttta aagctgctct gacttcatat 128160

EP 2 467 489 B1

ttttaatttag atatgtatta cgcgcaaacc acattttgtga ctttggttaca atcggtgggc 128220
 gaaagaaaat gtgggtttct tttgagcaag ttgtacgaaa tgtatcaaga taaaaattta 128280
 5 tttactttgc ctattatgct tagtcgtaaa gagagtaatg aaattgagac tgcattctaat 128340
 aattttctttg tatcgccgta tgtgagtcaa atattaaagt attcggaaag tgtgcagttt 128400
 cccgacaatc ccccaaacaa atatgtggtg gacaatttaa atttaattgt taacaaaaaa 128460
 10 agtacgctca cgtacaaata cagcagcgtc gctaattctt tgtttaataa ttataaatat 128520
 catgacaata ttgcgagtaa taataacgca gaaaatttaa aaaagggttaa gaaggaggac 128580
 ggcagcatgc acattgtcga acagtatttg actcagaatg tagataatgt aaagggtcac 128640
 15 aatttttatag tattgtcttt caaaaacgag gagcgattga ctatagctaa gaaaaacaaa 128700
 gagttttatt ggatttctgg cgaaattaaa gatgtagacg ttagtcaagt aattcaaaaa 128760
 tataatagat ttaagcatca catgtttgta atcggttaaag tgaaccgaag agagagcact 128820
 20 acattgcaca ataatttggt aaaattgtta gctttaatat tacaggggtct gggtccgttg 128880
 tccgacgcta taacgtttgc ggaacaaaaa ctaaattgta aatataaaaa attcgaattt 128940
 aattaattat acatatattt tgaatttaat taattataca tatattttat attatttttg 129000
 25 tcttttatta tcgagggggc gttgttggtg tggggttttg catagaaata acaatgggag 129060
 ttggcgacgt tgctgcgcca acaccacctc ctccctctcc tttcatcatg tatctgtaga 129120
 taaaataaaa tattaaacct aaaaacaaga ccgcgcctat caacaaaatg ataggcatta 129180
 30 acttgccgct gacgctgtca ctaacgttgg acgatttgcc gactaaacct tcatcgccca 129240
 gtaaccaatc tagaccaag tcgccaacta aatcaccaaa cgagtaaggt tcgatgcaca 129300
 35 tgagtgtttg gcccgagga agatcgctaa tatctacgta ttgaggcgaa tctgggtcgg 129360
 cggacggatc gctgccgga caaactgttt tttctacttc atagttgaat ccttggcaca 129420
 tgttgggttag ttcgggcgga ttgttaggca acaaggggtc gaatgggcaa atggtaacat 129480
 40 ccgactgatt tagattgggg tcttgacgac aagtgcgctg caataacaag caggcctcgg 129540
 cgattttctcc ggcgtcttta ccttgcacat aataacttcc gccggtgtta ttgatggcgt 129600
 tgattatata ttgtactagt gtggcgggcg taaacaagaa atagccgccg gtggccaaga 129660
 45 gtatgcccggt tcctctact ttttaagcttt gcatgtaaact atgtagacgg gggttttgct 129720
 gcagtgcggt ttgaacacct tcgggcgtgc gcacgttggt ttccgggaag ttttgtttga 129780
 ctgcattgga tcgctctgc ttggtgtggt aattaaagt tggcacgttg tccacgcgcc 129840
 50 gcaattggct caatgagttt atttgaggggt ctgaaatgcc ctgaaatact ccgcgtatgt 129900
 tggggacatc attgttacga gtaattctgt ttatgtctga agtgctcaca aactgggtgt 129960
 55 tagatagttg atagcccgcc tgaaatctgt tgtttccaat gttgcgtaca ctgggcgcgt 130020
 tgagcacatt tgtgaaaccg gcgggagtg tttgtaaaag acgcgtatta tcagtaataa 130080

EP 2 467 489 B1

aactggcctg attaggatac aatttattga ctgcgcgaag atttgaaaa aaactcattt 130140
 taaagcaaac ttatttaata aatatatcac agtaaagggt ttgcaaaact gccgtcgtca 130200
 5 atacaacacg gcagcggcgt catgttggtt aaatctaate ttctccttgc tttagattct 130260
 gggcgagaag gcgcatttgt tgtgtaagtt atttcgacgt ctgcattatt tgttgtgttaa 130320
 ggtatctcga cgtatgaagc aactttaaca ttgttataat tttttttaaa tattgatgcg 130380
 10 ctccacggcg cgcgttgata cggatgatat ctctccattg tatgatcgct aaatttatat 130440
 accgtttcaa taaatatgtt aaaacccaac atgttaatta taatattcat aatagtttgt 130500
 ttgttttcaa taattatttt tactgttttg aaatctaaaa gaggtgacga tgacgaatca 130560
 15 gacgacgggt tcagttgcta taacaaacca attggagtaa attttccgca tcctactaga 130620
 tgtgacgctt tctacatgtg tgtcgggtta aatcaaaaat tagagttaat ctgccctgaa 130680
 ggatttgaat ttgatccaga tgttaaaaat tgtgttcccta tatcagatta tggatgtacc 130740
 20 gctaaccaaa actaaaaata aaataaaatt tatatagatt aatgaaataa aatttatata 130800
 gattaataaa ataaaattta tttaatatat tatactattt atattattta caacacttaa 130860
 cgtctagaca taacagtttg taacttagaa actaaatcag agttactgcg ctcaaactct 130920
 25 gaaaaatttg cttgagactc ggccacctgc ttacgcaatt gttcttgag attattcaca 130980
 gtcgattgca actcttctga tttcttggtt gattcttgca agtcatagtt tgccttttgt 131040
 aaatctaatt cggcgacagc atgcttgtgt ttaagcataa tgtagtcgct gtttaacatg 131100
 30 gtcattttat gttcaacttg gctggtcttg gctcgcagct cggacagttc tttttgcaat 131160
 tgctccacat agttcaagtc cgtggtgtga ttgttgaccg tgttattttc taaaagctcg 131220
 cgccaatgct gtttgatgga atcctgggtt cgagtgcagc taatgggcat aaattctaca 131280
 35 taccctgctt tattgtacac gcgacaatct gatgaagtag cgctgcaaaa acatttgtac 131340
 acagaattgt ccataattat cttgacataa cacttgaaac acacagcatg gttacaatga 131400
 atcgaagtca caaacgagga atttacgttt ttagtgtctt taaaagtagt aaaacaaata 131460
 40 ttacacgaaa cctctacttc ttcttcgggt tctgattgct gctgctgctg ctgctgcggc 131520
 tgcggagact gcggcgaggc aaacaaatct ggcgactgtg gtattacgta attcggcgaa 131580
 taagatggac tataagtggg agaccttggg gcaatctcat tcatcagctg agcctcaaga 131640
 45 tctaaacctc gttgcagagc cctctgcgca gctgtctccg acgcaatgtt atcctggtac 131700
 tgctgggcag tgatgtcggg aaaccgttca cgatccacat tttactattt aattagtatg 131760
 acgtcatcct cttgacttaa tagcggatcg tcattgctaa tgtaacctg accgtgcacg 131820
 50 taatacgtga caccctgacg atggtaggtg cgcgtcaacg gctcgttgac gttcccgata 131880
 atctgcacgt tttcttcgct gacacgctgc tcctgacgcc gtcctgacg gcgatggctg 131940
 cgactgcttg aagacggctg gctgcgactg cttgaagacg gctgggcttc gggagatgtt 132000
 55 gtaaagtga tgcggcgacg gctgagagac agcctgtggc ggcggtgct gctgggagtg 132060

EP 2 467 489 B1

gcggcggttga tttggcgact catggctggg ctggtaggat actgttcact aggctgtgag 132120
gcttgaactg tgcttacgag tagaacggca gctgtattta tactgtttat cagtactgca 132180
5 cgactgataa gacaatagtg gtgggggaac ttgccaggca aaaatgaact tttttgtaat 132240
gcaaaaaagt tgatagtgtg gtagtatatt gggagcgtat cgtacagtgt agactattct 132300
aataaaatag tctacgattt gtagagattg tactgtatat ggagtgtcag gcaaaagtga 132360
10 acttttttgc attgcaaaaa aattcatttt aaattttatca tatcacaggc tgcagtttct 132420
gttatctgtc cccactcag gcgtgcagct ataaaagcag gcactcacca actcgtgaagc 132480
acagttcgtt gtgaagtga cacggagagc ctgccataa gcaaaatgcc aagggaacac 132540
15 aacaatcgcc accggtctac gccatatgaa cgtcctacgc ttgaagatct ccgcagacag 132600
ttgcaagaca atttggaacag cataaaccgc cgagacagaa tgcaagaaga acaagaaga 132660
20 aacctgcgct atcaagtgcg tagaaggcag cgtcaaaacc agctccgctc catacaaatg 132720
gaacagcagc gaatgatggc ggaattaaac aacgagccgg tgattaattt taaatttgag 132780
tgtagtgtgt gtttagaaac atattcccaa caatctaacg atacttgtcc ttttttgatt 132840
25 ccgactacgt gcgaccacgg tttttgtttc aaatgcgtca tcaatctgca aagcaacgcg 132900
atgaatattc cgcattccac tgtgtgctgt ccattgtgca ataccagggt aaaaatgtgg 132960
cgttccttaa agcctaacgc tggtgtgacg tgtaagtttt acaagaaaac tcaagaaaga 133020
30 gttccgcccg tgcagcagta taaaaacatt attaaagtgc tacaagaacg gagcgtgatt 133080
agtgtcgaag acaacgacaa taattgtgac ataaatatgg agaatcaggc aaagatagct 133140
gctttggaag ctgaattgga agaagaaaaa aatcacagtg atcaagtagc ttctgaaaac 133200
35 cgacagctga tagaagaaaa tactcgtctc aatgaacaga ttcaagagtt gcagcatcag 133260
gtgaggacat tgggtgccgca acgtggcatt acggttaatc agcaaattgg ccgtgacgac 133320
40 agtgcgccag ccgagctgaa cgagcgtttt cgctcacttg tctattcgac tatttcagag 133380
ctgtttattg aaaatggcgt tcatagtatt caaaattatg tttatgccgg aacttctgct 133440
gctagttcat gtgatgtaaa tgttactgtt aattttgggt ttgaaaatta atgtgatatg 133500
45 aaatgtatat ataaaaatga tggaataaat aataaacatt tttatacttt ttatgttttt 133560
tttatttcat gtgattaaga aacttttaag atggatagta gtaattgtat taaaatagat 133620
gtaaaaacg atatgccgtt acattatcaa tgtgacaata acgcagataa agacgttgta 133680
50 aatgcgtatg acactatcga tgttgacccc aacaaaagat ttataattaa tcataatcac 133740
gaacaacaac aagtcaatga aacaaataaa caagttgtcg ataaaacatt cataaatgac 133800
55 acagcaacat acaattcttg cataataaaa atttaaatga catcatattt gagaataaca 133860
aatgacatta tccctcgatt gtgttttaca agta 133894

<210> 2
 <211> 45
 <212> DNA
 <213> artificial
 5
 <220>
 <223> vp39-F forward primer
 <400> 2
 10 gcttctaata cgactcacta tagggtcgta tccgctaagc gttct 45
 <210> 3
 <211> 45
 <212> DNA
 15 <213> artificial
 <220>
 <223> vp39-R reverse primer
 20 <400> 3
 gcttctaata cgactcacta tagggacgca acgcgttata cacag 45
 <210> 4
 <211> 43
 25 <212> DNA
 <213> artificial
 <220>
 <223> 45510 forward primer
 30 <400> 4
 cttctaatac gactcactat agggacagcg tgtacgagtg cat 43
 <210> 5
 35 <211> 45
 <212> DNA
 <213> artificial
 <220>
 40 <223> 46235 reverse primer
 <400> 5
 gcttctaata cgactcacta tagggatctc gagcgtgtag ctggt 45
 45 <210> 6
 <211> 44
 <212> DNA
 <213> artificial
 50 <220>
 <223> 90292 forward primer
 <400> 6
 55 gcttctaata cgactcacta tagggtagcg ccgaacatta cacc 44
 <210> 7
 <211> 43
 <212> DNA

<213> artificial

<220>

<223> 90889 reverse primer

5

<400> 7

gcttctaata cgactcacta taggggtctat tggcacgttt get 43

<210> 8

10 <211> 45

<212> DNA

<213> artificial

<220>

15 <223> ec-27-F forward primer

<400> 8

gcttctaata cgactcacta tagggaaagc agacactcgg cagat 45

20 <210> 9

<211> 45

<212> DNA

<213> artificial

25 <220>

<223> ec-27-R reverse primer

<400> 9

30 gcttctaata cgactcacta taggggttgag tggcttcaac ctacag 45

<210> 10

<211> 44

<212> DNA

<213> artificial

35 <220>

<223> dbp-F forward primer

<400> 10

40 gcttctaata cgactcacta tagggcgctc gctagtttg ttct 44

<210> 11

<211> 44

<212> DNA

45 <213> artificial

<220>

<223> dbp-R reverse primer

50 <400> 11

gcttctaata cgactcacta tagggaaaga tcggaagggtg gtga 44

<210> 12

<211> 45

55 <212> DNA

<213> artificial

<220>

EP 2 467 489 B1

<223> gfp-F forward primer

<400> 12

gcttctaata cgactcacta tagggctgac cctgaagtc atctg 45

5

<210> 13

<211> 44

<212> DNA

<213> artificial

10

<220>

<223> gfp-R reverse primer

<400> 13

gcttctaata cgactcacta tagggaactc cagcaggacc atgt 44

15

<210> 14

<211> 45

<212> DNA

<213> artificial

20

<220>

<223> cat-F forward primer

<400> 14

gcttctaata cgactcacta tagggacggc atgatgaacc tgaat 45

25

<210> 15

<211> 45

<212> DNA

<213> artificial

30

<220>

<223> cat-R reverse primer

35

<400> 15

gcttctaata cgactcacta tagggatccc aatggcatcg taaag 45

40

<210> 16

<211> 68

<212> DNA

<213> artificial

45

<220>

<223> vp80-KO-F forward primer

<400> 16

50

ctgtattgta atctgtaagc gcacatgggtg cattcgatat aaccttataa tgtgtgctgg 60

aatgccct 68

<210> 17

<211> 71

<212> DNA

<213> artificial

55

<220>
 <223> vp80-KO-R reverse primer

<400> 17

5

aaatgtactg aatataaata aaaattaaaa atattttata attttttatt taccgttcgt 60

atagcataca t 71

10

<210> 18
 <211> 21
 <212> DNA
 <213> artificial

15

<220>
 <223> 89507 forward primer

<400> 18

20 agcggtcgta aatgttaaac c 21

<210> 19
 <211> 25
 <212> DNA
 <213> artificial

25

<220>
 <223> 91713 reverse primer

<400> 19

30 tgtataaaca atatgttaat atgtg 25

<210> 20
 <211> 34
 <212> DNA
 <213> artificial

35

<220>
 <223> gfp-NheI-F forward primer

40

<400> 20

ccaaaccgct agcaacatgg tgagcaaggg cgag 34

<210> 21
 <211> 49
 <212> DNA
 <213> artificial

45

<220>
 <223> gfp-SphI reverse primer

50

<400> 21

aggaaaagggc atgcttaacg cgtaccggtc ttgtacagct cgtccatgc 49

55

<210> 22
 <211> 40
 <212> DNA
 <213> artificial

EP 2 467 489 B1

<220>
 <223> pvp80-Stul-F forward primer

 <400> 22
 5 ggaacaaagg cctgagctca aagtaagacc ttactgtcc 40

 <210> 23
 <211> 35
 <212> DNA
 10 <213> artificial

 <220>
 <223> vp80-Xbal-R reverse primer

 15 <400> 23
 ccttctatct agattatata acattgtagt ttgcg 35

 <210> 24
 <211> 35
 20 <212> DNA
 <213> artificial

 <220>
 <223> vp80-SacI-F forward primer
 25
 <400> 24
 ttatcttgag ctcaatatga acgattccaa ttctc 35

 <210> 25
 30 <211> 69
 <212> DNA
 <213> artificial

 <220>
 35 <223> vp80-FLAG-R1 reverse primer

 <400> 25

 40 **caacagagaa ttggaatcgt tcttatcgtc gtcaccccttg taatccatat tataaggtta 60**
tatcgaatg 69

 <210> 26
 45 <211> 62
 <212> DNA
 <213> artificial

 <220>
 50 <223> vp80-FLAG-R reverse primer

 <400> 26

 55 **ccttctatct agattactta tcgtcgtcat ccttgtaatc tataacattg tagtttgcgt 60**
tc 62

 <210> 27

<211> 23
 <212> DNA
 <213> artificial

5 <220>
 <223> M13-F forward primer

<400> 27
 10 cccagtcacg acgttgtaa acg 23

<210> 28
 <211> 23
 <212> DNA
 <213> artificial

15 <220>
 <223> M13-R reverse primer

<400> 28
 20 agcggataac aattcacac agg 23

<210> 29
 <211> 20
 <212> DNA
 25 <213> artificial

<220>
 <223> GenR reverse primer

30 <400> 29
 agccacctac tccaacatc 20

<210> 30
 <211> 71
 35 <212> DNA
 <213> artificial

<220>
 <223> vp39-KO-F forward primer

40 <400> 30

45 **t c g g g c a c a g a c g c g a c c a g a c c c g t t t c g t c a a t t a t a c a c g t g g c g c a t a c c g t t c g t 60**
a t a a t g t a t g c 71

<210> 31
 <211> 70
 50 <212> DNA
 <213> artificial

<220>
 <223> vp39-KO-R reverse primer

55 <400> 31

gtttatttgc aacaaccacc tcataaaacg ttttaaaatg tcaaaaatgt accgttcgta 60
tagcatacat 70

5

<210> 32
<211> 33
<212> DNA
<213> artificial

10

<220>
<223> vp39-SacI-F forward primer

15

<400> 32
aaggttctct agattagacg gctattcctc cac 33

20

<210> 33
<211> 32
<212> DNA
<213> artificial

<220>
<223> vp39-XbaI-R reverse primer

25

<400> 33
ttatcttgag ctcaatatgg cgctagtgcc cg 32

30

<210> 34
<211> 39
<212> DNA
<213> artificial

<220>
<223> vp39-StuI-F forward primer

35

<400> 34
ggaacaaagg cctgagctct tagacggcta ttctccac 39

40

<210> 35
<211> 34
<212> DNA
<213> artificial

45

<220>
<223> lef-4-XbaI-R reverse primer

<400> 35
ccttctatct agattaattt ggcacgattc ggctc 34

50

<210> 36
<211> 39
<212> DNA
<213> artificial

55

<220>
<223> cg-30-XbaI-F forward primer

<400> 36

EP 2 467 489 B1

aaggttctct agattaatct acatttattg taacatttg 39

<210> 37
 <211> 61
 5 <212> DNA
 <213> artificial

<220>
 <223> vp39-FLAG-SacI-R reverse primer
 10

<400> 37

ttatcttgag ctcaatatgg attacaagga tgacgacgat aaggcgctag tgcccgtggg 60

15 t 61

<210> 38
 <211> 72
 <212> DNA
 20 <213> artificial

<220>
 <223> vp1054-KO-F forward primer

25 <400> 38

gtactgaaag ataatttatt ttgatagat aataattaca ttatttttaa cgtgttcgac 60

30 caagaaaccg at 72

<210> 39
 <211> 45
 35 <212> DNA
 <213> artificial

<220>
 <223> vp1054-KO-R1 reverse primer
 40

<400> 39
 agggcgaatt ccagcacact ttattacgtg gacgcgttac ttgc 45

<210> 40
 <211> 71
 45 <212> DNA
 <213> artificial

<220>
 <223> vp1054-KO-R2 reverse primer
 50

<400> 40

gataagaatg cttgtttaac aaataggta gctgttaaact actggcgatg taccgttcgt 60

55 atagcataca t 71

EP 2 467 489 B1

<210> 41
 <211> 41
 <212> DNA
 <213> artificial
 5
 <220>
 <223> vp1054-Rep-F forward primer
 <400> 41
 10 gggtgttag gcctgagctc cttggtacg tgtagagtg t 41
 <210> 42
 <211> 36
 <212> DNA
 15 <213> artificial
 <220>
 <223> vp1054-Rep-R reverse primer
 20 <400> 42
 tccttcctc tagattacac gttgtgtgcg tgcaga 36
 <210> 43
 <211> 67
 25 <212> DNA
 <213> artificial
 <220>
 <223> p6.9-KO-F forward primer
 30 <400> 43
 gettcgttca ttcgctactg tcggctgtgt ggaatgtctg gttgttaagt gtgctggaat 60
 35 tcgccct 67
 <210> 44
 40 <211> 70
 <212> DNA
 <213> artificial
 <220>
 45 <223> p6.9-KO-R reverse primer
 <400> 44
 50 aatattaata aggtaaaaat tacagctaca taaattacac aatttaaact accgttcgta 60
 tagcatatcat 70
 55 <210> 45
 <211> 32
 <212> DNA
 <213> artificial

<220>
 <223> Ac-p6.9-F forward primer

 <400> 45
 5 tttgaattca tggttgcccg aagctccaag ac 32

 <210> 46
 <211> 34
 <212> DNA
 10 <213> artificial

 <220>
 <223> Ac-p6.9-R reverse primer

 15 <400> 46
 tttgcggccg cttaatagta gcgtgttctg taac 34

 <210> 47
 <211> 29
 20 <212> DNA
 <213> artificial

 <220>
 <223> Se-p6.9-F forward primer
 25
 <400> 47
 tttgaattca tgtatcgtcg tcgttcac 29

 <210> 48
 30 <211> 34
 <212> DNA
 <213> artificial

 <220>
 35 <223> Se-p6.9-R reverse primer

 <400> 48
 tttgcggccg cttaatagtg gcgacgtctg tadc 34

 40 <210> 49
 <211> 22
 <212> DNA
 <213> artificial

 45 <220>
 <223> 86596 forward primer

 <400> 49
 50 gggcttagtt taaaatcttg ca 22

 <210> 50
 <211> 21
 <212> DNA
 55 <213> artificial

 <220>
 <223> 86995 reverse primer

<400> 50
 aattcaaacg accaagacga g 21

 5 <210> 51
 <211> 21
 <212> DNA
 <213> artificial

 10 <220>
 <223> 45122 forward primer

 <400> 51
 gcaatcatga cgaacgtatg g 21

 15 <210> 52
 <211> 22
 <212> DNA
 <213> artificial

 20 <220>
 <223> 46441 reverse primer

 <400> 52
 cgataatttt tccaagcgct ac 22
 25
 <210> 53
 <211> 30
 <212> DNA
 <213> artificial
 30
 <220>
 <223> pp6.9-F forward primer

 <400> 53
 35 ggtcgacgta ccaaattccg tttgcgacg 30

 <210> 54
 <211> 34
 <212> DNA
 40 <213> artificial

 <220>
 <223> pp6.9-R reverse primer

 45 <400> 54
 ggtcgacgga tccgtttaa ttgtgtaatt tatg 34

 <210> 55
 <211> 21
 50 <212> DNA
 <213> artificial

 <220>
 <223> 75834 forward primer
 55
 <400> 55
 cttcttatcg gggtgtacaa c 21

<210> 56
 <211> 20
 <212> DNA
 <213> artificial

5

<220>
 <223> 76420 reverse primer

10

<400> 56
 gcgtatcatg acgatggatg 20

Claims

15

1. A method for the production of a biopharmaceutical product, comprising:

20

- (a) infecting a biopharmaceutical-producing insect cell with at least one baculovirus, said at least one baculovirus comprising a genome coding for said biopharmaceutical product, and
 - (b) maintaining the biopharmaceutical-producing insect cell under conditions such that the biopharmaceutical product is produced,
- wherein the genome of said at least one baculovirus is deficient for vp80 or wherein said biopharmaceutical-producing insect cell comprises an expression control system allowing the inactivation of vp80.

25

2. The method according to claim 1, wherein

- vp80 is made deficient in said genome by way of nucleotide substitution, insertion or deletion; or
- wherein the biopharmaceutical-producing insect cell is a recombinant insect cell comprising a construct expressing a dsRNA specific for vp80, the dsRNA being optionally expressed under an inducible promoter.

30

3. The method according to claim 1 or 2, wherein the at least one baculovirus is produced before step (a) in a baculovirus-producing cell expressing a complementing copy of vp80.

35

4. The method according to any one of claims 1 to 3, wherein the deficiency or inactivation of vp80 does not affect very late expression from said baculovirus in comparison to very late expression from wild-type baculovirus.

5. The method according to any one of claims 1 to 4, wherein the biopharmaceutical product is a recombinant protein, a recombinant virus or a virus-like particle.

40

6. The method according to claim 5, wherein the biopharmaceutical product is a recombinant AAV.

7. The method according to any one of claims 1 to 6, wherein the biopharmaceutical product is coded by at least one gene introduced in the recombinant baculovirus genome under the control of the polyhedrin or p10 promoter.

45

8. The method according to any one of claims 1 to 7, wherein the at least one baculovirus is derived from AcMNPV or BmNPV.

50

9. Use of a baculovirus-insect cell system for the production of a biopharmaceutical product wherein the baculovirus-insect cell system comprises a baculovirus-producing insect cell infected with at least one recombinant baculovirus, wherein:

- the, or each, recombinant baculovirus comprises a baculoviral genome that encodes the biopharmaceutical product, or at least one component of the biopharmaceutical product, and
- the, or each, recombinant baculoviral genome is deficient for vp80, or the baculovirus-producing insect cell comprises an expression control system allowing the inactivation of vp80.

55

Patentansprüche

1. Ein Verfahren zur Herstellung eines biopharmazeutischen Produktes umfassend:

- (a) Infizieren einer Biopharmazeutikum produzierenden Insektenzelle mit mindestens einem Baculovirus, wobei das mindestens eine Baculovirus ein Genom umfasst, welches für das biopharmazeutische Produkt kodiert, und
(b) Halten der Biopharmazeutikum produzierenden Insektenzelle unter Bedingungen, dass das biopharmazeutische Produkt hergestellt wird,
wobei das Genom des mindestens einen Baculovirus defizient für vp80 ist, oder wobei die Biopharmazeutikum produzierende Insektenzelle ein Expressionssystem umfasst, das die Inaktivierung von vp80 erlaubt.

2. Das Verfahren nach Anspruch 1, wobei

- vp80 im Genom aufgrund einer Nukleotidsubstitution, Insertion oder Deletion defizient gemacht ist, und
- wobei die Biopharmazeutikum produzierende Insektenzelle eine rekombinante Insektenzelle ist, umfassend ein Konstrukt, welches eine dsRNA spezifisch für vp80 expremiert, und die dsRNA optional unter einem induzierbaren Promotor expremiert wird.

3. Das Verfahren nach einem der Ansprüche 1 oder 2, wobei das mindestens eine Baculovirus vor Schritt (a) in einer Baculovirus produzierenden Zelle hergestellt wird, die eine komplementierende Kopie von vp80 expremiert.

4. Das Verfahren nach einem der Ansprüche 1 bis 3, wobei die Defizienz oder Inaktivierung von vp80 die sehr späte Expression des Baculovirus im Vergleich zur sehr späten Expression eines Wildtyp-Baculovirus nicht beeinflusst.

5. Das Verfahren nach einem der Ansprüche 1 bis 4, wobei das biopharmazeutische Produkt ein rekombinantes Protein, ein rekombinantes Virus oder virus-like Partikel ist.

6. Das Verfahren nach Anspruch 5, wobei das biopharmazeutische Produkt ein rekombinantes AAV ist.

7. Das Verfahren nach einem der Ansprüche 1 bis 6, wobei das biopharmazeutische Produkt von mindestens einem Gen, eingeführt in das rekombinante Baculovirusgenom, unter der Kontrolle von Polyhedrin oder des p10 Promotors kodiert wird.

8. Das Verfahren nach einem der Ansprüche 1 bis 7, wobei das mindestens eine Baculovirus von AcMNPV oder BmNPV stammt.

9. Verwendung eines Baculovirusinsektenzellensystems zur Herstellung eines biopharmazeutischen Produktes, wobei das Baculovirusinsektenzellensystem eine Baculovirus produzierende Insektenzelle umfasst, die mit mindestens einem rekombinanten Baculovirus infiziert ist, wobei:

- das oder jedes rekombinante Baculovirus ein Baculovirusgenom umfasst, das das biopharmazeutische Produkt, oder mindestens eine Komponente des biopharmazeutischen Produktes kodiert, und
- das oder jedes rekombinante Baculovirusgenom defizient für vp80 ist, oder die Baculovirus produzierende Insektenzelle ein Expressionskontrollsystem umfasst, das die Inaktivierung von vp80 erlaubt.

Revendications

1. Procédé pour la production d'un produit biopharmaceutique, comprenant:

- (a) l'infection d'une cellule d'insecte productrice d'un produit biopharmaceutique avec au moins un baculovirus, ledit au moins un baculovirus comprenant un génome codant ledit produit biopharmaceutique, et
(b) le maintien de la cellule d'insecte productrice d'un produit biopharmaceutique dans des conditions telles que le produit biopharmaceutique est produit,
le génome dudit au moins un baculovirus étant déficient pour vp80 ou ladite cellule d'insecte productrice d'un produit biopharmaceutique comprenant un système de contrôle de l'expression permettant l'inactivation de vp80.

2. Procédé selon la revendication 1, dans lequel:

- vp80 est rendu déficient dans ledit génome au moyen d'une substitution, insertion ou délétion de nucléotide; ou
- dans lequel la cellule d'insecte productrice d'un produit biopharmaceutique est une cellule d'insecte recombinante comprenant une construction exprimant un ARN double brin spécifique de vp80, l'ARN double brin étant éventuellement exprimé au moyen d'un promoteur inductible.

5

3. Procédé selon la revendication 1 ou 2, le au moins un baculovirus étant produit avant l'étape (a) dans une cellule productrice de baculovirus exprimant une copie de complémentation de vp80.

10

4. Procédé selon l'une quelconque des revendications 1 à 3, dans lequel la déficience ou l'inactivation de vp80 n'affecte pas l'expression très tardive à partir dudit baculovirus en comparaison de l'expression très tardive à partir d'un baculovirus sauvage.

15

5. Procédé selon l'une quelconque des revendications 1 à 4, le produit biopharmaceutique étant une protéine recombinante, un virus recombinant ou une particule pseudovirale.

6. Procédé selon la revendication 5, le produit biopharmaceutique étant un AAV recombinant.

20

7. Procédé selon l'une quelconque des revendications 1 à 6, le produit biopharmaceutique étant codé par au moins un gène introduit dans le génome baculoviral recombinant sous le contrôle du promoteur polyhédrine ou p10.

25

8. Procédé selon l'une quelconque des revendications 1 à 7, le au moins un baculovirus étant dérivé d'AcMNPV ou de BmNPV.

9. Utilisation d'un système baculovirus-cellule d'insecte pour la production d'un produit biopharmaceutique, le système baculovirus-cellule d'insecte comprenant une cellule d'insecte productrice d'un produit biopharmaceutique infectée au moyen d'au moins un baculovirus recombinant, où:

30

- le, ou chaque, baculovirus recombinant comprend un génome baculoviral qui code le produit biopharmaceutique, ou au moins une composante du produit biopharmaceutique, et
- le, ou chaque, génome baculoviral recombinant est déficient pour vp80, ou la cellule d'insecte productrice d'un produit biopharmaceutique comprend un système de contrôle de l'expression permettant l'inactivation de vp80.

35

40

45

50

55




Fig 1




Fig 2




Fig 3




Fig 4




Fig 5




Fig 6




Fig 7




Fig 8




Fig 9




Fig 10





Fig 11






Fig 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- US 4745051 A [0030]
- EP 127839 A [0030]
- EP 155476 A [0030]

Non-patent literature cited in the description

- **ABE, T. ; TAKAHASHI, H. ; HAMAZAKI, H. ; MIYANO-KUROSAKI, N. ; MATSUURA, Y. ; TAKAKU, H.** Baculovirus induces an innate immune response and confers protection from lethal influenza virus infection in mice. *Journal of Immunology*, 2003, vol. 171, 1133-1139 [0138]
- **ASLANIDI, G. ; LAMB, K. ; ZOLOTUKHIN, S.** An inducible system for highly efficient production of recombinant adeno-associated virus (rAAV) vectors in insect Sf9 cells. *Proceedings of the National Academy of Sciences U S A*, 2009, vol. 106, 5059-5064 [0138]
- **BOYCE, F. M. ; BUCHER, N. L. R.** Baculovirus-mediated gene transfer into mammalian cells. *Proceedings of the National Academy U S A*, 1996, vol. 93, 2348-2352 [0138]
- **BRAUNAGEL, S. C. ; SUMMERS, M. D.** Autographa californica nuclear polyhedrosis virus, PDV, and ECV viral envelopes and nucleocapsids: Structural proteins, antigens, lipid and fatty acid profiles. *Virology*, 1994, vol. 202, 315 [0138]
- **BRIGHT, R. A. ; CARTER, D. M. ; CREVAR, C. J. ; TOAPANTA, F. R. ; STECKBECK, J. D. ; COLE, K. S. ; KUMAR, N. M. ; PUSHKO, P. ; SMITH, G. ; TUMPEY, T. M.** Cross-clade protective immune responses to influenza viruses with H5N1 HA and NA elicited by an influenza virus-like particle. *PLoS ONE*, 2008, vol. 3 [0138]
- **CARBONELL, L. F. ; KLOWDEN, M. J. ; MILLER, L. K.** Baculovirus-mediated expression of bacterial genes in dipteran and mammalian cells. *Journal of Virology*, 1985, vol. 56, 153-160 [0138]
- **CARBONELL L. F. ; HODGE M. R. ; TOMALSKI, M. D. ; MILLER, L. K.** Synthesis of a gene coding for an insect-specific scorpion neurotoxin and attempts to express it using baculovirus vectors. *Gene*, 1988, vol. 73, 409-18 [0138]
- **CHARLTON, C. A. ; VOLKMAN, L. E.** Sequential rearrangement and nuclear polymerization of actin in baculovirus-infected *Spodoptera frugiperda* cells. *Journal of Virology*, 1991, vol. 65, 1219-27 [0138]
- **CHARLTON, C. A. ; VOLKMAN, L. E.** Penetration of Autographa californica nuclear polyhedrosis virus nucleocapsids into IPLB Sf 21 cells induces actin cable formation. *Virology*, 1993, vol. 197, 245-54 [0138]
- **COHEN, D. P. A. ; MAREK, M. ; DAVIES, B. G. ; VLAK, J. M. ; VAN OERS, M. M.** Encyclopedia of Autographa californica nucleopolyhedrovirus genes. *Virologica Sinica*, 2009, vol. 24, 359 [0138]
- **CONDREAY, J. P. ; KOST, T. A.** Baculovirus expression vectors for insect and mammalian cells. *Curr Drug Targets*, 2007, vol. 8, 1126-31 [0138]
- **COX, M. M. J. ; HOLLISTER, J.** FluBlok, A next generation influenza vaccine manufactured in insect cells. *Biologicals*, 2009, vol. 37, 182-189 [0138]
- **DAI, X. ; WILLIS, L. G. ; PALLI, S. R. ; THEILMANN, D. A.** Tight transcriptional regulation of foreign genes in insect cells using an ecdysone receptor-based inducible system. *Protein Expression and Purification*, 2005, vol. 42, 236-245 [0138]
- **DATSENKO, K. A. ; WANNER, B. L.** One-step inactivation of chromosomal genes in *Escherichia coli* K-12 using PCR products. *Proceedings of the National Academy of Sciences U S A*, 2000, vol. 97, 6640-6645 [0138]
- **FRIC, J. ; MAREK, M. ; HRUSKOVÁ, V. ; HOLÁN, V. ; FORSTOVÁ J.** Cellular and humoral immune responses to chimeric EGFP-pseudocapsids derived from the mouse polyomavirus after their intranasal administration. *Vaccine*, 2008, vol. 26, 3242 [0138]
- The regulation of baculovirus gene expression. **FRIESEN, P. D. ; MILLER, L. K.** The Molecular Biology of Baculoviruses. Springer-Verlag, 1986, 31-49 [0138]
- **FUNK, C. J. ; CONSIGLI, R. A.** Phosphate cycling on the basic protein of *Plodia interpunctella* granulosis virus. *Virology*, 1993, vol. 193, 396-402 [0138]
- **GHEYSEN, D. ; JACOBS, E. ; DE FORESTA, F. ; THIRIART, C. ; FRANCOTTE, M. ; THINES, D. ; DE WILDE, M.** Assembly and release of HIV-1 precursor pr55(gag) virus-like particles from recombinant baculovirus-infected insect cells. *Cell*, 1989, vol. 59, 103-112 [0138]

- GRONOWSKI, A. M. ; HILBERT, D. M. ; SHEEHAN, K. C. F. ; GAROTTA, G. ; SCHREIBER, R. D. Baculovirus stimulates antiviral effects in mammalian cells. *Journal of Virology*, 1999, vol. 73, 9944-9951 [0138]
- HARPER, D. M. ; FRANCO, E. L. ; WHEELER, C. M. ; MOSCICKI, A.-B. ; ROMANOWSKI, B. ; ROTELI-MARTINS, C. M. ; JENKINS, D. ; SCHUIND, A. ; COSTA CLEMENS, S. A. ; DUBIN, G. Sustained efficacy up to 4·5 years of a bivalent L1 virus-like particle vaccine against human papillomavirus types 16 and 18: follow-up from a randomised control trial. *The Lancet*, 2006, vol. 367, 1247-1255 [0138]
- HILL-PERKINS, M. S. ; POSSEE, R. D. A baculovirus expression vector derived from the basic protein promoter of *Autographa californica* nuclear polyhedrosis virus. *Journal of General Virology*, 1990, vol. 71, 971-976 [0138]
- HOFMANN, C. ; SANDIG, V. ; JENNINGS, G. ; RUDOLPH, M. ; SCHLAG, P. ; STRAUSS, M. Efficient gene transfer into human hepatocytes by baculovirus vectors. *Proceedings of the National Academy of Sciences U S A*, 1995, vol. 92, 10099-10103 [0138]
- JEONG, S. H. ; QIAO, M. ; NASCIMBENI, M. ; HU, Z. ; REHERMANN, B. ; MURTHY, K. ; LIANG, T. J. Immunization with hepatitis C virus-like particles induces humoral and cellular immune responses in nonhuman primates. *Journal of Virology*, 2004, vol. 78, 6995-7003 [0138]
- JING CHEN, S. ; ER HUI, Z. ; LUN GUANG, Y. ; HONG LING, Z. ; PENG FEI, J. A high efficient method of constructing recombinant *Bombyx mori* (silkworm) multiple nucleopolyhedrovirus based on zero-background Tn7-mediated transposition in *Escherichia coli*. *Biotechnology Progress*, 2009, vol. 25, 524-529 [0138]
- KAIKKONEN, M. U. ; VIHOLAINEN, J. I. ; NARVANEN, A. ; YLA-HERTTUALA, S. ; AIRENNE, K. J. Targeting and purification of metabolically biotinylated baculovirus. *Human Gene Therapy*, 2008, vol. 19, 589-600 [0138]
- KANGINAKUDRU, S. S. ; ROYER C. ; EDUPALLI S.V. ; JALABERT A. ; MAUCHAMP B. ; CHANDRASHEKARAIAH, PRASAD S.V. ; CHAVANCY G. ; COUBLE P. ; NAGARAJU J. Targeting ie-1 gene by RNAi induces baculoviral resistance in lepidopteran cell lines and in transgenic silkworms. *Insect molecular biology*, 2007, vol. 16, 635-644 [0138]
- KATO, T. ; KAJIKAWA, M. ; MAENAKA, K. ; PARK, E. Y. Silkworm expression system as a platform technology in life science. *Applied Microbiology and Biotechnology*, 2010, vol. 85, 459-470 [0138]
- KELLY, D. C. ; BROWN, D. A. ; AYRES, M. D. ; ALLEN, C. J. ; WALKER, I. O. Properties of the major nucleocapsid protein of *Heliothis zea* singly enveloped nuclear polyhedrosis virus. *Journal of General Virology*, 1983, vol. 64, 399-408 [0138]
- KITAJIMA, M. ; TAKAKU, H. Induction of antitumor acquired immunity by baculovirus *Autographa californica* multiple nuclear polyhedrosis virus infection in mice. *Clinical and Vaccine Immunology*, 2008, vol. 15, 376-378 [0138]
- KOST, T. A. ; CONDREAY, J. P. ; JARVIS, D. L. Baculovirus as versatile vectors for protein expression in insect and mammalian cells. *Nature Biotechnology*, 2005, vol. 23, 567-575 [0138]
- LACKNER, A. ; GENTA, K. ; KOPPENSTEINER, H. ; HERBACEK, I. ; HOLZMANN, K. ; SPIEGL-KREINECKER, S. ; BERGER, W. ; GRUSCH, M. A bicistronic baculovirus vector for transient and stable protein expression in mammalian cells. *Analytical Biochemistry*, 2008, vol. 380, 146-148 [0138]
- LEBACQ-VERHEYDEN AM ; KASPRZYK PG ; RAUM MG ; VAN WYKE COELINGH K ; LEBACQ JA ; BATTEY JF. Posttranslational processing of endogenous and of baculovirus-expressed human gastrin-releasing peptide precursor. *Molecular and Cell Biology*, 1988, vol. 8, 3129-35 [0138]
- LESCH, H. P. ; TURPEINEN, S. ; NISKANEN, E. A. ; MÄHÖNEN, A. J. ; AIRENNE, K. J. ; YLÄ-HERTTUALA, S. Generation of lentivirus vectors using recombinant baculoviruses. *Gene Therapy*, 2008, vol. 15, 1280-1286 [0138]
- LI, X. ; PANG, A. ; LAUZON, H. A. M. ; SOHI, S. S. ; ARIF, B. M. The gene encoding the capsid protein P82 of the *Choristoneura fumiferana* multicapsid nucleopolyhedrovirus: Sequencing, transcription and characterization by immunoblot analysis. *Journal of General Virology*, 1997, vol. 78, 2665-2673 [0138]
- LIU, X. ; LI, K. ; SONG, J. ; LIANG, C. ; WANG, X. ; CHEN, X. Efficient and stable gene expression in rabbit intervertebral disc cells transduced with a recombinant baculovirus vector. *Spine*, 2006, vol. 31, 732-735 [0138]
- LIU, Y. K. ; CHU, C. C. ; WU, T. Y. Baculovirus ETL promoter acts as a shuttle promoter between insect cells and mammalian cells. *Acta Pharmacologica Sinica*, 2006, vol. 27, 321-327 [0138]
- LOPEZ, M. G. ; ALFONSO, V. ; CARRILLO, E. ; TABOGA, O. Trans-complementation of polyhedrin by a stably transformed Sf9 insect cell line allows occulobaculovirus occlusion and larval per os infectivity. *Journal of Biotechnology*, 2009, vol. 145, 199-205 [0138]
- LU, A. ; CARSTENS, E. B. Nucleotide sequence and transcriptional analysis of the p80 gene of *Autographa californica* nuclear polyhedrosis virus: a homologue of the *Orgyia pseudotsugata* nuclear polyhedrosis virus capsid-associated gene. *Virology*, 1992, vol. 190, 201-209 [0138]
- LUCKOW, V. A. ; SUMMERS, M. D. Trends in the development of baculovirus expression vectors. *Biol/Technology*, 1998, vol. 6, 47-55 [0138]

- **LUCKOW, V. A. ; LEE, S. C. ; BARRY, G. F. ; OLINS, P. O.** Efficient generation of infectious recombinant baculoviruses by site- specific transposon-mediated insertion of foreign genes into a baculovirus genome propagated in *Escherichia coli*. *Journal of Virology*, 1993, vol. 67, 4566-79 [0138]
- **LUDWIG, C. ; WAGNER, R.** Virus-like particles-universal molecular toolboxes. *Current Opinion in Biotechnology*, 2007, vol. 18, 537-545 [0138]
- **LUNG, O. ; WESTENBERG, M. ; VLAK, J. M. ; ZUIDEMA, D. ; BLISSARD, G. W.** Pseudotyping *Autographa californica* multicapsid nucleopolyhedrovirus (AcMNPV): F proteins from group II NPVs are functionally analogous to AcMNPV GP64. *Journal of Virology*, 2002, vol. 76, 5729-5736 [0138]
- **MAEDA, S. ; KAWAI, T. ; OBINATA, M. ; FUJIWARA, H. ; HORIUCHI, T. ; SAEKI, Y. ; SATO, Y. ; FURUSAWA M.** Production of human alpha-interferon in silkworm using a baculovirus vector. *Nature*, 1985, vol. 315, 592-4 [0138]
- **MARANGA, L. ; RUEDA, P. ; ANTONIS, A. F. ; VELLA, C. ; LANGEVELD, J. P. ; CASAL, J. I ; CARRONDO, M. J.** Large scale production and downstream processing of a recombinant porcine parvovirus vaccine. *Applied Microbiology Biotechnology*, 2002, vol. 59, 45-50 [0138]
- **MARTIN, B. M. ; TSUJI, S. ; LAMARCA, M. E. ; MAYSACK, K. ; ELIASON, W. ; GINNS, E. I.** Glycosylation and processing of high levels of active human glucocerebrosidase in invertebrate cells using a baculovirus expression vector. *DNA*, 1988, vol. 7, 99-106 [0138]
- **MCKENNA, K. A. ; HONG, H. ; VAN NUNEN ; GRANADOS, R. R.** Establishment of new *Trichoplusia ni* cell lines in serum-free medium for baculovirus and recombinant protein production. *Journal of Invertebrate Pathology*, 1989, vol. 71, 82-90 [0138]
- **MELLADO, M. C. ; PEIXOTO, C. ; CRUZ, P. E. ; CARRONDO, M. J. ; ALVES, P. M.** Purification of recombinant rotavirus VP7 glycoprotein for the study of in vitro rotavirus-like particles assembly. *Journal of Chromatography B Analytical Technology Biomedical Life Science*, 2008, vol. 874, 89-94 [0138]
- **MILLER, D. W. ; SAFER, P. ; MILLER, L. K.** Genetic Engineering: Principles and Methods. Plenum Publishing, 1986, vol. 8, 277-298 [0138]
- **MILLER, L.K.** Baculoviruses as gene expression vectors. *Annual Review Microbiology*, 1988, vol. 42, 177-99 [0138]
- **MIYAJIMA, A. ; SCHREURS, J. ; OTSU, K. ; KONDO, A. ; ARAI, K. ; MAEDA, S.** Use of the silkworm, *Bombyx mori*, and an insect baculovirus vector for high-level expression and secretion of biologically active mouse interleukin-3. *Gene*, 1987, vol. 58, 273-81 [0138]
- **MORTOLA, E. ; ROY, P.** Efficient assembly and release of SARS coronavirus-like particles by a heterologous expression system. *FEBS Letters*, 2004, vol. 576, 174-178 [0138]
- **MULLER, R. ; PEARSON, M. N. ; RUSSELL, R. L. Q. ; ROHRMANN, G. F.** A capsid-associated protein of the multicapsid nuclear polyhedrosis virus of *Orygia pseudotsugata*: Genetic location, sequence, transcriptional mapping, and immunocytochemical characterization. *Virology*, 1990, vol. 176, 133-144 [0138]
- **MURGES, D. ; KREMER, A. ; KNEBEL-MORS DORF, D.** Baculovirus transactivator IE1 is functional in mammalian cells. *Journal of General Virology*, 1997, vol. 78, 1507-1510 [0138]
- **NOAD, R. ; ROY, P.** Virus-like particles as immunogens. *Trends in Microbiology*, 2003, vol. 11, 438-444 [0138]
- **OLSZEWSKI, J. ; MILLER, L. K.** Identification and characterization of a baculovirus structural protein, VP1054, required for nucleocapsid formation. *Journal of Virology*, 1997, vol. 71, 5040-50 [0138]
- **PENG, K. ; VAN OERS, M.M. ; HU, Z.H. ; VAN LENT, J.W.M. ; VLAK, J.M.** Baculovirus per os infectivity factors form a complex on the surface of occlusion derived virus. *Journal of Virology*, 2010 [0138]
- **PIJLMAN, G. P. ; ROODE, E. C. ; FAN, X. ; ROBERTS, L. O. ; BELSHAM, G. J. ; VLAK, J. M. ; VAN OERS, M. M.** Stabilized baculovirus vector expressing a heterologous gene and GP64 from a single bicistronic transcript. *Journal of Biotechnology*, 2006, vol. 123, 13-21 [0138]
- **RAMADAN, N. ; FLOCKHART, I. ; BOOKER, M. ; PERRIMON, N. ; MATHEY-PREVOT, B.** Design and implementation of high-throughput RNAi screens in cultured *Drosophila* cells. *Nature Protocols*, 2007, vol. 2, 2245-2264 [0138]
- **RAMQVIST, T. ; ANDREASSON, K. ; DALIANIS, T.** Vaccination, immune and gene therapy based on virus-like particles against viral infections and cancer. *Expert Opinion on Biological Therapy*, 2007, vol. 7, 997-1007 [0138]
- **SALEM, T. Z. ; MARUNIAK, J. E.** A universal transgene silencing approach in baculovirus-insect cell system. *Journal of Virological Methods*, 2007, vol. 145, 1-8 [0138]
- **SAMBROOK, J. ; FRITSCH, E. F. ; MANIATIS, T.** Molecular Cloning. A Laboratory Manual. Cold Spring Harbor, 1989 [0138]
- **SLACK, J. ; ARIF, B. M.** The baculoviruses occlusion-derived virus: virion structure and function. *Advances in virus research*, 2006, vol. 69, 99-165 [0138]


- **SMITH, G. E ; JU, G. ; ERICSON, B. L ; MOSCHERA, J. ; LAHM, H. W ; CHIZZONITE, R. ; SUMMERS, M.D.** Modification and secretion of human interleukin 2 produced in insect cells by a baculovirus expression vector. *Proceedings National Academy of Sciences U S A*, 1985, vol. 82, 8404-8 [0138]
- **SMITH, R. H ; LEVY, J. R. ; KOTIN, R. M.** A simplified baculovirus-AAV expression vector system coupled with one-step affinity purification yields high-titer rAAV stocks from insect cells. *Molecular Therapy*, 2009, vol. 17, 1888-1896 [0138]
- **SMITH, G.E. ; SUMMERS, M.D.** Restriction maps of five *Autographa californica* MNPV variants, *Trichoplusia ni* MNPV, and *Galleria mellonella* MNPV DNAs with endonucleases *Sma*I, *Kpn*I, *Bam*HI, *Sac*I, *Xho*I, and *Eco*RI. *Journal of Virology*, 1979, vol. 30, 828-838 [0138]
- **SUZUKI, N. ; NONAKA, H. ; TSUGE, Y. ; OKAYAMA, S. ; INUI, M. ; YUKAWA, H.** Multiple large segment deletion method for *Corynebacterium glutamicum*. *Applied Microbiology and Biotechnology*, 2005, vol. 69, 151-161 [0138]
- **TANG, X.-D. ; XU, Y.-P. ; YU, L.-I. ; LANG, G.-J. ; TIAN, C.-H. ; ZHAO, J.-F. ; ZHANG, C.-X.** Characterization of a *Bombyx mori* nucleopolyhedrovirus with *Bmvp80* disruption. *Virus Research*, 2008, vol. 138, 81-88 [0138]
- **TELLEZ, M.** Process optimization protocol for tangential flow filtration of insect cells and baculovirus. *Presented at WilBio Conference on Baculovirus & Insect Cell Culture - Process Development and Production Issues, Savannah/Georgia*, 21 February 2005 [0138]
- **THIEM, S. M. ; MILLER, L. K.** A baculovirus gene with a novel transcription pattern encodes a polypeptide with a zinc finger and a leucine zipper. *Journal of Virology*, 1989, vol. 63, 4489-4497 [0138]
- **THIEM, S. M. ; MILLER, L. K.** A baculovirus gene with a novel transcription pattern encodes a polypeptide with a zinc finger and a leucine zipper. *Journal of Virology*, 1989, vol. 63, 4489-97 [0138]
- **THIEM, S. M. ; MILLER, L. K.** Identification, sequence, and transcriptional mapping of the major capsid protein gene of the baculovirus *Autographa californica* nuclear polyhedrosis virus. *Journal of Virology*, 1989, vol. 63, 2008-2018 [0138]
- **TJIA, S. T. ; MEYER ZU ALTENSCHILDESCH, G. ; DOERFLER, W.** *Autographa californica* nuclear polyhedrosis virus (AcNPV) DNA does not persist in mass cultures of mammalian cells. *Virology*, 1983, vol. 125, 107-117 [0138]
- **URABE, M. ; DING, C. ; KOTIN, R. M.** Insect cells as a factory to produce adeno-associated virus type 2 vectors. *Human Gene Therapy*, 2002, vol. 13, 1935-1943 [0138]
- **VAN LENT, J. W. M. ; GROENEN, J. T. M. ; KLINGE-ROODE, E. C. ; ROHRMANN, G. F. ; ZUIDEMA, D. ; VLAK, J. M.** Localization of the 34 kDa polyhedron envelope protein in *Spodoptera frugiperda* cells infected with *Autographa californica* nuclear polyhedrosis virus. *Archives of Virology*, 1990, vol. 111, 103-114 [0138]
- Vaccines for Viral and Parasitic Diseases Produced with Baculovirus Vectors. **VAN OERS, M. M.** *Advances in Virus Research*. 2006, vol. 68, 193-253 [0138]
- **VLAK J. M. ; KLINKENBERG, F. A ; ZAAL, K.J. ; USMANY, M. ; KLINGE-ROODE, E. C. ; GEERVLIT, J. B ; ROOSIEN, J. ; VAN LENT, J.W.** Functional studies on the p10 gene of *Autographa californica* nuclear polyhedrosis virus using a recombinant expressing a p10-beta-galactosidase fusion gene. *Journal of General Virology*, 1988, vol. 69, 765-76 [0138]
- **WANG, M. Y ; KUO, Y. Y. ; LEE, M. S ; DOONG, S. R ; HO, J. Y ; LEE, L. H.** Self-assembly of the infectious bursal disease virus capsid protein, rVP2, expressed in insect cells and purification of immunogenic chimeric rVP2H particles by immobilized metal-ion affinity chromatography. *Biotechnology and Bioengineering*, 2000, vol. 67, 104-11 [0138]
- **WU, W. ; LIANG, H. ; KAN, J. ; LIU, C. ; YUAN, M. ; LIANG, C. ; YANG, K. ; PANG, Y.** *Autographa californica* multiple nucleopolyhedrovirus 38K is a novel nucleocapsid protein that interacts with VP1054, VP39, VP80, and itself. *Journal of Virology*, 2008, vol. 82, 12356-12364 [0138]
- **YIN, F. ; M. WANG ; Y. TAN ; F. DENG ; J. M. VLAK ; Z. HU ; H. WANG.** A functional F analogue of AcMNPV GP64 from the *Agrotis segetum* granulovirus. *Journal of Virology*, 2008, vol. 82, 8922-8926 [0138]

Szabadalmi igénypontok

1. Egy eljárás egy biológyszer termék előállítására, amely tartalmazza:
 - (a) egy biológyszer-termelő rovarsejt megfertőzését legalább egy bakulovírussal, ahol az említett legalább egy bakulovírus tartalmaz egy genomot, amely az említett biológyszer terméket kódolja, és
 - (b) a biológyszer-termelő rovarsejt fenntartását olyan körülmények között, hogy a biológyszer termék termelődjön,ahol az említett legalább egy bakulovírus genomja deficiens vp80-ra nézve vagy az említett biológyszer terméket termelő rovarsejt tartalmaz egy expressziós kontroll rendszert, amely lehetővé teszi a vp80 inaktiválását.
2. Az 1. igénypont szerinti eljárás, amelyben
 - a vp80-deficienciát a genomban nukleotid-szubsztitúció, inszerció vagy delécio útján idézzük elő,
 - amelyben a biológyszer terméket termelő rovarsejt egy rekombináns rovarsejt, amely tartalmaz egy vp80-ra specifikus dsRNS-t expresszáló konstrukciót, ahol a dsRNS adott esetben egy indukálható promóter alatt expresszálódik.
3. Az 1. vagy 2. igénypont szerinti eljárás, amelyben a legalább egy bakulovírust az (a) lépés előtt termeljük egy bakulovírus-termelő sejtben, amely a vp80 egy komplementáló kópiáját expresszálja.
4. Az 1-3. igénypontok bármelyike szerinti eljárás, amelyben a vp80 deficienciája vagy inaktiválása nem hat a késői expresszióra az említett bakulovírusból összehasonlítva a nagyon késői expresszióval a vad-típusú bakulovírusból.
5. Az 1-4. igénypontok bármelyike szerinti eljárás, amelyben a biológyszer termék egy rekombináns fehérje, egy rekombináns vírus vagy vírus-szerű részecske.
6. Az 5. igénypont szerinti eljárás, amelyben a biológyszer termék egy rekombináns AAV.
7. Az 1-6. igénypontok bármelyike szerinti eljárás, amelyben a biológyszer termék legalább egy olyan gén által kódolt, amelyet a rekombináns bakulovírus genomjába bevezettünk a polihedrin vagy p10 promóter kontrollja alá.

8. Az 1-7. igénypontok bármelyike szerinti eljárás, amelyben a legalább egy bakulovírus az AcMNPV-ből vagy a BmNPV-ből származik.
9. Egy bakulovírus-rovarsejt rendszer egy biogyógyszer termék előállítására, ahol a bakulovírus-rovarsejt rendszer tartalmaz egy bakulovírus-termelő rovarsejtet megfertőzve legalább egy rekombináns bakulovírussal, amelyben:
- a vagy mindegyik rekombináns bakulovírus tartalmaz egy bakulovírus genomot, amely kódolja a biogyógyszer terméket, vagy a biogyógyszer termék legalább egy komponensét, és
 - a vagy mindegyik rekombináns bakulovírus genom deficiens vp80-ra, vagy a bakulovírus-termelő rovarsejt tartalmaz egy expressziós kontroll rendszert, amely lehetővé teszi a vp80 inaktiválását.

A meghatalmazott:



Dr. Láng Tivadarné
szabadalmi ügyvivő
SAGK Szabadalmi Ügyvivői Iroda
H-1062 Budapest, Andrássy út 113.
Telefon: 461-1000 Fax: 461-1099
Email: lang@shgk.hu