



US00D714256S

(12) **United States Design Patent**
Tsai et al.

(10) **Patent No.:** **US D714,256 S**

(45) **Date of Patent:** **** Sep. 30, 2014**

(54) **LIFTABLE ACOUSTIC CRADLE FOR TABLET**

(75) Inventors: **Hui-Jou Tsai**, Taipei (TW);
Yung-Hsiang Chen, Taipei (TW);
Wen-Yi Chiu, Taipei (TW); **Kuan-Yu Chou**, Taipei (TW); **Hsing-Yi Kao**, Taipei (TW); **Hsiang-Ling Liu**, Taipei (TW)

(73) Assignee: **Compal Electronics, Inc.**, Taipei (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/423,742**

(22) Filed: **Jun. 5, 2012**

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**

USPC **D14/209.1**

(58) **Field of Classification Search**

USPC D14/142, 149, 155, 157, 167, 168, D14/170-172, 188, 191-196, 203.1-203.8, D14/204, 207, 209.1, 210-217, 221, 222, D14/224, 238.1, 251-253, 432-435.1, 447, D14/451, 474, 480.1-480.7, 496; D13/107, D13/108, 118, 133; D3/218; 248/221.11, 248/309.1; 320/107, 110, 113-115; 361/600; 439/529, 534; 455/556.1-556.2, 557; D6/601; 181/143, 144, 147, 148, 150, 153, 157, 181/198, 199; 381/300-303, 306, 332, 333, 381/336, 345, 361-364, 386-388; 369/6-12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,236,621 B1 * 5/2001 Schettino 368/10
D482,923 S * 12/2003 Gaines D6/601
D485,723 S * 1/2004 Salazar D6/601

D546,709 S * 7/2007 Brooks D10/2
D585,736 S * 2/2009 Dowd D9/431
D587,506 S * 3/2009 Chernev D6/601
D587,675 S * 3/2009 Xie D14/172
D608,351 S * 1/2010 Song D14/217
D645,843 S * 9/2011 Bolton D14/209.1
D651,841 S * 1/2012 Nayman D6/601
D676,017 S * 2/2013 Chou et al. D14/149
D681,005 S * 4/2013 Bolton D14/209.1
D681,603 S * 5/2013 Kang D14/209.1
D687,011 S * 7/2013 Bolton D14/209.1
D697,051 S * 1/2014 Adams et al. D14/209.1
D699,217 S * 2/2014 McCoy D14/207

* cited by examiner

Primary Examiner — Keli L Hill

(74) *Attorney, Agent, or Firm* — KKC & Partners Co., Ltd.


(57) **CLAIM**

The ornamental design for a liftable acoustic cradle for tablet, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a liftable acoustic cradle for tablet showing our new design in an open state; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a top view thereof; FIG. 7 is a bottom view thereof; FIG. 8 is an alternate perspective view thereof, showing the liftable acoustic cradle for tablet in a closed state; FIG. 9 is a front view thereof; FIG. 10 is a rear view thereof; FIG. 11 is a left side view thereof; FIG. 12 is a right side view thereof; FIG. 13 is a top view thereof; and, FIG. 14 is a bottom view thereof.

1 Claim, 12 Drawing Sheets






FIG. 1




FIG. 2




Fig. 3




FIG. 4




Fig. 5




FIG. 6




Fig. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14