



US00D733801S

(12) **United States Design Patent**  
**Mosley et al.**

(10) **Patent No.:** **US D733,801 S**

(45) **Date of Patent:** **\*\* Jul. 7, 2015**

(54) **TOKEN READER HOUSING**

(71) Applicant: **GATEWAY GAMING, LLC,**  
Piedmont, SC (US)

(72) Inventors: **Bobby Mosley,** Piedmont, SC (US);  
**Timothy Caldwell,** Piedmont, SC (US)

(73) Assignee: **EPIC TECH, LLC,** Lavonia, GA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/457,919**

(22) Filed: **Jun. 13, 2013**

(51) **LOC (10) Cl.** ..... **20-01**

(52) **U.S. Cl.**  
USPC ..... **D20/9**

(58) **Field of Classification Search**

USPC ..... D20/1-9; D18/3.2, 3.3, 12.1; D99/28;  
194/236, 239, 302, 350; 235/379, 381;  
232/1 D, 7, 10, 12, 43.2, 64; 271/10.01,  
271/147; 221/6, 9, 12, 13, 110, 123, 124,  
221/140, 150 R, 150 A, 150 HC, 155, 156,  
221/159, 190, 231, 251, 311  
CPC ..... G07F 7/04; G07F 9/02; G07F 11/00;  
G07F 11/026; G07F 11/06; G07F 11/24;  
G07F 11/62; G07F 11/00045; G07F 11/165;  
G07D 11/00; G07D 11/006; G07D 11/0021;  
G07D 2201/00; G07D 2211/00

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,331,036 A \* 2/1920 Stiles et al. .... 194/239  
3,330,394 A \* 7/1967 Koch ..... 194/233  
3,685,689 A \* 8/1972 Borner et al. .... 221/90  
3,948,376 A \* 4/1976 Roman ..... 194/317

4,283,097 A \* 8/1981 Lundblad ..... 109/52  
D296,908 S \* 7/1988 Trimble ..... D20/2  
5,385,225 A \* 1/1995 Chen et al. .... 194/350  
D360,227 S \* 7/1995 Dabrowski ..... D20/8  
5,595,129 A \* 1/1997 Grobe ..... 109/22  
6,059,090 A \* 5/2000 Davis et al. .... 194/350  
6,659,875 B2 12/2003 Purton  
D541,870 S \* 5/2007 Tandberg ..... D20/1  
2007/0039801 A1\* 2/2007 Roatis et al. .... 194/350  
2008/0217349 A1\* 9/2008 Silbers ..... 221/13  
2010/0105486 A1 4/2010 Shigeta

\* cited by examiner

*Primary Examiner* — Mary Ann Calabrese

(74) *Attorney, Agent, or Firm* — Nelson Mullins Riley &  
Scarborough, LLP


(57) **CLAIM**

The ornamental design for a token reader housing, as shown  
and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a token reader housing  
showing our new design;  
FIG. 2 is a front view of the token reader housing of FIG. 1;  
FIG. 3 is a right side view of the token reader housing of FIG.  
1;  
FIG. 4 is a left side view of the token reader housing of FIG.  
1;  
FIG. 5 is a rear view of the token reader housing of FIG. 1;  
FIG. 6 is a top plan view of the token reader housing of FIG.  
1; and,  
FIG. 7 is a bottom plan view of the token reader housing of  
FIG. 1.  
The broken lines of FIGS. 4, 5 and 7 are illustrative of the  
visible environmental structure of the token reader housing  
and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7