

Patent Number:

Date of Patent:

Des. 412,863

** Aug. 17, 1999

United States Patent [19]

Barnes

SIGNALING INDICATOR 4,601,120 7/1986 Levin 40/317 Inventor: Gerard Barnes, 266 Washington Ave., 5,001,455 Brooklyn, N.Y. 11205 Primary Examiner—Marcus A. Jackson

[11]

[45]

Attorney, Agent, or Firm-Goldstein & Canino 14 Years **CLAIM**

The ornamental design for a signaling indicator, as shown Jan. 20, 1999 and described.

DESCRIPTION

FIG. 1 is a diagrammatic perspective view of the signalling indicator.


FIG. 2 is a front elevational view thereof.

FIG. 3 is a rear elevational view thereof.

FIG. 4 is a top plan view of the signalling indicator, the bottom plan view being a mirror iimage of the top plan view;

FIG. 5 is a right side elevational view thereof, the left side elevational view being a mirror image of the right side view.

1 Claim, 2 Drawing Sheets



[**] Term: [21] Appl. No.: 29/099,373 [22] Filed: LOC (6) Cl. 10-05 [51] **U.S. Cl.** **D10/109**; D20/40 [52] [58] D10/121; D20/10, 35, 40; D26/30, 31, 32, 33, 34; 362/811, 812; 40/584

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 325,882	5/1992	Powell D10/109
D. 327,506	6/1992	Bartholomai et al D20/10
D. 343,466	1/1994	Starks, Jr D26/31
1,583,410	5/1926	Mastin .
1,691,456	11/1928	Beck.





Fig. 2



all;

Fig. 3

- 1. Make sure that the taxi you are hailing is empty and on duty. Check the onduty/off-duty light on top of the cab.
- 2. Never step into traffic in an attempt to hail a taxi. Stand at the corner near the curb in the direction you want to go.
- 3. One of the main purposes of the TAXI HAILER is to provide better communication between the taxi driver and the passenger at night and in bad weather.
- 4. Try to have small bills available to pay for the cab before you get to your destination. (Most taxi drivers today will not accept \$50 or \$100 bills)
- 5. Every address has cross streets, if you know them be sure to tell your driver. The more information given the quicker and more efficient the ride will be.

Fig. 4

ill:

Fig. 5

<u>,|||;</u>

