



US00D630632S

(12) **United States Design Patent**
Puls et al.

(10) **Patent No.:** **US D630,632 S**

(45) **Date of Patent:** **** Jan. 11, 2011**

(54) **ACCESS DEVICE**

(75) Inventors: **Carsten Puls**, San Mateo, CA (US);
Kevin Strohmeier, Lafayette, CA (US)

(73) Assignee: **nComputing Inc.**, Redwood City, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/360,371**

(22) Filed: **Apr. 23, 2010**

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/356; D14/240**

(58) **Field of Classification Search** D14/300–302,
D14/313, 314, 341, 348–370, 383, 385, 432,
D14/435, 436, 496, 125, 135, 137, 155, 167,
D14/168, 214, 230, 231, 233, 235, 237, 240–242,
D14/299; D3/201, 273; D18/56; D10/65,
D10/75, 78; D13/103, 149, 162, 184, 199;
361/679.31–679.45, 752; 711/100, 115

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D226,565	S	*	3/1973	Klepa et al.		D14/349
D237,742	S	*	11/1975	Miyamoto		D14/168
D276,527	S	*	11/1984	Flanigan		D14/435
D324,685	S	*	3/1992	Strohbeen		D14/214
D375,297	S	*	11/1996	Casarez et al.		D14/358
D420,362	S	*	2/2000	Pedraza et al.		D14/242
D470,482	S	*	2/2003	Ikeda		D14/230
D489,720	S	*	5/2004	Sasaki		D14/358
D491,563	S	*	6/2004	Sato et al.		D14/433
D491,613	S	*	6/2004	Kawabata		D21/333
D508,899	S	*	8/2005	Suzuki		D14/125
D511,513	S	*	11/2005	Nilsen		D14/240
D515,075	S	*	2/2006	Kusanagi et al.		D14/230
D533,148	S	*	12/2006	Hong		D14/125
D537,445	S	*	2/2007	Bousfield		D14/383
D540,318	S	*	4/2007	Wang		D14/300

D558,790 S * 1/2008 Yu et al. D14/496

D598,449 S * 8/2009 Landry et al. D14/358

(Continued)

OTHER PUBLICATIONS

L300 Ethernet Virtual Desktop, [online], [retrieved on Sep. 30, 2010].
Retrieved from the Internet <URL: <http://www.ncomputing.com/products-overview>>.*

Primary Examiner—Cathron C Brooks

Assistant Examiner—Karen E Kearney

(74) *Attorney, Agent, or Firm*—Schwegman, Lundberg & Woessner, P.A.

(57) **CLAIM**

The ornamental design for an access device, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an access device, according an example embodiment and showing our new design;

FIG. 2 is a rear view of the access device, according to the example embodiment;

FIG. 3 is a left-side view of the access device, according to the example embodiment;



FIG. 4 is a right-side view of the access device, according to the example embodiment;

FIG. 5 is a top view of the access device, according to the example embodiment; and,

FIG. 6 is a bottom view of the access device, according to the example embodiment.

The broken lines showing portions of the bottom of the access device are for the purpose of illustrating unclaimed portions of the access device and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D630,632 S

Page 2

U.S. PATENT DOCUMENTS							
				D620,485 S *	7/2010	Corrigan et al.	D14/240
				D620,953 S *	8/2010	Andre et al.	D14/496
D601,583 S *	10/2009	Andre et al.	D14/496	2006/0146491 A1 *	7/2006	Chen	361/683
D604,725 S *	11/2009	Chen	D14/240	2009/0122472 A1 *	5/2009	Wu	361/600
D607,443 S *	1/2010	Klein et al.	D14/240	* cited by examiner			




Fig. 1




Fig. 2




Fig. 3




Fig. 4




FIG. 5




FIG. 6