



(12) **United States Design Patent**
Myles et al.

(10) **Patent No.:** **US D1,069,794 S**
(45) **Date of Patent:** **** Apr. 8, 2025**

(54) **RUGGEDIZED REMOTE CONTROL**

(71) Applicant: **Mason Electric Co.**, Sylmar, CA (US)

(72) Inventors: **Robert Jay Myles**, Reseda, CA (US);
Thomas C. Ruberto, Thousand Oaks, CA (US);
Christopher L. Sommerville, Encino, CA (US);
Harout Markarian, Porter Ranch, CA (US);
Kelly P. Ambriz, Newbury Park, CA (US)

(73) Assignee: **Mason Electric Co.**, Sylmar, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/716,799**

(22) Filed: **Dec. 12, 2019**

(51) **LOC (15) Cl.** **14-02**

(52) **U.S. Cl.**

USPC **D14/401**

(58) **Field of Classification Search**

USPC D14/137, 138, 155–159, 160–174,
D14/187–188, 189–199, 203.1–203.8,
D14/204–216, 217–222, 223, 224–229,
D14/240, 251–253, 257–258, 335–337,
D14/344, 356–358, 371–382, 387–389,
D14/399–401, 405–410, 412–416,
D14/421–430, 439–441, 443, 447–452,
D14/454, 474, 483, 492, 496, 498–506;
D21/324–329, 333; D10/30–39

CPC H04R 1/02; H04R 1/021; H04R 1/025;
H04R 1/026; H04R 1/028; H04R 1/06;
H04R 1/105; H04R 1/323; H04R 1/403;
H04R 1/2803; H04R 1/2834; A63F 13/02;
A63F 13/06; A63F 13/24; A63F 13/98

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D380,238 S * 6/1997 Tyler D14/401
D393,291 S * 4/1998 Kung D14/401
D394,885 S * 6/1998 Chan D14/401

(Continued)

OTHER PUBLICATIONS

Eurosatory 2018: New HaWC rugged controllers, Jun. 11, 2018, [retrieved Feb. 16, 2024], Retrieved from Internet, URL: <https://armyrecognition.com/eurosatory_2018_official_news_online/eurosatory_2018_new_hawc_rugged_controllers_displayed_by_esterline.html> (Year: 2018).*

(Continued)

Primary Examiner — Messina L Smith

Assistant Examiner — Aram Kwon

(74) *Attorney, Agent, or Firm* — K&L Gates LLP

(57) **CLAIM**

The ornamental design for a ruggedized remote control as shown and described herein.

DESCRIPTION

FIG. 1 illustrates a top perspective view of a ruggedized remote control.

FIG. 2 illustrates a bottom perspective view of the ruggedized remote control.

FIG. 3 illustrates a top plan view of the ruggedized remote control.

FIG. 4 illustrates a bottom-up view of the ruggedized remote control.

FIG. 5 illustrates a left-side view of the ruggedized remote control.


FIG. 6 illustrates a right-side view of the ruggedized remote control.

FIG. 7 illustrates a front view of the ruggedized remote control; and,

FIG. 8 illustrates a back view of the ruggedized remote control.

The broken lines in the drawings illustrate portions of the ruggedized remote control that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D431,604 S * 10/2000 Chan D14/413
 D442,960 S * 5/2001 Brulotte D14/415
 D444,469 S * 7/2001 Goto D14/413
 6,494,830 B1 12/2002 Wessel
 6,998,548 B2 2/2006 Huang
 7,094,216 B2 8/2006 Trombley, III et al.
 D533,142 S * 12/2006 Chen D13/168
 7,271,354 B2 9/2007 Huang
 7,471,216 B2 12/2008 Chen et al.
 D585,931 S * 2/2009 Palmer D14/401
 D589,515 S 3/2009 Brunner et al.
 D606,946 S 12/2009 Zheng
 D611,477 S 3/2010 Brunner et al.
 D636,773 S * 4/2011 Lin D14/401
 7,927,216 B2 4/2011 Ikeda et al.
 8,313,379 B2 11/2012 Ikeda et al.
 8,342,964 B2 1/2013 Lai
 8,430,753 B2 4/2013 Ikeda et al.
 D698,358 S 1/2014 Beams
 D710,815 S 9/2014 Kim et al.
 8,821,284 B2 9/2014 Jennings et al.
 8,864,566 B2 10/2014 Snoddy et al.
 8,951,124 B2 2/2015 Hussman et al.
 D727,430 S * 4/2015 Sumii D21/333
 D735,721 S * 8/2015 Mar D14/401
 9,141,108 B2 * 9/2015 Allen G05D 1/0016

RE45,905 E 3/2016 Ikeda et al.
 D751,201 S 3/2016 LaRose et al.
 9,492,747 B2 11/2016 Yamada et al.
 9,584,846 B2 2/2017 Bleacher et al.
 D783,095 S 4/2017 Raina et al.
 9,643,083 B2 5/2017 Hussman et al.
 9,662,570 B2 5/2017 Hussman et al.
 9,675,879 B2 6/2017 Hussman et al.
 9,675,880 B2 6/2017 Hussman et al.
 9,682,317 B2 6/2017 Hussman et al.
 9,751,009 B2 9/2017 Hussman et al.
 9,804,693 B2 10/2017 Long
 9,973,609 B2 5/2018 Doolin
 9,990,045 B2 6/2018 Long
 10,078,377 B2 9/2018 Balan et al.
 10,130,875 B2 11/2018 Long
 D870,113 S * 12/2019 Schneider D14/218
 D892,115 S * 8/2020 Gan D14/401
 2021/0191389 A1 * 6/2021 Myles G08C 17/02

OTHER PUBLICATIONS

<https://www.ultra-electronics.com/ems/capabilities/hmi-solutions/products-soldier-portable-controls>.
<https://www.fortrobotics.com/wireless-industrial-remote-control/>.
<https://www.otto-controls.com/g3-dual-grip-remote-with-usb-output>.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 7




FIG. 8