



(86) Date de dépôt PCT/PCT Filing Date: 2007/08/28
(87) Date publication PCT/PCT Publication Date: 2008/03/06
(85) Entrée phase nationale/National Entry: 2009/02/25
(86) N° demande PCT/PCT Application No.: GB 2007/003232
(87) N° publication PCT/PCT Publication No.: 2008/025963
(30) Priorité/Priority: 2006/08/31 (GB0617117.7)

(51) Cl.Int./Int.Cl. *C12Q 1/68* (2006.01)
(71) Demandeur/Applicant:
RENOVO LIMITED, GB
(72) Inventeurs/Inventors:
FERGUSON, MARK WILLIAM JAMES, GB;
LAVERTY, HUGH GERARD, GB;
OCCLESTON, NICHOLAS, GB;
O'KANE, SHARON, GB;
HODGSON, DARREN, GB;
FRENCH, NEIL, GB;
CRIDLAND, CLAIRE, GB;
...
(74) Agent: MARKS & CLERK

(54) Titre : METHODE DE DIAGNOSTIC
(54) Title: METHOD OF DIAGNOSIS

(57) **Abrégé/Abstract:**

Provided are methods, kits and arrays for use in determining whether a scar of interest is keloid or non-keloid in nature. These determine keloid or non-keloid nature based on comparison of gene expression in the scar of interest with expression in a control sample. If expression of at least one gene, selected from the group of genes set out in Table 1, is increased in a sample representative of gene expression in the scar of interest compared to expression of the same gene (or genes) in the control sample this indicates that the scar of interest comprises a keloid.



(72) Inventeurs(suite)/Inventors(continued): ROBY, PHILIP, GB; BAYAT, ARDESHIR, GB

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
6 March 2008 (06.03.2008)

PCT

(10) International Publication Number
WO 2008/025963 A3

(51) International Patent Classification:
C12Q 1/68 (2006.01)

Ardeshir [GB/GB]; Renovo Limited, Incubator Building,
48 Grafton Street, Manchester M13 9XX (GB).

(21) International Application Number:
PCT/GB2007/003232

(74) Agent: **ARMSTRONG, Iain, Cheshire;** MARKS &
CLERK, Sussex House, 83-85 Mosley Street, Manchester
M2 3LG (GB).

(22) International Filing Date: 28 August 2007 (28.08.2007)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0617117.7 31 August 2006 (31.08.2006) GB

(71) Applicant (for all designated States except US): **REN-
OVO LIMITED** [GB/GB]; Incubator Building, 48
Grafton Street, Manchester M13 9XX (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **FERGUSON,
Mark, William, James** [GB/GB]; Renovo Limited,
Incubator Building, 48 Grafton Street, Manchester M13
9XX (GB). **LAVERTY, Hugh, Gerard** [GB/GB]; Ren-
ovo Limited, Incubator Building, 48 Grafton Street,
Manchester M13 9XX (GB). **OCCLESTON, Nicholas**
[GB/GB]; Renovo Limited, Incubator Building, 48 Grafton
Street, Manchester M13 9XX (GB). **O'KANE, SHARON**
[GB/GB]; Renovo Limited, Incubator Building, 48 Grafton
Street, Manchester M13 9XX (GB). **HODGSON, Dar-
ren** [GB/GB]; Renovo Limited, Incubator Building, 48
Grafton Street, Manchester M13 9XX (GB). **FRENCH,
Neil** [GB/GB]; Renovo Limited, Incubator Building, 48
Grafton Street, Manchester M13 9XX (GB). **CRIDLAND,
Claire** [GB/GB]; Renovo Limited, Incubator Building,
48 Grafton Street, Manchester M13 9XX (GB). **ROBY,
Philip** [GB/GB]; Renovo Limited, Incubator Building,
48 Grafton Street, Manchester M13 9XX (GB). **BAYAT,**

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH,
CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG,
ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL,
IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK,
LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW,
MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL,
PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY,
TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA,
ZM, ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL,
PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM,
GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declaration under Rule 4.17:

— of inventorship (Rule 4.17(iv))

Published:

— with international search report
— before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments

(88) Date of publication of the international search report:

2 May 2008

(54) Title: METHOD OF DIAGNOSIS

(57) Abstract: Provided are methods, kits and arrays for use in determining whether a scar of interest is keloid or non-keloid in nature. These determine keloid or non-keloid nature based on comparison of gene expression in the scar of interest with expression in a control sample. If expression of at least one gene, selected from the group of genes set out in Table 1, is increased in a sample representative of gene expression in the scar of interest compared to expression of the same gene (or genes) in the control sample this indicates that the scar of interest comprises a keloid.

WO 2008/025963 A3

METHOD OF DIAGNOSIS

The invention relates to a method of diagnosing a scar of interest as keloid or non-keloid. The invention also provides kits and oligonucleotide arrays suitable for use in the diagnosis of a scar of interest as keloid or non-keloid.

Keloids (also referred to as keloid scars) are pathological scars produced by an aberrant and over-exuberant wound healing response. Keloids comprise raised scars that spread beyond the margins of an original wound and invade the normal skin surrounding the wound site. Keloids continue to grow over time, and do not regress spontaneously.

Keloids occur with equal frequency in men and women. The incidence of keloid formation is increased in those aged between 10 and 30 years. Keloids may arise as a result of a wide range of injuries, including piercing, surgery, vaccination, tattoos, bites, blunt trauma and burns.

Keloids may have a “domed”, nodular or ridged appearance. Keloids may have a colour similar to that of the surrounding unwounded skin, but are frequently somewhat darker, with a red, purple or brown appearance. Such colour mismatches may increase the visual prominence of keloids. The tendency for hyperpigmentation in keloids is increased on their exposure to solar ultraviolet radiation.

A keloid lesion may be considered to be made up of a number of different portions that may each exhibit quite different biological activity from one another. The central part of a mature keloid lesion (the intra-lesional portion) is largely acellular, while the peripheral part of the lesion (the peri-lesional portion) is relatively more cellular and is the site of increased angiogenic activity. This increase in new blood vessel formation has been linked with the outward growth of the lesion.

Although they represent examples of pathological scarring, keloids are primarily composed of the same cell types and extracellular matrix components that are found in undamaged skin and normal dermal scars. However, the relative abundance and

arrangement of these cell types and extracellular matrix components differ from those found in either unwounded skin or normal dermal scars.

The major constituent of keloids is the extracellular matrix component collagen I. Fibroblasts derived from keloids exhibit up to a twenty-fold higher expression of collagen I *in vitro*, as compared to normal dermal fibroblasts. Similarly, cultured keloid fibroblasts also express elevated levels of elastin and proteoglycans, and it is believed that this increase in extracellular matrix deposition may play a role in keloid development and maintenance.

Collagen I present in keloids is arranged primarily in the form of thick “whorls”, which may be differentiated from the arrangement found in unwounded skin (a so-called “basket weave” of fibrils) and in normal scars (which contain collagen fibres that are thinner than those found in keloids and are arranged approximately parallel to one another). The frequent presence of thickened hyalinized collagen within keloids has led to this form of collagen being termed “keloidal collagen”.

Keloids contain fewer macrophages than do normal scars, but contain abundant eosinophils, mast cells, plasma cells and lymphocytes.

Keloids are seldom a direct cause of pain, but may give rise to discomfort, tenderness, irritation or itching during their formation or growth. Keloids may also impair mechanical function through their size or their increased stiffness compared to unwounded skin. This impairment may be particularly noticeable in the case of keloids located near a joint. Furthermore, it is well recognised that keloids, and in particular large or noticeably disfiguring examples, can cause psychological distress to those afflicted.

A further highly damaging property of keloids is their propensity to recur, particularly following surgical excision. Recurrence of keloids under such circumstances is normally also associated with further expansion of the lesion, and keloids may expand more aggressively following an earlier excision.

Treatment options for hypertrophic scars are similar to those for keloids with the exception that surgical excision is an acceptable and often more favourable approach.

It will, be appreciated that in the case of keloids, it will generally be preferred to avoid surgical intervention when possible. Given their high incidence of recurrence, and the fact that such recurrence is exacerbated by surgical intervention, it is important to be able to accurately diagnose keloids in order that suitable treatment regimes may be employed. Current treatment regimes for keloids include corticosteroid injections, cryotherapy, radiation therapy, silicone gel dressings and intra-lesional injection of agents intended to reduce the size of keloid scarring.

In present practice diagnosis of keloids is undertaken on the basis of the appearance of the scar. However, the accurate diagnosis of keloids is hampered by the fact that keloid morphology may be very similar to that of other pathological scars. The appearance of keloids and hypertrophic scars may be particularly similar. Hypertrophic scars resemble keloid scars in that they are also raised above the skin level. However, hypertrophic scars differ from keloids in that they remain within the boundaries of the original lesion, and may regress spontaneously several months after the initial injury. The visual similarity between keloid and hypertrophic scars means that diagnosis of a raised scar between these two distinct conditions is often confusing and cannot be accurately undertaken without long-term monitoring. There is a need for rapid and accurate means by which scars of interest may be diagnosed to indicate whether they are keloid in nature, or whether they belong to other pathological or excessive scarring types, such as hypertrophic scars.

Raised scars may often be assumed to be associated with keloid disease, and in the case of black patients an elevated scar will often be diagnosed by default as keloidal by many physicians (Rosenborough et al, 2004. J.Natl.Med.Assoc. 96, 108). This tendency can lead to the mis-identification of non-keloids scars (such as hypertrophic scars or very bad non-pathological scars) as keloids. It will be appreciated that this potential mis-diagnosis can result in inappropriate scar management decisions and can block the use of elective/scar revision surgery as a viable therapeutic approach in the case of such mis-diagnosed scars.

It is known that keloids are the only pathological dermal scars that grow beyond the boundaries of the original injury, as noted above. This property can provide a basis on which differential diagnosis between keloid and hypertrophic scars may be undertaken, although such diagnosis requires a very long time, given the need for prolonged observation of the scar to be diagnosed.

Other attempts to provide a basis on which tissues may be diagnosed as keloid or non-keloid have utilised histological assessments. Among the histological features suggested as providing suitable basis for diagnosis of keloids is the presence of so called “keloidal collagen”, a thickened hyalinized form of collagen, although this is not found in all keloid samples. Further features that may allow for the differentiation of keloids from other pathological scars (such as hypertrophic scars) are the presence of a non-flattened epidermis in keloids, non-fibrotic papillary dermis, the presence of a “tongue-like” advancing edge that surrounds keloid lesions (located below the normal-appearing epidermis and papillary dermis), presence of a horizontal cellular fibrous band located in the upper reticular dermis, and the presence of a prominent fascia-like band.

However, these histological cues for the diagnosis of keloids are also unsatisfactory. Not all of the features suggested as diagnostic markers are found in all keloid tissues, and similarly some of the suggested markers may also be found in non-keloid tissues.

Furthermore, the use of histological means for diagnosis of keloids requires considerable time to be expended in the preparation and analysis of histological samples, as well as the need for the application of skill and judgement on the part of the person undertaking such analysis.

Rapid and accurate methods and kits for the diagnosis of keloid scars will enable diagnosis to be undertaken with greater confidence. This will facilitate taking of correct decisions regarding the clinical treatment of skin lesions, and will be advantageous in treatment of both keloid and non-keloid lesions. In the case of tissues diagnosed as

keloids it will be possible to avoid treatments that may otherwise exacerbate keloid recurrence and expansion, while such considerations will not be inappropriately applied in the treatment of non-keloid tissues. Furthermore, it is likely that early accurate diagnosis may have major benefits in relation to the success of palliative care regimes, since many available treatments are believed to be more effective on less-mature scars.

The ability to differentiate between keloid-forming and non-keloid-forming patients may thus provide great advantages in terms of limiting surgery, and hence the risk of keloid formation, amongst those prone to keloid development, since it is generally considered that the prevention of keloid formation is of paramount importance in the management of keloid-forming patients, and avoidance of non-essential cosmetic surgery is recommended for these individuals.

In the light of the above it will be appreciated that there exists a well recognised need for the provision of new and alternative methods and kits for the diagnosis of keloids. Such methods and kits may preferably be suited to the safe and reliable diagnosis of keloids.

It is an aim of certain embodiments of the invention to provide novel methods and markers for the diagnosis of keloids. It is another aim of certain embodiments of the present invention to provide methods of diagnosis that allow a greater degree of certainty in diagnosis of a scar of interest as keloid or non-keloid than may be achieved by the prior art. It is another aim of certain embodiments of the invention to provide methods of diagnosis that allow greater speed of diagnosis, to determine whether a scar of interest is keloid or non-keloid, than do the methods of the prior art. It is still another aim of certain embodiments of the invention to provide methods for the diagnosis of a scar of interest as keloid or non-keloid that do not require the taking of large biopsies in order for a diagnosis to be made. It is still another aim of certain embodiments of the invention to provide methods, allowing the diagnosis of a scar of interest as keloid or non-keloid, that do not involve procedures that are likely to cause the recurrence and/or exacerbation of keloid formation.

According to a first aspect of the present invention there is provided a method for diagnosing a scar of interest as keloid or non-keloid, the method comprising:
comparing expression in a sample representative of gene expression in the scar of interest of at least one gene, selected from the group of genes set out in Table 1, with expression of the said at least one gene in a comparator tissue;
wherein increased expression of said at least one gene in the scar of interest compared to expression of said at least one gene in the comparator tissue indicates that the scar of interest comprises a keloid.

In a second aspect of the invention there is provided a kit for diagnosing a scar of interest as keloid or non-keloid, the kit comprising:

- i) at least one probe capable of binding specifically to a target molecule representative of expression in the scar of interest of at least one gene selected from the group set out in Table 1; and
- ii) reference material able to indicate the level of expression of said at least one gene in a comparator tissue.

It is preferred that the methods and kits of the invention be used for *in vitro* diagnosis of a scar of interest as keloid or non-keloid.

Although the methods and kits of the invention are most suitable for use in diagnosis of human scars as keloid or non-keloid, they may also be useful in diagnosing similar conditions in non-human animals, such as "proud flesh" in horses.

The present invention is based on the identification by the inventors of a number of genes the increased expression of which is diagnostic of keloid tissue. The inventors have found that comparison of the expression of one or more of these genes in a scar of interest with the expression occurring in a comparator tissue allows an accurate and rapid diagnosis as to whether the tissue is keloid or non-keloid. Identity of the scar of interest as keloid is indicated by an increase in gene expression as compared to expression in the comparator tissue sample, whereas unchanged or decreased expression in the scar of

interest as compared to the comparator indicates that the scar of interest is non-keloid tissue.

The finding that increased expression of the genes identified in Table 1 (i.e. the group comprising Gene Identification No. 1 to Gene Identification No. 763) may be used to diagnose whether a scar of interest is keloid or non-keloid is surprising, since although the expression of certain genes (such as those encoding VEGF, IGF1 and PAI1) has been linked to keloid tissue, the genes set out in Table 1 had never previously been identified as being associated with keloids, let alone as diagnostic of keloid scars.

In practicing the invention (whether by use of the methods, kits or arrays of the invention), expression of a selected gene (or genes) in a sample representative of gene expression in the scar of interest is compared with expression of the same gene (or genes) in a suitable comparator tissue. This comparison of expression of the selected gene (or genes) enables diagnosis of the scar of interest as keloid or non-keloid. If there is increased expression of the selected gene (or genes) in the sample representative of gene expression in the scar of interest, as compared to in the comparator sample, then this indicates that the scar of interest comprises keloid tissue. If, on the other hand, there is no increased expression of the selected gene (or genes) in the sample representative of expression in the scar of interest (or, indeed, if there is a decrease in expression of these genes), this indicates that the scar of interest does not comprise keloid tissue.

In general expression of selected genes in the scar of interest will be investigated by analysis of target molecules representative of gene expression. Suitable investigation may involve the analysis of the relative abundance of target molecules in a sample (which may provide quantitative information as to gene expression, as considered in more detail elsewhere in the specification).

Gene expression in the comparator tissue may be represented by tissues or tissue extracts containing suitable target molecules, or may alternatively be represented by data setting out details of the gene expression levels in the comparator. The identification, isolation and analysis of suitable target molecules is discussed further elsewhere in the

specification, as is the provision of information representative of gene expression in comparator tissue samples.

A comparator tissue, for the purposes of the present disclosure, is a tissue with which gene expression in a scar of interest can be compared, in order to allow diagnosis of the scar of interest as keloid or non-keloid. Specifically, the expression in the scar of interest of at least one gene set out in Table 1 is compared with expression of the same gene (or genes) in the comparator tissue.

A number of different tissue types may serve as suitable comparator tissues for use in accordance with the present invention. Suitable comparator tissues include normal skin. For the present purposes normal skin may be considered to be skin other than in a keloid scar, and preferably to be unscarred and unwounded skin.

Alternatively a comparator tissue suitable for use in accordance with the present invention may be tissue from a known keloid. For instance a suitable comparator tissue for use in accordance with the invention may comprise tissue from the skin adjacent to a known keloid (also referred to in the present specification as “extra-keloid comparator tissue”). Alternatively, a suitable comparator tissue may comprise tissue from the area at the periphery of a known keloid (also referred to herein as “peri-keloid comparator tissue”). In a further alternative, a suitable comparator tissue may comprise tissue from the interior part of a known keloid (also referred to as “intra-keloid comparator tissue”).

A “comparator sample” for the purposes of the present invention comprises any sample (such as a tissue extract, or the like, as considered elsewhere in the specification) that provides information as to the expression of a selected gene in the comparator tissue from which the comparator sample is derived.

Although the inventors have found that any of the genes represented by the group of genes set out in Table 1 may be used in accordance with the present invention, the inventors have further found that certain subsets of these genes have particular diagnostic value. These subsets are identified and considered in more detail below.

The inventors have noted that expression of certain genes set out in Table 1 varies between different areas of a keloid lesion. This information may be used to further refine diagnosis in accordance with the present invention (whether by methods, kits, or arrays of the invention).

The inventors have also found that preferred genes that may be investigated in the methods and kits of the invention may be selected with reference to their biological function.

A sample of interest, representative of a scar of interest to be diagnosed, may be further characterised with reference to the location from which it is derived in the scar. The inventors have found that characterisation of a sample of interest on this basis improves the efficacy of diagnoses undertaken in accordance with the invention. Samples of interest may be characterised as peri-lesional (which is to say samples taken from the periphery of a lesion comprising a scar of interest) and intra-lesional (those samples taken from the interior of a lesion comprising a scar of interest).

Genes from Table 1 that may be used in the diagnosis of peri-lesional samples of interest are set out in Table 2. It is a preferred embodiment that diagnosis in accordance with the invention (whether using the methods, kits or arrays of the invention) may be performed on the basis of comparison of one or more of the genes set out in Table 2.

Genes from Table 1 that may be used in the diagnosis of intra-lesional samples of interest are set out in Table 18. It is a preferred embodiment that diagnosis in accordance with the invention (whether using the methods, kits or arrays of the invention) may be performed on the basis of comparison of one or more of the genes set out in Table 18.

As set out above, comparator tissues suitable for use in diagnosis in accordance with the invention may also be characterised with reference to their source, as normal skin comparators; extra-keloid comparators; peri-keloid comparators; or intra-keloid comparators. The inventors have found that diagnosis in accordance with the invention

may be improved by comparison of gene expression in a sample of interest characterised with reference to their location in a scar of interest, with gene expression with a comparator characterised in the manner set out above.

Thus it may be preferred that gene expression in a peri-lesional sample of interest is compared with gene expression in a normal skin comparator. Examples of suitable genes, expression of which may be compared between such samples in order to provide a diagnosis, are set out in Table 3. These genes may be further characterised with reference to their biological function. Accordingly those genes set out in Table 4 represent genes associated with cell motility, whereas those set out in Table 5 are associated with cell adhesion, the genes set out in Table 6 are associated with inflammation, and the genes set out in Table 7 are associated with the development of new blood vessels (particularly with angiogenesis).

Alternatively or additionally, it may be preferred that gene expression in a peri-lesional sample of interest is compared with gene expression in an extra-keloid comparator. Examples of suitable genes, expression of which may be compared between such samples in order to provide a diagnosis, are set out in Table 8. These genes may be further characterised with reference to their biological function. Accordingly those genes set out in Table 9 represent genes associated with cell motility, whereas those set out in Table 10 are associated with cell adhesion, and the genes set out in Table 11 are associated with inflammation.

Alternatively or additionally, it may be preferred that gene expression in a peri-lesional sample of interest is compared with gene expression in a peri-keloid comparator. Examples of suitable genes, expression of which may be compared between such samples in order to provide a diagnosis, are set out in Table 12. It will be appreciated that diagnosis on the basis of such comparisons will involve the gene expression in a tissue of interest and a comparator that are at different time-points in the healing process. Information regarding the time-points to be used is provided in Table 12. The genes set out in Table 12 may also be further characterised with reference to their biological function. Accordingly those genes set out in Table 13 represent genes associated with

cell motility, whereas those set out in Table 14 are associated with cell adhesion, the genes set out in Table 15 are associated with inflammation, and the genes set out in Table 16 are associated with the development of new blood vessels (particularly with angiogenesis).

Alternatively or additionally, it may be preferred that gene expression in a peri-lesional sample of interest is compared with gene expression in an intra-keloid comparator. Examples of suitable genes, expression of which may be compared between such samples in order to provide a diagnosis, are set out in Table 17.

Alternatively or additionally, it may be preferred that gene expression in an intra-lesional sample of interest is compared with gene expression in a normal skin comparator. Examples of suitable genes, expression of which may be compared between such samples in order to provide a diagnosis, are set out in Table 19. These genes may be further characterised with reference to their biological function. Accordingly those genes set out in Table 20 represent genes associated with cell motility, whereas those set out in Table 21 are associated with cell adhesion, and the genes set out in Table 22 are associated with the development of new blood vessels (particularly with angiogenesis).

Alternatively or additionally, it may be preferred that gene expression in an intra-lesional sample of interest is compared with gene expression in an extra-keloid comparator. Examples of suitable genes, expression of which may be compared between such samples in order to provide a diagnosis, are set out in Table 23. These genes may be further characterised with reference to their biological function. Accordingly those genes set out in Table 24 represent genes associated with cell adhesion.

Alternatively or additionally, it may be preferred that gene expression in an intra-lesional sample of interest is compared with gene expression in a peri-keloid comparator. Examples of suitable genes, expression of which may be compared between such samples in order to provide a diagnosis, are set out in Table 25.

Alternatively or additionally, it may be preferred that gene expression in an intra-lesional sample of interest is compared with gene expression in an intra-keloid comparator. Examples of suitable genes, expression of which may be compared between such samples in order to provide a diagnosis, are set out in Table 26. It will be appreciated that diagnosis on the basis of such comparisons will involve the gene expression in a tissue of interest and a comparator that are at different time-points in the healing process. Information regarding the time-points to be used is provided in Table 26. The genes set out in Table 26 may also be further characterised with reference to their biological function. Accordingly those genes set out in Table 27 represent genes associated with cell motility, whereas those set out in Table 28 are associated with cell adhesion, and the genes set out in Table 29 are associated with inflammation.

It may be preferred that diagnosis in accordance with the present invention, whether carried out using the methods, kits or arrays of the invention, utilise comparison of one or more gene selected independently from one or more of the Tables 2 to 29.

A skilled person wishing to undertake a diagnosis in accordance with the invention may consider the nature of a sample that is available from a scar of interest, consider the nature of a comparator sample that is available, and thereby select appropriate genes the expression of which may be compared with reference to the considerations set out above.

It is particularly preferred that the methods, kits or arrays of the invention may involve the comparison of genes selected from two or more of Tables 2 to 29. For example, preferred methods, kits or arrays may involve the comparison of at least one gene selected from each of two of Tables 2 to 29, more preferred methods, kits or arrays may involve comparison of at least one gene selected from each of three of Tables 2 to 29, even more preferred methods, kits or arrays may involve comparison of at least one gene selected from each of four of Tables 2 to 29, and most preferred methods, kits or arrays may involve comparison of at least one gene selected from each of five or more of Tables 2 to 29.

Diagnosis of a scar of interest as keloid or non-keloid in accordance with the present invention may be effected by comparing the expression in a sample representative of gene

expression in the scar of interest with expression in a comparator sample of one gene selected from Table 1, however, it is preferred to utilise multiple genes from Table 1. Thus it may be preferred that diagnosis in accordance with the present invention may be effected by comparing the expression of up to five genes selected from Table 1. It is particularly preferred that diagnosis in accordance with the present invention is effected by comparing the expression of 5, 6, 7, 8, 9 or 10 genes selected from Table 1. Diagnosis may be effected by comparing expression of up to 20 or 50 genes selected from Table 1. Diagnosis in accordance with the present invention may be effected by comparing the expression of up to 100, 200, 300, 500 or even up to 700, genes selected from Table 1. Indeed it may, in certain cases be preferred that diagnosis of a scar of interest as keloid or non-keloid in accordance with the present invention is effected by comparing the expression of 700 or more genes selected from Table 1. If so desired, a diagnosis can be made using any or all of the 763 genes represented in Table 1.

A scar of interest in the context of the present invention may be any scar for which it is desired to diagnose whether the scar comprises keloid or non-keloid tissue. It will be appreciated that dermal scars constitute preferred examples of suitable scars of interest. The ability to distinguish between keloids and other forms of severe or pathological scarring, such as hypertrophic scars, is of notable value. Such differentiation may allow the selection of clinical treatment that is appropriate to the type of scarring diagnosed. Accordingly, the use of the methods and kits of the present invention in effecting diagnosis of excessive or pathological dermal scars represents a particularly preferred example of their use.

A scar of interest may preferably be derived from an individual believed to be at elevated risk of keloid formation. Examples of such individuals include patients with a history of keloid formation, individuals of the African Continental Ancestry Group or individuals of the Asian Continental Ancestry Group.

Suitable scars of interest may be derived from individuals who have suffered injury to the skin. In particular these may include individuals suffering injury at a site where there is an elevated risk of keloid formation. Examples of such sites may typically include areas

of high skin tension, such as the chest, back, shoulders, or neck. However, relevant sites may also include areas, such as the earlobes, that are common sites of keloid formation, although not subject to high skin tension.

Diagnosis using the methods, kits, and arrays of the invention may be useful in diagnosing scars of interest from patients who have experienced skin wounding, as well as in diagnosing scars of interest from patients who have experienced skin trauma.

For the purposes of the present invention “skin wounding” may be considered to comprise conditions or clinical situations in which partial or total penetration of the skin occurs, and also those in which partial or total destruction of one or more layers of the skin occurs. For example, wounds may include puncture wounds, incisional wounds, excisional wounds and partial or full thickness skin grafts (including both donor and recipient sites). Such wounds may be associated with surgical procedures or accidental injuries. Wounds may also include burn or scald injuries, resulting from exposure of the skin to substances at high or low temperatures sufficient to cause damage to the skin. Chemical “burns”, such as those caused by exposure of the skin to acid or alkali, and cosmetic procedures such as dermabrasion or exfoliation (including so-called “chemical peels” and “laser peels”) may also give rise to tissues for which it is wished to produce a diagnosis in accordance with the present invention.

For the purposes of the present invention “skin trauma” may be taken as referring to injuries that damage, but do not penetrate, the skin. Illustrative examples of injuries that may be considered as skin trauma include crush injuries to the skin, as well other “blunt” injuries.

Although the preceding paragraphs provide examples of individuals, or of scars of interest, that may particularly benefit from diagnosis in accordance with the present invention it will be appreciated that the methods, kits and arrays of the invention may be beneficially used in diagnosis of any scar of interest, particularly those that may be believed to be keloid scars. Generally tissues that are believed possibly to be keloid scars will be those that display one or more characteristics selected from the following group:

an elevated profile compared to the surrounding skin; a lesion growing beyond its original boundaries; a lesion at the site of an earlier skin wound or trauma; hypo- or hyper-pigmentation compared to the surrounding skin.

Samples representative of gene expression in a scar of interest that may be used in accordance with the present invention encompass any sample that may provide information as to genes being expressed by the scar of interest.

Any suitable sample derived from the scar of interest may be used. Preferred sample include biopsies and, if available, samples of wound tissue, wound fluid, wound aspirates or wound exudates. Preferably such biopsies may be of a sort selected to reduce the level of injury inflicted to the patient, and thereby limit damage to reduce the risk of (further) keloid formation. Such techniques may, for example, make use of needle biopsies in order to reduce the level of injury occurring. Any of the sample types discussed above may be used in diagnosis, in accordance with the invention, of the scar of interest from which the sample in question is derived.

Suitable samples may include tissue sections such as histological or frozen sections. Methods by which such sections may be prepared in such a way as to be able to provide information representative of gene expression in the scar of interest from which the section is derived will be well known to those skilled in the art, and should be selected with reference to the technique that it is intended to use when investigating gene expression.

Although the use of samples comprising a portion of the scar of interest is contemplated, it may generally be preferred that the sample representative of gene expression comprise a suitable extract taken from the scar of interest, said extract being capable of investigation to provide information regarding gene expression in the scar of interest. Suitable protocols which may be used for the production of tissue extracts capable of providing information regarding gene expression in a scar of interest will be well known to those skilled in the art. Preferred protocols may be selected with reference to the manner in which gene expression is to be investigated. Illustrative examples of protocols that may

be used to produce tissue extracts representative of gene expression in a scar of interest are discussed below.

Suitable comparator samples, for use in accordance with methods, kits or arrays of the invention, may be selected with reference to the scar of interest in respect of which diagnosis is to be performed. Preferably the comparator tissue will be as well matched as possible to the scar of interest (matching may consider tissue type, tissue site, etc.). Sources and examples of suitable comparator samples will be apparent to those skilled in the art and include those derived from individuals that are not subject to keloid formation, as well as samples from keloid formers selected with reference to their location relative to a known keloid (i.e. non-keloid tissue, extra-keloid tissue, peri-lesional tissue, or intra-lesional tissue). It will be recognised that the skin constitutes a preferred source of comparator samples.

Suitable comparator samples may include portions of non-keloid tissues or organs including target molecules representative of gene expression (in which case the tissue should be preserved in such a manner that information regarding the expression of genes in the tissue may be extracted from the tissue, for example by analysis of the target molecules). Alternatively, suitable comparator samples may comprise tissue extracts incorporating extracted and/or isolated target molecules (such as mRNA or cDNA) that are representative of gene expression in the comparator sample. Relevant information regarding gene expression in comparator samples may also be provided in the form of data derived from such samples, as considered elsewhere in the specification.

Comparator samples from which information relating to the expression of selected genes may be derived include tissue samples and tissue extracts as considered herein with reference to samples derived from the scar of interest. For example, such information may be derived directly from a tissue or organ sample constituting the comparator sample, or from an extract capable of providing information regarding gene expression in the selected control sample. The expression of the selected gene, or genes, (selected from the group of genes set out in Table 1) in comparator samples of this type may be investigated

using the methods described herein in connection with the investigation of gene expression in the scar of interest.

Although tissue or organ samples constituting comparator samples, or extracts from such samples, may be used directly as the source of information regarding gene expression in the comparator sample (as discussed elsewhere in the specification), it will generally be preferred that information regarding the expression of the selected gene (or genes) in the comparator sample be provided in the form of reference data. Such reference data may be provided in the form of tables indicative of gene expression in the chosen comparator tissue. Alternatively, the reference data may be supplied in the form of computer software containing retrievable information indicative of gene expression in the chosen comparator tissue. The reference data may, for example, be provided in the form of an algorithm enabling comparison of expression of at least one selected gene (or genes) in the scar of interest with expression of the same gene (or genes) in the comparator tissue sample.

In a preferred embodiment of the invention, a diagnosis as to whether the scar of interest is keloid or non-keloid may be delivered automatically on inputting results representative of expression of selected genes in the scar of interest into a predictive algorithm that has been trained upon data representative of gene expression in a suitable comparator sample. Well-established and commonly used classification systems include, but are not limited to, K-Nearest Neighbours, Centroid Classification, Linear Discriminant Analysis, Neural Networks and Support Vector Machines available, for example, in the Partek Genomics Suite software package (Partek Inc.).

A suitable sample representative of gene expression in a scar of interest or comparator sample may provide quantitative information regarding gene expression. For the purpose of the present invention quantitative information allows ready comparison between the levels of expression in the scar of interest and the levels of expression in the comparator sample. For the purposes of the present invention quantitative information relating to gene expression may be taken to refer to either absolute or relative quantification.

Methods by which absolute or relative quantitation may be achieved are discussed further below.

Samples representative of gene expression in the scar of interest or comparator sample will generally contain target molecules that are directly or indirectly representative of gene expression. Suitable samples may be provided in the form of tissue samples containing such target molecules, or, preferably as tissue extracts. A tissue extract representative of gene expression in a scar of interest will generally contain isolated target molecules that are representative of gene expression in the tissue from which the extract is obtained.

Suitable techniques by which tissue samples or tissue extracts may be obtained and prepared in order that they may provide information as to gene expression may be selected with reference to the type of target molecule that is to be employed. Examples of appropriate techniques that may be used will be readily apparent to the skilled person, however guidance as to suitable techniques is also provided elsewhere in the specification.

It will be appreciated that protein target molecules represent target molecules that are particularly amenable to direct detection. Such direct detection may provide suitable information as to the amount of the protein present in the scar of interest or comparator sample, thereby allowing comparison of expression.

In a preferred instance, the amount of certain target proteins present in a sample may also be assessed with reference to the biological activity of the target in the sample. Assessment and comparison of expression in this manner is particularly suitable in the case of protein targets having enzyme activity. Examples of genes set out in Table 1 having enzyme activity, and so particularly suitable for investigation in this manner, include those identified by Gene Identification Numbers 18, 21, 28, 33, 42, 44, 51, 68, 72, 77, 91, 103, 107, 111, 112, 115, 133, 142, 154, 156, 169, 192, 205, 206, 222, 224, 233, 243, 248, 269, 275, 286, 289, 300, 303, 363, 369, 384, 395, 408, 409, 411, 427, 443, 448, 480, 456, 462, 467, 478, 479, 488, 497, 500, 505, 510, 512, 552, 553, 560, 565, 584, 588,

589, 610, 620, 630, 632, 634, 647, 661, 669, 674, 682, 683, 690, 703, 708, 715, 721, 726, 733, 735, 739, 744, 746 and 751. Enzyme activity of protein targets may, for example, be investigated by analysing breakdown of labelled enzyme substrate, and the amount of enzyme activity thereby correlated with gene expression occurring in the scar of interest or comparator sample. Merely by way of example, those enzymes identified by Gene Identification Nos. 72, 77, 169, 233, 395, 462, 505, 630, 674 and 703 all possess proteolytic activity, and it would therefore be possible to assess the presence or absence of these enzymes with reference to their ability to proteolytically degrade their substrates.

The presence or absence of target molecules in a tissue sample or extract will generally be detected using suitable probe molecules (although there may be some instances, such as those discussed above, where presence or absence of a target molecule may be determined directly without the need for a probe). Such detection will provide information as to gene expression, and thereby allow comparison between gene expression occurring in the scar of interest and expression occurring in the comparator sample. Diagnosis in accordance with the invention may be carried out based on such comparisons.

Probes will generally be capable of binding specifically to target molecules directly or indirectly representative of gene expression in the scar of interest or sample. Binding of such probes may then be assessed and correlated with gene expression to allow an effective diagnostic comparison between gene expression in the scar of interest and in the comparator. Suitable probes that may be used in the methods, kits and arrays of the invention are discussed elsewhere in the specification.

Target molecules suitable for use in the methods, kits and arrays of the invention are molecules representative of gene expression either directly or indirectly, as considered in greater detail below. Target molecules may include mRNA gene transcripts, as well as natural and artificial products of such transcripts (e.g. proteins or cDNA respectively). It will be appreciated that samples for use in accordance with the present invention should be processed in a manner selected with reference to the nature of the target molecule that is to be used. Suitable protocols for processing of tissues to yield samples containing usable target molecules are discussed further below.

Suitable target molecules may comprise the direct products of gene expression. Such direct products of gene expression may, for example, comprise one or more gene transcripts representative of gene expression. The use of mRNA gene transcripts as target molecules allowing comparison of gene expression in the scar of interest with expression in the comparator sample is a preferred embodiment of the invention.

Alternatively, a sample representative of gene expression in the scar of interest or sample may comprise target molecules that are indirectly representative of gene expression. Examples of such targets indirectly representative of gene expression may include natural products (such as proteins) that are produced on translation of a gene transcript, as well as artificial products generated from gene transcripts. Preferred examples of artificial target molecules generated from gene transcripts include cDNA and cRNA, either of which may be generated using well known protocols or commercially available kits or reagents.

For example, in a preferred embodiment, RNA representative of gene expression in a scar of interest or comparator sample may be isolated through a process of lysing cells taken from a suitable sample (which may be achieved using a commercially available lysis buffer such as that produced by Qiagen Ltd.) followed by centrifugation of the lysate using a commercially available nucleic acid separation column (such as the RNeasy midi spin column produced by Qiagen Ltd). Other methods for RNA extraction include variations on the phenol and guanidine isothiocyanate method of Chomczynski, P. and Sacchi, N. (1987) *Analytical Biochemistry* 162, 156. "Single Step Method of RNA Isolation by Acid Guanidinium Thiocyanate-Phenol-Chloroform Extraction." RNA obtained in this manner may constitute a suitable target molecule itself, or may serve as a template for the production of target molecules representative of gene expression.

It may be preferred that RNA derived from a scar of interest or comparator sample may be used as substrate for cDNA synthesis, for example using the Superscript System (Invitrogen Corp.). The resulting cDNA may then be converted to biotinylated cRNA (for instance using the BioArray RNA Transcript labelling kit from Enzo Life Sciences

Inc.) and this cRNA purified from the reaction mixture (for instance using an RNeasy mini kit from Qiagen Ltd).

In the case of protein target molecules, gene expression may be assessed with reference to the total amount of the protein target present. Suitable techniques for the measurement of the amount of a protein target present in a sample representative of gene expression in a scar of interest or comparator sample include, but are not limited to, aptamers and antibody-based techniques, such as radio-immunoassays (RIAs), enzyme-linked immunoassays (ELISAs) and Western blotting, immuno-PCR and multiplex approaches such as those using beads or microspheres (for example xMap technology from Luminex Inc), (Bloom and Dean (2003) Biomarkers in Clinical Drug Development; Crowther (1995) Elisa Theory and Practice (Humana Press); Singh et al (1993) Diagnostics in the year 2000: Antibody, Biosensor and nucleic acid Technologies (Van Nostrand Reinhold, New York); Niemeyer CM, Adler M, Wacker R. Immuno-PCR: high sensitivity detection of proteins by nucleic acid amplification. *Trends Biotechnol.* 2005 Apr;23(4):208-16; Abreu I, Laroche P, Bastos A, Issert V, Cruz M, Nero P, Fonseca JE, Branco J, Machado Caetano JA. Multiplexed immunoassay for detection of rheumatoid factors by FIDISTM technology. *Ann N Y Acad Sci.* 2005 Jun;1050:357-63).

The disclosures of the documents set out in the preceding paragraphs are incorporated by reference, insofar as they describe methods that may useful to the skilled person in practising the present invention.

In the event that expression of one or more genes from Table 1 in a comparator sample is to be investigated via processing of a tissue or organ sample constituting the comparator sample, or by processing of a tissue extract representative of gene expression in the comparator sample, for example to isolate suitable target molecules, it is preferred that such processing is conducted using the same methods used to process the sample from the scar of interest. Such parallel processing of samples from both the scar of interest and comparator tissue allows a greater degree of confidence that comparisons of gene expression in these tissues will be normalised relative to one another (since any artefacts

associated with the selected method by which tissue is processed and gene expression investigated will be applied to both the scar of interest and comparator samples).

Furthermore, the parallel processing of the comparator sample in this manner provides an “internal control” that will allow the practitioner to confirm that processing has occurred successfully. Since the practitioner will be aware that the selected one or more genes from Table 1 that have been selected for comparison of expression are normally expressed at relatively low levels by comparator tissues, the practitioner will be able to discount any instances of processing (for investigation of gene expression) which give rise to assays indicating that expression of these genes is much increased (since these results will likely be as a result of a processing error leading to artificially high readings). Such results may otherwise give rise to an incorrect assessment that the scar of interest comprises keloid tissue (since the same artificial increase in assessed expression would be noted in respect of the selected gene or genes from Table 1).

Samples representative of gene expression in a scar of interest, or a comparator tissue, may be manipulated prior to effecting comparison of gene expression. Such manipulation may, for example, be designed to make comparison of expression easier, or to increase the information made available by the comparison. Examples of suitable ways in which such samples may be manipulated are considered below.

Preferably the methods or kits of the invention will provide means by which the expression data relating to the scar of interest and comparator tissue may be “normalised” with respect to one another. Normalisation ensures that comparisons being made are “like for like”, and suitable parameters for use in normalisation are well known to those skilled in the art. Purely by way of illustration, normalisation may be effected with reference to cell numbers in the samples to be compared; and/or total protein content of samples to be compared; and/or total nucleic acid content of samples to be compared; and/or expression level of one or more genes the expression of which does not change between keloid and non-keloid tissues.

The inventors have found that preferred samples representative of gene expression for use in accordance with the present invention are those samples comprising nucleic acid target molecules representative of gene expression. For the purposes of the present invention a nucleic acid target is a nucleic acid the presence or absence of which is to be detected, or the amount of which present is to be quantified. Such detection or quantification will allow a diagnostic comparison of expression to be effected. A target nucleic acid may preferably have a sequence that is complementary to the nucleic acid sequence of a corresponding probe directed to the target. A nucleic acid target in accordance with the present invention may encompass both a specific subsequence of a larger nucleic acid to which a probe is directed or, alternatively, the overall sequence (e.g. complete mRNA transcript) whose expression level it is desired to detect. Suitable nucleic acid targets may include both RNAs and DNAs, and encompass both naturally occurring and artificial nucleic acids.

It will be understood that target nucleic acids suitable for use in accordance with the invention need not comprise "full length" nucleic acids (e.g. full length gene transcripts), but need merely comprise a sufficient length to allow specific binding of probe molecules.

It will be understood that "nucleic acids" or "nucleic acid molecules" for the purposes of the present invention refer to deoxyribonucleotide or ribonucleotide polymers in either single-or double-stranded form. Furthermore, unless the context requires otherwise, these terms should be taken to encompass known analogues of natural nucleotides that can function in a similar manner to naturally occurring nucleotides.

mRNA constitutes a preferred form of target molecule that may be used in the methods and kits of the invention. mRNA gene transcripts are directly representative of gene expression in the scar of interest or comparator sample.

It will be recognised that mRNA, representative of gene expression, may be found directly in a scar of interest or comparator sample, without the need for mRNA extraction or purification. For example, mRNA present in, and representative of gene expression in, a scar of interest or comparator sample may be investigated using appropriately fixed

sections or biopsies of such a tissue. The use of samples of this kind may provide benefits in terms of the rapidity with which comparisons of expression can be made, as well as the relatively cheap and simple tissue processing that may be used to produce the sample. *In situ* hybridisation techniques represent preferred methods by which gene expression may be investigated and compared in tissue samples of this kind. Techniques, for the processing of scars of interest that maintain the availability of RNA representative of gene expression in the scar of interest or comparator sample are well known to those of skill in the art.

However, techniques by which mRNAs representative of gene expression in a scar of interest or comparator sample may be extracted and collected are well known to those skilled in the art, and the inventors have found that such techniques may be advantageously employed in accordance with the present invention. Samples comprising extracted mRNA from a scar of interest or comparator sample may be preferred for use in the methods and kits of the invention, since such extracts tend to be more readily investigated than is the case for samples comprising the original tissues. For example, suitable target molecules allowing for comparison of gene expression may comprise the total RNA isolated from a sample of the scar of interest, or a sample of comparator tissue.

Furthermore, extracted RNA may be readily amplified to produce an enlarged mRNA sample capable of yielding increased information on gene expression in the scar of interest or comparator sample. Suitable examples of techniques for the extraction and amplification of mRNA populations are well known, and are considered in more detail below.

By way of example, methods of isolation and purification of nucleic acids to produce nucleic acid targets suitable for use in accordance with the invention are described in detail in Chapter 3 of Laboratory Techniques in Biochemistry and Molecular Biology: Hybridization With Nucleic Acid Probes, Part I. Theory and Nucleic Acid Preparation, P. Tijssen, ed. Elsevier, N.Y. (1993).

In a preferred method, the total nucleic acid may be isolated from a given sample using, for example, an acid guanidinium-phenol-chloroform extraction method.

In the event that it is desired to amplify the nucleic acid targets prior to investigation and comparison of gene expression it may be preferred to use a method that maintains or controls for the relative frequencies of the amplified nucleic acids in the scar of interest or control tissue from which the sample is derived.

Suitable methods of “quantitative” amplification are well known to those of skill in the art. One well known example, quantitative PCR involves simultaneously co-amplifying a control sequence whose quantities are known to be unchanged between comparator samples and those from the scar of interest. This provides an internal standard that may be used to calibrate the PCR reaction.

In addition to the methods outlined above, the skilled person will appreciate that any technology coupling the amplification of gene-transcript specific product to the generation of a signal may also be suitable for quantitation. A preferred example employs convenient improvements to the polymerase chain reaction (US 4683195 and 4683202) that have rendered it suitable for the exact quantitation of specific mRNA transcripts by incorporating an initial reverse transcription of mRNA to cDNA. Further key improvements enable the measurement of accumulating PCR products in real-time as the reaction progresses. Examples of suitable technologies using fluorescent resonance energy transfer to generate a quantitative gene-specific signal include Taqman (US 5210015 and 5487972), molecular beacons (WO-95/13399) and scorpions (US2005/0164219). The parallel quantitation of multiple transcripts is possible via the use of different fluorescent moieties for each gene target.

Other suitable amplification methods include, but are not limited to Nucleic acid sequence based amplification (NASBA) (Saad F. UPM3: review of a new molecular diagnostic urine test for prostate cancer. *Can J Urol.* 2005 Feb;12 Suppl 1:40-3); Rolling Circle Amplification (RCA) (Gomez KF, Lane J, Cunnick G, Grimshaw D, Jiang WG, Mansel

RE. From PCR to RCA: a surgical trainee's guide to the techniques of genetic amplification. *Eur J Surg Oncol.* 2002 Aug;28(5):554-9); Branched Chain Nucleic Acids (BCNA) (Andras SC, Power JB, Cocking EC, Davey MR. Strategies for signal amplification in nucleic acid detection. *Mol Biotechnol.* 2001 Sep;19(1):29-44); the invader assay (de Arruda M, Lyamichev VI, Eis PS, Iszczyszyn W, Kwiatkowski RW, Law SM, Olson MC, Rasmussen EB. Invader technology for DNA and RNA analysis: principles and applications. *Expert Rev Mol Diagn.* 2002 Sep;2(5):487-96); ligase chain reaction (LCR) (see Wu and Wallace, *Genomics*, 4: 560 (1989), Landegren, et al., *Science*, 241: 1077 (1988) and Barringer, et al., *Gene*, 89: 117 (1990), transcription amplification (Kwoh, et al., *Proc. Natl. Acad. Sci. USA*, 86: 1173 (1989)), and self-sustained sequence replication (Guatelli, et al., *Proc. Nat. Acad. Sci. USA*, 87: 1874 (1990)).

In a particularly preferred embodiment, the mRNA transcripts from a tissue representative of gene expression in a scar of interest or comparator sample may be reverse transcribed with a reverse transcriptase and a promoter consisting of oligo dT and a sequence encoding the phage T7 promoter to provide single stranded DNA template. The second DNA strand is polymerized using a DNA polymerase. After synthesis of double-stranded cDNA, T7 RNA polymerase is added and RNA is transcribed from the cDNA template. Successive rounds of transcription from each single cDNA template results in amplified RNA. Methods of *in vitro* polymerization are well known to those of skill in the art (see, e.g., Sambrook, supra.) and this particular method is described in detail by Van Gelder, et al., *Proc. Natl. Acad. Sci. USA*, 87: 1663-1667 (1990) who demonstrate that *in vitro* amplification according to this method preserves the relative frequencies of the various RNA transcripts. Moreover, Eberwine et al. *Proc. Natl. Acad. Sci. USA*, 89: 3010-3014 (1992) provide a protocol that uses two rounds of amplification via *in vitro* transcription to achieve greater than 10^6 fold amplification of the original starting material, thereby permitting expression monitoring even when only a small sample of the scar of interest is available.

It will be appreciated by one of skill in the art that the direct transcription method described above leads to the production of antisense RNA (aRNA) targets. In such cases

probes, such as oligonucleotide probes, to be used to investigate and compare gene expression should be chosen to be complementary to sequences or sub-sequences of the antisense nucleic acids.

The skilled person will further appreciate that artificial nucleic acid molecules may also be used in the comparison of gene expression. Examples of artificial target molecules suitable for use in accordance with the present invention include cDNAs made by reverse transcription of mRNA or second strand cDNA or RNA (cRNA) transcribed from a double stranded cDNA intermediate. Methods for the production of cDNAs and cRNAs are well documented in the art, and will be known to the skilled person, and indeed kits and reagents suitable for their production are readily commercially available.

For the purposes of the present invention, a sample that is “representative” of gene expression in a scar of interest is to be considered to encompass any sample providing information as to the expression of genes in the scar of interest. For example, a representative sample may provide information as to all the genes expressed in the scar of interest, and preferably the relative levels of expression of said genes.

In a preferred embodiment, a representative sample is one in which the concentration of target molecules is proportional to the concentration of mRNA gene transcripts of the gene (or genes) expression of which, in the scar of interest, is to be compared to comparators. While it is preferred that the proportionality be relatively strict (e.g., a doubling in the number of mRNA gene transcript occurring in the scar of interest leading to a doubling in the number of corresponding target molecules present in the sample), the skilled person will appreciate that the proportionality can be more relaxed and even non-linear. For example, an assay where a five fold difference in concentration of the mRNA gene transcripts in the scar of interest results in a three to six fold difference in the concentration of target molecules in the representative sample is sufficient for most purposes.

In the event that more precise quantification is required, serial dilutions of “standard” target molecules can be used to prepare calibration curves according to methods well

known to those skilled in the art. More preferably quantitation of target molecules will be relative and normalised with respect to each other and/or “housekeeping” genes whose expression levels are not increased in keloid forming as compared to non-keloid forming tissues. Examples of such genes include exportin 7 (XPO7), Cleavage and Polyadenylation Specific Factor 4, 30kDa (CPSF4), F-box only protein 7 (FBXO7), ADP-ribosylation factor 1 (ARF1), signal sequence receptor, beta (SSR2) and methionine-tRNA synthetase (MARS).

Although it may be preferred in many instances that the representative sample provides information as to all genes expressed in the scar of interest or comparator sample, a suitable representative sample may alternatively provide information relating to the expression of only a sub-set of the total number of genes undergoing expression.

In many cases it may be preferred to assess the degree of gene expression in a scar of interest or comparator sample using probe molecules capable of indicating the presence of target molecules (representative of one or more of the genes set out in Table 1) in the relevant sample.

The use of target molecules and probes in methods, kits or assays in accordance with the present invention may confer increased sensitivity on the methods of the invention. This may lead to an increased ability to discriminate between otherwise small differences between expression in the scar of interest and expression in the comparator sample. This will have appreciable benefits on diagnosis in accordance with the invention.

Generally, suitable probes for use in the present invention will bind to their target molecules, and thereby allow detection of the target molecule (this detection being indicative of expression of the gene selected from Table 1 represented by the target molecule).

It may be preferred that probes for use in accordance with the invention allow replication of the target molecules (suitably in combination with the probe molecule). Replication in this manner produces a greater number of target molecules, and thus allows further

binding of the labelled probe. In turn, the increased amount of labelled probe thus bound amplifies the detectable signal indicative of gene expression.

Probes for use in the methods and kits of the invention may be selected with reference to the product (direct or indirect) of gene expression to be investigated. Examples of suitable probes include oligonucleotide probes, antibodies, aptamers, and binding proteins or small molecules having suitable specificity.

Oligonucleotide probes constitute preferred probes suitable for use in accordance with the methods and kits of the invention. The generation of suitable oligonucleotide probes is well known to those skilled in the art (Oligonucleotide synthesis: Methods and Applications, Piet Herdewijn (ed) Humana Press (2004).). Oligonucleotide and modified oligonucleotides are commercially available from numerous companies.

An oligonucleotide is a single-stranded nucleic acid ranging in length from 2 to about 500 nucleotide bases, preferably from about 5 to about 50 nucleotides, more preferably from about 10 to about 40 nucleotides and most preferably from about 15 to about 40 nucleotides in length. Suitable hybridization methods, conditions, times, fluid volumes, and suitable methods by which hybridisation of oligonucleotide probes may be detected are as described elsewhere in the present specification.

For the purposes of the present invention an oligonucleotide probe may be taken to comprise an oligonucleotide capable of hybridising specifically to a target nucleic acid of complementary sequence through one or more types of chemical bond. Such binding may usually occur through complementary base pairing, and usually through hydrogen bond formation. Suitable oligonucleotide probes may include natural (ie., A, G, C, or T) or modified bases (7-deazaguanosine, inosine, etc.). In addition, a linkage other than a phosphodiester bond may be used to join the bases in an oligonucleotide probe, so long as this variation does not interfere with hybridisation of the oligonucleotide probe to its target. Thus, oligonucleotide probes suitable for use in the methods and kits of the invention may be peptide nucleic acids in which the constituent bases are joined by peptide bonds rather than phosphodiester linkages.

The phrase "hybridising specifically to" as used herein refers to the binding, duplexing, or hybridising of an oligonucleotide probe preferentially to a particular target nucleotide sequence under stringent conditions when that sequence is present in a complex mixture (such as total cellular DNA or RNA). Preferably a probe may bind, duplex or hybridise only to the particular target molecule.

The term "stringent conditions" refers to conditions under which a probe will hybridise to its target subsequence, but minimally to other sequences. Preferably a probe may hybridise to no sequences other than its target under stringent conditions. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer sequences hybridise specifically at higher temperatures.

In general, stringent conditions may be selected to be about 5°C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength and pH. The T_m is the temperature (under defined ionic strength, pH, and nucleic acid concentration) at which 50% of the oligonucleotide probes complementary to a target nucleic acid hybridise to the target nucleic acid at equilibrium. As the target nucleic acids will generally be present in excess, at T_m , 50% of the probes are occupied at equilibrium. By way of example, stringent conditions will be those in which the salt concentration is at least about 0.01 to 1.0 M Na ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30° C for short probes (e.g., 10 to 50 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide.

Considerations for the design and selection of probes suitable for use with antisense nucleic acid targets (aRNA) have been discussed above. In the case that the nucleic acid targets comprise sense nucleic acids, suitable oligonucleotide probes may be selected to be complementary to sequences or sub-sequences of the sense nucleic acids. In the case of nucleic acid targets that are double stranded, suitable probes may be of either sense as the nucleic acid targets will provide both sense and antisense strands.

Antibodies suitable for use in the methods or kits of the invention may be used to detect target molecules, such as proteins, that represent gene expression in a scar of interest.

Antibodies that may be used to investigate gene expression in accordance with the methods and kits of the present invention include monoclonal antibodies and polyclonal antibodies, as well as fragments of such antibodies, including, but not limited to, Fab or F(ab')₂, and Fv fragments.

Methods suitable for the generation and/or identification of antibodies capable of binding specifically to a given target are well known to those skilled in the art. In general suitable antibodies may be generated by the use of the isolated target as an immunogen. This immunogen is administered to a mammalian organism, such as, but not limited to, a rat, rabbit, goat or mouse, and antibodies elicited as part of the immune response. Generally antibodies will be used in the context of the methods and kits of the invention to bind to protein products of gene expression. Suitable immunogens may include the full-length protein to be investigated, or an antigenic peptide fragment thereof.

Monoclonal antibodies can be produced by hybridomas, immortalized cell lines capable of secreting a specific monoclonal antibody. The immortalized cell lines can be created *in vitro* by fusing two different cell types, usually lymphocytes, one of which is a tumour cell.

Aptamers are nucleic acid molecules that assume a specific, sequence-dependent shape and bind to specific target ligands based on a lock-and-key fit between the aptamer and ligand. Typically, aptamers may comprise either single- or double-stranded DNA molecules (ssDNA or dsDNA) or single-stranded RNA molecules (ssRNA).

Aptamers may be used to bind both nucleic acid and non-nucleic acid targets. Accordingly aptamers are suitable probes for use in the investigation of gene expression products including RNA, DNA and small molecules or proteins. Preferably aptamers may be used to investigate gene expression products having a molecular weight of

between 100 and 10,000 Da. ssDNA aptamers may be preferred for use in the investigation of gene expression products comprising DNA.

Suitable aptamers may be selected from random sequence pools, from which specific aptamers may be identified which bind to the selected target molecules with high affinity. Methods for the production and selection of aptamers having desired specificity are well known to those skilled in the art, and include the SELEX (systematic evolution of ligands by exponential enrichment) process. Briefly, large libraries of oligonucleotides are produced, allowing the isolation of large amounts of functional nucleic acids by an iterative process of *in vitro* selection and subsequent amplification through polymerase chain reaction.

The use of aptamers for investigation of gene expression in accordance with the methods and kits of the invention may be advantageous, since aptamers have relatively stable shelf lives. Aptamers suitable for use in the methods and/or kits of the invention may preferably be stabilized by chemical modifications (for example 2'-NH₂ and 2'-F modifications).

Photoaptamers are a subclass of aptamers incorporating at least one bromo-deoxyuridine (BrdU) in place of a thymidine (T) nucleotide. The presence of the BrdU enables photoaptamers to form a specific covalent crosslink with their target ligands when exposed to ultraviolet light. Because crosslinking requires both affinity-based binding and close proximity between a BrdU (at a specific location in the photoaptamer) and an amino acid (at a specific location in the target ligand), photoaptamers may be preferred for use in the methods and kits of the invention when increased specificity of binding with a gene expression product is required.

Suitable methods by which gene expression may be compared in accordance with the present invention may be selected in the light of the considerations referred to in the preceding pages.

In general methods for analysis may be selected based on the nature of a target molecule to be investigated, and suitable selection criteria may distinguish between nucleic acid and protein target molecules.

However, as set out above, it may generally be preferred to investigate and compare gene expression using oligonucleotide probes capable of binding to nucleic acid target molecules.

Oligonucleotide probes may be used to detect complementary nucleic acid sequences (i.e., nucleic acid targets) in a suitable representative sample. Such complementary binding forms the basis of most techniques in which oligonucleotides may be used to detect, and thereby allow comparison of, expression of particular genes. Preferred technologies permit the parallel quantitation of the expression of multiple genes and include technologies where amplification and quantitation of species are coupled in real-time, such as the quantitative reverse transcription PCR technologies previously described herein, and technologies where quantitation of amplified species occurs subsequent to amplification, such as array technologies.

Array technologies involve the hybridisation of samples, representative of gene expression within the scar of interest or comparator sample, with a plurality of oligonucleotide probes wherein each probe preferentially hybridises to a disclosed gene or genes. Array technologies provide for the unique identification of specific oligonucleotide sequences, for example by their physical position (e.g., a grid in a two-dimensional array as commercially provided by Affymetrix Inc.) or by association with another feature (e.g. labelled beads as commercially provided by Illumina Inc or Luminex Inc). Oligonucleotide arrays may be synthesised *in situ* (e.g by light directed synthesis as commercially provided by Affymetrix Inc) or pre-formed and spotted by contact or ink-jet technology (as commercially provided by Agilent or Applied Biosystems). It will be apparent to those skilled in the art that whole or partial cDNA sequences may also serve as probes for array technology (as commercially provided by Clontech).

Oligonucleotide probes may be used in blotting techniques, such as Southern blotting or northern blotting, to detect and compare gene expression (for example by means of cDNA or mRNA target molecules representative of gene expression). Techniques and reagents suitable for use in Southern or northern blotting techniques will be well known to those of skill in the art. Briefly, samples comprising DNA (in the case of Southern blotting) or RNA (in the case of northern blotting) target molecules are separated according to their ability to penetrate a gel of a material such as acrylamide or agarose. Penetration of the gel may be driven by capillary action or by the activity of an electrical field. Once separation of the target molecules has been achieved these molecules are transferred to a thin membrane (typically nylon or nitrocellulose) before being immobilized on the membrane (for example by baking or by ultraviolet radiation). Gene expression may then be detected and compared by hybridisation of oligonucleotide probes to the target molecules bound to the membrane. More details of suitable conditions in which hybridisation may be effected are provided below, as are examples of techniques by which hybridisation may be detected.

In certain circumstances the use of traditional hybridisation protocols for comparing gene expression may prove problematic. For example blotting techniques may have difficulty distinguishing between two or more gene products of approximately the same molecular weight since such similarly sized products are difficult to separate using gels. Accordingly, in such circumstances it may be preferred to compare gene expression using alternative techniques, such as those described below.

Gene expression in a sample representing gene expression in a scar of interest may be assessed with reference to global transcript levels within suitable nucleic acid samples by means of high-density oligonucleotide array technology. Such technologies make use of arrays in which oligonucleotide probes are tethered, for example by covalent attachment, to a solid support. These arrays of oligonucleotide probes immobilized on solid supports represent preferred components to be used in the methods and kits of the invention for the comparison of gene expression. Large numbers of such probes may be attached in this manner to provide arrays suitable for the comparison of expression of large numbers of genes selected from those set out in Table 1. Accordingly it will be recognised that such

oligonucleotide arrays may be particularly preferred in embodiments of the methods or kits of the invention where it is desired to compare expression of more than one gene selected from Table 1 in order to effect a diagnosis.

In a preferred embodiment investigation of gene expression using oligonucleotide arrays may be effected by hybridisation of oligonucleotide probes and nucleic acid targets at low stringency followed by at least one wash at higher stringency. Low stringency conditions suitable for use in accordance with these embodiments may comprise a reaction temperature of about 20°C to about 50°C (more preferably about 30°C to about 40°C, and most preferably about 37°C) and 6×SSPE-T buffer (or lower). Suitable hybridisation protocols may include subsequent washes at progressively increasing stringency until a desired level of hybridisation specificity is reached. Hybridisation stringency may also be varied by electronic means, for example as provided by Nanogen Inc. (Sosnowski R, Heller MJ, Tu E, Forster AH, Radtkey R. Active microelectronic array system for DNA hybridization, genotyping and pharmacogenomic applications. *Psychiatr Genet.* 2002 Dec;12(4):181-92).

Suitable techniques for the detection of hybridisation between oligonucleotide probes and nucleic acid targets are considered further below.

The identity of selected oligonucleotide probes incorporated in arrays may be altered to allow more detailed selection of the genes, the expression of which is to be compared. For example arrays suitable for use in the methods or kits of the invention may comprise one or more oligonucleotide probes selected with reference to the differential expression of selected genes from Tables 1 to 29 as considered previously.

Alternatively, assessment of gene expression in a scar of interest or comparator sample based on levels of nucleic acids sequences (such as mRNA or DNA) in a sample representative of gene expression in the scar of interest or comparator may be undertaken using other suitable techniques that will be apparent to the skilled person. For example, northern blotting provides a sensitive method by which levels of mRNA representative of gene expression in a scar of interest or comparator sample may be assessed.

Other suitable methodologies that may be used in the comparison of nucleic acid targets representative of gene expression include, but are not limited to, nucleic acid sequence based amplification (NASBA); rolling circle DNA amplification (RCA); branched chain nucleic acid and invader assays; the use of aptamers, antibodies or antibody derivatives (Singh et al, 1993; Boeckh and Boivin 1998; Bloom and Dean, 2003; Jain, 2004; Millar and Moore, 2004; Olson, 2004; Yang and Rothman, 2004).

As described previously, gene expression in a scar of interest or comparator sample may alternatively be investigated using samples comprising proteins representative of gene expression. Suitable techniques by which such protein samples may be investigated to assess gene expression include, but are not limited to, aptamer detection; mass spectrometry; nuclear magnetic resonance (NMR); antibody-based methods such as immuno-PCR and multiplex approaches such as those using arrays, beads or microspheres (for example xMap technology from Luminex Inc), ELISA, RIA and Western blotting; and other methods well known to those skilled in the art (Bloom and Dean (2003) Biomarkers in Clinical Drug Development; Crowther (1995) Elisa Theory and Practice (Humana Press); Singh et al (1993) Diagnostics in the year 2000: Antibody, Biosensor and nucleic acid Technologies (Van Nostrand Reinhold, New York); Niemeyer CM, Adler M, Wacker R. Immuno-PCR: high sensitivity detection of proteins by nucleic acid amplification. *Trends Biotechnol.* 2005 Apr;23(4):208-16; Abreu I, Laroche P, Bastos A, Issert V, Cruz M, Nero P, Fonseca JE, Branco J, Machado Caetano JA. Multiplexed immunoassay for detection of rheumatoid factors by FIDISTM technology. *Ann N Y Acad Sci.* 2005 Jun;1050:357-63).

For instance, expression of proteins having enzymatic activity may be investigated and compared using assays based around activity of the protein in question. Enzymatic protein extracts (here constituting samples representative of gene expression in the scar of interest or comparator sample) may, for example, be incubated with samples comprising known quantities of the appropriately labelled substrate. The amount of enzymatic activity, and hence an indication of the level of gene expression in the scar of interest or

comparator sample, may be determined by the amount of substrate converted by the enzyme.

Detection of probe or target molecules can be facilitated by coupling (i.e., physical linking) of such molecules to a detectable moiety. Alternatively suitable probe or target molecules may be synthesised such that they incorporate detectable moieties. Techniques that may be used in the coupling or incorporation of detectable moieties in probe or target molecules suitable for use in the method, kits or arrays of the invention are considered below.

Examples of detectable moieties that may be used in the labelling of probes or targets suitable for use in accordance with the invention include any composition detectable by spectroscopic, photochemical, biochemical, immunochemical, electrical, optical or chemical means. Suitable detectable moieties include various enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials, radioactive materials and colorimetric materials. These detectable moieties are suitable for incorporation in all types of probes or targets that may be used in the methods or kits of the invention unless indicated to the contrary.

Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, beta-galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride, phycoerythrin, texas red, rhodamine, green fluorescent protein, and the like; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin, and aequorin; examples of suitable radioactive material include ^{125}I , ^{131}I , ^{35}S , ^3H , ^{14}C , or ^{32}P ; examples of suitable colorimetric materials include colloidal gold or coloured glass or plastic (e.g., polystyrene, polypropylene, latex, etc.) beads.

Means of detecting such labels are well known to the skilled person. For example, radiolabels may be detected using photographic film or scintillation counters; fluorescent

markers may be detected using a photodetector to detect emitted light. Enzymatic labels are typically detected by providing the enzyme with a substrate and detecting the reaction product produced by the action of the enzyme on the substrate, and colorimetric labels are detected by simply visualizing the coloured label.

In a preferred embodiment of the invention fluorescently labelled probes or targets may be scanned and fluorescence detected using a laser confocal scanner.

In the case of labelled nucleic acid probes or targets suitable labelling may take place before, during, or after hybridisation. In a preferred embodiment, nucleic acid probes or targets for use in the methods or kits of the invention are labelled before hybridisation. Fluorescence labels are particularly preferred and, where used, quantification of the hybridisation of the nucleic acid probes to their nucleic acid targets is by quantification of fluorescence from the hybridised fluorescently labelled nucleic acid. More preferably quantitation may be from a fluorescently labelled reagent that binds a hapten incorporated into the nucleic acid.

In a preferred embodiment of the invention analysis of hybridisation may be achieved using suitable analysis software, such as the Microarray Analysis Suite (Affymetrix Inc.) and diagnosis automated by use of classification software (for example Partek Genomics Suite from Partek Inc).

Effective quantification may be achieved using a fluorescence microscope which can be equipped with an automated stage to permit automatic scanning of the array, and which can be equipped with a data acquisition system for the automated measurement, recording and subsequent processing of the fluorescence intensity information. Suitable arrangements for such automation are conventional and well known to those skilled in the art.

In a preferred embodiment, the hybridised nucleic acids are detected by detecting one or more detectable moieties attached to the nucleic acids. The detectable moieties may be incorporated by any of a number of means well known to those of skill in the art.

However, in a preferred embodiment, such moieties are simultaneously incorporated during an amplification step in the preparation of the sample nucleic acids (probes or targets). Thus, for example, polymerase chain reaction (PCR) using primers or nucleotides labelled with a detectable moiety will provide an amplification product labelled with said moiety. In a preferred embodiment, transcription amplification using a fluorescently labelled nucleotide (e.g. fluorescein-labelled UTP and/or CTP) incorporates the label into the transcribed nucleic acids.

Alternatively, a suitable detectable moiety may be added directly to the original nucleic acid sample (e.g., mRNA, polyA mRNA, cDNA, etc. from the scar of interest) or to an amplification product after amplification of the original nucleic acid is completed. Means of attaching labels such as fluorescent labels to nucleic acids are well known to those skilled in the art and include, for example nick translation or end-labelling (e.g. with a labeled RNA) by kinasing of the nucleic acid and subsequent attachment (ligation) of a nucleic acid linker joining the sample nucleic acid to a label (such as a suitable fluorophore).

As set out previously, in addition to the methods and kits described above, the invention also provides a kit for diagnosing a scar of interest as keloid or non-keloid, the kit comprising:

- i) at least one probe capable of binding specifically to a target molecule representative of expression in a scar of interest of at least one gene selected from the group set out in Table 1; and
- ii) reference material able to indicate the level of expression of said at least one gene in a comparator sample.

Preferably kits in accordance with this aspect of the invention may further comprise assay control material able to indicate that an assay has been performed correctly. Suitably such assay control material may include target molecules representative of expression of genes the expression of which does not vary between keloid and non-keloid tissues. Suitable examples of such housekeeping genes are considered elsewhere in the specification, and target molecules representative of expression of any of these genes may

be advantageously provided in the kits of the invention. The provision of housekeeping genes of this sort in known quantities may provide a “standard” against which assay results may be normalised.

Kits of the invention may further comprise materials for the preparation of a population of target molecules representative of gene expression in a scar of interest (or in a comparator tissue). Such materials may be suitable for the preparation of a population of nucleic acid target molecules. Alternatively such materials may be suitable for the preparation of a population of protein target molecules. It may be preferred that the kits comprise materials for the preparation of a population of labelled target molecules representative of gene expression in a scar of interest or comparator tissue.

It is also preferred that kits of the present invention may further comprise an algorithm or reference data/material able to indicate that the level of expression of said at least one gene, selected from the group set out in Table 1, in the scar of interest is diagnostic that the scar of interest is keloid tissue.

The algorithm may be provided in the form of a mathematical model of the difference in gene expression of said at least one gene, selected from the group set out in Table 1, between comparator data and data from scars of interest (such as known patient data). This mathematical model may then be deployed on gene expression data of said at least one gene, selected from the group set out in Table 1, from a new patient sample. The output thus generated will thus provide a diagnosis as to whether a scar of interest comprises keloid or non-keloid tissue.

Probes for inclusion in kits in accordance with this second aspect of the invention may be selected using the same criteria as for the first aspect of the invention. Suitable probes may be selected from the group comprising oligonucleotide probes, antibodies, aptamers and specific binding proteins.

Kits in accordance with the present invention may preferably comprise probes capable of binding specifically to target molecules representative of expression of up to five genes

selected from the group set out in Table 1 (i.e. target molecules representative of the expression of up to five genes selected from Table 1). It is particularly preferred that kits of the invention comprise probes capable of binding 5, 6, 7, 8, 9 or 10 such target molecules. Kits may include probes capable of binding to up to 20 or up to 50 genes selected from those set out in Table 1. Suitable kits may comprise probes capable of binding to up to 100, 200, 300, 500 or 700 such target molecules. Indeed, kits of the invention may comprise probes capable of binding specifically to 700 or more target molecules, and may even comprise probes capable of binding specifically to targets representative of expression of all 763 of the genes set out in Table 1.

A kit of the invention will comprise probes capable of binding to target molecules representative of expression of at least one gene selected from Table 1, and/or probes capable of binding to target molecules representative of expression of at least one gene selected from Table 2, and/or probes capable of binding to target molecules representative of expression of at least one gene selected from Table 3, and/or probes capable of binding to target molecules representative of expression of at least one gene selected from Table 8, and/or probes capable of binding to target molecules representative of expression of at least one gene selected from Table 12, and/or probes capable of binding to target molecules representative of expression of at least one gene selected from Table 17, and/or probes capable of binding to target molecules representative of expression of at least one gene selected from Table 18, and/or probes capable of binding to target molecules representative of expression of at least one gene selected from Table 19, and/or probes capable of binding to target molecules representative of expression of at least one gene selected from Table 23, and/or probes capable of binding to target molecules representative of expression of at least one gene selected from Table 25, and/or probes capable of binding to target molecules representative of expression of at least one gene selected from Table 26.

Kits of the invention may include probes capable of binding to target molecules representative of gene expression of any of the genes set out in any one of (or any combination of) Tables 2 to 29.

The probes provided in the kits of the invention may preferably be labelled probes. Labelled probes may comprise any detectable moiety considered in connection with the first aspect of the invention. Preferred labelled probes may be chosen from the group comprising haptens, fluorescently labelled probes, radioactively labelled probes and enzymatically labelled probes.

The reference material provided in kits of the invention may comprise a library of nucleic acid targets representative of expression in an appropriate comparator sample of one or more genes selected from the group of genes set out in Table 1.

In a preferred embodiment the reference material may comprise recorded information regarding the level of expression of one or more genes selected from the group of genes set out in Table 1 in keloid and non-keloid tissue.

In a most preferred example the reference data may be used to create an algorithm which may deliver a diagnosis based upon the level of expression of one or more genes selected from the group of genes set out in Table 1.

Oligonucleotide probes provided in kits of the invention, may preferably be provided in the form of an oligonucleotide array as considered elsewhere in the specification.

It will be appreciated from the preceding pages that the use of oligonucleotide arrays is particularly useful in effecting a diagnosis in accordance with the present invention as to whether a scar of interest is keloid or non-keloid tissue.

Accordingly, in a third aspect of the invention there is provided an array of oligonucleotide probes, characterised in that at least 6.37% of the oligonucleotides probes present in the array are representative of genes selected from the group of genes set out in Table 1.

The invention also provides an array comprising immobilized antibody probes capable of binding specifically to molecules representative of expression of one or more of the group of genes set out in Table 1. Furthermore, the invention also provides an array comprising

a nylon substrate to which are adhered nucleic acid probes representative of genes selected from the group of genes set out in Table 1. The nucleic acid probes may preferably be cDNA molecules.

Although a planar array surface is preferred, the array may be fabricated on a surface of virtually any shape or even a multiplicity of surfaces. In a further example a suitable array may be fabricated on the surface of a library of addressable beads, in which each bead displays a known nucleic acid sequence. Alternatively, a suitable array may be fabricated on the surface of a nylon substrate, typically a woven or non-woven nylon membrane.

It will be appreciated that arrays in accordance with the present invention can be used to compare the expression of a large number of genes set out in Table 1 simultaneously (and indeed to compare simultaneous expression of such genes), and that this gives rise to significant advantages in reduced labour, cost and time. Furthermore, the comparison of expression levels of multiple genes allows a greater degree of confidence in diagnoses that may be effected in accordance with the invention.

An array in accordance with the present invention may comprise up to five probes specific for genes selected from the group set out in Table 1. Preferably an array may comprise 5, 6, 7, 8, 9 or 10 probes specific for genes selected from the group set out in Table 1. Arrays may comprise probes specific for up to 20 or up to 50 genes selected from the group set out in Table 1. Suitable arrays may comprise up to 100, up to 200, up to 300, up to 500 or up to 700 probes specific genes selected from the group set out in Table 1. Indeed, suitable arrays may comprise probes specific for 700 or more of the genes set out in Table 1, and may even comprise probes specific for all 763 genes set out in Table 1. It will be appreciated that each of the probes should be specific for a different selected gene, and that more than one copy of each probe may be provided.

Arrays of the invention may comprise probes capable of binding to a target representative of expression of at least one gene selected from the group set out in Table 2, and/or probes capable of binding to a target representative of expression of at least one gene

selected from the group set out in Table 3, and/or probes capable of binding to a target representative of expression of at least one gene selected from the group set out in Table 8, and/or probes capable of binding to a target representative of expression of at least one gene selected from the group set out in Table 12, and/or probes capable of binding to a target representative of expression of at least one gene selected from the group set out in Table 17, and/or probes capable of binding to a target representative of expression of at least one gene selected from the group set out in Table 18, and/or probes capable of binding to a target representative of expression of at least one gene selected from the group set out in Table 19, and/or probes capable of binding to a target representative of expression of at least one gene selected from the group set out in Table 23, and/or probes capable of binding to a target representative of expression of at least one gene selected from the group set out in Table 25, and/or probes capable of binding to a target representative of expression of at least one gene selected from the group set out in Table 26.

An array according to the present invention may comprise probes capable of binding to targets representative of the expression of one or more genes selected from any one of, or any combination of, Tables 1 to 29.

The methods, kits and arrays of the invention may also make use of one or more "housekeeping genes" to provide a control by which the efficiency of any assay may be assessed. These housekeeping genes may be provided in the kits of the invention, or on the arrays of the invention. Suitable housekeeping genes will be those that are either invariant between keloid and non-keloid tissue or show no association with keloid formation. Examples of genes that display invariant expression in both keloid and non-keloid (comparator) biopsy samples include exportin 7 (XPO7), Cleavage and Polyadenylation Specific Factor 4, 30kDa (CPSF4), F-box only protein 7 (FBXO7), ADP-ribosylation factor 1 (ARF1), signal sequence receptor, beta (SSR2) and methionine-tRNA synthetase (MARS).

Oligonucleotide arrays in accordance with the invention may be synthesized by any suitable technique known in the art. A preferred technique that may be used in the

synthesis of such arrays is light-directed very large scaled immobilized polymer synthesis (VLSIPS), which has previously been described in a number of publications(Lipshutz RJ, Fodor SP, Gingeras TR, Lockhart DJ. High density synthetic oligonucleotide arrays. *Nat Genet.* 1999 Jan;21(1 Suppl):20-4; Jacobs JW, Fodor SP. Combinatorial chemistry--applications of light-directed chemical synthesis. *Trends Biotechnol.* 1994 Jan;12(1):19-26).

An oligonucleotide array in accordance with the invention may allow comparison of hybridisation, and thereby gene expression, to be carried out in extremely small fluid volumes (e.g., 250 μ l or less, more preferably 100 μ l or less, and most preferably 10 μ l or less). This confers a number of advantages. In small volumes, hybridization may proceed very rapidly. In addition, hybridization conditions are extremely uniform throughout the sample, and the hybridization format is amenable to automated processing.

The skilled person will appreciate that diagnosis in accordance with the present invention (whether carried out using the methods, kits or arrays of the invention) may be useful in assessing the efficacy of a treatment employed to alleviate or cure keloid scarring. A keloid in which a treatment is producing a beneficial effect may be identified by virtue of its ability to alleviate the increased expression observed in respect of the genes set out in any of Tables 1 to 29.

A treatment that renders expression of one or more genes selected from Table 1 within a treated keloid more similar to the expression of said gene (or genes) found in a normal skin comparator should be viewed as having a beneficial effect on the keloid being treated. In the event that expression in a treated keloid is not rendered more similar to the expression found in a normal skin comparator, the treatment may be viewed as not beneficial to the keloid scar in question. In such cases it may be wished to adopt an alternative treatment strategy, and optionally to subsequently assess the effectiveness of the alternative strategy in the same manner.

TABLE LEGENDS

Genes the expression of which may be investigated in accordance with the present invention are set out in the accompanying Tables. These Tables provide, in respect of each gene, a Gene Identification Number; a Public Identifier and Data Source (by which the skilled person may identify the gene in question and obtain further information regarding its sequence); the Gene Name; a Probe ID (setting out details of at least one probe that may be used to investigate expression of the gene in question); details of tissues that may be used in comparing expression of the gene in question; as well as details of the Fold Change in expression and P value derived from comparisons conducted as described in the Experimental Results section.

Table 1: Genes that may be used in the diagnosis of scar of interest as a keloid or non-keloid scar. All genes are highly statistically significant with p-values less than 0.01.

Table 2: Genes that may be used in the diagnosis of a peri-lesional sample of a scar of interest as a keloid or non-keloid scar.

Table 3: Genes the expression of which may be compared between a peri-lesional sample from a scar of interest and a normal skin comparator to diagnose the scar of interest as a keloid or non-keloid scar.

Table 4: Genes the expression of which may be compared between a peri-lesional sample from a scar of interest and a normal skin comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with cell motility functionality in accordance with the Gene Ontology classification (GO:0006928).

Table 5: Genes the expression of which may be compared between a peri-lesional sample from a scar of interest and a normal skin comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with cell adhesion functionality in accordance with the Gene Ontology classification (GO:0007155).

Table 6: Genes the expression of which may be compared between a peri-lesional sample from a scar of interest and a normal skin comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with inflammation functionality in accordance with the Gene Ontology classification (GO:0006954).

Table 7: Genes the expression of which may be compared between a peri-lesional sample from a scar of interest and a normal skin comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with angiogenesis functionality in accordance with the Gene Ontology classification (GO:0001525).

Table 8: Genes the expression of which may be compared between a peri-lesional sample from a scar of interest and an extra-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar.

Table 9: Genes the expression of which may be compared between a peri-lesional sample from a scar of interest and an extra-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with cell motility functionality in accordance with the Gene Ontology classification (GO:0006928).

Table 10: Genes the expression of which may be compared between a peri-lesional sample from a scar of interest and an extra-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with cell adhesion functionality in accordance with the Gene Ontology classification (GO:0007155).

Table 11: Genes the expression of which may be compared between a peri-lesional sample from a scar of interest and an extra-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with

inflammation functionality in accordance with the Gene Ontology classification (GO:0006954).

Table 12: Genes the expression of which may be compared between a peri-lesional sample from a scar of interest and a peri-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar.

Table 13: Genes the expression of which may be compared between a peri-lesional sample from a scar of interest and a peri-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with cell motility functionality in accordance with the Gene Ontology classification (GO:0006928).

Table 14: Genes the expression of which may be compared between a peri-lesional sample from a scar of interest and a peri-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with cell adhesion functionality in accordance with the Gene Ontology classification (GO:0007155).

Table 15: Genes the expression of which may be compared between a peri-lesional sample from a scar of interest and a peri-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with inflammation functionality in accordance with the Gene Ontology classification (GO:0006954).

Table 16: Genes the expression of which may be compared between a peri-lesional sample from a scar of interest and a peri-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with angiogenesis functionality in accordance with the Gene Ontology classification (GO:0001525).

Table 17: Genes the expression of which may be compared between a peri-lesional sample from a scar of interest and an intra-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar.

Table 18: Genes that may be used in the diagnosis of an intra-lesional sample of a scar of interest as a keloid or non-keloid scar.

Table 19: Genes the expression of which may be compared between an intra-lesional sample from a scar of interest and a normal skin comparator to diagnose the scar of interest as a keloid or non-keloid scar.

Table 20: Genes the expression of which may be compared between an intra-lesional sample from a scar of interest and a normal skin comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with cell motility functionality in accordance with the Gene Ontology classification (GO:0006928).

Table 21: Genes the expression of which may be compared between an intra-lesional sample from a scar of interest and a normal skin comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with cell adhesion functionality in accordance with the Gene Ontology classification (GO:0007155).

Table 22: Genes the expression of which may be compared between an intra-lesional sample from a scar of interest and a normal skin comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with angiogenesis functionality in accordance with the Gene Ontology classification (GO:0001525).

Table 23: Genes the expression of which may be compared between an intra-lesional sample from a scar of interest and an extra-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar.

Table 24: Genes the expression of which may be compared between an intra-lesional sample from a scar of interest and an extra-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with cell adhesion functionality in accordance with the Gene Ontology classification (GO:0007155).

Table 25: Genes the expression of which may be compared between an intra-lesional sample from a scar of interest and a peri-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar.

Table 26: Genes the expression of which may be compared between an intra-lesional sample from a scar of interest and an intra-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar.

Table 27: Genes the expression of which may be compared between an intra-lesional sample from a scar of interest and an intra-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with cell motility functionality in accordance with the Gene Ontology classification (GO:0006928).

Table 28: Genes the expression of which may be compared between an intra-lesional sample from a scar of interest and an intra-keloid comparator to diagnose the scar of interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with cell adhesion functionality in accordance with the Gene Ontology classification (GO:0007155).

Table 29: Genes the expression of which may be compared between an intra-lesional sample from a scar of interest and an intra-keloid comparator to diagnose the scar of

interest as a keloid or non-keloid scar. Genes identified in this table encode proteins with inflammation functionality in accordance with the Gene Ontology classification (GO:0006954).

The invention will now be further described with reference to the following Experimental Results.

EXPERIMENTAL RESULTS

The suitability of the genes set out in Table 1 for use in the diagnosis of scars of interest as keloid or non-keloid is illustrated by the following study. In this study expression of the genes set out in Table 1 was compared between samples taken from known keloid tissues and suitably matched comparator tissues.

1.1 Diagnosis of keloid tissue.

Twenty patients of the African Continental Ancestry Group who had keloids that had been established for at least one year provided keloid samples for use in the present study. Only keloids for which a full medical history could be established were included. The age of the scar, a thorough review of the scar history and examination by a clinician, ensured that the scar had been correctly diagnosed as keloidal and not hypertrophic.

Three African Continental Ancestry Group subjects with no history of keloid formation provided control comparator tissue ("normal comparator") for use in the study described herein.

1.2 Tissue collection.

Keloids were sampled using ellipsoid excisions perpendicular to the keloid margin and the resulting biopsies were sectioned to provide samples comprising skin surrounding the keloid lesion (extra-keloid tissue), the peripheral portion of the keloid lesion (peri-lesional tissue), or the interior part of the keloid lesion (intra-lesional tissue). Since these tissues were selected from stringently diagnosed examples of keloids they provided a suitable experimental example to test the diagnostic capacity of the genes set out in Table 1.

Extra-keloid tissue collected in these procedures was used as a comparator tissue (extra-keloid comparator) for use in the following studies. Skin tissue from non-keloid forming individuals was also biopsied in a similar manner to provide relevant non-keloid comparator tissues.

Once collected, the biopsy sections were immersed in RNA Later solution (Ambion) and stored at -80°C until later analysis of gene expression.

1.3 Preparation of samples representative of gene expression in tissue.

Peri-lesional, intra-lesional and extra-lesional samples from keloid formers and skin samples from non-keloid formers were disrupted using a Diox (G-10) homogeniser in the presence of proprietary Qiagen lysis buffer, and the lysate produced then incubated with proteinase K at 55°C for 20 minutes.

Following incubation the mixture was separated by centrifugation, and RNA present purified using a RNeasy midi spin column (Qiagen Ltd).

1.4 Production of nucleic acid targets.

10µg total RNA was used as substrate for cDNA synthesis using the Superscript System (Invitrogen Corp.). The resulting cDNA was then converted to biotinylated cRNA target molecules using the BioArray RNA Transcript labelling Kit (Enzo Life Sciences Inc.). The cRNA target molecules were subsequently purified from the reaction mixture using a RNeasy mini kit (Qiagen Ltd). 20 µg cRNA was fragmented for array hybridisation.

1.5 Comparison of gene expression.

Fragmented cRNA target molecules representative of gene expression in peri- and intra-lesional keloid tissues and in extra-keloid and non-keloid comparator tissues were hybridised to oligonucleotide arrays comprising oligonucleotide probes representing the genes set out in Table 1. Standard Affymetrix protocols (Affymetrix Inc) were used to effect hybridisation. The hybridised arrays were stained with streptavidin-phycoerythrin and then scanned using a laser confocal scanner to generate fluorescence intensities.

All arrays were normalised to a target intensity of 1000, and signal values and detection P-values were calculated using the Microarray Analysis Suite version 5.0 software. Data sets passing quality control were imported into the Spotfire analysis suite for comparison of expression with that in comparator tissues.

Signal values were transformed to log2 scale and t-tests comparing the gene expression in samples representative of keloids with expression in comparators were performed on the log2 transformed data. Mean signal values were calculated for each sample group and fold changes were calculated from these mean values.

1.6 Results.

T-tests comparing expression of the genes set out in Table 1 in keloid tissues (peri- and intra-lesional tissues) with expression of the same genes in comparator tissues all had a t-test p-value of less than 0.01. This confirms that the expression of each and all of the genes set out in Table 1 are highly significantly increased in keloid tissue as opposed to comparators.

These results clearly illustrate that increased expression in a sample from a scar of interest of one or more genes from the group set out in Table 1, as compared to expression of the same gene or genes in a comparator sample, provides a clear diagnosis that the scar of interest is a keloid tissue.

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
1	M10098	GenBank	---	AFFX- HUMRGE/M10098_5 at	Day 3 Peri / Day 3 Control	61.62	2.9430E-03
2	1553	Entrez Gene	cytochrome P450, family 2, subfamily A, polypeptide 13	1553_r_at	Day 3 Peri / Day 3 Extra	31.02	9.5723E-03
3	8364	Entrez Gene	histone 1, H4c	39969_at	Day 3 Peri / Day 3 Control	27.92	9.0600E-07
				39969_at	Day 0 Peri / Day 0 Control	5.37	6.1769E-03
4	6318	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 4	1549_s_at	Day 3 Intra / Day 0 Intra	26.94	3.0352E-04
				1549_s_at	Day 7 Intra / Day 0 Intra	10.58	2.5869E-03
				1549_s_at	Day 3 Peri / Day 0 Peri	5.62	2.5500E-05
				1549_s_at	Day 7 Peri / Day 0 Peri	4.17	3.1767E-04
5	9422	Entrez Gene	zinc finger protein 264	41612_at	Day 3 Peri / Day 3 Control	21.97	4.4600E-10
				41612_at	Day 0 Peri / Day 0 Control	6.21	9.5893E-04
				41612_at	Day 7 Peri / Day 7 Control	3.69	6.3104E-03
				41612_at	Day 3 Peri / Day 3 Intra	2.28	1.0025E-03
6	AJ005814	GenBank	---	40343_at	Day 3 Peri / Day 3 Control	19.49	6.2100E-10
				40343_at	Day 0 Peri / Day 0 Control	9.21	1.9446E-04
				38326_at	Day 3 Intra / Day 0 Intra	18.80	1.1438E-04
7	50486	Entrez Gene	G0/G1switch 2	38326_at	Day 7 Intra / Day 0 Intra	9.74	1.1543E-03
				38326_at	Day 3 Peri / Day 0 Peri	7.10	4.1056E-04
				38326_at	Day 7 Peri / Day 0 Peri	4.38	3.3121E-03
8	54674	Entrez Gene	leucine rich repeat neuronal 3	35712_at	Day 3 Peri / Day 3 Extra	16.86	3.6111E-04
				35712_at	Day 7 Peri / Day 7 Extra	9.79	7.7392E-03
9	7545	Entrez Gene	Zic family member 1 (odd-paired homolog, Drosophila)	36308_at	Day 3 Peri / Day 3 Extra	14.57	6.6088E-04
				36308_at	Day 7 Intra / Day 7 Control	13.66	5.4956E-03
				36308_at	Day 3 Peri / Day 3 Control	13.09	3.6220E-03
				36308_at	Day 7 Peri / Day 7 Control	9.93	7.2977E-03
10	7404	Entrez Gene	ubiquitously transcribed tetralucopptide repeat gene, Y-linked	34477_at	Day 7 Intra / Day 7 Control	14.35	9.7120E-03
				41719_l_at	Day 3 Peri / Day 3 Control	14.31	2.1500E-05
				41719_l_at	Day 0 Peri / Day 0 Intra	8.75	1.6814E-03
				41719_l_at	Day 3 Peri / Day 3 Intra	3.87	1.1775E-03
				41720_r_at	Day 7 Peri / Day 7 Extra	2.99	5.6379E-03
11	3992	Entrez Gene	fatty acid desaturase 1	41717_at	Day 7 Peri / Day 7 Intra	2.27	2.8502E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
12	348162	Entrez Gene	hypothetical protein 348162	40951_at 40951_at	Day 3 Peri / Day 3 Control Day 3 Peri / Day 3 Intra	10.41 3.21	2.4306E-04 4.7923E-03
13	1783	Entrez Gene	dynein, cytoplasmic, light intermediate polypeptide 2	40949_at 40949_at 40949_at 40949_at 40949_at	Day 3 Peri / Day 3 Control Day 0 Peri / Day 0 Control Day 7 Peri / Day 7 Control Day 3 Peri / Day 3 Intra Day 3 Peri / Day 3 Extra	10.38 5.33 2.60 1.90 1.58	8.6300E-09 1.5303E-04 7.0745E-03 3.7252E-03 3.5607E-03
14	3868	Entrez Gene	keratin 16 (focal non-epidermolytic palmoplantar keratoderma)	601_s_at 601_s_at 601_s_at	Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra Day 3 Peri/ Day 0 Peri	10.35 8.34 2.81	5.4676E-04 6.2898E-04 5.7236E-04
15	8618	Entrez Gene	Ca2+-dependent secretion activator	601_s_at	Day 7 Peri/ Day 0 Peri	2.17	2.4480E-03
16	440083	Entrez Gene	proline-rich protein BstNI subfamily 2	31848_at	Day 3 Peri / Day 3 Extra	10.17	6.0938E-04
17	1915	Entrez Gene	Eukaryotic translation elongation factor 1 alpha 1	36775_f_at 40888_f_at 40888_f_at	Day 0 Peri / Day 0 Control Day 3 Peri / Day 3 Control Day 7 Intra / Day 7 Extra	9.88 9.64 6.03	3.0400E-07 3.2546E-03 5.7313E-03
18	2597	Entrez Gene	glyceraldehyde-3-phosphate dehydrogenase	AFFX- HUMGAPDH/M331 97_5_st AFFX- HUMGAPDH/M331 97_5_st	Day 3 Peri / Day 3 Control Day 7 Intra / Day 7 Extra	9.17 8.60	1.0435E-04 4.4849E-03
19	1992	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 1	33305_at	Day 3 Intra/ Day 0 Intra	9.14	8.7328E-04
20	3934	Entrez Gene	lipocalin 2 (oncogene 24p3)	33305_at 32821_at 32821_at	Day 3 Peri/ Day 0 Peri Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra	3.09 9.06 6.96	3.3894E-03 1.3903E-03 6.3774E-03
21	3162	Entrez Gene	heme oxygenase (decycling) 1	33802_at 33802_at 33802_at 33802_at	Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	9.00 7.79 4.67 2.89	3.6488E-03 6.9001E-04 7.3400E-05 8.8939E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
22	9060	Entrez Gene	3'-phosphoadenosine 5'-phosphosulfate synthase 2	36233_at	Day 3 Peri / Day 3 Control	8.93	2.3000E-05
23	7216	Entrez Gene	troponin	36233_at 34730_g_at	Day 3 Peri / Day 3 Extra Day 3 Peri / Day 3 Extra	4.22 8.12	4.6518E-04 3.7475E-04
24	10962	Entrez Gene	myeloid/lymphoid or mixed-lineage leukemia (trithorax homolog, Drosophila); translocated to, 11	36941_at	Day 0 Peri / Day 0 Control	8.09	3.8972E-03
25	HG3044-HT374	The Institute for Genomic Research	---	311_s_at	Day 3 Peri / Day 3 Extra	7.96	2.8117E-03
26	146057	Entrez Gene	tau tubulin kinase 2	34899_at 34899_at 34899_at	Day 3 Peri / Day 3 Control Day 3 Intra / Day 3 Control Day 7 Peri / Day 7 Extra	7.83 4.32 4.24	2.1900E-06 6.9958E-03 1.4963E-03
27	2737	Entrez Gene	GLI-Kruppel family member GLI3 (Greig cephalopolysyndactyly syndrome)	40358_at	Day 3 Peri / Day 3 Control	7.80	1.1400E-05
28	23405	Entrez Gene	Dicer1, Dcr-1 homolog (Drosophila)	40358_at 38765_at 38765_at 38765_at 38765_at	Day 3 Peri / Day 3 Intra Day 0 Peri / Day 0 Control Day 3 Peri / Day 3 Control Day 7 Peri / Day 7 Control Day 3 Peri / Day 3 Intra	2.06 7.63 7.27 4.34 1.75	4.2348E-03 6.8000E-05 5.3400E-08 1.5733E-03 5.5932E-03
29	6317	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 3	1343_s_at	Day 3 Intra / Day 0 Intra	7.60	5.0769E-03
30	HG2167-HT223	The Institute for Genomic Research	---	1343_s_at 1343_s_at	Day 3 Peri / Day 0 Peri Day 7 Peri / Day 0 Peri	2.72 2.61	7.0204E-04 1.7829E-03
31	1311	Entrez Gene	cartilage oligomeric matrix protein	735_s_at	Day 3 Peri / Day 3 Control	7.48	3.9200E-05
32	22873	Entrez Gene	DAZ interacting protein 1	40162_s_at 40162_s_at 36521_at	Day 3 Peri / Day 3 Extra Day 7 Peri / Day 7 Extra Day 3 Peri / Day 3 Extra	7.36 7.19 7.33	2.2669E-03 8.6739E-03 1.4064E-04
33	7083	Entrez Gene	thymidine kinase 1, soluble	910_at 910_at 910_at 910_at 910_at	Day 3 Intra / Day 0 Intra Day 7 Intra / Day 0 Intra Day 3 Peri / Day 0 Peri Day 7 Peri / Day 0 Peri Day 0 Peri / Day 0 Intra	7.32 5.14 2.81 1.93 1.76	9.5800E-05 2.2040E-03 3.6714E-04 8.0783E-03 8.8981E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
34	91543	Entrez Gene	radical S-adenosyl methionine domain containing 2	38549_at	Day 3 Peri/ Day 0 Peri	7.28	1.9000E-05
35	22891	Entrez Gene	zinc finger protein 365	38549_at	Day 7 Peri/ Day 0 Peri	4.34	1.0110E-03
				35959_at	Day 0 Intra/ Day 0 Control	7.20	8.1453E-04
				35959_at	Day 0 Peri/ Day 0 Control	5.92	3.9300E-05
				35959_at	Day 3 Peri/ Day 3 Extra	1.98	9.9041E-03
36	2209	Entrez Gene	Fc fragment of IgG, high affinity 1a, receptor (CD64)	35959_at	Day 3 Peri/ Day 3 Intra	1.90	3.4986E-03
				37220_at	Day 3 Intra/ Day 0 Intra	7.02	2.7900E-05
				37220_at	Day 7 Intra/ Day 0 Intra	6.20	3.1656E-03
				37220_at	Day 7 Peri/ Day 0 Peri	3.42	4.2300E-06
37	4208	Entrez Gene	MADS box transcription enhancer factor 2, polypeptide C (myocyte enhancer factor 2C)	37220_at	Day 3 Peri/ Day 0 Peri	2.80	1.2560E-03
				37710_at	Day 0 Peri/ Day 0 Control	6.69	9.3621E-04
				37710_at	Day 3 Peri/ Day 3 Control	3.16	8.0392E-04
				41466_s_at	Day 3 Peri/ Day 3 Control	6.39	8.7700E-07
38	7707	Entrez Gene	zinc finger protein 148 (pHZ-52)	41466_s_at	Day 3 Peri/ Day 3 Extra	2.18	1.4059E-03
				41466_s_at	Day 3 Peri/ Day 3 Intra	2.17	5.7086E-04
				38291_at	Day 0 Peri/ Day 0 Control	6.35	2.7950E-03
				38291_at	Day 0 Intra/ Day 0 Control	5.30	7.3221E-03
39	5179	Entrez Gene	proenkephalin	38291_at	Day 7 Peri/ Day 7 Extra	2.36	2.9979E-03
				38639_at	Day 3 Peri/ Day 3 Control	6.33	2.9800E-06
				38639_at	Day 0 Peri/ Day 0 Control	4.92	6.6503E-03
				38639_at	Day 3 Peri/ Day 3 Extra	2.31	2.3091E-03
40	10608	Entrez Gene	MAX dimerization protein 4	38639_at	Day 3 Peri/ Day 3 Intra	2.09	1.9884E-03
				41764_at	Day 0 Peri/ Day 0 Intra	6.22	7.4624E-03
				41764_at	Day 7 Intra/ Day 0 Intra	5.33	1.6409E-04
				36918_at	Day 3 Peri/ Day 3 Control	6.22	1.1318E-04
41	341	Entrez Gene	apolipoprotein C-I	36918_at	Day 0 Peri/ Day 0 Control	5.97	4.5357E-04
				36918_at	Day 3 Peri/ Day 3 Extra	5.29	5.6600E-05
				36918_at	Day 7 Peri/ Day 7 Control	3.89	9.0213E-03
				36918_at	Day 7 Intra/ Day 7 Control	2.70	7.1193E-03
42	2982	Entrez Gene	guanylate cyclase 1, soluble, alpha 3	36487_at	Day 3 Peri/ Day 3 Extra	6.21	1.1821E-03
				36487_at	Day 7 Peri/ Day 7 Control	4.61	1.0513E-03
				36487_at	Day 7 Intra/ Day 7 Control	3.36	8.6975E-03
				36487_at	Day 7 Intra/ Day 7 Control	3.36	8.6975E-03
43	6474	Entrez Gene	short stature homeobox 2	36487_at	Day 7 Intra/ Day 7 Control	3.36	8.6975E-03
				36487_at	Day 7 Intra/ Day 7 Control	3.36	8.6975E-03
				36487_at	Day 7 Intra/ Day 7 Control	3.36	8.6975E-03
				36487_at	Day 7 Intra/ Day 7 Control	3.36	8.6975E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
44	1846	Entrez Gene	dual specificity phosphatase 4	1788_s_at	Day 0 Peri / Day 0 Control	6.11	5.4048E-03
				1788_s_at	Day 3 Peri / Day 3 Control	3.44	6.0191E-04
45	6738	Entrez Gene	TROVE domain family, member 2	35295_g_at	Day 3 Peri / Day 3 Control	6.08	1.3900E-06
				35293_at	Day 7 Peri / Day 7 Control	3.18	6.7538E-03
				35293_at	Day 7 Intra / Day 7 Control	3.04	6.6636E-03
46	HG3543-HT373	The Institute for Genomic Research	---	35295_g_at	Day 3 Peri / Day 3 Intra	2.60	1.4042E-04
				1664_at	Day 3 Peri / Day 3 Extra	6.08	1.9463E-03
				1664_at	Day 0 Peri / Day 0 Control	5.64	7.6000E-05
47	10622	Entrez Gene	polymerase (RNA) III (DNA directed) polypeptide G (32kD)	31571_at	Day 0 Intra / Day 0 Control	6.00	3.4456E-03
				31571_at	Day 0 Peri / Day 0 Control	4.45	8.7958E-03
				39286_at	Day 3 Peri / Day 3 Control	5.91	5.0200E-05
48	10766	Entrez Gene	transducer of ERBB2, 2	39286_at	Day 3 Peri / Day 3 Intra	3.05	4.4263E-04
				39286_at	Day 0 Peri / Day 0 Control	2.67	8.4517E-03
				39286_at	Day 3 Peri / Day 3 Extra	2.37	4.8739E-03
49	2328	Entrez Gene	flavin containing monooxygenase 3	40665_at	Day 7 Intra / Day 7 Control	5.83	8.7293E-03
				40665_at	Day 7 Peri / Day 7 Control	4.94	1.5693E-03
				40665_at	Day 3 Peri / Day 3 Extra	2.33	2.3064E-03
				40665_at	Day 3 Peri / Day 3 Control	2.12	8.4898E-03
50	273	Entrez Gene	amphiphysin (Stiff-Man syndrome with breast cancer 128kDa autoantigen)	32728_at	Day 3 Peri / Day 3 Extra	5.82	1.1400E-05
				32728_at	Day 0 Peri / Day 0 Control	5.44	6.6379E-04
51	7357	Entrez Gene	UDP-glucose ceramide glucosyltransferase	40215_at	Day 3 Peri / Day 3 Control	5.82	7.7100E-08
				40215_at	Day 0 Peri / Day 0 Control	4.19	4.3528E-03
				40215_at	Day 7 Peri / Day 7 Control	3.00	3.5319E-03
				40215_at	Day 3 Peri / Day 3 Intra	1.89	3.5696E-03
52	440118	Entrez Gene	LOC440118	AFFX-M27830_M_at	Day 3 Peri / Day 3 Control	5.70	8.5308E-03
				35603_at	Day 7 Peri / Day 7 Control	5.61	1.0162E-03
				35603_at	Day 7 Intra / Day 7 Control	4.27	5.9050E-03
53	AL050030	GenBank	---	35603_at	Day 3 Peri / Day 3 Extra	2.40	9.9334E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
54	5265	Entrez Gene	serpin peptidase inhibitor, clade A (alpha-1 antitrypsin), member 1	36781_at	Day 3 Intra/ Day 0 Intra	5.52	2.5357E-04
				36781_at	Day 7 Intra/ Day 0 Intra	5.32	5.2761E-03
				36781_at	Day 3 Peri/ Day 0 Peri	4.19	2.5899E-04
				36781_at	Day 7 Peri/ Day 0 Peri	2.60	7.4336E-04
55	27286	Entrez Gene	sushi-repeat-containing protein, X-linked 2	37805_at	Day 0 Peri/ Day 0 Control	5.44	4.8658E-03
56	221830	Entrez Gene	TWIST neighbor	37805_at	Day 3 Peri/ Day 3 Extra	2.66	7.0182E-04
				35007_at	Day 3 Peri/ Day 3 Control	2.35	6.5413E-03
57	1385	Entrez Gene	cAMP responsive element binding protein 1	37535_at	Day 3 Peri/ Day 3 Control	5.37	2.5300E-06
				37535_at	Day 0 Peri/ Day 0 Control	3.94	1.2584E-03
				37535_at	Day 7 Peri/ Day 7 Control	3.12	5.0364E-03
				37535_at	Day 3 Peri/ Day 3 Intra	2.19	8.5571E-04
58	2072	Entrez Gene	excision repair cross-complementing rodent repair deficiency, complementation group 4	1258_s_at	Day 0 Peri/ Day 0 Control	5.37	1.1722E-03
59	4820	Entrez Gene	natural killer-tumor recognition sequence	34234_f_at	Day 3 Peri/ Day 3 Control	5.34	1.0900E-06
				34234_f_at	Day 0 Peri/ Day 0 Control	2.36	5.2415E-03
				34234_f_at	Day 3 Peri/ Day 3 Intra	1.82	3.6107E-03
				40191_s_at	Day 3 Peri/ Day 3 Control	5.27	1.7000E-06
60	23177	Entrez Gene	KIAA0582	40191_s_at	Day 3 Peri/ Day 3 Intra	1.76	6.4747E-03
				34778_at	Day 3 Peri/ Day 3 Extra	5.21	1.2361E-03
61	131578	Entrez Gene	leucine rich repeat containing 15	40848_g_at	Day 0 Peri/ Day 0 Control	5.10	2.8426E-03
				40848_g_at	Day 3 Peri/ Day 3 Extra	2.83	2.8160E-03
				40848_g_at	Day 3 Peri/ Day 3 Control	2.74	8.8301E-03
				40848_g_at	Day 0 Peri/ Day 0 Intra	2.43	6.1052E-03
62	9645	Entrez Gene	microtubule associated monooxygenase, calponin and LIM domain containing 2	32263_at	Day 3 Intra/ Day 0 Intra	5.08	2.6474E-04
				32263_at	Day 7 Intra/ Day 0 Intra	2.91	7.1162E-03
				32263_at	Day 3 Peri/ Day 0 Peri	2.52	2.6800E-05
				32263_at	Day 7 Peri/ Day 0 Peri	2.19	4.3768E-04
63	9133	Entrez Gene	cyclin B2	32263_at	Day 3 Peri/ Day 0 Peri	2.52	2.6800E-05
				32263_at	Day 7 Peri/ Day 0 Peri	2.19	4.3768E-04
				32263_at	Day 3 Peri/ Day 0 Peri	2.52	2.6800E-05
				32263_at	Day 7 Peri/ Day 0 Peri	2.19	4.3768E-04

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
64	AL109722	GenBank	---	38511_at	Day 7 Peri / Day 7 Control	5.04	9.9650E-04
				38511_at	Day 7 Peri / Day 0 Peri	1.79	2.4466E-03
65	9768	Entrez Gene	KIAA0101	38116_at	Day 3 Intra / Day 0 Intra	4.99	2.6582E-04
				38116_at	Day 3 Peri / Day 0 Peri	3.60	4.9500E-05
				38116_at	Day 7 Intra / Day 0 Intra	2.71	2.6791E-03
66	HG3510-HT370	The Institute for Genomic Research	---	38116_at	Day 7 Peri / Day 0 Peri	2.29	6.4300E-05
				1147_at	Day 0 Peri / Day 0 Control	4.94	2.1125E-03
67	11006	Entrez Gene	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 4	36753_at	Day 7 Intra / Day 0 Intra	4.94	6.6276E-04
				36753_at	Day 3 Intra / Day 0 Intra	3.50	3.2894E-03
				36753_at	Day 3 Peri / Day 0 Peri	3.38	7.2200E-06
				36753_at	Day 7 Peri / Day 0 Peri	2.74	6.7800E-05
				36753_at	Day 7 Intra / Day 7 Peri	1.75	5.7745E-03
68	8529	Entrez Gene	cytochrome P450, family 4, subfamily F, polypeptide 2	1350_at	Day 7 Peri / Day 7 Control	4.89	2.1270E-03
				1350_at	Day 7 Intra / Day 7 Control	4.28	8.5546E-03
				1350_at	Day 7 Intra / Day 0 Intra	2.22	5.3725E-03
69	6238	Entrez Gene	Ribosome binding protein 1 homolog 180kDa (dog)	33212_at	Day 0 Peri / Day 0 Control	4.81	5.0769E-04
				33212_at	Day 3 Peri / Day 3 Control	3.45	1.7790E-04
				33212_at	Day 3 Peri / Day 3 Extra	2.66	1.5457E-04
70	636	Entrez Gene	bicaudal D homolog 1 (Drosophila)	32127_at	Day 3 Peri / Day 3 Control	4.72	6.3906E-04
				32127_at	Day 7 Peri / Day 7 Control	4.35	4.2931E-03
71	713	Entrez Gene	complement component 1, q subcomponent, beta polypeptide	38796_at	Day 7 Intra / Day 0 Intra	4.64	2.6535E-03
72	5125	Entrez Gene	Proprotein convertase subtilisin/kexin type 5	41032_at	Day 3 Peri / Day 3 Control	4.49	8.4459E-04
				41032_at	Day 7 Peri / Day 0 Peri	1.91	6.2590E-03
				350_at	Day 3 Peri / Day 3 Control	4.47	2.7300E-07
				350_at	Day 0 Peri / Day 0 Control	4.05	7.9300E-06
73	7716	Entrez Gene	zinc finger protein 161	32628_at	Day 7 Peri / Day 7 Control	3.11	1.7934E-04
				350_at	Day 3 Peri / Day 3 Extra	2.15	1.2866E-04
				350_at	Day 3 Peri / Day 3 Intra	1.77	1.5388E-03
74	8082	Entrez Gene	sarcospan (Kras oncogene-associated gene)	33303_at	Day 3 Peri / Day 3 Extra	4.46	1.1134E-04

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
75	9353	Entrez Gene	silt homolog 2 (Drosophila)	39634_at	Day 3 Peri/ Day 3 Control	4.44	8.1900E-07
				39634_at	Day 3 Peri/ Day 3 Extra	1.89	2.2254E-03
				39634_at	Day 3 Peri/ Day 3 Intra	1.84	2.7788E-03
76	445815	Entrez Gene	PALM2-AKAP2 protein	35985_at	Day 3 Peri/ Day 3 Control	4.43	2.0384E-04
				35985_at	Day 0 Peri/ Day 0 Control	3.62	5.3299E-04
				35985_at	Day 7 Peri/ Day 7 Control	3.55	5.3366E-03
77	1363	Entrez Gene	carboxypeptidase E	36606_at	Day 3 Peri/ Day 3 Extra	4.41	4.4496E-03
				36606_at	Day 7 Peri/ Day 7 Extra	2.39	1.4354E-03
				38190_r_at	Day 3 Peri/ Day 3 Extra	4.38	9.8166E-03
79	2214	Entrez Gene	Fc fragment of IgG, low affinity IIIa, receptor (CD16a)	37200_at	Day 7 Intra/ Day 0 Intra	4.38	6.4885E-04
				37200_at	Day 3 Peri/ Day 0 Peri	3.64	8.6200E-06
				37200_at	Day 3 Intra/ Day 0 Intra	3.56	2.6167E-03
80	388574	Entrez Gene	similar to 60S ribosomal protein L23a	37200_at	Day 7 Peri/ Day 0 Peri	2.95	1.1548E-04
				37859_r_at	Day 7 Peri/ Day 7 Control	4.38	2.6365E-03
				718_at	Day 3 Peri/ Day 3 Extra	4.35	9.8608E-04
81	5654	Entrez Gene	HtrA serine peptidase 1	718_at	Day 0 Peri/ Day 0 Control	3.11	9.9553E-03
				38211_at	Day 3 Peri/ Day 3 Control	4.32	1.1509E-04
				38211_at	Day 3 Peri/ Day 3 Extra	2.05	2.1454E-03
82	26137	Entrez Gene	zinc finger and BTB domain containing 20	38211_at	Day 7 Peri/ Day 7 Control	1.91	4.9230E-03
				1945_at	Day 3 Intra/ Day 0 Intra	4.27	1.2700E-06
				34736_at	Day 7 Intra/ Day 0 Intra	2.89	4.1984E-03
83	891	Entrez Gene	cyclin B1	1945_at	Day 3 Peri/ Day 0 Peri	2.74	3.6000E-05
				32872_at	Day 3 Peri/ Day 3 Control	4.23	1.0586E-04
				32872_at	Day 7 Peri/ Day 7 Control	3.42	5.6765E-03
84	6925	Entrez Gene	Transcription factor 4	32872_at	Day 0 Peri/ Day 0 Control	3.39	2.7949E-03
				32872_at	Day 3 Peri/ Day 3 Intra	2.30	1.6281E-03
				36605_at	Day 7 Intra/ Day 3 Intra	1.69	1.0927E-03
85	4680	Entrez Gene	carcinoembryonic antigen-related cell adhesion molecule 6 (non-specific cross reacting antigen)	36105_at	Day 3 Intra/ Day 0 Intra	4.22	4.3373E-03
				36105_at	Day 7 Intra/ Day 0 Intra	4.07	6.8300E-03
				36105_at	Day 7 Peri/ Day 0 Peri	3.08	2.4678E-03
				36105_at	Day 3 Peri/ Day 0 Peri	2.60	6.3112E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
86	2186	Entrez Gene	fetal Alzheimer antigen	41091_at	Day 3 Peri / Day 3 Control	4.22	3.5400E-08
87	4675	Entrez Gene	nucleosome assembly protein 1-like 3	41091_at	Day 3 Peri / Day 3 Intra	1.98	1.0968E-03
88	2215	Entrez Gene	Fc fragment of IgG, low affinity IIb, receptor (CD16b)	743_at	Day 3 Peri / Day 3 Extra	4.21	4.4545E-03
89	57556	Entrez Gene	sema domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 6A	31499_s_at	Day 7 Intra/ Day 0 Intra	4.18	1.2925E-03
90	1973	Entrez Gene	Eukaryotic translation initiation factor 4A, isoform 1	31499_s_at	Day 3 Peri/ Day 0 Peri	2.71	1.6453E-03
91	5831	Entrez Gene	pyrroline-5-carboxylate reductase 1	36275_at	Day 3 Peri / Day 3 Intra	2.16	3.4987E-03
92	10299	Entrez Gene	membrane-associated ring finger (C3HC4) 6	36234_at	Day 3 Peri / Day 3 Control	4.06	1.8068E-03
93	57134	Entrez Gene	mannosidase, alpha, class 1C, member 1	1199_at	Day 0 Peri / Day 0 Control	3.02	2.6105E-03
94	25903	Entrez Gene	olfactomedin-like 2B	37741_at	Day 3 Peri / Day 3 Extra	3.93	2.5252E-03
95	9997	Entrez Gene	SCO cytochrome oxidase deficient homolog 2 (yeast)	32802_at	Day 3 Peri / Day 3 Control	3.88	4.4900E-06
96	3872	Entrez Gene	keratin 17	32802_at	Day 7 Peri / Day 7 Control	2.17	1.6624E-03
97	11015	Entrez Gene	KDEL (Lys-Asp-Glu-Leu) endoplasmic reticulum protein retention receptor 3	40716_at	Day 7 Peri / Day 7 Extra	3.85	2.9199E-03
				40716_at	Day 3 Intra / Day 3 Extra	3.28	5.2078E-03
				40716_at	Day 3 Peri / Day 3 Extra	2.88	9.3206E-03
				36007_at	Day 0 Peri / Day 0 Control	3.84	7.7902E-03
				36007_at	Day 3 Peri / Day 3 Extra	3.44	1.5200E-06
				36007_at	Day 3 Peri / Day 3 Control	3.07	3.2500E-05
				40639_at	Day 3 Intra/ Day 0 Intra	3.84	6.6460E-03
				34301_r_at	Day 3 Intra/ Day 0 Intra	3.82	1.1187E-04
				34301_r_at	Day 7 Intra/ Day 0 Intra	2.61	1.0275E-03
				34301_r_at	Day 0 Peri / Day 0 Intra	2.60	2.5750E-03
				33402_at	Day 3 Peri / Day 3 Extra	3.79	8.2891E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
98	8609	Entrez Gene	Kruppel-like factor 7 (ubiquitous)	34216_at	Day 3 Peri / Day 3 Control	3.77	2.2900E-06
				34216_at	Day 0 Peri / Day 0 Control	2.43	2.6538E-03
				34216_at	Day 7 Peri / Day 7 Control	2.10	3.0855E-03
				34217_at	Day 7 Intra / Day 7 Control	1.61	6.2852E-03
				34216_at	Day 3 Peri / Day 3 Intra	1.48	9.0408E-03
99	27309	Entrez Gene	zinc finger protein 330	37522_r_at	Day 7 Intra / Day 7 Control	3.77	9.8639E-03
100	9407	Entrez Gene	transmembrane protease, serine 11D	31345_at	Day 7 Intra / Day 0 Intra	3.77	9.2377E-03
101	26118	Entrez Gene	WD repeat and SOCS box-containing 1	40928_at	Day 7 Peri / Day 7 Control	3.76	2.7335E-03
				40928_at	Day 3 Peri / Day 3 Control	3.00	9.3000E-06
				40928_at	Day 3 Peri / Day 3 Intra	1.75	1.9441E-03
				40928_at	Day 3 Peri / Day 3 Extra	1.73	3.7664E-03
				39069_at	Day 3 Peri / Day 3 Extra	3.73	8.3700E-05
102	165	Entrez Gene	AE binding protein 1	39069_at	Day 0 Peri / Day 0 Control	3.57	3.0863E-03
103	2730	Entrez Gene	glutamate-cysteine ligase, modifier subunit	39069_at	Day 3 Peri / Day 3 Control	2.76	4.0183E-03
104	56255	Entrez Gene	thioredoxin domain containing 13	33163_r_at	Day 0 Intra / Day 0 Control	3.73	2.7000E-05
105	4782	Entrez Gene	nuclear factor I/C (CCAAT-binding transcription factor)	40478_at	Day 0 Peri / Day 0 Control	3.73	3.7058E-03
				33329_at	Day 3 Peri / Day 3 Control	3.72	1.2335E-03
				33329_at	Day 7 Peri / Day 7 Extra	3.44	5.0257E-04
				33329_at	Day 7 Intra / Day 7 Extra	2.96	1.0185E-03
				33329_at	Day 3 Peri / Day 3 Extra	2.38	9.9870E-03
106	597	Entrez Gene	BCL2-related protein A1	2002_s_at	Day 3 Intra / Day 0 Intra	3.70	9.6898E-04
				2002_s_at	Day 3 Peri / Day 0 Peri	3.57	9.8581E-04
				2002_s_at	Day 7 Peri / Day 0 Peri	3.15	3.2236E-03
				1505_at	Day 3 Intra / Day 0 Intra	3.67	4.2900E-07
				1505_at	Day 7 Intra / Day 0 Intra	2.70	4.8300E-05
107	7298	Entrez Gene	thymidylate synthetase	37899_at	Day 7 Peri / Day 0 Peri	2.56	1.6984E-04
108	2882	Entrez Gene	glutathione peroxidase 7	37899_at	Day 3 Peri / Day 0 Peri	2.47	5.5367E-04
				36009_at	Day 3 Peri / Day 3 Extra	3.67	9.7825E-04
109	54741	Entrez Gene	leptin receptor overlapping transcript	33829_at	Day 3 Peri / Day 3 Control	3.64	2.2800E-06
				33829_at	Day 0 Peri / Day 0 Control	2.97	2.7534E-03
				33829_at	Day 3 Peri / Day 3 Extra	1.79	3.9589E-03
110	54434	Entrez Gene	slingshot homolog 1 (Drosophila)	34082_at	Day 3 Peri / Day 3 Control	3.62	2.1241E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
111	5167	Entrez Gene	ectonucleotide pyrophosphatase/phosphodiesterase 1	342_at	Day 3 Peri / Day 3 Control	3.57	3.6717E-03
112	3055	Entrez Gene	hemopoietic cell kinase	40742_at 40742_at 40742_at 2045_s_at	Day 3 Peri / Day 0 Peri Day 3 Intra / Day 0 Intra Day 7 Peri / Day 0 Peri Day 7 Intra / Day 0 Intra	3.57 2.99 2.85 2.01	2.2240E-04 6.5264E-03 2.8000E-05 8.8252E-03
113	55884	Entrez Gene	WD repeat and SOCS box-containing 2	40166_at	Day 3 Peri / Day 3 Control	3.56	1.4703E-04
114	23543	Entrez Gene	RNA binding motif protein 9	40166_at 40260_g_at 40260_g_at 40260_g_at 40260_g_at	Day 3 Peri / Day 3 Intra Day 0 Peri / Day 0 Control Day 3 Peri / Day 3 Control Day 7 Peri / Day 7 Control Day 3 Peri / Day 3 Extra	1.89 3.56 3.01 2.66 2.01	4.7221E-03 3.8600E-05 1.5011E-04 4.0628E-03 2.5795E-03
115	4067	Entrez Gene	v-src-1 Yamaguchi sarcoma viral related oncogene homolog	1402_at	Day 3 Peri / Day 3 Control	3.53	8.4861E-04
116	22981	Entrez Gene	KIAA0980 protein	32616_at 32616_at 32616_at 1402_at 34276_at 34276_at	Day 0 Peri / Day 0 Control Day 3 Peri / Day 0 Peri Day 7 Peri / Day 7 Control Day 7 Peri / Day 0 Peri Day 7 Peri / Day 7 Control Day 7 Peri / Day 7 Intra	2.33 2.06 2.04 1.52 3.52 1.96	1.7375E-03 1.4400E-03 9.9278E-03 4.6204E-03 1.5966E-04 8.3976E-04
117	2207	Entrez Gene	Fc fragment of IgE, high affinity I, receptor for; gamma polypeptide	36889_at	Day 3 Intra / Day 0 Intra	3.52	5.1985E-03
118	9527	Entrez Gene	golgi SNAP receptor complex member 1	36889_at 36889_at 40725_at 40725_at 40725_at	Day 3 Peri / Day 0 Peri Day 7 Peri / Day 0 Peri Day 3 Peri / Day 3 Control Day 7 Peri / Day 7 Control Day 3 Peri / Day 3 Intra	2.26 1.36 3.47 1.65 1.54	5.1700E-05 6.9124E-03 1.4300E-07 4.3558E-03 2.9011E-03
119	2212	Entrez Gene	Fc fragment of IgG, low affinity IIa, receptor (CD32)	37689_s_at 37689_s_at	Day 3 Intra / Day 0 Intra Day 7 Intra / Day 0 Intra	3.44 3.43	1.7285E-03 4.1850E-04

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
120	AF025533	GenBank	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 2 /// leukocyte immunoglobulin-like receptor, subfamily B (wit	37148_at	Day 3 Intra/ Day 0 Intra	3.42	2.2916E-03
121	23201	Entrez Gene	KIAA0280 protein	37148_at	Day 7 Intra/ Day 0 Intra	2.37	8.4158E-03
122	3491	Entrez Gene	cysteine-rich, angiogenic inducer, 61	36612_at	Day 3 Peri/ Day 0 Peri	2.24	2.1384E-04
123	581	Entrez Gene	BCL2-associated X protein	36612_at	Day 0 Peri/ Day 0 Control	3.41	8.9927E-04
124	23705	Entrez Gene	immunoglobulin superfamily, member 4	38772_at	Day 3 Peri/ Day 3 Control	3.41	4.9840E-04
125	10409	Entrez Gene	Brain abundant, membrane attached signal protein 1	1997_s_at	Day 0 Peri/ Day 0 Control	3.37	3.2193E-03
126	AL080095	GenBank	MRNA; cDNA DKFZp564O0862 (from clone DKFZp564O0862)	2065_s_at	Day 3 Peri/ Day 3 Extra	2.04	4.9882E-04
127	55660	Entrez Gene	formin binding protein 3	2065_s_at	Day 3 Peri/ Day 3 Control	1.86	5.2479E-03
128	9043	Entrez Gene	sperm associated antigen 9	37929_at	Day 0 Peri/ Day 0 Control	3.34	2.2877E-03
129	7070	Entrez Gene	Thy-1 cell surface antigen	35829_at	Day 7 Peri/ Day 7 Extra	3.13	4.7418E-03
130	10395	Entrez Gene	deleted in liver cancer 1	37929_at	Day 3 Peri/ Day 3 Control	3.10	9.1288E-04
131	112611	Entrez Gene	RWD domain containing 2	37929_at	Day 3 Peri/ Day 3 Extra	2.11	8.6665E-03
				37929_at	Day 3 Peri/ Day 3 Intra	1.94	5.0517E-03
				32606_at	Day 3 Peri/ Day 3 Control	3.33	7.8585E-03
				32607_at	Day 3 Peri/ Day 3 Extra	1.72	8.3716E-04
				34940_at	Day 0 Peri/ Day 0 Control	3.32	6.8410E-03
				37506_at	Day 3 Peri/ Day 3 Control	3.32	2.2424E-04
				37506_at	Day 3 Peri/ Day 3 Intra	1.81	6.3129E-03
				39419_at	Day 0 Peri/ Day 0 Control	3.30	7.1153E-03
				39419_at	Day 3 Peri/ Day 3 Control	3.04	4.4651E-04
				39395_at	Day 0 Peri/ Day 0 Control	3.29	8.3439E-03
				39395_at	Day 3 Peri/ Day 3 Extra	2.88	4.6500E-05
				39395_at	Day 3 Peri/ Day 3 Control	2.36	2.8508E-03
				39395_at	Day 7 Peri/ Day 7 Extra	1.55	6.6681E-03
				37951_at	Day 3 Peri/ Day 3 Control	3.28	2.6486E-04
				37951_at	Day 0 Peri/ Day 0 Control	2.68	3.0185E-03
				37951_at	Day 3 Peri/ Day 3 Intra	1.83	3.8764E-03
				39595_at	Day 7 Peri/ Day 7 Control	3.28	2.2213E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
132	4599	Entrez Gene	myxovirus (influenza virus) resistance 1, interferon-inducible protein p78 (mouse)	37014_at	Day 3 Intra/ Day 0 Intra	3.26	7.7487E-03
				37014_at	Day 3 Peri/ Day 0 Peri	2.79	6.4500E-06
				37014_at	Day 7 Intra/ Day 0 Intra	2.78	4.1954E-04
				37014_at	Day 7 Peri/ Day 0 Peri	2.54	2.8020E-04
133	1734	Entrez Gene	delodinine, iodothyronine, type II	31902_at	Day 3 Peri / Day 3 Control	3.26	3.1867E-04
				31902_at	Day 3 Peri / Day 3 Extra	2.19	3.6862E-03
				38351_at	Day 0 Intra / Day 0 Control	3.24	2.7208E-03
134	57608	Entrez Gene	KIAA1462	38351_at	Day 0 Peri / Day 0 Control	3.11	3.6003E-04
				38351_at	Day 3 Peri / Day 3 Extra	2.89	2.5442E-03
				38351_at	Day 3 Peri / Day 3 Control	2.84	6.3281E-03
135	8578	Entrez Gene	scavenger receptor class F, member 1	40034_r_at	Day 7 Peri / Day 7 Control	3.24	3.1527E-04
				40034_r_at	Day 7 Intra / Day 7 Control	2.49	8.1498E-03
				40034_r_at	Day 7 Peri / Day 0 Peri	1.92	4.8512E-03
136	AL080215	GenBank	---	40034_r_at	Day 7 Peri / Day 3 Peri	1.56	1.5663E-03
				32454_at	Day 3 Peri / Day 3 Control	3.23	5.8514E-03
137	8837	Entrez Gene	CASP8 and FADD-like apoptosis regulator	32746_at	Day 0 Peri / Day 0 Control	3.22	4.3094E-03
				32746_at	Day 3 Peri / Day 3 Control	2.66	1.1100E-05
138	9315	Entrez Gene	chromosome 5 open reading frame 13	39710_at	Day 3 Peri / Day 3 Extra	3.21	6.1670E-03
139	2009	Entrez Gene	echinoderm microtubule associated protein like 1	41671_at	Day 3 Peri / Day 3 Extra	3.21	1.3498E-03
140	699	Entrez Gene	BUB1 budding uninhibited by benzimidazoles 1 homolog (yeast)	41081_at	Day 3 Intra/ Day 0 Intra	3.18	3.5900E-05
				41081_at	Day 7 Peri/ Day 0 Peri	2.75	1.5964E-03
				41081_at	Day 7 Intra/ Day 0 Intra	2.66	5.8517E-03
				41081_at	Day 3 Peri/ Day 0 Peri	2.54	6.7046E-03
141	6495	Entrez Gene	sine oculis homeobox homolog 1 (Drosophila)	40004_at	Day 7 Peri / Day 7 Control	3.18	5.9564E-03
				40004_at	Day 7 Intra / Day 7 Control	2.74	1.8280E-03
				40004_at	Day 0 Peri / Day 0 Control	2.66	2.2472E-04
				40004_at	Day 3 Peri / Day 3 Control	2.21	7.2818E-04
142	8613	Entrez Gene	phosphatidic acid phosphatase type 2B	40004_at	Day 3 Peri / Day 3 Extra	1.92	1.6968E-03
				33862_at	Day 3 Peri / Day 3 Control	3.16	6.1541E-04

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
143	10899	Entrez Gene	Jumping translocation breakpoint	41832_s_at	Day 7 Intra / Day 7 Extra	3.15	8.9905E-03
144	AL049242	GenBank	Full length insert cDNA clone YR67C11	41832_s_at	Day 3 Peri / Day 3 Control	2.11	9.5052E-03
145	10970	Entrez Gene	cytoskeleton-associated protein 4	34175_r_at	Day 7 Peri / Day 7 Extra	3.14	9.0407E-03
146	54440	Entrez Gene	chromosome X open reading frame 9	32529_at	Day 0 Peri / Day 0 Control	3.12	1.5365E-03
147	60489	Entrez Gene	apolipoprotein B mRNA editing enzyme, catalytic polypeptide-like 3G	32529_at	Day 3 Peri / Day 3 Control	3.07	4.1300E-05
148	6813	Entrez Gene	syntaxin binding protein 2	40296_at	Day 7 Intra/ Day 0 Intra	3.11	8.1793E-03
149	10536	Entrez Gene	leprecan-like 2	40296_at	Day 3 Peri/ Day 0 Peri	2.67	2.7367E-04
150	9473	Entrez Gene	chromosome 1 open reading frame 38	40296_at	Day 7 Peri/ Day 0 Peri	2.31	3.2622E-04
151	7378	Entrez Gene	uridine phosphorylase 1	41472_at	Day 7 Peri/ Day 0 Peri	3.10	2.9700E-05
152	890	Entrez Gene	cyclin A2	41472_at	Day 3 Peri/ Day 0 Peri	1.96	5.4156E-03
				41472_at	Day 7 Peri/ Day 3 Peri	1.58	8.9999E-03
				38259_at	Day 3 Intra/ Day 0 Intra	3.09	1.0445E-03
				38259_at	Day 0 Peri / Day 0 Intra	2.28	5.6866E-03
				39873_at	Day 3 Peri / Day 3 Extra	3.09	1.1783E-04
				39873_at	Day 3 Peri / Day 3 Control	2.37	3.9576E-03
				41409_at	Day 7 Intra/ Day 0 Intra	3.07	1.8232E-04
				41409_at	Day 3 Intra/ Day 0 Intra	2.80	5.0493E-04
				41409_at	Day 3 Peri/ Day 0 Peri	1.99	8.5934E-04
				41409_at	Day 7 Peri/ Day 0 Peri	1.62	1.4759E-03
				37351_at	Day 3 Intra/ Day 0 Intra	3.07	1.6607E-04
				37351_at	Day 3 Peri/ Day 0 Peri	2.24	1.8666E-03
				37351_at	Day 7 Peri/ Day 0 Peri	2.05	2.3410E-03
				40697_at	Day 3 Intra/ Day 0 Intra	3.06	3.1000E-05
				40697_at	Day 7 Intra/ Day 0 Intra	2.51	3.1100E-05
				1943_at	Day 3 Peri/ Day 0 Peri	1.74	9.4700E-05
				1943_at	Day 7 Peri/ Day 0 Peri	1.59	1.3691E-03
				40697_at	Day 0 Peri / Day 0 Intra	1.38	9.5486E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
153	6772	Entrez Gene	signal transducer and activator of transcription 1, 91kDa	AFFX-HUMISGF3A/M979	Day 7 Intra/ Day 0 Intra	3.05	1.0200E-03
				33339_g_at	Day 3 Intra/ Day 0 Intra	2.55	1.9749E-04
				AFFX-HUMISGF3A/M979	Day 3 Peri/ Day 0 Peri	2.32	2.3402E-04
				35_MA_at			
154	8942	Entrez Gene	kynureninase (L-kynurenine hydrolase)	AFFX-HUMISGF3A/M979	Day 7 Peri/ Day 0 Peri	2.24	2.9433E-04
				35_MA_at			
				40671_g_at	Day 3 Intra/ Day 0 Intra	3.04	7.2609E-03
				40671_g_at	Day 7 Peri/ Day 0 Peri	1.98	3.8943E-03
155	440352	Entrez Gene	Similar to BTG3 associated nuclear protein isoform b	40671_g_at	Day 3 Peri/ Day 0 Peri	1.79	9.2441E-03
				40672_at	Day 7 Intra/ Day 0 Intra	1.60	4.2814E-03
				40952_at	Day 7 Intra / Day 7 Extra	3.02	2.8849E-03
156	5479	Entrez Gene	peptidylprolyl isomerase B (cyclophilin B)	35823_at	Day 0 Peri/ Day 0 Control	3.01	9.3295E-04
				35823_at	Day 3 Peri/ Day 3 Control	1.94	2.3805E-03
				40920_at	Day 3 Peri/ Day 3 Control	3.00	6.8500E-05
				40920_at	Day 7 Peri/ Day 7 Control	2.94	4.6936E-04
157	8555	Entrez Gene	CDC14 cell division cycle 14 homolog B (S. cerevisiae)	40920_at	Day 0 Peri/ Day 0 Control	2.07	5.6605E-04
				40920_at	Day 3 Peri/ Day 3 Extra	1.76	4.6409E-03
				40690_at	Day 3 Intra/ Day 0 Intra	3.00	3.3300E-06
				40690_at	Day 3 Peri/ Day 0 Peri	2.26	1.1039E-03
158	1164	Entrez Gene	CDC28 protein kinase regulatory subunit 2	40690_at	Day 7 Peri/ Day 0 Peri	1.86	9.3970E-03
				39181_at	Day 7 Intra / Day 7 Extra	2.99	1.2927E-03
				39181_at	Day 7 Peri / Day 7 Extra	2.03	5.9146E-03
				37026_at	Day 3 Peri / Day 3 Control	2.97	4.6500E-06
159	U00928	GenBank	---	531_at	Day 3 Peri / Day 3 Control	2.96	2.3738E-04
				531_at	Day 3 Peri / Day 3 Extra	2.96	2.4017E-04
				531_at	Day 0 Peri / Day 0 Control	2.71	2.4964E-03
				531_at	Day 3 Peri / Day 0 Peri	1.79	3.2283E-04
160	1316	Entrez Gene	Kruppel-like factor 6	531_at	Day 7 Peri / Day 0 Peri	1.71	3.9775E-03
161	11010	Entrez Gene	GLI pathogenesis-related 1 (glioma)	531_at	Day 3 Peri / Day 3 Extra	2.96	2.4017E-04
				531_at	Day 0 Peri / Day 0 Control	2.71	2.4964E-03
				531_at	Day 3 Peri / Day 0 Peri	1.79	3.2283E-04
				531_at	Day 7 Peri / Day 0 Peri	1.71	3.9775E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
162	5954	Entrez Gene	reticulocalbin 1, EF-hand calcium binding domain	40556_at	Day 3 Peri / Day 3 Extra	2.95	5.4492E-03
163	AL022718	GenBank	CDNA clone IMAGE:4811759	39273_at	Day 7 Peri / Day 7 Control	2.95	1.8046E-03
164	929	Entrez Gene	CD14 antigen	36661_s_at	Day 7 Intra/ Day 0 Intra	2.94	5.4018E-03
				36661_s_at	Day 3 Intra/ Day 0 Intra	2.88	6.9631E-03
				36661_s_at	Day 3 Peri/ Day 0 Peri	2.05	3.9492E-03
165	3398	Entrez Gene	inhibitor of DNA binding 2, dominant negative helix-loop-helix protein	41216_r_at	Day 7 Peri / Day 7 Extra	2.94	3.2384E-03
166	129080	Entrez Gene	EMI domain containing 1	40302_at	Day 0 Peri / Day 0 Control	2.93	3.6649E-03
				40302_at	Day 7 Peri / Day 7 Extra	2.13	2.6927E-03
167	83604	Entrez Gene	transmembrane protein 47	40302_at	Day 3 Peri / Day 3 Extra	2.05	7.2778E-03
168	90993	Entrez Gene	cAMP responsive element binding protein 3-like 1	37958_at	Day 3 Peri / Day 3 Extra	2.93	1.6752E-03
				41867_at	Day 3 Peri / Day 3 Extra	2.93	3.0652E-03
169	1803	Entrez Gene	dipeptidylpeptidase 4 (CD26, adenosine deaminase complexing protein 2)	34823_at	Day 3 Peri / Day 3 Extra	2.92	2.3281E-04
170	2034	Entrez Gene	endothelial PAS domain protein 1	34823_at	Day 3 Peri / Day 3 Control	2.25	7.5597E-03
171	5075	Entrez Gene	paired box gene 1	38092_at	Day 0 Intra / Day 0 Control	2.92	4.5798E-03
				38092_at	Day 0 Peri / Day 0 Control	2.84	2.5268E-03
				36726_at	Day 3 Peri / Day 3 Control	2.91	4.9759E-03
172	6304	Entrez Gene	special AT-rich sequence binding protein 1 (binds to nuclear matrix/scaffold-associating DNA's)	36899_at	Day 3 Peri / Day 3 Control	2.88	3.1700E-06
173	10615	Entrez Gene	sperm associated antigen 5	36899_at	Day 0 Peri / Day 0 Control	2.01	5.0880E-03
				36899_at	Day 7 Peri / Day 7 Control	2.00	8.8969E-04
				36899_at	Day 3 Peri / Day 3 Intra	1.69	4.2729E-04
				32120_at	Day 3 Intra/ Day 0 Intra	2.88	2.5465E-03
174	10159	Entrez Gene	ATPase, H+ transporting, lysosomal accessory protein 2	41777_at	Day 3 Peri / Day 3 Control	2.88	3.9829E-03
				41777_at	Day 3 Peri / Day 3 Intra	1.60	9.1656E-03
175	116039	Entrez Gene	odd-skipped related 2 (Drosophila)	32143_at	Day 7 Peri / Day 7 Extra	2.87	1.2401E-03
176	6320	Entrez Gene	C-type lectin domain family 11, member A	37147_at	Day 3 Peri / Day 3 Extra	2.86	2.4585E-04

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
177	3671	Entrez Gene	immunoglobulin superfamily containing leucine-rich repeat	38636_at	Day 3 Peri / Day 3 Extra	2.85	1.6969E-03
178	4332	Entrez Gene	myeloid cell nuclear differentiation antigen	35012_at	Day 7 Peri / Day 0 Peri	2.84	3.2000E-06
179	983	Entrez Gene	cell division cycle 2, G1 to S and G2 to M	35012_at	Day 3 Peri / Day 0 Peri	2.55	3.8200E-06
180	4237	Entrez Gene	microfibrillar-associated protein 2	33324_s_at	Day 3 Intra / Day 0 Intra	2.84	3.0030E-03
181	7978	Entrez Gene	mitochondrial transcription termination factor	40915_r_at	Day 7 Peri / Day 0 Peri	1.90	4.1789E-03
182	2801	Entrez Gene	golgi autoantigen, golgin subfamily a, 2	1803_at	Day 3 Peri / Day 0 Peri	1.71	1.1557E-03
183	AL049974	GenBank	—	38442_at	Day 3 Peri / Day 3 Extra	2.83	3.1894E-03
184	1601	Entrez Gene	disabled homolog 2, mitogen-responsive phosphoprotein (Drosophila)	41070_r_at	Day 0 Peri / Day 0 Control	2.82	3.4040E-03
185	56910	Entrez Gene	START domain containing 7	35436_at	Day 0 Peri / Day 0 Control	2.82	5.4800E-05
186	50810	Entrez Gene	Hepatoma-derived growth factor, related protein 3	35436_at	Day 3 Peri / Day 3 Control	2.08	1.1402E-03
187	7805	Entrez Gene	lysosomal associated multispanning membrane protein 5	35436_at	Day 0 Peri / Day 0 Intra	1.55	3.0592E-03
188	678	Entrez Gene	zinc finger protein 36, C3H type-like 2	35436_at	Day 3 Peri / Day 3 Intra	1.55	8.2713E-03
				39470_at	Day 3 Peri / Day 3 Control	2.82	9.6932E-03
				479_at	Day 3 Peri / Day 3 Control	2.82	5.3989E-04
				479_at	Day 0 Peri / Day 0 Control	2.78	4.4295E-03
				479_at	Day 3 Peri / Day 3 Extra	2.46	3.7316E-04
				479_at	Day 3 Peri / Day 3 Intra	1.79	4.4390E-03
				479_at	Day 7 Peri / Day 7 Extra	1.72	4.5424E-03
				41296_s_at	Day 3 Peri / Day 3 Control	2.80	7.7936E-04
				41296_s_at	Day 7 Peri / Day 7 Extra	2.49	6.0154E-04
				34673_r_at	Day 7 Peri / Day 7 Control	2.79	3.3893E-03
				34673_r_at	Day 7 Intra / Day 3 Intra	1.87	1.5069E-03
				37759_at	Day 7 Intra / Day 0 Intra	2.78	1.0398E-03
				37759_at	Day 3 Intra / Day 0 Intra	2.10	5.3961E-03
				37759_at	Day 3 Peri / Day 0 Peri	1.91	9.6200E-05
				37759_at	Day 7 Peri / Day 0 Peri	1.79	8.5000E-05
				32588_s_at	Day 3 Peri / Day 3 Control	2.78	4.0978E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
189	5341	Entrez Gene	pleckstrin	37328_at	Day 7 Intra/ Day 0 Intra	2.75	5.2123E-04
				37328_at	Day 3 Peri/ Day 0 Peri	2.68	1.4600E-05
				37328_at	Day 3 Intra/ Day 0 Intra	2.61	9.4767E-03
190	8019	Entrez Gene	bromodomain containing 3	37328_at	Day 7 Peri/ Day 0 Peri	2.40	7.2600E-05
191	22915	Entrez Gene	multimerin 1	37947_at	Day 3 Peri/ Day 3 Control	2.74	3.6100E-06
192	3099	Entrez Gene	hexokinase 2	37947_at	Day 3 Peri/ Day 3 Intra	1.69	2.2144E-03
				35664_at	Day 7 Peri/ Day 7 Extra	2.73	5.6965E-03
				40964_at	Day 3 Intra/ Day 0 Intra	2.73	3.9238E-03
				40964_at	Day 3 Peri/ Day 0 Peri	1.79	6.6166E-03
193	10630	Entrez Gene	podoplanin	41870_at	Day 3 Intra/ Day 0 Intra	2.72	2.1686E-03
				41870_at	Day 7 Intra/ Day 0 Intra	2.55	6.0575E-03
				41870_at	Day 3 Peri/ Day 0 Peri	1.80	3.2085E-03
194	10238	Entrez Gene	WD repeat domain 68	41871_at	Day 7 Peri/ Day 0 Peri	1.73	3.4416E-03
				41591_at	Day 0 Peri/ Day 0 Control	2.72	9.4000E-05
195	5163	Entrez Gene	pyruvate dehydrogenase kinase, isoenzyme 1	41591_at	Day 3 Peri/ Day 3 Control	2.23	1.0136E-04
				36386_at	Day 7 Intra/ Day 0 Intra	2.72	8.0520E-03
196	8638	Entrez Gene	2'-5'-oligoadenylate synthetase-like	34491_at	Day 3 Intra/ Day 0 Intra	2.72	4.3219E-03
197	1476	Entrez Gene	cystatin B (stefin B)	34491_at	Day 3 Peri/ Day 0 Peri	1.75	2.4108E-03
				35816_at	Day 3 Intra/ Day 0 Intra	2.72	2.6259E-03
198	11104	Entrez Gene	katanin p60 (ATPase-containing) subunit A 1	35816_at	Day 7 Intra/ Day 0 Intra	1.89	3.4096E-03
199	11130	Entrez Gene	ZW10 Interactor	32707_at	Day 7 Peri/ Day 7 Control	2.71	1.3483E-03
				35995_at	Day 3 Intra/ Day 0 Intra	2.70	2.5800E-05
				35995_at	Day 3 Peri/ Day 0 Peri	1.87	1.3626E-04
200	55623	Entrez Gene	THUMP domain containing 1	40617_at	Day 3 Peri/ Day 3 Control	2.69	3.0873E-04
				40617_at	Day 7 Peri/ Day 7 Control	2.28	1.0280E-03
				40617_at	Day 7 Peri/ Day 7 Extra	1.89	6.4566E-03
				40868_at	Day 7 Peri/ Day 0 Peri	1.39	4.1877E-03
201	5970	Entrez Gene	v-rel reticuloendotheliosis viral oncogene homolog A, nuclear factor of kappa light polypeptide gene enhancer in B-cells 3, p65 (avian)	1045_s_at	Day 7 Intra/ Day 7 Extra	2.68	8.3206E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
202	8871	Entrez Gene	synaptojanin 2	36532_at	Day 7 Peri / Day 7 Control	2.67	4.5221E-03
203	5884	Entrez Gene		36532_at	Day 0 Peri / Day 0 Control	2.64	1.8229E-04
204	U19969	GenBank		36532_at	Day 3 Peri / Day 3 Control	2.16	8.3031E-04
			RAD17 homolog (S. pombe)	32118_at	Day 7 Peri / Day 7 Control	2.65	4.7766E-03
				33440_at	Day 3 Peri / Day 3 Extra	2.65	6.9165E-03
205	7153	Entrez Gene	topoisomerase (DNA) II alpha 170kDa	40145_at	Day 3 Intra/ Day 0 Intra	2.64	5.1212E-04
				40145_at	Day 3 Peri/ Day 0 Peri	2.14	2.4644E-04
				904_s_at	Day 7 Peri/ Day 0 Peri	1.82	8.4565E-04
				1592_at	Day 7 Intra/ Day 0 Intra	1.79	2.8739E-03
206	5836	Entrez Gene	phosphorylase, glycogen; liver (Hers disease, glycogen storage disease type VI)	37215_at	Day 3 Intra/ Day 0 Intra	2.61	1.0097E-03
207	10464	Entrez Gene	chromosome 13 open reading frame 24	37215_at	Day 3 Intra / Day 3 Peri	1.76	5.9794E-03
				36012_at	Day 3 Peri / Day 3 Extra	2.60	7.5537E-03
208	3838	Entrez Gene	karyopherin alpha 2 (RAG cohort 1, Importin alpha 1)	40407_at	Day 3 Intra/ Day 0 Intra	2.59	7.6802E-04
				40407_at	Day 7 Peri/ Day 0 Peri	2.19	4.1009E-03
				40407_at	Day 3 Peri/ Day 0 Peri	2.10	1.0701E-03
209	2591	Entrez Gene	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetyl-galactosaminyltransferase 3 (GalNAc-T3)	36483_at	Day 3 Intra/ Day 0 Intra	2.58	6.2318E-03
210	124152	Entrez Gene	hypothetical protein MGC35048	40239_g_at	Day 0 Peri / Day 0 Control	2.57	3.1362E-03
				40239_g_at	Day 3 Peri / Day 3 Control	2.23	7.7418E-04
				40239_g_at	Day 7 Peri / Day 7 Extra	1.96	6.4867E-03
211	9949	Entrez Gene	Alport syndrome, mental retardation, midface hypoplasia and elliptocytosis chromosomal region, gene 1	32940_at	Day 3 Peri / Day 3 Control	2.57	1.9021E-03
212	23099	Entrez Gene	zinc finger protein 297B	41695_at	Day 3 Peri / Day 3 Control	2.57	6.4882E-03
				41695_at	Day 3 Peri / Day 3 Intra	1.88	8.5577E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
213	HG172-HT3924	The Institute for Genomic Research	---	1173_g_at	Day 3 Intra/ Day 0 Intra	2.57	1.8360E-04
				1173_g_at	Day 7 Intra/ Day 0 Intra	2.12	1.5100E-05
				1173_g_at	Day 3 Peri/ Day 0 Peri	1.85	1.9600E-05
				1173_g_at	Day 7 Peri/ Day 0 Peri	1.57	2.6732E-03
214	AA933984	GenBank	CDNA FLJ26539 fis, clone KDN09310	39506_at	Day 7 Peri/ Day 7 Control	2.56	3.3653E-03
215	4059	Entrez Gene	Lutheran blood group (Auberg b antigen included)	40093_at	Day 7 Peri/ Day 7 Extra	2.55	2.6811E-03
216	126299	Entrez Gene	hypothetical protein MGC51082	40093_at	Day 7 Intra/ Day 7 Extra	1.88	7.6902E-03
				41083_at	Day 0 Peri/ Day 0 Control	2.55	2.2865E-03
				41084_at	Day 3 Peri/ Day 3 Extra	1.93	4.0727E-03
				41083_at	Day 3 Peri/ Day 3 Intra	1.61	2.8379E-03
217	58525	Entrez Gene	widely-interspaced zinc finger motifs	33718_at	Day 3 Peri/ Day 3 Extra	2.55	8.2282E-03
				33718_at	Day 7 Peri/ Day 7 Extra	2.50	8.1580E-03
218	10095	Entrez Gene	actin related protein 2/3 complex, subunit 1B, 41kDa	39043_at	Day 3 Intra/ Day 0 Intra	2.54	8.3894E-04
				39043_at	Day 7 Intra/ Day 0 Intra	2.39	7.1434E-03
				39043_at	Day 3 Peri/ Day 0 Peri	1.71	4.9924E-04
				39043_at	Day 7 Peri/ Day 0 Peri	1.62	7.1268E-03
219	6872	Entrez Gene	TAF1 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 250kDa	37491_at	Day 3 Peri/ Day 3 Control	2.54	2.7252E-04
220	6659	Entrez Gene	SRY (sex determining region Y)-box 4	37491_at	Day 0 Peri/ Day 0 Control	2.33	2.9647E-03
				33131_at	Day 3 Peri/ Day 3 Control	2.54	1.0339E-03
				33131_at	Day 0 Peri/ Day 0 Control	2.27	2.7617E-04
				33131_at	Day 3 Peri/ Day 3 Intra	2.11	5.0327E-04
				33131_at	Day 3 Peri/ Day 3 Extra	1.84	9.6715E-03
				33131_at	Day 7 Peri/ Day 7 Control	1.75	4.0387E-03
				33131_at	Day 7 Peri/ Day 7 Extra	1.68	8.4668E-03
				33131_at	Day 7 Peri/ Day 7 Intra	1.42	9.8282E-03
221	23367	Entrez Gene	La ribonucleoprotein domain family, member 1	41829_at	Day 3 Peri/ Day 3 Control	2.54	8.9800E-03
222	3073	Entrez Gene	Hexosaminidase A (alpha polypeptide)	35419_g_at	Day 3 Peri/ Day 3 Control	2.54	3.0306E-03
				35419_g_at	Day 3 Peri/ Day 3 Extra	2.22	3.1675E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
223	8405	Entrez Gene	speckle-type POZ protein	39423_f_at	Day 3 Peri/ Day 3 Control	2.53	1.2738E-03
224	6999	Entrez Gene	tryptophan 2,3-dioxygenase	39423_f_at	Day 3 Peri/ Day 3 Intra	1.82	3.3513E-03
				38606_at	Day 7 Peri/ Day 0 Peri	2.52	1.3782E-03
225	55122	Entrez Gene	Chromosome 6 open reading frame 166	34252_at	Day 7 Intra/ Day 7 Extra	2.52	1.6570E-03
				34252_at	Day 7 Peri/ Day 7 Extra	2.46	7.5298E-04
				34252_at	Day 7 Peri/ Day 7 Control	2.41	9.5634E-03
226	8530	Entrez Gene	cystatin F (leukocystatin)	34252_at	Day 3 Peri/ Day 3 Intra	1.78	1.5643E-03
227	AF009267	GenBank	---	34965_at	Day 7 Intra/ Day 0 Intra	2.52	5.5824E-03
				35059_at	Day 3 Peri/ Day 3 Control	2.51	4.6723E-03
228	90362	Entrez Gene	chromosome 8 open reading frame 72	41533_at	Day 3 Peri/ Day 3 Control	2.49	2.1590E-03
				41533_at	Day 7 Peri/ Day 7 Control	2.31	8.8706E-03
229	9781	Entrez Gene	ring finger protein 144	41533_at	Day 3 Peri/ Day 3 Extra	2.07	4.2703E-03
230	283677	Entrez Gene	hypothetical LOC283677	37695_at	Day 3 Peri/ Day 3 Extra	2.49	1.2239E-03
				38643_at	Day 3 Peri/ Day 3 Extra	2.49	2.5221E-03
231	4288	Entrez Gene	antigen identified by monoclonal antibody KI-67	418_at	Day 3 Intra/ Day 0 Intra	2.48	2.6436E-03
				418_at	Day 7 Intra/ Day 0 Intra	2.17	3.2302E-03
				418_at	Day 3 Peri/ Day 0 Peri	1.80	2.5440E-04
				419_at	Day 7 Peri/ Day 0 Peri	1.70	1.5508E-04
232	4939	Entrez Gene	2'-5'-oligoadenylate synthetase 2, 69/71kDa	39263_at	Day 3 Intra/ Day 0 Intra	2.47	3.8935E-03
				39263_at	Day 7 Intra/ Day 0 Intra	2.45	1.9867E-03
				39263_at	Day 3 Peri/ Day 0 Peri	2.21	6.1200E-07
				39263_at	Day 7 Peri/ Day 0 Peri	2.14	1.2313E-04
233	2028	Entrez Gene	glutamyl aminopeptidase (aminopeptidase A)	35220_at	Day 7 Peri/ Day 0 Peri	2.47	1.0924E-03
				35220_at	Day 3 Peri/ Day 0 Peri	1.67	6.2439E-03
234	2237	Entrez Gene	flap structure-specific endonuclease 1	41583_at	Day 3 Intra/ Day 0 Intra	2.47	4.1400E-05
				41583_at	Day 7 Intra/ Day 0 Intra	1.75	2.3531E-03
				41583_at	Day 3 Peri/ Day 0 Peri	1.56	6.9407E-03
235	22974	Entrez Gene	TPX2, microtubule-associated, homolog (Xenopus laevis)	39109_at	Day 3 Intra/ Day 0 Intra	2.46	1.2900E-05
				39109_at	Day 3 Peri/ Day 0 Peri	1.88	7.0200E-06
				39109_at	Day 7 Intra/ Day 0 Intra	1.70	4.8414E-04
				39109_at	Day 7 Peri/ Day 0 Peri	1.57	2.1023E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
236	10403	Entrez Gene	kinetochore associated 2	40041_at 40041_at	Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	2.46 2.40	6.5372E-03 2.9243E-03
237	23474	Entrez Gene	ethylmalonic encephalopathy 1	36170_at 36170_at 36170_at	Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra Day 3 Peri/ Day 0 Peri	2.46 1.84 1.39	4.7700E-05 1.2347E-03 9.8176E-03
238	AF070571	GenBank	Clone 24739 mRNA sequence	41575_at 41575_at	Day 3 Peri/ Day 3 Control Day 7 Intra/ Day 3 Intra	2.46 1.81	5.6557E-03 9.5342E-03
239	3730	Entrez Gene	Kallmann syndrome 1 sequence	33158_at	Day 7 Peri/ Day 7 Extra	2.45	3.7016E-03
240	10308	Entrez Gene	zinc finger protein 267	34544_at	Day 3 Peri/ Day 3 Extra	2.44	3.4940E-03
241	9079	Entrez Gene	LIM domain binding 2	36065_at	Day 3 Peri/ Day 3 Extra	2.44	4.5788E-03
242	9445	Entrez Gene	Integral membrane protein 2B	41301_at	Day 7 Intra/ Day 7 Extra	2.44	2.3683E-03
243	4860	Entrez Gene	nucleoside phosphorylase	430_at 430_at	Day 3 Intra/ Day 0 Intra Day 3 Peri/ Day 0 Peri	2.44 1.54	3.4487E-04 4.2590E-03
244	4085	Entrez Gene	MAD2 mitotic arrest deficient-like 1 (yeast)	37282_at	Day 3 Peri/ Day 0 Peri	2.44	4.7300E-05
245	9134	Entrez Gene	cyclin E2	37282_at 35249_at 35249_at	Day 7 Peri/ Day 0 Peri Day 3 Intra/ Day 0 Intra Day 3 Peri/ Day 0 Peri	2.24 2.43 2.10	5.1394E-03 1.9900E-05 3.4441E-03
246	2115	Entrez Gene	ets variant gene 1	37156_at 37156_at	Day 3 Peri/ Day 3 Intra Day 7 Peri/ Day 0 Peri	2.43 1.93	6.3610E-03 1.8398E-03
247	3820	Entrez Gene	killer cell lectin-like receptor subfamily B, member 1	35449_at 35449_at	Day 7 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri	2.43 2.30	2.4469E-03 2.1625E-03
248	5610	Entrez Gene	eukaryotic translation initiation factor 2-alpha kinase 2	1008_f_at	Day 7 Intra/ Day 7 Extra	2.42	8.8498E-03
249	1060	Entrez Gene	centromere protein C 1	31894_at	Day 7 Peri/ Day 7 Control	2.42	4.0591E-03
250	X02883	GenBank	T cell receptor alpha locus /// T cell receptor delta variable 2 /// T cell receptor alpha variable 20 /// T cell receptor alpha joining 17 /// T cell	432_s_at	Day 7 Intra/ Day 0 Intra	2.42	8.9499E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
251	4688	Entrez Gene	neutrophil cytosolic factor 2 (65kDa, chronic granulomatous disease, autosomal 2)	41038_at	Day 7 Intra/ Day 0 Intra	2.42	1.0949E-03
252	10152	Entrez Gene	abl interactor 2	41038_at	Day 3 Peri/ Day 0 Peri	1.99	1.8827E-04
253	904	Entrez Gene	cyclin T1	36448_at	Day 7 Peri/ Day 0 Peri	1.66	9.6970E-04
254	10483	Entrez Gene	Sec23 homolog B (S. cerevisiae)	36448_at	Day 3 Peri/ Day 3 Control	2.42	2.4721E-03
				36391_at	Day 0 Peri/ Day 0 Control	2.41	4.4537E-03
				36391_at	Day 3 Peri/ Day 3 Control	2.38	1.2398E-03
				40851_r_at	Day 7 Peri/ Day 7 Control	2.41	5.0985E-03
255	6046	Entrez Gene	bromodomain containing 2	36210_g_at	Day 3 Peri/ Day 3 Control	2.40	3.5800E-07
				36209_at	Day 7 Peri/ Day 7 Control	2.07	2.9307E-03
				36209_at	Day 0 Peri/ Day 0 Control	2.01	6.5800E-05
				36210_g_at	Day 3 Peri/ Day 3 Intra	1.58	3.3531E-03
				36210_g_at	Day 3 Peri/ Day 3 Extra	1.49	3.6868E-03
256	25924	Entrez Gene	myosin VIIA and Rab interacting protein	39602_at	Day 7 Peri/ Day 7 Extra	2.40	4.2829E-03
257	HG1139-HT491	The Institute for Genomic Research	---	953_g_at	Day 7 Intra/ Day 0 Intra	2.40	2.7799E-03
258	HG4058-HT432	The Institute for Genomic Research	---	953_g_at	Day 3 Peri/ Day 3 Extra	2.32	6.1626E-03
				1882_g_at	Day 3 Peri/ Day 3 Control	2.40	1.2871E-03
				1882_g_at	Day 3 Peri/ Day 3 Extra	1.80	9.7118E-03
259	10135	Entrez Gene	pre-B-cell colony enhancing factor 1	33849_at	Day 3 Peri/ Day 0 Peri	2.39	1.5140E-03
260	10954	Entrez Gene	protein disulfide isomerase family A, member 5	37044_at	Day 3 Peri/ Day 3 Control	2.38	2.8624E-03
261	6862	Entrez Gene	T, brachyury homolog (mouse)	37044_at	Day 3 Peri/ Day 3 Extra	1.98	5.1201E-03
262	4915	Entrez Gene	neurotrophic tyrosine kinase, receptor, type 2	34966_at	Day 3 Peri/ Day 3 Extra	2.37	9.3139E-03
263	910	Entrez Gene	CD1b antigen	36042_at	Day 7 Peri/ Day 7 Extra	2.37	6.2129E-03
264	HG3432-HT361	The Institute for Genomic Research	---	34927_at	Day 7 Peri/ Day 3 Peri	2.37	4.7431E-04
				1142_at	Day 7 Intra/ Day 7 Extra	2.37	8.8156E-04
				1142_at	Day 3 Peri/ Day 3 Control	1.70	5.5087E-03
265	10288	Entrez Gene	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 2	39221_at	Day 3 Peri/ Day 0 Peri	2.37	1.9207E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
266	22936	Entrez Gene	elongation factor, RNA polymerase II, 2	40606_at	Day 7 Intra/ Day 0 Intra	2.36	6.1549E-03
				40606_at	Day 3 Intra/ Day 0 Intra	1.81	9.9712E-03
267	10656	Entrez Gene	KH domain containing, RNA binding, signal transduction associated 3	31786_at	Day 3 Peri/ Day 3 Extra	2.34	3.9127E-03
268	9112	Entrez Gene	metastasis associated 1	31786_at	Day 7 Peri/ Day 7 Extra	2.27	9.1708E-03
				1642_at	Day 3 Peri/ Day 3 Extra	2.34	2.0034E-03
269	4938	Entrez Gene	2',5'-oligoadenylate synthetase 1, 40/46kDa	38388_at	Day 3 Intra/ Day 0 Intra	2.34	3.0517E-03
				38388_at	Day 7 Intra/ Day 0 Intra	2.06	2.5214E-03
270	7486	Entrez Gene	Werner syndrome	38388_at	Day 3 Peri/ Day 0 Peri	2.01	4.4682E-03
				38136_at	Day 7 Peri/ Day 7 Control	2.34	3.0057E-03
271	2760	Entrez Gene	GM2 ganglioside activator	35820_at	Day 3 Intra/ Day 0 Intra	2.34	1.5204E-03
				35820_at	Day 7 Intra/ Day 0 Intra	1.70	4.7303E-03
272	10123	Entrez Gene	ADP-ribosylation factor-like 7	39829_at	Day 3 Peri/ Day 3 Control	2.34	1.9888E-04
				39829_at	Day 3 Peri/ Day 3 Extra	1.79	7.5203E-04
273	4605	Entrez Gene	v-myb myeloblastosis viral oncogene homolog (avian) like 2	1854_at	Day 3 Intra/ Day 0 Intra	2.33	4.7102E-04
				1854_at	Day 7 Intra/ Day 0 Intra	2.01	1.8015E-03
				1854_at	Day 3 Peri/ Day 0 Peri	1.64	1.4661E-03
274	51362	Entrez Gene	cell division cycle 40 homolog (yeast)	37481_at	Day 7 Peri/ Day 0 Peri	2.32	7.5957E-03
275	4837	Entrez Gene	nicotinamide N-methyltransferase	37032_at	Day 3 Peri/ Day 3 Control	2.32	4.7447E-03
276	1043	Entrez Gene	CD52 antigen (CAMPATH-1 antigen)	34210_at	Day 7 Intra/ Day 0 Intra	2.31	8.3785E-03
				34210_at	Day 3 Peri/ Day 0 Peri	1.85	7.1791E-04
				34210_at	Day 7 Peri/ Day 0 Peri	1.85	7.1116E-03
277	10498	Entrez Gene	coactivator-associated arginine methyltransferase 1	40182_s_at	Day 3 Peri/ Day 3 Control	2.31	1.1408E-03
				40182_s_at	Day 0 Peri/ Day 0 Intra	1.90	5.7007E-03
278	1104	Entrez Gene	regulator of chromosome condensation 1	1196_at	Day 0 Peri/ Day 0 Control	2.30	1.3241E-03
279	10129	Entrez Gene	hypothetical protein CG003	37927_at	Day 3 Peri/ Day 3 Control	1.48	7.6702E-03
280	58517	Entrez Gene	RNA binding motif protein 25	1530_g_at	Day 7 Peri/ Day 7 Control	2.30	3.5049E-03
				41208_at	Day 7 Peri/ Day 7 Control	2.29	1.8935E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
281	5165	Entrez Gene	pyruvate dehydrogenase kinase, isoenzyme 3	36719_at	Day 0 Peri / Day 0 Control	2.29	7.0496E-03
282	1058	Entrez Gene	centromere protein A, 17kDa	527_at	Day 3 Intra/ Day 0 Intra	2.29	9.6200E-05
283	23255	Entrez Gene	KIAA0802	527_at	Day 3 Peri/ Day 0 Peri	1.80	2.0928E-04
284	401105	Entrez Gene	FLJ42393 protein	527_at	Day 7 Intra/ Day 0 Intra	1.77	9.3117E-03
285	9429	Entrez Gene	ATP-binding cassette, sub-family G (WHITE), member 2	527_at	Day 7 Peri/ Day 0 Peri	1.54	5.8752E-04
286	25	Entrez Gene	v-abl Abelson murine leukemia viral oncogene homolog 1	39614_at	Day 7 Peri/ Day 7 Control	2.28	7.5016E-03
287	23215	Entrez Gene	BAT2 domain containing 1	34117_at	Day 3 Peri/ Day 3 Control	2.27	7.1842E-03
288	3233	Entrez Gene	homeo box D4	33733_at	Day 3 Peri/ Day 3 Extra	2.27	1.4355E-03
289	262	Entrez Gene	adenosylmethionine decarboxylase 1	1635_at	Day 0 Peri / Day 0 Control	2.27	4.2728E-03
290	10979	Entrez Gene	pleckstrin homology domain containing, family C (with FERM domain) member 1	32509_at	Day 3 Peri/ Day 3 Control	2.27	8.6031E-03
291	AL049423	GenBank	MRNA; cDNA DKFZp586B211 (from clone DKFZp586B211)	444_g_at	Day 3 Peri/ Day 3 Extra	2.27	2.1721E-03
292	4973	Entrez Gene	oxidised low density lipoprotein (lectin-like) receptor 1	262_at	Day 3 Intra/ Day 0 Intra	2.26	9.8946E-04
293	3191	Entrez Gene	heterogeneous nuclear ribonucleoprotein L	262_at	Day 7 Intra/ Day 0 Intra	1.87	7.3808E-03
294	23383	Entrez Gene	KIAA0892	262_at	Day 3 Peri/ Day 0 Peri	1.44	9.8961E-03
295	23466	Entrez Gene	Chromobox homolog 6	36577_at	Day 3 Peri/ Day 3 Control	1.90	7.5806E-03
296				32119_at	Day 7 Peri/ Day 7 Control	2.25	3.9152E-03
297				32119_at	Day 3 Peri/ Day 3 Extra	2.19	1.1197E-03
298				32119_at	Day 7 Peri/ Day 7 Extra	1.95	3.1311E-03
299				37233_at	Day 3 Intra/ Day 0 Intra	2.25	1.3495E-03
300				36201_at	Day 3 Peri/ Day 3 Control	2.25	7.7705E-04
301				36054_at	Day 7 Peri/ Day 7 Control	2.25	3.1979E-03
302				36054_at	Day 3 Peri/ Day 3 Control	2.10	2.3298E-04
303				36054_at	Day 3 Peri/ Day 3 Extra	1.75	1.2435E-03
304				36054_at	Day 3 Peri/ Day 3 Intra	1.64	6.9013E-04
305				39560_at	Day 7 Peri/ Day 7 Extra	2.22	6.5816E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
296	23347	Entrez Gene	structural maintenance of chromosomes flexible hinge domain containing 1	38082_at	Day 7 Peri / Day 7 Control	2.22	6.8179E-03
297	1112	Entrez Gene	checkpoint suppressor 1	38082_at 41000_at 41000_at	Day 7 Peri/ Day 0 Peri Day 3 Peri / Day 3 Control Day 3 Peri / Day 3 Intra	1.47 2.21 1.67	5.6385E-03 1.1641E-03 8.4597E-03
298	AC002045	GenBank	nuclear pore complex interacting protein /// KIAA0220-like protein /// hypothetical gene LOC283846 /// hypothetical protein LOC283970 /// hypothetical	33836_at	Day 3 Peri / Day 3 Extra	2.21	7.0767E-03
299	1657	Entrez Gene	Dmx-like 1	33271_r_at	Day 7 Peri / Day 7 Control	2.21	7.9818E-03
300	2048	Entrez Gene		41678_at	Day 0 Peri / Day 0 Control	2.20	2.5299E-03
301	5111	Entrez Gene	proliferating cell nuclear antigen	1884_s_at 1884_s_at	Day 3 Intra/ Day 0 Intra Day 3 Peri/ Day 0 Peri	2.20 1.49	1.6843E-04 6.8453E-03
302	6294	Entrez Gene	Scaffold attachment factor B	41315_at 41315_at	Day 7 Peri / Day 7 Extra Day 3 Peri / Day 3 Control	2.19 1.86	2.1583E-03 3.7753E-03
303	6303	Entrez Gene	spermidine/spermine N1-acetyltransferase	34304_s_at 34304_s_at	Day 7 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri	2.19 2.13	9.2600E-06 7.9000E-05
304	4213	Entrez Gene	Meis1, myeloid ecotropic viral integration site 1 homolog 4 (mouse)	37486_f_at	Day 3 Peri / Day 3 Extra	2.19	1.2199E-03
305	HG2846-HT298	The Institute for Genomic Research	---	1178_at 1178_at	Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	2.19 1.78	9.5742E-04 9.6587E-03
306	9500	Entrez Gene	melanoma antigen family D, 1	41139_at 41139_at	Day 3 Peri / Day 3 Control Day 3 Peri / Day 3 Extra	2.19 1.97	3.7234E-03 3.8341E-03
307	8148	Entrez Gene	TAF15 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 68kDa	36822_at 36822_at 36822_at	Day 7 Peri / Day 7 Control Day 3 Peri / Day 3 Control Day 0 Peri / Day 0 Control Day 3 Peri / Day 3 Intra	2.18 1.89 1.82 1.38	1.3646E-03 1.3321E-04 1.3732E-04 8.5833E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
308	9169	Entrez Gene	splicing factor, arginine/serine-rich 2, interacting protein	35258_f_at	Day 7 Peri / Day 7 Control	2.18	3.7088E-04
				35259_s_at	Day 3 Peri / Day 3 Intra	1.55	8.1019E-03
309	4277	Entrez Gene	MHC class I polypeptide-related sequence B	35937_at	Day 7 Intra / Day 0 Intra	2.18	7.9073E-03
				35937_at	Day 7 Peri / Day 0 Peri	1.87	9.9100E-05
				35937_at	Day 3 Peri / Day 0 Peri	1.74	3.8842E-03
310	27074	Entrez Gene	lysosomal-associated membrane protein 3	37168_at	Day 7 Intra / Day 0 Intra	2.18	7.2514E-03
				37168_at	Day 3 Intra / Day 0 Intra	2.00	6.7084E-03
				37168_at	Day 3 Peri / Day 0 Peri	1.74	2.1511E-04
				37168_at	Day 7 Peri / Day 0 Peri	1.64	6.6783E-03
311	5420	Entrez Gene	podocalyxin-like	40434_at	Day 3 Peri / Day 3 Control	2.18	1.9622E-03
				40434_at	Day 7 Peri / Day 7 Control	2.17	4.8610E-03
				40434_at	Day 7 Peri / Day 0 Peri	1.46	4.4427E-03
312	AL079294	GenBank	CDNA FLJ39679 fis, clone SMINT2010068	39636_at	Day 7 Peri / Day 7 Control	2.17	3.8119E-03
313	5362	Entrez Gene	plexin A2	40395_at	Day 7 Peri / Day 7 Extra	2.17	3.6085E-03
314	23534	Entrez Gene	transportin 3	35812_at	Day 3 Peri / Day 3 Control	2.17	1.5477E-04
				35813_at	Day 3 Peri / Day 3 Intra	1.56	6.2812E-03
315	9450	Entrez Gene	lymphocyte antigen 86	35869_at	Day 7 Intra / Day 0 Intra	2.17	8.7793E-04
				35869_at	Day 3 Peri / Day 0 Peri	1.64	1.4267E-03
316	4130	Entrez Gene	microtubule-associated protein 1A	35917_at	Day 3 Peri / Day 3 Extra	2.17	8.8121E-03
317	54805	Entrez Gene	cyclin M2	41358_at	Day 7 Intra / Day 7 Extra	2.17	6.1203E-03
				41358_at	Day 7 Peri / Day 7 Extra	1.99	9.5626E-03
318	AW044649	GenBank	---	40991_at	Day 7 Peri / Day 7 Control	2.16	1.0985E-03
319	64764	Entrez Gene	cAMP responsive element binding protein 3-like 2	39692_at	Day 0 Peri / Day 0 Control	2.16	8.3026E-03
				39692_at	Day 3 Peri / Day 3 Control	2.01	3.1270E-03
				39692_at	Day 7 Peri / Day 7 Control	1.68	4.4741E-03
				39692_at	Day 3 Peri / Day 3 Intra	1.60	8.3520E-03
320	4481	Entrez Gene	macrophage scavenger receptor 1	39982_r_at	Day 7 Peri / Day 0 Peri	2.16	5.2594E-03
321	7538	Entrez Gene	zinc finger protein 36, C3H type, homolog (mouse)	40448_at	Day 3 Intra / Day 3 Control	2.16	1.4147E-03
322	55578	Entrez Gene	family with sequence similarity 48, member A	34211_at	Day 3 Peri / Day 3 Control	2.16	2.9595E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
323	2023	Entrez Gene	enolase 1, (alpha)	2035_s_at 2035_s_at	Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra	2.16 1.72	8.6734E-04 1.0059E-03
324	7531	Entrez Gene	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, epsilon polypeptide	1011_s_at	Day 7 Intra/ Day 0 Intra	2.16	4.2489E-03
325	2633	Entrez Gene	guanylate binding protein 1, interferon-inducible, 67kDa	35735_at 35735_at 35735_at 35735_at	Day 7 Intra/ Day 7 Control Day 7 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri Day 3 Peri/ Day 3 Extra	2.15 1.94 1.88 1.64	1.7982E-03 8.7564E-03 1.2810E-03 2.1775E-03
326	23314	Entrez Gene	SATB family member 2	41708_at	Day 3 Peri/ Day 3 Extra	2.15	6.1500E-03
327	2935	Entrez Gene	G1 to S phase transition 1	33932_at 33932_at	Day 3 Intra/ Day 0 Intra Day 3 Intra/ Day 3 Peri	2.15 1.55	6.0824E-04 4.8401E-03
328	2033	Entrez Gene	E1A binding protein p300	33896_at 551_at	Day 3 Peri/ Day 3 Extra Day 3 Intra/ Day 3 Extra	2.15 2.08	3.5314E-03 2.4564E-03
329	9532	Entrez Gene	BCL2-associated athanogene 2	35291_at	Day 3 Peri/ Day 3 Extra	2.15	4.8619E-03
330	8615	Entrez Gene	vesicle docking protein p115	37356_r_at	Day 7 Peri/ Day 7 Control	2.14	4.2898E-03
331	3112	Entrez Gene	major histocompatibility complex, class II, DO beta	38570_at	Day 7 Peri/ Day 7 Control	2.14	6.9539E-03
332	23028	Entrez Gene	amine oxidase (flavin containing) domain 2	41122_at	Day 0 Peri/ Day 0 Control	2.13	3.6897E-03
333	5230	Entrez Gene	phosphoglycerate kinase 1	31488_s_at	Day 3 Intra/ Day 0 Intra	2.12	9.0419E-04
334	HG1112-HT111	The Institute for Genomic Research	---	1840_g_at	Day 3 Intra/ Day 0 Intra	2.12	1.6631E-03
335	HG4074-HT434	The Institute for Genomic Research	---	1516_g_at 1516_g_at 1516_g_at	Day 3 Intra/ Day 0 Intra Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	2.12 1.76 1.55	1.9300E-05 8.8947E-04 7.6225E-03
336	9639	Entrez Gene	Rho guanine nucleotide exchange factor (GEF) 10	34180_at	Day 3 Peri/ Day 3 Extra	2.11	1.1649E-04
337	3726	Entrez Gene	jun B proto-oncogene	32786_at 1427_g_at 1427_g_at 1427_g_at 1427_g_at	Day 0 Peri/ Day 0 Control Day 7 Intra/ Day 0 Intra Day 7 Peri/ Day 0 Peri Day 7 Intra/ Day 7 Control Day 3 Peri/ Day 0 Peri	2.11 2.11 1.70 1.65 1.47	5.8808E-03 3.2000E-05 3.6625E-04 4.0427E-03 7.3704E-04
338	6503	Entrez Gene	Src-like-adaptor				
339	7290	Entrez Gene	HIR histone cell cycle regulation defective homolog A (S. cerevisiae)	32706_at	Day 7 Peri/ Day 7 Control	2.11	8.9899E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
340	701	Entrez Gene	BUB1 budding uninhibited by benzimidazoles 1 homolog beta (yeast)	35699_at	Day 3 Intra/ Day 0 Intra	2.11	1.1112E-04
				35699_at	Day 3 Peri/ Day 0 Peri	2.10	3.3800E-06
				35699_at	Day 7 Peri/ Day 0 Peri	1.88	4.1200E-05
341	133619	Entrez Gene	hypothetical protein MGC12103	39518_at	Day 7 Intra / Day 7 Control	2.10	4.3011E-03
342	8344	Entrez Gene	histone 1, H2be	31523_f_at	Day 7 Intra / Day 7 Extra	2.10	3.6801E-03
343	10658	Entrez Gene	CUG triplet repeat, RNA binding protein 1	33207_at	Day 3 Peri/ Day 3 Control	2.09	1.1943E-03
				33207_at	Day 3 Peri/ Day 3 Intra	1.62	2.6844E-03
344	55830	Entrez Gene	glycosyltransferase 8 domain containing 1	33126_at	Day 3 Peri/ Day 3 Extra	2.09	5.8099E-03
345	65123	Entrez Gene	chromosome 1 open reading frame 60	41406_at	Day 0 Peri/ Day 0 Control	2.09	9.3996E-03
346	9738	Entrez Gene	CP110 protein	37438_at	Day 7 Peri/ Day 7 Control	2.09	8.6676E-03
347	U80770	GenBank	Homo sapiens, clone IMAGE:5538654, mRNA	31771_at	Day 7 Peri/ Day 0 Peri	2.08	4.6894E-04
				31771_at	Day 7 Peri/ Day 7 Intra	1.77	5.3855E-03
				31771_at	Day 7 Peri/ Day 3 Peri	1.45	8.0553E-03
348	8570	Entrez Gene	KH-type splicing regulatory protein (FUSE binding protein 2)	38829_r_at	Day 7 Peri/ Day 7 Control	2.08	7.7968E-03
349	6672	Entrez Gene	nuclear antigen Sp100	38829_r_at	Day 3 Peri/ Day 3 Control	1.75	9.0329E-03
350	6125	Entrez Gene	ribosomal protein L5	37354_at	Day 7 Peri/ Day 0 Peri	2.08	6.4139E-03
				33661_at	Day 7 Peri/ Day 7 Control	2.07	6.4049E-04
351	6781	Entrez Gene	stanniocalcin 1	41354_at	Day 7 Peri/ Day 7 Control	2.07	4.2966E-03
				41354_at	Day 7 Peri/ Day 7 Extra	1.87	8.4067E-04
352	4833	Entrez Gene	non-metastatic cells 4, protein expressed in	39089_at	Day 3 Peri/ Day 3 Extra	2.06	4.0940E-03
353	10261	Entrez Gene	immunoglobulin superfamily, member 6	34946_at	Day 3 Peri/ Day 0 Peri	2.06	1.2057E-03
354	9260	Entrez Gene	PDZ and LIM domain 7 (enigma)	39530_at	Day 3 Peri/ Day 3 Extra	2.06	1.1534E-03
355	813	Entrez Gene	calumenin	37345_at	Day 3 Peri/ Day 3 Extra	2.05	4.4229E-03
356	9825	Entrez Gene	spermatogenesis associated 2	36050_at	Day 3 Peri/ Day 3 Extra	2.04	2.2581E-03
357	23269	Entrez Gene	MAX gene associated	34706_at	Day 3 Peri/ Day 3 Control	2.03	3.9593E-03
358	2124	Entrez Gene	ecotropic viral integration site 2B	40019_at	Day 7 Peri/ Day 0 Peri	2.03	3.8728E-04
				40019_at	Day 3 Peri/ Day 0 Peri	1.65	7.4899E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
359	7020	Entrez Gene	transcription factor AP-2 alpha (activating enhancer binding protein 2 alpha)	32154_at	Day 3 Peri / Day 3 Control	2.03	5.4891E-04
360	22846	Entrez Gene	Vasohibin 1	40267_s_at	Day 3 Peri / Day 3 Control	2.03	6.3995E-03
361	1627	Entrez Gene	drebrin 1	37981_at	Day 3 Peri / Day 3 Extra	2.03	1.1015E-03
362	5955	Entrez Gene	reticulocalbin 2, EF-hand calcium binding domain	37981_at	Day 0 Peri / Day 0 Control	1.94	4.1537E-03
363	313	Entrez Gene	acyloxyacyl hydrolase (neutrophil)	37728_r_at	Day 7 Peri / Day 7 Control	2.03	9.9574E-03
364	7027	Entrez Gene	Transcription factor Dp-1	37647_at	Day 7 Peri / Day 0 Peri	2.02	3.8621E-04
365	4363	Entrez Gene	ATP-binding cassette, sub-family C (CFTR/MRP), member 1	37647_at	Day 3 Peri / Day 0 Peri	1.80	2.9579E-03
366	AF012086	GenBank	GRIP and coiled-coil domain containing 2 /// RAN binding protein 2-like 1 /// similar to Ran-binding protein 2 /// similar to RAN-binding protein 2-ii	37758_s_at	Day 3 Peri / Day 3 Control	2.02	5.6047E-03
367	29896	Entrez Gene	Transformer-2 alpha	37757_at	Day 3 Intra / Day 0 Intra	1.43	9.7071E-04
368	7289	Entrez Gene	tubby like protein 3	1896_s_at	Day 7 Peri / Day 7 Control	2.02	7.5565E-03
369	10873	Entrez Gene	malic enzyme 3, NADP(+)-dependent, mitochondrial	34016_s_at	Day 3 Intra / Day 0 Intra	1.67	2.7498E-03
370	1730	Entrez Gene	diaphanous homolog 2 (Drosophila)	34384_at	Day 3 Intra / Day 3 Control	1.52	3.1149E-03
371	9819	Entrez Gene	TSC22 domain family, member 2	41174_at	Day 7 Peri / Day 7 Control	2.02	5.2146E-03
372	AF070620	GenBank	Clone 24694 mRNA sequence	39343_at	Day 3 Peri / Day 3 Control	2.02	4.7590E-03
373	49855	Entrez Gene	zinc finger protein 291	39344_at	Day 7 Peri / Day 7 Control	1.93	5.8423E-03
				31942_at	Day 7 Peri / Day 7 Extra	2.01	6.4401E-03
				31944_at	Day 3 Peri / Day 3 Extra	1.59	3.9853E-03
				31944_at	Day 3 Peri / Day 3 Intra	1.45	6.1645E-03
				35216_at	Day 3 Peri / Day 3 Extra	2.01	4.8389E-03
				34262_at	Day 7 Peri / Day 7 Extra	2.01	3.5327E-03
				41787_at	Day 7 Peri / Day 7 Control	2.01	1.1923E-03
				33586_at	Day 0 Peri / Day 0 Control	2.01	8.4639E-03
				40937_at	Day 3 Peri / Day 3 Control	2.01	1.0919E-03
				40937_at	Day 3 Peri / Day 3 Extra	1.78	2.4972E-03
				40937_at	Day 3 Peri / Day 3 Intra	1.76	5.9874E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
374	55972	Entrez Gene	Mitochondrial carrier family protein	35465_at	Day 7 Peri/ Day 0 Peri	2.00	7.2930E-03
375	2983	Entrez Gene	guanylate cyclase 1, soluble, beta 3	37243_at	Day 3 Peri/ Day 3 Extra	2.00	1.8881E-03
376	2804	Entrez Gene	Golgi autoantigen, golgin subfamily b, macrogolgin (with transmembrane signal), 1	37655_at	Day 3 Peri/ Day 3 Extra	2.00	2.9457E-03
377	4650	Entrez Gene	myosin IXB	37655_at	Day 3 Intra/ Day 3 Extra	1.79	5.9377E-03
				33816_at	Day 3 Peri/ Day 3 Control	2.00	1.2613E-03
				33816_at	Day 3 Peri/ Day 3 Extra	1.88	1.0261E-03
378	5925	Entrez Gene	retinoblastoma 1 (including osteosarcoma)	1571_f_at	Day 7 Intra/ Day 0 Intra	1.99	2.7185E-03
				2044_s_at	Day 7 Peri/ Day 0 Peri	1.87	8.2882E-04
				2044_s_at	Day 3 Peri/ Day 0 Peri	1.60	7.8461E-03
379	3956	Entrez Gene	Lectin, galactoside-binding, soluble, 1 (galectin 1)	31575_f_at	Day 0 Peri/ Day 0 Control	1.99	7.1485E-03
				31575_f_at	Day 0 Intra/ Day 0 Control	1.92	2.7492E-04
				31575_f_at	Day 3 Peri/ Day 3 Control	1.82	4.6992E-03
380	3937	Entrez Gene	lymphocyte cytosolic protein 2 (SH2 domain containing leukocyte protein of 76kDa)	39319_at	Day 7 Intra/ Day 0 Intra	1.99	2.4570E-04
				39319_at	Day 7 Peri/ Day 0 Peri	1.87	5.4300E-05
				39319_at	Day 3 Peri/ Day 0 Peri	1.85	6.4700E-04
381	221061	Entrez Gene	chromosome 10 open reading frame 38	36821_at	Day 7 Peri/ Day 7 Control	1.99	3.1564E-03
				36821_at	Day 7 Peri/ Day 3 Peri	1.33	6.9275E-03
382	23094	Entrez Gene	signal-induced proliferation-associated 1 like 3	37831_at	Day 7 Intra/ Day 7 Extra	1.99	2.4460E-04
				37831_at	Day 7 Peri/ Day 7 Extra	1.54	5.9647E-03
383	219654	Entrez Gene	chromosome 10 open reading frame 56	34303_at	Day 3 Peri/ Day 3 Extra	1.99	7.4060E-03
				34303_at	Day 0 Peri/ Day 0 Control	1.57	7.6796E-03
384	2026	Entrez Gene	enolase 2 (gamma, neuronal)	40193_at	Day 3 Peri/ Day 3 Extra	1.99	1.9916E-03
385	54103	Entrez Gene	hypothetical protein LOC54103	41710_at	Day 3 Peri/ Day 0 Peri	1.99	5.4755E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
386	3059	Entrez Gene	hematopoietic cell-specific Lyn substrate 1	31820_at	Day 3 Intra/ Day 0 Intra	1.99	3.5900E-03
				31820_at	Day 7 Intra/ Day 0 Intra	1.84	2.8845E-03
				31820_at	Day 3 Peri/ Day 0 Peri	1.54	8.7698E-04
387	8412	Entrez Gene	breast cancer anti-estrogen resistance 3	36812_at	Day 7 Peri/ Day 7 Extra	1.98	3.2251E-03
				36812_at	Day 7 Peri/ Day 3 Peri	1.38	7.5213E-03
388	4286	Entrez Gene	microphthalmia-associated transcription factor	38228_g_at	Day 3 Peri/ Day 3 Control	1.97	1.1387E-03
389	4692	Entrez Gene	necln homolog (mouse)	36073_at	Day 0 Peri/ Day 0 Control	1.97	3.0644E-03
				36073_at	Day 0 Intra/ Day 0 Control	1.85	3.4617E-03
390	947	Entrez Gene	CD34 antigen	38747_at	Day 3 Peri/ Day 3 Extra	1.97	1.4801E-03
				38747_at	Day 3 Intra/ Day 3 Extra	1.81	3.6481E-03
391	27252	Entrez Gene	ketch-like 20 (Drosophila)	37150_at	Day 3 Peri/ Day 3 Control	1.97	6.0700E-05
				37150_at	Day 3 Peri/ Day 3 Intra	1.74	8.4200E-05
392	25939	Entrez Gene	SAM domain and HD domain 1	34714_at	Day 7 Peri/ Day 0 Peri	1.96	6.6000E-05
				34714_at	Day 3 Peri/ Day 0 Peri	1.91	3.9353E-04
393	7351	Entrez Gene	uncoupling protein 2 (mitochondrial, proton carrier)	37591_at	Day 7 Intra/ Day 0 Intra	1.96	2.5211E-03
394	8669	Entrez Gene	eukaryotic translation initiation factor 3, subunit 1 alpha, 35kDa	40616_at	Day 7 Intra/ Day 7 Control	1.96	1.5414E-03
395	629	Entrez Gene	B-factor, properdin	35822_at	Day 7 Peri/ Day 0 Peri	1.96	7.8587E-04
396	8910	Entrez Gene	sarcoglycan, epsilon	35822_at	Day 3 Peri/ Day 0 Peri	1.89	2.4144E-04
				41449_at	Day 3 Peri/ Day 3 Extra	1.96	3.3164E-03
397	5427	Entrez Gene	polymerase (DNA directed), epsilon 2 (p59 subunit)	41085_at	Day 7 Intra/ Day 7 Control	1.96	9.8120E-03
398	AI375033	GenBank	chromosome 2 open reading frame 27 /// hypothetical gene supported by AK022914; AK095211; BC016035; BC041856; BX248778	37884_f_at	Day 3 Peri/ Day 3 Extra	1.96	8.0230E-03
399	26043	Entrez Gene	KIAA0794 protein	37884_f_at	Day 7 Peri/ Day 0 Peri	1.89	2.0360E-03
400	4287	Entrez Gene	ataxin 3	41691_at	Day 3 Peri/ Day 3 Control	1.95	5.4379E-03
401	HG2059-HT211	The Institute for Genomic Research	---	36819_at	Day 7 Peri/ Day 7 Control	1.95	4.4789E-03
402	1871	Entrez Gene	E2F transcription factor 3	957_at	Day 7 Intra/ Day 0 Intra	1.95	8.0500E-03
				41632_at	Day 7 Peri/ Day 7 Control	1.95	3.6722E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
403	9402	Entrez Gene	GRB2-related adaptor protein 2	38866_at	Day 7 Intra/ Day 3 Intra	1.95	7.7480E-03
404	23111	Entrez Gene	spastic paraplegia 20, spartin (Troyer syndrome)	38866_at	Day 7 Peri/ Day 0 Peri	1.46	6.9714E-03
405	9236	Entrez Gene		39852_at	Day 7 Peri/ Day 7 Control	1.95	1.2037E-03
406	914	Entrez Gene	cell cycle progression 1	33811_at	Day 3 Peri/ Day 3 Extra	1.94	7.6971E-03
407	3839	Entrez Gene	CD2 antigen (p50), sheep red blood cell receptor	40738_at	Day 7 Intra/ Day 0 Intra	1.94	2.8584E-03
				40738_at	Day 7 Peri/ Day 0 Peri	1.65	7.4139E-03
			karyopherin alpha 3 (importin alpha 4)	35725_at	Day 3 Peri/ Day 3 Control	1.94	1.8200E-05
408	8621	Entrez Gene	cell division cycle 2-like 5 (cholinesterase-related cell division controller)	41821_at	Day 3 Peri/ Day 3 Control	1.93	2.6414E-03
				41821_at	Day 3 Peri/ Day 3 Intra	1.55	4.8625E-03
409	523	Entrez Gene	ATPase, H+ transporting, lysosomal 70kDa, V1 subunit A	34890_at	Day 3 Peri/ Day 3 Control	1.93	7.4629E-03
410	5358	Entrez Gene	plastin 3 (T isoform)	34890_at	Day 0 Peri/ Day 0 Intra	1.70	8.1669E-03
411	3945	Entrez Gene	lactate dehydrogenase B	34794_r_at	Day 3 Peri/ Day 3 Extra	1.93	6.8294E-03
				33819_at	Day 7 Peri/ Day 0 Peri	1.93	3.3100E-05
412	1676	Entrez Gene	DNA fragmentation factor, 45kDa, alpha polypeptide	33819_at	Day 3 Peri/ Day 0 Peri	1.61	2.1100E-04
				32047_at	Day 3 Peri/ Day 3 Control	1.93	1.1644E-03
413	9266	Entrez Gene	pleckstrin homology, Sec7 and coiled-coil domains 2 (cytohesin-2)	38741_at	Day 0 Peri/ Day 0 Control	1.93	9.7718E-03
414	80256	Entrez Gene	KIAA1539	38741_at	Day 7 Intra/ Day 7 Extra	1.63	1.1433E-03
415	HG620-HT620	The Institute for Genomic Research		33841_at	Day 3 Peri/ Day 3 Extra	1.92	8.1276E-03
			---	1150_at	Day 7 Intra/ Day 0 Intra	1.92	5.0508E-03
416	3159	Entrez Gene	high mobility group AT-hook 1	1150_at	Day 3 Intra/ Day 0 Intra	1.72	4.6327E-03
				39704_s_at	Day 3 Intra/ Day 0 Intra	1.92	9.0675E-03
417	2157	Entrez Gene	coagulation factor VIII, procoagulant component (hemophilia A)	37550_at	Day 3 Peri/ Day 3 Extra	1.92	2.4289E-03
418	23312	Entrez Gene	Dmx-like 2	41716_at	Day 3 Peri/ Day 0 Peri	1.92	5.4890E-04
				41716_at	Day 7 Peri/ Day 0 Peri	1.80	4.0575E-04

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
419	3669	Entrez Gene	interferon stimulated exonuclease gene 20kDa	33304_at	Day 3 Intra/ Day 0 Intra	1.92	1.2699E-03
				33304_at	Day 3 Peri/ Day 0 Peri	1.72	2.5695E-04
				33304_at	Day 7 Peri/ Day 0 Peri	1.42	5.9639E-03
420	3936	Entrez Gene	lymphocyte cytosolic protein 1 (L-plastin)	37023_at	Day 7 Peri/ Day 0 Peri	1.92	3.4800E-05
				37023_at	Day 3 Peri/ Day 0 Peri	1.86	1.6804E-04
421	89927	Entrez Gene	chromosome 16 open reading frame 45	35742_at	Day 3 Peri/ Day 3 Extra	1.91	2.4249E-04
				35742_at	Day 3 Peri/ Day 3 Control	1.61	8.2611E-03
				35742_at	Day 7 Peri/ Day 7 Extra	1.58	8.3242E-03
422	1175	Entrez Gene	adaptor-related protein complex 2, sigma 1 subunit	39347_at	Day 3 Intra/ Day 0 Intra	1.91	6.4231E-03
423	95	Entrez Gene	aminoacylase 1	39347_at	Day 7 Intra/ Day 0 Intra	1.73	9.8805E-03
				37713_at	Day 3 Intra/ Day 0 Intra	1.91	9.8638E-03
424	51232	Entrez Gene	cysteine rich transmembrane BMP regulator 1 (chordin-like)	40936_at	Day 7 Peri/ Day 7 Control	1.91	3.2022E-04
425	9554	Entrez Gene	SEC22 vesicle trafficking protein-like 1 (<i>S. cerevisiae</i>)	41598_at	Day 3 Peri/ Day 3 Control	1.91	8.3314E-04
				41597_s_at	Day 3 Peri/ Day 3 Extra	1.57	3.1269E-03
426	4616	Entrez Gene	growth arrest and DNA-damage-inducible, beta	39822_s_at	Day 3 Peri/ Day 3 Control	1.90	8.3800E-05
				39822_s_at	Day 3 Peri/ Day 3 Extra	1.44	7.0592E-03
427	2529	Entrez Gene	fucosyltransferase 7 (alpha (1,3) fucosyltransferase)	36322_at	Day 7 Peri/ Day 7 Extra	1.90	6.1262E-03
428	X05276	GenBank	tropomyosin 4 /// similar to tropomyosin 4 /// similar to tropomyosin 4	33866_at	Day 3 Peri/ Day 3 Control	1.90	1.9272E-03
				33866_at	Day 3 Peri/ Day 3 Extra	1.60	8.4534E-03
429	9537	Entrez Gene	tumor protein p53 inducible protein 11	36136_at	Day 3 Peri/ Day 3 Extra	1.90	8.4243E-03
430	26019	Entrez Gene	UPF2 regulator of nonsense transcripts homolog (yeast)	35722_at	Day 7 Peri/ Day 7 Control	1.90	9.6858E-03
431	57214	Entrez Gene	KIAA1199	36070_at	Day 3 Peri/ Day 0 Peri	1.89	3.9978E-03
432	116987	Entrez Gene	centaurin, gamma 2	34676_at	Day 3 Peri/ Day 3 Control	1.89	1.0903E-03
433	5359	Entrez Gene	phospholipid scramblase 1	32775_r_at	Day 3 Peri/ Day 0 Peri	1.89	1.2359E-03
				32775_r_at	Day 7 Peri/ Day 0 Peri	1.86	7.8860E-04
434	2887	Entrez Gene	growth factor receptor-bound protein 10	37615_at	Day 7 Peri/ Day 7 Control	1.89	6.9335E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
435	23187	Entrez Gene	pleckstrin homology-like domain, family B, member 1	37375_at	Day 3 Peri / Day 3 Extra	1.88	2.8685E-03
436	W25984	GenBank	Transcribed locus	32130_at	Day 7 Peri / Day 7 Control	1.88	5.2193E-03
437	9023	Entrez Gene	cholesterol 25-hydroxylase	32363_at	Day 3 Peri / Day 3 Control	1.88	6.0740E-03
438	55109	Entrez Gene	angiogenic factor with G patch and FHA domains 1	35067_at	Day 7 Intra / Day 7 Control	1.87	5.8936E-03
439	5966	Entrez Gene	v-rel reticuloendotheliosis viral oncogene homolog (avian)	1856_at	Day 3 Peri / Day 3 Control	1.87	1.5692E-03
440	7095	Entrez Gene	translocation protein 1	38100_at	Day 3 Peri / Day 3 Extra	1.86	6.6909E-03
441	HG884-HT884	The Institute for Genomic Research	---	1725_s_at	Day 3 Peri / Day 3 Control	1.85	1.1306E-04
442	4690	Entrez Gene	NCK adaptor protein 1	1725_s_at	Day 3 Peri / Day 3 Intra	1.50	4.7588E-03
443	2242	Entrez Gene	feline sarcoma oncogene	41795_at	Day 7 Peri / Day 7 Control	1.85	4.2700E-05
444	23175	Entrez Gene	lipin 1	1976_s_at	Day 0 Intra / Day 0 Control	1.85	8.5100E-05
445	23275	Entrez Gene	protein O-fucosyltransferase 2	38098_at	Day 7 Peri / Day 7 Control	1.85	4.8804E-03
446	9859	Entrez Gene	KIAA0470	38098_at	Day 7 Peri / Day 3 Peri	1.40	1.1136E-03
447	3071	Entrez Gene	NCK-associated protein 1-like	38098_at	Day 7 Peri / Day 7 Intra	1.39	6.2426E-03
448	1806	Entrez Gene	dhhydropyrimidine dehydrogenase	34287_at	Day 3 Peri / Day 3 Extra	1.84	8.2172E-03
449	10513	Entrez Gene	amyloid beta precursor protein (cytoplasmic tail) binding protein 2	33893_r_at	Day 3 Peri / Day 3 Extra	1.84	7.1207E-03
450	4023	Entrez Gene	lipoprotein lipase	37845_at	Day 3 Peri / Day 0 Peri	1.84	4.8408E-04
451	11014	Entrez Gene	KDEL (Lys-Asp-Glu-Leu) endoplasmic reticulum protein retention receptor 2	38220_at	Day 7 Peri / Day 0 Peri	1.72	3.5178E-03
452	7407	Entrez Gene	valyl-tRNA synthetase	38471_r_at	Day 7 Peri / Day 7 Control	1.84	1.4815E-03
453	7169	Entrez Gene	tropomyosin 2 (beta)	41209_at	Day 7 Peri / Day 0 Peri	1.83	4.1662E-03
454	9446	Entrez Gene	glutathione S-transferase omega 1	39080_at	Day 3 Peri / Day 3 Extra	1.83	2.5140E-04
455	684	Entrez Gene	bone marrow stromal cell antigen 2	40414_at	Day 0 Peri / Day 0 Control	1.83	2.4081E-03
				40414_at	Day 0 Peri / Day 0 Intra	1.83	3.2563E-03
				32314_g_at	Day 0 Peri / Day 0 Intra	1.48	8.8465E-03
				824_at	Day 7 Peri / Day 0 Peri	1.82	2.3222E-03
				824_at	Day 3 Intra / Day 0 Intra	1.82	7.5173E-03
				39061_at	Day 7 Peri / Day 0 Peri	1.45	8.2712E-03
				39061_at	Day 7 Peri / Day 0 Peri	1.82	2.9574E-03
				39061_at	Day 3 Peri / Day 0 Peri	1.66	4.7141E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
456	AF009005	GenBank	lysozyme (renal amyloidosis) /// leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 1	35926_s_at	Day 7 Peri/ Day 0 Peri	1.81	6.6342E-04
457	22978	Entrez Gene	5'-nucleotidase, cytosolic II KIAA1043 protein	35926_s_at	Day 3 Peri/ Day 0 Peri	1.81	4.1782E-04
458	23331	Entrez Gene		31794_at	Day 7 Peri/ Day 7 Control	1.81	2.3682E-03
				41478_at	Day 3 Peri/ Day 3 Extra	1.81	3.6393E-03
459	8986	Entrez Gene	ribosomal protein S6 kinase, 90kDa, polypeptide 4	41404_at	Day 3 Intra/ Day 3 Extra	1.81	2.1931E-03
				41404_at	Day 3 Intra/ Day 0 Intra	1.70	3.5489E-03
				41404_at	Day 3 Peri/ Day 3 Extra	1.62	2.6724E-03
460	8434	Entrez Gene	reversion-inducing-cysteine-rich protein with kazal motifs	35234_at	Day 7 Peri/ Day 7 Extra	1.81	8.5426E-04
461	57016	Entrez Gene	aldo-keto reductase family 1, member B10 (aldose reductase)	37482_at	Day 7 Peri/ Day 0 Peri	1.81	5.7095E-03
				37482_at	Day 3 Peri/ Day 0 Peri	1.76	8.7278E-03
462	9700	Entrez Gene	extra spindle poles like 1 (S. cerevisiae)	38158_at	Day 3 Intra/ Day 0 Intra	1.80	9.7504E-04
				38158_at	Day 3 Peri/ Day 0 Peri	1.28	9.7338E-03
463	4644	Entrez Gene	myosin VA (heavy polypeptide 12, myosin)	40571_at	Day 3 Peri/ Day 0 Peri	1.80	7.3528E-03
				40571_at	Day 7 Peri/ Day 0 Peri	1.79	4.3646E-04
464	124801	Entrez Gene	hypothetical protein FLJ30656	39844_at	Day 0 Peri/ Day 0 Control	1.80	1.6823E-03
465	200424	Entrez Gene	hypothetical protein MGC22014	38559_at	Day 7 Peri/ Day 7 Extra	1.80	4.3144E-04
466	23194	Entrez Gene	F-box and leucine-rich repeat protein 7	37205_at	Day 3 Peri/ Day 3 Extra	1.79	1.5381E-03
467	994	Entrez Gene	cell division cycle 25B	1347_at	Day 3 Intra/ Day 0 Intra	1.79	1.4270E-03
				1347_at	Day 3 Peri/ Day 0 Peri	1.41	7.1275E-03
468	1063	Entrez Gene	centromere protein F, 350/400ka (mitosin)	37302_at	Day 7 Peri/ Day 0 Peri	1.79	2.1612E-03
				37302_at	Day 3 Peri/ Day 0 Peri	1.71	3.7173E-03
469	23524	Entrez Gene	serine/arginine repetitive matrix 2	32761_at	Day 0 Peri/ Day 0 Control	1.79	2.4342E-04
				32761_at	Day 3 Peri/ Day 3 Extra	1.67	5.3902E-03
470	10204	Entrez Gene	nuclear transport factor 2	31858_at	Day 3 Intra/ Day 3 Control	1.79	8.7159E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
471	2619	Entrez Gene	growth arrest-specific 1	661_at	Day 3 Peri / Day 3 Extra	1.78	4.8341E-03
472	7167	Entrez Gene	triosephosphate isomerase 1	34003_at	Day 3 Intra/ Day 0 Intra	1.78	1.5049E-03
473	3965	Entrez Gene	lectin, galactoside-binding, soluble, 9 (galectin 9)	766_at	Day 7 Intra/ Day 0 Intra	1.78	3.2261E-03
474	351	Entrez Gene	amyloid beta (A4) precursor protein (peptidase nexin-II, Alzheimer disease)	41136_s_at	Day 7 Peri / Day 7 Control	1.78	4.0673E-03
475	641	Entrez Gene	Bloom syndrome	1544_at	Day 3 Peri/ Day 0 Peri	1.78	1.0048E-03
476	10260	Entrez Gene	c-myc promoter binding protein	32961_at	Day 7 Peri / Day 7 Control	1.78	5.7944E-03
477	835	Entrez Gene	caspase 2, apoptosis-related cysteine peptidase (neural precursor cell expressed, developmentally down-regulated 2)	34449_at	Day 3 Peri / Day 3 Control	1.78	7.0372E-03
478	2182	Entrez Gene	acyl-CoA synthetase long-chain family member 4	38099_r_at	Day 7 Peri/ Day 0 Peri	1.78	3.5503E-04
479	1346	Entrez Gene	cytochrome c oxidase subunit VIIa polypeptide 1 (muscle)	39031_at	Day 7 Peri / Day 7 Extra	1.78	6.1685E-03
480	10492	Entrez Gene	synaptotagmin binding, cytoplasmic RNA interacting protein	40122_at	Day 3 Intra/ Day 0 Intra	1.77	5.7540E-03
481	57493	Entrez Gene	HEG homolog 1 (zebrafish)	33328_at	Day 3 Peri / Day 3 Control	1.77	9.0296E-03
482	1488	Entrez Gene	C-terminal binding protein 2	40780_at	Day 3 Peri / Day 3 Control	1.77	7.4306E-04
483	9830	Entrez Gene	tripartite motif-containing 14	40780_at	Day 3 Peri / Day 3 Intra	1.40	3.9377E-03
484	11216	Entrez Gene	A kinase (PRKA) anchor protein 10	33253_at	Day 3 Intra/ Day 0 Intra	1.77	3.3031E-03
485	7291	Entrez Gene	twist homolog 1 (acrocephalosyndactyly 3; Saethre-Chotzen syndrome) (Drosophila)	36633_at	Day 7 Peri / Day 7 Control	1.77	5.4600E-03
486	AF009314	GenBank	CDNA FLJ12815 fis, clone NT2RP2002546	40328_at	Day 0 Peri / Day 0 Control	1.77	1.1801E-03
487	915	Entrez Gene	CD3D antigen, delta polypeptide (TIT3 complex)	36061_at	Day 7 Peri / Day 7 Extra	1.77	5.2874E-03
488	48	Entrez Gene	aconitase 1, soluble	38319_at	Day 7 Peri/ Day 0 Peri	1.77	5.4810E-03
				38319_at	Day 3 Peri/ Day 0 Peri	1.74	6.2457E-03
				40077_at	Day 3 Peri / Day 3 Control	1.77	7.5838E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
489	3297	Entrez Gene	heat shock transcription factor 1	244_at	Day 3 Peri / Day 3 Extra	1.77	6.7910E-04
				244_at	Day 3 Intra / Day 3 Extra	1.57	6.0331E-03
				40200_at	Day 7 Intra / Day 7 Extra	1.32	6.7215E-03
490	8543	Entrez Gene	LIM domain only 4	1452_at	Day 0 Peri / Day 0 Control	1.76	2.6192E-04
				1452_at	Day 3 Peri / Day 3 Control	1.63	3.5772E-04
				1452_at	Day 3 Peri / Day 3 Intra	1.49	5.5164E-04
491	7371	Entrez Gene	uridine-cytidine kinase 2	1452_at	Day 3 Peri / Day 3 Extra	1.40	2.8627E-03
				37193_at	Day 3 Intra / Day 0 Intra	1.76	4.2747E-03
492	2280	Entrez Gene	FK506 binding protein 1A, 12kDa	880_at	Day 7 Intra / Day 0 Intra	1.75	6.4425E-03
493	5641	Entrez Gene	legumain	880_at	Day 0 Peri / Day 0 Intra	1.64	9.2165E-03
				317_at	Day 7 Intra / Day 0 Intra	1.75	1.6880E-04
494	90627	Entrez Gene	START domain containing 13	31790_at	Day 3 Peri / Day 3 Extra	1.75	2.2636E-03
495	4673	Entrez Gene	nucleosome assembly protein 1-like 1	34099_f_at	Day 7 Peri / Day 0 Peri	1.75	9.6766E-03
496	10525	Entrez Gene	hypoxia up-regulated 1	33863_at	Day 3 Intra / Day 0 Intra	1.75	3.5653E-04
497	221	Entrez Gene	aldehyde dehydrogenase 3 family, member B1	40685_at	Day 3 Peri / Day 0 Peri	1.74	7.7877E-03
498	6601	Entrez Gene	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily c, member 2	453_at	Day 3 Peri / Day 3 Control	1.74	7.7069E-03
499	8672	Entrez Gene	eukaryotic translation initiation factor 4 gamma, 3	33907_at	Day 3 Peri / Day 3 Control	1.74	4.7799E-03
500	4329	Entrez Gene	aldehyde dehydrogenase 6 family, member A1	32676_at	Day 7 Peri / Day 7 Extra	1.74	4.4132E-03
501	65108	Entrez Gene	MARCKS-like 1	32676_at	Day 7 Peri / Day 7 Control	1.57	4.6174E-03
				36174_at	Day 3 Peri / Day 3 Extra	1.74	1.4260E-03
502	2615	Entrez Gene	leucine rich repeat containing 32	31856_at	Day 3 Peri / Day 3 Control	1.74	8.8558E-03
				31856_at	Day 3 Peri / Day 3 Extra	1.71	3.4490E-03
				31856_at	Day 7 Peri / Day 7 Extra	1.63	6.3148E-03
503	4600	Entrez Gene	myxovirus (Influenza virus) resistance 2 (mouse)	879_at	Day 3 Peri / Day 0 Peri	1.73	8.1900E-05
504	3431	Entrez Gene	SP110 nuclear body protein	35718_at	Day 3 Peri / Day 0 Peri	1.73	1.8893E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
505	5476	Entrez Gene	protective protein for beta-galactosidase (galactosialidosis)	39062_at	Day 7 Intra/ Day 0 Intra	1.73	1.1127E-03
506	7112	Entrez Gene	thymopoietin	39062_at	Day 0 Peri/ Day 0 Intra	1.52	5.2900E-03
507	1266	Entrez Gene		39062_at	Day 7 Intra/ Day 7 Peri	1.34	5.9349E-03
				32683_at	Day 7 Intra/ Day 0 Intra	1.73	6.7500E-05
			calponin 3, acidic	40953_at	Day 3 Peri/ Day 3 Control	1.73	2.4459E-03
508	4171	Entrez Gene	MCM2 minichromosome maintenance deficient 2, mitotin (S. cerevisiae)	35312_at	Day 3 Intra/ Day 0 Intra	1.73	6.0681E-04
509	7461	Entrez Gene	cytoplasmic linker 2	41396_at	Day 3 Peri/ Day 3 Extra	1.73	9.8779E-03
510	5226	Entrez Gene	phosphogluconate dehydrogenase	36963_at	Day 3 Intra/ Day 0 Intra	1.73	1.5966E-03
511	7558	Entrez Gene	zinc finger protein 11B	32429_f_at	Day 7 Peri/ Day 0 Peri	1.72	4.9287E-04
512	16	Entrez Gene	alanyl-tRNA synthetase	36185_at	Day 3 Peri/ Day 3 Control	1.72	9.6300E-05
				36185_at	Day 7 Intra/ Day 7 Extra	1.39	9.0172E-03
513	2037	Entrez Gene	erythrocyte membrane protein band 4.1-like 2	36185_at	Day 3 Peri/ Day 3 Extra	1.34	7.2639E-03
514	6723	Entrez Gene	spermidine synthase	32585_at	Day 3 Peri/ Day 3 Extra	1.72	3.0780E-03
				241_g_at	Day 3 Intra/ Day 3 Control	1.72	8.4987E-03
515	11232	Entrez Gene	polymerase (DNA directed), gamma 2, accessory subunit	241_g_at	Day 3 Intra/ Day 0 Intra	1.61	2.3876E-03
				39843_at	Day 7 Peri/ Day 0 Peri	1.72	5.9499E-03
516	10945	Entrez Gene	KDEL (Lys-Asp-Glu-Leu) endoplasmic reticulum protein retention receptor 1	37387_r_at	Day 3 Peri/ Day 3 Extra	1.71	7.9805E-04
				37387_r_at	Day 3 Peri/ Day 3 Control	1.59	7.1044E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
517	8534	Entrez Gene	carbohydrate (keratan sulfate Gal-6) sulfotransferase 1	41395_at	Day 3 Peri / Day 3 Control	1.71	2.9073E-03
				41395_at	Day 3 Peri / Day 3 Extra	1.67	2.5587E-03
				41395_at	Day 7 Peri / Day 0 Peri	1.52	7.9375E-03
				41395_at	Day 3 Peri / Day 0 Peri	1.48	3.8851E-04
518	80143	Entrez Gene	hypothetical protein FLJ21168	33285_l_at	Day 3 Intra / Day 0 Intra	1.71	6.2459E-03
519	3069	Entrez Gene	high density lipoprotein binding protein (vigilin)	31504_at	Day 0 Peri / Day 0 Control	1.70	2.3752E-03
520	11230	Entrez Gene	PRA1 domain family, member 2	34318_at	Day 3 Peri / Day 3 Extra	1.70	9.2827E-03
521	5243	Entrez Gene	ATP-binding cassette, sub-family B (MDR/TAP), member 1	1575_at	Day 7 Peri / Day 0 Peri	1.70	5.8410E-04
522	9447	Entrez Gene	absent in melanoma 2	34439_at	Day 7 Peri / Day 0 Peri	1.70	5.4778E-03
523	441046	Entrez Gene	Hypothetical LOC 441046	39132_at	Day 3 Peri / Day 3 Extra	1.70	7.4243E-03
524	6093	Entrez Gene	Rho-associated, coiled-coil containing protein kinase 1	34735_at	Day 7 Peri / Day 0 Peri	1.70	6.1517E-03
525	51343	Entrez Gene	fizzy/cell division cycle 20 related 1 (Drosophila)	39855_at	Day 7 Intra / Day 7 Extra	1.70	8.6912E-03
526	6494	Entrez Gene	signal-induced proliferation-associated gene 1	36843_at	Day 3 Peri / Day 3 Extra	1.70	1.6565E-03
527	10914	Entrez Gene	poly(A) polymerase alpha	34855_at	Day 7 Peri / Day 0 Peri	1.69	1.7782E-03
528	22985	Entrez Gene	apoptotic chromatin condensation inducer 1	33398_at	Day 3 Intra / Day 3 Control	1.68	8.2530E-03
529	9839	Entrez Gene	zinc finger homeobox 1b	35681_r_at	Day 7 Peri / Day 0 Peri	1.68	3.2222E-03
530	7431	Entrez Gene	vimentin	34091_s_at	Day 3 Peri / Day 3 Control	1.68	2.2751E-03
531	6039	Entrez Gene	ribonuclease, RNase A family, k6	34660_at	Day 7 Peri / Day 0 Peri	1.68	3.4971E-03
				34660_at	Day 3 Peri / Day 0 Peri	1.59	7.1310E-03
532	55041	Entrez Gene	Pleckstrin homology domain containing, family B (evecins) member 2	39525_at	Day 7 Peri / Day 0 Peri	1.68	1.5070E-04
533	10212	Entrez Gene	DEAD (Asp-Glu-Ala-Asp) box polypeptide 39	149_at	Day 3 Intra / Day 0 Intra	1.68	1.3153E-04
				149_at	Day 3 Peri / Day 0 Peri	1.55	7.6400E-05
				149_at	Day 7 Peri / Day 0 Peri	1.42	1.2009E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
534	22993	Entrez Gene	KIAA0194 protein	34221_at	Day 7 Intra/ Day 7 Extra	1.67	4.2025E-03
535	990	Entrez Gene	CDC6 cell division cycle 6 homolog (S. cerevisiae)	36839_at	Day 3 Intra/ Day 0 Intra	1.67	6.0599E-03
536	56890	Entrez Gene	Mdm4, transformed 3T3 cell double minute 1, p53 binding protein (mouse)	37819_at	Day 7 Peri/ Day 0 Peri	1.67	3.7261E-03
537	25629	Entrez Gene	chromosome 22 open reading frame 5	41758_at	Day 3 Peri/ Day 3 Control	1.67	1.8462E-03
				41758_at	Day 0 Peri/ Day 0 Control	1.65	4.7960E-03
				41758_at	Day 3 Peri/ Day 3 Extra	1.61	9.5835E-04
				41758_at	Day 7 Peri/ Day 7 Extra	1.29	9.7755E-03
538	9519	Entrez Gene	TBP-like 1	31797_at	Day 7 Peri/ Day 7 Control	1.67	6.1022E-03
539	4175	Entrez Gene	MCM6 minichromosome maintenance deficient 6 (MIS5 homolog, S. pombe) (S. cerevisiae)	40117_at	Day 3 Intra/ Day 0 Intra	1.67	1.6100E-05
				40117_at	Day 7 Intra/ Day 0 Intra	1.41	9.6300E-05
				40117_at	Day 3 Peri/ Day 0 Peri	1.36	1.8329E-04
				40117_at	Day 7 Peri/ Day 0 Peri	1.29	4.9887E-03
540	9863	Entrez Gene	membrane associated guanylate kinase, WW and PDZ domain containing 2	34257_at	Day 0 Peri/ Day 0 Control	1.67	4.4826E-03
541	3925	Entrez Gene	slathmin 1/oncoprotein 18	1782_s_at	Day 3 Intra/ Day 0 Intra	1.67	1.9446E-03
				1782_s_at	Day 7 Peri/ Day 0 Peri	1.41	7.5020E-04
				1782_s_at	Day 3 Peri/ Day 0 Peri	1.37	2.2974E-03
542	4299	Entrez Gene	AF4/FMR2 family, member 1	39037_at	Day 7 Intra/ Day 7 Control	1.66	8.4020E-03
				39037_at	Day 7 Peri/ Day 7 Control	1.66	1.9606E-03
543	8905	Entrez Gene	adaptor-related protein complex 1, sigma 2 subunit	41549_s_at	Day 7 Peri/ Day 0 Peri	1.66	1.8700E-05
				41549_s_at	Day 3 Peri/ Day 0 Peri	1.60	1.9543E-04
544	HG3344-HT352	The Institute for Genomic Research	---	1164_at	Day 3 Intra/ Day 0 Intra	1.66	2.2712E-03
				1164_at	Day 7 Peri/ Day 0 Peri	1.39	1.8926E-03
545	8706	Entrez Gene	UDP-Gal:betaGlcNAc beta 1,3-galactosyltransferase, polypeptide 3	39293_at	Day 3 Peri/ Day 0 Peri	1.66	7.3257E-03
546	11335	Entrez Gene	chromobox homolog 3 (HP1 gamma homolog, Drosophila)	38085_at	Day 3 Peri/ Day 0 Peri	1.66	9.8654E-03
547	23643	Entrez Gene	lymphocyte antigen 96	33956_at	Day 7 Peri/ Day 0 Peri	1.66	1.4748E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
548	4150	Entrez Gene	MYC-associated zinc finger protein (purine-binding transcription factor)	32553_at	Day 3 Peri / Day 3 Control	1.66	4.2360E-03
549	3109	Entrez Gene	major histocompatibility complex, class II, DM beta	41609_at	Day 7 Intra/ Day 0 Intra	1.65	2.8331E-03
550	6491	Entrez Gene	TAL1 (SCL) Interrupting locus	32767_at	Day 3 Peri/ Day 0 Peri	1.65	6.3831E-03
				32767_at	Day 7 Peri/ Day 0 Peri	1.62	1.0430E-04
551	9444	Entrez Gene	quaking homolog, KH domain RNA binding (mouse)	39760_at	Day 7 Peri/ Day 0 Peri	1.65	1.1415E-03
				39760_at	Day 3 Peri/ Day 0 Peri	1.47	9.2477E-03
552	4669	Entrez Gene	N-acetylglucosaminidase, alpha- (Sanfilippo disease IIIB)	41596_s_at	Day 3 Peri / Day 3 Extra	1.65	3.9393E-03
553	5336	Entrez Gene	phospholipase C, gamma 2 (phosphatidylinositol-specific)	1085_s_at	Day 7 Intra / Day 7 Extra	1.64	6.2403E-03
554	6183	Entrez Gene	mitochondrial ribosomal protein S12	33215_g_at	Day 3 Intra/ Day 0 Intra	1.64	7.1481E-03
555	7030	Entrez Gene	transcription factor binding to IGfM enhancer 3	34689_at	Day 3 Peri / Day 3 Extra	1.64	3.7080E-03
556	1025	Entrez Gene	cyclin-dependent kinase 9 (CDC2-related kinase)	387_at	Day 0 Peri / Day 0 Control	1.63	3.3719E-04
557	196740	Entrez Gene	Chromosome 10 open reading frame 72	41013_at	Day 3 Peri / Day 3 Extra	1.63	3.0331E-03
558	23122	Entrez Gene	cytoplasmic linker associated protein 2	38711_at	Day 7 Peri / Day 7 Control	1.62	4.2754E-03
559	2078	Entrez Gene	v-ets erythroblastosis virus E26 oncogene like (avian)	914_g_at	Day 7 Peri/ Day 0 Peri	1.62	1.3891E-03
560	1848	Entrez Gene	dual specificity phosphatase 6	41193_at	Day 7 Peri/ Day 0 Peri	1.62	2.6146E-04
561	1123	Entrez Gene	chimerin (chimaerin) 1	41193_at	Day 3 Peri/ Day 0 Peri	1.46	2.6921E-03
				40512_at	Day 7 Peri/ Day 0 Peri	1.62	3.5572E-03
562	7035	Entrez Gene	Tissue factor pathway inhibitor (lipoprotein-associated coagulation inhibitor)	40767_at	Day 7 Peri/ Day 0 Peri	1.62	9.2775E-04
				40767_at	Day 7 Peri/ Day 3 Peri	1.42	4.1151E-03
563	25937	Entrez Gene	WW domain containing transcription regulator 1	33876_at	Day 7 Peri / Day 7 Extra	1.62	8.0865E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
564	7851	Entrez Gene	mal, T-cell differentiation protein-like	33331_at	Day 3 Intra/ Day 0 Intra	1.62	7.9478E-03
565	586	Entrez Gene	branched chain aminotransferase 1, cytosolic	38201_at	Day 7 Intra/ Day 0 Intra	1.62	7.1938E-03
				38201_at	Day 3 Peri/ Day 0 Peri	1.46	9.9540E-03
566	10487	Entrez Gene	CAP, adenylate cyclase-associated protein 1 (yeast)	935_at	Day 3 Intra/ Day 0 Intra	1.61	4.6984E-04
				935_at	Day 7 Intra/ Day 0 Intra	1.44	6.4995E-03
567	6197	Entrez Gene	ribosomal protein S6 kinase, 90kDa, polypeptide 3	935_at	Day 3 Intra/ Day 3 Peri	1.27	6.2948E-03
				865_at	Day 7 Intra/ Day 0 Intra	1.61	1.4623E-04
568	442871	Entrez Gene	chromosome 11 open reading frame 32	38411_at	Day 7 Intra/ Day 0 Intra	1.61	7.6214E-03
				38411_at	Day 7 Peri/ Day 0 Peri	1.56	4.5606E-03
569	2123	Entrez Gene	ecotropic viral integration site 2A	36313_at	Day 3 Peri/ Day 0 Peri	1.61	2.4257E-03
				36313_at	Day 3 Peri/ Day 3 Extra	1.57	8.4119E-03
570	U40705	GenBank	telomeric repeat binding factor (NIMA-interacting) 1 /// similar to telomeric repeat binding factor 1 isoform 2; Telomeric repeat binding factor 1; te	32255_l_at	Day 7 Peri/ Day 0 Peri	1.61	2.2511E-03
				32255_l_at	Day 7 Peri/ Day 3 Peri	1.52	3.6647E-03
571	51512	Entrez Gene	G-2 and S-phase expressed 1	39872_at	Day 3 Intra/ Day 0 Intra	1.60	9.8094E-03
				39872_at	Day 3 Peri/ Day 0 Peri	1.47	1.3640E-03
572	9926	Entrez Gene	lysophosphatidylglycerol acyltransferase 1	34387_at	Day 7 Peri/ Day 0 Peri	1.60	3.4482E-03
573	55361	Entrez Gene	phosphatidylinositol 4-kinase type II	33897_at	Day 7 Peri/ Day 0 Peri	1.60	9.0341E-03
574	AJ001684	GenBank	killer cell lectin-like receptor subfamily C, member 1 /// killer cell lectin-like receptor subfamily C, member 2	32297_s_at	Day 7 Peri/ Day 0 Peri	1.60	3.4885E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
575	11017	Entrez Gene	putative nucleic acid binding protein RY-1	35286_r_at	Day 3 Peri / Day 3 Extra	1.60	3.2097E-03
				35286_r_at	Day 7 Peri / Day 0 Peri	1.29	4.4597E-03
576	1965	Entrez Gene	eukaryotic translation initiation factor 2, subunit 1 alpha, 35kDa	1154_at	Day 3 Intra / Day 0 Intra	1.59	4.2618E-03
577	9702	Entrez Gene	transloklin	1154_at	Day 3 Peri / Day 0 Peri	1.26	4.2429E-03
				39785_at	Day 7 Peri / Day 0 Peri	1.59	8.7539E-03
578	56005	Entrez Gene	chromosome 19 open reading frame 10	38969_at	Day 3 Intra / Day 0 Intra	1.59	2.2658E-03
579	10097	Entrez Gene	ARP2 actin-related protein 2 homolog (yeast)	35734_at	Day 7 Peri / Day 0 Peri	1.59	3.7333E-03
				35733_at	Day 7 Intra / Day 0 Intra	1.32	4.0469E-03
580	5192	Entrez Gene	Peroxisome biogenesis factor 10	41282_s_at	Day 3 Peri / Day 3 Extra	1.59	4.1500E-04
				41282_s_at	Day 3 Peri / Day 3 Control	1.40	9.1806E-03
581	10491	Entrez Gene	cartilage associated protein	40119_at	Day 7 Intra / Day 7 Extra	1.59	5.5517E-04
				40119_at	Day 7 Intra / Day 7 Control	1.36	7.8195E-03
582	10564	Entrez Gene	ADP-ribosylation factor guanine nucleotide-exchange factor 2 (brefeldin A-inhibited)	34484_at	Day 7 Intra / Day 0 Intra	1.59	3.6899E-03
583	9111	Entrez Gene	N-myc (and STAT) Interactor	36472_at	Day 3 Peri / Day 0 Peri	1.59	1.0409E-03
584	4522	Entrez Gene	methylene tetrahydrofolate dehydrogenase (NADP+ dependent) 1, methylenetetrahydrofolate cyclohydrolase, formyltetrahydrofolate synthetase	673_at	Day 3 Intra / Day 0 Intra	1.58	4.2535E-03
585	4744	Entrez Gene	neurofilament, heavy polypeptide 200kDa	33767_at	Day 7 Intra / Day 7 Extra	1.58	9.3233E-04
586	10493	Entrez Gene	vesicle amine transport protein 1 homolog (T californica)	605_at	Day 3 Peri / Day 3 Extra	1.58	1.8458E-03
587	410	Entrez Gene	arylsulfatase A	37963_at	Day 7 Intra / Day 0 Intra	1.58	8.6911E-03
588	2877	Entrez Gene	glutathione peroxidase 2 (gastrointestinal)	35194_at	Day 3 Peri / Day 0 Peri	1.58	1.0866E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
589	4836	Entrez Gene	N-myristoyltransferase 1	38999_s_at	Day 3 Intra/ Day 0 Intra	1.58	1.3516E-03
				38999_s_at	Day 7 Intra/ Day 0 Intra	1.46	1.8788E-03
				38999_s_at	Day 3 Peri/ Day 0 Peri	1.32	6.2374E-03
590	6119	Entrez Gene	replication protein A3, 14kDa	651_at	Day 3 Peri/ Day 0 Peri	1.58	6.4678E-03
				652_g_at	Day 3 Intra/ Day 0 Intra	1.43	8.5512E-03
591	9873	Entrez Gene	FCH and double SH3 domains 2	32224_at	Day 3 Peri/ Day 3 Extra	1.58	7.8601E-03
592	25907	Entrez Gene	Ras-induced senescence 1	32224_at	Day 7 Intra/ Day 7 Extra	1.39	7.3181E-03
593	6996	Entrez Gene	thymine-DNA glycosylase	35692_at	Day 3 Peri/ Day 0 Peri	1.57	2.8884E-03
594	23131	Entrez Gene	KIAA0553 protein	35692_at	Day 7 Peri/ Day 0 Peri	1.46	9.2899E-03
595	23023	Entrez Gene	transmembrane and coiled-coil domain family 1	40865_at	Day 7 Peri/ Day 0 Peri	1.57	5.4071E-03
596	22894	Entrez Gene	KIAA1008	38668_at	Day 7 Peri/ Day 7 Control	1.57	2.9219E-03
597	191	Entrez Gene	S-adenosylhomocysteine hydrolase	33251_at	Day 7 Peri/ Day 7 Extra	1.57	4.5225E-03
				40633_at	Day 3 Peri/ Day 3 Extra	1.57	1.8924E-03
				40821_at	Day 3 Intra/ Day 0 Intra	1.57	2.0964E-03
598	2068	Entrez Gene	excision repair cross-complementing rodent repair deficiency, complementation group 2 (xeroderma pigmentosum D)	41095_at	Day 7 Peri/ Day 7 Extra	1.56	7.5413E-03
				41095_at	Day 7 Intra/ Day 7 Extra	1.49	2.0901E-03
599	4172	Entrez Gene	MCM3 minichromosome maintenance deficient 3 (S. cerevisiae)	33252_at	Day 3 Peri/ Day 0 Peri	1.56	9.2760E-04
600	7019	Entrez Gene	transcription factor A, mitochondrial	36191_at	Day 7 Peri/ Day 0 Peri	1.56	5.9082E-03
601	4354	Entrez Gene	membrane protein, palmitoylated 1, 55kDa	32207_at	Day 3 Peri/ Day 0 Peri	1.56	2.0779E-04
				32207_at	Day 3 Intra/ Day 0 Intra	1.46	7.4656E-03
				32207_at	Day 7 Intra/ Day 0 Intra	1.44	2.9715E-03
602	4209	Entrez Gene	MADS box transcription enhancer factor 2, polypeptide D (myocyte enhancer factor 2D)	35434_at	Day 0 Intra/ Day 0 Control	1.55	1.7426E-03
603	91316	Entrez Gene	similar to bK246H3.1 (immunoglobulin lambda-like polypeptide 1, pre-B-cell specific)	31596_f_at	Day 7 Intra/ Day 7 Extra	1.55	2.8319E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
604	283298	Entrez Gene	olfactomedin-like 1	36595_at	Day 7 Peri/ Day 3 Peri	1.55	8.4349E-03
605	8943	Entrez Gene	adaptor-related protein complex 3, delta 1 subunit	36173_r_at	Day 3 Peri/ Day 3 Control	1.55	2.1820E-03
606	6949	Entrez Gene	Treacher Collins-Franceschetti syndrome 1	40596_at	Day 3 Intra/ Day 3 Control	1.54	9.0777E-03
607	471	Entrez Gene	5-aminimidazole-4-carboxamide ribonucleotide formyltransferase/IMP cyclohydrolase	38811_at	Day 3 Intra/ Day 0 Intra	1.54	4.3303E-03
608	7307	Entrez Gene	U2(RNU2) small nuclear RNA auxiliary factor 1	38811_at	Day 7 Intra/ Day 0 Intra	1.42	9.5032E-03
609	91782	Entrez Gene	GHMP family, member 7	36517_at	Day 7 Peri/ Day 7 Intra	1.32	8.4195E-03
610	4200	Entrez Gene	malic enzyme 2, NAD(+)-dependent, mitochondrial	36517_at	Day 7 Peri/ Day 0 Peri	1.27	3.8236E-03
611	50999	Entrez Gene	transmembrane emp24 protein transport domain containing 5	34871_at	Day 3 Peri/ Day 3 Control	1.53	3.6609E-03
612	10972	Entrez Gene	transmembrane emp24-like trafficking protein 10 (yeast)	36599_at	Day 7 Peri/ Day 0 Peri	1.53	6.2031E-03
613	6675	Entrez Gene	UDP-N-acetylglucosamine pyrophosphorylase 1	40931_at	Day 7 Peri/ Day 0 Peri	1.53	9.8430E-03
614	22948	Entrez Gene	chaperonin containing TCP1, subunit 5 (epsilon)	40931_at	Day 3 Peri/ Day 0 Peri	1.37	8.9403E-03
615	HG2036-HT209	The Institute for Genomic Research	death-associated protein	36128_at	Day 3 Intra/ Day 0 Intra	1.53	1.7775E-03
616	1611	Entrez Gene	mesenchyme homeo box 1	41242_at	Day 7 Peri/ Day 0 Peri	1.52	7.1461E-03
617	53615	Entrez Gene	ADP-ribosylation factor 4	40417_at	Day 3 Intra/ Day 0 Intra	1.52	4.2364E-03
618	4222	Entrez Gene	phosphomannomutase 2	1624_at	Day 7 Intra/ Day 0 Intra	1.52	4.7483E-03
619	378	Entrez Gene	KIAA0195 gene product	36199_at	Day 3 Peri/ Day 3 Extra	1.52	9.3962E-03
620	5373	Entrez Gene		41160_at	Day 3 Peri/ Day 3 Extra	1.52	9.4158E-03
621	9772	Entrez Gene		36010_at	Day 7 Peri/ Day 7 Control	1.52	3.7212E-04
				36010_at	Day 7 Peri/ Day 7 Extra	1.36	1.3183E-03
				36585_at	Day 3 Peri/ Day 3 Extra	1.52	7.0646E-03
				32028_at	Day 3 Intra/ Day 3 Control	1.51	7.7676E-03
				32028_at	Day 3 Intra/ Day 0 Intra	1.40	3.1022E-03
				38056_at	Day 7 Intra/ Day 7 Extra	1.51	3.0009E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
622	10105	Entrez Gene	peptidylprolyl isomerase F (cyclophilin F)	40840_at	Day 3 Intra/ Day 0 Intra	1.51	2.4060E-03
623	81611	Entrez Gene	acidic (leucine-rich) nuclear phosphoprotein 32 family, member E	40840_at	Day 7 Intra/ Day 0 Intra	1.49	5.8615E-03
624	5463	Entrez Gene	POU domain, class 6, transcription factor 1	104_at	Day 3 Peri/ Day 0 Peri	1.51	1.7355E-03
625	840	Entrez Gene	caspase 7, apoptosis-related cysteine peptidase	38281_at	Day 7 Intra/ Day 3 Intra	1.51	5.7316E-03
626	8659	Entrez Gene	aldehyde dehydrogenase 4 family, member A1	37331_g_at	Day 7 Peri/ Day 0 Peri	1.50	3.9976E-03
627	5971	Entrez Gene	v-rel reticuloendotheliosis viral oncogene homolog B, nuclear factor of kappa light polypeptide gene enhancer in B-cells 3 (avian)	570_at	Day 3 Intra/ Day 0 Intra	1.50	1.9068E-03
628	23174	Entrez Gene	zinc finger, CCHC domain containing 14	570_at	Day 7 Intra/ Day 0 Intra	1.45	9.5402E-03
629	9961	Entrez Gene	major vault protein	38101_at	Day 3 Peri/ Day 3 Extra	1.50	9.8936E-03
630	290	Entrez Gene	alanyl (membrane) aminopeptidase (aminopeptidase N, aminopeptidase M, microsomal aminopeptidase, CD13, p150)	38064_at	Day 3 Intra/ Day 0 Intra	1.50	3.1600E-03
631	4689	Entrez Gene	neutrophil cytosolic factor 4, 40kDa	39385_at	Day 3 Peri/ Day 0 Peri	1.50	8.6634E-03
632	3176	Entrez Gene	histamine N-methyltransferase	38893_at	Day 7 Intra/ Day 0 Intra	1.50	5.0746E-03
633	829	Entrez Gene	capping protein (actin filament) muscle Z-line, alpha 1	38893_at	Day 7 Peri/ Day 0 Peri	1.43	7.1851E-03
634	5214	Entrez Gene	phosphofructokinase, platelet	37604_at	Day 7 Peri/ Day 0 Peri	1.49	1.8236E-03
635	55719	Entrez Gene	chromosome 10 open reading frame 6	40910_at	Day 7 Peri/ Day 7 Control	1.49	6.6855E-03
636	23197	Entrez Gene	expressed in T-cells and eosinophils in atopic dermatitis	39175_at	Day 7 Peri/ Day 0 Peri	1.49	3.8965E-03
				33192_g_at	Day 3 Peri/ Day 3 Extra	1.49	7.3498E-03
				37030_at	Day 7 Intra/ Day 7 Control	1.49	8.9742E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
637	10772	Entrez Gene	FUS interacting protein (serine/arginine-rich) 1	34717_s_at	Day 3 Peri/ Day 0 Peri	1.49	4.3218E-03
638	5984	Entrez Gene	replication factor C (activator 1) 4, 37kDa	1055_g_at	Day 7 Peri/ Day 0 Peri	1.49	1.8893E-03
639	HG1103-HT110	The Institute for Genomic Research	---	1055_g_at	Day 3 Peri/ Day 0 Peri	1.46	3.2307E-03
640	23102	Entrez Gene	KIAA1055 protein	1877_g_at	Day 3 Peri/ Day 3 Control	1.49	6.6684E-03
641	29890	Entrez Gene	RNA binding motif protein 15B	39400_at	Day 3 Peri/ Day 3 Extra	1.49	2.1984E-04
642	7168	Entrez Gene	tropomyosin 1 (alpha)	38476_at	Day 0 Peri/ Day 0 Control	1.49	8.2195E-03
643	23067	Entrez Gene	KIAA1076 protein	36792_at	Day 7 Peri/ Day 3 Peri	1.49	2.0464E-04
644	25849	Entrez Gene	DKFZP564O0823 protein	36792_at	Day 7 Peri/ Day 0 Peri	1.43	4.2415E-03
645	29893	Entrez Gene	TBP-1 interacting protein	38173_at	Day 7 Peri/ Day 7 Control	1.49	2.3740E-03
646	9989	Entrez Gene	protein phosphatase 4, regulatory subunit 1	41402_at	Day 7 Peri/ Day 7 Extra	1.48	4.6277E-03
647	7525	Entrez Gene	v-yes-1 Yamaguchi sarcoma viral oncogene homolog 1	32577_s_at	Day 3 Peri/ Day 0 Peri	1.48	5.6835E-03
648	23137	Entrez Gene	SMC5 structural maintenance of chromosomes 5-like 1 (yeast)	34371_at	Day 3 Intra/ Day 0 Intra	1.48	7.4671E-03
649	837	Entrez Gene	caspase 4, apoptosis-related cysteine peptidase	1674_at	Day 7 Peri/ Day 0 Peri	1.48	9.2426E-03
650	6447	Entrez Gene	secretory granule, neuroendocrine protein 1 (7B2 protein)	41379_at	Day 7 Peri/ Day 0 Peri	1.48	1.9152E-03
651	29970	Entrez Gene	schwannomin interacting protein 1	195_s_at	Day 3 Peri/ Day 0 Peri	1.48	3.3173E-03
652	996	Entrez Gene	cell division cycle 27	195_s_at	Day 7 Peri/ Day 0 Peri	1.36	3.9309E-03
653	27351	Entrez Gene	DNA segment, Chr 15, Wayne State University 75, expressed	34265_at	Day 7 Peri/ Day 0 Peri	1.48	7.0348E-03
				36536_at	Day 7 Peri/ Day 0 Peri	1.48	4.1360E-03
				40591_at	Day 7 Peri/ Day 0 Peri	1.48	3.0938E-03
				41670_at	Day 7 Intra/ Day 0 Intra	1.47	1.5271E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
654	AI341574	GenBank	postmeiotic segregation increased 2-like 1 /// postmeiotic segregation increased 2-like 5 /// similar to postmeiotic segregation increased 2-like 2 //	32310_f_at	Day 3 Intra / Day 3 Extra	1.47	4.4205E-03
655	3087	Entrez Gene	hematopoietically expressed homeobox	37497_at	Day 7 Peri/ Day 0 Peri	1.47	9.2347E-04
656	9796	Entrez Gene	phytanoyl-CoA hydroxylase interacting protein	37497_at	Day 7 Peri/ Day 7 Extra	1.40	5.4295E-03
657	5937	Entrez Gene	RNA binding motif, single stranded interacting protein 1	37191_at	Day 7 Intra / Day 7 Extra	1.47	9.7711E-03
658	10125	Entrez Gene	RAS guanyl releasing protein 1 (calcium and DAG-regulated)	33867_s_at	Day 7 Peri/ Day 0 Peri	1.47	8.0192E-04
659	10019	Entrez Gene	lymphocyte adaptor protein	33291_at	Day 3 Peri/ Day 0 Peri	1.46	9.7504E-03
660	6990	Entrez Gene	t-complex-associated-testis-expressed 1-like	39428_at	Day 7 Peri/ Day 0 Peri	1.46	7.2456E-04
661	6198	Entrez Gene	ribosomal protein S6 kinase, 70kDa, polypeptide 1	39428_at	Day 3 Peri/ Day 0 Peri	1.42	2.3522E-04
662	7343	Entrez Gene	upstream binding transcription factor, RNA polymerase I	36921_at	Day 3 Peri/ Day 0 Peri	1.46	2.8238E-03
663	10528	Entrez Gene	nucleolar protein 5A (56kDa with KKE/D repeat)	2037_s_at	Day 3 Peri/ Day 0 Peri	1.46	2.0917E-03
664	1390	Entrez Gene	cAMP responsive element modulator	38794_at	Day 7 Peri/ Day 7 Extra	1.46	1.9528E-03
665	10240	Entrez Gene	mitochondrial ribosomal protein S31	34882_at	Day 3 Peri/ Day 0 Peri	1.46	2.7947E-03
666	57794	Entrez Gene	splicing factor 4	32067_at	Day 3 Peri/ Day 0 Peri	1.45	6.9010E-03
667	2313	Entrez Gene	Friend leukemia virus integration 1	40072_at	Day 7 Peri/ Day 3 Peri	1.45	6.2982E-03
668	5087	Entrez Gene	Pre-B-cell leukemia transcription factor 1	31839_at	Day 3 Intra/ Day 0 Intra	1.45	6.1439E-04
669	271	Entrez Gene	adenosine monophosphate deaminase 2 (isoform L)	31839_at	Day 7 Intra/ Day 0 Intra	1.35	5.6434E-03
				41425_at	Day 7 Peri/ Day 0 Peri	1.45	2.9833E-03
				33355_at	Day 7 Peri/ Day 7 Extra	1.45	3.2013E-03
				33355_at	Day 7 Peri/ Day 3 Peri	1.29	6.6119E-03
				38417_at	Day 3 Peri/ Day 3 Extra	1.45	3.1224E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
670	9013	Entrez Gene	TATA box binding protein (TBP)-associated factor, RNA polymerase I, C, 110kDa	40221_at	Day 3 Peri / Day 3 Extra	1.44	7.6368E-03
671	90121	Entrez Gene	hypothetical protein DT1P1A10	33242_at	Day 3 Peri / Day 3 Control	1.44	3.9459E-03
672	3181	Entrez Gene	heterogeneous nuclear ribonucleoprotein A2/B1	36554_s_at	Day 7 Peri / Day 0 Peri	1.44	4.0057E-03
673	902	Entrez Gene	cyclin H	36654_s_at 1924_at	Day 3 Peri / Day 0 Peri Day 7 Peri / Day 0 Peri	1.42 1.44	4.1972E-03 6.1378E-03
674	7511	Entrez Gene	X-prolyl aminopeptidase (aminopeptidase P) 1, soluble	35305_at	Day 3 Peri / Day 3 Extra	1.44	1.8548E-03
675	10133	Entrez Gene	optineurin	41744_at	Day 7 Peri / Day 3 Peri	1.44	4.8992E-03
676	M12959	GenBank	T cell receptor alpha locus /// T cell receptor delta variable 2 /// T cell receptor alpha variable 20 /// T cell receptor alpha joining 17 /// T cell	1106_s_at	Day 3 Peri / Day 0 Peri	1.43	8.3812E-03
677	5096	Entrez Gene	propionyl Coenzyme A carboxylase, beta polypeptide	36561_at	Day 3 Intra / Day 0 Intra	1.43	9.0532E-03
678	10949	Entrez Gene	heterogeneous nuclear ribonucleoprotein A0	37334_at	Day 7 Peri / Day 7 Extra	1.43	8.2840E-03
679	9276	Entrez Gene	Coatmer protein complex, subunit beta 2 (beta prime)	31799_at 31799_at	Day 0 Intra / Day 0 Control Day 0 Intra / Day 0 Peri	1.43 1.41	3.9378E-03 4.0010E-03
680	6776	Entrez Gene	signal transducer and activator of transcription 5A	40458_at 40458_at	Day 3 Peri / Day 3 Extra Day 7 Peri / Day 7 Extra	1.43 1.38	5.1621E-04 6.7773E-03
681	4204	Entrez Gene	methyl CpG binding protein 2 (Rett syndrome)	34355_at	Day 3 Peri / Day 3 Control	1.43	4.9827E-03
682	2268	Entrez Gene	Gardner-Rasheed feline sarcoma viral (v-fgr) oncogene homolog	1780_at	Day 3 Peri / Day 0 Peri	1.43	9.2967E-03
683	1612	Entrez Gene	death-associated protein kinase 1	40049_at	Day 7 Peri / Day 0 Peri	1.42	7.5518E-03
684	10943	Entrez Gene	male-specific lethal 3-like 1 (Drosophila)	37974_at 37974_at	Day 7 Peri / Day 0 Peri Day 3 Peri / Day 0 Peri	1.42 1.37	9.0607E-03 3.8456E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
685	HG1862-HT189	The Institute for Genomic Research	---	955_at	Day 3 Intra/ Day 0 Intra	1.42	6.8245E-03
686	26037	Entrez Gene	signal-induced proliferation-associated 1 like 1	40805_at	Day 7 Peri/ Day 3 Peri	1.42	1.0887E-03
687	26034	Entrez Gene	phosphoinositide-binding protein PIP3-E	40805_at	Day 7 Peri/ Day 7 Intra	1.37	2.3185E-03
688	10555	Entrez Gene	1-acylglycerol-3-phosphate O-acyltransferase 2 (lysophosphatidic acid acyltransferase, beta)	33333_at	Day 0 Intra / Day 0 Control	1.42	7.4103E-03
689	2717	Entrez Gene	galactosidase, alpha	32837_at	Day 7 Peri/ Day 7 Extra	1.41	3.9711E-03
690	158	Entrez Gene	adenylosuccinate lyase	36833_at	Day 3 Intra/ Day 0 Intra	1.41	1.1196E-03
691	3419	Entrez Gene	isocitrate dehydrogenase 3 (NAD+) alpha	36639_at	Day 7 Peri/ Day 0 Peri	1.41	2.1488E-03
692	3065	Entrez Gene	histone deacetylase 1	36639_at	Day 3 Peri/ Day 0 Peri	1.38	1.7590E-03
693	9191	Entrez Gene	death effector domain containing	36195_at	Day 3 Intra/ Day 0 Intra	1.41	6.5855E-03
694	1794	Entrez Gene	dedicator of cytokinesis 2	38771_at	Day 3 Peri/ Day 0 Peri	1.41	1.3400E-04
695	9470	Entrez Gene	eukaryotic translation initiation factor 4E member 2	38771_at	Day 7 Peri/ Day 0 Peri	1.41	5.2166E-04
696	116985	Entrez Gene	centaurin, delta 2	40494_at	Day 3 Peri/ Day 3 Extra	1.41	4.3390E-03
697	27236	Entrez Gene	ADP-ribosylation factor interacting protein 1 (arfaplin 1)	32704_at	Day 7 Peri/ Day 0 Peri	1.41	2.1392E-03
698	10625	Entrez Gene	influenza virus NS1A binding protein	32229_at	Day 7 Intra/ Day 0 Intra	1.41	3.8677E-03
699	10231	Entrez Gene	Down syndrome critical region gene 1-like 1	32229_at	Day 3 Intra/ Day 0 Intra	1.40	5.8851E-03
700	23204	Entrez Gene	ADP-ribosylation factor-like 6 interacting protein	34206_at	Day 7 Intra / Day 7 Extra	1.41	7.1948E-03
701	7873	Entrez Gene	arginine-rich, mutated in early stage tumors	35507_at	Day 7 Peri/ Day 0 Peri	1.40	7.6964E-03
702	2958	Entrez Gene	general transcription factor IIA, 2, 12kDa	33752_at	Day 7 Peri/ Day 0 Peri	1.40	9.4326E-03
703	834	Entrez Gene	caspase 1, apoptosis-related cysteine peptidase (interleukin 1, beta, convertase)	32076_at	Day 7 Peri/ Day 3 Peri	1.40	7.5109E-03
				36572_l_at	Day 7 Peri/ Day 0 Peri	1.40	6.0260E-03
				36615_at	Day 3 Intra/ Day 0 Intra	1.40	2.9578E-03
				37010_at	Day 7 Peri/ Day 0 Peri	1.40	2.1981E-03
				574_s_at	Day 3 Peri/ Day 0 Peri	1.40	5.9309E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
704	9125	Entrez Gene	RCD1 required for cell differentiation1 homolog (S. pombe)	33844_at	Day 7 Intra / Day 7 Peri	1.39	4.0104E-03
705	6016	Entrez Gene	Ras-like without CAAX 1	33844_at 38331_at 38331_at	Day 7 Intra/ Day 0 Intra Day 7 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri	1.36 1.39 1.36	1.1289E-03 4.4305E-03 8.4026E-03
706	U41303	GenBank	small nuclear ribonucleoprotein polypeptide N III SNRPN upstream reading frame	34842_at	Day 7 Peri / Day 7 Extra	1.39	3.4227E-03
707	7763	Entrez Gene	zinc finger, A20 domain containing 2	41542_at	Day 7 Peri/ Day 0 Peri	1.39	9.3984E-03
708	10797	Entrez Gene	methylene tetrahydrofolate dehydrogenase (NADP+ dependent) 2, methylenetetrahydrofolate cyclohydrolase	40074_at	Day 7 Peri/ Day 0 Peri	1.39	8.3017E-03
709	7443	Entrez Gene	vaccinia related kinase 1	39980_at	Day 3 Peri/ Day 0 Peri	1.39	5.7124E-03
710	4478	Entrez Gene	moesin	39980_at 40771_at	Day 7 Peri/ Day 0 Peri Day 3 Intra/ Day 0 Intra	1.35 1.38	9.5843E-03 6.8780E-03
711	79888	Entrez Gene	hypothetical protein FLJ12443	41176_at	Day 7 Peri/ Day 0 Peri	1.38	5.4603E-03
712	8892	Entrez Gene	eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa	40515_at	Day 3 Peri / Day 3 Control	1.38	3.9757E-03
713	HG1322- HT514	The Institute for Genomic Research	---	40515_at 723_s_at 723_s_at	Day 3 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	1.27 1.38 1.34	6.8385E-04 1.6071E-03 5.0475E-03
714	57020	Entrez Gene	esophageal cancer associated protein	41791_at	Day 7 Peri/ Day 0 Peri	1.38	2.1250E-03
715	953	Entrez Gene	ectonucleoside triphosphate diphosphohydrolase 1	32826_at	Day 7 Peri/ Day 3 Peri	1.38	2.5552E-03
716	4668	Entrez Gene	N-acetyl/galactosaminidase, alpha-	36607_at	Day 7 Intra/ Day 0 Intra	1.38	3.1818E-03
717	2634	Entrez Gene	guanylate binding protein 2, interferon-inducible	32700_at	Day 3 Peri/ Day 0 Peri	1.38	1.3799E-03
718	3097	Entrez Gene	human immunodeficiency virus type 1 enhancer binding protein 2	36175_s_at	Day 7 Intra / Day 7 Control	1.37	6.3368E-03
719	23064	Entrez Gene	amyotrophic lateral sclerosis 4	40083_at	Day 7 Peri/ Day 3 Peri	1.37	1.5222E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
720	6775	Entrez Gene	signal transducer and activator of transcription 4	906_at	Day 0 Intra / Day 0 Control	1.36	9.8347E-03
721	3251	Entrez Gene	hypoxanthine phosphoribosyltransferase 1 (Lesch-Nyhan syndrome)	37640_at	Day 7 Peri/ Day 0 Peri	1.36	4.0577E-03
722	192683	Entrez Gene	secretory carrier membrane protein 5	37545_at	Day 3 Peri/ Day 3 Extra	1.35	5.7634E-03
723	4683	Entrez Gene	nibrin	35153_at	Day 7 Peri/ Day 0 Peri	1.35	6.8131E-03
724	8519	Entrez Gene	interferon induced transmembrane protein 1 (9-27)	675_at	Day 3 Peri/ Day 0 Peri	1.35	4.7302E-03
725	23424	Entrez Gene	tudor domain containing 7	40852_at	Day 7 Peri/ Day 0 Peri	1.35	6.2550E-03
726	8540	Entrez Gene	alkylglycerone phosphate synthase	39225_at	Day 7 Peri/ Day 0 Peri	1.35	6.6677E-03
727	2956	Entrez Gene	muS homolog 6 (E. coli)	2003_s_at	Day 7 Peri/ Day 0 Peri	1.35	5.8539E-03
728	10618	Entrez Gene	trans-golgi network protein 2	38993_r_at	Day 7 Peri/ Day 0 Peri	1.35	7.3878E-03
729	103	Entrez Gene	adenosine deaminase, RNA-specific	38014_at	Day 7 Intra/ Day 0 Intra	1.35	9.5125E-03
730	11186	Entrez Gene	Ras association (RalGDS/AF-6) domain family 1	39501_at	Day 0 Intra / Day 0 Control	1.34	1.5889E-03
731	23241	Entrez Gene	phosphofurin acidic cluster sorting protein 2	39601_at	Day 0 Peri / Day 0 Control	1.33	3.5766E-03
732	1069	Entrez Gene	centrin, EF-hand protein, 2	34406_at	Day 3 Intra / Day 3 Extra	1.34	7.3934E-03
733	2643	Entrez Gene	GTP cyclohydrolase 1 (dopa-responsive dystonia)	38410_at	Day 7 Intra/ Day 0 Intra	1.34	6.3238E-03
734	1200	Entrez Gene	tripeptidyl peptidase 1	37944_at	Day 7 Peri/ Day 0 Peri	1.34	8.8851E-03
735	7296	Entrez Gene	thioredoxin reductase 1	32824_at	Day 7 Peri/ Day 0 Peri	1.33	9.3093E-03
				39425_at	Day 3 Peri/ Day 0 Peri	1.33	3.8517E-04
				39425_at	Day 7 Peri/ Day 0 Peri	1.28	1.0574E-03
736	6880	Entrez Gene	TAF9 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 32kDa	193_at	Day 3 Peri/ Day 0 Peri	1.33	3.7140E-03
737	2079	Entrez Gene	enhancer of rudimentary homolog (Drosophila)	193_at	Day 7 Peri/ Day 0 Peri	1.31	9.4114E-03
738	9776	Entrez Gene	KIAA0652 gene product	39079_at	Day 3 Peri / Day 3 Control	1.32	3.5772E-03
				38020_at	Day 3 Peri / Day 3 Extra	1.32	9.6720E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
739	6472	Entrez Gene	serine hydroxymethyltransferase 2 (mitochondrial)	36178_at	Day 3 Intra / Day 3 Control	1.32	6.2071E-03
740	832	Entrez Gene	capping protein (actin filament) muscle Z-line, beta	36178_at	Day 3 Intra / Day 3 Extra	1.29	9.8055E-03
741	23387	Entrez Gene	KIAA0999 protein	37012_at	Day 3 Peri / Day 3 Extra	1.32	4.0510E-03
742	968	Entrez Gene	CD68 antigen	34808_at	Day 0 Intra / Day 0 Control	1.32	3.8688E-03
743	23270	Entrez Gene	TSPY-like 4	33390_at	Day 3 Peri/ Day 0 Peri	1.32	8.8659E-03
744	8565	Entrez Gene	tyrosyl-tRNA synthetase	33835_at	Day 7 Peri/ Day 3 Peri	1.32	5.9028E-03
745	8505	Entrez Gene	poly (ADP-ribose) glycohydrolase	38977_at	Day 3 Intra/ Day 0 Intra	1.32	3.9487E-04
746	3939	Entrez Gene	lactate dehydrogenase A	38977_at	Day 3 Intra / Day 3 Control	1.23	6.1981E-03
747	9695	Entrez Gene	ER degradation enhancer, mannosidase alpha-like 1	38270_at	Day 7 Peri/ Day 0 Peri	1.30	9.6297E-03
748	23317	Entrez Gene	DnaJ (Hsp40) homolog, subfamily C, member 13	41485_at	Day 3 Peri/ Day 0 Peri	1.30	6.8980E-03
749	6624	Entrez Gene	fascin homolog 1, actin-bundling protein (Strongylocentrotus purpuratus)	31898_at	Day 7 Intra/ Day 0 Intra	1.30	3.3255E-03
750	7249	Entrez Gene	tuberous sclerosis 2	39403_at	Day 7 Peri/ Day 0 Peri	1.30	7.7746E-03
751	AD001528	GenBank	spermine synthase /// similar to spermine synthase; spermidine aminopropyltransferase	39070_at	Day 3 Peri / Day 3 Control	1.30	3.0257E-03
752	U06863	GenBank	ATP-binding cassette, sub-family B (MDR/TAP), member 6 /// ATG9 autophagy related 9 homolog A (S. cerevisiae)	38813_at	Day 3 Peri / Day 3 Extra	1.29	5.8895E-03
753	HG2825-HT294	The Institute for Genomic Research	---	38792_at	Day 3 Peri/ Day 0 Peri	1.29	7.5763E-03
754	8683	Entrez Gene	splicing factor, arginine/serine-rich 9	40130_at	Day 7 Peri / Day 7 Extra	1.28	6.4476E-03
755	84148	Entrez Gene	MYST histone acetyltransferase 1	1843_at	Day 0 Intra / Day 0 Control	1.27	2.5683E-03
756	9792	Entrez Gene	SERTA domain containing 2	32573_at	Day 3 Intra/ Day 0 Intra	1.26	1.9019E-03
757	286451	Entrez Gene	Yip1 domain family, member 6	35987_g_at	Day 3 Peri / Day 3 Extra	1.26	8.8338E-03
				37312_at	Day 7 Peri/ Day 3 Peri	1.26	3.0809E-03
				37891_at	Day 7 Peri/ Day 3 Peri	1.26	3.8760E-03

Diagnostic Up - Table 1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
758	4292	Entrez Gene	mutL homolog 1, colon cancer, nonpolypsis type 2 (E. coli)	1850_at	Day 7 Peri/ Day 0 Peri	1.25	9.5876E-03
759	6159	Entrez Gene	ribosomal protein L29	33674_at	Day 7 Intra / Day 7 Extra	1.25	7.0676E-03
760	4976	Entrez Gene	optic atrophy 1 (autosomal dominant)	39745_at	Day 7 Peri/ Day 3 Peri	1.24	9.7423E-03
761	25864	Entrez Gene	abhydrolase domain containing 14A	41018_at	Day 3 Intra / Day 3 Control	1.20	8.0541E-03
762	5269	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 6	34789_at	Day 7 Intra / Day 7 Extra	1.18	8.2532E-03
763	6993	Entrez Gene	t-complex-associated-testis-expressed 1-like 1	946_at	Day 3 Peri/ Day 0 Peri	1.16	4.4734E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
1	M10098	GenBank	---	AFEX- HUMRGE/M10098_5_at	Day 3 Peri / Day 3 Control	61.62	2.9430E-03
2	1553	Entrez Gene	cytochrome P450, family 2, subfamily A, polypeptide 13	1553_r_at	Day 3 Peri / Day 3 Extra	31.02	9.5723E-03
3	8364	Entrez Gene	histone 1, H4c	39969_at	Day 3 Peri / Day 3 Control	27.92	9.0600E-07
				39969_at	Day 0 Peri / Day 0 Control	5.37	6.1769E-03
4	6318	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 4	1549_s_at	Day 3 Peri / Day 0 Peri	5.62	2.5500E-05
				1549_s_at	Day 7 Peri / Day 0 Peri	4.17	3.1767E-04
				41612_at	Day 3 Peri / Day 3 Control	21.97	4.4600E-10
5	9422	Entrez Gene	zinc finger protein 264	41612_at	Day 0 Peri / Day 0 Control	6.21	9.5893E-04
				41612_at	Day 7 Peri / Day 7 Control	3.69	6.3104E-03
				41612_at	Day 3 Peri / Day 3 Intra	2.28	1.0025E-03
6	AJ005814	GenBank	---	40343_at	Day 3 Peri / Day 3 Control	19.49	6.2100E-10
				40343_at	Day 0 Peri / Day 0 Control	9.21	1.9446E-04
7	50486	Entrez Gene	G0/G1switch 2	38326_at	Day 3 Peri / Day 0 Peri	7.10	4.1056E-04
				38326_at	Day 7 Peri / Day 0 Peri	4.38	3.3121E-03
8	54674	Entrez Gene	leucine rich repeat neuronal 3	35712_at	Day 3 Peri / Day 3 Extra	16.86	3.6111E-04
				35712_at	Day 7 Peri / Day 7 Extra	9.79	7.7392E-03
9	7545	Entrez Gene	Zic family member 1 (odd-paired homolog, Drosophila)	36308_at	Day 3 Peri / Day 3 Extra	14.57	6.6088E-04
				36308_at	Day 3 Peri / Day 3 Control	13.09	3.6220E-03
				36308_at	Day 7 Peri / Day 7 Control	9.93	7.2977E-03
				41719_l_at	Day 3 Peri / Day 3 Control	14.31	2.1500E-05
11	3992	Entrez Gene	fatty acid desaturase 1	41719_l_at	Day 0 Peri / Day 0 Intra	8.75	1.6814E-03
				41719_l_at	Day 3 Peri / Day 3 Intra	3.87	1.1775E-03
				41719_l_at	Day 7 Peri / Day 7 Extra	2.99	5.6379E-03
				41719_l_at	Day 7 Peri / Day 7 Intra	2.27	2.8502E-03
12	348162	Entrez Gene	hypothetical protein 348162	40951_at	Day 3 Peri / Day 3 Control	10.41	2.4306E-04
				40951_at	Day 3 Peri / Day 3 Intra	3.21	4.7923E-03
				40949_at	Day 3 Peri / Day 3 Control	10.38	8.6300E-09
13	1783	Entrez Gene	dynein, cytoplasmic, light intermediate polypeptide 2	40949_at	Day 0 Peri / Day 0 Control	5.33	1.5303E-04
				40949_at	Day 7 Peri / Day 7 Control	2.60	7.0745E-03
				40949_at	Day 3 Peri / Day 3 Intra	1.90	3.7252E-03
				40949_at	Day 3 Peri / Day 3 Extra	1.58	3.5607E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
14	3868	Entrez Gene	keratin 16 (focal non-epidermolytic palmoplantar keratoderma)	601_s_at	Day 3 Peri/ Day 0 Peri	2.81	5.7236E-04
15	8618	Entrez Gene	Ca2+-dependent secretion activator	601_s_at	Day 7 Peri/ Day 0 Peri	2.17	2.4480E-03
16	440083	Entrez Gene	proline-rich protein BstNI subfamily 2	31848_at	Day 3 Peri/ Day 3 Extra	10.17	6.0938E-04
17	1915	Entrez Gene	Eukaryotic translation elongation factor 1 alpha 1	36775_f_at	Day 0 Peri/ Day 0 Control	9.88	3.0400E-07
18	2597	Entrez Gene	glyceraldehyde-3-phosphate dehydrogenase	40888_f_at	Day 3 Peri/ Day 3 Control	9.64	3.2546E-03
19	1992	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 1	AFFX-HUMGAPDH/M3319:7_5_st	Day 3 Peri/ Day 3 Control	9.17	1.0435E-04
21	3162	Entrez Gene	heme oxygenase (decycling) 1	33305_at	Day 3 Peri/ Day 0 Peri	3.09	3.3894E-03
22	9060	Entrez Gene	3'-phosphoadenosine 5'-phosphosulfate synthase 2	33802_at	Day 3 Peri/ Day 0 Peri	4.67	7.3400E-05
23	7216	Entrez Gene	trophinin	33802_at	Day 7 Peri/ Day 0 Peri	2.89	8.8939E-03
24	10962	Entrez Gene	myeloid/lymphoid or mixed-lineage leukemia (t11thorax homolog, Drosophila); translocated to, 11	36233_at	Day 3 Peri/ Day 3 Control	8.93	2.3000E-05
25	HG3044-HT374	The Institute for Genomic Research	---	36233_at	Day 3 Peri/ Day 3 Extra	4.22	4.6516E-04
26	146057	Entrez Gene	tau tubulin kinase 2	34730_g_at	Day 3 Peri/ Day 3 Extra	8.12	3.7475E-04
27	2737	Entrez Gene	GLI-Kruppel family member GLI3 (Greig cephalopolysyndactyly syndrome)	311_s_at	Day 3 Peri/ Day 3 Extra	7.96	2.8117E-03
28	23405	Entrez Gene	Dicer1, Dcr-1 homolog (Drosophila)	34899_at	Day 3 Peri/ Day 3 Control	7.83	2.1900E-05
				34899_at	Day 7 Peri/ Day 7 Extra	4.24	1.4963E-03
				40358_at	Day 3 Peri/ Day 3 Control	7.80	1.1400E-05
				40358_at	Day 3 Peri/ Day 3 Intra	2.06	4.2348E-03
				38765_at	Day 0 Peri/ Day 0 Control	7.63	6.8000E-05
				38765_at	Day 3 Peri/ Day 3 Control	7.27	5.3400E-08
				38765_at	Day 7 Peri/ Day 7 Control	4.34	1.5733E-03
				38765_at	Day 3 Peri/ Day 3 Intra	1.75	5.5932E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
29	6317	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 3	1343_s_at	Day 3 Peri/ Day 0 Peri	2.72	7.0204E-04
30	HG2167-HT223	The Institute for Genomic Research	---	1343_s_at	Day 7 Peri/ Day 0 Peri	2.61	1.7829E-03
31	1311	Entrez Gene	cartilage oligomeric matrix protein	735_s_at	Day 3 Peri/ Day 3 Control	7.48	3.9200E-05
32	22873	Entrez Gene	DAZ interacting protein 1	40162_s_at	Day 3 Peri/ Day 3 Extra	7.36	2.2669E-03
33	7083	Entrez Gene	thymidine kinase 1, soluble	40162_s_at	Day 7 Peri/ Day 7 Extra	7.19	8.6739E-03
				36521_at	Day 3 Peri/ Day 3 Extra	7.33	1.4064E-04
				910_at	Day 3 Peri/ Day 0 Peri	2.81	3.6714E-04
				910_at	Day 7 Peri/ Day 0 Peri	1.93	8.0783E-03
				910_at	Day 0 Peri/ Day 0 Intra	1.76	8.8981E-03
34	91543	Entrez Gene	radical S-adenosyl methionine domain containing 2	38549_at	Day 3 Peri/ Day 0 Peri	7.28	1.9000E-05
35	22891	Entrez Gene	zinc finger protein 365	38549_at	Day 7 Peri/ Day 0 Peri	4.34	1.0110E-03
				35959_at	Day 0 Peri/ Day 0 Control	5.92	3.9300E-05
				35959_at	Day 3 Peri/ Day 3 Extra	1.98	9.9041E-03
				35959_at	Day 3 Peri/ Day 3 Intra	1.90	3.4986E-03
36	2209	Entrez Gene	Fc fragment of IgG, high affinity Ia, receptor (CD64)	37220_at	Day 7 Peri/ Day 0 Peri	3.42	4.2300E-06
				37220_at	Day 3 Peri/ Day 0 Peri	2.80	1.2560E-03
37	4208	Entrez Gene	MADS box transcription enhancer factor 2, polypeptide C (myocyte enhancer factor 2C)	37710_at	Day 0 Peri/ Day 0 Control	6.69	9.3621E-04
38	7707	Entrez Gene	zinc finger protein 148 (PHZ-52)	37710_at	Day 3 Peri/ Day 3 Control	3.16	8.0392E-04
				41466_s_at	Day 3 Peri/ Day 3 Control	6.39	8.7700E-07
				41466_s_at	Day 3 Peri/ Day 3 Extra	2.18	1.4059E-03
				41466_s_at	Day 3 Peri/ Day 3 Intra	2.17	5.7088E-04
39	5179	Entrez Gene	proenkephalin	38291_at	Day 0 Peri/ Day 0 Control	6.35	2.7950E-03
				38291_at	Day 7 Peri/ Day 7 Extra	2.36	2.9979E-03
				38639_at	Day 3 Peri/ Day 3 Control	6.33	2.9800E-06
40	10608	Entrez Gene	MAX dimerization protein 4	38639_at	Day 0 Peri/ Day 0 Control	4.92	6.6503E-03
				38639_at	Day 3 Peri/ Day 3 Extra	2.31	2.3091E-03
41	341	Entrez Gene	apolipoprotein C-I	38639_at	Day 3 Peri/ Day 3 Intra	2.09	1.9884E-03
				41764_at	Day 0 Peri/ Day 0 Intra	6.22	7.4624E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
42	2982	Entrez Gene	guanylate cyclase 1, soluble, alpha 3	36918_at	Day 3 Peri / Day 3 Control	6.22	1.1318E-04
				36918_at	Day 0 Peri / Day 0 Control	5.97	4.5357E-04
				36918_at	Day 3 Peri / Day 3 Extra	5.29	5.6600E-05
				36918_at	Day 7 Peri / Day 7 Control	3.89	9.0213E-03
43	6474	Entrez Gene	short stature homeobox 2	36487_at	Day 3 Peri / Day 3 Extra	6.21	1.1821E-03
				36487_at	Day 7 Peri / Day 7 Control	4.61	1.0513E-03
44	1846	Entrez Gene	dual specificity phosphatase 4	1788_s_at	Day 0 Peri / Day 0 Control	6.11	5.4048E-03
				1788_s_at	Day 3 Peri / Day 3 Control	3.44	6.0191E-04
45	6738	Entrez Gene	TROVE domain family, member 2	35295_g_at	Day 3 Peri / Day 3 Control	6.08	1.3900E-06
				35293_at	Day 7 Peri / Day 7 Control	3.18	6.7538E-03
				35295_g_at	Day 3 Peri / Day 3 Intra	2.60	1.4042E-04
				1664_at	Day 3 Peri / Day 3 Extra	6.08	1.9463E-03
46	HG3543-HT373	The Institute for Genomic Research	---	1664_at	Day 0 Peri / Day 0 Control	5.64	7.6000E-05
				31571_at	Day 0 Peri / Day 0 Control	4.45	8.7958E-03
48	10766	Entrez Gene	transducer of ERBB2, 2	39286_at	Day 3 Peri / Day 3 Control	5.91	5.0200E-05
				39286_at	Day 3 Peri / Day 3 Intra	3.05	4.4263E-04
				39286_at	Day 0 Peri / Day 0 Control	2.67	8.4517E-03
				39286_at	Day 3 Peri / Day 3 Extra	2.37	4.8739E-03
49	2328	Entrez Gene	flavin containing monooxygenase 3	40665_at	Day 7 Peri / Day 7 Control	4.94	1.5693E-03
				40665_at	Day 3 Peri / Day 3 Extra	2.33	2.3064E-03
				40665_at	Day 3 Peri / Day 3 Control	2.12	8.4898E-03
50	273	Entrez Gene	amphiphysin (Stiff-Man syndrome with breast cancer 128kDa autoantigen)	32728_at	Day 3 Peri / Day 3 Extra	5.82	1.1400E-05
				32728_at	Day 0 Peri / Day 0 Control	5.44	6.6379E-04
51	7357	Entrez Gene	UDP-glucose ceramide glucosyltransferase	40215_at	Day 3 Peri / Day 3 Control	5.82	7.7100E-08
				40215_at	Day 0 Peri / Day 0 Control	4.19	4.3528E-03
				40215_at	Day 7 Peri / Day 7 Control	3.00	3.5319E-03
				40215_at	Day 3 Peri / Day 3 Intra	1.89	3.5696E-03
52	440118	Entrez Gene	LOC440118	AFFX-M27830_M_at	Day 3 Peri / Day 3 Control	5.70	8.5308E-03
53	AL050030	GenBank	---	35603_at	Day 7 Peri / Day 7 Control	5.61	1.0162E-03
				35603_at	Day 3 Peri / Day 3 Extra	2.40	9.9334E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
54	5265	Entrez Gene	serpin peptidase inhibitor, clade A (alpha-1 antitrypsin), member 1	36781_at	Day 3 Peri/ Day 0 Peri	4.19	2.5899E-04
				36781_at	Day 7 Peri/ Day 0 Peri	2.60	7.4336E-04
55	27286	Entrez Gene	sushi-repeat-containing protein, X-linked 2	37805_at	Day 0 Peri/ Day 0 Control	5.44	4.8658E-03
				37805_at	Day 3 Peri/ Day 3 Extra	2.66	7.0182E-04
				37805_at	Day 3 Peri/ Day 3 Control	2.35	6.5413E-03
56	221830	Entrez Gene	TWIST neighbor	35007_at	Day 3 Peri/ Day 3 Control	5.39	2.0234E-03
57	1385	Entrez Gene	cAMP responsive element binding protein 1	37535_at	Day 3 Peri/ Day 3 Control	5.37	2.5300E-06
				37535_at	Day 0 Peri/ Day 0 Control	3.94	1.2584E-03
				37535_at	Day 7 Peri/ Day 7 Control	3.12	5.0364E-03
				37535_at	Day 3 Peri/ Day 3 Intra	2.19	8.5571E-04
58	2072	Entrez Gene	excision repair cross-complementing rodent repair deficiency, complementation group 4	1258_s_at	Day 0 Peri/ Day 0 Control	5.37	1.1722E-03
59	4820	Entrez Gene	natural killer-tumor recognition sequence	34234_f_at	Day 3 Peri/ Day 3 Control	5.34	1.0900E-06
				34234_f_at	Day 0 Peri/ Day 0 Control	2.36	5.2415E-03
				34234_f_at	Day 3 Peri/ Day 3 Intra	1.82	3.6107E-03
60	23177	Entrez Gene	KIAA0582	40191_s_at	Day 3 Peri/ Day 3 Control	5.27	1.7000E-06
				40191_s_at	Day 3 Peri/ Day 3 Intra	1.76	6.4747E-03
61	131578	Entrez Gene	leucine rich repeat containing 15	34778_at	Day 3 Peri/ Day 3 Extra	5.21	1.2361E-03
62	9645	Entrez Gene	microtubule associated monooxygenase, calponin and LIM domain containing 2	40848_g_at	Day 0 Peri/ Day 0 Control	5.10	2.8426E-03
				40848_g_at	Day 3 Peri/ Day 3 Extra	2.83	2.8160E-03
				40848_g_at	Day 3 Peri/ Day 3 Control	2.74	8.8301E-03
				40848_g_at	Day 0 Peri/ Day 0 Intra	2.43	6.1052E-03
63	9133	Entrez Gene	cyclin B2	32263_at	Day 3 Peri/ Day 0 Peri	2.52	2.6800E-05
				32263_at	Day 7 Peri/ Day 0 Peri	2.19	4.3768E-04
64	AL109722	GenBank	---	38511_at	Day 7 Peri/ Day 7 Control	5.04	9.9650E-04
				38511_at	Day 7 Peri/ Day 0 Peri	1.79	2.4466E-03
65	9768	Entrez Gene	KIAA0101	38116_at	Day 3 Peri/ Day 0 Peri	3.60	4.9500E-05
				38116_at	Day 7 Peri/ Day 0 Peri	2.29	6.4300E-05
66	HG3510-HT370	The Institute for Genomic Research	---	1147_at	Day 0 Peri/ Day 0 Control	4.94	2.1125E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
67	11006	Entrez Gene	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 4	36753_at	Day 3 Peri/ Day 0 Peri	3.38	7.2200E-06
68	8529	Entrez Gene	cytochrome P450, family 4, subfamily F, polypeptide 2	36753_at	Day 7 Peri/ Day 0 Peri	2.74	6.7800E-05
69	6238	Entrez Gene	Ribosome binding protein 1 homolog 180kDa (dog)	33212_at	Day 0 Peri/ Day 0 Control	4.81	5.0769E-04
70	636	Entrez Gene	bicaudal D homolog 1 (Drosophila)	33212_at	Day 3 Peri/ Day 3 Control	3.46	1.7790E-04
72	5125	Entrez Gene	Protein convertase subtilisin/kexin type 5	33212_at	Day 3 Peri/ Day 3 Extra	2.66	1.5457E-04
73	7716	Entrez Gene	zinc finger protein 161	32127_at	Day 3 Peri/ Day 3 Control	4.72	6.3906E-04
74	8082	Entrez Gene	sarcomer (Kras oncogene-associated gene)	32127_at	Day 7 Peri/ Day 7 Control	4.35	4.2931E-03
75	9353	Entrez Gene	slit homolog 2 (Drosophila)	41032_at	Day 3 Peri/ Day 3 Control	4.49	8.4459E-04
76	445815	Entrez Gene	PALM2-AKAP2 protein	41032_at	Day 7 Peri/ Day 0 Peri	1.91	6.2590E-03
77	1363	Entrez Gene	carboxypeptidase E	350_at	Day 3 Peri/ Day 3 Control	4.47	2.7300E-07
78	9681	Entrez Gene	DEP domain containing 5	350_at	Day 0 Peri/ Day 0 Control	4.05	7.9300E-06
79	2214	Entrez Gene	Fc fragment of IgG ₁ low affinity IIIa, receptor (CD16a)	32628_at	Day 7 Peri/ Day 7 Control	3.11	1.7934E-04
80	388574	Entrez Gene	similar to 60S ribosomal protein L23a	350_at	Day 3 Peri/ Day 3 Extra	2.15	1.2866E-04
				350_at	Day 3 Peri/ Day 3 Intra	1.77	1.5388E-03
				33303_at	Day 3 Peri/ Day 3 Extra	4.46	1.1134E-04
				39634_at	Day 3 Peri/ Day 3 Control	4.44	8.1900E-07
				39634_at	Day 3 Peri/ Day 3 Extra	1.89	2.2254E-03
				39634_at	Day 3 Peri/ Day 3 Intra	1.84	2.7788E-03
				35985_at	Day 3 Peri/ Day 3 Control	4.43	2.0384E-04
				35985_at	Day 0 Peri/ Day 0 Control	3.62	5.3299E-04
				35985_at	Day 7 Peri/ Day 7 Control	3.55	5.3366E-03
				36606_at	Day 3 Peri/ Day 3 Extra	4.41	4.4496E-03
				36606_at	Day 7 Peri/ Day 7 Extra	2.39	1.4354E-03
				38190_r_at	Day 3 Peri/ Day 3 Extra	4.38	9.8166E-03
				37200_at	Day 3 Peri/ Day 0 Peri	3.64	8.6200E-06
				37200_at	Day 7 Peri/ Day 0 Peri	2.95	1.1548E-04
				37859_r_at	Day 7 Peri/ Day 7 Control	4.38	2.6365E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
81	5654	Entrez Gene	HlrA serine peptidase 1	718_at 718_at	Day 3 Peri / Day 3 Extra Day 0 Peri / Day 0 Control	4.35 3.11	9.8606E-04 8.9553E-03
82	26137	Entrez Gene	zinc finger and BTB domain containing 20	38211_at	Day 3 Peri / Day 3 Control	4.32	1.1509E-04
83	891	Entrez Gene	cyclin B1	38211_at 38211_at 38211_at	Day 3 Peri / Day 3 Extra Day 7 Peri / Day 7 Control Day 3 Peri / Day 0 Peri	2.05 1.91 2.74	2.1454E-03 4.9230E-03 3.6000E-05
84	6925	Entrez Gene	Transcription factor 4	32872_at 32872_at 32872_at 32872_at	Day 3 Peri / Day 3 Control Day 7 Peri / Day 7 Control Day 0 Peri / Day 0 Control Day 3 Peri / Day 3 Intra	4.23 3.42 3.39 2.30	1.0586E-04 5.6765E-03 2.7949E-03 1.6281E-03
85	4680	Entrez Gene	carcinoembryonic antigen-related cell adhesion molecule 6 (non-specific cross reacting antigen)	36105_at	Day 7 Peri / Day 0 Peri	3.08	2.4678E-03
86	2186	Entrez Gene	fetal Alzheimer antigen	36105_at 41091_at 41091_at	Day 3 Peri / Day 0 Peri Day 3 Peri / Day 3 Control Day 3 Peri / Day 3 Intra	2.60 4.22 1.98	6.3112E-03 3.5400E-06 1.0868E-03
87	4675	Entrez Gene	nucleosome assembly protein 1-like 3	743_at	Day 3 Peri / Day 3 Extra	4.21	4.4545E-03
88	2215	Entrez Gene	Fc fragment of IgG, low affinity IIb, receptor (CD16b)	31499_s_at	Day 3 Peri / Day 0 Peri	2.71	1.6453E-03
89	57556	Entrez Gene	sema domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 6A	36275_at	Day 3 Peri / Day 3 Control	4.16	2.1852E-04
90	1973	Entrez Gene	Eukaryotic translation initiation factor 4A, isoform 1	36275_at 36234_at	Day 3 Peri / Day 3 Intra Day 3 Peri / Day 3 Control	2.16 4.06	3.4987E-03 1.8068E-03
91	5831	Entrez Gene	pyrroline-5-carboxylate reductase 1	36234_at 37741_at	Day 0 Peri / Day 0 Control Day 3 Peri / Day 3 Extra	3.02 3.93	2.6105E-03 2.5252E-03
92	10299	Entrez Gene	membrane-associated ring finger (C3HC4) 6	32802_at 32802_at	Day 3 Peri / Day 3 Control Day 7 Peri / Day 7 Control	3.88 2.17	4.4900E-06 1.6624E-03
93	57134	Entrez Gene	mannosidase, alpha, class 1C, member 1	40716_at 40716_at	Day 7 Peri / Day 7 Extra Day 3 Peri / Day 3 Extra	3.85 2.88	2.9199E-03 9.3206E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
94	25903	Entrez Gene	olfactomedin-like 2B	36007_at	Day 0 Peri / Day 0 Control	3.84	7.7902E-03
96	3872	Entrez Gene	keralin 17	36007_at	Day 3 Peri / Day 3 Extra	3.44	1.5200E-06
97	11015	Entrez Gene	KDEL (Lys-Asp-Glu-Leu) endoplasmic reticulum protein retention receptor 3	36007_at	Day 3 Peri / Day 3 Control	3.07	3.2500E-05
				34301_r_at	Day 0 Peri / Day 0 Intra	2.60	2.5750E-03
98	8609	Entrez Gene	Kruppel-like factor 7 (ubiquitous)	34216_at	Day 3 Peri / Day 3 Control	3.77	2.2900E-06
				34216_at	Day 0 Peri / Day 0 Control	2.43	2.6538E-03
				34216_at	Day 7 Peri / Day 7 Control	2.10	3.0855E-03
				34216_at	Day 3 Peri / Day 3 Intra	1.48	9.0408E-03
101	26118	Entrez Gene	WD repeat and SOCS box-containing 1	40928_at	Day 7 Peri / Day 7 Control	3.76	2.7335E-03
				40928_at	Day 3 Peri / Day 3 Control	3.00	9.3000E-06
				40928_at	Day 3 Peri / Day 3 Intra	1.75	1.9441E-03
				40928_at	Day 3 Peri / Day 3 Extra	1.73	3.7654E-03
102	165	Entrez Gene	AE binding protein 1	39069_at	Day 3 Peri / Day 3 Extra	3.73	8.3700E-05
				39069_at	Day 0 Peri / Day 0 Control	3.57	3.0863E-03
				39069_at	Day 3 Peri / Day 3 Control	2.76	4.0183E-03
104	56255	Entrez Gene	thioredoxin domain containing 13	40478_at	Day 0 Peri / Day 0 Control	3.73	3.7058E-03
105	4782	Entrez Gene	nuclear factor I/C (CCAAT-binding transcription factor)	33329_at	Day 3 Peri / Day 3 Control	3.72	1.2335E-03
				33329_at	Day 7 Peri / Day 7 Extra	3.44	5.0257E-04
				33329_at	Day 3 Peri / Day 3 Extra	2.38	9.9870E-03
106	597	Entrez Gene	BCL2-related protein A1	2002_s_at	Day 3 Peri / Day 0 Peri	3.57	9.8581E-04
				2002_s_at	Day 7 Peri / Day 0 Peri	3.15	3.2235E-03
107	7298	Entrez Gene	thymidylate synthetase	37899_at	Day 7 Peri / Day 0 Peri	2.56	1.6984E-04
				37899_at	Day 3 Peri / Day 0 Peri	2.47	5.5367E-04
108	2882	Entrez Gene	glutathione peroxidase 7	36009_at	Day 3 Peri / Day 3 Extra	3.67	9.7825E-04
109	54741	Entrez Gene	leptin receptor overlapping transcript	33829_at	Day 3 Peri / Day 3 Control	3.64	2.2800E-06
				33829_at	Day 0 Peri / Day 0 Control	2.97	2.7534E-03
				33829_at	Day 3 Peri / Day 3 Extra	1.79	3.9589E-03
110	54434	Entrez Gene	slingshot homolog 1 (Drosophila)	34082_at	Day 3 Peri / Day 3 Control	3.62	2.1241E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
111	5167	Entrez Gene	ectonucleotide pyrophosphatase/phosphodiesterase 1	342_at	Day 3 Peri/ Day 3 Control	3.57	3.6717E-03
112	3055	Entrez Gene	hemopoietic cell kinase	40742_at 40742_at	Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	3.57 2.85	2.2240E-04 2.8000E-05
113	55884	Entrez Gene	WD repeat and SOCS box-containing 2	40166_at 40166_at	Day 3 Peri/ Day 3 Control Day 3 Peri/ Day 3 Intra	3.56 1.89	1.4703E-04 4.7221E-03
114	23543	Entrez Gene	RNA binding motif protein 9	40260_g_at 40260_g_at 40260_g_at 40260_g_at	Day 0 Peri/ Day 0 Control Day 3 Peri/ Day 3 Control Day 7 Peri/ Day 7 Control Day 3 Peri/ Day 3 Extra	3.56 3.01 2.66 2.01	3.8600E-05 1.5011E-04 4.0528E-03 2.5795E-03
115	4067	Entrez Gene	v-jes-1 Yamaguchi sarcoma viral related oncogene homolog	1402_at 32616_at 32616_at 32616_at 1402_at 34276_at 34276_at	Day 3 Peri/ Day 3 Control Day 0 Peri/ Day 0 Control Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 7 Control Day 7 Peri/ Day 0 Peri Day 7 Peri/ Day 7 Control Day 7 Peri/ Day 7 Intra	3.53 2.33 2.06 2.04 1.52 3.52 1.96	8.4861E-04 1.7376E-03 1.4400E-03 9.9278E-03 4.6204E-03 1.5968E-04 8.3976E-04
116	22981	Entrez Gene	KIAA0980 protein	36889_at 36889_at	Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	2.26 1.36	5.1700E-05 6.9124E-03
117	2207	Entrez Gene	Fc fragment of IgE, high affinity I, receptor for; gamma polypeptide	40725_at 40725_at 40725_at	Day 3 Peri/ Day 3 Control Day 7 Peri/ Day 7 Control Day 3 Peri/ Day 3 Intra	3.47 1.65 1.54	1.4300E-07 4.3558E-03 2.9011E-03
118	9527	Entrez Gene	golgi SNAP receptor complex member 1				
120	AF025533	GenBank	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 2 /// leukocyte immunoglobulin-like receptor, subfamily B (wit	37148_at	Day 3 Peri/ Day 0 Peri	2.24	2.1384E-04
121	23201	Entrez Gene	KIAA0280 protein	36612_at	Day 0 Peri/ Day 0 Control	3.41	8.9927E-04
122	3491	Entrez Gene	cysteine-rich, angiogenic inducer, 61	38772_at	Day 3 Peri/ Day 3 Control	3.41	4.9840E-04
123	581	Entrez Gene	BCL2-associated X protein	1997_s_at 2065_s_at 2065_s_at	Day 0 Peri/ Day 0 Control Day 3 Peri/ Day 3 Extra Day 3 Peri/ Day 3 Control	3.37 2.04 1.86	3.2193E-03 4.9882E-04 5.2479E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
124	23705	Entrez Gene	Immunoglobulin superfamily, member 4	37929_at	Day 0 Peri / Day 0 Control	3.34	2.2877E-03
				35829_at	Day 7 Peri / Day 7 Extra	3.13	4.7418E-03
				37929_at	Day 3 Peri / Day 3 Control	3.10	9.1288E-04
				37929_at	Day 3 Peri / Day 3 Extra	2.11	8.6665E-03
				37929_at	Day 3 Peri / Day 3 Intra	1.94	5.0517E-03
125	10409	Entrez Gene	Brain abundant, membrane attached signal protein 1	32606_at	Day 3 Peri / Day 3 Control	3.33	7.8585E-03
				32607_at	Day 3 Peri / Day 3 Extra	1.72	8.3716E-04
126	AL080095	GenBank	MRNA; cDNA DKFZp564O0862 (from clone DKFZp564O0862)	34940_at	Day 0 Peri / Day 0 Control	3.32	6.8410E-03
127	55660	Entrez Gene	formin binding protein 3	37506_at	Day 3 Peri / Day 3 Control	3.32	2.2424E-04
				37506_at	Day 3 Peri / Day 3 Intra	1.81	6.3129E-03
128	9043	Entrez Gene	sperm associated antigen 9	39419_at	Day 0 Peri / Day 0 Control	3.30	7.1153E-03
				39419_at	Day 3 Peri / Day 3 Control	3.04	4.4651E-04
				39395_at	Day 0 Peri / Day 0 Control	3.29	8.3439E-03
129	7070	Entrez Gene	Thy-1 cell surface antigen	39395_at	Day 3 Peri / Day 3 Extra	2.88	4.6500E-05
				39395_at	Day 3 Peri / Day 3 Control	2.36	2.8508E-03
				39395_at	Day 7 Peri / Day 7 Extra	1.55	6.6681E-03
130	10395	Entrez Gene	deleted in liver cancer 1	37951_at	Day 3 Peri / Day 3 Control	3.28	2.6486E-04
				37951_at	Day 0 Peri / Day 0 Control	2.68	3.0185E-03
131	112611	Entrez Gene	RWD domain containing 2	37951_at	Day 3 Peri / Day 3 Intra	1.83	3.8764E-03
				39595_at	Day 7 Peri / Day 7 Control	3.28	2.2213E-03
132	4599	Entrez Gene	myxovirus (influenza virus) resistance 1, interferon-inducible protein p78 (mouse)	37014_at	Day 3 Peri / Day 0 Peri	2.79	6.4500E-06
				37014_at	Day 7 Peri / Day 0 Peri	2.54	2.8020E-04
133	1734	Entrez Gene	delodinate, iodolthyronine, type II	31902_at	Day 3 Peri / Day 3 Control	3.26	3.1867E-04
				31902_at	Day 3 Peri / Day 3 Extra	2.19	3.6862E-03
134	57608	Entrez Gene	KIAA1462	38351_at	Day 0 Peri / Day 0 Control	3.11	3.6003E-04
				38351_at	Day 3 Peri / Day 3 Extra	2.89	2.5442E-03
				38351_at	Day 3 Peri / Day 3 Control	2.84	6.3281E-03
135	8578	Entrez Gene	scavenger receptor class F, member 1	40034_at	Day 7 Peri / Day 7 Control	3.24	3.1527E-04
				40034_at	Day 7 Peri / Day 0 Peri	1.92	4.8512E-03
				40034_at	Day 7 Peri / Day 3 Peri	1.56	1.5663E-03
136	AL080215	GenBank	---	32454_at	Day 3 Peri / Day 3 Control	3.23	5.8514E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
137	8837	Entrez Gene	CASP8 and FADD-like apoptosis regulator	32746_at	Day 0 Peri/ Day 0 Control	3.22	4.3094E-03
138	9315	Entrez Gene	chromosome 5 open reading frame 13	32746_at	Day 3 Peri/ Day 3 Control	2.56	1.1100E-05
139	2009	Entrez Gene	echinoderm microtubule associated protein like 1	39710_at	Day 3 Peri/ Day 3 Extra	3.21	6.1670E-03
140	699	Entrez Gene	BUB1 budding uninhibited by benzimidazoles 1 homolog (yeast)	41671_at	Day 3 Peri/ Day 3 Extra	3.21	1.3498E-03
141	6495	Entrez Gene	sine oculis homeobox homolog 1 (Drosophila)	41081_at	Day 7 Peri/ Day 0 Peri	2.75	1.5964E-03
142	8613	Entrez Gene	phosphatidic acid phosphatase type 2B	41081_at	Day 3 Peri/ Day 0 Peri	2.54	6.7046E-03
143	10899	Entrez Gene	Jumping translocation breakpoint	40004_at	Day 7 Peri/ Day 7 Control	3.18	5.9564E-03
144	AL049242	GenBank	Full length Insert cDNA clone YR67C11	40004_at	Day 0 Peri/ Day 0 Control	2.66	2.2472E-04
145	10970	Entrez Gene	cytoskeleton-associated protein 4	40004_at	Day 3 Peri/ Day 3 Control	2.21	7.2818E-04
146	54440	Entrez Gene	chromosome X open reading frame 9	40004_at	Day 3 Peri/ Day 3 Extra	1.92	1.6968E-03
147	60489	Entrez Gene	apolipoprotein B mRNA editing enzyme, catalytic polypeptide-like 3G	33862_at	Day 3 Peri/ Day 3 Control	3.16	6.1541E-04
148	6813	Entrez Gene	synaptaxin binding protein 2	41832_s_at	Day 3 Peri/ Day 3 Control	2.11	9.5052E-03
149	10536	Entrez Gene	leprecan-like 2	34175_r_at	Day 7 Peri/ Day 7 Extra	3.14	9.0407E-03
150	9473	Entrez Gene	chromosome 1 open reading frame 38	32529_at	Day 0 Peri/ Day 0 Control	3.12	1.5365E-03
151	7378	Entrez Gene	uridine phosphorylase 1	32529_at	Day 3 Peri/ Day 3 Control	3.07	4.1300E-05
				40296_at	Day 3 Peri/ Day 0 Peri	2.67	2.7367E-04
				40296_at	Day 7 Peri/ Day 0 Peri	2.31	3.2622E-04
				41472_at	Day 7 Peri/ Day 0 Peri	3.10	2.9700E-05
				41472_at	Day 3 Peri/ Day 0 Peri	1.96	5.4156E-03
				41472_at	Day 7 Peri/ Day 3 Peri	1.58	8.9999E-03
				38259_at	Day 0 Peri/ Day 0 Intra	2.28	5.6866E-03
				39973_at	Day 3 Peri/ Day 3 Extra	3.09	1.1783E-04
				39973_at	Day 3 Peri/ Day 3 Control	2.37	3.9576E-03
				41409_at	Day 3 Peri/ Day 0 Peri	1.99	8.5934E-04
				41409_at	Day 7 Peri/ Day 0 Peri	1.62	1.4759E-03
				37351_at	Day 3 Peri/ Day 0 Peri	2.24	1.8666E-03
				37351_at	Day 7 Peri/ Day 0 Peri	2.05	2.3410E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
152	890	Entrez Gene	cyclin A2	1943_at 1943_at 40697_at	Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri Day 0 Peri/ Day 0 Intra	1.74 1.59 1.38	9.4700E-05 1.3691E-03 9.5486E-03
153	6772	Entrez Gene	signal transducer and activator of transcription 1, 91kDa	HUMISGF3A/M9793 5_MA_at AFFX- HUMISGF3A/M9793 5_MA_at	Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	2.32 2.24	2.3402E-04 2.9433E-04
154	8942	Entrez Gene	kynureninase (L-kynurenine hydrolase)	40671_g_at 40671_g_at	Day 7 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri	1.98 1.79	3.8943E-03 9.2441E-03
156	5479	Entrez Gene	peptidylprolyl isomerase B (cyclophilin B)	35823_at 35823_at	Day 0 Peri/ Day 0 Control Day 3 Peri/ Day 3 Control	3.01 1.94	9.3295E-04 2.3805E-03
157	8555	Entrez Gene	CDC14 cell division cycle 14 homolog B (S. cerevisiae)	40920_at 40920_at 40920_at 40920_at	Day 3 Peri/ Day 3 Control Day 7 Peri/ Day 7 Control Day 0 Peri/ Day 0 Control Day 3 Peri/ Day 3 Extra	3.00 2.94 2.07 1.76	6.8500E-05 4.6936E-04 5.6605E-04 4.6409E-03
158	1164	Entrez Gene	CDC28 protein kinase regulatory subunit 2	40690_at 40690_at	Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	2.26 1.86	1.1039E-03 9.3970E-03
159	U00928	GenBank	...	39181_at	Day 7 Peri/ Day 7 Extra	2.03	5.9146E-03
160	1316	Entrez Gene	Kruppel-like factor 6	37026_at	Day 3 Peri/ Day 3 Control	2.97	4.6500E-06
161	11010	Entrez Gene	GLI pathogenesis-related 1 (glioma)	531_at 531_at 531_at 531_at 531_at	Day 3 Peri/ Day 3 Control Day 3 Peri/ Day 3 Extra Day 0 Peri/ Day 0 Control Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	2.96 2.96 2.71 1.79 1.71	2.3738E-04 2.4017E-04 2.4964E-03 3.2283E-04 3.9775E-03
162	5954	Entrez Gene	reticulocalbin 1, EF-hand calcium binding domain	40556_at	Day 3 Peri/ Day 3 Extra	2.95	5.4492E-03
163	AL022718	GenBank	CDNA clone IMAGE:4811759	39273_at	Day 7 Peri/ Day 7 Control	2.95	1.8046E-03
164	929	Entrez Gene	CD14 antigen	36661_s_at	Day 3 Peri/ Day 0 Peri	2.05	3.9492E-03
165	3398	Entrez Gene	Inhibitor of DNA binding 2, dominant negative helix-loop-helix protein	41216_r_at	Day 7 Peri/ Day 7 Extra	2.94	3.2384E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
166	129080	Entrez Gene	EMI domain containing 1	40302_at	Day 0 Peri / Day 0 Control	2.93	3.6649E-03
167	83604	Entrez Gene	transmembrane protein 47	40302_at	Day 7 Peri / Day 7 Extra	2.13	2.6927E-03
168	90993	Entrez Gene	CAMP responsive element binding protein 3-like 1	40302_at	Day 3 Peri / Day 3 Extra	2.05	7.2778E-03
				37958_at	Day 3 Peri / Day 3 Extra	2.93	1.6752E-03
169	1803	Entrez Gene	dipeptidylpeptidase 4 (CD26, adenosine deaminase complexing protein 2)	41867_at	Day 3 Peri / Day 3 Extra	2.93	3.0652E-03
170	2034	Entrez Gene	endothelial PAS domain protein 1	34823_at	Day 3 Peri / Day 3 Control	2.25	7.5597E-03
171	5075	Entrez Gene	paired box gene 1	38092_at	Day 0 Peri / Day 0 Control	2.84	2.5268E-03
172	6304	Entrez Gene	special AT-rich sequence binding protein 1 (binds to nuclear matrix/scaffold-associating DNA's)	36726_at	Day 3 Peri / Day 3 Control	2.91	4.9759E-03
				36899_at	Day 3 Peri / Day 3 Control	2.88	3.1700E-06
				36899_at	Day 0 Peri / Day 0 Control	2.01	5.0880E-03
				36899_at	Day 7 Peri / Day 7 Control	2.00	8.8969E-04
				36899_at	Day 3 Peri / Day 3 Intra	1.69	4.2729E-04
174	10159	Entrez Gene	ATPase, H+ transporting, lysosomal accessory protein 2	41777_at	Day 3 Peri / Day 3 Control	2.88	3.9829E-03
175	116039	Entrez Gene	odd-skipped related 2 (Drosophila)	41777_at	Day 3 Peri / Day 3 Intra	1.60	9.1656E-03
176	6320	Entrez Gene	C-type lectin domain family 11, member A	32143_at	Day 7 Peri / Day 7 Extra	2.87	1.2401E-03
177	3671	Entrez Gene	immunoglobulin superfamily containing leucine-rich repeat	37147_at	Day 3 Peri / Day 3 Extra	2.86	2.4585E-04
178	4332	Entrez Gene	myeloid cell nuclear differentiation antigen	38636_at	Day 3 Peri / Day 3 Extra	2.85	1.6969E-03
179	983	Entrez Gene	cell division cycle 2, G1 to S and G2 to M	35012_at	Day 7 Peri / Day 0 Peri	2.84	3.2000E-06
180	4237	Entrez Gene	microfibrillar-associated protein 2	35012_at	Day 3 Peri / Day 0 Peri	2.55	3.8200E-06
181	7978	Entrez Gene	mitochondrial transcription termination factor	40915_r_at	Day 7 Peri / Day 0 Peri	1.90	4.1789E-03
				1803_at	Day 3 Peri / Day 0 Peri	1.71	1.1557E-03
				38442_at	Day 3 Peri / Day 3 Extra	2.83	3.1894E-03
				41070_r_at	Day 0 Peri / Day 0 Control	2.82	3.4040E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
182	2801	Entrez Gene	golgi autoantigen, golgin subfamily a, 2	35436_at	Day 0 Peri / Day 0 Control	2.82	5.4800E-05
				35436_at	Day 3 Peri / Day 3 Control	2.08	1.1402E-03
				35436_at	Day 0 Peri / Day 0 Intra	1.55	3.0592E-03
				35436_at	Day 3 Peri / Day 3 Intra	1.55	8.2713E-03
183	AL049974	GenBank		39470_at	Day 3 Peri / Day 3 Control	2.82	9.6932E-03
184	1601	Entrez Gene	disabled homolog 2, mitogen-responsive phosphoprotein (Drosophila)	479_at	Day 3 Peri / Day 3 Control	2.82	5.3989E-04
				479_at	Day 0 Peri / Day 0 Control	2.78	4.4295E-03
				479_at	Day 3 Peri / Day 3 Extra	2.46	3.7316E-04
				479_at	Day 3 Peri / Day 3 Intra	1.79	4.4390E-03
				479_at	Day 7 Peri / Day 7 Extra	1.72	4.5424E-03
185	56910	Entrez Gene	START domain containing 7	41296_s_at	Day 3 Peri / Day 3 Control	2.80	7.7936E-04
				41296_s_at	Day 7 Peri / Day 7 Extra	2.49	6.0154E-04
186	50810	Entrez Gene	Hepaloma-derived growth factor, related protein 3	34673_l_at	Day 7 Peri / Day 7 Control	2.79	3.3893E-03
187	7805	Entrez Gene	lysosomal associated multispinning membrane protein 5	37759_at	Day 3 Peri / Day 0 Peri	1.91	9.6200E-05
				37759_at	Day 7 Peri / Day 0 Peri	1.79	8.5000E-05
188	678	Entrez Gene	zinc finger protein 36, C3H type-like 2	32588_s_at	Day 3 Peri / Day 3 Control	2.78	4.0978E-03
				37328_at	Day 3 Peri / Day 0 Peri	2.68	1.4600E-05
189	5341	Entrez Gene	pleckstrin	37328_at	Day 7 Peri / Day 0 Peri	2.40	7.2600E-05
				37947_at	Day 3 Peri / Day 3 Control	2.74	3.6100E-06
190	8019	Entrez Gene	bromodomain containing 3	37947_at	Day 3 Peri / Day 3 Intra	1.69	2.2144E-03
				35664_at	Day 7 Peri / Day 7 Extra	2.73	5.6965E-03
191	22915	Entrez Gene	multimerin 1	40964_at	Day 3 Peri / Day 0 Peri	1.79	6.6166E-03
				41870_at	Day 3 Peri / Day 0 Peri	1.80	3.2085E-03
192	3099	Entrez Gene	hexokinase 2	41871_at	Day 7 Peri / Day 0 Peri	1.73	3.4416E-03
				41591_at	Day 0 Peri / Day 0 Control	2.72	9.4000E-05
193	10630	Entrez Gene	podooplanin	41591_at	Day 3 Peri / Day 3 Control	2.23	1.0136E-04
				34491_at	Day 3 Peri / Day 0 Peri	1.75	2.4108E-03
194	10238	Entrez Gene	WD repeat domain 68	32707_at	Day 7 Peri / Day 7 Control	2.71	1.3483E-03
				35995_at	Day 3 Peri / Day 0 Peri	1.87	1.3626E-04
196	8638	Entrez Gene	2'-5'-oligoadenylate synthetase-like				
198	11104	Entrez Gene	kalanin p60 (ATPase-containing) subunit A 1				
199	11130	Entrez Gene	ZW10 interactor				

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
200	55623	Entrez Gene	THUMP domain containing 1	40617_at	Day 3 Peri / Day 3 Control	2.69	3.0873E-04
				40617_at	Day 7 Peri / Day 7 Control	2.28	1.0280E-03
				40617_at	Day 7 Peri / Day 7 Extra	1.89	6.4566E-03
				40868_at	Day 7 Peri / Day 0 Peri	1.39	4.1877E-03
202	8871	Entrez Gene	synapjanin 2	36532_at	Day 7 Peri / Day 7 Control	2.67	4.5221E-03
				36532_at	Day 0 Peri / Day 0 Control	2.64	1.8229E-04
				36532_at	Day 3 Peri / Day 3 Control	2.16	8.3031E-04
203	5884	Entrez Gene	RAD17 homolog (S. pombe)	32118_at	Day 7 Peri / Day 7 Control	2.65	4.7766E-03
204	U19969	GenBank	---	33440_at	Day 3 Peri / Day 3 Extra	2.65	6.9165E-03
205	7153	Entrez Gene	topoisomerase (DNA) II alpha 170kDa	40145_at	Day 3 Peri / Day 0 Peri	2.14	2.4644E-04
				904_s_at	Day 7 Peri / Day 0 Peri	1.82	8.4565E-04
207	10454	Entrez Gene	chromosome 13 open reading frame 24	36012_at	Day 3 Peri / Day 3 Extra	2.60	7.5537E-03
208	3838	Entrez Gene	karyopherin alpha 2 (RAG cohort 1, importin alpha 1)	40407_at	Day 7 Peri / Day 0 Peri	2.19	4.1009E-03
208	3838	Entrez Gene	karyopherin alpha 2 (RAG cohort 1, importin alpha 1)	40407_at	Day 3 Peri / Day 0 Peri	2.10	1.0701E-03
210	124152	Entrez Gene	hypothetical protein MGC35048	40239_g_at	Day 0 Peri / Day 0 Control	2.57	3.1362E-03
				40239_g_at	Day 3 Peri / Day 3 Control	2.23	7.7418E-04
				40239_g_at	Day 7 Peri / Day 7 Extra	1.96	6.4867E-03
211	9949	Entrez Gene	Alport syndrome, mental retardation, midface hypoplasia and elliptocytosis chromosomal region, gene 1	32940_at	Day 3 Peri / Day 3 Control	2.57	1.9021E-03
212	23099	Entrez Gene	zinc finger protein 297B	41695_at	Day 3 Peri / Day 3 Control	2.57	6.4882E-03
				41695_at	Day 3 Peri / Day 3 Intra	1.88	8.5577E-03
213	HG172-HT3924	The Institute for Genomic Research	---	1173_g_at	Day 3 Peri / Day 0 Peri	1.85	1.9600E-05
				1173_g_at	Day 7 Peri / Day 0 Peri	1.57	2.6732E-03
214	AA933984	GenBank	CDNA FLJ26539 fis, clone KDN09310	39506_at	Day 7 Peri / Day 7 Control	2.56	3.3653E-03
215	4059	Entrez Gene	Lutheran blood group (Auerger b antigen included)	40093_at	Day 7 Peri / Day 7 Extra	2.55	2.6811E-03
216	126299	Entrez Gene	hypothetical protein MGC51082	41083_at	Day 0 Peri / Day 0 Control	2.55	2.2865E-03
				41084_at	Day 3 Peri / Day 3 Extra	1.93	4.0727E-03
				41083_at	Day 3 Peri / Day 3 Intra	1.61	2.8379E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
217	58525	Entrez Gene	widely-interspaced zinc finger motifs	33718_at	Day 3 Peri / Day 3 Extra	2.55	8.2282E-03
				33718_at	Day 7 Peri / Day 7 Extra	2.50	8.1580E-03
218	10095	Entrez Gene	actin related protein 2/3 complex, subunit 1B, 41kDa	39043_at	Day 3 Peri / Day 0 Peri	1.71	4.9924E-04
				39043_at	Day 7 Peri / Day 0 Peri	1.62	7.1268E-03
219	6872	Entrez Gene	TAF1 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 250kDa	37491_at	Day 3 Peri / Day 3 Control	2.54	2.7252E-04
				37491_at	Day 0 Peri / Day 0 Control	2.33	2.9647E-03
				33131_at	Day 3 Peri / Day 3 Control	2.54	1.0339E-03
220	6659	Entrez Gene	SRY (sex determining region Y)-box 4	33131_at	Day 0 Peri / Day 0 Control	2.27	2.7617E-04
				33131_at	Day 3 Peri / Day 3 Intra	2.11	6.0327E-04
				33131_at	Day 3 Peri / Day 3 Extra	1.84	9.6715E-03
				33131_at	Day 7 Peri / Day 7 Control	1.75	4.0387E-03
				33131_at	Day 7 Peri / Day 7 Extra	1.68	8.4668E-03
				33131_at	Day 7 Peri / Day 7 Intra	1.42	9.8282E-03
221	23367	Entrez Gene	La ribonucleoprotein domain family, member 1	41829_at	Day 3 Peri / Day 3 Control	2.54	8.9800E-03
222	3073	Entrez Gene	Hexosaminidase A (alpha polypeptide)	35419_g_at	Day 3 Peri / Day 3 Control	2.54	3.0306E-03
				35419_g_at	Day 3 Peri / Day 3 Extra	2.22	3.1675E-03
223	8405	Entrez Gene	speckle-type POZ protein	39423_f_at	Day 3 Peri / Day 3 Control	2.53	1.2738E-03
				39423_f_at	Day 3 Peri / Day 3 Intra	1.82	3.3513E-03
224	6999	Entrez Gene	lyptophan 2,3-dioxygenase	38606_at	Day 7 Peri / Day 0 Peri	2.52	1.3782E-03
225	55122	Entrez Gene	Chromosome 6 open reading frame 166	34252_at	Day 7 Peri / Day 7 Extra	2.46	7.5298E-04
				34252_at	Day 7 Peri / Day 7 Control	2.41	9.5634E-03
				34252_at	Day 3 Peri / Day 3 Intra	1.78	1.5643E-03
227	AF009267	GenBank	---	35059_at	Day 3 Peri / Day 3 Control	2.51	4.6723E-03
228	90362	Entrez Gene	chromosome 8 open reading frame 72	41533_at	Day 3 Peri / Day 3 Control	2.49	2.1590E-03
				41533_at	Day 7 Peri / Day 7 Control	2.31	8.8706E-03
				41533_at	Day 3 Peri / Day 3 Extra	2.07	4.2703E-03
229	9781	Entrez Gene	ring finger protein 144	37695_at	Day 3 Peri / Day 3 Extra	2.49	1.2239E-03
230	283677	Entrez Gene	hypothetical LOC283677	38643_at	Day 3 Peri / Day 3 Extra	2.49	2.5221E-03
231	4288	Entrez Gene	antigen identified by monoclonal antibody Ki-67	418_at	Day 3 Peri / Day 0 Peri	1.80	2.5440E-04
				419_at	Day 7 Peri / Day 0 Peri	1.70	1.5508E-04

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
232	4939	Entrez Gene	2'-5'-oligoadenylate synthetase 2, 69/71kDa	39263_at	Day 3 Peri/ Day 0 Peri	2.21	6.1200E-07
233	2028	Entrez Gene	glutamyl aminopeptidase (aminopeptidase A)	39263_at	Day 7 Peri/ Day 0 Peri	2.14	1.2313E-04
234	2237	Entrez Gene	flap structure-specific endonuclease 1	35220_at	Day 7 Peri/ Day 0 Peri	2.47	1.0924E-03
235	22974	Entrez Gene	TPX2, microtubule-associated, homolog (Xenopus laevis)	35220_at	Day 3 Peri/ Day 0 Peri	1.67	6.2439E-03
236	10403	Entrez Gene	kinetochore associated 2	41583_at	Day 3 Peri/ Day 0 Peri	1.56	6.9407E-03
237	23474	Entrez Gene	ethylmalonic encephalopathy 1	39109_at	Day 3 Peri/ Day 0 Peri	1.88	7.0200E-06
238	AF070571	GenBank	Clone 24739 mRNA sequence	39109_at	Day 7 Peri/ Day 0 Peri	1.57	2.1023E-03
239	3730	Entrez Gene	Kallmann syndrome 1 sequence	40041_at	Day 3 Peri/ Day 0 Peri	2.46	6.5372E-03
240	10308	Entrez Gene	zinc finger protein 267	40041_at	Day 7 Peri/ Day 0 Peri	2.40	2.9243E-03
241	9079	Entrez Gene	LIM domain binding 2	36170_at	Day 3 Peri/ Day 0 Peri	1.39	9.8176E-03
243	4860	Entrez Gene	nucleoside phosphorylase	41575_at	Day 3 Peri / Day 3 Control	2.46	5.6557E-03
244	4085	Entrez Gene	MAD2 mitotic arrest deficient-like 1 (yeast)	33158_at	Day 7 Peri / Day 7 Extra	2.45	3.7016E-03
245	9134	Entrez Gene	cyclin E2	34544_at	Day 3 Peri / Day 3 Extra	2.44	3.4940E-03
246	2115	Entrez Gene	ets variant gene 1	36065_at	Day 3 Peri / Day 3 Extra	2.44	4.5788E-03
247	3820	Entrez Gene	killer cell lectin-like receptor subfamily B, member 1	430_at	Day 3 Peri/ Day 0 Peri	1.54	4.2590E-03
249	1060	Entrez Gene	centromere protein C 1	37282_at	Day 3 Peri/ Day 0 Peri	2.44	4.7300E-05
251	4688	Entrez Gene	neutrophil cytosolic factor 2 (65kDa, chronic granulomatous disease, autosomal 2)	37282_at	Day 7 Peri/ Day 0 Peri	2.24	5.1394E-03
251	4688	Entrez Gene	neutrophil cytosolic factor 2 (65kDa, chronic granulomatous disease, autosomal 2)	35249_at	Day 3 Peri/ Day 0 Peri	2.10	3.4441E-03
252	10152	Entrez Gene	abl Interactor 2	37156_at	Day 3 Peri / Day 3 Intra	2.43	6.3610E-03
252	10152	Entrez Gene	abl Interactor 2	37156_at	Day 7 Peri/ Day 0 Peri	1.93	1.8398E-03
251	4688	Entrez Gene	neutrophil cytosolic factor 2 (65kDa, chronic granulomatous disease, autosomal 2)	35449_at	Day 7 Peri/ Day 0 Peri	2.43	2.4469E-03
251	4688	Entrez Gene	neutrophil cytosolic factor 2 (65kDa, chronic granulomatous disease, autosomal 2)	35449_at	Day 3 Peri/ Day 0 Peri	2.30	2.1625E-03
251	4688	Entrez Gene	neutrophil cytosolic factor 2 (65kDa, chronic granulomatous disease, autosomal 2)	31894_at	Day 7 Peri / Day 7 Control	2.42	4.0591E-03
251	4688	Entrez Gene	neutrophil cytosolic factor 2 (65kDa, chronic granulomatous disease, autosomal 2)	41038_at	Day 3 Peri/ Day 0 Peri	1.99	1.8827E-04
251	4688	Entrez Gene	neutrophil cytosolic factor 2 (65kDa, chronic granulomatous disease, autosomal 2)	41038_at	Day 7 Peri/ Day 0 Peri	1.66	9.6970E-04
252	10152	Entrez Gene	abl Interactor 2	36448_at	Day 3 Peri / Day 3 Control	2.42	2.4721E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
253	904	Entrez Gene	cyclin T1	36391_at	Day 0 Peri / Day 0 Control	2.41	4.4537E-03
254	10483	Entrez Gene	Sec23 homolog B (S. cerevisiae)	36391_at	Day 3 Peri / Day 3 Control	2.38	1.2398E-03
255	6046	Entrez Gene	bromodomain containing 2	40851_at	Day 7 Peri / Day 7 Control	2.41	5.0985E-03
256	25924	Entrez Gene	myosin VIIA and Rab interacting protein	36210_g_at	Day 3 Peri / Day 3 Control	2.40	3.5800E-07
257	HG1139-HT491	The Institute for Genomic Research	---	36209_at	Day 7 Peri / Day 7 Control	2.07	2.9307E-03
258	HG4058-HT432	The Institute for Genomic Research	---	36209_at	Day 0 Peri / Day 0 Control	2.01	6.5800E-05
259	10135	Entrez Gene	pre-B-cell colony enhancing factor 1	36210_g_at	Day 3 Peri / Day 3 Intra	1.58	3.3531E-03
260	10954	Entrez Gene	protein disulfide isomerase family A, member 5	36210_g_at	Day 3 Peri / Day 3 Extra	1.49	3.6868E-03
261	6862	Entrez Gene	T, brachyury homolog (mouse)	39602_at	Day 7 Peri / Day 7 Extra	2.40	4.2829E-03
262	4915	Entrez Gene	neurotrophic tyrosine kinase, receptor, type 2	953_g_at	Day 3 Peri / Day 3 Extra	2.32	6.1626E-03
263	910	Entrez Gene	CD1b antigen	1882_g_at	Day 3 Peri / Day 3 Control	2.40	1.2871E-03
264	HG3432-HT361	The Institute for Genomic Research	---	1882_g_at	Day 3 Peri / Day 3 Extra	1.80	9.7118E-03
265	10288	Entrez Gene	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 2	33849_at	Day 3 Peri / Day 0 Peri	2.39	1.5140E-03
267	10656	Entrez Gene	KH domain containing, RNA binding, signal transduction associated 3	37044_at	Day 3 Peri / Day 3 Control	2.38	2.8624E-03
268	9112	Entrez Gene	metastasis associated 1	37044_at	Day 3 Peri / Day 3 Extra	1.98	5.1201E-03
269	4938	Entrez Gene	2',5'-oligoadenylate synthetase 1, 40/46kDa	34966_at	Day 3 Peri / Day 3 Extra	2.37	9.3139E-03
270	7486	Entrez Gene	Werner syndrome	36042_at	Day 7 Peri / Day 7 Extra	2.37	6.2129E-03
272	10123	Entrez Gene	ADP-ribosylation factor-like 7	34927_at	Day 7 Peri / Day 3 Peri	2.37	4.7431E-04
				1142_at	Day 3 Peri / Day 3 Control	1.70	5.5087E-03
				39221_at	Day 3 Peri / Day 0 Peri	2.37	1.9207E-03
				31786_at	Day 3 Peri / Day 3 Extra	2.34	3.9127E-03
				31786_at	Day 7 Peri / Day 7 Extra	2.27	9.1708E-03
				1642_at	Day 3 Peri / Day 3 Extra	2.34	2.0034E-03
				38388_at	Day 3 Peri / Day 0 Peri	2.01	4.4682E-03
				38136_at	Day 7 Peri / Day 7 Control	2.34	3.0057E-03
				39829_at	Day 3 Peri / Day 3 Control	2.34	1.9888E-04
				39829_at	Day 3 Peri / Day 3 Extra	1.79	7.5203E-04

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
273	4605	Entrez Gene	v-myb myeloblastosis viral oncogene homolog (avian) like 2	1854_at	Day 3 Peri/ Day 0 Peri	1.64	1.4661E-03
274	51362	Entrez Gene	cell division cycle 40 homolog (yeast)	37481_at	Day 7 Peri/ Day 0 Peri	2.32	7.5957E-03
275	4837	Entrez Gene	nicotinamide N-methyltransferase	37032_at	Day 3 Peri/ Day 3 Control	2.32	4.7447E-03
276	1043	Entrez Gene	CD52 antigen (CAMPATH-1 antigen)	34210_at	Day 3 Peri/ Day 0 Peri	1.85	7.1791E-04
				34210_at	Day 7 Peri/ Day 0 Peri	1.85	7.1116E-03
277	10498	Entrez Gene	coactivator-associated arginine methyltransferase 1	40182_s_at	Day 3 Peri/ Day 3 Control	2.31	1.1408E-03
				40182_s_at	Day 0 Peri/ Day 0 Intra	1.90	5.7007E-03
278	1104	Entrez Gene	regulator of chromosome condensation 1	1196_at	Day 0 Peri/ Day 0 Control	2.30	1.3241E-03
				37927_at	Day 3 Peri/ Day 3 Control	1.48	7.6702E-03
279	10129	Entrez Gene	hypothetical protein CG003	1530_g_at	Day 7 Peri/ Day 7 Control	2.30	3.5049E-03
280	58517	Entrez Gene	RNA binding motif protein 25	41208_at	Day 7 Peri/ Day 7 Control	2.29	1.8935E-03
281	5165	Entrez Gene	pyruvate dehydrogenase kinase, isoenzyme 3	36719_r_at	Day 0 Peri/ Day 0 Control	2.29	7.0496E-03
282	1058	Entrez Gene	centromere protein A, 17kDa	527_at	Day 3 Peri/ Day 0 Peri	1.80	2.0928E-04
				527_at	Day 7 Peri/ Day 0 Peri	1.54	5.8752E-04
283	23255	Entrez Gene	KIAA0802	39614_at	Day 7 Peri/ Day 7 Control	2.28	7.5016E-03
284	401105	Entrez Gene	FLJ42393 protein	34117_at	Day 3 Peri/ Day 3 Control	2.27	7.1842E-03
285	9429	Entrez Gene	ATP-binding cassette, sub-family G (WHITE), member 2	33733_at	Day 3 Peri/ Day 3 Extra	2.27	1.4355E-03
286	25	Entrez Gene	v-abl Abelson murine leukemia viral oncogene homolog 1	1635_at	Day 0 Peri/ Day 0 Control	2.27	4.2728E-03
287	23215	Entrez Gene	BAT2 domain containing 1	32509_at	Day 3 Peri/ Day 3 Control	2.27	8.6031E-03
288	3233	Entrez Gene	homeo box D4	444_g_at	Day 3 Peri/ Day 3 Extra	2.27	2.1721E-03
289	262	Entrez Gene	adenosylmethionine decarboxylase 1	262_at	Day 3 Peri/ Day 0 Peri	1.44	9.8961E-03
290	10979	Entrez Gene	pleckstrin homology domain containing, family C (with FERM domain) member 1	36577_at	Day 3 Peri/ Day 3 Extra	2.25	3.4624E-04
				36577_at	Day 3 Peri/ Day 3 Control	1.90	7.5806E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
291	AL049423	GenBank	MRNA; cDNA DKFZp586B211 (from clone DKFZp586B211)	32119_at	Day 7 Peri / Day 7 Control	2.25	3.9152E-03
293	3191	Entrez Gene	heterogeneous nuclear ribonucleoprotein L	32119_at 32119_at	Day 3 Peri / Day 3 Extra Day 7 Peri / Day 7 Extra	2.19 1.95	1.1197E-03 3.1311E-03
294	23383	Entrez Gene	KIAA0892	36054_at	Day 7 Peri / Day 7 Control	2.25	3.1979E-03
295	23466	Entrez Gene	Chromobox homolog 6	36054_at 36054_at	Day 3 Peri / Day 3 Control Day 3 Peri / Day 3 Extra	2.10 1.75	2.3298E-04 1.2435E-03
296	23347	Entrez Gene	structural maintenance of chromosomes flexible hinge domain containing 1	36054_at 39560_at	Day 3 Peri / Day 3 Intra Day 7 Peri / Day 7 Extra	1.64 2.22	6.9013E-04 6.5816E-03
297	1112	Entrez Gene	checkpoint suppressor 1	38082_at 41000_at 41000_at	Day 7 Peri / Day 7 Control Day 7 Peri / Day 0 Peri Day 3 Peri / Day 3 Control Day 3 Peri / Day 3 Intra	2.22 1.47 2.21 1.67	6.8179E-03 5.6385E-03 1.1641E-03 8.4597E-03
298	AC002045	GenBank	nuclear pore complex interacting protein /// KIAA0220-like protein /// hypothetical gene LOC283846 /// hypothetical protein LOC283970 /// hypothetical	33836_at	Day 3 Peri / Day 3 Extra	2.21	7.0767E-03
299	1657	Entrez Gene	Dmx-like 1	33271_r_at	Day 7 Peri / Day 7 Control	2.21	7.9818E-03
300	2048	Entrez Gene	EPH receptor B2	41678_at	Day 0 Peri / Day 0 Control	2.20	2.5299E-03
301	5111	Entrez Gene	proliferating cell nuclear antigen	1884_s_at	Day 3 Peri / Day 0 Peri	1.49	6.8453E-03
302	6294	Entrez Gene	Scaffold attachment factor B	41315_at 41315_at	Day 7 Peri / Day 7 Extra Day 3 Peri / Day 3 Control	2.19 1.86	2.1583E-03 3.7753E-03
303	6303	Entrez Gene	spermidine/spermine N1-acetyltransferase	34304_s_at 34304_s_at	Day 7 Peri / Day 0 Peri Day 3 Peri / Day 0 Peri	2.19 2.13	9.2600E-06 7.9000E-05
304	4213	Entrez Gene	Mais1, myeloid ecotropic viral integration site 1 homolog 4 (mouse)	37486_f_at	Day 3 Peri / Day 3 Extra	2.19	1.2199E-03
305	HG2846-HT298	The Institute for Genomic Research	---	1178_at 1178_at	Day 3 Peri / Day 0 Peri Day 7 Peri / Day 0 Peri	2.19 1.78	9.5742E-04 9.6587E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
306	9500	Entrez Gene	melanoma antigen family D, 1	41139_at	Day 3 Peri / Day 3 Control	2.19	3.7234E-03
				41139_at	Day 3 Peri / Day 3 Extra	1.97	3.8341E-03
307	8148	Entrez Gene	TAF15 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 68kDa	36822_at	Day 7 Peri / Day 7 Control	2.18	1.3646E-03
				36822_at	Day 3 Peri / Day 3 Control	1.89	1.3321E-04
				36822_at	Day 0 Peri / Day 0 Control	1.82	1.3732E-04
				36822_at	Day 3 Peri / Day 3 Intra	1.38	8.5833E-03
308	9169	Entrez Gene	splicing factor, arginine/serine-rich 2, interacting protein	35258_f_at	Day 7 Peri / Day 7 Control	2.18	3.7088E-04
				35259_s_at	Day 3 Peri / Day 3 Intra	1.55	8.1019E-03
309	4277	Entrez Gene	MHC class I polypeptide-related sequence B	35937_at	Day 7 Peri / Day 0 Peri	1.87	9.9100E-05
				35937_at	Day 3 Peri / Day 0 Peri	1.74	3.8842E-03
310	27074	Entrez Gene	lysosomal-associated membrane protein 3	37168_at	Day 3 Peri / Day 0 Peri	1.74	2.1511E-04
				37168_at	Day 7 Peri / Day 0 Peri	1.64	6.6783E-03
311	5420	Entrez Gene	podocalyxin-like	40434_at	Day 3 Peri / Day 3 Control	2.18	1.9622E-03
				40434_at	Day 7 Peri / Day 7 Control	2.17	4.8610E-03
				40434_at	Day 7 Peri / Day 0 Peri	1.46	4.4427E-03
312	AL079294	GenBank	CDNA FLJ39679 fis, clone SMINT2010068	39636_at	Day 7 Peri / Day 7 Control	2.17	3.8119E-03
313	5362	Entrez Gene	plexin A2	40395_at	Day 7 Peri / Day 7 Extra	2.17	3.6085E-03
314	23534	Entrez Gene	transporin 3	35812_at	Day 3 Peri / Day 3 Control	2.17	1.5477E-04
315	9450	Entrez Gene	lymphocyte antigen 86	35813_at	Day 3 Peri / Day 3 Intra	1.56	6.2812E-03
				35869_at	Day 3 Peri / Day 0 Peri	1.64	1.4267E-03
316	4130	Entrez Gene	microtubule-associated protein 1A	35917_at	Day 3 Peri / Day 3 Extra	2.17	8.8121E-03
317	54805	Entrez Gene	cyclin M2	41358_at	Day 7 Peri / Day 7 Extra	1.99	9.5626E-03
318	AW044649	GenBank	--	40991_at	Day 7 Peri / Day 7 Control	2.16	1.0985E-03
319	64764	Entrez Gene	cAMP responsive element binding protein 3-like 2	39692_at	Day 0 Peri / Day 0 Control	2.16	8.3026E-03
				39692_at	Day 3 Peri / Day 3 Control	2.01	3.1270E-03
				39692_at	Day 7 Peri / Day 7 Control	1.68	4.4741E-03
				39692_at	Day 3 Peri / Day 3 Intra	1.60	8.3520E-03
320	4481	Entrez Gene	macrophage scavenger receptor 1	39982_r_at	Day 7 Peri / Day 0 Peri	2.16	5.2594E-03
322	55578	Entrez Gene	family with sequence similarity 48, member A	34211_at	Day 3 Peri / Day 3 Control	2.16	2.9595E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
325	2633	Entrez Gene	guanylate binding protein 1, interferon-inducible, 67kDa	35735_at	Day 7 Peri/ Day 0 Peri	1.88	1.2810E-03
326	23314	Entrez Gene	SATB family member 2	35735_at	Day 3 Peri/ Day 0 Peri	1.64	2.1775E-03
328	2033	Entrez Gene		41708_at	Day 3 Peri/ Day 3 Extra	2.15	6.1500E-03
329	9532	Entrez Gene	BCL2-associated atlanogene 2	33896_at	Day 3 Peri/ Day 3 Extra	2.15	3.5314E-03
330	8615	Entrez Gene	vesicle docking protein p115	35291_at	Day 3 Peri/ Day 3 Extra	2.15	4.8619E-03
331	3112	Entrez Gene	major histocompatibility complex, class II, DO beta	37356_r_at	Day 7 Peri/ Day 7 Control	2.14	4.2898E-03
332	23028	Entrez Gene	amine oxidase (flavin containing) domain 2	38570_at	Day 7 Peri/ Day 7 Control	2.14	6.9539E-03
335	HG4074-HT434	The Institute for Genomic Research	---	41122_at	Day 0 Peri/ Day 0 Control	2.13	3.6897E-03
336	9639	Entrez Gene		1516_g_at	Day 3 Peri/ Day 0 Peri	1.76	8.8947E-04
337	3726	Entrez Gene	Rho guanine nucleotide exchange factor (GEF) 10	1516_g_at	Day 7 Peri/ Day 0 Peri	1.55	7.6225E-03
338	6503	Entrez Gene	jun B proto-oncogene	34180_at	Day 3 Peri/ Day 3 Extra	2.11	1.1649E-04
339	7290	Entrez Gene	Src-like-adaptor	32786_at	Day 0 Peri/ Day 0 Control	2.11	5.8808E-03
340	701	Entrez Gene	HIR histone cell cycle regulation defective homolog A (S. cerevisiae)	1427_g_at	Day 7 Peri/ Day 0 Peri	1.70	3.6625E-04
343	10658	Entrez Gene		1427_g_at	Day 3 Peri/ Day 0 Peri	1.47	7.3704E-04
344	55830	Entrez Gene	BUB1 budding uninhibited by benzimidazoles 1 homolog beta (yeast)	32706_at	Day 7 Peri/ Day 7 Control	2.11	8.9899E-03
345	65123	Entrez Gene	CUG triplet repeat, RNA binding protein 1	35699_at	Day 3 Peri/ Day 0 Peri	2.10	3.3800E-06
346	9738	Entrez Gene		35699_at	Day 7 Peri/ Day 0 Peri	1.88	4.1200E-05
347	U80770	GenBank	glycosyltransferase 8 domain containing 1	33207_at	Day 3 Peri/ Day 3 Control	2.09	1.1943E-03
348	8570	Entrez Gene	chromosome 1 open reading frame 60	33207_at	Day 3 Peri/ Day 3 Intra	1.62	2.6844E-03
349		Entrez Gene	CP110 protein	33126_at	Day 3 Peri/ Day 3 Extra	2.09	5.8099E-03
350		Entrez Gene	Homo sapiens, clone IMAGE:5538654, mRNA	41406_at	Day 0 Peri/ Day 0 Control	2.09	9.3996E-03
351		Entrez Gene	KH-type splicing regulatory protein (FUSE binding protein 2)	37438_at	Day 7 Peri/ Day 7 Control	2.09	8.6676E-03
352		Entrez Gene		31771_at	Day 7 Peri/ Day 0 Peri	2.09	4.6894E-04
353		Entrez Gene		31771_at	Day 7 Peri/ Day 7 Intra	1.77	5.3855E-03
354		Entrez Gene		31771_at	Day 7 Peri/ Day 3 Peri	1.45	8.0653E-03
355		Entrez Gene		38829_r_at	Day 7 Peri/ Day 7 Control	2.08	7.7968E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
349	6672	Entrez Gene	nuclear antigen Sp100	38829_r_at	Day 3 Peri / Day 3 Control	1.75	9.0329E-03
350	6125	Entrez Gene	ribosomal protein L5	37354_at	Day 7 Peri / Day 0 Peri	2.08	6.4139E-03
351	6781	Entrez Gene	stannocalcin 1	33661_at	Day 7 Peri / Day 7 Control	2.07	6.4049E-04
352	4833	Entrez Gene	non-metastatic cells 4, protein expressed in	41354_at	Day 7 Peri / Day 7 Control	2.07	4.2966E-03
353	10261	Entrez Gene	immunoglobulin superfamily, member 6	41354_at	Day 7 Peri / Day 7 Extra	1.87	8.4087E-04
354	9260	Entrez Gene	PDZ and LIM domain 7 (enigma)	39089_at	Day 3 Peri / Day 3 Extra	2.06	4.0940E-03
355	813	Entrez Gene	calumenin	34946_at	Day 3 Peri / Day 0 Peri	2.06	1.2057E-03
356	9825	Entrez Gene	spermatogenesis associated 2	39530_at	Day 3 Peri / Day 3 Extra	2.06	1.1534E-03
357	23269	Entrez Gene	MAX gene associated	37345_at	Day 3 Peri / Day 3 Extra	2.05	4.4229E-03
358	2124	Entrez Gene	ecotropic viral integration site 2B	36050_at	Day 3 Peri / Day 3 Extra	2.04	2.2581E-03
359	7020	Entrez Gene	transcription factor AP-2 alpha (activating enhancer binding protein 2 alpha)	34706_at	Day 3 Peri / Day 3 Control	2.03	3.9593E-03
360	22846	Entrez Gene	Vasohibin 1	40019_at	Day 7 Peri / Day 0 Peri	2.03	3.8728E-04
361	1627	Entrez Gene	drebrin 1	40019_at	Day 3 Peri / Day 0 Peri	1.65	7.4899E-03
362	5955	Entrez Gene	reticulocalbin 2, EF-hand calcium binding domain	32154_at	Day 3 Peri / Day 3 Control	2.03	5.4891E-04
363	313	Entrez Gene	acyloxyacyl hydrolase (neutrophil)	40267_s_at	Day 3 Peri / Day 3 Control	2.03	6.3995E-03
364	7027	Entrez Gene	transcription factor Dp-1	37981_at	Day 3 Peri / Day 3 Extra	2.03	1.1015E-03
365	4363	Entrez Gene	ATP-binding cassette, sub-family C (CFTR/MRP), member 1	37981_at	Day 0 Peri / Day 0 Control	1.94	4.1537E-03
366	AF012086	GenBank	GRIP and coiled-coil domain containing 2 /// RAN binding protein 2-like 1 /// similar to RAN-binding protein 2 /// similar to RAN-binding protein 2-ii	37728_r_at	Day 7 Peri / Day 7 Control	2.03	9.9574E-03
367	29896	Entrez Gene	Transformer-2 alpha	37647_at	Day 7 Peri / Day 0 Peri	2.02	3.8621E-04
				37647_at	Day 3 Peri / Day 0 Peri	1.80	2.9579E-03
				37758_s_at	Day 3 Peri / Day 3 Control	2.02	5.6047E-03
				1896_s_at	Day 7 Peri / Day 7 Control	2.02	7.5565E-03
				41174_at	Day 7 Peri / Day 7 Control	2.02	5.2146E-03
				39343_at	Day 3 Peri / Day 3 Control	2.02	4.7590E-03
				39344_at	Day 7 Peri / Day 7 Control	1.93	5.8423E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
368	7289	Entrez Gene	tubby like protein 3	31942_at	Day 7 Peri / Day 7 Extra	2.01	6.4401E-03
				31944_at	Day 3 Peri / Day 3 Extra	1.59	3.9853E-03
				31944_at	Day 3 Peri / Day 3 Intra	1.45	6.1645E-03
369	10873	Entrez Gene	malic enzyme 3, NADP(+)-dependent, mitochondrial	35216_at	Day 3 Peri / Day 3 Extra	2.01	4.8389E-03
370	1730	Entrez Gene	diaphanous homolog 2 (Drosophila)	34262_at	Day 7 Peri / Day 7 Extra	2.01	3.5327E-03
371	9819	Entrez Gene	TSC22 domain family, member 2	41787_at	Day 7 Peri / Day 7 Control	2.01	1.1923E-03
372	AF070620	GenBank	Clone 24694 mRNA sequence	33586_at	Day 0 Peri / Day 0 Control	2.01	8.4639E-03
373	49855	Entrez Gene	zinc finger protein 291	40937_at	Day 3 Peri / Day 3 Control	2.01	1.0919E-03
				40937_at	Day 3 Peri / Day 3 Extra	1.78	2.4972E-03
				40937_at	Day 3 Peri / Day 3 Intra	1.76	5.9874E-03
374	55972	Entrez Gene	Mitochondrial carrier family protein	35465_at	Day 7 Peri / Day 0 Peri	2.00	7.2930E-03
375	2983	Entrez Gene	guanylate cyclase 1, soluble, beta 3	37243_at	Day 3 Peri / Day 3 Extra	2.00	1.8881E-03
376	2804	Entrez Gene	Golgi autoantigen, golgin subfamily b, macrogolgin (with transmembrane signal), 1	37655_at	Day 3 Peri / Day 3 Extra	2.00	2.9457E-03
377	4650	Entrez Gene	myosin IXB	33816_at	Day 3 Peri / Day 3 Control	2.00	1.2613E-03
				33816_at	Day 3 Peri / Day 3 Extra	1.88	1.0261E-03
378	5925	Entrez Gene	relinoblastoma 1 (including osteosarcoma)	2044_s_at	Day 7 Peri / Day 0 Peri	1.87	8.2882E-04
				2044_s_at	Day 3 Peri / Day 0 Peri	1.60	7.8461E-03
379	3956	Entrez Gene	Lectin, galactoside-binding, soluble, 1 (galectin 1)	31575_f_at	Day 0 Peri / Day 0 Control	1.99	7.1485E-03
				31575_f_at	Day 3 Peri / Day 3 Control	1.82	4.6992E-03
380	3937	Entrez Gene	lymphocyte cytosolic protein 2 (SH2 domain containing leukocyte protein of 76kDa)	39319_at	Day 7 Peri / Day 0 Peri	1.87	5.4300E-05
				39319_at	Day 3 Peri / Day 0 Peri	1.85	6.4700E-04
381	221061	Entrez Gene	chromosome 10 open reading frame 38	36821_at	Day 7 Peri / Day 7 Control	1.99	3.1564E-03
				36821_at	Day 7 Peri / Day 3 Peri	1.33	6.9275E-03
382	23094	Entrez Gene	signal-induced proliferation-associated 1 like 3	37831_at	Day 7 Peri / Day 7 Extra	1.54	5.9647E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
383	219654	Entrez Gene	chromosome 10 open reading frame 56	34303_at	Day 3 Peri / Day 3 Extra	1.99	7.4060E-03
384	2026	Entrez Gene	enolase 2 (gamma, neuronal)	34303_at	Day 0 Peri / Day 0 Control	1.57	7.6796E-03
385	54103	Entrez Gene	hypothetical protein LOC54103	40193_at	Day 3 Peri / Day 3 Extra	1.99	1.9916E-03
386	3059	Entrez Gene	hematopoietic cell-specific Lyn substrate 1	41710_at	Day 3 Peri / Day 0 Peri	1.99	5.4755E-03
387	8412	Entrez Gene	breast cancer anti-estrogen resistance 3	31820_at	Day 3 Peri / Day 0 Peri	1.54	8.7698E-04
388	4286	Entrez Gene	microphthalmia-associated transcription factor	36812_at	Day 7 Peri / Day 7 Extra	1.98	3.2251E-03
389	4692	Entrez Gene	necdin homolog (mouse)	36812_at	Day 7 Peri / Day 3 Peri	1.38	7.5213E-03
390	947	Entrez Gene	CD34 antigen	38228_g_at	Day 3 Peri / Day 3 Control	1.97	1.1387E-03
391	27252	Entrez Gene	kelch-like 20 (Drosophila)	36073_at	Day 0 Peri / Day 0 Control	1.97	3.0644E-03
392	25939	Entrez Gene	SAM domain and HD domain 1	38747_at	Day 3 Peri / Day 3 Extra	1.97	1.4801E-03
395	629	Entrez Gene	B-factor, propeptin	37150_at	Day 3 Peri / Day 3 Control	1.97	6.0700E-05
396	8910	Entrez Gene	sarcoglycan, epsilon	37150_at	Day 3 Peri / Day 3 Intra	1.74	8.4200E-05
398	AI375033	GenBank	chromosome 2 open reading frame 27 /// hypothetical gene supported by AK022914; AK095211; BC016035; BC041856; BX248778	34714_at	Day 7 Peri / Day 0 Peri	1.96	6.6000E-05
399	26043	Entrez Gene	KIAA0794 protein	34714_at	Day 3 Peri / Day 0 Peri	1.91	3.9353E-04
400	4287	Entrez Gene	atxin 3	35822_at	Day 7 Peri / Day 0 Peri	1.96	7.8587E-04
402	1871	Entrez Gene	E2F transcription factor 3	35822_at	Day 3 Peri / Day 0 Peri	1.89	2.4144E-04
403	9402	Entrez Gene	GRB2-related adaptor protein 2	4149_at	Day 3 Peri / Day 3 Extra	1.96	3.3164E-03
404	23111	Entrez Gene	spastic paraplegia 20, spartin (Troyer syndrome)	37884_f_at	Day 7 Peri / Day 0 Peri	1.46	6.9714E-03
405	9236	Entrez Gene	cell cycle progression 1	41691_at	Day 3 Peri / Day 3 Control	1.95	5.4379E-03
406	914	Entrez Gene	CD2 antigen (p50), sheep red blood cell receptor	36819_at	Day 7 Peri / Day 7 Control	1.95	4.4789E-03
407	3839	Entrez Gene	karyopherin alpha 3 (importin alpha 4)	41632_at	Day 7 Peri / Day 7 Control	1.95	3.6722E-03
				38866_at	Day 7 Peri / Day 0 Peri	1.46	6.9714E-03
				39852_at	Day 7 Peri / Day 7 Control	1.95	1.2037E-03
				33811_at	Day 3 Peri / Day 3 Extra	1.94	7.6971E-03
				40738_at	Day 7 Peri / Day 0 Peri	1.65	7.4139E-03
				35725_at	Day 3 Peri / Day 3 Control	1.94	1.8200E-05

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
408	8621	Entrez Gene	cell division cycle 2-like 5 (cholinesterase-related cell division controller)	41821_at	Day 3 Peri / Day 3 Control	1.93	2.6414E-03
				41821_at	Day 3 Peri / Day 3 Intra	1.55	4.8625E-03
409	523	Entrez Gene	ATPase, H+ transporting, lysosomal 70kDa, V1 subunit A	34890_at	Day 3 Peri / Day 3 Control	1.93	7.4629E-03
410	5358	Entrez Gene	plastin 3 (T isoform)	34890_at	Day 0 Peri / Day 0 Intra	1.70	8.1669E-03
				34794_at	Day 3 Peri / Day 3 Extra	1.93	6.8294E-03
411	3945	Entrez Gene	lactate dehydrogenase B	33819_at	Day 7 Peri / Day 0 Peri	1.93	3.3100E-05
				33819_at	Day 3 Peri / Day 0 Peri	1.61	2.1100E-04
412	1676	Entrez Gene	DNA fragmentation factor, 45kDa, alpha polypeptide	32047_at	Day 3 Peri / Day 3 Control	1.93	1.1644E-03
413	9266	Entrez Gene	pleckstrin homology, Sec7 and coiled-coil domains 2 (cytohesin-2)	38741_at	Day 0 Peri / Day 0 Control	1.93	9.7718E-03
414	80256	Entrez Gene	KIAA1539	33841_at	Day 3 Peri / Day 3 Extra	1.92	8.1276E-03
417	2157	Entrez Gene	coagulation factor VIII, procoagulant component (hemophilia A)	37550_at	Day 3 Peri / Day 3 Extra	1.92	2.4289E-03
418	23312	Entrez Gene	Dmx-like 2	41716_at	Day 3 Peri / Day 0 Peri	1.92	5.4890E-04
				41716_at	Day 7 Peri / Day 0 Peri	1.80	4.0575E-04
419	3669	Entrez Gene	interferon stimulated exonuclease gene 20kDa	33304_at	Day 3 Peri / Day 0 Peri	1.72	2.5695E-04
				33304_at	Day 7 Peri / Day 0 Peri	1.42	5.9639E-03
420	3936	Entrez Gene	lymphocyte cytosolic protein 1 (L-plaslin)	37023_at	Day 7 Peri / Day 0 Peri	1.92	3.4800E-05
				37023_at	Day 3 Peri / Day 0 Peri	1.86	1.6804E-04
421	89927	Entrez Gene	chromosome 16 open reading frame 45	35742_at	Day 3 Peri / Day 3 Extra	1.91	2.4249E-04
				35742_at	Day 3 Peri / Day 3 Control	1.61	8.2611E-03
				35742_at	Day 7 Peri / Day 7 Extra	1.58	8.3242E-03
424	51232	Entrez Gene	cysteine rich transmembrane BMP regulator 1 (chordin-like)	40936_at	Day 7 Peri / Day 7 Control	1.91	3.2022E-04
425	9554	Entrez Gene	SEC22 vesicle trafficking protein-like 1 (S. cerevisiae)	41598_at	Day 3 Peri / Day 3 Control	1.91	8.3314E-04
				41597_s_at	Day 3 Peri / Day 3 Extra	1.57	3.1269E-03
426	4616	Entrez Gene	growth arrest and DNA-damage-inducible, beta	39822_s_at	Day 3 Peri / Day 3 Control	1.90	8.3800E-05
				39822_s_at	Day 3 Peri / Day 3 Extra	1.44	7.0592E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
427	2529	Entrez Gene	fucosyltransferase 7 (alpha (1,3) fucosyltransferase)	36322_at	Day 7 Peri / Day 7 Extra	1.90	6.1262E-03
428	X05276	GenBank	tropomyosin 4 /// similar to tropomyosin 4 tropomyosin 4	33866_at	Day 3 Peri / Day 3 Control	1.90	1.9272E-03
429	9537	Entrez Gene	tumor protein p53 inducible protein 11	33866_at	Day 3 Peri / Day 3 Extra	1.60	8.4534E-03
430	26019	Entrez Gene	UPF2 regulator of nonsense transcripts homolog (yeast)	36136_at	Day 3 Peri / Day 3 Extra	1.90	8.4243E-03
431	57214	Entrez Gene	KIAA1199	35722_at	Day 7 Peri / Day 7 Control	1.90	9.6858E-03
432	116987	Entrez Gene	centaurin, gamma 2	36070_at	Day 3 Peri / Day 0 Peri	1.89	3.9978E-03
433	5359	Entrez Gene	phospholipid scramblase 1	34676_at	Day 3 Peri / Day 3 Control	1.89	1.0903E-03
434	2887	Entrez Gene	growth factor receptor-bound protein 10	32775_r_at	Day 3 Peri / Day 0 Peri	1.89	1.2359E-03
435	23187	Entrez Gene	pleckstrin homology-like domain, family B, member 1	32775_r_at	Day 7 Peri / Day 0 Peri	1.86	7.8860E-04
436	W25984	GenBank	Transcribed locus	37615_at	Day 7 Peri / Day 7 Control	1.89	6.9335E-03
437	9023	Entrez Gene	cholesterol 25-hydroxylase	37375_at	Day 3 Peri / Day 3 Extra	1.88	2.8685E-03
439	5966	Entrez Gene	v-rel reticuloendotheliosis viral oncogene homolog (avian)	32130_at	Day 7 Peri / Day 7 Control	1.88	5.2193E-03
440	7095	Entrez Gene	translocation protein 1	32363_at	Day 3 Peri / Day 3 Control	1.88	6.0740E-03
441	HG884-HT884	The Institute for Genomic Research	---	1856_at	Day 3 Peri / Day 3 Control	1.87	1.5692E-03
442	4690	Entrez Gene	NCK adaptor protein 1	38100_at	Day 3 Peri / Day 3 Extra	1.86	6.6909E-03
444	23175	Entrez Gene	lipin 1	1725_s_at	Day 3 Peri / Day 3 Control	1.85	1.1306E-04
445	23275	Entrez Gene	protein O-fucosyltransferase 2	1725_s_at	Day 3 Peri / Day 3 Intra	1.50	4.7588E-03
446	9859	Entrez Gene	KIAA0470	41795_at	Day 7 Peri / Day 7 Control	1.85	4.2700E-05
447	3071	Entrez Gene	NCK-associated protein 1-like	38098_at	Day 7 Peri / Day 7 Control	1.85	4.8804E-03
448	1806	Entrez Gene	dihydropyrimidine dehydrogenase	38098_at	Day 7 Peri / Day 3 Peri	1.40	1.1136E-03
				34287_at	Day 7 Peri / Day 7 Intra	1.39	6.2426E-03
				33893_r_at	Day 3 Peri / Day 3 Extra	1.84	8.2172E-03
				37845_at	Day 3 Peri / Day 0 Peri	1.84	7.1207E-03
				37845_at	Day 3 Peri / Day 0 Peri	1.84	4.8408E-04
				38220_at	Day 7 Peri / Day 0 Peri	1.72	3.5178E-03
					Day 7 Peri / Day 0 Peri	1.84	1.4815E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
449	10513	Entrez Gene	amyloid beta precursor protein (cytoplasmic tail) binding protein 2	38471_r_at	Day 7 Peri / Day 7 Control	1.84	4.1662E-03
450	4023	Entrez Gene	lipoprotein lipase	41209_at	Day 7 Peri / Day 0 Peri	1.83	2.5140E-04
451	11014	Entrez Gene	KDEL (Lys-Asp-Glu-Leu) endoplasmic reticulum protein retention receptor 2	39080_at	Day 3 Peri / Day 3 Extra	1.83	2.4081E-03
452	7407	Entrez Gene	valyl-tRNA synthetase	40414_at	Day 0 Peri / Day 0 Control	1.83	3.2563E-03
453	7169	Entrez Gene	tropomyosin 2 (beta)	40414_at	Day 0 Peri / Day 0 Intra	1.48	8.8465E-03
454	9446	Entrez Gene	glutathione S-transferase omega 1	32314_g_at	Day 7 Peri / Day 0 Peri	1.82	2.3222E-03
455	684	Entrez Gene	bone marrow stromal cell antigen 2	824_at	Day 7 Peri / Day 0 Peri	1.45	8.2712E-03
				39061_at	Day 7 Peri / Day 0 Peri	1.82	2.9574E-03
				39061_at	Day 3 Peri / Day 0 Peri	1.66	4.7141E-03
456	AF009005	GenBank	lysozyme (renal amyloidosis) /// leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 1	35926_s_at	Day 7 Peri / Day 0 Peri	1.81	6.6342E-04
457	22978	Entrez Gene	5'-nucleotidase, cytosolic II	35926_s_at	Day 3 Peri / Day 0 Peri	1.81	4.1782E-04
458	23331	Entrez Gene	KIAA1043 protein	31794_at	Day 7 Peri / Day 7 Control	1.81	2.3682E-03
459	8986	Entrez Gene	ribosomal protein S6 kinase, 90kDa, polypeptide 4	41478_at	Day 3 Peri / Day 3 Extra	1.81	3.6393E-03
460	8434	Entrez Gene	reversion-inducing-cysteine-rich protein with kazal motifs	41404_at	Day 3 Peri / Day 3 Extra	1.62	2.6724E-03
461	57016	Entrez Gene	aldo-keto reductase family 1, member B10 (aldose reductase)	35234_at	Day 7 Peri / Day 7 Extra	1.81	8.5426E-04
462	9700	Entrez Gene	extra spindle poles like 1 (S. cerevisiae)	37482_at	Day 7 Peri / Day 0 Peri	1.81	5.7095E-03
463	4644	Entrez Gene	myosin VA (heavy polypeptide 12, myosin)	37482_at	Day 3 Peri / Day 0 Peri	1.76	8.7278E-03
464	124801	Entrez Gene	hypothetical protein FLJ30656	38158_at	Day 3 Peri / Day 0 Peri	1.28	9.7338E-03
				40571_at	Day 3 Peri / Day 0 Peri	1.80	7.3528E-03
				40571_at	Day 7 Peri / Day 0 Peri	1.79	4.3646E-04
				39844_at	Day 0 Peri / Day 0 Control	1.80	1.6823E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
465	200424	Entrez Gene	hypothetical protein MGC22014	38559_at	Day 7 Peri / Day 7 Extra	1.80	4.3144E-04
466	23194	Entrez Gene	F-box and leucine-rich repeat protein 7	37205_at	Day 3 Peri / Day 3 Extra	1.79	1.5381E-03
467	994	Entrez Gene	cell division cycle 25B	1347_at	Day 3 Peri / Day 0 Peri	1.41	7.1275E-03
468	1063	Entrez Gene	centromere protein F, 350/400ka (mitosin)	37302_at	Day 7 Peri / Day 0 Peri	1.79	2.1612E-03
				37302_at	Day 3 Peri / Day 0 Peri	1.71	3.7173E-03
469	23524	Entrez Gene	serine/arginine repetitive matrix 2	32761_at	Day 0 Peri / Day 0 Control	1.79	2.4342E-04
471	2619	Entrez Gene	growth arrest-specific 1	32761_at	Day 3 Peri / Day 3 Extra	1.67	5.3902E-03
				661_at	Day 3 Peri / Day 3 Extra	1.78	4.8341E-03
474	351	Entrez Gene	amyloid beta (A4) precursor protein (peptidase nexin-II, Alzheimer disease)	41136_s_at	Day 7 Peri / Day 7 Control	1.78	4.0673E-03
475	641	Entrez Gene	Bloom syndrome	1544_at	Day 3 Peri / Day 0 Peri	1.78	1.0048E-03
476	10260	Entrez Gene	c-myc promoter binding protein	32961_at	Day 7 Peri / Day 7 Control	1.78	5.7944E-03
477	835	Entrez Gene	caspase 2, apoptosis-related cysteine peptidase (neural precursor cell expressed, developmentally down-regulated 2)	34449_at	Day 3 Peri / Day 3 Control	1.78	7.0372E-03
478	2182	Entrez Gene	acyl-CoA synthetase long-chain family member 4	38099_at	Day 7 Peri / Day 0 Peri	1.78	3.5503E-04
479	1346	Entrez Gene	cytochrome c oxidase subunit VIIa polypeptide 1 (muscle)	39031_at	Day 7 Peri / Day 7 Extra	1.78	6.1685E-03
481	57493	Entrez Gene	HEG homolog 1 (zebrafish)	33328_at	Day 3 Peri / Day 3 Control	1.77	9.0296E-03
482	1488	Entrez Gene	C-terminal binding protein 2	40780_at	Day 3 Peri / Day 3 Control	1.77	7.4306E-04
				40780_at	Day 3 Peri / Day 3 Intra	1.40	3.9377E-03
484	11216	Entrez Gene	A kinase (PRKA) anchor protein 10	36633_at	Day 7 Peri / Day 7 Control	1.77	5.4600E-03
485	7291	Entrez Gene	twist homolog 1 (acrocephalosyndactyly 3; Saethre-Chotzen syndrome) (Drosophila)	40328_at	Day 0 Peri / Day 0 Control	1.77	1.1801E-03
486	AF009314	GenBank	CDNA FLJ12815 fls, clone NT2RP2002546	36061_at	Day 7 Peri / Day 7 Extra	1.77	5.2874E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
487	915	Entrez Gene	CD3D antigen, delta polypeptide (TIT3 complex)	38319_at	Day 7 Peri/ Day 0 Peri	1.77	5.4810E-03
488	48	Entrez Gene	aconitase 1, soluble	38319_at 40077_at	Day 3 Peri/ Day 0 Peri Day 3 Peri/ Day 3 Control	1.74 1.77	6.2457E-03 7.5838E-03
489	3297	Entrez Gene	heat shock transcription factor 1	244_at	Day 3 Peri/ Day 3 Extra	1.77	6.7910E-04
490	8543	Entrez Gene	LIM domain only 4	1452_at 1452_at 1452_at 1452_at	Day 0 Peri/ Day 0 Control Day 3 Peri/ Day 3 Control Day 3 Peri/ Day 3 Intra Day 3 Peri/ Day 3 Extra	1.76 1.63 1.49 1.40	2.6192E-04 3.5772E-04 5.5164E-04 2.8627E-03
492	2280	Entrez Gene	FK506 binding protein 1A, 12kDa	880_at	Day 0 Peri/ Day 0 Intra	1.64	9.2165E-03
494	90627	Entrez Gene	START domain containing 13	31790_at	Day 3 Peri/ Day 3 Extra	1.75	2.2636E-03
495	4673	Entrez Gene	nucleosome assembly protein 1-like 1	34099_f_at	Day 7 Peri/ Day 0 Peri	1.75	9.6766E-03
497	221	Entrez Gene	aldehyde dehydrogenase 3 family, member B1	40685_at	Day 3 Peri/ Day 0 Peri	1.74	7.7877E-03
498	6601	Entrez Gene	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily c, member 2	453_at	Day 3 Peri/ Day 3 Control	1.74	7.7069E-03
499	8672	Entrez Gene	eukaryotic translation initiation factor 4 gamma, 3	33907_at	Day 3 Peri/ Day 3 Control	1.74	4.7799E-03
500	4329	Entrez Gene	aldehyde dehydrogenase 6 family, member A1	32676_at	Day 7 Peri/ Day 7 Extra	1.74	4.4132E-03
501	65108	Entrez Gene	MARCKS-like 1	32676_at 36174_at	Day 7 Peri/ Day 7 Control Day 3 Peri/ Day 3 Extra	1.57 1.74	4.6174E-03 1.4260E-03
502	2615	Entrez Gene	leucine rich repeat containing 32	31856_at 31856_at 31856_at	Day 3 Peri/ Day 3 Control Day 3 Peri/ Day 3 Extra Day 7 Peri/ Day 7 Extra	1.74 1.71 1.63	8.8558E-03 3.4490E-03 6.3148E-03
503	4600	Entrez Gene	myxovirus (influenza virus) resistance 2 (mouse)	879_at	Day 3 Peri/ Day 0 Peri	1.73	8.1900E-05
504	3431	Entrez Gene	SP110 nuclear body protein	36718_at	Day 3 Peri/ Day 0 Peri	1.73	1.8893E-03
505	5476	Entrez Gene	protective protein for beta-galactosidase (galactosialidosis)	39062_at	Day 0 Peri/ Day 0 Intra	1.52	5.2900E-03
507	1266	Entrez Gene	calponin 3, acidic	40953_at	Day 3 Peri/ Day 3 Control	1.73	2.4459E-03
509	7461	Entrez Gene	cytoplasmic linker 2	41396_at	Day 3 Peri/ Day 3 Extra	1.73	9.8779E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
511	7558	Entrez Gene	zinc finger protein 11B	32429_f_at	Day 7 Peri/ Day 0 Peri	1.72	4.9287E-04
512	16	Entrez Gene	alanyl-tRNA synthetase	36185_at	Day 3 Peri/ Day 3 Control	1.72	9.6300E-05
513	2037	Entrez Gene	erythrocyte membrane protein band 4.1-like 2	36185_at	Day 3 Peri/ Day 3 Extra	1.34	7.2639E-03
515	11232	Entrez Gene	polymerase (DNA directed), gamma 2, accessory subunit	39643_at	Day 7 Peri/ Day 0 Peri	1.72	5.9499E-03
516	10945	Entrez Gene	KDEL (Lys-Asp-Glu-Leu) endoplasmic reticulum protein retention receptor 1	37387_r_at	Day 3 Peri/ Day 3 Extra	1.71	7.9805E-04
517	8534	Entrez Gene	carbohydrate (keratan sulfate Gal-6) sulfotransferase 1	37387_r_at	Day 3 Peri/ Day 3 Control	1.59	7.1044E-03
519	3069	Entrez Gene	high density lipoprotein binding protein (vigilin)	41395_at	Day 3 Peri/ Day 3 Control	1.71	2.9073E-03
520	11230	Entrez Gene	PRA1 domain family, member 2	41395_at	Day 3 Peri/ Day 3 Extra	1.67	2.5687E-03
521	5243	Entrez Gene	ATP-binding cassette, sub-family B (MDR/TAP), member 1	41395_at	Day 7 Peri/ Day 0 Peri	1.52	7.9375E-03
522	9447	Entrez Gene	absent in melanoma 2	41395_at	Day 3 Peri/ Day 0 Peri	1.48	3.8851E-04
523	441046	Entrez Gene	Hypothetical LOC 441046	31504_at	Day 0 Peri/ Day 0 Control	1.70	2.3752E-03
524	6093	Entrez Gene	Rho-associated, coiled-coil containing protein kinase 1	34318_at	Day 3 Peri/ Day 3 Extra	1.70	9.2827E-03
526	6494	Entrez Gene	signal-induced proliferation-associated gene 1	1575_at	Day 7 Peri/ Day 0 Peri	1.70	5.8410E-04
527	10914	Entrez Gene	poly(A) polymerase alpha	34439_at	Day 7 Peri/ Day 0 Peri	1.70	5.4778E-03
529	9839	Entrez Gene	zinc finger homeobox 1b	39132_at	Day 3 Peri/ Day 3 Extra	1.70	7.4243E-03
530	7431	Entrez Gene	vimentin	34735_at	Day 7 Peri/ Day 0 Peri	1.70	6.1517E-03
531	6039	Entrez Gene	ribonuclease, RNase A family, k6	36843_at	Day 3 Peri/ Day 3 Extra	1.70	1.6565E-03
532	55041	Entrez Gene	Pleckstrin homology domain containing, family B (evectins) member 2	34855_at	Day 7 Peri/ Day 0 Peri	1.69	1.7782E-03
				35681_r_at	Day 7 Peri/ Day 0 Peri	1.68	3.2222E-03
				34091_s_at	Day 3 Peri/ Day 3 Control	1.68	2.2751E-03
				34660_at	Day 7 Peri/ Day 0 Peri	1.68	3.4971E-03
				34660_at	Day 3 Peri/ Day 0 Peri	1.59	7.1310E-03
				39525_at	Day 7 Peri/ Day 0 Peri	1.68	1.5070E-04

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
533	10212	Entrez Gene	DEAD (Asp-Glu-Ala-Asp) box polypeptide 39	149_at	Day 3 Peri/ Day 0 Peri	1.55	7.6400E-05
536	56890	Entrez Gene	Mdm4, transformed 3T3 cell double minute 1, p53 binding protein (mouse)	149_at	Day 7 Peri/ Day 0 Peri	1.42	1.2009E-03
537	25829	Entrez Gene	chromosome 22 open reading frame 5	41758_at	Day 3 Peri/ Day 3 Control	1.67	1.8462E-03
538	9519	Entrez Gene	TBP-like 1	41758_at	Day 0 Peri/ Day 0 Control	1.65	4.7960E-03
539	4175	Entrez Gene	MCM6 minichromosome maintenance deficient 6 (MIS5 homolog, S. pombe) (S. cerevisiae)	41758_at	Day 3 Peri/ Day 3 Extra	1.61	9.5835E-04
540	9863	Entrez Gene	membrane associated guanylate kinase, WW and PDZ domain containing 2	41758_at	Day 7 Peri/ Day 7 Extra	1.29	9.7755E-03
541	3925	Entrez Gene	stathmin 1/oncoprotein 18	31797_at	Day 7 Peri/ Day 7 Control	1.67	6.1022E-03
542	4299	Entrez Gene	AF4/FMR2 family, member 1	40117_at	Day 3 Peri/ Day 0 Peri	1.36	1.8329E-04
543	8905	Entrez Gene	adaptor-related protein complex 1, sigma 2 subunit	40117_at	Day 7 Peri/ Day 0 Peri	1.29	4.9887E-03
544	HG3344-HT352	The Institute for Genomic Research	---	34257_at	Day 0 Peri/ Day 0 Control	1.67	4.4826E-03
545	8706	Entrez Gene	UDP-Gal:betaGlcNAc beta 1,3-galactosyltransferase, polypeptide 3	1782_s_at	Day 7 Peri/ Day 0 Peri	1.41	7.6020E-04
546	11335	Entrez Gene	chromobox homolog 3 (HP1 gamma homolog, Drosophila)	1782_s_at	Day 3 Peri/ Day 0 Peri	1.37	2.2974E-03
547	23643	Entrez Gene	lymphocyte antigen 96	39037_at	Day 7 Peri/ Day 7 Control	1.66	1.9606E-03
548	4150	Entrez Gene	MYC-associated zinc finger protein (purine-binding transcription factor)	41549_s_at	Day 7 Peri/ Day 0 Peri	1.66	1.8700E-05
				41549_s_at	Day 3 Peri/ Day 0 Peri	1.60	1.9543E-04
				1164_at	Day 7 Peri/ Day 0 Peri	1.39	1.8926E-03
				39293_at	Day 3 Peri/ Day 0 Peri	1.66	7.3257E-03
				38085_at	Day 3 Peri/ Day 0 Peri	1.66	9.8654E-03
				33956_at	Day 7 Peri/ Day 0 Peri	1.66	1.4748E-03
				32553_at	Day 3 Peri/ Day 3 Control	1.66	4.2360E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
550	6491	Entrez Gene	TAL1 (SCL) Interrupting locus	32767_at	Day 3 Peri/ Day 0 Peri	1.65	6.3831E-03
				32767_at	Day 7 Peri/ Day 0 Peri	1.62	1.0430E-04
551	9444	Entrez Gene	quaking homolog, KH domain RNA binding (mouse)	39760_at	Day 7 Peri/ Day 0 Peri	1.65	1.1415E-03
				39760_at	Day 3 Peri/ Day 0 Peri	1.47	9.2477E-03
552	4669	Entrez Gene	N-acetylglucosaminidase, alpha- (Sanfilippo disease IIIB)	41596_s_at	Day 3 Peri/ Day 3 Extra	1.65	3.9393E-03
555	7030	Entrez Gene	transcription factor binding to IGHM enhancer 3	34669_at	Day 3 Peri/ Day 3 Extra	1.64	3.7080E-03
556	1025	Entrez Gene	cyclin-dependent kinase 9 (CDC2-related kinase)	387_at	Day 0 Peri/ Day 0 Control	1.63	3.3719E-04
557	196740	Entrez Gene	Chromosome 10 open reading frame 72	41013_at	Day 3 Peri/ Day 3 Extra	1.63	3.0331E-03
558	23122	Entrez Gene	cytoplasmic linker associated protein 2	38711_at	Day 7 Peri/ Day 7 Control	1.62	4.2754E-03
559	2078	Entrez Gene	v-rels erythroblastosis virus E26 oncogene like (avian)	914_g_at	Day 7 Peri/ Day 0 Peri	1.62	1.3891E-03
560	1848	Entrez Gene	dual specificity phosphatase 6	41193_at	Day 7 Peri/ Day 0 Peri	1.62	2.6146E-04
				41193_at	Day 3 Peri/ Day 0 Peri	1.46	2.6921E-03
561	1123	Entrez Gene	chimerin (chimaerin) 1	40512_at	Day 7 Peri/ Day 0 Peri	1.62	3.5572E-03
562	7035	Entrez Gene	Tissue factor pathway inhibitor (lipoprotein-associated coagulation inhibitor)	40767_at	Day 7 Peri/ Day 0 Peri	1.62	9.2775E-04
				40767_at	Day 7 Peri/ Day 3 Peri	1.42	4.1151E-03
563	25937	Entrez Gene	WW domain containing transcription regulator 1	33876_at	Day 7 Peri/ Day 7 Extra	1.62	8.0865E-03
565	586	Entrez Gene	branched chain aminotransferase 1, cytosolic	38201_at	Day 3 Peri/ Day 0 Peri	1.46	9.9540E-03
568	442871	Entrez Gene	chromosome 11 open reading frame 32	38411_at	Day 7 Peri/ Day 0 Peri	1.56	4.5606E-03
569	2123	Entrez Gene	ecotropic viral integration site 2A	36313_at	Day 3 Peri/ Day 0 Peri	1.61	2.4257E-03
				36313_at	Day 3 Peri/ Day 3 Extra	1.57	8.4119E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
570	U40705	GenBank	telomeric repeat binding factor (NIMA-interacting) 1 /// similar to telomeric repeat binding factor 1 isoform 2; Telomeric repeat binding factor 1; te	32255_j_at	Day 7 Peri/ Day 0 Peri	1.61	2.2511E-03
571	51512	Entrez Gene	G-2 and S-phase expressed 1	32255_i_at	Day 7 Peri/ Day 3 Peri	1.52	3.6647E-03
572	9926	Entrez Gene	lysophosphatidylglycerol acyltransferase 1	39872_at	Day 3 Peri/ Day 0 Peri	1.47	1.3640E-03
573	55361	Entrez Gene	phosphatidylinositol 4-kinase type II	34387_at	Day 7 Peri/ Day 0 Peri	1.60	3.4482E-03
574	AJ001684	GenBank	killer cell lectin-like receptor subfamily C, member 1 /// killer cell lectin-like receptor subfamily C, member 2	33897_at	Day 7 Peri/ Day 0 Peri	1.60	9.0341E-03
575	11017	Entrez Gene	putative nucleic acid binding protein RY-1	35286_r_at	Day 3 Peri/ Day 3 Extra	1.60	3.2097E-03
576	1965	Entrez Gene	eukaryotic translation initiation factor 2, subunit 1 alpha, 35kDa	35286_r_at	Day 7 Peri/ Day 0 Peri	1.29	4.4597E-03
577	9702	Entrez Gene	translokin	1154_at	Day 3 Peri/ Day 0 Peri	1.26	4.2429E-03
579	10097	Entrez Gene	ARP2 actin-related protein 2 homolog (yeast)	39785_at	Day 7 Peri/ Day 0 Peri	1.59	8.7539E-03
580	5192	Entrez Gene	Peroxisome biogenesis factor 10	35734_at	Day 7 Peri/ Day 0 Peri	1.59	3.7333E-03
583	9111	Entrez Gene	N-myc (and STAT) Interactor	41282_s_at	Day 3 Peri/ Day 3 Extra	1.59	4.1500E-04
586	10493	Entrez Gene	vesicle amine transport protein 1 homolog (T californica)	41282_s_at	Day 3 Peri/ Day 3 Control	1.40	9.1806E-03
588	2877	Entrez Gene	glutathione peroxidase 2 (gastrointestinal)	36472_at	Day 3 Peri/ Day 0 Peri	1.59	1.0409E-03
589	4836	Entrez Gene	N-myristoyltransferase 1	605_at	Day 3 Peri/ Day 3 Extra	1.58	1.8458E-03
590	6119	Entrez Gene	replication protein A3, 14kDa	35194_at	Day 3 Peri/ Day 0 Peri	1.58	1.0866E-03
591	9873	Entrez Gene	FCH and double SH3 domains 2	38999_s_at	Day 3 Peri/ Day 0 Peri	1.32	6.2374E-03
				651_at	Day 3 Peri/ Day 0 Peri	1.58	6.4678E-03
				32224_at	Day 3 Peri/ Day 3 Extra	1.58	7.8601E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
592	25907	Entrez Gene	Ras-induced senescence 1	35692_at	Day 3 Peri/ Day 0 Peri	1.57	2.8884E-03
593	5996	Entrez Gene	thymine-DNA glycosylase	35692_at	Day 7 Peri/ Day 0 Peri	1.46	9.2899E-03
594	23131	Entrez Gene	KIAA0553 protein	40865_at	Day 7 Peri/ Day 0 Peri	1.57	5.4071E-03
595	23023	Entrez Gene	transmembrane and coiled-coil domain family 1	38668_at	Day 7 Peri/ Day 7 Control	1.57	2.9219E-03
596	22894	Entrez Gene	KIAA1008	33251_at	Day 7 Peri/ Day 7 Extra	1.57	4.5225E-03
				40633_at	Day 3 Peri/ Day 3 Extra	1.57	1.8924E-03
598	2068	Entrez Gene	excision repair cross-complementing rodent repair deficiency, complementation group 2 (xeroderma pigmentosum D)	41095_at	Day 7 Peri/ Day 7 Extra	1.56	7.5413E-03
599	4172	Entrez Gene	MCM3 minichromosome maintenance deficient 3 (S. cerevisiae)	33252_at	Day 3 Peri/ Day 0 Peri	1.56	9.2760E-04
600	7019	Entrez Gene	transcription factor A, mitochondrial	36191_at	Day 7 Peri/ Day 0 Peri	1.56	5.9082E-03
601	4354	Entrez Gene	membrane protein, palmitoylated 1, 55kDa	32207_at	Day 3 Peri/ Day 0 Peri	1.56	2.0779E-04
604	283298	Entrez Gene	olfactomedin-like 1	36695_at	Day 7 Peri/ Day 3 Peri	1.55	8.4349E-03
605	8943	Entrez Gene	adaptor-related protein complex 3, delta 1 subunit	36173_r_at	Day 3 Peri/ Day 3 Control	1.55	2.1820E-03
608	7307	Entrez Gene	U2(RNU2) small nuclear RNA auxiliary factor 1	36517_at	Day 7 Peri/ Day 7 Control	1.54	3.5498E-03
				36517_at	Day 7 Peri/ Day 7 Intra	1.32	8.4195E-03
				36517_at	Day 7 Peri/ Day 0 Peri	1.27	3.8236E-03
609	91782	Entrez Gene	CHMP family, member 7	34871_at	Day 3 Peri/ Day 3 Control	1.53	3.6609E-03
610	4200	Entrez Gene	malic enzyme 2, NAD(+)-dependent, mitochondrial	36599_at	Day 7 Peri/ Day 0 Peri	1.53	6.2031E-03
611	50999	Entrez Gene	transmembrane emp24 protein transport domain containing 5	40931_at	Day 7 Peri/ Day 0 Peri	1.53	9.8430E-03
				40931_at	Day 3 Peri/ Day 0 Peri	1.37	8.9403E-03
613	6675	Entrez Gene	UDP-N-acetylglucosamine pyrophosphorylase 1	41242_at	Day 7 Peri/ Day 0 Peri	1.52	7.1461E-03
616	1611	Entrez Gene	death-associated protein	36199_at	Day 3 Peri/ Day 3 Extra	1.52	9.3962E-03
617	53615	Entrez Gene	methyl-CpG binding domain protein 3	41160_at	Day 3 Peri/ Day 3 Extra	1.52	9.4158E-03
618	4222	Entrez Gene	mesenchyme homeo box 1	36010_at	Day 7 Peri/ Day 7 Control	1.52	3.7212E-04
				36010_at	Day 7 Peri/ Day 7 Extra	1.36	1.3183E-03
619	378	Entrez Gene	ADP-ribosylation factor 4	36585_at	Day 3 Peri/ Day 3 Extra	1.52	7.0646E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
623	81611	Entrez Gene	acidic (leucine-rich) nuclear phosphoprotein 32 family, member E	40347_at	Day 3 Peri/ Day 0 Peri	1.51	1.7355E-03
625	840	Entrez Gene	caspase 7, apoptosis-related cysteine peptidase	38281_at	Day 7 Peri/ Day 0 Peri	1.50	3.9976E-03
628	23174	Entrez Gene	zinc finger, CCHC domain containing 14	38101_at	Day 3 Peri / Day 3 Extra	1.50	9.8936E-03
630	290	Entrez Gene	alanyl (membrane) aminopeptidase (aminopeptidase N, aminopeptidase M, microsomal aminopeptidase, CD13, p150)	39385_at	Day 3 Peri/ Day 0 Peri	1.50	8.6634E-03
631	4689	Entrez Gene	neutrophil cytosolic factor 4, 40kDa	38893_at	Day 7 Peri/ Day 0 Peri	1.43	7.1851E-03
632	3176	Entrez Gene	histamine N-methyltransferase	37604_at	Day 7 Peri/ Day 0 Peri	1.49	1.8236E-03
633	829	Entrez Gene	capping protein (actin filament) muscle Z-line, alpha 1	40910_at	Day 7 Peri / Day 7 Control	1.49	6.6855E-03
634	5214	Entrez Gene	phosphofructokinase, platelet	39175_at	Day 7 Peri/ Day 0 Peri	1.49	3.8965E-03
635	55719	Entrez Gene	chromosome 10 open reading frame 6	33192_g_at	Day 3 Peri / Day 3 Extra	1.49	7.3498E-03
637	10772	Entrez Gene	FUS interacting protein (serine/arginine-rich) 1	34717_s_at	Day 3 Peri/ Day 0 Peri	1.49	4.3218E-03
638	5984	Entrez Gene	replication factor C (activator 1) 4, 37kDa	1055_g_at	Day 7 Peri/ Day 0 Peri	1.49	1.8893E-03
639	HG1103-HT110	The Institute for Genomic Research	---	1877_g_at	Day 3 Peri / Day 3 Control	1.49	6.5684E-03
640	23102	Entrez Gene	KIAA1055 protein	39400_at	Day 3 Peri / Day 3 Extra	1.49	2.1984E-04
641	29890	Entrez Gene	RNA binding motif protein 15B	38476_at	Day 0 Peri / Day 0 Control	1.49	8.2198E-03
642	7168	Entrez Gene	tropomyosin 1 (alpha)	36792_at	Day 7 Peri/ Day 3 Peri	1.49	2.0464E-04
643	23067	Entrez Gene	KIAA1076 protein	36792_at	Day 7 Peri/ Day 0 Peri	1.43	4.2415E-03
644	25849	Entrez Gene	DKFZP564O0823 protein	38173_at	Day 7 Peri / Day 7 Control	1.49	2.3740E-03
645	29893	Entrez Gene	TBP-1 interacting protein	41402_at	Day 7 Peri / Day 7 Extra	1.48	4.6277E-03
				32577_s_at	Day 3 Peri/ Day 0 Peri	1.48	5.6835E-03
647	7525	Entrez Gene	v-yes-1 Yamaguchi sarcoma viral oncogene homolog 1	1674_at	Day 7 Peri/ Day 0 Peri	1.48	9.2426E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
648	23137	Entrez Gene	SMC5 structural maintenance of chromosomes 5-like 1 (yeast)	41379_at	Day 7 Peri/ Day 0 Peri	1.48	1.9152E-03
649	837	Entrez Gene	caspase 4, apoptosis-related cysteine peptidase	195_s_at	Day 3 Peri/ Day 0 Peri	1.48	3.3173E-03
650	6447	Entrez Gene	secretory granule, neuroendocrine protein 1 (7B2 protein)	195_s_at	Day 7 Peri/ Day 0 Peri	1.36	3.9309E-03
651	29970	Entrez Gene	schwannomin interacting protein 1	34265_at	Day 7 Peri/ Day 0 Peri	1.48	7.0348E-03
652	996	Entrez Gene	cell division cycle 27	36536_at	Day 7 Peri/ Day 0 Peri	1.48	4.1360E-03
655	3087	Entrez Gene	hematopoietically expressed homeobox	40591_at	Day 7 Peri/ Day 0 Peri	1.48	3.0938E-03
657	5937	Entrez Gene	RNA binding motif, single stranded interacting protein 1	37497_at	Day 7 Peri/ Day 0 Peri	1.47	9.2347E-04
658	10125	Entrez Gene	RAS guanyl releasing protein 1 (calcium and DAG-regulated)	37497_at	Day 7 Peri/ Day 7 Extra	1.40	5.4295E-03
659	10019	Entrez Gene	lymphocyte adaptor protein	33867_s_at	Day 7 Peri/ Day 0 Peri	1.47	8.0192E-04
660	6990	Entrez Gene	t-complex-associated-testis-expressed 1-like	33291_at	Day 3 Peri/ Day 0 Peri	1.46	9.7504E-03
661	6198	Entrez Gene	ribosomal protein S6 kinase, 70kDa, polypeptide 1	39428_at	Day 7 Peri/ Day 0 Peri	1.46	7.2456E-04
662	7343	Entrez Gene	upstream binding transcription factor, RNA polymerase I	39428_at	Day 3 Peri/ Day 0 Peri	1.42	2.3522E-04
663	10528	Entrez Gene	nucleolar protein 5A (56kDa with KKE/D repeat)	36921_at	Day 3 Peri/ Day 0 Peri	1.46	2.8238E-03
664	1390	Entrez Gene	cAMP responsive element modulator	2037_s_at	Day 3 Peri/ Day 0 Peri	1.46	2.0917E-03
665	10240	Entrez Gene	mitochondrial ribosomal protein S31	38794_at	Day 7 Peri / Day 7 Extra	1.46	1.9528E-03
667	2313	Entrez Gene	Friend leukemia virus integration 1	34882_at	Day 3 Peri/ Day 0 Peri	1.46	2.7947E-03
				32067_at	Day 3 Peri/ Day 0 Peri	1.45	6.9010E-03
				40072_at	Day 7 Peri/ Day 3 Peri	1.45	6.2982E-03
				41425_at	Day 7 Peri/ Day 0 Peri	1.45	2.9833E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
668	5087	Entrez Gene	Pre-B-cell leukemia transcription factor 1	33355_at	Day 7 Peri / Day 7 Extra	1.45	3.2013E-03
669	271	Entrez Gene	adenosine monophosphate deaminase 2 (isoform L)	33355_at	Day 7 Peri/ Day 3 Peri	1.29	6.6119E-03
670	9013	Entrez Gene	TATA box binding protein (TBP)-associated factor, RNA polymerase I, C, 110kDa	38417_at	Day 3 Peri / Day 3 Extra	1.45	3.1224E-03
671	90121	Entrez Gene	hypothetical protein DT1P1A10	40221_at	Day 3 Peri / Day 3 Extra	1.44	7.6368E-03
672	3181	Entrez Gene	heterogeneous nuclear ribonucleoprotein A2/B1	33242_at	Day 3 Peri / Day 3 Control	1.44	3.9459E-03
673	902	Entrez Gene	cyclin H	3654_s_at	Day 7 Peri/ Day 0 Peri	1.44	4.0057E-03
674	7511	Entrez Gene	X-prolyl aminopeptidase (aminopeptidase P) 1, soluble	3654_s_at	Day 3 Peri/ Day 0 Peri	1.42	4.1972E-03
675	10133	Entrez Gene	opitneurin	1924_at	Day 7 Peri/ Day 0 Peri	1.44	6.1378E-03
676	M12959	GenBank	T cell receptor alpha locus /// T cell receptor delta variable 2 /// T cell receptor alpha variable 20 /// T cell receptor alpha joining 17 /// T cell	35305_at	Day 3 Peri / Day 3 Extra	1.44	1.8548E-03
678	10949	Entrez Gene	heterogeneous nuclear ribonucleoprotein A0	41744_at	Day 7 Peri/ Day 3 Peri	1.44	4.8992E-03
680	6776	Entrez Gene	signal transducer and activator of transcription 5A	1106_s_at	Day 3 Peri/ Day 0 Peri	1.43	8.3812E-03
681	4204	Entrez Gene	methyl CpG binding protein 2 (Rett syndrome)	37334_at	Day 7 Peri / Day 7 Extra	1.43	8.2840E-03
682	2268	Entrez Gene	Gardner-Rasheed feline sarcoma viral (v-fgr) oncogene homolog	40458_at	Day 3 Peri / Day 3 Extra	1.43	5.1621E-04
683	1612	Entrez Gene	death-associated protein kinase 1	40458_at	Day 7 Peri / Day 7 Extra	1.38	6.7773E-03
684	10943	Entrez Gene	male-specific lethal 3-like 1 (Drosophila)	34355_at	Day 3 Peri / Day 3 Control	1.43	4.9827E-03
				1780_at	Day 3 Peri/ Day 0 Peri	1.43	9.2967E-03
				40049_at	Day 7 Peri/ Day 0 Peri	1.42	7.5518E-03
				37974_at	Day 7 Peri/ Day 0 Peri	1.42	9.0607E-03
				37974_at	Day 3 Peri/ Day 0 Peri	1.37	3.8456E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
686	26037	Entrez Gene	signal-induced proliferation-associated 1 like 1	40805_at	Day 7 Peri/ Day 3 Peri	1.42	1.0887E-03
				40805_at	Day 7 Peri/ Day 7 Intra	1.37	2.3185E-03
688	10555	Entrez Gene	1-acylglycerol-3-phosphate O-acyltransferase 2 (lysophosphatidic acid acyltransferase, beta)	32837_at	Day 7 Peri/ Day 7 Extra	1.41	3.9711E-03
690	158	Entrez Gene	adenylosuccinate lyase	36639_at	Day 7 Peri/ Day 0 Peri	1.41	2.1488E-03
				36639_at	Day 3 Peri/ Day 0 Peri	1.38	1.7590E-03
692	3065	Entrez Gene	histone deacetylase 1	38771_at	Day 3 Peri/ Day 0 Peri	1.41	1.3400E-04
				38771_at	Day 7 Peri/ Day 0 Peri	1.41	5.2166E-04
693	9191	Entrez Gene	death effector domain containing	40494_at	Day 3 Peri/ Day 3 Extra	1.41	4.3390E-03
694	1794	Entrez Gene	dedicator of cytokinesis 2	32704_at	Day 7 Peri/ Day 0 Peri	1.41	2.1392E-03
697	27236	Entrez Gene	ADP-ribosylation factor interacting protein 1 (arfaplin 1)	35507_at	Day 7 Peri/ Day 0 Peri	1.40	7.6964E-03
698	10625	Entrez Gene	influenza virus NS1A binding protein	33752_at	Day 7 Peri/ Day 0 Peri	1.40	9.4326E-03
699	10231	Entrez Gene	Down syndrome critical region gene 1-like 1	32076_at	Day 7 Peri/ Day 3 Peri	1.40	7.5109E-03
700	23204	Entrez Gene	ADP-ribosylation factor-like 6 interacting protein	36572_r_at	Day 7 Peri/ Day 0 Peri	1.40	6.0260E-03
702	2958	Entrez Gene	general transcription factor IIA, 2, 12kDa	37010_at	Day 7 Peri/ Day 0 Peri	1.40	2.1981E-03
703	834	Entrez Gene	caspase 1, apoptosis-related cysteine peptidase (interleukin 1, beta, convertase)	574_s_at	Day 3 Peri/ Day 0 Peri	1.40	5.9309E-03
705	6016	Entrez Gene	Ras-like without CAAX 1	38331_at	Day 7 Peri/ Day 0 Peri	1.39	4.4305E-03
				38331_at	Day 3 Peri/ Day 0 Peri	1.36	8.4026E-03
706	U41303	GenBank	small nuclear ribonucleoprotein polypeptide N III SNRPN upstream reading frame	34842_at	Day 7 Peri/ Day 7 Extra	1.39	3.4227E-03
707	7763	Entrez Gene	zinc finger, A20 domain containing 2	41542_at	Day 7 Peri/ Day 0 Peri	1.39	9.3984E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
708	10797	Entrez Gene	methylenetetrahydrofolate dehydrogenase (NADP+ dependent) 2, methylenetetrahydrofolate cyclohydrolase	40074_at	Day 7 Peri/ Day 0 Peri	1.39	8.3017E-03
709	7443	Entrez Gene	vaccinia related kinase 1	39980_at	Day 3 Peri/ Day 0 Peri	1.39	5.7124E-03
711	79888	Entrez Gene	hypothetical protein FLJ12443	39980_at	Day 7 Peri/ Day 0 Peri	1.35	9.5843E-03
712	8892	Entrez Gene	eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa	41176_at	Day 7 Peri/ Day 0 Peri	1.38	5.4603E-03
713	HG1322-HT514	The Institute for Genomic Research	---	40515_at	Day 3 Peri/ Day 0 Peri	1.27	6.8385E-04
714	57020	Entrez Gene	esophageal cancer associated protein	723_s_at	Day 3 Peri/ Day 0 Peri	1.38	1.6071E-03
715	953	Entrez Gene	eclonucleoside triphosphate diphosphohydrolase 1	723_s_at	Day 7 Peri/ Day 0 Peri	1.34	5.0475E-03
717	2634	Entrez Gene	guanylate binding protein 2, interferon-inducible	41791_at	Day 7 Peri/ Day 0 Peri	1.38	2.1250E-03
719	23064	Entrez Gene	amyotrophic lateral sclerosis 4	32828_at	Day 7 Peri/ Day 3 Peri	1.38	2.5552E-03
721	3251	Entrez Gene	hypoxanthine phosphoribosyltransferase 1 (Lesch-Nyhan syndrome)	32700_at	Day 3 Peri/ Day 0 Peri	1.38	1.3799E-03
722	192683	Entrez Gene	secretory carrier membrane protein 5	40083_at	Day 7 Peri/ Day 3 Peri	1.37	1.5222E-03
723	4683	Entrez Gene	nibrin	37640_at	Day 7 Peri/ Day 0 Peri	1.36	4.0577E-03
724	8519	Entrez Gene	interferon induced transmembrane protein 1 (9-27)	37545_at	Day 3 Peri/ Day 3 Extra	1.35	5.7634E-03
725	23424	Entrez Gene	tudor domain containing 7	35153_at	Day 7 Peri/ Day 0 Peri	1.35	6.8131E-03
726	8540	Entrez Gene	alkylglycerone phosphate synthase	675_at	Day 3 Peri/ Day 0 Peri	1.35	4.7302E-03
727	2956	Entrez Gene	mutS homolog 6 (E. coli)	40852_at	Day 7 Peri/ Day 0 Peri	1.35	6.2550E-03
728	10618	Entrez Gene	trans-golgi network protein 2	39225_at	Day 7 Peri/ Day 0 Peri	1.35	6.6677E-03
730	11186	Entrez Gene	Ras association (RalGDS/AF-6) domain family 1	2003_s_at	Day 7 Peri/ Day 0 Peri	1.35	5.8539E-03
				38993_r_at	Day 7 Peri/ Day 0 Peri	1.35	7.3878E-03
				39601_at	Day 0 Peri / Day 0 Control	1.33	3.5766E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
733	2643	Entrez Gene	GTP cyclohydrolase 1 (dopa-responsive dystonia)	37944_at	Day 7 Peri/ Day 0 Peri	1.34	8.8851E-03
734	1200	Entrez Gene	tripeptidyl peptidase I	32824_at	Day 7 Peri/ Day 0 Peri	1.33	9.3093E-03
735	7296	Entrez Gene	thioredoxin reductase 1	39425_at	Day 3 Peri/ Day 0 Peri	1.33	3.8517E-04
				39425_at	Day 7 Peri/ Day 0 Peri	1.28	1.0574E-03
736	6880	Entrez Gene	TAF9 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 32kDa	193_at	Day 3 Peri/ Day 0 Peri	1.33	3.7140E-03
				193_at	Day 7 Peri/ Day 0 Peri	1.31	9.4114E-03
737	2079	Entrez Gene	enhancer of rudimentary homolog (Drosophila)	39079_at	Day 3 Peri/ Day 3 Control	1.32	3.5772E-03
738	9776	Entrez Gene	KIAA0652 gene product	38020_at	Day 3 Peri/ Day 3 Extra	1.32	9.6720E-03
740	832	Entrez Gene	capping protein (actin filament) muscle Z-line, beta	37012_at	Day 3 Peri/ Day 3 Extra	1.32	4.0510E-03
742	968	Entrez Gene	CD68 antigen	33390_at	Day 3 Peri/ Day 0 Peri	1.32	8.8659E-03
743	23270	Entrez Gene	TSPY-like 4	33835_at	Day 7 Peri/ Day 3 Peri	1.32	5.9028E-03
745	8505	Entrez Gene	poly (ADP-ribose) glycohydrolase	38270_at	Day 7 Peri/ Day 0 Peri	1.30	9.6297E-03
746	3939	Entrez Gene	lactate dehydrogenase A	41485_at	Day 3 Peri/ Day 0 Peri	1.30	6.8980E-03
748	23317	Entrez Gene	DnaJ (Hsp40) homolog, subfamily C, member 13	39403_at	Day 7 Peri/ Day 0 Peri	1.30	7.7748E-03
749	6624	Entrez Gene	fascin homolog 1, actin-bundling protein (Strongylocentrotus purpuratus)	39070_at	Day 3 Peri/ Day 3 Control	1.30	3.0257E-03
750	7249	Entrez Gene	tuberous sclerosis 2	38813_at	Day 3 Peri/ Day 3 Extra	1.29	5.8895E-03
751	AD001528	GenBank	spermine synthase /// similar to spermine synthase; spermidine aminopropyltransferase	38792_at	Day 3 Peri/ Day 0 Peri	1.29	7.5763E-03
752	U06863	GenBank	ATP-binding cassette, sub-family B (MDR/TAP), member 6 /// ATG9 autophagy related 9 homolog A (S. cerevisiae)	40130_at	Day 7 Peri/ Day 7 Extra	1.28	6.4476E-03
755	84148	Entrez Gene	MYST histone acetyltransferase 1	35987_g_at	Day 3 Peri/ Day 3 Extra	1.26	8.8338E-03
756	9792	Entrez Gene	SERTA domain containing 2	37312_at	Day 7 Peri/ Day 3 Peri	1.26	3.0809E-03

Diagnostic Up - Table 2

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
757	286451	Entrez Gene	Yip1 domain family, member 6	37891_at	Day 7 Peri/ Day 3 Peri	1.26	3.8760E-03
758	4292	Entrez Gene	mulL homolog 1, colon cancer, nonpolyposis type 2 (E. coli)	1850_at	Day 7 Peri/ Day 0 Peri	1.25	9.5876E-03
760	4976	Entrez Gene	optic atrophy 1 (autosomal dominant)	39745_at	Day 7 Peri/ Day 3 Peri	1.24	9.7423E-03
763	6993	Entrez Gene	t-complex-associated-testis-expressed 1-like 1	946_at	Day 3 Peri/ Day 0 Peri	1.16	4.4734E-03

Diagnostic Up - Table 3

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
1	M10098	GenBank	---	AFFX- HUMRGE/M10098_5_at	Day 3 Peri / Day 3 Control	61.62	2.9430E-03
3	8364	Entrez Gene	histone 1, H4c	39969_at	Day 3 Peri / Day 3 Control	27.92	9.0600E-07
				39969_at	Day 0 Peri / Day 0 Control	5.37	6.1769E-03
5	9422	Entrez Gene	zinc finger protein 264	41612_at	Day 3 Peri / Day 3 Control	21.97	4.4600E-10
				41612_at	Day 0 Peri / Day 0 Control	6.21	9.5893E-04
6	AJ005814	GenBank	---	41612_at	Day 7 Peri / Day 7 Control	3.69	6.3104E-03
				40343_at	Day 3 Peri / Day 3 Control	19.49	6.2100E-10
				40343_at	Day 0 Peri / Day 0 Control	9.21	1.9446E-04
9	7545	Entrez Gene	Zic family member 1 (odd-paired homolog, Drosophila)	36308_at	Day 3 Peri / Day 3 Control	13.09	3.6220E-03
11	3992	Entrez Gene	fatty acid desaturase 1	36308_at	Day 7 Peri / Day 7 Control	9.93	7.2977E-03
12	348162	Entrez Gene	hypothetical protein 348162	41719_at	Day 3 Peri / Day 3 Control	14.31	2.1500E-05
				40951_at	Day 3 Peri / Day 3 Control	10.41	2.4306E-04
13	1783	Entrez Gene	dynein, cytoplasmic, light intermediate polypeptide 2	40949_at	Day 3 Peri / Day 3 Control	10.38	8.6300E-09
				40949_at	Day 0 Peri / Day 0 Control	5.33	1.5303E-04
16	440083	Entrez Gene	proline-rich protein BstNI subfamily 2	40949_at	Day 7 Peri / Day 7 Control	2.60	7.0745E-03
17	1915	Entrez Gene	Eukaryotic translation elongation factor 1 alpha 1	36775_f_at	Day 0 Peri / Day 0 Control	9.88	3.0400E-07
18	2597	Entrez Gene	glyceraldehyde-3-phosphate dehydrogenase	40888_f_at	Day 3 Peri / Day 3 Control	9.64	3.2546E-03
22	9060	Entrez Gene	3'-phosphoadenosine 5'-phosphosulfate synthase 2	AFFX- HUMGAPDH/M331_97_5_st	Day 3 Peri / Day 3 Control	9.17	1.0435E-04
24	10962	Entrez Gene	myeloid/lymphoid or mixed-lineage leukemia (trithorax homolog, Drosophila); translocated to, 11	36233_at	Day 3 Peri / Day 3 Control	8.93	2.3000E-05
26	146057	Entrez Gene	tau tubulin kinase 2	36941_at	Day 0 Peri / Day 0 Control	8.09	3.8972E-03
27	2737	Entrez Gene	GLI-Kruppel family member GLI3 (Greig cephalopolysyndactyly syndrome)	34899_at	Day 3 Peri / Day 3 Control	7.83	2.1900E-05
28	23405	Entrez Gene	Dicer1, Dcr-1 homolog (Drosophila)	40358_at	Day 3 Peri / Day 3 Control	7.80	1.1400E-05
30	HG2167- HT223	The Institute for Genomic Research	---	38765_at	Day 0 Peri / Day 0 Control	7.63	6.8000E-05
35	22891	Entrez Gene	zinc finger protein 365	38765_at	Day 3 Peri / Day 3 Control	7.27	5.3400E-08
				38765_at	Day 7 Peri / Day 7 Control	4.34	1.5733E-03
				735_s_at	Day 3 Peri / Day 3 Control	7.48	3.9200E-05
				35959_at	Day 0 Peri / Day 0 Control	5.92	3.9300E-05

Diagnostic Up - Table 3

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
37	4208	Entrez Gene	MADS box transcription enhancer factor 2, polypeptide C (myocyte enhancer factor 2C)	37710_at	Day 0 Peri / Day 0 Control	6.69	9.3621E-04
38	7707	Entrez Gene	zinc finger protein 148 (pHZ-52)	37710_at	Day 3 Peri / Day 3 Control	3.16	8.0392E-04
39	5179	Entrez Gene	proenkephalin	41466_s_at	Day 3 Peri / Day 3 Control	6.39	8.7700E-07
40	10608	Entrez Gene	MAX dimerization protein 4	38291_at	Day 0 Peri / Day 0 Control	6.35	2.7950E-03
				38539_at	Day 3 Peri / Day 3 Control	6.33	2.9800E-06
				38639_at	Day 0 Peri / Day 0 Control	4.92	6.6503E-03
42	2982	Entrez Gene	guanylate cyclase 1, soluble, alpha 3	36818_at	Day 3 Peri / Day 3 Control	6.22	1.1318E-04
				36918_at	Day 0 Peri / Day 0 Control	5.97	4.5357E-04
43	6474	Entrez Gene	short stature homeobox 2	36918_at	Day 7 Peri / Day 7 Control	3.89	9.0213E-03
				36487_at	Day 7 Peri / Day 7 Control	4.61	1.0513E-03
44	1846	Entrez Gene	dual specificity phosphatase 4	1788_s_at	Day 0 Peri / Day 0 Control	6.11	5.4048E-03
				1788_s_at	Day 3 Peri / Day 3 Control	3.44	6.0191E-04
45	6738	Entrez Gene	TROVE domain family, member 2	35295_g_at	Day 3 Peri / Day 3 Control	6.08	1.3900E-06
				35293_at	Day 7 Peri / Day 7 Control	3.18	6.7538E-03
46	HG3543-HT373	The Institute for Genomic Research	---	1664_at	Day 0 Peri / Day 0 Control	5.64	7.6000E-05
47	10622	Entrez Gene	polymerase (RNA) III (DNA directed) polypeptide G (32kD)	31571_at	Day 0 Peri / Day 0 Control	4.45	8.7958E-03
48	10766	Entrez Gene	transducer of ERBB2, 2	39286_at	Day 3 Peri / Day 3 Control	5.91	5.0200E-05
				39286_at	Day 0 Peri / Day 0 Control	2.67	8.4517E-03
49	2328	Entrez Gene	flavin containing monooxygenase 3	40665_at	Day 7 Peri / Day 7 Control	4.94	1.5693E-03
				40665_at	Day 3 Peri / Day 3 Control	2.12	8.4898E-03
50	273	Entrez Gene	amphiphysin (Stiff-Man syndrome with breast cancer 128kDa autoantigen)	32728_at	Day 0 Peri / Day 0 Control	5.44	6.6379E-04
51	7357	Entrez Gene	UDP-glucose ceramide glucosyltransferase	40215_at	Day 3 Peri / Day 3 Control	5.82	7.7100E-08
				40215_at	Day 0 Peri / Day 0 Control	4.19	4.3528E-03
				40215_at	Day 7 Peri / Day 7 Control	3.00	3.5319E-03
52	440118	Entrez Gene	LOC440118	AFFX-M27830_M_at	Day 3 Peri / Day 3 Control	5.70	8.5308E-03
53	AL050030	GenBank	---	35603_at	Day 7 Peri / Day 7 Control	5.61	1.0162E-03
55	27286	Entrez Gene	sushi-repeat-containing protein, X-linked 2	37805_at	Day 0 Peri / Day 0 Control	5.44	4.8658E-03
				37805_at	Day 3 Peri / Day 3 Control	2.35	6.5413E-03
56	221830	Entrez Gene	TWIST neighbor	35007_at	Day 3 Peri / Day 3 Control	5.39	2.0234E-03

Diagnostic Up - Table 3

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
57	1385	Entrez Gene	cAMP responsive element binding protein 1	37535_at	Day 3 Peri / Day 3 Control	5.37	2.5300E-06
				37535_at	Day 0 Peri / Day 0 Control	3.94	1.2584E-03
				37535_at	Day 7 Peri / Day 7 Control	3.12	5.0364E-03
58	2072	Entrez Gene	excision repair cross-complementing rodent repair deficiency, complementation group 4	1258_s_at	Day 0 Peri / Day 0 Control	5.37	1.1722E-03
59	4820	Entrez Gene	natural killer-tumor recognition sequence	34234_f_at	Day 3 Peri / Day 3 Control	5.34	1.0900E-06
60	23177	Entrez Gene		KIAA0582	34234_f_at	Day 0 Peri / Day 0 Control	2.36
62	9645	Entrez Gene	microtubule associated monooxygenase, calponin and LIM domain containing 2	40191_s_at	Day 3 Peri / Day 3 Control	5.27	1.7000E-06
				40848_g_at	Day 0 Peri / Day 0 Control	5.10	2.8426E-03
64	AL109722	GenBank	---	40848_g_at	Day 3 Peri / Day 3 Control	2.74	8.8301E-03
66	HG3510-HT370	The Institute for Genomic Research		38511_at	Day 7 Peri / Day 7 Control	5.04	9.9650E-04
68	8529	Entrez Gene		cytochrome P450, family 4, subfamily F, polypeptide 2	1147_at	Day 0 Peri / Day 0 Control	4.94
			1350_at		Day 7 Peri / Day 7 Control	4.89	2.1270E-03
69	6238	Entrez Gene	Ribosome binding protein 1 homolog 180kDa (dog)	33212_at	Day 0 Peri / Day 0 Control	4.81	5.0769E-04
70	636	Entrez Gene	bicaudal D homolog 1 (Drosophila)	33212_at	Day 3 Peri / Day 3 Control	3.46	1.7790E-04
				32127_at	Day 3 Peri / Day 3 Control	4.72	6.3906E-04
				32127_at	Day 7 Peri / Day 7 Control	4.35	4.2931E-03

Diagnostic Up - Table 3

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
72	5125	Entrez Gene	Protein convertase subtilisin/kexin type 5	41032_at	Day 3 Peri / Day 3 Control	4.49	8.4459E-04
73	7716	Entrez Gene	zinc finger protein 161	350_at	Day 3 Peri / Day 3 Control	4.47	2.7300E-07
75	9353	Entrez Gene	zinc finger protein 161	350_at	Day 0 Peri / Day 0 Control	4.05	7.9300E-06
76	445815	Entrez Gene	zinc finger protein 161	32628_at	Day 7 Peri / Day 7 Control	3.11	1.7934E-04
80	388574	Entrez Gene	slit homolog 2 (Drosophila)	39634_at	Day 3 Peri / Day 3 Control	4.44	8.1900E-07
81	5654	Entrez Gene	PALM2-AKAP2 protein	35985_at	Day 3 Peri / Day 3 Control	4.43	2.0384E-04
82	26137	Entrez Gene	PALM2-AKAP2 protein	35985_at	Day 0 Peri / Day 0 Control	3.62	5.3299E-04
84	6925	Entrez Gene	similar to 60S ribosomal protein L23a	35985_at	Day 7 Peri / Day 7 Control	3.55	6.3366E-03
86	2186	Entrez Gene	HtrA serine peptidase 1	37659_r_at	Day 7 Peri / Day 7 Control	4.38	2.6365E-03
89	57556	Entrez Gene	zinc finger and BTB domain containing 20	718_at	Day 0 Peri / Day 0 Control	3.11	9.9553E-03
90	1973	Entrez Gene	Transcription factor 4	38211_at	Day 3 Peri / Day 3 Control	4.32	1.1509E-04
92	10299	Entrez Gene	Transcription factor 4	38211_at	Day 7 Peri / Day 7 Control	1.91	4.9230E-03
94	25903	Entrez Gene	fetal Alzheimer antigen	32872_at	Day 3 Peri / Day 3 Control	4.23	1.0586E-04
98	8609	Entrez Gene	sema domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 6A	32872_at	Day 7 Peri / Day 7 Control	3.42	5.6765E-03
101	26118	Entrez Gene	Eukaryotic translation initiation factor 4A, isoform 1	32872_at	Day 0 Peri / Day 0 Control	3.39	2.7949E-03
102	165	Entrez Gene	membrane-associated ring finger (C3HC4) 6	41091_at	Day 3 Peri / Day 3 Control	4.22	3.5400E-06
104	56255	Entrez Gene	WD repeat and SOCS box-containing 1	36275_at	Day 3 Peri / Day 3 Control	4.16	2.1852E-04
105	4782	Entrez Gene	AE binding protein 1	36234_at	Day 3 Peri / Day 3 Control	4.06	1.8068E-03
			thioredoxin domain containing 13	36234_at	Day 0 Peri / Day 0 Control	3.02	2.6105E-03
			nuclear factor I/C (CCAAT-binding transcription factor)	32802_at	Day 3 Peri / Day 3 Control	3.88	4.4900E-06
				32802_at	Day 7 Peri / Day 7 Control	2.17	1.6624E-03
				36007_at	Day 0 Peri / Day 0 Control	3.84	7.7902E-03
				36007_at	Day 3 Peri / Day 3 Control	3.07	3.2500E-05
				34216_at	Day 3 Peri / Day 3 Control	3.77	2.2900E-06
				34216_at	Day 0 Peri / Day 0 Control	2.43	2.6538E-03
				34216_at	Day 7 Peri / Day 7 Control	2.10	3.0855E-03
				40928_at	Day 7 Peri / Day 7 Control	3.76	2.7335E-03
				40928_at	Day 3 Peri / Day 3 Control	3.00	9.3000E-06
				39069_at	Day 0 Peri / Day 0 Control	3.57	3.0863E-03
				39069_at	Day 3 Peri / Day 3 Control	2.76	4.0183E-03
				40478_at	Day 0 Peri / Day 0 Control	3.73	3.7058E-03
				33329_at	Day 3 Peri / Day 3 Control	3.72	1.2335E-03

Diagnostic Up - Table 3

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
109	54741	Entrez Gene	leptin receptor overlapping transcript	33829_at	Day 3 Peri / Day 3 Control	3.64	2.2800E-06
110	54434	Entrez Gene	slingshot homolog 1 (Drosophila)	33829_at 34082_at	Day 0 Peri / Day 0 Control Day 3 Peri / Day 3 Control	2.97 3.62	2.7534E-03 2.1241E-03
111	5167	Entrez Gene	eclonucleotide pyrophosphatase/phosphodiesterase 1	342_at	Day 3 Peri / Day 3 Control	3.57	3.6717E-03
113	55884	Entrez Gene	WD repeat and SOCS box-containing 2	40166_at	Day 3 Peri / Day 3 Control	3.56	1.4703E-04
114	23543	Entrez Gene	RNA binding motif protein 9	40260_g_at 40260_g_at 40260_g_at	Day 0 Peri / Day 0 Control Day 3 Peri / Day 3 Control Day 7 Peri / Day 7 Control	3.56 3.01 2.66	3.8600E-05 1.5011E-04 4.0528E-03
115	4067	Entrez Gene	v-yes-1 Yamaguchi sarcoma viral related oncogene homolog	1402_at	Day 3 Peri / Day 3 Control	3.53	8.4861E-04
116	22981	Entrez Gene	KIAA0980 protein	32616_at 32616_at 34276_at	Day 0 Peri / Day 0 Control Day 7 Peri / Day 7 Control Day 7 Peri / Day 7 Control	2.33 2.04 3.52	1.7375E-03 9.9278E-03 1.5966E-04
118	9527	Entrez Gene	golgi SNAP receptor complex member 1	40725_at	Day 3 Peri / Day 3 Control	3.47	1.4300E-07
121	23201	Entrez Gene	KIAA0280 protein	40725_at 36612_at	Day 7 Peri / Day 7 Control Day 0 Peri / Day 0 Control	1.65 3.41	4.3558E-03 8.9927E-04
122	3491	Entrez Gene	cysteine-rich, angiogenic inducer, 61	36772_at	Day 3 Peri / Day 3 Control	3.41	4.9840E-04
123	581	Entrez Gene	BCL2-associated X protein	1997_s_at 2065_s_at	Day 0 Peri / Day 0 Control Day 3 Peri / Day 3 Control	3.37 1.86	3.2193E-03 5.2479E-03
124	23705	Entrez Gene	immunoglobulin superfamily, member 4	37929_at 37929_at	Day 0 Peri / Day 0 Control Day 3 Peri / Day 3 Control	3.34 3.10	2.2877E-03 9.1288E-04
125	10409	Entrez Gene	Brain abundant, membrane attached signal protein 1	32606_at	Day 3 Peri / Day 3 Control	3.33	7.8585E-03
126	AL080095	GenBank	MRNA; cDNA DKFZp564O0862 (from clone DKFZp564O0862)	34940_at	Day 0 Peri / Day 0 Control	3.32	6.8410E-03
127	55660	Entrez Gene	formin binding protein 3	37506_at	Day 3 Peri / Day 3 Control	3.32	2.2424E-04
128	9043	Entrez Gene	sperm associated antigen 9	39419_at 39419_at	Day 0 Peri / Day 0 Control Day 3 Peri / Day 3 Control	3.30 3.04	7.1153E-03 4.4651E-04
129	7070	Entrez Gene	Thy-1 cell surface antigen	39395_at 39395_at	Day 0 Peri / Day 0 Control Day 3 Peri / Day 3 Control	3.29 2.36	8.3439E-03 2.8508E-03
130	10395	Entrez Gene	deleted in liver cancer 1	37951_at 37951_at	Day 3 Peri / Day 3 Control Day 0 Peri / Day 0 Control	3.28 2.68	2.6486E-04 3.0185E-03
131	112611	Entrez Gene	RWD domain containing 2	38595_at	Day 7 Peri / Day 7 Control	3.28	2.2213E-03
133	1734	Entrez Gene	delodinate, iodothyronine, type II	31902_at	Day 3 Peri / Day 3 Control	3.26	3.1867E-04

Diagnostic Up - Table 3

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
134	57608	Entrez Gene	KIAA1462	38351_at	Day 0 Peri / Day 0 Control	3.11	3.6003E-04
				38351_at	Day 3 Peri / Day 3 Control	2.84	6.3281E-03
135	8578	Entrez Gene	scavenger receptor class F, member 1	40034_r_at	Day 7 Peri / Day 7 Control	3.24	3.1527E-04
136	AL080215	GenBank	---	32454_at	Day 3 Peri / Day 3 Control	3.23	5.8514E-03
137	8837	Entrez Gene	CASP8 and FADD-like apoptosis regulator	32746_at	Day 0 Peri / Day 0 Control	3.22	4.3094E-03
				32746_at	Day 3 Peri / Day 3 Control	2.66	1.1100E-05
141	6495	Entrez Gene	sine oculis homeobox homolog 1 (Drosophila)	40004_at	Day 7 Peri / Day 7 Control	3.18	5.9564E-03
				40004_at	Day 0 Peri / Day 0 Control	2.66	2.2472E-04
				40004_at	Day 3 Peri / Day 3 Control	2.21	7.2818E-04
142	8613	Entrez Gene	phosphatidic acid phosphatase type 2B	33862_at	Day 3 Peri / Day 3 Control	3.16	6.1541E-04
143	10899	Entrez Gene	Jumping translocation breakpoint	41832_s_at	Day 3 Peri / Day 3 Control	2.11	9.5052E-03
145	10970	Entrez Gene	cytoskeleton-associated protein 4	32529_at	Day 0 Peri / Day 0 Control	3.12	1.5365E-03
				32529_at	Day 3 Peri / Day 3 Control	3.07	4.1300E-05
149	10536	Entrez Gene	leprecan-like 2	39973_at	Day 3 Peri / Day 3 Control	2.37	3.9576E-03
156	5479	Entrez Gene	peptidylprolyl isomerase B (cyclophilin B)	35823_at	Day 0 Peri / Day 0 Control	3.01	9.3295E-04
				35823_at	Day 3 Peri / Day 3 Control	1.94	2.3805E-03
157	8555	Entrez Gene	CDC14 cell division cycle 14 homolog B (S. cerevisiae)	40920_at	Day 3 Peri / Day 3 Control	3.00	6.8500E-05
				40920_at	Day 7 Peri / Day 7 Control	2.94	4.6936E-04
				40920_at	Day 0 Peri / Day 0 Control	2.07	5.6605E-04
160	1316	Entrez Gene	Kruppel-like factor 6	37026_at	Day 3 Peri / Day 3 Control	2.97	4.6500E-06
161	11010	Entrez Gene	GLI pathogenesis-related 1 (glioma)	531_at	Day 3 Peri / Day 3 Control	2.96	2.3738E-04
				531_at	Day 0 Peri / Day 0 Control	2.71	2.4964E-03
163	AL022718	GenBank	CDNA clone IMAGE4811759	39273_at	Day 7 Peri / Day 7 Control	2.95	1.8046E-03
166	129080	Entrez Gene	EMI domain containing 1	40302_at	Day 0 Peri / Day 0 Control	2.93	3.6649E-03
169	1803	Entrez Gene	dipeptidylpeptidase 4 (CD26, adenosine deaminase complexing protein 2)	34823_at	Day 3 Peri / Day 3 Control	2.25	7.5597E-03
170	2034	Entrez Gene	endothelial PAS domain protein 1	38092_at	Day 0 Peri / Day 0 Control	2.84	2.5268E-03
171	5075	Entrez Gene	paired box gene 1	36726_at	Day 3 Peri / Day 3 Control	2.91	4.9759E-03
172	6304	Entrez Gene	special AT-rich sequence binding protein 1 (binds to nuclear matrix/scaffold-associating DNA's)	36899_at	Day 3 Peri / Day 3 Control	2.88	3.1700E-06
				36899_at	Day 0 Peri / Day 0 Control	2.01	5.0880E-03
				36899_at	Day 7 Peri / Day 7 Control	2.00	8.8969E-04

Diagnostic Up - Table 3

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
174	10159	Entrez Gene	ATPase, H ⁺ transporting, lysosomal accessory protein 2	41777_at	Day 3 Peri / Day 3 Control	2.88	3.9829E-03
181	7978	Entrez Gene	mitochondrial transcription termination factor	41070_r_at	Day 0 Peri / Day 0 Control	2.82	3.4040E-03
182	2801	Entrez Gene	golgi autoantigen, golgin subfamily a, 2	35436_at	Day 0 Peri / Day 0 Control	2.82	5.4800E-05
183	AL049974	GenBank	---	35436_at	Day 3 Peri / Day 3 Control	2.08	1.1402E-03
184	1601	Entrez Gene	disabled homolog 2, mitogen-responsive phosphoprotein (Drosophila)	39470_at	Day 3 Peri / Day 3 Control	2.82	9.6932E-03
185	56910	Entrez Gene	START domain containing 7	479_at	Day 3 Peri / Day 3 Control	2.82	5.3989E-04
186	50810	Entrez Gene	Hepatoma-derived growth factor, related protein 3	479_at	Day 0 Peri / Day 0 Control	2.78	4.4295E-03
188	678	Entrez Gene	zinc finger protein 36, C3H type-like 2	41296_s_at	Day 3 Peri / Day 3 Control	2.80	7.7936E-04
190	8019	Entrez Gene	bromodomain containing 3	34673_r_at	Day 7 Peri / Day 7 Control	2.79	3.3893E-03
194	10238	Entrez Gene	WD repeat domain 68	32588_s_at	Day 3 Peri / Day 3 Control	2.78	4.0978E-03
198	11104	Entrez Gene	katanin p60 (ATPase-containing) subunit A 1	37947_at	Day 3 Peri / Day 3 Control	2.74	3.6100E-06
200	55623	Entrez Gene	THUMP domain containing 1	41591_at	Day 0 Peri / Day 0 Control	2.72	9.4000E-05
202	8871	Entrez Gene	synaplojanin 2	41591_at	Day 3 Peri / Day 3 Control	2.23	1.0136E-04
203	5884	Entrez Gene	RAD17 homolog (S. pombe)	32707_at	Day 7 Peri / Day 7 Control	2.71	1.3483E-03
210	124152	Entrez Gene	hypothetical protein MGC35048	40617_at	Day 3 Peri / Day 3 Control	2.69	3.0873E-04
211	9949	Entrez Gene	Alport syndrome, mental retardation, midface hypoplasia and ellipocytosis chromosomal region, gene 1	40617_at	Day 7 Peri / Day 7 Control	2.28	1.0280E-03
212	23099	Entrez Gene	zinc finger protein 297B	36532_at	Day 7 Peri / Day 7 Control	2.67	4.5221E-03
214	AA933984	GenBank	CDNA FLJ26539 fls, clone KDN09310	36532_at	Day 0 Peri / Day 0 Control	2.64	1.8229E-04
216	126299	Entrez Gene	hypothetical protein MGC51082	36532_at	Day 3 Peri / Day 3 Control	2.16	8.3031E-04
219	6872	Entrez Gene	TAF1 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 250kDa	32118_at	Day 7 Peri / Day 7 Control	2.65	4.7766E-03
				40239_g_at	Day 0 Peri / Day 0 Control	2.57	3.1362E-03
				40239_g_at	Day 3 Peri / Day 3 Control	2.23	7.7418E-04
				32940_at	Day 3 Peri / Day 3 Control	2.57	1.9021E-03
				41695_at	Day 3 Peri / Day 3 Control	2.57	6.4882E-03
				39506_at	Day 7 Peri / Day 7 Control	2.56	3.3653E-03
				41083_at	Day 0 Peri / Day 0 Control	2.55	2.2865E-03
				37491_at	Day 3 Peri / Day 3 Control	2.54	2.7252E-04
				37491_at	Day 0 Peri / Day 0 Control	2.33	2.9647E-03

Diagnostic Up - Table 3

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
220	6659	Entrez Gene	SRY (sex determining region Y)-box 4	33131_at	Day 3 Peri / Day 3 Control	2.54	1.0339E-03
				33131_at	Day 0 Peri / Day 0 Control	2.27	2.7617E-04
				33131_at	Day 7 Peri / Day 7 Control	1.75	4.0387E-03
221	23367	Entrez Gene	La ribonucleoprotein domain family, member 1	41829_at	Day 3 Peri / Day 3 Control	2.54	8.9800E-03
222	3073	Entrez Gene	Hexosaminidase A (alpha polypeptide)	35419_g_at	Day 3 Peri / Day 3 Control	2.54	3.0306E-03
223	8405	Entrez Gene	speckle-type POZ protein	39423_l_at	Day 3 Peri / Day 3 Control	2.53	1.2738E-03
225	55122	Entrez Gene	Chromosome 6 open reading frame 166	34252_at	Day 7 Peri / Day 7 Control	2.41	9.5634E-03
227	AF009267	GenBank	---	35059_at	Day 3 Peri / Day 3 Control	2.51	4.6723E-03
228	90362	Entrez Gene	chromosome 8 open reading frame 72	41533_at	Day 3 Peri / Day 3 Control	2.49	2.1590E-03
238	AF070571	GenBank	Clone 24739 mRNA sequence	41533_at	Day 7 Peri / Day 7 Control	2.31	8.8706E-03
249	1060	Entrez Gene	centromere protein C 1	41575_at	Day 3 Peri / Day 3 Control	2.46	5.5557E-03
252	10152	Entrez Gene	abl Interactor 2	31894_at	Day 7 Peri / Day 7 Control	2.42	4.0591E-03
253	904	Entrez Gene	cyclin T1	36448_at	Day 3 Peri / Day 3 Control	2.42	2.4721E-03
				36391_at	Day 0 Peri / Day 0 Control	2.41	4.4537E-03
				36391_at	Day 3 Peri / Day 3 Control	2.38	1.2398E-03
254	10483	Entrez Gene	Sec23 homolog B (S. cerevisiae)	40851_f_at	Day 7 Peri / Day 7 Control	2.41	5.0985E-03
				36210_g_at	Day 3 Peri / Day 3 Control	2.40	3.5800E-07
255	6046	Entrez Gene	bromodomain containing 2	36209_at	Day 7 Peri / Day 7 Control	2.07	2.9307E-03
				36209_at	Day 0 Peri / Day 0 Control	2.01	6.5800E-05
258	HG4058-HT432	The Institute for Genomic Research	---	1882_g_at	Day 3 Peri / Day 3 Control	2.40	1.2871E-03
260	10954	Entrez Gene	protein disulfide isomerase family A, member 5	37044_at	Day 3 Peri / Day 3 Control	2.38	2.8624E-03
264	HG3432-HT361	The Institute for Genomic Research	---	1142_at	Day 3 Peri / Day 3 Control	1.70	5.5087E-03
270	7486	Entrez Gene	Warner syndrome	38136_at	Day 7 Peri / Day 7 Control	2.34	3.0057E-03
272	10123	Entrez Gene	ADP-ribosylation factor-like 7	39829_at	Day 3 Peri / Day 3 Control	2.34	1.9888E-04
275	4837	Entrez Gene	nicotinamide N-methyltransferase	37032_at	Day 3 Peri / Day 3 Control	2.32	4.7447E-03
277	10498	Entrez Gene	coactivator-associated arginine methyltransferase 1	40182_s_at	Day 3 Peri / Day 3 Control	2.31	1.1408E-03
278	1104	Entrez Gene	regulator of chromosome condensation 1	1196_at	Day 0 Peri / Day 0 Control	2.30	1.3241E-03
				37927_at	Day 3 Peri / Day 3 Control	1.48	7.6702E-03
279	10129	Entrez Gene	hypothetical protein CG003	1530_g_at	Day 7 Peri / Day 7 Control	2.30	3.5049E-03
280	58517	Entrez Gene	RNA binding motif protein 25	41208_at	Day 7 Peri / Day 7 Control	2.29	1.8935E-03
281	5165	Entrez Gene	pyruvate dehydrogenase kinase, isoenzyme 3	36719_r_at	Day 0 Peri / Day 0 Control	2.29	7.0496E-03

Diagnostic Up - Table 3

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
283	23255	Entrez Gene	KIAA0802	39614_at	Day 7 Peri / Day 7 Control	2.28	7.5016E-03
284	401105	Entrez Gene	FLJ42393 protein	34117_at	Day 3 Peri / Day 3 Control	2.27	7.1842E-03
286	25	Entrez Gene	v-abl Abelson murine leukemia viral oncogene homolog 1	1635_at	Day 0 Peri / Day 0 Control	2.27	4.2728E-03
287	23215	Entrez Gene	BAT2 domain containing 1	32509_at	Day 3 Peri / Day 3 Control	2.27	8.6031E-03
290	10979	Entrez Gene	pleckstrin homology domain containing, family C (with FERM domain) member 1	36577_at	Day 3 Peri / Day 3 Control	1.90	7.5806E-03
291	AL049423	GenBank	MRNA; cDNA DKFZp586B211 (from clone DKFZp586B211)	32119_at	Day 7 Peri / Day 7 Control	2.25	3.9152E-03
293	3191	Entrez Gene	heterogeneous nuclear ribonucleoprotein L	35201_at	Day 3 Peri / Day 3 Control	2.25	7.7705E-04
294	23383	Entrez Gene	KIAA0892	36054_at	Day 7 Peri / Day 7 Control	2.25	3.1979E-03
				36054_at	Day 3 Peri / Day 3 Control	2.10	2.3298E-04
296	23347	Entrez Gene	structural maintenance of chromosomes flexible hinge domain containing 1	38082_at	Day 7 Peri / Day 7 Control	2.22	6.8179E-03
297	1112	Entrez Gene	checkpoint suppressor 1	41000_at	Day 3 Peri / Day 3 Control	2.21	1.1641E-03
299	1657	Entrez Gene	Dmx-like 1	33271_r_at	Day 7 Peri / Day 7 Control	2.21	7.9818E-03
300	2048	Entrez Gene	EPH receptor B2	41678_at	Day 0 Peri / Day 0 Control	2.20	2.5299E-03
302	6294	Entrez Gene	Scaffold attachment factor B	41315_at	Day 3 Peri / Day 3 Control	1.86	3.7753E-03
306	9500	Entrez Gene	melanoma antigen family D, 1	41139_at	Day 3 Peri / Day 3 Control	2.19	3.7234E-03
307	8148	Entrez Gene	TAF15 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 68kDa	36822_at	Day 7 Peri / Day 7 Control	2.18	1.3646E-03
				36822_at	Day 3 Peri / Day 3 Control	1.89	1.3321E-04
				36822_at	Day 0 Peri / Day 0 Control	1.82	1.3732E-04
308	9169	Entrez Gene	splicing factor, arginine/serine-rich 2, interacting protein	35258_f_at	Day 7 Peri / Day 7 Control	2.18	3.7088E-04
311	5420	Entrez Gene	podocalyxin-like	40434_at	Day 3 Peri / Day 3 Control	2.18	1.9622E-03
				40434_at	Day 7 Peri / Day 7 Control	2.17	4.8610E-03
312	AL079294	GenBank	CDNA FLJ39679 fis, clone SMINT2010068	39636_at	Day 7 Peri / Day 7 Control	2.17	3.8119E-03
314	23534	Entrez Gene	transportin 3	35812_at	Day 3 Peri / Day 3 Control	2.17	1.5477E-04
318	AW044649	GenBank	---	40991_at	Day 7 Peri / Day 7 Control	2.16	1.0985E-03
319	64764	Entrez Gene	cAMP responsive element binding protein 3-like 2	39692_at	Day 0 Peri / Day 0 Control	2.16	8.3026E-03
				39692_at	Day 3 Peri / Day 3 Control	2.01	3.1270E-03
				39692_at	Day 7 Peri / Day 7 Control	1.68	4.4741E-03
322	55578	Entrez Gene	family with sequence similarity 48, member A	34211_at	Day 3 Peri / Day 3 Control	2.16	2.9595E-03
330	8615	Entrez Gene	vesicle docking protein p115	37356_r_at	Day 7 Peri / Day 7 Control	2.14	4.2898E-03

Diagnostic Up - Table 3

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
331	3112	Entrez Gene	major histocompatibility complex, class II, DO beta	38570_at	Day 7 Peri / Day 7 Control	2.14	6.9539E-03
332	23028	Entrez Gene	amine oxidase (flavin containing) domain 2	41122_at	Day 0 Peri / Day 0 Control	2.13	3.6897E-03
337	3726	Entrez Gene	jun B proto-oncogene	32786_at	Day 0 Peri / Day 0 Control	2.11	5.8808E-03
339	7290	Entrez Gene	HIR histone cell cycle regulation defective homolog A (S. cerevisiae)	32706_at	Day 7 Peri / Day 7 Control	2.11	8.9899E-03
343	10658	Entrez Gene	CUG triplet repeat, RNA binding protein 1	33207_at	Day 3 Peri / Day 3 Control	2.09	1.1943E-03
345	65123	Entrez Gene	chromosome 1 open reading frame 60	41406_at	Day 0 Peri / Day 0 Control	2.09	9.3996E-03
346	9738	Entrez Gene	CP110 protein	37438_at	Day 7 Peri / Day 7 Control	2.09	8.6676E-03
348	8570	Entrez Gene	KH-type splicing regulatory protein (FUSE binding protein 2)	38829_r_at	Day 7 Peri / Day 7 Control	2.08	7.7968E-03
350	6125	Entrez Gene	ribosomal protein L5	38829_r_at	Day 3 Peri / Day 3 Control	1.75	9.0329E-03
351	6781	Entrez Gene	stanniocalcin 1	33661_at	Day 7 Peri / Day 7 Control	2.07	6.4049E-04
357	23269	Entrez Gene	MAX gene associated	41354_at	Day 7 Peri / Day 7 Control	2.07	4.2966E-03
359	7020	Entrez Gene	transcription factor AP-2 alpha (activating enhancer binding protein 2 alpha)	34706_at	Day 3 Peri / Day 3 Control	2.03	3.9593E-03
360	22846	Entrez Gene	Vesohibin 1	32154_at	Day 3 Peri / Day 3 Control	2.03	5.4891E-04
361	1627	Entrez Gene	drebrin 1	40267_s_at	Day 3 Peri / Day 3 Control	2.03	6.3995E-03
362	5955	Entrez Gene	reticulocalbin 2, EF-hand calcium binding domain	37981_at	Day 0 Peri / Day 0 Control	1.94	4.1537E-03
364	7027	Entrez Gene	Transcription factor Dp-1	37728_r_at	Day 7 Peri / Day 7 Control	2.03	9.9574E-03
365	4363	Entrez Gene	ATP-binding cassette, sub-family C (CFTR/MRP), member 1	37758_s_at	Day 3 Peri / Day 3 Control	2.02	5.6047E-03
366	AF012086	GenBank	GRIP and coiled-coil domain containing 2 /// RAN binding protein 2-like 1 /// similar to RAN-binding protein 2 /// similar to RAN-binding protein 2-ii	1896_s_at	Day 7 Peri / Day 7 Control	2.02	7.5565E-03
367	29896	Entrez Gene	Transformer-2 alpha	41174_at	Day 7 Peri / Day 7 Control	2.02	5.2145E-03
371	9819	Entrez Gene	TSC22 domain family, member 2	39343_at	Day 3 Peri / Day 3 Control	2.02	4.7590E-03
372	AF070620	GenBank	Clone 24694 mRNA sequence	39344_at	Day 7 Peri / Day 7 Control	1.93	5.8423E-03
373	49855	Entrez Gene	zinc finger protein 291	41787_at	Day 7 Peri / Day 7 Control	2.01	1.1923E-03
377	4650	Entrez Gene	myosin IXB	33586_at	Day 0 Peri / Day 0 Control	2.01	8.4639E-03
				40937_at	Day 3 Peri / Day 3 Control	2.01	1.0919E-03
				33816_at	Day 3 Peri / Day 3 Control	2.00	1.2613E-03

Diagnostic Up - Table 3

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
379	3956	Entrez Gene	Lectin, galactoside-binding, soluble, 1 (galectin 1)	31575_f_at	Day 0 Peri / Day 0 Control	1.99	7.1485E-03
381	221061	Entrez Gene	chromosome 10 open reading frame 38	31575_f_at	Day 3 Peri / Day 3 Control	1.82	4.6992E-03
383	219654	Entrez Gene	chromosome 10 open reading frame 56	36821_at	Day 7 Peri / Day 7 Control	1.99	3.1564E-03
388	4286	Entrez Gene	microphthalmia-associated transcription factor	34303_at	Day 0 Peri / Day 0 Control	1.57	7.6796E-03
389	4692	Entrez Gene	neodin homolog (mouse)	38228_g_at	Day 3 Peri / Day 3 Control	1.97	1.1387E-03
391	27252	Entrez Gene	kelch-like 20 (Drosophila)	36073_at	Day 0 Peri / Day 0 Control	1.97	3.0644E-03
399	26043	Entrez Gene	KIAA0794 protein	37150_at	Day 3 Peri / Day 3 Control	1.97	6.0700E-05
400	4287	Entrez Gene	ataxin 3	41691_at	Day 3 Peri / Day 3 Control	1.95	5.4379E-03
402	1871	Entrez Gene	E2F transcription factor 3	36819_at	Day 7 Peri / Day 7 Control	1.95	4.4789E-03
404	23111	Entrez Gene	spastic paraplegia 20, spartin (Troyer syndrome)	41632_at	Day 7 Peri / Day 7 Control	1.95	3.6722E-03
407	3839	Entrez Gene	karyopherin alpha 3 (Importin alpha 4)	39852_at	Day 7 Peri / Day 7 Control	1.95	1.2037E-03
408	8621	Entrez Gene	cell division cycle 2-like 5 (cholinesterase-related cell division controller)	35725_at	Day 3 Peri / Day 3 Control	1.94	1.8200E-05
409	523	Entrez Gene	ATPase, H+ transporting, lysosomal 70kDa, V1 subunit A	41821_at	Day 3 Peri / Day 3 Control	1.93	2.6414E-03
412	1676	Entrez Gene	DNA fragmentation factor, 45kDa, alpha polypeptide	34890_at	Day 3 Peri / Day 3 Control	1.93	7.4629E-03
413	9266	Entrez Gene	pleckstrin homology, Sec7 and coiled-coil domains 2 (cytohesin-2)	32047_at	Day 3 Peri / Day 3 Control	1.93	1.1644E-03
421	89927	Entrez Gene	chromosome 16 open reading frame 45	38741_at	Day 0 Peri / Day 0 Control	1.93	9.7718E-03
424	51232	Entrez Gene	cysteine rich transmembrane BMP regulator 1 (chordin-like)	35742_at	Day 3 Peri / Day 3 Control	1.61	8.2611E-03
425	9554	Entrez Gene	SEC22 vesicle trafficking protein-like 1 (S. cerevisiae)	40936_at	Day 7 Peri / Day 7 Control	1.91	3.2022E-04
426	4616	Entrez Gene	growth arrest and DNA-damage-inducible, beta	41598_at	Day 3 Peri / Day 3 Control	1.91	8.3314E-04
428	X05276	GenBank	tropomyosin 4 /// similar to tropomyosin 4 /// similar to tropomyosin 4	39822_s_at	Day 3 Peri / Day 3 Control	1.90	8.3800E-05
430	26019	Entrez Gene	UPF2 regulator of nonsense transcripts homolog (yeast)	33866_at	Day 3 Peri / Day 3 Control	1.90	1.9272E-03
432	116987	Entrez Gene	centaurin, gamma 2	35722_at	Day 7 Peri / Day 7 Control	1.90	9.6858E-03
				34676_at	Day 3 Peri / Day 3 Control	1.89	1.0903E-03

Diagnostic Up - Table 3

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
434	2887	Entrez Gene	growth factor receptor-bound protein 10	37615_at	Day 7 Peri / Day 7 Control	1.89	6.9335E-03
436	W25984	GenBank	Transcribed locus	32130_at	Day 7 Peri / Day 7 Control	1.88	5.2193E-03
437	9023	Entrez Gene	cholesterol 25-hydroxylase	32363_at	Day 3 Peri / Day 3 Control	1.88	6.0740E-03
439	5966	Entrez Gene	v-rel reticuloendotheliosis viral oncogene homolog (avian)	1856_at	Day 3 Peri / Day 3 Control	1.87	1.5692E-03
441	HG884-HT884	The Institute for Genomic Research	---	1725_s_at	Day 3 Peri / Day 3 Control	1.85	1.1306E-04
442	4690	Entrez Gene	NCK adaptor protein 1	41795_at	Day 7 Peri / Day 7 Control	1.85	4.2700E-05
444	23175	Entrez Gene	Iipin 1	38098_at	Day 7 Peri / Day 7 Control	1.85	4.8804E-03
449	10513	Entrez Gene	amyloid beta precursor protein (cytoplasmic tail) binding protein 2	38471_r_at	Day 7 Peri / Day 7 Control	1.84	4.1662E-03
452	7407	Entrez Gene	valyl-tRNA synthetase	40414_at	Day 0 Peri / Day 0 Control	1.83	3.2553E-03
457	22978	Entrez Gene	5'-nucleotidase, cytosolic II	31794_at	Day 7 Peri / Day 7 Control	1.81	2.3682E-03
464	124801	Entrez Gene	hypothetical protein FLJ30656	39844_at	Day 0 Peri / Day 0 Control	1.80	1.6823E-03
469	23524	Entrez Gene	serine/arginine repetitive matrix 2	32761_at	Day 0 Peri / Day 0 Control	1.79	2.4342E-04
474	351	Entrez Gene	amyloid beta (A4) precursor protein (peptidase nexin-II, Alzheimer disease)	41136_s_at	Day 7 Peri / Day 7 Control	1.78	4.0673E-03
476	10260	Entrez Gene	c-myc promoter binding protein	32961_at	Day 7 Peri / Day 7 Control	1.78	5.7944E-03
477	835	Entrez Gene	caspase 2, apoptosis-related cysteine peptidase (neural precursor cell expressed, developmentally down-regulated 2)	34449_at	Day 3 Peri / Day 3 Control	1.78	7.0372E-03
481	57493	Entrez Gene	HEG homolog 1 (zebrafish)	33328_at	Day 3 Peri / Day 3 Control	1.77	9.0296E-03
482	1488	Entrez Gene	C-terminal binding protein 2	40780_at	Day 3 Peri / Day 3 Control	1.77	7.4306E-04
484	11216	Entrez Gene	A kinase (PRKA) anchor protein 10	36633_at	Day 7 Peri / Day 7 Control	1.77	5.4600E-03
485	7291	Entrez Gene	twist homolog 1 (acrocephalosyndactyly 3; Saethre-Chotzen syndrome) (Drosophila)	40328_at	Day 0 Peri / Day 0 Control	1.77	1.1801E-03
488	48	Entrez Gene	aconitase 1, soluble	40077_at	Day 3 Peri / Day 3 Control	1.77	7.5838E-03
490	8543	Entrez Gene	LIM domain only 4	1452_at	Day 0 Peri / Day 0 Control	1.76	2.6192E-04
				1452_at	Day 3 Peri / Day 3 Control	1.63	3.5772E-04
498	6601	Entrez Gene	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily c, member 2	453_at	Day 3 Peri / Day 3 Control	1.74	7.7069E-03
499	8672	Entrez Gene	eukaryotic translation initiation factor 4 gamma, 3	33907_at	Day 3 Peri / Day 3 Control	1.74	4.7799E-03

Diagnostic Up - Table 3

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
500	4329	Entrez Gene	aldehyde dehydrogenase 6 family, member A1	32676_at	Day 7 Peri / Day 7 Control	1.57	4.6174E-03
502	2615	Entrez Gene	leucine rich repeat containing 32	31856_at	Day 3 Peri / Day 3 Control	1.74	8.8558E-03
507	1266	Entrez Gene	calponin 3, acidic	40953_at	Day 3 Peri / Day 3 Control	1.73	2.4459E-03
512	16	Entrez Gene	alanyl-tRNA synthetase	36185_at	Day 3 Peri / Day 3 Control	1.72	9.6300E-05
516	10945	Entrez Gene	KDEL (Lys-Asp-Glu-Leu) endoplasmic reticulum protein retention receptor 1	37387_r_at	Day 3 Peri / Day 3 Control	1.59	7.1044E-03
517	8534	Entrez Gene	carbohydrate (keratan sulfate Gal-6) sulfotransferase 1	41395_at	Day 3 Peri / Day 3 Control	1.71	2.9073E-03
519	3069	Entrez Gene	high density lipoprotein binding protein (vigilin)	31504_at	Day 0 Peri / Day 0 Control	1.70	2.3752E-03
530	7431	Entrez Gene	vimentin	34091_s_at	Day 3 Peri / Day 3 Control	1.68	2.2751E-03
537	25829	Entrez Gene	chromosome 22 open reading frame 5	41758_at	Day 3 Peri / Day 3 Control	1.67	1.8462E-03
538	9519	Entrez Gene	TBP-like 1	41758_at	Day 0 Peri / Day 0 Control	1.65	4.7960E-03
540	9863	Entrez Gene	membrane associated guanylate kinase, WW and PDZ domain containing 2	31797_at	Day 7 Peri / Day 7 Control	1.67	6.1022E-03
542	4299	Entrez Gene	AF4/FMR2 family, member 1	39037_at	Day 7 Peri / Day 7 Control	1.66	1.9606E-03
548	4150	Entrez Gene	MYC-associated zinc finger protein (purine-binding transcription factor)	32553_at	Day 3 Peri / Day 3 Control	1.66	4.2360E-03
556	1025	Entrez Gene	cyclin-dependent kinase 9 (CDC2-related kinase)	387_at	Day 0 Peri / Day 0 Control	1.63	3.3719E-04
558	23122	Entrez Gene	cytoplasmic linker associated protein 2	38711_at	Day 7 Peri / Day 7 Control	1.62	4.2754E-03
580	5192	Entrez Gene	Peroxisome biogenesis factor 10	41282_s_at	Day 3 Peri / Day 3 Control	1.40	9.1806E-03
594	23131	Entrez Gene	KIAA0553 protein	38668_at	Day 7 Peri / Day 7 Control	1.57	2.9219E-03
605	8943	Entrez Gene	adaptor-related protein complex 3, delta 1 subunit	36173_r_at	Day 3 Peri / Day 3 Control	1.55	2.1820E-03
608	7307	Entrez Gene	U2(RNU2) small nuclear RNA auxiliary factor 1	36517_at	Day 7 Peri / Day 7 Control	1.54	3.5498E-03
609	91782	Entrez Gene	CHMP family, member 7	34871_at	Day 3 Peri / Day 3 Control	1.53	3.6609E-03
618	4222	Entrez Gene	mesenchyme homeo box 1	36010_at	Day 7 Peri / Day 7 Control	1.52	3.7212E-04
633	829	Entrez Gene	capping protein (actin filament) muscle Z-line, alpha 1	40910_at	Day 7 Peri / Day 7 Control	1.49	6.6855E-03
639	HG1103-HT110	The Institute for Genomic Research	---	1877_g_at	Day 3 Peri / Day 3 Control	1.49	6.6684E-03
641	29890	Entrez Gene	RNA binding motif protein 15B	38476_at	Day 0 Peri / Day 0 Control	1.49	8.2195E-03
643	23067	Entrez Gene	KIAA1076 protein	38173_at	Day 7 Peri / Day 7 Control	1.49	2.3740E-03

Diagnostic Up - Table 3

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
671	90121	Entrez Gene	hypothetical protein DT1P1A10	33242_at	Day 3 Peri / Day 3 Control	1.44	3.9459E-03
681	4204	Entrez Gene	methyl CpG binding protein 2 (Rett syndrome)	34355_at	Day 3 Peri / Day 3 Control	1.43	4.9827E-03
712	8892	Entrez Gene	eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa	40515_at	Day 3 Peri / Day 3 Control	1.38	3.9757E-03
730	11186	Entrez Gene	Ras association (RalGDS/AF-6) domain family 1	39501_at	Day 0 Peri / Day 0 Control	1.33	3.5766E-03
737	2079	Entrez Gene	enhancer of rudimentary homolog (Drosophila)	39079_at	Day 3 Peri / Day 3 Control	1.32	3.5772E-03
749	6624	Entrez Gene	fascin homolog 1, actin-bundling protein (Strongylocentrotus purpuratus)	39070_at	Day 3 Peri / Day 3 Control	1.30	3.0257E-03

Diagnostic Up - Table 4

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
252	10152	Entrez Gene	abi Interactor 2	36448_at	Day 3 Peri / Day 3 Control	2.42	2.4721E-03
633	829	Entrez Gene	capping protein (actin filament) muscle Z-line, alpha 1	40910_at	Day 7 Peri / Day 7 Control	1.49	6.6855E-03

Diagnostic Up - Table 5

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
102	165	Entrez Gene	AE binding protein 1	39069_at	Day 0 Perl / Day 0 Control	3.57	3.0863E-03
122	3491	Entrez Gene	cysteine-rich, angiogenic inducer, 61	39069_at	Day 3 Perl / Day 3 Control	2.76	4.0183E-03
135	8578	Entrez Gene	scavenger receptor class F, member 1	38772_at	Day 3 Perl / Day 3 Control	3.41	4.9840E-04
290	10979	Entrez Gene	pleckstrin homology domain containing, family C (with FERM domain) member 1	40034_at	Day 7 Perl / Day 7 Control	3.24	3.1527E-04
311	5420	Entrez Gene	podocalyxin-like	36577_at	Day 3 Perl / Day 3 Control	1.90	7.5806E-03
413	9266	Entrez Gene	pleckstrin homology, Sec7 and coiled-coil domains 2 (cytohesin-2)	40434_at	Day 3 Perl / Day 3 Control	2.18	1.9622E-03
474	351	Entrez Gene	amyloid beta (A4) precursor protein (peptidase nexin-II, Alzheimer disease)	40434_at	Day 7 Perl / Day 7 Control	2.17	4.8610E-03
				38741_at	Day 0 Perl / Day 0 Control	1.93	9.7718E-03
				41136_s_at	Day 7 Perl / Day 7 Control	1.78	4.0673E-03

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
517	8534	Entrez Gene	carbohydrate (keralan sulfate Gal-6) sulfotransferase 1	41395_at	Day 3 Peri / Day 3 Control	1.71	2.9073E-03

Diagnostic Up - Table 7

1

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
170	2034	Entrez Gene	endothelial PAS domain protein 1	38092 at	Day 0 Peri / Day 0 Control	2.84	2.5268E-03

Diagnostic Up - Table 8

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
2	1553	Entrez Gene	cytochrome P450, family 2, subfamily A, polypeptide 13	1553_r_at	Day 3 Peri / Day 3 Extra	31.02	9.5723E-03
8	54674	Entrez Gene	leucine rich repeat neuronal 3	35712_at	Day 3 Peri / Day 3 Extra	16.86	3.6111E-04
9	7545	Entrez Gene	Zic family member 1 (odd-paired homolog, Drosophila)	35712_at	Day 7 Peri / Day 7 Extra	9.79	7.7392E-03
11	3992	Entrez Gene	fatty acid desaturase 1	36308_at	Day 3 Peri / Day 3 Extra	14.57	6.6088E-04
13	1783	Entrez Gene	dynein, cytoplasmic, light intermediate polypeptide 2	41720_r_at	Day 7 Peri / Day 7 Extra	2.99	5.6379E-03
15	8618	Entrez Gene	Ca2+-dependent secretion activator	40949_at	Day 3 Peri / Day 3 Extra	1.58	3.5607E-03
22	9060	Entrez Gene	3'-phosphoadenosine 5'-phosphosulfate synthase 2	31848_at	Day 3 Peri / Day 3 Extra	10.17	6.0938E-04
23	7216	Entrez Gene	trophinin	36233_at	Day 3 Peri / Day 3 Extra	4.22	4.6518E-04
25	HC3044- HT374	The Institute for Genomic Research	---	34730_g_at	Day 3 Peri / Day 3 Extra	8.12	3.7475E-04
26	146057	Entrez Gene	tau tubulin kinase 2	311_s_at	Day 3 Peri / Day 3 Extra	7.96	2.8117E-03
31	1311	Entrez Gene	cartilage oligomeric matrix protein	34899_at	Day 7 Peri / Day 7 Extra	4.24	1.4963E-03
32	22873	Entrez Gene	DAZ interacting protein 1	40162_s_at	Day 3 Peri / Day 3 Extra	7.36	2.2669E-03
35	22891	Entrez Gene	zinc finger protein 365	40162_s_at	Day 7 Peri / Day 7 Extra	7.19	8.6739E-03
38	7707	Entrez Gene	zinc finger protein 148 (pH2-52)	36521_at	Day 3 Peri / Day 3 Extra	7.33	1.4064E-04
39	5179	Entrez Gene	proenkephalin	35959_at	Day 3 Peri / Day 3 Extra	1.98	9.9041E-03
40	10608	Entrez Gene	MAX dimerization protein 4	41466_s_at	Day 3 Peri / Day 3 Extra	2.18	1.4059E-03
42	2982	Entrez Gene	guanylate cyclase 1, soluble, alpha 3	38291_at	Day 7 Peri / Day 7 Extra	2.36	2.9979E-03
43	6474	Entrez Gene	short stature homeobox 2	38639_at	Day 3 Peri / Day 3 Extra	2.31	2.3091E-03
46	HG3543- HT373	The Institute for Genomic Research	---	36918_at	Day 3 Peri / Day 3 Extra	5.29	5.6600E-05
48	10766	Entrez Gene	transducer of ERBB2, 2	36487_at	Day 3 Peri / Day 3 Extra	6.21	1.1821E-03
49	2328	Entrez Gene	flavin containing monooxygenase 3	1664_at	Day 3 Peri / Day 3 Extra	6.08	1.9463E-03
50	273	Entrez Gene	amphiphysin (Stiff-Man syndrome with breast cancer 128kDa autoantigen)	39286_at	Day 3 Peri / Day 3 Extra	2.37	4.8739E-03
53	AL050030	GenBank	---	40665_at	Day 3 Peri / Day 3 Extra	2.33	2.3064E-03
55	27286	Entrez Gene	sushi-repeat-containing protein, X-linked 2	32728_at	Day 3 Peri / Day 3 Extra	5.82	1.1400E-05
61	131578	Entrez Gene	leucine rich repeat containing 15	35603_at	Day 3 Peri / Day 3 Extra	2.40	9.9334E-03
62	9645	Entrez Gene	microtubule associated monooxygenase, calponin and LIM domain containing 2	37805_at	Day 3 Peri / Day 3 Extra	2.66	7.0182E-04
69	6238	Entrez Gene	Ribosome binding protein 1 homolog 180kDa (dog)	34778_at	Day 3 Peri / Day 3 Extra	5.21	1.2361E-03
73	7716	Entrez Gene	zinc finger protein 161	40848_g_at	Day 3 Peri / Day 3 Extra	2.83	2.8160E-03
74	8082	Entrez Gene	sarcospan (Kras oncogene-associated gene)	33212_at	Day 3 Peri / Day 3 Extra	2.66	1.5457E-04
75	9353	Entrez Gene	slit homolog 2 (Drosophila)	350_at	Day 3 Peri / Day 3 Extra	2.15	1.2866E-04
				33303_at	Day 3 Peri / Day 3 Extra	4.46	1.1134E-04
				39634_at	Day 3 Peri / Day 3 Extra	1.89	2.2254E-03

Diagnostic Up - Table 8

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
77	1363	Entrez Gene	carboxypeptidase E	36606_at	Day 3 Peri / Day 3 Extra	4.41	4.4496E-03
78	9681	Entrez Gene	DEP domain containing 5	36606_at	Day 7 Peri / Day 7 Extra	2.39	1.4354E-03
81	5654	Entrez Gene	HtrA serine peptidase 1	38190_r_at	Day 3 Peri / Day 3 Extra	4.38	9.8166E-03
82	26137	Entrez Gene	zinc finger and BTB domain containing 20	718_at	Day 3 Peri / Day 3 Extra	4.35	9.8606E-04
87	4675	Entrez Gene	nucleosome assembly protein 1-like 3	38211_at	Day 3 Peri / Day 3 Extra	2.05	2.1454E-03
91	5831	Entrez Gene	pyrroline-5-carboxylate reductase 1	743_at	Day 3 Peri / Day 3 Extra	4.21	4.4545E-03
93	57134	Entrez Gene	mannosidase, alpha, class 1C, member 1	37741_at	Day 3 Peri / Day 3 Extra	3.93	2.5252E-03
94	25903	Entrez Gene	olfactomedin-like 2B	40716_at	Day 7 Peri / Day 7 Extra	3.85	2.9199E-03
97	11015	Entrez Gene	KDEL (Lys-Asp-Glu-Leu) endoplasmic reticulum protein retention receptor 3	40716_at	Day 3 Peri / Day 3 Extra	2.88	9.3206E-03
101	26118	Entrez Gene	WD repeat and SOCS box-containing 1	36007_at	Day 3 Peri / Day 3 Extra	3.44	1.5200E-06
102	165	Entrez Gene	AE binding protein 1	33402_at	Day 3 Peri / Day 3 Extra	3.79	8.2891E-03
105	4782	Entrez Gene	nuclear factor I/C (CCAAT-binding transcription factor)	40928_at	Day 3 Peri / Day 3 Extra	1.73	3.7664E-03
108	2882	Entrez Gene	glutathione peroxidase 7	39069_at	Day 3 Peri / Day 3 Extra	3.73	8.3700E-05
109	54741	Entrez Gene	leptin receptor overlapping transcript	33329_at	Day 7 Peri / Day 7 Extra	3.44	5.0257E-04
114	23543	Entrez Gene	RNA binding motif protein 9	33329_at	Day 3 Peri / Day 3 Extra	2.38	9.9870E-03
123	581	Entrez Gene	BCL2-associated X protein	36009_at	Day 3 Peri / Day 3 Extra	3.67	9.7825E-04
124	23705	Entrez Gene	immunoglobulin superfamily, member 4	33829_at	Day 3 Peri / Day 3 Extra	1.79	3.9589E-03
125	10409	Entrez Gene	Brain abundant, membrane attached signal protein 1	40260_g_at	Day 3 Peri / Day 3 Extra	2.01	2.5795E-03
129	7070	Entrez Gene	Thy-1 cell surface antigen	2665_s_at	Day 3 Peri / Day 3 Extra	2.04	4.9882E-04
133	1734	Entrez Gene	deiodinase, iodothyronine, type II	35829_at	Day 7 Peri / Day 7 Extra	3.13	4.7418E-03
134	57608	Entrez Gene	KIAA1462	37929_at	Day 3 Peri / Day 3 Extra	2.11	8.6665E-03
138	9315	Entrez Gene	chromosome 5 open reading frame 13	32607_at	Day 3 Peri / Day 3 Extra	1.72	8.3716E-04
139	2009	Entrez Gene	echinoderm microtubule associated protein like 1	39395_at	Day 3 Peri / Day 3 Extra	2.88	4.6500E-05
141	6495	Entrez Gene	sine oculis homeobox homolog 1 (Drosophila)	39395_at	Day 7 Peri / Day 7 Extra	1.55	6.6681E-03
144	AL049242	GenBank	Full length insert cDNA clone YR67C11	31902_at	Day 3 Peri / Day 3 Extra	2.19	3.6862E-03
149	10536	Entrez Gene	leprecan-like 2	38351_at	Day 3 Peri / Day 3 Extra	2.89	2.5442E-03
157	8555	Entrez Gene	CDC14 cell division cycle 14 homolog B (S. cerevisiae)	39710_at	Day 3 Peri / Day 3 Extra	3.21	6.1670E-03
159	U00928	GenBank	---	41671_at	Day 3 Peri / Day 3 Extra	3.21	1.3498E-03
161	11010	Entrez Gene	GLI pathogenesis-related 1 (glioma)	40004_at	Day 3 Peri / Day 3 Extra	1.92	1.6968E-03
				34175_r_at	Day 7 Peri / Day 7 Extra	3.14	9.0407E-03
				39973_at	Day 3 Peri / Day 3 Extra	3.09	1.1783E-04
				40920_at	Day 3 Peri / Day 3 Extra	1.76	4.6409E-03
				39181_at	Day 7 Peri / Day 7 Extra	2.03	5.9146E-03
				531_at	Day 3 Peri / Day 3 Extra	2.96	2.4017E-04

Diagnostic Up - Table 8

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
162	5954	Entrez Gene	reticulocalbin 1, EF-hand calcium binding domain	40556_at	Day 3 Peri / Day 3 Extra	2.95	5.4492E-03
165	3398	Entrez Gene	inhibitor of DNA binding 2, dominant negative helix-loop-helix protein	41216_r_at	Day 7 Peri / Day 7 Extra	2.94	3.2384E-03
166	129080	Entrez Gene	EMI domain containing 1	40302_at	Day 7 Peri / Day 7 Extra	2.13	2.6927E-03
167	83604	Entrez Gene	transmembrane protein 47	40302_at	Day 3 Peri / Day 3 Extra	2.05	7.2778E-03
168	90993	Entrez Gene		37958_at	Day 3 Peri / Day 3 Extra	2.93	1.6752E-03
169	1803	Entrez Gene	cAMP responsive element binding protein 3-like 1	41867_at	Day 3 Peri / Day 3 Extra	2.93	3.0652E-03
175	116039	Entrez Gene	dipeptidylpeptidase 4 (CD26, adenosine deaminase complexing protein 2)	34823_at	Day 3 Peri / Day 3 Extra	2.92	2.3281E-04
176	6320	Entrez Gene	odd-skipped related 2 (Drosophila)	32143_at	Day 7 Peri / Day 7 Extra	2.87	1.2401E-03
177	3671	Entrez Gene	C-type lectin domain family 11, member A	37147_at	Day 3 Peri / Day 3 Extra	2.86	2.4585E-04
180	4237	Entrez Gene	immunoglobulin superfamily containing leucine-rich repeat	38636_at	Day 3 Peri / Day 3 Extra	2.85	1.6969E-03
184	1601	Entrez Gene	disabled homolog 2, mitogen-responsive phosphoprotein (Drosophila)	38442_at	Day 3 Peri / Day 3 Extra	2.83	3.1894E-03
185	56910	Entrez Gene	START domain containing 7	479_at	Day 3 Peri / Day 3 Extra	2.46	3.7316E-04
191	22915	Entrez Gene	multimerin 1	479_at	Day 7 Peri / Day 7 Extra	1.72	4.5424E-03
200	55623	Entrez Gene	THUMP domain containing 1	41296_s_at	Day 7 Peri / Day 7 Extra	2.49	6.0154E-04
204	U19969	GenBank	---	35664_at	Day 7 Peri / Day 7 Extra	2.73	5.6965E-03
207	10464	Entrez Gene	chromosome 13 open reading frame 24	40617_at	Day 7 Peri / Day 7 Extra	1.89	6.4566E-03
210	124152	Entrez Gene	hypothetical protein MGC35048	33440_at	Day 3 Peri / Day 3 Extra	2.65	6.9165E-03
215	4059	Entrez Gene	Lutheran blood group (Auberg b antigen included)	36012_at	Day 3 Peri / Day 3 Extra	2.60	7.5537E-03
216	126299	Entrez Gene	hypothetical protein MGC51082	40239_g_at	Day 7 Peri / Day 7 Extra	1.96	6.4867E-03
217	58525	Entrez Gene	widely-interspaced zinc finger motifs	40093_at	Day 7 Peri / Day 7 Extra	2.55	2.6811E-03
220	6659	Entrez Gene	SRY (sex determining region Y)-box 4	41084_at	Day 3 Peri / Day 3 Extra	1.93	4.0727E-03
222	3073	Entrez Gene	Hexosaminidase A (alpha polypeptide)	33718_at	Day 3 Peri / Day 3 Extra	2.55	8.2282E-03
225	55122	Entrez Gene	Chromosome 6 open reading frame 166	33718_at	Day 7 Peri / Day 7 Extra	2.50	8.1580E-03
228	90362	Entrez Gene	chromosome 8 open reading frame 72	33131_at	Day 3 Peri / Day 3 Extra	1.84	9.6715E-03
229	9781	Entrez Gene	ring finger protein 144	33131_at	Day 7 Peri / Day 7 Extra	1.68	8.4668E-03
230	283677	Entrez Gene	hypothetical LOC283677	35419_g_at	Day 3 Peri / Day 3 Extra	2.22	3.1675E-03
239	3730	Entrez Gene	Kallmann syndrome 1 sequence	34252_at	Day 7 Peri / Day 7 Extra	2.46	7.5298E-04
240	10308	Entrez Gene	zinc finger protein 267	41533_at	Day 3 Peri / Day 3 Extra	2.07	4.2703E-03
241	9079	Entrez Gene	LIM domain binding 2	37695_at	Day 3 Peri / Day 3 Extra	2.49	1.2239E-03
				38643_at	Day 3 Peri / Day 3 Extra	2.49	2.5221E-03
				33158_at	Day 7 Peri / Day 7 Extra	2.45	3.7016E-03
				34544_at	Day 3 Peri / Day 3 Extra	2.44	3.4940E-03
				36055_at	Day 3 Peri / Day 3 Extra	2.44	4.5788E-03

Diagnostic Up - Table 8

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
255	6046	Entrez Gene	bromodomain containing 2	36210_g_at	Day 3 Peri / Day 3 Extra	1.49	3.6868E-03
256	25924	Entrez Gene	myosin VIIA and Rab interacting protein	39602_at	Day 7 Peri / Day 7 Extra	2.40	4.2829E-03
257	HG1139-HT491	The Institute for Genomic Research	---	953_g_at	Day 3 Peri / Day 3 Extra	2.32	6.1626E-03
258	HG4058-HT432	The Institute for Genomic Research	---	1882_g_at	Day 3 Peri / Day 3 Extra	1.80	9.7118E-03
260	10954	Entrez Gene	protein disulfide isomerase family A, member 5	37044_at	Day 3 Peri / Day 3 Extra	1.98	5.1201E-03
261	6862	Entrez Gene	T _h brachyury homolog (mouse)	34966_at	Day 3 Peri / Day 3 Extra	2.37	9.3139E-03
262	4915	Entrez Gene	neurotrophic tyrosine kinase, receptor, type 2	36042_at	Day 7 Peri / Day 7 Extra	2.37	6.2129E-03
267	10656	Entrez Gene	KH domain containing, RNA binding, signal transduction associated 3	31786_at	Day 3 Peri / Day 3 Extra	2.34	3.9127E-03
268	9112	Entrez Gene	metastasis associated 1	31786_at	Day 7 Peri / Day 7 Extra	2.27	9.1708E-03
272	10123	Entrez Gene	ADP-ribosylation factor-like 7	1642_at	Day 3 Peri / Day 3 Extra	2.34	2.0034E-03
285	9429	Entrez Gene	ATP-binding cassette, sub-family G (WHITE), member 2	39829_at	Day 3 Peri / Day 3 Extra	1.79	7.5203E-04
288	3233	Entrez Gene	homeo box D4	33733_at	Day 3 Peri / Day 3 Extra	2.27	1.4355E-03
290	10979	Entrez Gene	pleckstrin homology domain containing, family C (with FERM domain) member 1	444_g_at	Day 3 Peri / Day 3 Extra	2.27	2.1721E-03
291	AL049423	GenBank	MRNA; cDNA DKFZps86B211 (from clone DKFZps86B211)	36577_at	Day 3 Peri / Day 3 Extra	2.25	3.4624E-04
294	23383	Entrez Gene	KIAA0892	32119_at	Day 3 Peri / Day 3 Extra	2.19	1.1197E-03
295	23466	Entrez Gene	Chromobox homolog 6	32119_at	Day 7 Peri / Day 7 Extra	1.95	3.1311E-03
298	AC002045	GenBank	nuclear pore complex interacting protein /// KIAA0220-like protein /// hypothetical gene LOC283846 /// hypothetical protein LOC283970 /// hypothetical	36054_at	Day 3 Peri / Day 3 Extra	1.75	1.2435E-03
302	6294	Entrez Gene	Scaffold attachment factor B	39560_at	Day 7 Peri / Day 7 Extra	2.22	6.5816E-03
304	4213	Entrez Gene	Meis1, myeloid ecotropic viral integration site 1 homolog 4 (mouse)	33836_at	Day 3 Peri / Day 3 Extra	2.21	7.0767E-03
306	9500	Entrez Gene	melanoma antigen family D, 1	41315_at	Day 7 Peri / Day 7 Extra	2.19	2.1583E-03
313	5362	Entrez Gene	plexin A2	37486_f_at	Day 3 Peri / Day 3 Extra	2.19	1.2199E-03
316	4130	Entrez Gene	microtubule-associated protein 1A	41139_at	Day 3 Peri / Day 3 Extra	1.97	3.8341E-03
317	54805	Entrez Gene	cyclin M2	40395_at	Day 7 Peri / Day 7 Extra	2.17	3.6085E-03
326	23314	Entrez Gene	SATB family member 2	35917_at	Day 3 Peri / Day 3 Extra	2.17	8.8121E-03
328	2033	Entrez Gene	E1A binding protein p300	41358_at	Day 7 Peri / Day 7 Extra	1.99	9.5626E-03
329	9532	Entrez Gene	BCL2-associated athanogene 2	41708_at	Day 3 Peri / Day 3 Extra	2.15	6.1500E-03
				33896_at	Day 3 Peri / Day 3 Extra	2.15	3.5314E-03
				35291_at	Day 3 Peri / Day 3 Extra	2.15	4.8619E-03

Diagnostic Up - Table 8

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
336	9639	Entrez Gene	Rho guanine nucleotide exchange factor (GEF) 10	34180_at	Day 3 Peri / Day 3 Extra	2.11	1.1649E-04
344	55830	Entrez Gene	glycosyltransferase 8 domain containing 1	33126_at	Day 3 Peri / Day 3 Extra	2.09	5.8099E-03
351	6781	Entrez Gene	slanniocalcin 1	41354_at	Day 7 Peri / Day 7 Extra	1.87	8.4067E-04
352	4833	Entrez Gene	non-melanistic cells 4, protein expressed in	39089_at	Day 3 Peri / Day 3 Extra	2.06	4.0940E-03
354	9260	Entrez Gene	PDZ and LIM domain 7 (enigma)	39530_at	Day 3 Peri / Day 3 Extra	2.08	1.1534E-03
355	813	Entrez Gene	calumenin	37345_at	Day 3 Peri / Day 3 Extra	2.05	4.4229E-03
356	9825	Entrez Gene	spermatogenesis associated 2	36050_at	Day 3 Peri / Day 3 Extra	2.04	2.2581E-03
361	1627	Entrez Gene	drebrin 1	37981_at	Day 3 Peri / Day 3 Extra	2.03	1.1015E-03
368	7289	Entrez Gene	tubby like protein 3	31942_at	Day 7 Peri / Day 7 Extra	2.01	6.4401E-03
				31944_at	Day 3 Peri / Day 3 Extra	1.59	3.9853E-03
369	10873	Entrez Gene	malic enzyme 3, NADP(+)-dependent, mitochondrial	35216_at	Day 3 Peri / Day 3 Extra	2.01	4.8389E-03
370	1730	Entrez Gene	diaphanous homolog 2 (Drosophila)	34262_at	Day 7 Peri / Day 7 Extra	2.01	3.5327E-03
373	49855	Entrez Gene	zinc finger protein 291	40937_at	Day 3 Peri / Day 3 Extra	1.78	2.4972E-03
375	2983	Entrez Gene	guanylate cyclase 1, soluble, beta 3	37243_at	Day 3 Peri / Day 3 Extra	2.00	1.8881E-03
376	2804	Entrez Gene	Golgi autoantigen, golgin subfamily b, macrogolgin (with transmembrane signal), 1	37655_at	Day 3 Peri / Day 3 Extra	2.00	2.9457E-03
377	4650	Entrez Gene	myosin IXB	33816_at	Day 3 Peri / Day 3 Extra	1.88	1.0261E-03
382	23094	Entrez Gene	signal-induced proliferation-associated 1 like 3	37831_at	Day 7 Peri / Day 7 Extra	1.54	5.9647E-03
383	219654	Entrez Gene	chromosome 10 open reading frame 56	34303_at	Day 3 Peri / Day 3 Extra	1.99	7.4060E-03
384	2026	Entrez Gene	enolase 2 (gamma, neuronal)	40193_at	Day 3 Peri / Day 3 Extra	1.99	1.9916E-03
387	8412	Entrez Gene	breast cancer anti-estrogen resistance 3	36812_at	Day 7 Peri / Day 7 Extra	1.98	3.2251E-03
390	947	Entrez Gene	CD34 antigen	38747_at	Day 3 Peri / Day 3 Extra	1.97	1.4801E-03
396	8910	Entrez Gene	sarcoglycan, epsilon	41449_at	Day 3 Peri / Day 3 Extra	1.96	3.3164E-03
398	A1375033	GenBank	chromosome 2 open reading frame 27 /// hypothetical gene supported by AK022914; AK095211; BC016035; BC041856; BX248778	37884_f_at	Day 3 Peri / Day 3 Extra	1.96	8.0230E-03
405	9236	Entrez Gene	cell cycle progression 1	33811_at	Day 3 Peri / Day 3 Extra	1.94	7.6971E-03
410	5358	Entrez Gene	plastin 3 (T isoform)	34794_r_at	Day 3 Peri / Day 3 Extra	1.93	6.8294E-03
414	80256	Entrez Gene	KIAA1539	33841_at	Day 3 Peri / Day 3 Extra	1.92	8.1276E-03
417	2157	Entrez Gene	coagulation factor VIII, procoagulant component (hemophilia A)	37550_at	Day 3 Peri / Day 3 Extra	1.92	2.4289E-03
421	89927	Entrez Gene	chromosome 16 open reading frame 45	35742_at	Day 3 Peri / Day 3 Extra	1.91	2.4249E-04
				35742_at	Day 7 Peri / Day 7 Extra	1.58	8.3242E-03

Diagnostic Up - Table 8

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
425	9554	Entrez Gene	SEC22 vesicle trafficking protein-like 1 (S. cerevisiae)	41597_s_at	Day 3 Peri / Day 3 Extra	1.57	3.1269E-03
426	4616	Entrez Gene	growth arrest and DNA-damage-inducible, beta	39822_s_at	Day 3 Peri / Day 3 Extra	1.44	7.0592E-03
427	2529	Entrez Gene	fucosyltransferase 7 (alpha (1,3) fucosyltransferase)	36322_at	Day 7 Peri / Day 7 Extra	1.90	6.1262E-03
428	X05276	GenBank	tropomyosin 4 /// similar to tropomyosin 4 /// similar to tropomyosin 4	33866_at	Day 3 Peri / Day 3 Extra	1.60	8.4534E-03
429	9537	Entrez Gene	tumor protein p53 inducible protein 11	36136_at	Day 3 Peri / Day 3 Extra	1.90	8.4243E-03
435	23187	Entrez Gene	pleckstrin homology-like domain, family B, member 1	37375_at	Day 3 Peri / Day 3 Extra	1.88	2.8685E-03
440	7095	Entrez Gene	translocation protein 1	38100_at	Day 3 Peri / Day 3 Extra	1.86	6.6909E-03
445	23275	Entrez Gene	protein O-fucosyltransferase 2	34287_at	Day 3 Peri / Day 3 Extra	1.84	8.2172E-03
446	9859	Entrez Gene	KIAA0470	33893_r_at	Day 3 Peri / Day 3 Extra	1.84	7.1207E-03
451	11014	Entrez Gene	KDEL (Lys-Asp-Glu-Leu) endoplasmic reticulum protein retention receptor 2	39080_at	Day 3 Peri / Day 3 Extra	1.83	2.4081E-03
458	23331	Entrez Gene	KIAA1043 protein	41478_at	Day 3 Peri / Day 3 Extra	1.81	3.6393E-03
459	8986	Entrez Gene	ribosomal protein S6 kinase, 90kDa, polypeptide 4	41404_at	Day 3 Peri / Day 3 Extra	1.82	2.6724E-03
460	8434	Entrez Gene	reversion-inducing-cysteine-rich protein with kazal motifs	35234_at	Day 7 Peri / Day 7 Extra	1.81	8.5426E-04
465	200424	Entrez Gene	hypothetical protein MGC22014	38559_at	Day 7 Peri / Day 7 Extra	1.80	4.3144E-04
466	23194	Entrez Gene	F-box and leucine-rich repeat protein 7	37205_at	Day 3 Peri / Day 3 Extra	1.79	1.5381E-03
469	23524	Entrez Gene	serine/arginine repetitive matrix 2	32761_at	Day 3 Peri / Day 3 Extra	1.67	5.3902E-03
471	2619	Entrez Gene	growth arrest-specific 1	661_at	Day 3 Peri / Day 3 Extra	1.78	4.8341E-03
479	1346	Entrez Gene	cytochrome c oxidase subunit VIIa polypeptide 1 (muscle)	39031_at	Day 7 Peri / Day 7 Extra	1.78	6.1685E-03
486	AF009314	GenBank	CDNA FLJ12815 fis, clone NT2RP2002546	36061_at	Day 7 Peri / Day 7 Extra	1.77	5.2874E-03
489	3297	Entrez Gene	heat shock transcription factor 1	244_at	Day 3 Peri / Day 3 Extra	1.77	6.7910E-04
490	8543	Entrez Gene	LIM domain only 4	1452_at	Day 3 Peri / Day 3 Extra	1.40	2.8627E-03
494	90627	Entrez Gene	START domain containing 13	31790_at	Day 3 Peri / Day 3 Extra	1.75	2.2636E-03
500	4329	Entrez Gene	aldehyde dehydrogenase 6 family, member A1	32676_at	Day 7 Peri / Day 7 Extra	1.74	4.4132E-03
501	65108	Entrez Gene	MARCKS-like 1	36174_at	Day 3 Peri / Day 3 Extra	1.74	1.4260E-03
502	2615	Entrez Gene	leucine rich repeat containing 32	31856_at	Day 3 Peri / Day 3 Extra	1.71	3.4490E-03
509	7461	Entrez Gene	cytoplasmic linker 2	31856_at	Day 7 Peri / Day 7 Extra	1.63	6.3148E-03
512	16	Entrez Gene	alanyl-tRNA synthetase	41396_at	Day 3 Peri / Day 3 Extra	1.73	9.8779E-03
513	2037	Entrez Gene	erythrocyte membrane protein band 4.1-like 2	36185_at	Day 3 Peri / Day 3 Extra	1.34	7.2639E-03
				32585_at	Day 3 Peri / Day 3 Extra	1.72	3.0780E-03

Diagnostic Up - Table 8

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
516	10945	Entrez Gene	KDEL (Lys-Asp-Glu-Leu) endoplasmic reticulum protein retention receptor 1	37387_r_at	Day 3 Peri / Day 3 Extra	1.71	7.9805E-04
517	8534	Entrez Gene	carbohydrate (keratan sulfate Gal-6) sulfotransferase 1	41395_at	Day 3 Peri / Day 3 Extra	1.67	2.5587E-03
520	11230	Entrez Gene	PRA1 domain family, member 2	34318_at	Day 3 Peri / Day 3 Extra	1.70	9.2827E-03
523	441046	Entrez Gene	Hypothetical LOC 441046	39132_at	Day 3 Peri / Day 3 Extra	1.70	7.4243E-03
526	6494	Entrez Gene	signal-induced proliferation-associated gene 1	36843_at	Day 3 Peri / Day 3 Extra	1.70	1.6565E-03
537	25829	Entrez Gene	chromosome 22 open reading frame 5	41758_at	Day 3 Peri / Day 3 Extra	1.61	9.5835E-04
552	4669	Entrez Gene	N-acetylglucosaminidase, alpha- (Sanfilippo disease IIIB)	41758_at	Day 7 Peri / Day 7 Extra	1.29	9.7755E-03
555	7030	Entrez Gene	transcription factor binding to IGHM enhancer 3	41596_s_at	Day 3 Peri / Day 3 Extra	1.65	3.9393E-03
557	196740	Entrez Gene	Chromosome 10 open reading frame 72	34669_at	Day 3 Peri / Day 3 Extra	1.64	3.7080E-03
563	25937	Entrez Gene	WW domain containing transcription regulator 1	41013_at	Day 3 Peri / Day 3 Extra	1.63	3.0331E-03
569	2123	Entrez Gene	ecotropic viral integration site 2A	33876_at	Day 7 Peri / Day 7 Extra	1.62	8.0865E-03
575	11017	Entrez Gene	putative nucleic acid binding protein RY-1	36313_at	Day 3 Peri / Day 3 Extra	1.57	8.4119E-03
580	5192	Entrez Gene	Peroxisome biogenesis factor 10	35286_r_at	Day 3 Peri / Day 3 Extra	1.60	3.2097E-03
586	10493	Entrez Gene	vesicle amine transport protein 1 homolog (T californica)	41282_s_at	Day 3 Peri / Day 3 Extra	1.59	4.1500E-04
591	9873	Entrez Gene	FCH and double SH3 domains 2	605_at	Day 3 Peri / Day 3 Extra	1.58	1.8458E-03
595	23023	Entrez Gene	transmembrane and coiled-coil domain family 1	32224_at	Day 3 Peri / Day 3 Extra	1.58	7.8601E-03
596	22894	Entrez Gene	KIAA1008	33251_at	Day 7 Peri / Day 7 Extra	1.57	4.5225E-03
598	2068	Entrez Gene	excision repair cross-complementing rodent repair deficiency, complementation group 2 (xeroderma pigmentosum D)	40633_at	Day 3 Peri / Day 3 Extra	1.57	1.8924E-03
616	1611	Entrez Gene	death-associated protein	41095_at	Day 7 Peri / Day 7 Extra	1.56	7.5413E-03
617	53615	Entrez Gene	melhyl-CpG binding domain protein 3	36199_at	Day 3 Peri / Day 3 Extra	1.52	9.3962E-03
618	4222	Entrez Gene	mesenchyme homeo box 1	41160_at	Day 3 Peri / Day 3 Extra	1.52	9.4158E-03
619	378	Entrez Gene	ADP-ribosylation factor 4	36010_at	Day 7 Peri / Day 7 Extra	1.36	1.3183E-03
628	23174	Entrez Gene	zinc finger, CCHC domain containing 14	36585_at	Day 3 Peri / Day 3 Extra	1.52	7.0646E-03
635	55719	Entrez Gene	chromosome 10 open reading frame 6	38101_at	Day 3 Peri / Day 3 Extra	1.50	9.8936E-03
640	23102	Entrez Gene	KIAA1055 protein	33192_g_at	Day 3 Peri / Day 3 Extra	1.49	7.3498E-03
644	25849	Entrez Gene	DKFZP564O0823 protein	39400_at	Day 3 Peri / Day 3 Extra	1.49	2.1984E-04
655	3087	Entrez Gene	hematopoietically expressed homeobox	41402_at	Day 7 Peri / Day 7 Extra	1.48	4.6277E-03
662	7343	Entrez Gene	upstream binding transcription factor, RNA polymerase	37497_at	Day 7 Peri / Day 7 Extra	1.40	5.4295E-03
				38794_at	Day 7 Peri / Day 7 Extra	1.46	1.9528E-03

Diagnostic Up - Table 8

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
668	5087	Entrez Gene	Pre-B-cell leukemia transcription factor 1	33355_at	Day 7 Peri / Day 7 Extra	1.45	3.2013E-03
669	271	Entrez Gene	adenosine monophosphate deaminase 2 (isoform L)	38417_at	Day 3 Peri / Day 3 Extra	1.45	3.1224E-03
670	9013	Entrez Gene	TATA box binding protein (TBP)-associated factor, RNA polymerase I, C, 110kDa	40221_at	Day 3 Peri / Day 3 Extra	1.44	7.6368E-03
674	7511	Entrez Gene	X-prolyl aminopeptidase (aminopeptidase P) 1, soluble	35305_at	Day 3 Peri / Day 3 Extra	1.44	1.8548E-03
678	10949	Entrez Gene	heterogeneous nuclear ribonucleoprotein A0	37334_at	Day 7 Peri / Day 7 Extra	1.43	8.2840E-03
680	6776	Entrez Gene	signal transducer and activator of transcription 5A	40458_at	Day 3 Peri / Day 3 Extra	1.43	5.1621E-04
688	10555	Entrez Gene	1-acylglycerol-3-phosphate O-acyltransferase 2 (lysophosphatidic acid acyltransferase, beta)	40458_at	Day 7 Peri / Day 7 Extra	1.38	6.7773E-03
693	9191	Entrez Gene	death effector domain containing	32837_at	Day 7 Peri / Day 7 Extra	1.41	3.9711E-03
706	U41303	GenBank	small nuclear ribonucleoprotein polypeptide N /// SNRPN upstream reading frame	40494_at	Day 3 Peri / Day 3 Extra	1.41	4.3390E-03
722	192683	Entrez Gene	secretory carrier membrane protein 5	34842_at	Day 7 Peri / Day 7 Extra	1.39	3.4227E-03
738	9776	Entrez Gene	KIAA0652 gene product	37545_at	Day 3 Peri / Day 3 Extra	1.35	5.7634E-03
740	832	Entrez Gene	capping protein (actin filament) muscle Z-line, beta	38020_at	Day 3 Peri / Day 3 Extra	1.32	9.6720E-03
750	7249	Entrez Gene	tuberous sclerosis 2	37012_at	Day 3 Peri / Day 3 Extra	1.32	4.0510E-03
752	U05863	GenBank	ATP-binding cassette, sub-family B (MDR/TAAP), member 8 /// ATG9 autophagy related 9 homolog A (S. cerevisiae)	38813_at	Day 3 Peri / Day 3 Extra	1.29	5.8895E-03
755	84148	Entrez Gene	MYST histone acetyltransferase 1	40130_at	Day 7 Peri / Day 7 Extra	1.28	6.4476E-03
				35987_g_at	Day 3 Peri / Day 3 Extra	1.26	8.8338E-03

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
239	3730	Entrez Gene	Kallmann syndrome 1 sequence	33158_at	Day 7 Peri / Day 7 Extra	2.45	3.7016E-0

Diagnostic Up - Table 10

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
23	7216	Entrez Gene	tropinin	34730_g_at	Day 3 Peri / Day 3 Extra	8.12	3.7475E-04
31	1311	Entrez Gene		40162_s_at	Day 3 Peri / Day 3 Extra	7.36	2.2669E-03
74	8082	Entrez Gene		40162_s_at	Day 7 Peri / Day 7 Extra	7.19	8.6739E-03
102	165	Entrez Gene	sarcospan (Kras oncogene-associated gene)	33303_at	Day 3 Peri / Day 3 Extra	4.46	1.1134E-04
177	3671	Entrez Gene	AE binding protein 1	39069_at	Day 3 Peri / Day 3 Extra	3.73	8.3700E-05
191	22915	Entrez Gene	immunoglobulin superfamily containing leucine-rich repeat	38636_at	Day 3 Peri / Day 3 Extra	2.85	1.6969E-03
215	4059	Entrez Gene	multimerin 1	35664_at	Day 7 Peri / Day 7 Extra	2.73	5.6965E-03
239	3730	Entrez Gene	Lutheran blood group (Aubergier b antigen included)	40093_at	Day 7 Peri / Day 7 Extra	2.55	2.6811E-03
290	10979	Entrez Gene	Kallmann syndrome 1 sequence	33158_at	Day 7 Peri / Day 7 Extra	2.45	3.7016E-03
390	947	Entrez Gene	pleckstrin homology domain containing, family C (with FERM domain) member 1	36577_at	Day 3 Peri / Day 3 Extra	2.25	3.4624E-04
417	2157	Entrez Gene	CD34 antigen	38747_at	Day 3 Peri / Day 3 Extra	1.97	1.4801E-03
			coagulation factor VIII, procoagulant component (hemophilia A)	37550_at	Day 3 Peri / Day 3 Extra	1.92	2.4289E-03

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
517	8534	Entrez Gene	carbohydrate (keratan sulfate Gal-6) sulfotransferase 1	41395_at	Day 3 Peri / Day 3 Extra	1.67	2.5587E-03

Diagnostic Up - Table 12

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
4	6318	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 4	1549_s_at	Day 3 Peri/ Day 0 Peri	5.62	2.5500E-05
7	50486	Entrez Gene	G0/G1switch 2	1549_s_at 38326_at 38326_at	Day 7 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	4.17 7.10 4.38	3.1767E-04 4.1056E-04 3.3121E-03
14	3868	Entrez Gene	keratin 16 (focal non-epidermolytic palmoplantar keratoderma)	601_s_at	Day 3 Peri/ Day 0 Peri	2.81	5.7236E-04
19	1992	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 1	601_s_at 33305_at	Day 7 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri	2.17 3.09	2.4480E-03 3.3894E-03
21	3162	Entrez Gene	heme oxygenase (decycling) 1	33802_at 33802_at	Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	4.67 2.89	7.3400E-05 8.8939E-03
29	6317	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 3	1343_s_at	Day 3 Peri/ Day 0 Peri	2.72	7.0204E-04
33	7083	Entrez Gene	thymidine kinase 1, soluble	1343_s_at 910_at 910_at	Day 7 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	2.61 2.81 1.93	1.7829E-03 3.6714E-04 8.0783E-03
34	91543	Entrez Gene	radical S-adenosyl methionine domain containing 2	36549_at	Day 3 Peri/ Day 0 Peri	7.28	1.9000E-05
36	2209	Entrez Gene	Fc fragment of IgG, high affinity Ia, receptor (CD64)	36549_at 37220_at 37220_at	Day 7 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri	4.34 3.42 2.80	1.0110E-03 4.2300E-06 1.2560E-03
54	5265	Entrez Gene	serpin peptidase inhibitor, clade A (alpha-1 antitrypsin), member 1	36781_at	Day 3 Peri/ Day 0 Peri	4.19	2.5899E-04
63	9133	Entrez Gene	cyclin B2	36781_at 32263_at 32263_at	Day 7 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	2.60 2.52 2.19	7.4336E-04 2.6800E-05 4.3768E-04
64	AL109722	GenBank		38511_at	Day 7 Peri/ Day 0 Peri	1.79	2.4466E-03
65	9768	Entrez Gene	KIAA0101	38116_at 38116_at	Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	3.60 2.29	4.9500E-05 6.4300E-05
67	11006	Entrez Gene	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 4	36753_at	Day 3 Peri/ Day 0 Peri	3.38	7.2200E-06
72	5125	Entrez Gene	Protein convertase subtilisin/kexin type 5	36753_at 41032_at	Day 7 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	2.74 1.91	6.7800E-05 6.2590E-03
79	2214	Entrez Gene	Fc fragment of IgG, low affinity IIIa, receptor (CD16a)	37200_at	Day 3 Peri/ Day 0 Peri	3.64	8.6200E-06
83	891	Entrez Gene	cyclin B1	37200_at 1945_at	Day 7 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri	2.95 2.74	1.1548E-04 3.6000E-05

Diagnostic Up - Table 12

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
85	4680	Entrez Gene	carcinoembryonic antigen-related cell adhesion molecule 6 (non-specific cross reacting antigen)	36105_at	Day 7 Peri/ Day 0 Peri	3.08	2.4678E-03
88	2215	Entrez Gene	Fc fragment of IgG, low affinity IIb, receptor (CD16b)	36105_at	Day 3 Peri/ Day 0 Peri	2.60	6.3112E-03
106	597	Entrez Gene	BCL2-related protein A1	31499_s_at	Day 3 Peri/ Day 0 Peri	2.71	1.6453E-03
107	7298	Entrez Gene	thymidylate synthetase	2002_s_at	Day 3 Peri/ Day 0 Peri	3.57	9.8581E-04
112	3055	Entrez Gene	hemopoietic cell kinase	2002_s_at	Day 7 Peri/ Day 0 Peri	3.15	3.2235E-03
115	4067	Entrez Gene	v-yes-1 Yamaguchi sarcoma viral related oncogene homolog	37899_at	Day 7 Peri/ Day 0 Peri	2.56	1.6984E-04
117	2207	Entrez Gene	Fc fragment of IgE, high affinity I, receptor for, gamma polypeptide	37899_at	Day 3 Peri/ Day 0 Peri	2.47	5.5367E-04
120	AF025533	GenBank	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 2 /// leukocyte immunoglobulin-like receptor, subfamily B (wit	40742_at	Day 3 Peri/ Day 0 Peri	3.57	2.2240E-04
132	4599	Entrez Gene	myxovirus (influenza virus) resistance 1, Interferon-inducible protein p78 (mouse)	40742_at	Day 7 Peri/ Day 0 Peri	2.85	2.8000E-05
135	8578	Entrez Gene	scavenger receptor class F, member 1	32616_at	Day 3 Peri/ Day 0 Peri	2.06	1.4400E-03
140	699	Entrez Gene	BUB1 budding uninhibited by benzimidazoles 1 homolog (yeast)	1402_at	Day 7 Peri/ Day 0 Peri	1.52	4.6204E-03
146	54440	Entrez Gene	chromosome X open reading frame 9	36889_at	Day 3 Peri/ Day 0 Peri	2.26	5.1700E-05
147	60489	Entrez Gene	apolipoprotein B mRNA editing enzyme, catalytic polypeptide-like 3G	36889_at	Day 7 Peri/ Day 0 Peri	1.36	6.9124E-03
150	9473	Entrez Gene	chromosome 1 open reading frame 38	37148_at	Day 3 Peri/ Day 0 Peri	2.24	2.1384E-04
151	7378	Entrez Gene	uridine phosphorylase 1	37014_at	Day 3 Peri/ Day 0 Peri	2.79	6.4500E-06
152	890	Entrez Gene	cyclin A2	37014_at	Day 7 Peri/ Day 0 Peri	2.54	2.8020E-04
				40034_r_at	Day 7 Peri/ Day 0 Peri	1.92	4.8512E-03
				40034_r_at	Day 7 Peri/ Day 3 Peri	1.56	1.5663E-03
				41081_at	Day 7 Peri/ Day 0 Peri	2.75	1.5964E-03
				41081_at	Day 3 Peri/ Day 0 Peri	2.54	6.7046E-03
				40296_at	Day 3 Peri/ Day 0 Peri	2.67	2.7367E-04
				40296_at	Day 7 Peri/ Day 0 Peri	2.31	3.2622E-04
				41472_at	Day 7 Peri/ Day 0 Peri	3.10	2.9700E-05
				41472_at	Day 3 Peri/ Day 0 Peri	1.96	5.4156E-03
				41472_at	Day 7 Peri/ Day 3 Peri	1.58	8.9999E-03
				41409_at	Day 3 Peri/ Day 0 Peri	1.99	8.5934E-04
				41409_at	Day 7 Peri/ Day 0 Peri	1.62	1.4759E-03
				37351_at	Day 3 Peri/ Day 0 Peri	2.24	1.8666E-03
				37351_at	Day 7 Peri/ Day 0 Peri	2.05	2.3410E-03
				1943_at	Day 3 Peri/ Day 0 Peri	1.74	9.4700E-05
				1943_at	Day 7 Peri/ Day 0 Peri	1.59	1.3691E-03

Diagnostic Up - Table 12

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
153	6772	Entrez Gene	signal transducer and activator of transcription 1, 91kDa	AFFX- HUMISGF3A/M9793 5_MA_at	Day 3 Peri/ Day 0 Peri	2.32	2.3402E-04
154	8942	Entrez Gene	kynureninase (L-kynurenine hydrolase)	AFFX- HUMISGF3A/M9793 5_MA_at	Day 7 Peri/ Day 0 Peri	2.24	2.9433E-04
158	1164	Entrez Gene	CDC28 protein kinase regulatory subunit 2	40671_g_at	Day 7 Peri/ Day 0 Peri	1.98	3.8943E-03
161	11010	Entrez Gene	GLI pathogenesis-related 1 (glioma)	40671_g_at	Day 3 Peri/ Day 0 Peri	1.79	9.2441E-03
164	929	Entrez Gene	CD14 antigen	40690_at	Day 3 Peri/ Day 0 Peri	2.26	1.1039E-03
178	4332	Entrez Gene	myeloid cell nuclear differentiation antigen	40690_at	Day 7 Peri/ Day 0 Peri	1.86	9.3970E-03
179	983	Entrez Gene	cell division cycle 2, G1 to S and G2 to M	531_at	Day 3 Peri/ Day 0 Peri	1.79	3.2283E-04
187	7805	Entrez Gene	lysosomal associated multspanning membrane protein 5	531_at	Day 7 Peri/ Day 0 Peri	1.71	3.9775E-03
189	5341	Entrez Gene	pleckstrin	36661_s_at	Day 3 Peri/ Day 0 Peri	2.05	3.9492E-03
192	3099	Entrez Gene	hexokinase 2	35012_at	Day 7 Peri/ Day 0 Peri	2.84	3.2000E-06
193	10630	Entrez Gene	podoplanin	35012_at	Day 3 Peri/ Day 0 Peri	2.55	3.8200E-06
196	8638	Entrez Gene	2'-5'-oligoadenylate synthetase-like	40915_r_at	Day 7 Peri/ Day 0 Peri	1.90	4.1789E-03
199	11130	Entrez Gene	ZW10 interactor	1803_at	Day 3 Peri/ Day 0 Peri	1.71	1.1557E-03
200	55623	Entrez Gene	THUMP domain containing 1	37759_at	Day 3 Peri/ Day 0 Peri	1.91	9.6200E-05
205	7153	Entrez Gene	topoisomerase (DNA) II alpha 170kDa	37759_at	Day 7 Peri/ Day 0 Peri	1.79	8.5000E-05
208	3838	Entrez Gene	karyopherin alpha 2 (RAG cohort 1, importin alpha 1)	37328_at	Day 3 Peri/ Day 0 Peri	1.79	8.5000E-05
208	3838	Entrez Gene	karyopherin alpha 2 (RAG cohort 1, importin alpha 1)	37328_at	Day 3 Peri/ Day 0 Peri	2.68	1.4600E-05
213	HG172- HT3924	The Institute for Genomic Research	---	37328_at	Day 7 Peri/ Day 0 Peri	2.40	7.2600E-05
218	10095	Entrez Gene	actin related protein 2/3 complex, subunit 1B, 41kDa	40964_at	Day 3 Peri/ Day 0 Peri	1.79	6.6166E-03
224	6999	Entrez Gene	tryptophan 2,3-dioxygenase	41870_at	Day 3 Peri/ Day 0 Peri	1.80	3.2085E-03
				41871_at	Day 7 Peri/ Day 0 Peri	1.73	3.4416E-03
				34491_at	Day 3 Peri/ Day 0 Peri	1.75	2.4108E-03
				35995_at	Day 3 Peri/ Day 0 Peri	1.87	1.3626E-04
				40668_at	Day 7 Peri/ Day 0 Peri	1.39	4.1877E-03
				40145_at	Day 3 Peri/ Day 0 Peri	2.14	2.4544E-04
				904_s_at	Day 7 Peri/ Day 0 Peri	1.82	8.4565E-04
				40407_at	Day 7 Peri/ Day 0 Peri	2.19	4.1009E-03
				40407_at	Day 3 Peri/ Day 0 Peri	2.10	1.0701E-03
				1173_g_at	Day 3 Peri/ Day 0 Peri	1.85	1.9600E-05
				1173_g_at	Day 7 Peri/ Day 0 Peri	1.57	2.6732E-03
				39043_at	Day 3 Peri/ Day 0 Peri	1.71	4.9924E-04
				39043_at	Day 7 Peri/ Day 0 Peri	1.62	7.1268E-03
				38606_at	Day 7 Peri/ Day 0 Peri	2.52	1.3782E-03

Diagnostic Up - Table 12

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
231	4288	Entrez Gene	antigen identified by monoclonal antibody Ki-67	418_at	Day 3 Peri/ Day 0 Peri	1.80	2.5440E-04
232	4939	Entrez Gene	2'-5'-oligoadenylate synthetase 2, 69/71kDa	419_at	Day 7 Peri/ Day 0 Peri	1.70	1.5508E-04
233	2028	Entrez Gene	glutamyl aminopeptidase (aminopeptidase A)	39263_at	Day 3 Peri/ Day 0 Peri	2.21	6.1200E-07
234	2237	Entrez Gene	flap structure-specific endonuclease 1	39263_at	Day 7 Peri/ Day 0 Peri	2.14	1.2313E-04
235	22974	Entrez Gene	TPX2, microtubule-associated, homolog (Xenopus laevis)	35220_at	Day 7 Peri/ Day 0 Peri	2.47	1.0924E-03
236	10403	Entrez Gene	kinetochore associated 2	35220_at	Day 3 Peri/ Day 0 Peri	1.67	6.2439E-03
237	23474	Entrez Gene	ethylmalonic encephalopathy 1	41583_at	Day 3 Peri/ Day 0 Peri	1.56	6.9407E-03
243	4860	Entrez Gene	nucleoside phosphorylase	39109_at	Day 3 Peri/ Day 0 Peri	1.88	7.0200E-06
244	4085	Entrez Gene	MAD2 mitotic arrest deficient-like 1 (yeast)	39109_at	Day 7 Peri/ Day 0 Peri	1.57	2.1023E-03
245	9134	Entrez Gene	cyclin E2	40041_at	Day 3 Peri/ Day 0 Peri	2.46	6.5372E-03
246	2115	Entrez Gene	els variant gene 1	40041_at	Day 7 Peri/ Day 0 Peri	2.40	2.9243E-03
247	3820	Entrez Gene	killer cell lectin-like receptor subfamily B, member 1	36170_at	Day 3 Peri/ Day 0 Peri	1.39	9.8176E-03
251	4688	Entrez Gene	neutrophil cytosolic factor 2 (65kDa, chronic granulomatous disease, autosomal 2)	430_at	Day 3 Peri/ Day 0 Peri	1.54	4.2590E-03
259	10135	Entrez Gene	pre-B-cell colony enhancing factor 1	37282_at	Day 3 Peri/ Day 0 Peri	2.44	4.7300E-05
263	910	Entrez Gene	CD1b antigen	37282_at	Day 7 Peri/ Day 0 Peri	2.24	5.1394E-03
265	10288	Entrez Gene	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 2	35249_at	Day 3 Peri/ Day 0 Peri	2.10	3.4441E-03
269	4938	Entrez Gene	2'-5'-oligoadenylate synthetase 1, 40/46kDa	37156_at	Day 7 Peri/ Day 0 Peri	1.93	1.8398E-03
273	4605	Entrez Gene	v-myb myeloblastosis viral oncogene homolog (avian)-like 2	35449_at	Day 7 Peri/ Day 0 Peri	2.43	2.4469E-03
274	51362	Entrez Gene	cell division cycle 40 homolog (yeast)	41038_at	Day 3 Peri/ Day 0 Peri	2.30	2.1625E-03
276	1043	Entrez Gene	CD52 antigen (CAMPATH-1 antigen)	41038_at	Day 3 Peri/ Day 0 Peri	1.99	1.8827E-04
282	1058	Entrez Gene	centromere protein A, 17kDa	33849_at	Day 7 Peri/ Day 0 Peri	1.66	9.6970E-04
289	262	Entrez Gene	adenosylmethionine decarboxylase 1	33849_at	Day 3 Peri/ Day 0 Peri	2.39	1.5140E-03
296	23347	Entrez Gene	structural maintenance of chromosomes flexible hinge domain containing 1	34927_at	Day 7 Peri/ Day 3 Peri	2.37	4.7431E-04
301	5111	Entrez Gene	proliferating cell nuclear antigen	39221_at	Day 3 Peri/ Day 0 Peri	2.37	1.9207E-03
				38388_at	Day 3 Peri/ Day 0 Peri	2.01	4.4682E-03
				1854_at	Day 3 Peri/ Day 0 Peri	1.64	1.4661E-03
				37481_at	Day 7 Peri/ Day 0 Peri	2.32	7.5957E-03
				34210_at	Day 3 Peri/ Day 0 Peri	1.85	7.1791E-04
				34210_at	Day 7 Peri/ Day 0 Peri	1.85	7.1116E-03
				527_at	Day 3 Peri/ Day 0 Peri	1.80	2.0928E-04
				527_at	Day 7 Peri/ Day 0 Peri	1.54	5.8752E-04
				262_at	Day 3 Peri/ Day 0 Peri	1.44	9.8961E-03
				38082_at	Day 7 Peri/ Day 0 Peri	1.47	5.6385E-03
				1884_s_at	Day 3 Peri/ Day 0 Peri	1.49	6.8453E-03

Diagnostic Up - Table 12

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
303	6303	Entrez Gene	spermidine/spermine N1-acetyltransferase	34304_s_at	Day 7 Peri/ Day 0 Peri	2.19	9.2600E-06
305	HG2846-HT298	The Institute for Genomic Research	---	34304_s_at	Day 3 Peri/ Day 0 Peri	2.13	7.9000E-05
309	4277	Entrez Gene	---	1178_at	Day 3 Peri/ Day 0 Peri	2.19	9.5742E-04
310	27074	Entrez Gene	MHC class I polypeptide-related sequence B	1178_at	Day 7 Peri/ Day 0 Peri	1.78	9.6587E-03
311	5420	Entrez Gene	lysosomal-associated membrane protein 3	35937_at	Day 7 Peri/ Day 0 Peri	1.87	9.9100E-05
315	9450	Entrez Gene	podocalyxin-like	35937_at	Day 3 Peri/ Day 0 Peri	1.74	3.8842E-03
320	4481	Entrez Gene	lymphocyte antigen 86	37168_at	Day 3 Peri/ Day 0 Peri	1.74	2.1511E-04
325	2633	Entrez Gene	macrophage scavenger receptor 1	37168_at	Day 7 Peri/ Day 0 Peri	1.64	6.6783E-03
335	HG4074-HT434	The Institute for Genomic Research	guanylate binding protein 1, interferon-inducible, 67kDa	40434_at	Day 7 Peri/ Day 0 Peri	1.46	4.4427E-03
338	6503	Entrez Gene	Src-like-adaptor	35869_at	Day 3 Peri/ Day 0 Peri	1.64	1.4267E-03
340	701	Entrez Gene	BUB1 budding uninhibited by benzimidazoles 1 homolog beta (yeast)	39982_r_at	Day 7 Peri/ Day 0 Peri	2.16	5.2594E-03
347	U80770	GenBank	Homo sapiens, clone IMAGE:5538654, mRNA	35735_at	Day 7 Peri/ Day 0 Peri	1.88	1.2810E-03
349	6672	Entrez Gene	nuclear antigen Sp100	35735_at	Day 3 Peri/ Day 0 Peri	1.64	2.1775E-03
353	10261	Entrez Gene	immunoglobulin superfamily, member 6	1516_g_at	Day 3 Peri/ Day 0 Peri	1.76	8.8947E-04
358	2124	Entrez Gene	ecotropic viral integration site 2B	1516_g_at	Day 7 Peri/ Day 0 Peri	1.55	7.8225E-03
363	313	Entrez Gene	acyloxyacyl hydrolase (neutrophil)	1427_g_at	Day 7 Peri/ Day 0 Peri	1.70	3.6625E-04
374	55972	Entrez Gene	Mitochondrial carrier family protein	1427_g_at	Day 3 Peri/ Day 0 Peri	1.47	7.3704E-04
378	5925	Entrez Gene	refinoblastoma 1 (including osteosarcoma)	35699_at	Day 3 Peri/ Day 0 Peri	2.10	3.3800E-06
380	3937	Entrez Gene	lymphocyte cytosolic protein 2 (SH2 domain containing leukocyte protein of 76kDa)	35699_at	Day 7 Peri/ Day 0 Peri	1.88	4.1200E-05
381	221061	Entrez Gene	chromosome 10 open reading frame 38	31771_at	Day 7 Peri/ Day 0 Peri	2.09	4.6894E-04
385	54103	Entrez Gene	hypothetical protein LOC54103	31771_at	Day 7 Peri/ Day 3 Peri	1.45	8.0653E-03
386	3059	Entrez Gene	hematopoietic cell-specific Lyn substrate 1	37354_at	Day 7 Peri/ Day 0 Peri	2.08	6.4139E-03
387	8412	Entrez Gene	breast cancer anti-estrogen resistance 3	34946_at	Day 3 Peri/ Day 0 Peri	2.06	1.2057E-03
392	25939	Entrez Gene	SAM domain and HD domain 1	40019_at	Day 7 Peri/ Day 0 Peri	2.03	3.8728E-04
				40019_at	Day 3 Peri/ Day 0 Peri	1.65	7.4899E-03
				37647_at	Day 7 Peri/ Day 0 Peri	2.02	3.8621E-04
				37647_at	Day 3 Peri/ Day 0 Peri	1.80	2.9579E-03
				35465_at	Day 7 Peri/ Day 0 Peri	2.00	7.2930E-03
				2044_s_at	Day 7 Peri/ Day 0 Peri	1.87	8.2882E-04
				2044_s_at	Day 3 Peri/ Day 0 Peri	1.60	7.8461E-03
				39319_at	Day 7 Peri/ Day 0 Peri	1.87	5.4300E-05
				39319_at	Day 3 Peri/ Day 0 Peri	1.85	6.4700E-04
				36821_at	Day 7 Peri/ Day 3 Peri	1.33	6.9275E-03
				41710_at	Day 3 Peri/ Day 0 Peri	1.99	5.4755E-03
				31820_at	Day 3 Peri/ Day 0 Peri	1.54	8.7698E-04
				36812_at	Day 7 Peri/ Day 3 Peri	1.38	7.5213E-03
				34714_at	Day 7 Peri/ Day 0 Peri	1.96	6.6000E-05
				34714_at	Day 3 Peri/ Day 0 Peri	1.91	3.9353E-04

Diagnostic Up - Table 12

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
395	629	Entrez Gene	B-factor, properdin	35822_at 35822_at	Day 7 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri	1.96 1.89	7.8587E-04 2.4144E-04
398	A1375033	GenBank	chromosome 2 open reading frame 27 /// hypothetical gene supported by AK022914; AK095211; BC016035; BC041856; BX248778	37884_f_at	Day 7 Peri/ Day 0 Peri	1.89	2.0360E-03
403	9402	Entrez Gene	GRB2-related adaptor protein 2	38866_at	Day 7 Peri/ Day 0 Peri	1.46	6.9714E-03
406	914	Entrez Gene	CD2 antigen (p50), sheep red blood cell receptor	40738_at	Day 7 Peri/ Day 0 Peri	1.65	7.4139E-03
411	3945	Entrez Gene	lactate dehydrogenase B	33819_at 33819_at	Day 7 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri	1.93 1.61	3.3100E-05 2.1100E-04
418	23312	Entrez Gene	Dmx-like 2	41716_at 41716_at	Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	1.92 1.80	5.4890E-04 4.0575E-04
419	3669	Entrez Gene	interferon stimulated exonuclease gene 20kDa	33304_at	Day 3 Peri/ Day 0 Peri	1.72	2.5695E-04
420	3536	Entrez Gene	lymphocyte cytosolic protein 1 (L-plastin)	33304_at 37023_at	Day 7 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	1.42 1.92	5.9639E-03 3.4800E-05
431	57214	Entrez Gene	KIAA1199	37023_at 36070_at	Day 3 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri	1.86 1.89	1.6804E-04 3.9978E-03
433	5359	Entrez Gene	phospholipid scramblase 1	32775_r_at	Day 3 Peri/ Day 0 Peri	1.89	1.2359E-03
444	23175	Entrez Gene	lipin 1	32775_r_at 38098_at	Day 7 Peri/ Day 0 Peri Day 7 Peri/ Day 3 Peri	1.86 1.40	7.8860E-04 1.1136E-03
447	3071	Entrez Gene	NCK-associated protein 1-like	37845_at 37845_at	Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	1.84 1.72	4.8408E-04 3.5178E-03
448	1806	Entrez Gene	dihydropyrimidine dehydrogenase	38220_at	Day 7 Peri/ Day 0 Peri	1.84	1.4815E-03
450	4023	Entrez Gene	lipoprotein lipase	41209_at	Day 7 Peri/ Day 0 Peri	1.83	2.5140E-04
453	7169	Entrez Gene	tropomyosin 2 (beta)	32314_g_at	Day 7 Peri/ Day 0 Peri	1.82	2.3222E-03
454	9446	Entrez Gene	glutathione S-transferase omega 1	824_at	Day 7 Peri/ Day 0 Peri	1.45	8.2712E-03
455	684	Entrez Gene	bone marrow stromal cell antigen 2	39061_at 39061_at	Day 7 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri	1.82 1.66	2.9574E-03 4.7141E-03
456	AF009005	GenBank	lysozyme (renal amyloidosis) /// leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 1	35926_s_at	Day 7 Peri/ Day 0 Peri	1.81	6.6342E-04
461	57016	Entrez Gene	aldo-keto reductase family 1, member B10 (aldose reductase)	35926_s_at 37482_at	Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	1.81 1.81	4.1782E-04 5.7095E-03
462	9700	Entrez Gene	extra spindle poles like 1 (S. cerevisiae)	37482_at 38158_at	Day 3 Peri/ Day 0 Peri Day 3 Peri/ Day 0 Peri	1.76 1.28	8.7278E-03 9.7338E-03
463	4644	Entrez Gene	myosin VA (heavy polypeptide 12, myosin)	40571_at 40571_at	Day 3 Peri/ Day 0 Peri Day 7 Peri/ Day 0 Peri	1.80 1.79	7.3528E-03 4.3646E-04
467	994	Entrez Gene	cell division cycle 25B	1347_at	Day 3 Peri/ Day 0 Peri	1.41	7.1275E-03

Diagnostic Up - Table 12

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
468	1063	Entrez Gene	centromere protein F, 350/400ka (mitosin)	37302_at	Day 7 Peri/ Day 0 Peri	1.79	2.1612E-03
475	641	Entrez Gene	Bloom syndrome	37302_at	Day 3 Peri/ Day 0 Peri	1.71	3.7173E-03
478	2182	Entrez Gene	acyl-CoA synthetase long-chain family member 4	1544_at	Day 3 Peri/ Day 0 Peri	1.78	1.0048E-03
487	915	Entrez Gene	CD3D antigen, delta polypeptide (TIT3 complex)	38099_r_at	Day 7 Peri/ Day 0 Peri	1.78	3.5503E-04
495	4673	Entrez Gene	nucleosome assembly protein 1-like 1	38319_at	Day 7 Peri/ Day 0 Peri	1.77	5.4810E-03
497	221	Entrez Gene	aldehyde dehydrogenase 3 family, member B1	38319_at	Day 3 Peri/ Day 0 Peri	1.74	6.2457E-03
503	4600	Entrez Gene	myxovirus (influenza virus) resistance 2 (mouse)	34099_f_at	Day 7 Peri/ Day 0 Peri	1.75	9.6766E-03
504	3431	Entrez Gene	SP110 nuclear body protein	40685_at	Day 3 Peri/ Day 0 Peri	1.74	7.7877E-03
511	7558	Entrez Gene	zinc finger protein 11B	879_at	Day 3 Peri/ Day 0 Peri	1.73	8.1900E-05
515	11232	Entrez Gene	polymerase (DNA directed), gamma 2, accessory subunit	35718_at	Day 3 Peri/ Day 0 Peri	1.73	1.8893E-03
517	8534	Entrez Gene	carbohydrate (keratan sulfate Gal-6) sulfotransferase 1	32429_f_at	Day 7 Peri/ Day 0 Peri	1.72	4.9287E-04
521	5243	Entrez Gene	ATP-binding cassette, sub-family B (MDR/TAP), member 1	39643_at	Day 7 Peri/ Day 0 Peri	1.72	5.9499E-03
522	9447	Entrez Gene	absent in melanoma 2	41395_at	Day 7 Peri/ Day 0 Peri	1.52	7.9375E-03
524	6093	Entrez Gene	Rho-associated, coiled-coil containing protein kinase 1	41395_at	Day 3 Peri/ Day 0 Peri	1.48	3.8851E-04
527	10914	Entrez Gene	poly(A) polymerase alpha	1575_at	Day 7 Peri/ Day 0 Peri	1.70	5.8410E-04
529	9839	Entrez Gene	zinc finger homeobox 1b	34439_at	Day 7 Peri/ Day 0 Peri	1.70	5.4778E-03
531	6039	Entrez Gene	ribonuclease, RNase A family, k6	34735_at	Day 7 Peri/ Day 0 Peri	1.70	6.1517E-03
532	55041	Entrez Gene	Pleckstrin homology domain containing, family B (evecins) member 2	34855_at	Day 7 Peri/ Day 0 Peri	1.69	1.7782E-03
533	10212	Entrez Gene	DEAD (Asp-Glu-Ala-Asp) box polypeptide 39	35681_r_at	Day 7 Peri/ Day 0 Peri	1.68	3.2222E-03
536	56890	Entrez Gene	Mdm4, transformed 3T3 cell double minute 1, p53 binding protein (mouse)	34660_at	Day 7 Peri/ Day 0 Peri	1.68	3.4971E-03
539	4175	Entrez Gene	MCM6 minichromosome maintenance deficient 6 (MIS5 homolog, S. pombe) (S. cerevisiae)	34660_at	Day 3 Peri/ Day 0 Peri	1.59	7.1310E-03
541	3925	Entrez Gene	slathmin 1/oncoprotein 18	39525_at	Day 7 Peri/ Day 0 Peri	1.68	1.5070E-04
				149_at	Day 3 Peri/ Day 0 Peri	1.55	7.6400E-05
				149_at	Day 7 Peri/ Day 0 Peri	1.42	1.2009E-03
				37819_at	Day 7 Peri/ Day 0 Peri	1.67	3.7261E-03
				40117_at	Day 3 Peri/ Day 0 Peri	1.36	1.8329E-04
				40117_at	Day 7 Peri/ Day 0 Peri	1.29	4.9887E-03
				1782_s_at	Day 7 Peri/ Day 0 Peri	1.41	7.6020E-04
				1782_s_at	Day 3 Peri/ Day 0 Peri	1.37	2.2974E-03

Diagnostic Up - Table 12

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
543	8905	Entrez Gene	adaptor-related protein complex 1, sigma 2 subunit	41549_s_at	Day 7 Peri/ Day 0 Peri	1.66	1.8700E-05
544	HG3344-HT352	The Institute for Genomic Research		41549_s_at	Day 3 Peri/ Day 0 Peri	1.60	1.9543E-04
545	8706	Entrez Gene	UDP-Gal:betaGlcNAc beta 1,3-galactosyltransferase, polypeptide 3	1164_at	Day 7 Peri/ Day 0 Peri	1.39	1.8926E-03
546	11335	Entrez Gene	chromobox homolog 3 (HP1 gamma homolog, Drosophila)	39293_at	Day 3 Peri/ Day 0 Peri	1.66	7.3257E-03
547	23643	Entrez Gene	lymphocyte antigen 96	38085_at	Day 3 Peri/ Day 0 Peri	1.66	9.8654E-03
550	6491	Entrez Gene	TAL1 (SCL) interrupting locus	32767_at	Day 7 Peri/ Day 0 Peri	1.65	1.4748E-03
551	9444	Entrez Gene	quaking homolog, KH domain RNA binding (mouse)	32767_at	Day 7 Peri/ Day 0 Peri	1.62	6.3831E-03
559	2078	Entrez Gene	vets erythroblastosis virus E26 oncogene like (avian)	39760_at	Day 7 Peri/ Day 0 Peri	1.62	1.0430E-04
560	1848	Entrez Gene	dual specificity phosphatase 6	914_g_at	Day 7 Peri/ Day 0 Peri	1.62	1.1415E-03
561	1123	Entrez Gene	chimerin (chimaerin) 1	41193_at	Day 7 Peri/ Day 0 Peri	1.47	9.2477E-03
562	7035	Entrez Gene	Tissue factor pathway inhibitor (lipoprotein-associated coagulation inhibitor)	41193_at	Day 7 Peri/ Day 0 Peri	1.62	1.3891E-03
565	586	Entrez Gene	branched chain aminotransferase 1, cytosolic	40512_at	Day 7 Peri/ Day 0 Peri	1.62	2.6146E-04
568	442871	Entrez Gene	chromosome 11 open reading frame 32	40767_at	Day 7 Peri/ Day 0 Peri	1.46	2.6921E-03
569	2123	Entrez Gene	ecotropic viral integration site 2A	38201_at	Day 7 Peri/ Day 0 Peri	1.56	3.5572E-03
570	U40705	GenBank	telomeric repeat binding factor (NIMA-interacting) 1 /// similar to telomeric repeat binding factor 1 isoform 2; Telomeric repeat binding factor 1; te	36313_at	Day 7 Peri/ Day 0 Peri	1.61	9.2775E-04
571	51512	Entrez Gene	G-2 and S-phase expressed 1	32255_l_at	Day 7 Peri/ Day 3 Peri	1.52	4.1151E-03
572	9926	Entrez Gene	lysophosphatidylglycerol acyltransferase 1	39872_at	Day 3 Peri/ Day 0 Peri	1.47	9.9540E-03
573	55361	Entrez Gene	phosphatidylinositol 4-kinase type II	34387_at	Day 7 Peri/ Day 0 Peri	1.60	4.5606E-03
574	AJ001684	GenBank	killer cell lectin-like receptor subfamily C, member 1 /// killer cell lectin-like receptor subfamily C, member 2	33897_at	Day 7 Peri/ Day 0 Peri	1.60	2.4257E-03
575	11017	Entrez Gene	putative nucleic acid binding protein RY-1	32297_s_at	Day 7 Peri/ Day 0 Peri	1.60	3.4885E-03
576	1965	Entrez Gene	eukaryotic translation initiation factor 2, subunit 1 alpha, 35kDa	35286_r_at	Day 7 Peri/ Day 0 Peri	1.29	4.4597E-03
577	9702	Entrez Gene	transloklin	1154_at	Day 3 Peri/ Day 0 Peri	1.26	4.2429E-03
				39785_at	Day 7 Peri/ Day 0 Peri	1.59	8.7539E-03

Diagnostic Up - Table 12

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
579	10097	Entrez Gene	ARP2 actin-related protein 2 homolog (yeast)	35734_at	Day 7 Peri/ Day 0 Peri	1.59	3.7333E-03
583	9111	Entrez Gene	N-myc (and STAT) interactor	36472_at	Day 3 Peri/ Day 0 Peri	1.59	1.0409E-03
588	2877	Entrez Gene	glutathione peroxidase 2 (gastric/intestinal)	35194_at	Day 3 Peri/ Day 0 Peri	1.58	1.0866E-03
589	4836	Entrez Gene	N-myristoyltransferase 1	38999_s_at	Day 3 Peri/ Day 0 Peri	1.32	6.2374E-03
590	6119	Entrez Gene	replication protein A3, 14kDa	651_at	Day 3 Peri/ Day 0 Peri	1.58	6.4678E-03
592	25907	Entrez Gene	Ras-induced senescence 1	35692_at	Day 3 Peri/ Day 0 Peri	1.57	2.8884E-03
593	6996	Entrez Gene	thymine-DNA glycosylase	35692_at	Day 7 Peri/ Day 0 Peri	1.46	9.2899E-03
599	4172	Entrez Gene	MCM3 minichromosome maintenance deficient 3 (S. cerevisiae)	40865_at	Day 7 Peri/ Day 0 Peri	1.57	5.4071E-03
600	7019	Entrez Gene	transcription factor A, mitochondrial	33252_at	Day 3 Peri/ Day 0 Peri	1.56	9.2760E-04
601	4354	Entrez Gene	membrane protein, palmitoylated 1, 55kDa	36191_at	Day 7 Peri/ Day 0 Peri	1.56	5.9082E-03
604	283298	Entrez Gene	olfactomedin-like 1	32207_at	Day 3 Peri/ Day 0 Peri	1.56	2.0779E-04
608	7307	Entrez Gene	U2(RNU2) small nuclear RNA auxiliary factor 1	36695_at	Day 7 Peri/ Day 3 Peri	1.55	8.4349E-03
610	4200	Entrez Gene	malic enzyme 2, NAD(+)-dependent, mitochondrial	36517_at	Day 7 Peri/ Day 0 Peri	1.27	3.8236E-03
611	50999	Entrez Gene	transmembrane emp24 protein transport domain containing 5	36599_at	Day 7 Peri/ Day 0 Peri	1.53	6.2031E-03
613	6675	Entrez Gene	UDP-N-acetylglucosamine pyrophosphorylase 1	40931_at	Day 7 Peri/ Day 0 Peri	1.53	9.8430E-03
623	81611	Entrez Gene	acidic (leucine-rich) nuclear phosphoprotein 32 family, member E	40931_at	Day 3 Peri/ Day 0 Peri	1.37	8.9403E-03
625	840	Entrez Gene	caspase 7, apoptosis-related cysteine peptidase	41242_at	Day 7 Peri/ Day 0 Peri	1.52	7.1461E-03
630	290	Entrez Gene	alanine (membrane) aminopeptidase (aminopeptidase N, aminopeptidase M, microsomal aminopeptidase, CD13, p150)	40347_at	Day 3 Peri/ Day 0 Peri	1.51	1.7355E-03
631	4689	Entrez Gene	neutrophil cytosolic factor 4, 40kDa	38281_at	Day 7 Peri/ Day 0 Peri	1.50	3.9976E-03
632	3176	Entrez Gene	histamine N-methyltransferase	39385_at	Day 3 Peri/ Day 0 Peri	1.50	8.6634E-03
634	5214	Entrez Gene	phosphofructokinase, platelet	38893_at	Day 7 Peri/ Day 0 Peri	1.43	7.1851E-03
637	10772	Entrez Gene	FUS interacting protein (serine/arginine-rich) 1	37604_at	Day 7 Peri/ Day 0 Peri	1.49	1.8236E-03
638	5984	Entrez Gene	replication factor C (activator 1) 4, 37kDa	39175_at	Day 7 Peri/ Day 0 Peri	1.49	3.8965E-03
642	7168	Entrez Gene	tropomyosin 1 (alpha)	34717_s_at	Day 3 Peri/ Day 0 Peri	1.49	4.3218E-03
645	29893	Entrez Gene	TBP-1 interacting protein	1055_g_at	Day 7 Peri/ Day 0 Peri	1.49	1.8893E-03
647	7525	Entrez Gene	v-yes-1 Yamaguchi sarcoma vital oncogene homolog 1	1055_g_at	Day 3 Peri/ Day 0 Peri	1.46	3.2307E-03
				36792_at	Day 7 Peri/ Day 3 Peri	1.49	2.0464E-04
				36792_at	Day 7 Peri/ Day 0 Peri	1.43	4.2415E-03
				32577_s_at	Day 3 Peri/ Day 0 Peri	1.48	5.6835E-03
				1674_at	Day 7 Peri/ Day 0 Peri	1.48	9.2426E-03

Diagnostic Up - Table 12

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
648	23137	Entrez Gene	SMC5 structural maintenance of chromosomes 5-like 1 (yeast)	41379_at	Day 7 Peri/ Day 0 Peri	1.48	1.9152E-03
649	837	Entrez Gene	caspase 4, apoptosis-related cysteine peptidase	195_s_at	Day 3 Peri/ Day 0 Peri	1.48	3.3173E-03
650	6447	Entrez Gene	secretory granule, neuroendocrine protein 1 (7B2 protein)	195_s_at	Day 7 Peri/ Day 0 Peri	1.36	3.9309E-03
651	29970	Entrez Gene	schwannomin interacting protein 1	34265_at	Day 7 Peri/ Day 0 Peri	1.48	7.0348E-03
652	996	Entrez Gene	cell division cycle 27	36536_at	Day 7 Peri/ Day 0 Peri	1.48	4.1360E-03
655	3087	Entrez Gene	hematopoietically expressed homeobox	40591_at	Day 7 Peri/ Day 0 Peri	1.48	3.0938E-03
657	5937	Entrez Gene	RNA binding motif, single stranded interacting protein 1	37497_at	Day 7 Peri/ Day 0 Peri	1.47	9.2347E-04
658	10125	Entrez Gene	RAS guanyl releasing protein 1 (calcium and DAG-regulated)	33867_s_at	Day 7 Peri/ Day 0 Peri	1.47	8.0192E-04
659	10019	Entrez Gene	lymphocyte adaptor protein	33291_at	Day 3 Peri/ Day 0 Peri	1.46	9.7504E-03
660	6990	Entrez Gene	t-complex-associated-testis-expressed 1-like	39428_at	Day 7 Peri/ Day 0 Peri	1.46	7.2456E-04
661	6198	Entrez Gene	ribosomal protein S8 kinase, 70kDa, polypeptide 1	39428_at	Day 3 Peri/ Day 0 Peri	1.42	2.3522E-04
663	10528	Entrez Gene	nucleolar protein 5A (56kDa with KKE/D repeat)	36921_at	Day 3 Peri/ Day 0 Peri	1.46	2.8238E-03
664	1390	Entrez Gene	cAMP responsive element modulator	2037_s_at	Day 3 Peri/ Day 0 Peri	1.46	2.0917E-03
665	10240	Entrez Gene	mitochondrial ribosomal protein S31	34882_at	Day 3 Peri/ Day 0 Peri	1.46	2.7947E-03
667	2313	Entrez Gene	Friend leukemia virus integration 1	32067_at	Day 3 Peri/ Day 0 Peri	1.45	6.9010E-03
668	5087	Entrez Gene	Pre-B-cell leukemia transcription factor 1	40072_at	Day 7 Peri/ Day 3 Peri	1.45	6.2982E-03
672	3181	Entrez Gene	heterogeneous nuclear ribonucleoprotein A2/B1	41425_at	Day 7 Peri/ Day 0 Peri	1.45	2.9833E-03
673	902	Entrez Gene	cyclin H	33355_at	Day 7 Peri/ Day 3 Peri	1.29	6.5119E-03
675	10133	Entrez Gene	optineurin	36654_s_at	Day 7 Peri/ Day 0 Peri	1.44	4.0057E-03
676	M12959	GenBank	T cell receptor alpha locus /// T cell receptor delta variable 2 /// T cell receptor alpha variable 20 /// T cell receptor alpha joining 17 /// T cell	36654_s_at	Day 3 Peri/ Day 0 Peri	1.42	4.1972E-03
682	2268	Entrez Gene	Gardner-Rasheed feline sarcoma viral (v-fgr) oncogene homolog	1924_at	Day 7 Peri/ Day 0 Peri	1.44	6.1378E-03
683	1612	Entrez Gene	death-associated protein kinase 1	41744_at	Day 7 Peri/ Day 3 Peri	1.44	4.8992E-03
684	10943	Entrez Gene	male-specific lethal 3-like 1 (Drosophila)	1106_s_at	Day 3 Peri/ Day 0 Peri	1.43	8.3812E-03
686	26037	Entrez Gene	signal-induced proliferation-associated 1 like 1	1780_at	Day 3 Peri/ Day 0 Peri	1.43	9.2967E-03
				40049_at	Day 7 Peri/ Day 0 Peri	1.42	7.5518E-03
				37974_at	Day 7 Peri/ Day 0 Peri	1.42	9.0607E-03
				37974_at	Day 3 Peri/ Day 0 Peri	1.37	3.8456E-03
				40805_at	Day 7 Peri/ Day 3 Peri	1.42	1.0887E-03

Diagnostic Up - Table 12

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
690	158	Entrez Gene	adenylosuccinate lyase	36639_at	Day 7 Peri/ Day 0 Peri	1.41	2.1488E-03
692	3065	Entrez Gene	histone deacetylase 1	36639_at	Day 3 Peri/ Day 0 Peri	1.38	1.7590E-03
694	1794	Entrez Gene	dedicator of cytokinesis 2	38771_at	Day 3 Peri/ Day 0 Peri	1.41	1.3400E-04
697	27236	Entrez Gene	ADP-ribosylation factor interacting protein 1 (arfaplin 1)	38771_at	Day 7 Peri/ Day 0 Peri	1.41	5.2166E-04
698	10625	Entrez Gene	influenza virus NS1A binding protein	32704_at	Day 7 Peri/ Day 0 Peri	1.41	2.1392E-03
699	10231	Entrez Gene	Down syndrome critical region gene 1-like 1	33752_at	Day 7 Peri/ Day 0 Peri	1.40	9.4326E-03
700	23204	Entrez Gene	ADP-ribosylation factor-like 6 interacting protein	32076_at	Day 7 Peri/ Day 3 Peri	1.40	7.5109E-03
702	2958	Entrez Gene	general transcription factor IIA, 2, 12kDa	36572_r_at	Day 7 Peri/ Day 0 Peri	1.40	6.0260E-03
703	834	Entrez Gene	caspase 1, apoptosis-related cysteine peptidase (interleukin 1, beta, convertase)	37010_at	Day 7 Peri/ Day 0 Peri	1.40	2.1981E-03
705	6016	Entrez Gene	Ras-like without CAAX 1	574_s_at	Day 3 Peri/ Day 0 Peri	1.40	5.9309E-03
707	7763	Entrez Gene	zinc finger, A20 domain containing 2	38331_at	Day 7 Peri/ Day 0 Peri	1.39	4.4305E-03
708	10797	Entrez Gene	methylene tetrahydrofolate dehydrogenase (NADP+ dependent) 2, methylenetetrahydrofolate cyclohydrolase	38331_at	Day 3 Peri/ Day 0 Peri	1.36	8.4026E-03
709	7443	Entrez Gene	vaccinia related kinase 1	41542_at	Day 7 Peri/ Day 0 Peri	1.39	9.3984E-03
711	79888	Entrez Gene	hypothetical protein FLJ12443	40074_at	Day 7 Peri/ Day 0 Peri	1.39	8.3017E-03
712	8892	Entrez Gene	eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa	39980_at	Day 3 Peri/ Day 0 Peri	1.39	5.7124E-03
713	HG1322-HT514	The Institute for Genomic Research	---	39980_at	Day 7 Peri/ Day 0 Peri	1.35	9.5843E-03
714	57020	Entrez Gene	esophageal cancer associated protein	41176_at	Day 7 Peri/ Day 0 Peri	1.38	5.4603E-03
715	953	Entrez Gene	ectonucleoside triphosphate diphosphohydrolase 1	40515_at	Day 3 Peri/ Day 0 Peri	1.27	6.8385E-04
717	2634	Entrez Gene	guanylate binding protein 2, interferon-inducible	723_s_at	Day 3 Peri/ Day 0 Peri	1.38	1.6071E-03
719	23064	Entrez Gene	amyotrophic lateral sclerosis 4	723_s_at	Day 7 Peri/ Day 0 Peri	1.34	5.0475E-03
721	3251	Entrez Gene	hypoxanthine phosphoribosyltransferase 1 (Lesch-Nyhan syndrome)	41791_at	Day 7 Peri/ Day 0 Peri	1.38	2.1250E-03
723	4683	Entrez Gene	nibrin	32826_at	Day 7 Peri/ Day 3 Peri	1.38	2.5552E-03
724	8519	Entrez Gene	interferon induced transmembrane protein 1 (9-27)	32700_at	Day 3 Peri/ Day 0 Peri	1.38	1.3799E-03
725	23424	Entrez Gene	tudor domain containing 7	40083_at	Day 7 Peri/ Day 3 Peri	1.37	1.5222E-03
726	8540	Entrez Gene	alkylglycerone phosphate synthase	37640_at	Day 7 Peri/ Day 0 Peri	1.36	4.0577E-03
727	2956	Entrez Gene	mutS homolog 6 (E. coli)	35153_at	Day 7 Peri/ Day 0 Peri	1.35	6.8131E-03
728	10618	Entrez Gene	trans-golgi network protein 2	675_at	Day 3 Peri/ Day 0 Peri	1.35	4.7302E-03
				40852_at	Day 7 Peri/ Day 0 Peri	1.35	6.2550E-03
				39225_at	Day 7 Peri/ Day 0 Peri	1.35	6.6677E-03
				2003_s_at	Day 7 Peri/ Day 0 Peri	1.35	5.8539E-03
				38993_r_at	Day 7 Peri/ Day 0 Peri	1.35	7.3878E-03

Diagnostic Up - Table 12

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
733	2643	Entrez Gene	GTP cyclohydrolase 1 (dopa-responsive dystonia)	37944_at	Day 7 Peri/ Day 0 Peri	1.34	8.8851E-03
734	1200	Entrez Gene	tripeptidyl peptidase I	32824_at	Day 7 Peri/ Day 0 Peri	1.33	9.3093E-03
735	7296	Entrez Gene	thioredoxin reductase 1	39425_at	Day 3 Peri/ Day 0 Peri	1.33	3.8517E-04
				39425_at	Day 7 Peri/ Day 0 Peri	1.28	1.0574E-03
736	6880	Entrez Gene	TAF9 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 32kDa	193_at	Day 3 Peri/ Day 0 Peri	1.33	3.7140E-03
742	968	Entrez Gene	CD68 antigen	193_at	Day 7 Peri/ Day 0 Peri	1.31	9.4114E-03
743	23270	Entrez Gene	TSPY-like 4	33390_at	Day 3 Peri/ Day 0 Peri	1.32	8.8659E-03
745	8505	Entrez Gene	poly (ADP-ribose) glycohydrolase	33835_at	Day 7 Peri/ Day 3 Peri	1.32	5.9028E-03
746	3939	Entrez Gene	lactate dehydrogenase A	38270_at	Day 7 Peri/ Day 0 Peri	1.30	9.6297E-03
				41485_at	Day 3 Peri/ Day 0 Peri	1.30	6.8980E-03
748	23317	Entrez Gene	DnaJ (Hsp40) homolog, subfamily C, member 13	39403_at	Day 7 Peri/ Day 0 Peri	1.30	7.7748E-03
751	AD001528	GenBank	spermine synthase /// similar to spermine synthase; spermidine aminopropyltransferase	38792_at	Day 3 Peri/ Day 0 Peri	1.29	7.5763E-03
756	9792	Entrez Gene	SERTA domain containing 2	37312_at	Day 7 Peri/ Day 3 Peri	1.26	3.0809E-03
757	286451	Entrez Gene	Yip1 domain family, member 6	37891_at	Day 7 Peri/ Day 3 Peri	1.26	3.8760E-03
758	4292	Entrez Gene	mutL homolog 1, colon cancer, nonpolyposis type 2 (E. coli)	1850_at	Day 7 Peri/ Day 0 Peri	1.25	9.5876E-03
760	4976	Entrez Gene	optic atrophy 1 (autosomal dominant)	39745_at	Day 7 Peri/ Day 3 Peri	1.24	9.7423E-03
763	6993	Entrez Gene	t-complex-associated-testis-expressed 1-like 1	946_at	Day 3 Peri/ Day 0 Peri	1.16	4.4734E-03

Diagnostic Up - Table 13

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
218	10095	Entrez Gene	act1n related protein 2/3 complex, subunit 1B, 41kDa	39043_at	Day 3 Peri/ Day 0 Peri	1.71	4.9924E-04
				39043_at	Day 7 Peri/ Day 0 Peri	1.62	7.1268E-03

Diagnostic Up - Table 14

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
135	8578	Entrez Gene	scavenger receptor class F, member 1	40034_r_at	Day 7 Peri/ Day 0 Peri	1.92	4.8512E-03
311	5420	Entrez Gene	podocalyxin-like	40034_r_at	Day 7 Peri/ Day 3 Peri	1.56	1.5653E-03
406	914	Entrez Gene	CD2 antigen (p50), sheep red blood cell receptor	40434_at	Day 7 Peri/ Day 0 Peri	1.46	4.4427E-03
715	953	Entrez Gene	ectonucleoside triphosphate diphosphohydrolase 1	40738_at	Day 7 Peri/ Day 0 Peri	1.65	7.4139E-03
				32826_at	Day 7 Peri/ Day 3 Peri	1.38	2.5552E-03

Diagnostic Up - Table 15

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
164	929	Entrez Gene	CD14 antigen	36661_s_at	Day 3 Peri/ Day 0 Peri	2.05	3.9492E-03
315	9450	Entrez Gene	lymphocyte antigen 86	35869_at	Day 3 Peri/ Day 0 Peri	1.64	1.4267E-03
363	313	Entrez Gene	acyloxyacyl hydrolase (neutrophil)	37647_at	Day 7 Peri/ Day 0 Peri	2.02	3.8621E-04
517	8534	Entrez Gene	carbohydrate (keratan sulfate Gal-6) sulfotransferase 1	37647_at	Day 3 Peri/ Day 0 Peri	1.80	2.9579E-03
547	23643	Entrez Gene	lymphocyte antigen 96	41395_at	Day 7 Peri/ Day 0 Peri	1.52	7.9375E-03
583	9111	Entrez Gene	N-myc (and STAT) interactor	41395_at	Day 3 Peri/ Day 0 Peri	1.48	3.8851E-04
				33956_at	Day 7 Peri/ Day 0 Peri	1.66	1.4748E-03
				36472_at	Day 3 Peri/ Day 0 Peri	1.59	1.0409E-03

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
630	290	Entrez Gene	alanyl (membrane) aminopeptidase (aminopeptidase N, aminopeptidase M, microsomal aminopeptidase, CD13, p150)	39385_at	Day 3 Peri/ Day 0 Peri	1.50	8.6634E-03

Diagnostic Up - Table 17

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
5	9422	Entrez Gene	zinc finger protein 264	41612_at	Day 3 Peri / Day 3 Intra	2.28	1.0025E-03
11	3992	Entrez Gene	fatty acid desaturase 1	41719_l_at	Day 0 Peri / Day 0 Intra	8.75	1.6814E-03
12	348162	Entrez Gene	hypothetical protein 348162	41719_l_at	Day 3 Peri / Day 3 Intra	3.87	1.1775E-03
13	1783	Entrez Gene	dynein, cytoplasmic, light intermediate polypeptide 2	41717_at	Day 7 Peri / Day 7 Intra	2.27	2.8502E-03
27	2737	Entrez Gene	GLI-Kruppel family member GLI3 (Greig cephalopolysyndactyly syndrome)	40951_at	Day 3 Peri / Day 3 Intra	3.21	4.7923E-03
28	23405	Entrez Gene	Dicer1, Dcr-1 homolog (Drosophila)	40949_at	Day 3 Peri / Day 3 Intra	1.90	3.7252E-03
33	7083	Entrez Gene	thymidine kinase 1, soluble	40358_at	Day 3 Peri / Day 3 Intra	2.06	4.2348E-03
35	22891	Entrez Gene	zinc finger protein 365	38765_at	Day 3 Peri / Day 3 Intra	1.75	5.5932E-03
38	7707	Entrez Gene	zinc finger protein 148 (pH2-52)	910_at	Day 0 Peri / Day 0 Intra	1.76	8.8981E-03
40	10608	Entrez Gene	MAX dimerization protein 4	35959_at	Day 3 Peri / Day 3 Intra	1.90	3.4986E-03
41	341	Entrez Gene	apolipoprotein C-I	41466_s_at	Day 3 Peri / Day 3 Intra	2.17	5.7086E-04
45	6738	Entrez Gene	TROVE domain family, member 2	38639_at	Day 3 Peri / Day 3 Intra	2.09	1.9884E-03
48	10766	Entrez Gene	transducer of ERBB2, 2	41764_at	Day 0 Peri / Day 0 Intra	5.22	7.4624E-03
51	7357	Entrez Gene	UDP-glucose ceramide glucosyltransferase	35295_g_at	Day 3 Peri / Day 3 Intra	2.60	1.4042E-04
57	1385	Entrez Gene	cAMP responsive element binding protein 1	39286_at	Day 3 Peri / Day 3 Intra	3.05	4.4263E-04
59	4820	Entrez Gene	natural killer-tumor recognition sequence	40215_at	Day 3 Peri / Day 3 Intra	1.89	3.5696E-03
60	23177	Entrez Gene	KIAA0582	37635_at	Day 3 Peri / Day 3 Intra	2.19	8.5571E-04
62	9645	Entrez Gene	microtubule associated monooxygenase, calponin and LIM domain containing 2	34234_f_at	Day 3 Peri / Day 3 Intra	1.82	3.6107E-03
73	7716	Entrez Gene	zinc finger protein 161	40191_s_at	Day 3 Peri / Day 3 Intra	1.76	6.4747E-03
75	9353	Entrez Gene	slit homolog 2 (Drosophila)	40848_g_at	Day 0 Peri / Day 0 Intra	2.43	6.1052E-03
84	6925	Entrez Gene	Transcription factor 4	350_at	Day 3 Peri / Day 3 Intra	1.77	1.5388E-03
86	2186	Entrez Gene	fetal Alzheimer antigen	39634_at	Day 3 Peri / Day 3 Intra	1.84	2.7788E-03
89	57556	Entrez Gene	sema domain, transmembrane domain (TM), and cytoplasmic domain, (semaphorin) 6A	32872_at	Day 3 Peri / Day 3 Intra	2.30	1.6281E-03
96	3872	Entrez Gene	keratin 17	41091_at	Day 3 Peri / Day 3 Intra	1.98	1.0968E-03
98	8609	Entrez Gene	Kruppel-like factor 7 (ubiquitous)	36275_at	Day 3 Peri / Day 3 Intra	2.16	3.4987E-03
101	26118	Entrez Gene	WD repeat and SOCS box-containing 1	34301_r_at	Day 0 Peri / Day 0 Intra	2.60	2.5750E-03
113	55884	Entrez Gene	WD repeat and SOCS box-containing 2	34216_at	Day 3 Peri / Day 3 Intra	1.48	9.0408E-03
116	22981	Entrez Gene	KIAA0980 protein	40928_at	Day 3 Peri / Day 3 Intra	1.75	1.9441E-03
118	9527	Entrez Gene	golgi SNAP receptor complex member 1	40166_at	Day 3 Peri / Day 3 Intra	1.89	4.7221E-03
124	23705	Entrez Gene	immunoglobulin superfamily, member 4	34276_at	Day 7 Peri / Day 7 Intra	1.96	8.3976E-04
				40725_at	Day 3 Peri / Day 3 Intra	1.54	2.9011E-03
				37929_at	Day 3 Peri / Day 3 Intra	1.94	5.0517E-03

Diagnostic Up - Table 17

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
127	55660	Entrez Gene	formin binding protein 3	37506_at	Day 3 Peri / Day 3 Intra	1.81	6.3129E-03
130	10395	Entrez Gene	deleted in liver cancer 1	37951_at	Day 3 Peri / Day 3 Intra	1.83	3.8764E-03
148	6813	Entrez Gene	synlaxin binding protein 2	38259_at	Day 0 Peri / Day 0 Intra	2.28	5.6866E-03
152	890	Entrez Gene	cyclin A2	40697_at	Day 0 Peri / Day 0 Intra	1.38	9.5486E-03
172	6304	Entrez Gene	special AT-rich sequence binding protein 1 (binds to nuclear matrix/scaffold-associating DNA's)	36899_at	Day 3 Peri / Day 3 Intra	1.69	4.2729E-04
174	10159	Entrez Gene	ATPase, H+ transporting, lysosomal accessory protein 2	41777_at	Day 3 Peri / Day 3 Intra	1.60	9.1656E-03
182	2801	Entrez Gene	golgi autoantigen, golgin subfamily a. 2	35436_at	Day 0 Peri / Day 0 Intra	1.55	3.0592E-03
184	1601	Entrez Gene	disabled homolog 2, mitogen-responsive phosphoprotein (Drosophila)	479_at	Day 3 Peri / Day 3 Intra	1.79	4.4390E-03
190	8019	Entrez Gene	bromodomain containing 3	37947_at	Day 3 Peri / Day 3 Intra	1.69	2.2144E-03
212	23099	Entrez Gene	zinc finger protein 297B	41695_at	Day 3 Peri / Day 3 Intra	1.88	8.5577E-03
216	126299	Entrez Gene	hypothetical protein MGC51082	41083_at	Day 3 Peri / Day 3 Intra	1.61	2.8379E-03
220	6659	Entrez Gene	SRY (sex determining region Y)-box 4	33131_at	Day 3 Peri / Day 3 Intra	2.11	5.0327E-04
223	8405	Entrez Gene	speckle-type POZ protein	33131_at	Day 7 Peri / Day 7 Intra	1.42	9.8282E-03
225	55122	Entrez Gene	Chromosome 6 open reading frame 166	39423_f_at	Day 3 Peri / Day 3 Intra	1.82	3.3513E-03
246	2115	Entrez Gene	ets variant gene 1	34252_at	Day 3 Peri / Day 3 Intra	1.78	1.5643E-03
255	6046	Entrez Gene	bromodomain containing 2	37156_at	Day 3 Peri / Day 3 Intra	2.43	6.3610E-03
277	10498	Entrez Gene	coactivator-associated arginine methyltransferase 1	36210_g_at	Day 3 Peri / Day 3 Intra	1.58	3.3531E-03
294	23383	Entrez Gene	KIAA0892	40182_s_at	Day 0 Peri / Day 0 Intra	1.90	5.7007E-03
297	1112	Entrez Gene	checkpoint suppressor 1	36054_at	Day 3 Peri / Day 3 Intra	1.64	6.9013E-04
307	8148	Entrez Gene	TAF15 RNA polymerase II, TATA box binding protein (TBP)-associated factor, 68kDa	41000_at	Day 3 Peri / Day 3 Intra	1.67	8.4597E-03
308	9169	Entrez Gene	splicing factor, arginine/serine-rich 2, interacting protein	36822_at	Day 3 Peri / Day 3 Intra	1.38	8.5833E-03
314	23534	Entrez Gene	transportin 3	35259_s_at	Day 3 Peri / Day 3 Intra	1.55	8.1019E-03
319	64764	Entrez Gene	cAMP responsive element binding protein 3-like 2	35813_at	Day 3 Peri / Day 3 Intra	1.56	6.2812E-03
343	10658	Entrez Gene	CUG triplet repeat, RNA binding protein 1	39692_at	Day 3 Peri / Day 3 Intra	1.60	8.3520E-03
347	U80770	GenBank	Homo sapiens, clone IMAGE:5538654, mRNA	33207_at	Day 3 Peri / Day 3 Intra	1.62	2.6844E-03
368	7289	Entrez Gene	lubby like protein 3	31771_at	Day 7 Peri / Day 7 Intra	1.77	5.3855E-03
				31944_at	Day 3 Peri / Day 3 Intra	1.45	6.1645E-03

Diagnostic Up - Table 17

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
373	49855	Entrez Gene	zinc finger protein 291	40937_at	Day 3 Peri / Day 3 Intra	1.76	5.9874E-03
391	27252	Entrez Gene	kelch-like 20 (Drosophila)	37150_at	Day 3 Peri / Day 3 Intra	1.74	8.4200E-05
408	8621	Entrez Gene	cell division cycle 2-like 5 (cholinesterase-related cell division controller)	41821_at	Day 3 Peri / Day 3 Intra	1.55	4.8625E-03
409	523	Entrez Gene	ATPase, H+ transporting, lysosomal 70kDa, V1 subunit A	34890_at	Day 0 Peri / Day 0 Intra	1.70	8.1669E-03
441	HG884-HT884	The Institute for Genomic Research	---	1725_s_at	Day 3 Peri / Day 3 Intra	1.50	4.7588E-03
444	23175	Entrez Gene	lipin 1	38098_at	Day 7 Peri / Day 7 Intra	1.39	6.2426E-03
452	7407	Entrez Gene	valyl-tRNA synthetase	40414_at	Day 0 Peri / Day 0 Intra	1.48	8.8465E-03
482	1488	Entrez Gene	C-terminal binding protein 2	40780_at	Day 3 Peri / Day 3 Intra	1.40	3.9377E-03
490	8543	Entrez Gene	LIM domain only 4	1452_at	Day 3 Peri / Day 3 Intra	1.49	5.5164E-04
492	2280	Entrez Gene	FK506 binding protein 1A, 12kDa	880_at	Day 0 Peri / Day 0 Intra	1.64	9.2165E-03
505	5476	Entrez Gene	protective protein for beta-galactosidase (galactosialidosis)	39062_at	Day 0 Peri / Day 0 Intra	1.52	5.2900E-03
608	7307	Entrez Gene	U2(RNU2) small nuclear RNA auxiliary factor 1	36517_at	Day 7 Peri / Day 7 Intra	1.32	8.4195E-03
686	26037	Entrez Gene	signal-induced proliferation-associated 1 like 1	40805_at	Day 7 Peri / Day 7 Intra	1.37	2.3185E-03

Diagnostic Up - Table 18

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
4	6318	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 4	1549_s_at	Day 3 Intra/ Day 0 Intra	26.94	3.0352E-04
7	50486	Entrez Gene	G0/G1switch 2	1549_s_at 38326_at 38326_at	Day 7 Intra/ Day 0 Intra Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra	10.58 18.80 9.74	2.5869E-03 1.1438E-04 1.1543E-03
9	7545	Entrez Gene	Zic family member 1 (odd-paired homolog, Drosophila)	36308_at	Day 7 Intra / Day 7 Control	13.66	5.4956E-03
10	7404	Entrez Gene	ubiquitously transcribed tetratricopeptide repeat gene, Y-linked	34477_at	Day 7 Intra / Day 7 Control	14.35	9.7120E-03
14	3868	Entrez Gene	keratin 16 (focal non-epidermolytic palmoplantar keratoderma)	601_s_at 601_s_at	Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra	10.35 8.34	5.4676E-04 6.2898E-04
17	1915	Entrez Gene	Eukaryotic translation elongation factor 1 alpha 1	40888_f_at	Day 7 Intra / Day 7 Extra	6.03	5.7313E-03
18	2597	Entrez Gene	glyceraldehyde-3-phosphate dehydrogenase	AFFX- HUMGAPDH/M331 97_5_st	Day 7 Intra / Day 7 Extra	8.50	4.4849E-03
19	1992	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 1	33305_at	Day 3 Intra/ Day 0 Intra	9.14	8.7328E-04
20	3934	Entrez Gene	lipocalin 2 (oncogene 24p3)	32821_at 32821_at	Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra	9.06 6.96	1.3903E-03 6.3774E-03
21	3162	Entrez Gene	heme oxygenase (decycling) 1	33802_at	Day 3 Intra/ Day 0 Intra	9.00	3.6488E-03
26	146057	Entrez Gene	tau tubulin kinase 2	33802_at	Day 7 Intra/ Day 0 Intra	7.79	6.9001E-04
29	6317	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 3	34899_at	Day 3 Intra / Day 3 Control	4.32	6.9958E-03
33	7083	Entrez Gene	thymidine kinase 1, soluble	1343_s_at 910_at	Day 3 Intra/ Day 0 Intra Day 3 Intra/ Day 0 Intra	7.50 7.32	5.0769E-03 9.5800E-05
35	22891	Entrez Gene	zinc finger protein 365	910_at 35959_at	Day 7 Intra/ Day 0 Intra Day 0 Intra / Day 0 Control	5.14 7.20	2.2040E-03 8.1453E-04
36	2209	Entrez Gene	Fc fragment of IgG, high affinity Ia ₁ receptor (CD64)	37220_at	Day 3 Intra/ Day 0 Intra	7.02	2.7900E-05
39	5179	Entrez Gene	proenkephalin	37220_at	Day 7 Intra/ Day 0 Intra	6.20	3.1656E-03
41	341	Entrez Gene	apolipoprotein C-1	38291_at	Day 0 Intra / Day 0 Control	5.30	7.3221E-03
42	2982	Entrez Gene	guanylate cyclase 1, soluble, alpha 3	41764_at	Day 7 Intra/ Day 0 Intra	5.33	1.6409E-04
43	6474	Entrez Gene	short stature homeobox 2	36918_at	Day 7 Intra / Day 7 Control	2.70	7.1193E-03
45	6738	Entrez Gene	TROVE domain family, member 2	36487_at	Day 7 Intra / Day 7 Control	3.36	8.6975E-03
47	10622	Entrez Gene	polymerase (RNA) III (DNA directed) polypeptide G (32kD)	35293_at	Day 7 Intra / Day 7 Control	3.04	6.6636E-03
49	2328	Entrez Gene	flavin containing monooxygenase 3	31571_at 40665_at	Day 0 Intra / Day 0 Control Day 7 Intra / Day 7 Control	6.00 5.83	3.4456E-03 8.7293E-03

Diagnostic Up - Table 18

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
53	AL050030	GenBank	---	35603_at	Day 7 Intra / Day 7 Control	4.27	5.9050E-03
54	5265	Entrez Gene	serpin peptidase inhibitor, clade A (alpha-1 antitrypsin), member 1	36781_at	Day 3 Intra/ Day 0 Intra	5.52	2.5357E-04
63	9133	Entrez Gene	cyclin B2	36781_at	Day 7 Intra/ Day 0 Intra	5.32	5.2761E-03
65	9768	Entrez Gene	KIAA0101	32263_at	Day 3 Intra/ Day 0 Intra	5.08	2.6474E-04
				32263_at	Day 7 Intra/ Day 0 Intra	2.91	7.1162E-03
				38116_at	Day 3 Intra/ Day 0 Intra	4.99	2.6582E-04
				38116_at	Day 7 Intra/ Day 0 Intra	2.71	2.6791E-03
67	11006	Entrez Gene	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 4	36753_at	Day 7 Intra/ Day 0 Intra	4.94	6.6276E-04
				36753_at	Day 3 Intra/ Day 0 Intra	3.50	3.2894E-03
				36753_at	Day 7 Intra/ Day 7 Peri	1.75	5.7745E-03
68	8529	Entrez Gene	cytochrome P450, family 4, subfamily F, polypeptide 2	1350_at	Day 7 Intra / Day 7 Control	4.28	8.5546E-03
71	713	Entrez Gene	complement component 1, q subcomponent, beta polypeptide	1350_at	Day 7 Intra/ Day 0 Intra	2.22	5.3725E-03
				38796_at	Day 7 Intra/ Day 0 Intra	4.64	2.6535E-03
79	2214	Entrez Gene	Fc fragment of IgG, low affinity IIIa, receptor (CD16a)	37200_at	Day 7 Intra/ Day 0 Intra	4.38	6.4885E-04
				37200_at	Day 3 Intra/ Day 0 Intra	3.56	2.6167E-03
83	891	Entrez Gene	cyclin B1	1945_at	Day 3 Intra/ Day 0 Intra	4.27	1.2700E-06
84	6925	Entrez Gene	Transcription factor 4	34736_at	Day 7 Intra/ Day 0 Intra	2.89	4.1984E-03
				36605_at	Day 7 Intra/ Day 3 Intra	1.69	1.0927E-03
85	4680	Entrez Gene	carcinoembryonic antigen-related cell adhesion molecule 6 (non-specific cross reacting antigen)	36105_at	Day 3 Intra/ Day 0 Intra	4.22	4.3373E-03
				36105_at	Day 7 Intra/ Day 0 Intra	4.07	6.8300E-03
88	2215	Entrez Gene	Fc fragment of IgG, low affinity IIIb, receptor (CD16b)	31499_s_at	Day 7 Intra/ Day 0 Intra	4.18	1.2925E-03
90	1973	Entrez Gene	Eukaryotic translation initiation factor 4A, isoform 1	1199_at	Day 3 Intra/ Day 0 Intra	1.63	8.6946E-03
93	57134	Entrez Gene	mannosidase, alpha, class 1C, member 1	40716_at	Day 3 Intra / Day 3 Extra	3.28	5.2078E-03
95	9997	Entrez Gene	SCO cytochrome oxidase deficient homolog 2 (yeast)	40639_at	Day 3 Intra/ Day 0 Intra	3.84	6.6460E-03
96	3872	Entrez Gene	keratin 17	34301_r_at	Day 3 Intra/ Day 0 Intra	3.82	1.1187E-04
98	8609	Entrez Gene	Kruppel-like factor 7 (ubiquitous)	34301_r_at	Day 7 Intra/ Day 0 Intra	2.61	1.0275E-03
99	27309	Entrez Gene	zinc finger protein 330	34217_at	Day 7 Intra / Day 7 Control	1.61	6.2852E-03
				37522_r_at	Day 7 Intra / Day 7 Control	3.77	9.8639E-03

Diagnostic Up - Table 18

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
100	9407	Entrez Gene	transmembrane protease, serine 11D	31345_at	Day 7 Intra/ Day 0 Intra	3.77	9.2377E-03
103	2730	Entrez Gene	glutamate-cysteine ligase, modifier subunit	33163_r_at	Day 0 Intra / Day 0 Control	3.73	2.7000E-05
105	4762	Entrez Gene	nuclear factor I/C (CCAAT-binding transcription factor)	33329_at	Day 7 Intra / Day 7 Extra	2.96	1.0185E-03
106	597	Entrez Gene	BCL2-related protein A1	2002_s_at	Day 3 Intra/ Day 0 Intra	3.70	9.6898E-04
107	7298	Entrez Gene	thymidylate synthetase	1505_at	Day 3 Intra/ Day 0 Intra	3.67	4.2900E-07
112	3055	Entrez Gene	hemopoietic cell kinase	1505_at	Day 7 Intra/ Day 0 Intra	2.70	4.8300E-05
117	2207	Entrez Gene	Fc fragment of IgE, high affinity I, receptor for; gamma polypeptide	40742_at	Day 3 Intra/ Day 0 Intra	2.99	6.5264E-03
119	2212	Entrez Gene	Fc fragment of IgG, low affinity IIa, receptor (CD32)	2045_s_at	Day 7 Intra/ Day 0 Intra	2.01	8.8252E-03
				36889_at	Day 3 Intra/ Day 0 Intra	3.52	5.1985E-03
				37689_s_at	Day 3 Intra/ Day 0 Intra	3.44	1.7285E-03
				37689_s_at	Day 7 Intra/ Day 0 Intra	3.43	4.1850E-04
120	AF025533	GenBank	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 2 /// leukocyte immunoglobulin-like receptor, subfamily B (wit	37148_at	Day 3 Intra/ Day 0 Intra	3.42	2.2916E-03
				37148_at	Day 7 Intra/ Day 0 Intra	2.37	8.4158E-03
132	4599	Entrez Gene	myxovirus (influenza virus) resistance 1, interferon-inducible protein p78 (mouse)	37014_at	Day 3 Intra/ Day 0 Intra	3.26	7.7487E-03
134	57608	Entrez Gene	KIAA1462	37014_at	Day 7 Intra/ Day 0 Intra	2.78	4.1954E-04
135	8578	Entrez Gene	scavenger receptor class F, member 1	38351_at	Day 0 Intra / Day 0 Control	3.24	2.7208E-03
				40034_r_at	Day 7 Intra / Day 7 Control	2.49	8.1498E-03
140	699	Entrez Gene	BUB1 budding uninhibited by benzimidazoles 1 homolog (yeast)	41081_at	Day 3 Intra/ Day 0 Intra	3.18	3.5900E-05
141	6495	Entrez Gene	sine oculis homeobox homolog 1 (Drosophila)	41081_at	Day 7 Intra/ Day 0 Intra	2.66	5.8517E-03
143	10899	Entrez Gene	Jumping translocation breakpoint	40004_at	Day 7 Intra / Day 7 Control	2.74	1.8280E-03
146	54440	Entrez Gene	chromosome X open reading frame 9	41832_s_at	Day 7 Intra / Day 7 Extra	3.15	8.9905E-03
148	6813	Entrez Gene	syntaxin binding protein 2	40296_at	Day 7 Intra/ Day 0 Intra	3.11	8.1793E-03
				38259_at	Day 3 Intra/ Day 0 Intra	3.09	1.0445E-03
150	9473	Entrez Gene	chromosome 1 open reading frame 38	41409_at	Day 7 Intra/ Day 0 Intra	3.07	1.8232E-04
151	7378	Entrez Gene	uridine phosphorylase 1	41409_at	Day 3 Intra/ Day 0 Intra	2.80	5.0493E-04
				37351_at	Day 3 Intra/ Day 0 Intra	3.07	1.6607E-04

Diagnostic Up - Table 18

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
152	890	Entrez Gene	cyclin A2	40697_at	Day 3 Intra/ Day 0 Intra	3.06	3.1000E-05
				40697_at	Day 7 Intra/ Day 0 Intra	2.51	3.1100E-05
153	6772	Entrez Gene	signal transducer and activator of transcription 1, 91kDa	AFFX- HUMISGF3A/M979 35_5_at	Day 7 Intra/ Day 0 Intra	3.05	1.0200E-03
				33339_g_at	Day 3 Intra/ Day 0 Intra	2.55	1.9749E-04
154	8942	Entrez Gene	kynureninase (L-kynurenine hydrolase)	40671_g_at	Day 3 Intra/ Day 0 Intra	3.04	7.2609E-03
				40672_at	Day 7 Intra/ Day 0 Intra	1.60	4.2814E-03
155	440352	Entrez Gene	Similar to BTG3 associated nuclear protein isoform b	40952_at	Day 7 Intra / Day 7 Extra	3.02	2.8849E-03
158	1164	Entrez Gene	CDC28 protein kinase regulatory subunit 2	40690_at	Day 3 Intra/ Day 0 Intra	3.00	3.3300E-06
159	U00928	GenBank	---	39181_at	Day 7 Intra / Day 7 Extra	2.99	1.2927E-03
164	929	Entrez Gene	CD14 antigen	36661_s_at	Day 7 Intra/ Day 0 Intra	2.94	5.4018E-03
170	2034	Entrez Gene	endothelial PAS domain protein 1	36661_s_at	Day 3 Intra/ Day 0 Intra	2.88	6.9631E-03
173	10615	Entrez Gene	sperm associated antigen 5	38092_at	Day 0 Intra / Day 0 Control	2.92	4.5798E-03
179	983	Entrez Gene	cell division cycle 2, G1 to S and G2 to M	32120_at	Day 3 Intra/ Day 0 Intra	2.88	2.5465E-03
				33324_s_at	Day 3 Intra/ Day 0 Intra	2.84	3.0030E-03
186	50810	Entrez Gene	Hepatoma-derived growth factor, related protein 3	34673_r_at	Day 7 Intra/ Day 3 Intra	1.87	1.5069E-03
187	7805	Entrez Gene	lysosomal associated multispanning membrane protein 5	37759_at	Day 7 Intra/ Day 0 Intra	2.78	1.0398E-03
				37759_at	Day 3 Intra/ Day 0 Intra	2.10	5.3961E-03
189	5341	Entrez Gene	pleckstrin	37328_at	Day 7 Intra/ Day 0 Intra	2.75	5.2123E-04
192	3099	Entrez Gene	hexokinase 2	37328_at	Day 3 Intra/ Day 0 Intra	2.61	9.4767E-03
193	10630	Entrez Gene	podoplanin	40964_at	Day 3 Intra/ Day 0 Intra	2.73	3.9238E-03
				41870_at	Day 3 Intra/ Day 0 Intra	2.72	2.1686E-03
195	5163	Entrez Gene	pyruvate dehydrogenase kinase, isoenzyme 1	41870_at	Day 7 Intra/ Day 0 Intra	2.55	6.0575E-03
196	8638	Entrez Gene	2'-5'-oligoadenylate synthetase-like	36386_at	Day 7 Intra/ Day 0 Intra	2.72	8.0520E-03
197	1476	Entrez Gene	cystatin B (stefin B)	34491_at	Day 3 Intra/ Day 0 Intra	2.72	4.3219E-03
				35816_at	Day 3 Intra/ Day 0 Intra	2.72	2.6259E-03
				35816_at	Day 7 Intra/ Day 0 Intra	1.89	3.4096E-03

Diagnostic Up - Table 18

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
199	11130	Entrez Gene	ZW10 interactor	35995_at	Day 3 Intra/ Day 0 Intra	2.70	2.5800E-05
201	5970	Entrez Gene	v-rel reticuloendotheliosis viral oncogene homolog A, nuclear factor of kappa light polypeptide gene enhancer in B-cells 3, p65 (avian)	1045_s_at	Day 7 Intra / Day 7 Extra	2.68	8.3206E-03
205	7153	Entrez Gene	topoisomerase (DNA) II alpha 170kDa	40145_at 1592_at	Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra	2.64 1.79	5.1212E-04 2.8739E-03
206	5836	Entrez Gene	phosphorylase, glycogen; liver (Hers disease, glycogen storage disease type VI)	37215_at	Day 3 Intra/ Day 0 Intra	2.61	1.0097E-03
208	3838	Entrez Gene	karyopherin alpha 2 (RAG cohort 1, Importin alpha 1)	37215_at 40407_at	Day 3 Intra / Day 3 Peri Day 3 Intra/ Day 0 Intra	1.76 2.59	5.9794E-03 7.6802E-04
209	2591	Entrez Gene	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 3 (GalNAc-T3)	36483_at	Day 3 Intra/ Day 0 Intra	2.58	6.2318E-03
213	HG172- HT3924	The Institute for Genomic Research	---	1173_g_at 1173_g_at	Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra	2.57 2.12	1.8360E-04 1.5100E-05
215	4059	Entrez Gene	Lutheran blood group (Auberger b antigen included)	40093_at	Day 7 Intra / Day 7 Extra	1.88	7.6902E-03
218	10095	Entrez Gene	actin related protein 2/3 complex, subunit 1B, 41kDa	39043_at	Day 3 Intra/ Day 0 Intra	2.54	8.3894E-04
225	55122	Entrez Gene	Chromosome 5 open reading frame 166	39043_at	Day 7 Intra/ Day 0 Intra	2.39	7.1434E-03
226	8530	Entrez Gene	cystatin F (leukocystatin)	34252_at	Day 7 Intra / Day 7 Extra	2.52	1.6570E-03
231	4288	Entrez Gene	antigen identified by monoclonal antibody Ki-67	34965_at 418_at	Day 7 Intra/ Day 0 Intra Day 3 Intra/ Day 0 Intra	2.52 2.48	5.5824E-03 2.6436E-03
232	4939	Entrez Gene	2'-5'-oligoadenylate synthetase 2, 69/71kDa	418_at 39263_at	Day 7 Intra/ Day 0 Intra Day 3 Intra/ Day 0 Intra	2.17 2.47	3.2302E-03 3.8935E-03
234	2237	Entrez Gene	flap structure-specific endonuclease 1	39263_at	Day 7 Intra/ Day 0 Intra	2.45	1.9867E-03
235	22974	Entrez Gene	TPX2, microtubule-associated, homolog (Xenopus laevis)	41583_at 39109_at 39109_at	Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra	2.47 1.75 2.46 1.70	4.1400E-05 2.3531E-03 1.2900E-05 4.8414E-04

Diagnostic Up - Table 18

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
237	23474	Entrez Gene	ethylmalonic encephalopathy 1	36170_at	Day 3 Intra/ Day 0 Intra	2.46	4.7700E-05
238	AF070571	GenBank	Clone 24739 mRNA sequence	36170_at	Day 7 Intra/ Day 0 Intra	1.84	1.2347E-03
242	9445	Entrez Gene	Integral membrane protein 2B	41575_at	Day 7 Intra/ Day 3 Intra	1.81	9.5342E-03
243	4860	Entrez Gene	nucleoside phosphorylase	41301_at	Day 7 Intra/ Day 7 Extra	2.44	2.3663E-03
245	9134	Entrez Gene	cyclin E2	430_at	Day 3 Intra/ Day 0 Intra	2.44	3.4487E-04
248	5610	Entrez Gene	eukaryotic translation initiation factor 2-alpha kinase 2	35249_at	Day 3 Intra/ Day 0 Intra	2.43	1.9900E-05
250	X02883	GenBank	T cell receptor alpha locus /// T cell receptor delta variable 2 /// T cell receptor alpha variable 20 /// T cell receptor alpha joining 17 /// T cell	1008_f_at	Day 7 Intra/ Day 7 Extra	2.42	8.8498E-03
251	4688	Entrez Gene	neutrophil cytosolic factor 2 (65kDa, chronic granulomatous disease, autosomal 2)	432_s_at	Day 7 Intra/ Day 0 Intra	2.42	8.9499E-03
257	HG1139-HT491	The Institute for Genomic Research	—	41038_at	Day 7 Intra/ Day 0 Intra	2.42	1.0949E-03
264	HG3432-HT361	The Institute for Genomic Research	—	953_g_at	Day 7 Intra/ Day 0 Intra	2.40	2.7799E-03
266	22936	Entrez Gene	elongation factor, RNA polymerase II, 2	1142_at	Day 7 Intra/ Day 7 Extra	2.37	8.8156E-04
269	4938	Entrez Gene	2',5'-oligoadenylate synthetase 1, 40/46kDa	40606_at	Day 7 Intra/ Day 0 Intra	2.36	6.1549E-03
271	2760	Entrez Gene	GM2 ganglioside activator	40606_at	Day 3 Intra/ Day 0 Intra	1.81	9.9712E-03
273	4605	Entrez Gene	v-myb myeloblastosis viral oncogene homolog (avian)-like 2	38388_at	Day 3 Intra/ Day 0 Intra	2.34	3.0517E-03
276	1043	Entrez Gene	CD52 antigen (CAMPATH-1 antigen)	38388_at	Day 7 Intra/ Day 0 Intra	2.06	2.5214E-03
282	1058	Entrez Gene	centromere protein A, 17kDa	35820_at	Day 3 Intra/ Day 0 Intra	2.34	1.5204E-03
289	262	Entrez Gene	adenosylmethionine decarboxylase 1	35820_at	Day 7 Intra/ Day 0 Intra	1.70	4.7303E-03
				1854_at	Day 3 Intra/ Day 0 Intra	2.33	4.7102E-04
				1854_at	Day 7 Intra/ Day 0 Intra	2.01	1.8015E-03
				34210_at	Day 7 Intra/ Day 0 Intra	2.31	8.3785E-03
				527_at	Day 3 Intra/ Day 0 Intra	2.29	9.6200E-05
				527_at	Day 7 Intra/ Day 0 Intra	1.77	9.3117E-03
				262_at	Day 3 Intra/ Day 0 Intra	2.26	9.8946E-04
				262_at	Day 7 Intra/ Day 0 Intra	1.87	7.3808E-03

Diagnostic Up - Table 18

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
292	4973	Entrez Gene	oxdlised low density lipoprotein (lectin-like) receptor 1	37233_at	Day 3 Intra/ Day 0 Intra	2.25	1.3495E-03
301	5111	Entrez Gene	proliferating cell nuclear antigen	1884_s_at	Day 3 Intra/ Day 0 Intra	2.20	1.6843E-04
309	4277	Entrez Gene	MHC class I polypeptide-related sequence B	35937_at	Day 7 Intra/ Day 0 Intra	2.18	7.9073E-03
310	27074	Entrez Gene	lysosomal-associated membrane protein 3	37168_at	Day 7 Intra/ Day 0 Intra	2.18	7.2514E-03
315	9450	Entrez Gene	lymphocyte antigen 86	37168_at	Day 3 Intra/ Day 0 Intra	2.00	6.7084E-03
317	54805	Entrez Gene	cyclin M2	35869_at	Day 7 Intra/ Day 0 Intra	2.17	8.7793E-04
321	7538	Entrez Gene	zinc finger protein 36, C3H type, homolog (mouse)	41358_at	Day 7 Intra/ Day 7 Extra	2.17	6.1203E-03
323	2023	Entrez Gene	enolase 1, (alpha)	40448_at	Day 3 Intra/ Day 3 Control	2.16	1.4147E-03
				2035_s_at	Day 3 Intra/ Day 0 Intra	2.16	8.6734E-04
				2035_s_at	Day 7 Intra/ Day 0 Intra	1.72	1.0059E-03
324	7531	Entrez Gene	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, epsilon polypeptide	1011_s_at	Day 7 Intra/ Day 0 Intra	2.16	4.2489E-03
325	2633	Entrez Gene	guanylate binding protein 1, interferon-inducible, 67kDa	35735_at	Day 7 Intra/ Day 0 Intra	2.15	1.7982E-03
327	2835	Entrez Gene	G1 to S phase transition 1	35735_at	Day 7 Intra/ Day 7 Control	1.94	8.7564E-03
				33932_at	Day 3 Intra/ Day 0 Intra	2.15	6.0824E-04
328	2033	Entrez Gene	E1A binding protein p300	33932_at	Day 3 Intra/ Day 3 Peri	1.55	4.8401E-03
333	5230	Entrez Gene	phosphoglycerate kinase 1	551_at	Day 3 Intra/ Day 3 Extra	2.08	2.4564E-03
				31488_s_at	Day 3 Intra/ Day 0 Intra	2.12	9.0419E-04
334	HG1112-HT111	The Institute for Genomic Research	---	1840_g_at	Day 3 Intra/ Day 0 Intra	2.12	1.6631E-03
335	HG4074-HT434	The Institute for Genomic Research	---	1516_g_at	Day 3 Intra/ Day 0 Intra	2.12	1.9300E-05
338	6503	Entrez Gene	Src-like-adaptor	1427_g_at	Day 7 Intra/ Day 0 Intra	2.11	3.2000E-05
				1427_g_at	Day 7 Intra/ Day 7 Control	1.65	4.0427E-03
340	701	Entrez Gene	BUB1 budding uninhibited by benzimidazoles 1 homolog beta (yeast)	35699_at	Day 3 Intra/ Day 0 Intra	2.11	1.1112E-04

Diagnostic Up - Table 18

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
341	133619	Entrez Gene	hypothetical protein MGC12103	39518_at	Day 7 Intra / Day 7 Control	2.10	4.3011E-03
342	8344	Entrez Gene	histone 1, H2be	31523_f_at	Day 7 Intra / Day 7 Extra	2.10	3.6801E-03
364	7027	Entrez Gene	Transcription factor Dp-1	37757_at	Day 3 Intra / Day 0 Intra	1.43	9.7071E-04
365	4363	Entrez Gene	ATP-binding cassette, sub-family C (CFTR/MRP), member 1	34016_s_at	Day 3 Intra / Day 0 Intra	1.67	2.7498E-03
376	2804	Entrez Gene	Golgi autoantigen, golgin subfamily b, macrogolgln (with transmembrane signal), 1	34384_at	Day 3 Intra / Day 3 Control	1.52	3.1149E-03
378	5925	Entrez Gene	retinoblastoma 1 (including osteosarcoma)	37655_at	Day 3 Intra / Day 3 Extra	1.79	5.9377E-03
379	3956	Entrez Gene	Lectin, galactoside-binding, soluble, 1 (galectin 1)	1571_f_at	Day 7 Intra / Day 0 Intra	1.99	2.7185E-03
380	3937	Entrez Gene	lymphocyte cytosolic protein 2 (SH2 domain containing leukocyte protein of 76kDa)	31575_f_at	Day 0 Intra / Day 0 Control	1.92	2.7492E-04
382	23094	Entrez Gene	signal-induced proliferation-associated 1 like 3	39319_at	Day 7 Intra / Day 0 Intra	1.99	2.4570E-04
386	3059	Entrez Gene	hematopoietic cell-specific Lyn substrate 1	37831_at	Day 7 Intra / Day 7 Extra	1.99	2.4460E-04
389	4692	Entrez Gene	necln homolog (mouse)	31820_at	Day 3 Intra / Day 0 Intra	1.99	3.5900E-03
390	947	Entrez Gene	CD34 antigen	31820_at	Day 7 Intra / Day 0 Intra	1.84	2.8845E-03
393	7351	Entrez Gene	uncoupling protein 2 (mitochondrial, proton carrier)	36073_at	Day 0 Intra / Day 0 Control	1.85	3.4617E-03
394	8669	Entrez Gene	eukaryotic translation initiation factor 3, subunit 1 alpha, 35kDa	38747_at	Day 3 Intra / Day 3 Extra	1.81	3.6481E-03
397	5427	Entrez Gene	polymerase (DNA directed), epsilon 2 (p59 subunit)	37591_at	Day 7 Intra / Day 0 Intra	1.96	2.5211E-03
401	HG2059-HT211	The Institute for Genomic Research	---	40616_at	Day 7 Intra / Day 7 Control	1.96	1.5414E-03
403	9402	Entrez Gene	GRB2-related adaptor protein 2	41085_at	Day 7 Intra / Day 7 Control	1.96	9.8120E-03
406	914	Entrez Gene	CD2 antigen (p50), sheep red blood cell receptor	957_at	Day 7 Intra / Day 0 Intra	1.95	8.0500E-03
413	9266	Entrez Gene	pleckstrin homology, Sec7 and coiled-coil domains 2 (cytohesin-2)	38866_at	Day 7 Intra / Day 3 Intra	1.95	7.7480E-03
415	HG620-HT620	The Institute for Genomic Research	---	40738_at	Day 7 Intra / Day 0 Intra	1.94	2.8584E-03
416	3159	Entrez Gene	high mobility group AT-hook 1	38741_at	Day 7 Intra / Day 7 Extra	1.63	1.1433E-03
				1150_at	Day 7 Intra / Day 0 Intra	1.92	5.0508E-03
				1150_at	Day 3 Intra / Day 0 Intra	1.72	4.6327E-03
				39704_s_at	Day 3 Intra / Day 0 Intra	1.92	9.0675E-03

Diagnostic Up - Table 18

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
419	3669	Entrez Gene	interferon stimulated exonuclease gene 20kDa	33304_at	Day 3 Intra/ Day 0 Intra	1.92	1.2699E-03
422	1175	Entrez Gene	adaptor-related protein complex 2, sigma 1 subunit	39347_at	Day 3 Intra/ Day 0 Intra	1.91	6.4231E-03
423	95	Entrez Gene	aminoacylase 1	39347_at	Day 7 Intra/ Day 0 Intra	1.73	9.8805E-03
438	55109	Entrez Gene	angiogenic factor with G patch and FHA domains 1	37713_at	Day 3 Intra/ Day 0 Intra	1.91	9.8638E-03
443	2242	Entrez Gene	angiogenic factor with G patch and FHA domains 1	35067_at	Day 7 Intra/ Day 7 Control	1.87	5.8936E-03
454	9446	Entrez Gene	feline sarcoma oncogene	1976_s_at	Day 0 Intra/ Day 0 Control	1.85	8.5100E-05
459	8986	Entrez Gene	glutathione S-transferase omega 1	824_at	Day 3 Intra/ Day 0 Intra	1.82	7.5173E-03
462	9700	Entrez Gene	ribosomal protein S6 kinase, 90kDa, polypeptide 4	41404_at	Day 3 Intra/ Day 3 Extra	1.81	2.1931E-03
467	994	Entrez Gene	extra spindle poles like 1 (S. cerevisiae)	41404_at	Day 3 Intra/ Day 0 Intra	1.70	3.5489E-03
470	10204	Entrez Gene	cell division cycle 25B	38158_at	Day 3 Intra/ Day 0 Intra	1.80	9.7504E-04
472	7167	Entrez Gene	nuclear transport factor 2	1347_at	Day 3 Intra/ Day 0 Intra	1.79	1.4270E-03
473	3965	Entrez Gene	triosephosphate isomerase 1	31858_at	Day 3 Intra/ Day 3 Control	1.79	8.7159E-03
480	10492	Entrez Gene	lectin, galactoside-binding, soluble, 9 (galectin 9)	34003_at	Day 3 Intra/ Day 0 Intra	1.78	1.5049E-03
483	9830	Entrez Gene	synaptotagmin binding, cytoplasmic RNA interacting protein	766_at	Day 7 Intra/ Day 0 Intra	1.78	3.2261E-03
489	3297	Entrez Gene	tripartite motif-containing 14	40122_at	Day 3 Intra/ Day 0 Intra	1.77	5.7540E-03
491	7371	Entrez Gene	heat shock transcription factor 1	33253_at	Day 3 Intra/ Day 0 Intra	1.77	3.3031E-03
492	2280	Entrez Gene	uridine-cytidine kinase 2	244_at	Day 3 Intra/ Day 3 Extra	1.57	6.0331E-03
493	5641	Entrez Gene	FK506 binding protein 1A, 12kDa	40200_at	Day 7 Intra/ Day 7 Extra	1.32	6.7215E-03
496	10525	Entrez Gene	legumain	37193_at	Day 3 Intra/ Day 0 Intra	1.76	4.2747E-03
			hypoxia up-regulated 1	880_at	Day 7 Intra/ Day 0 Intra	1.75	6.4425E-03
				317_at	Day 7 Intra/ Day 0 Intra	1.75	1.6880E-04
				33863_at	Day 3 Intra/ Day 0 Intra	1.75	3.5653E-04

Diagnostic Up - Table 18

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
505	5476	Entrez Gene	protective protein for beta-galactosidase (galactosialidosis)	39062_at	Day 7 Intra/ Day 0 Intra	1.73	1.1127E-03
506	7112	Entrez Gene	thymopoietin	39062_at	Day 7 Intra/ Day 7 Peri	1.34	5.9349E-03
508	4171	Entrez Gene	MCM2 minichromosome maintenance deficient 2, mitotin (S. cerevisiae)	32683_at	Day 7 Intra/ Day 0 Intra	1.73	6.7500E-05
510	5226	Entrez Gene	phosphogluconate dehydrogenase	35312_at	Day 3 Intra/ Day 0 Intra	1.73	6.0681E-04
512	16	Entrez Gene	alanyl-tRNA synthetase	36963_at	Day 3 Intra/ Day 0 Intra	1.73	1.5966E-03
514	6723	Entrez Gene	spermidine synthase	36185_at	Day 7 Intra/ Day 7 Extra	1.39	9.0172E-03
518	80143	Entrez Gene	hypothetical protein FLJ21168	241_g_at	Day 3 Intra/ Day 3 Control	1.72	8.4987E-03
525	51343	Entrez Gene	fizzy/cell division cycle 20 related 1 (Drosophila)	241_g_at	Day 3 Intra/ Day 0 Intra	1.61	2.3876E-03
				33285_l_at	Day 3 Intra/ Day 0 Intra	1.71	6.2459E-03
528	22985	Entrez Gene	apoptotic chromatin condensation inducer 1	39855_at	Day 7 Intra/ Day 7 Extra	1.70	8.6912E-03
533	10212	Entrez Gene	DEAD (Asp-Glu-Ala-Asp) box polypeptide 39	33398_at	Day 3 Intra/ Day 3 Control	1.68	8.2530E-03
534	22993	Entrez Gene	KIAA0194 protein	149_at	Day 3 Intra/ Day 0 Intra	1.68	1.3153E-04
535	990	Entrez Gene	CDC6 cell division cycle 6 homolog (S. cerevisiae)	34221_at	Day 7 Intra/ Day 7 Extra	1.67	4.2025E-03
539	4175	Entrez Gene	MCM6 minichromosome maintenance deficient 6 (MIS5 homolog, S. pombe) (S. cerevisiae)	36839_at	Day 3 Intra/ Day 0 Intra	1.67	6.0599E-03
541	3925	Entrez Gene	stathmin 1/oncoprotein 18	40117_at	Day 3 Intra/ Day 0 Intra	1.67	1.6100E-05
542	4299	Entrez Gene	AF4/FMR2 family, member 1	40117_at	Day 7 Intra/ Day 0 Intra	1.41	9.6300E-05
544	HG3344-HT352	The Institute for Genomic Research	---	1782_s_at	Day 3 Intra/ Day 0 Intra	1.67	1.9446E-03
				39037_at	Day 7 Intra/ Day 7 Control	1.66	8.4020E-03
549	3109	Entrez Gene	major histocompatibility complex, class II, DM beta	1164_at	Day 3 Intra/ Day 0 Intra	1.66	2.2712E-03
553	5336	Entrez Gene	phospholipase C, gamma 2 (phosphatidylinositol-specific)	41609_at	Day 7 Intra/ Day 0 Intra	1.65	2.8331E-03
554	6183	Entrez Gene	mitochondrial ribosomal protein S12	1085_s_at	Day 7 Intra/ Day 7 Extra	1.64	6.2403E-03
564	7851	Entrez Gene	mal, T-cell differentiation protein-like	33215_g_at	Day 3 Intra/ Day 0 Intra	1.64	7.1481E-03
565	586	Entrez Gene	branched chain aminotransferase 1, cytosolic	33331_at	Day 3 Intra/ Day 0 Intra	1.62	7.9478E-03
566	10487	Entrez Gene	CAP, adenylate cyclase-associated protein 1 (yeast)	38201_at	Day 7 Intra/ Day 0 Intra	1.62	7.1938E-03
				935_at	Day 3 Intra/ Day 0 Intra	1.61	4.6984E-04
				935_at	Day 7 Intra/ Day 0 Intra	1.44	6.4995E-03
				935_at	Day 3 Intra/ Day 3 Peri	1.27	6.2948E-03

Diagnostic Up - Table 18

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
567	6197	Entrez Gene	ribosomal protein S6 kinase, 90kDa, polypeptide 3	865_at	Day 7 Intra/ Day 0 Intra	1.61	1.4623E-04
568	442871	Entrez Gene	chromosome 11 open reading frame 32	38411_at	Day 7 Intra/ Day 0 Intra	1.61	7.6214E-03
571	51512	Entrez Gene	G-2 and S-phase expressed 1	39872_at	Day 3 Intra/ Day 0 Intra	1.60	9.8094E-03
576	1965	Entrez Gene	eukaryotic translation initiation factor 2, subunit 1 alpha, 35kDa	1154_at	Day 3 Intra/ Day 0 Intra	1.59	4.2618E-03
578	56005	Entrez Gene	chromosome 19 open reading frame 10	38969_at	Day 3 Intra/ Day 0 Intra	1.59	2.2658E-03
579	10097	Entrez Gene	ARP2 actin-related protein 2 homolog (yeast)	35733_at	Day 7 Intra/ Day 0 Intra	1.32	4.0489E-03
581	10491	Entrez Gene	cartilage associated protein	40119_at	Day 7 Intra/ Day 7 Extra	1.59	5.5517E-04
582	10564	Entrez Gene	ADP-ribosylation factor guanine nucleotide-exchange factor 2 (brefeldin A-inhibited)	40119_at	Day 7 Intra/ Day 7 Control	1.36	7.8195E-03
584	4522	Entrez Gene	methylenetetrahydrofolate dehydrogenase (NADP+ dependent) 1, methylenetetrahydrofolate cyclohydrolase, formyltetrahydrofolate synthetase	673_at	Day 3 Intra/ Day 0 Intra	1.58	4.2535E-03
585	4744	Entrez Gene	neurofilament, heavy polypeptide 200kDa	33767_at	Day 7 Intra/ Day 7 Extra	1.58	9.3233E-04
587	410	Entrez Gene	arylsulfatase A	37963_at	Day 7 Intra/ Day 0 Intra	1.58	8.6911E-03
589	4836	Entrez Gene	N-myristoyltransferase 1	38999_s_at	Day 3 Intra/ Day 0 Intra	1.58	1.3516E-03
590	6119	Entrez Gene	replication protein A3, 14kDa	38999_s_at	Day 7 Intra/ Day 0 Intra	1.46	1.8788E-03
591	9873	Entrez Gene	FCH and double SH3 domains 2	652_g_at	Day 3 Intra/ Day 0 Intra	1.43	8.5512E-03
597	191	Entrez Gene	S-adenosylhomocysteine hydrolase	32224_at	Day 7 Intra/ Day 7 Extra	1.39	7.3181E-03
598	2068	Entrez Gene	excision repair cross-complementing rodent repair deficiency, complementation group 2 (xeroderma pigmentosum D)	40821_at	Day 3 Intra/ Day 0 Intra	1.57	2.0984E-03
601	4354	Entrez Gene	membrane protein, palmitoylated 1, 55kDa	41095_at	Day 7 Intra/ Day 7 Extra	1.49	2.0901E-03
602	4209	Entrez Gene	MADS box transcription enhancer factor 2, polypeptide D (myocyte enhancer factor 2D)	32207_at	Day 3 Intra/ Day 0 Intra	1.46	7.4656E-03
				32207_at	Day 7 Intra/ Day 0 Intra	1.44	2.9715E-03
				35434_at	Day 0 Intra/ Day 0 Control	1.55	1.7426E-03

Diagnostic Up - Table 18

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
603	91316	Entrez Gene	similar to bK246H3.1 (immunoglobulin lambda-like polypeptide 1, pre-B-cell specific)	31596_f_at	Day 7 Intra / Day 7 Extra	1.55	2.8319E-03
606	6949	Entrez Gene	Treacher Collins-Franceschetti syndrome 1	40596_at	Day 3 Intra / Day 3 Control	1.54	9.0777E-03
607	471	Entrez Gene	5-aminoimidazole-4-carboxamide ribonucleotide formyltransferase/IMP cyclohydrolase	38811_at	Day 3 Intra/ Day 0 Intra	1.54	4.3303E-03
612	10972	Entrez Gene	transmembrane emp24-like trafficking protein 10 (yeast)	38811_at	Day 7 Intra/ Day 0 Intra	1.42	9.5032E-03
614	22948	Entrez Gene	chaperonin containing TCP1, subunit 5 (epsilon)	36128_at	Day 3 Intra/ Day 0 Intra	1.53	1.7775E-03
615	HG2036-HT209	The Institute for Genomic Research	---	40417_at	Day 3 Intra/ Day 0 Intra	1.52	4.2364E-03
620	5373	Entrez Gene	phosphomannomutase 2	1624_at	Day 7 Intra/ Day 0 Intra	1.52	4.7483E-03
621	9772	Entrez Gene	KIAA0195 gene product	32028_at	Day 3 Intra / Day 3 Control	1.51	7.7676E-03
622	10105	Entrez Gene	peptidylprolyl isomerase F (cyclophilin F)	32028_at	Day 3 Intra/ Day 0 Intra	1.40	3.1022E-03
624	5463	Entrez Gene	POU domain, class 6, transcription factor 1	38056_at	Day 7 Intra / Day 7 Extra	1.51	3.0009E-03
626	8659	Entrez Gene	aldehyde dehydrogenase 4 family, member A1	40840_at	Day 3 Intra/ Day 0 Intra	1.51	2.4060E-03
627	5971	Entrez Gene	v-rel reticuloendotheliosis viral oncogene homolog B, nuclear factor of kappa light polypeptide gene enhancer in B-cells 3 (avian)	40840_at	Day 7 Intra/ Day 0 Intra	1.49	5.8615E-03
629	9961	Entrez Gene	major vault protein	104_at	Day 7 Intra/ Day 3 Intra	1.51	5.7316E-03
631	4689	Entrez Gene	neutrophil cytosolic factor 4, 40kDa	37331_g_at	Day 3 Intra/ Day 0 Intra	1.50	9.8949E-03
636	23197	Entrez Gene	expressed in T-cells and eosinophils in atopic dermatitis	570_at	Day 3 Intra/ Day 0 Intra	1.50	1.9068E-03
646	9989	Entrez Gene	protein phosphatase 4, regulatory subunit 1	570_at	Day 7 Intra / Day 7 Control	1.49	8.9742E-03
653	27351	Entrez Gene	DNA segment, Chr 15, Wayne State University 75, expressed	34371_at	Day 3 Intra/ Day 0 Intra	1.48	7.4671E-03
				41670_at	Day 7 Intra/ Day 0 Intra	1.47	1.5271E-03

Diagnostic Up - Table 18

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
654	AI341574	GenBank	postmeiotic segregation increased 2-like 1 /// postmeiotic segregation increased 2-like 5 /// similar to postmeiotic segregation increased 2-like 2 //	32310_f_at	Day 3 Intra / Day 3 Extra	1.47	4.4205E-03
656	9796	Entrez Gene	phytanoyl-CoA hydroxylase Interacting protein	37191_at	Day 7 Intra / Day 7 Extra	1.47	9.7711E-03
666	57794	Entrez Gene	splicing factor 4	31839_at	Day 3 Intra/ Day 0 Intra	1.45	6.1439E-04
677	5096	Entrez Gene	propionyl Coenzyme A carboxylase, beta polypeptide	31839_at	Day 7 Intra/ Day 0 Intra	1.35	5.6434E-03
679	9276	Entrez Gene	Coalomer protein complex, subunit beta 2 (beta prime)	36561_at	Day 3 Intra/ Day 0 Intra	1.43	9.0532E-03
685	HG1862-HT189	The Institute for Genomic Research	---	31799_at	Day 0 Intra / Day 0 Control	1.43	3.9378E-03
687	26034	Entrez Gene	phosphoinositide-binding protein PIP3-E	31799_at	Day 0 Intra / Day 0 Peri	1.41	4.0010E-03
689	2717	Entrez Gene	galactosidase, alpha	955_at	Day 3 Intra/ Day 0 Intra	1.42	6.8245E-03
691	3419	Entrez Gene	isocitrate dehydrogenase 3 (NAD+) alpha	33333_at	Day 0 Intra / Day 0 Control	1.42	7.4103E-03
695	9470	Entrez Gene	eukaryotic translation initiation factor 4E member 2	36833_at	Day 3 Intra/ Day 0 Intra	1.41	1.1196E-03
696	116985	Entrez Gene	centaurin, delta 2	36195_at	Day 3 Intra/ Day 0 Intra	1.41	6.5855E-03
701	7873	Entrez Gene	arginine-rich, mutated in early stage tumors	32229_at	Day 7 Intra/ Day 0 Intra	1.41	3.8677E-03
704	9125	Entrez Gene	RCD1 required for cell differentiation 1 homolog (S. pombe)	32229_at	Day 3 Intra/ Day 0 Intra	1.40	5.8851E-03
710	4478	Entrez Gene	moesin	34206_at	Day 7 Intra / Day 7 Extra	1.41	7.1948E-03
715	4668	Entrez Gene	N-acetylgalactosaminidase, alpha-	36615_at	Day 3 Intra/ Day 0 Intra	1.40	2.9578E-03
718	3097	Entrez Gene	human immunodeficiency virus type I enhancer binding protein 2	33844_at	Day 7 Intra / Day 7 Peri	1.39	4.0104E-03
720	6775	Entrez Gene	signal transducer and activator of transcription 4	33844_at	Day 7 Intra/ Day 0 Intra	1.36	1.1289E-03
729	103	Entrez Gene	adenosine deaminase, RNA-specific	40771_at	Day 3 Intra/ Day 0 Intra	1.38	6.8780E-03
730	11186	Entrez Gene	Ras association (RalGDS/AF-6) domain family 1	36607_at	Day 7 Intra/ Day 0 Intra	1.38	3.1818E-03
				36175_s_at	Day 7 Intra / Day 7 Control	1.37	6.3368E-03
				906_at	Day 0 Intra / Day 0 Control	1.36	9.8347E-03
				38014_at	Day 7 Intra/ Day 0 Intra	1.35	9.5125E-03
				39601_at	Day 0 Intra / Day 0 Control	1.34	1.5889E-03

Diagnostic Up - Table 18

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
731	23241	Entrez Gene	phosphofurin acidic cluster sorting protein 2	34406_at	Day 3 Intra / Day 3 Extra	1.34	7.3934E-03
732	1069	Entrez Gene	centrin, EF-hand protein, 2	38410_at	Day 7 Intra/ Day 0 Intra	1.34	6.3238E-03
739	6472	Entrez Gene	serine hydroxymethyltransferase 2 (mitochondrial)	36178_at	Day 3 Intra / Day 3 Control	1.32	6.2071E-03
741	23387	Entrez Gene	KIAA0999 protein	36178_at	Day 3 Intra / Day 3 Extra	1.29	9.8055E-03
744	8565	Entrez Gene		34808_at	Day 0 Intra / Day 0 Control	1.32	3.8688E-03
			tyrosyl-tRNA synthetase	38977_at	Day 3 Intra/ Day 0 Intra	1.32	3.9487E-04
747	9695	Entrez Gene		38977_at	Day 3 Intra / Day 3 Control	1.23	6.1981E-03
			ER degradation enhancer, mannosidase alpha-like 1	31898_at	Day 7 Intra/ Day 0 Intra	1.30	3.3255E-03
753	HG2825-HT294	The Institute for Genomic Research		1843_at	Day 0 Intra / Day 0 Control	1.27	2.5683E-03
754	8683	Entrez Gene	splicing factor, arginine/serine-rich 9	32573_at	Day 3 Intra/ Day 0 Intra	1.26	1.9019E-03
759	6159	Entrez Gene		33674_at	Day 7 Intra / Day 7 Extra	1.25	7.0676E-03
761	25864	Entrez Gene	abhydrolase domain containing 14A	41018_at	Day 3 Intra / Day 3 Control	1.20	8.0541E-03
762	5269	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 6	34789_at	Day 7 Intra / Day 7 Extra	1.18	8.2532E-03

Diagnostic Up - Table 19

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
9	7545	Entrez Gene	Zic family member 1 (odd-paired homolog, Drosophila)	36308_at	Day 7 Intra / Day 7 Control	13.66	5.4956E-03
10	7404	Entrez Gene	ubiquitously transcribed tetratricopeptide repeat gene, Y-linked	34477_at	Day 7 Intra / Day 7 Control	14.35	9.7120E-03
26	146057	Entrez Gene	tau tubulin kinase 2	34899_at	Day 3 Intra / Day 3 Control	4.32	6.9958E-03
35	22891	Entrez Gene	zinc finger protein 365	35959_at	Day 0 Intra / Day 0 Control	7.20	8.1453E-04
39	5179	Entrez Gene	proenkephalin	38291_at	Day 0 Intra / Day 0 Control	5.30	7.3221E-03
42	2982	Entrez Gene	guanylate cyclase 1, soluble, alpha 3	36918_at	Day 7 Intra / Day 7 Control	2.70	7.1193E-03
43	6474	Entrez Gene	short stature homeobox 2	36487_at	Day 7 Intra / Day 7 Control	3.36	8.5975E-03
45	6738	Entrez Gene	TROVE domain family, member 2	35293_at	Day 7 Intra / Day 7 Control	3.04	6.6636E-03
47	10622	Entrez Gene	polymerase (RNA) III (DNA directed) polypeptide G (32kD)	31571_at	Day 0 Intra / Day 0 Control	6.00	3.4456E-03
49	2328	Entrez Gene	flavin containing monooxygenase 3	40665_at	Day 7 Intra / Day 7 Control	5.83	8.7293E-03
53	AL050030	GenBank	--	35603_at	Day 7 Intra / Day 7 Control	4.27	5.9050E-03
66	8529	Entrez Gene	cytochrome P450, family 4, subfamily F, polypeptide 2	1350_at	Day 7 Intra / Day 7 Control	4.28	8.5546E-03
98	8609	Entrez Gene	Kruppel-like factor 7 (ubiquitous)	34217_at	Day 7 Intra / Day 7 Control	1.61	6.2852E-03
99	27309	Entrez Gene	zinc finger protein 330	37522_r_at	Day 7 Intra / Day 7 Control	3.77	9.8639E-03
103	2730	Entrez Gene	glutamate-cysteine ligase, modifier subunit	33163_r_at	Day 0 Intra / Day 0 Control	3.73	2.7000E-05
134	57608	Entrez Gene	KIAA1462	38351_at	Day 0 Intra / Day 0 Control	3.24	2.7208E-03
135	8578	Entrez Gene	scavenger receptor class F, member 1	40034_r_at	Day 7 Intra / Day 7 Control	2.49	8.1498E-03
141	6495	Entrez Gene	sine oculis homeobox homolog 1 (Drosophila)	40004_at	Day 7 Intra / Day 7 Control	2.74	1.8280E-03
170	2034	Entrez Gene	endothelial PAS domain protein 1	38092_at	Day 0 Intra / Day 0 Control	2.92	4.5798E-03
321	7538	Entrez Gene	zinc finger protein 36, C3H type, homolog (mouse)	40448_at	Day 3 Intra / Day 3 Control	2.16	1.4147E-03
325	2633	Entrez Gene	guanylate binding protein 1, interferon-inducible, 67kDa	35735_at	Day 7 Intra / Day 7 Control	1.94	8.7564E-03
338	6503	Entrez Gene	Src-like-adaptor	1427_g_at	Day 7 Intra / Day 7 Control	1.65	4.0427E-03
341	133619	Entrez Gene	hypothetical protein MGC12103	39518_at	Day 7 Intra / Day 7 Control	2.10	4.3011E-03
365	4363	Entrez Gene	ATP-binding cassette, sub-family C (CFTR/MRP), member 1	34384_at	Day 3 Intra / Day 3 Control	1.52	3.1149E-03
379	3956	Entrez Gene	Lectin, galactoside-binding, soluble, 1 (galectin 1)	31575_f_at	Day 0 Intra / Day 0 Control	1.92	2.7492E-04
389	4692	Entrez Gene	necdin homolog (mouse)	36073_at	Day 0 Intra / Day 0 Control	1.85	3.4617E-03
394	8669	Entrez Gene	eukaryotic translation initiation factor 3, subunit 1 alpha, 35kDa	40616_at	Day 7 Intra / Day 7 Control	1.96	1.5414E-03
397	5427	Entrez Gene	polymerase (DNA directed), epsilon 2 (p59 subunit)	41085_at	Day 7 Intra / Day 7 Control	1.96	9.8120E-03
438	55109	Entrez Gene	angiogenic factor with G patch and FHA domains 1	35067_at	Day 7 Intra / Day 7 Control	1.87	5.8936E-03

Diagnostic Up - Table 19

443	2242	Entrez Gene	feline sarcoma oncogene	1976_s_at	Day 0 Intra / Day 0	Control	1.85	8.5100E-05
470	10204	Entrez Gene	nuclear transport factor 2	31858_at	Day 3 Intra / Day 3	Control	1.79	8.7159E-03
514	6723	Entrez Gene	spermidine synthase	241_g_at	Day 3 Intra / Day 3	Control	1.72	8.4987E-03
528	22985	Entrez Gene	apoptotic chromatin condensation inducer 1	33398_at	Day 3 Intra / Day 3	Control	1.68	8.2530E-03
542	4299	Entrez Gene	AF4/FMR2 family, member 1	39037_at	Day 7 Intra / Day 7	Control	1.66	8.4020E-03
581	10491	Entrez Gene	cartilage associated protein	40119_at	Day 7 Intra / Day 7	Control	1.36	7.8195E-03
602	4209	Entrez Gene	MADS box transcription enhancer factor 2, polypeptide D (myocyte enhancer factor 2D)	35434_at	Day 0 Intra / Day 0	Control	1.55	1.7426E-03
606	6949	Entrez Gene	Treacher Collins-Franceschetti syndrome 1	40596_at	Day 3 Intra / Day 3	Control	1.54	9.0777E-03
620	5373	Entrez Gene	phosphomannomutase 2	32028_at	Day 3 Intra / Day 3	Control	1.51	7.7676E-03
636	23197	Entrez Gene	expressed in T-cells and eosinophils in atopic dermatitis	37030_at	Day 7 Intra / Day 7	Control	1.49	8.9742E-03
679	9276	Entrez Gene	Coatomer protein complex, subunit beta 2 (beta prime)	31799_at	Day 0 Intra / Day 0	Control	1.43	3.9378E-03
687	26034	Entrez Gene	phosphoinositide-binding protein PIP3-E	33333_at	Day 0 Intra / Day 0	Control	1.42	7.4103E-03
718	3097	Entrez Gene	human immunodeficiency virus type 1 enhancer binding protein 2	36175_s_at	Day 7 Intra / Day 7	Control	1.37	6.3368E-03
720	6775	Entrez Gene	signal transducer and activator of transcription 4	906_at	Day 0 Intra / Day 0	Control	1.36	9.8347E-03
730	11186	Entrez Gene	Ras association (RalGDS/AF-6) domain family 1	39601_at	Day 0 Intra / Day 0	Control	1.34	1.5889E-03
739	6472	Entrez Gene	serine hydroxymethyltransferase 2 (mitochondrial)	36178_at	Day 3 Intra / Day 3	Control	1.32	6.2071E-03
741	23387	Entrez Gene	KIAA0999 protein	34808_at	Day 0 Intra / Day 0	Control	1.32	3.8688E-03
744	8565	Entrez Gene	tyrosyl-tRNA synthetase	38977_at	Day 3 Intra / Day 3	Control	1.23	6.1981E-03
753	HG2825-HT294	The Institute for Genomic Research	---	1843_at	Day 0 Intra / Day 0	Control	1.27	2.5683E-03
761	25864	Entrez Gene	abhydrolase domain containing 14A	41018_at	Day 3 Intra / Day 3	Control	1.20	8.0541E-03

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
744	8565	Entrez Gene	tyrosyl-tRNA synthetase	38977_at	Day 3 Intra / Day 3 Control	1.23	6.1981E-03

Diagnostic Up - Table 21

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
135	8578	Entrez Gene	scavenger receptor class F, member 1	40034_r_at	Day 7 Intra / Day 7 Control	2.49	8.1498E-03

Diagnostic Up - Table 22

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
170	2034	Entrez Gene	endothelial PAS domain protein 1	38092_at	Day 0 Intra / Day 0 Control	2.92	4.5798E-03
438	55109	Entrez Gene	angiogenic factor with G patch and FHA domains 1	35067_at	Day 7 Intra / Day 7 Control	1.87	5.8936E-03

Diagnostic Up - Table 23

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
17	1915	Entrez Gene	Eukaryotic translation elongation factor 1 alpha 1	40888_f_at	Day 7 Intra / Day 7 Extra	6.03	5.7313E-03
18	2597	Entrez Gene	glyceraldehyde-3-phosphate dehydrogenase	AFFX-HUMGAPDH/M33197_5_st	Day 7 Intra / Day 7 Extra	8.60	4.4849E-03
93	57134	Entrez Gene	mannosidase, alpha, class 1C, member 1	40716_at	Day 3 Intra / Day 3 Extra	3.28	5.2078E-03
105	4782	Entrez Gene	nuclear factor I/C (CCAAT-binding transcription factor)	33329_at	Day 7 Intra / Day 7 Extra	2.98	1.0185E-03
143	10899	Entrez Gene	Jumping translocation breakpoint	41832_s_at	Day 7 Intra / Day 7 Extra	3.15	8.9905E-03
155	440352	Entrez Gene	Similar to BTG3 associated nuclear protein isoform b	40952_at	Day 7 Intra / Day 7 Extra	3.02	2.8849E-03
159	U00928	GenBank	---	39181_at	Day 7 Intra / Day 7 Extra	2.99	1.2927E-03
201	5970	Entrez Gene	v-rel reticuloendotheliosis viral oncogene homolog A, nuclear factor of kappa light polypeptide gene enhancer in B-cells 3, p65 (avian)	1045_s_at	Day 7 Intra / Day 7 Extra	2.68	8.3206E-03
215	4059	Entrez Gene	Lutheran blood group (Auberger b antigen included)	40093_at	Day 7 Intra / Day 7 Extra	1.88	7.6902E-03
225	55122	Entrez Gene	Chromosome 6 open reading frame 166	34252_at	Day 7 Intra / Day 7 Extra	2.52	1.6570E-03
242	9445	Entrez Gene	Integral membrane protein 2B	41301_at	Day 7 Intra / Day 7 Extra	2.44	2.3663E-03
248	5610	Entrez Gene	eukaryotic translation initiation factor 2-alpha kinase 2	1008_f_at	Day 7 Intra / Day 7 Extra	2.42	8.8498E-03
264	HG3432-HT361	The Institute for Genomic Research	---	1142_at	Day 7 Intra / Day 7 Extra	2.37	8.8156E-04
317	54805	Entrez Gene	cyclin M2	41358_at	Day 7 Intra / Day 7 Extra	2.17	6.1203E-03
328	2033	Entrez Gene	E1A binding protein p300	551_at	Day 3 Intra / Day 3 Extra	2.08	2.4564E-03
342	8344	Entrez Gene	histone 1, H2be	31523_f_at	Day 7 Intra / Day 7 Extra	2.10	3.6801E-03
376	2804	Entrez Gene	Golgi autoantigen, golgin subfamily b, macrogolgin (with transmembrane signal), 1	37655_at	Day 3 Intra / Day 3 Extra	1.79	5.9377E-03
382	23094	Entrez Gene	signal-induced proliferation-associated 1 like 3	37831_at	Day 7 Intra / Day 7 Extra	1.99	2.4460E-04
390	947	Entrez Gene	CD34 antigen	38747_at	Day 3 Intra / Day 3 Extra	1.81	3.6481E-03
413	9266	Entrez Gene	pleckstrin homology, Sec7 and coiled-coil domains 2 (cytohesin-2)	38741_at	Day 7 Intra / Day 7 Extra	1.63	1.1433E-03
459	8986	Entrez Gene	ribosomal protein S6 kinase, 90kDa, polypeptide 4	41404_at	Day 3 Intra / Day 3 Extra	1.81	2.1931E-03

Diagnostic Up - Table 23

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
489	3297	Entrez Gene	heat shock transcription factor 1	244_at	Day 3 Intra / Day 3 Extra	1.57	6.0331E-03
512	16	Entrez Gene	alanyl-tRNA synthetase	40200_at	Day 7 Intra / Day 7 Extra	1.32	6.7215E-03
525	51343	Entrez Gene	fizzy/cell division cycle 20 related 1 (Drosophila)	36185_at	Day 7 Intra / Day 7 Extra	1.39	9.0172E-03
534	22993	Entrez Gene	KIAA0194 protein	39855_at	Day 7 Intra / Day 7 Extra	1.70	8.6912E-03
553	5336	Entrez Gene	phospholipase C, gamma 2 (phosphatidylinositol-specific)	34221_at	Day 7 Intra / Day 7 Extra	1.67	4.2025E-03
581	10491	Entrez Gene	cartilage associated protein	1085_s_at	Day 7 Intra / Day 7 Extra	1.64	6.2403E-03
585	4744	Entrez Gene	neurofilament, heavy polypeptide 200kDa	40119_at	Day 7 Intra / Day 7 Extra	1.59	5.5517E-04
591	9873	Entrez Gene	FCH and double SH3 domains 2	33767_at	Day 7 Intra / Day 7 Extra	1.58	9.3233E-04
598	2068	Entrez Gene	excision repair cross-complementing rodent repair deficiency, complementation group 2 (xeroderma pigmentosum D)	32224_at	Day 7 Intra / Day 7 Extra	1.39	7.3181E-03
603	91316	Entrez Gene	similar to bK246H3.1 (immunoglobulin lambda-like polypeptide 1, pre-B-cell specific)	41095_at	Day 7 Intra / Day 7 Extra	1.49	2.0901E-03
621	9772	Entrez Gene	KIAA0195 gene product	31596_f_at	Day 7 Intra / Day 7 Extra	1.55	2.8319E-03
654	A1341574	GenBank	postmeiotic segregation increased 2-like 1 /// postmeiotic segregation increased 2-like 5 /// similar to postmeiotic segregation increased 2-like 2 //	38056_at	Day 7 Intra / Day 7 Extra	1.51	3.0009E-03
656	9796	Entrez Gene	phytanoyl-CoA hydroxylase interacting protein	32310_f_at	Day 3 Intra / Day 3 Extra	1.47	4.4205E-03
696	116985	Entrez Gene	centaurin, delta 2	37191_at	Day 7 Intra / Day 7 Extra	1.47	9.7711E-03
731	23241	Entrez Gene	phosphofurin acidic cluster sorting protein 2	34206_at	Day 7 Intra / Day 7 Extra	1.41	7.1948E-03
739	6472	Entrez Gene	serine hydroxymethyltransferase 2 (mitochondrial)	34406_at	Day 3 Intra / Day 3 Extra	1.34	7.3934E-03
759	6159	Entrez Gene	ribosomal protein L29	36178_at	Day 3 Intra / Day 3 Extra	1.29	9.8055E-03
762	5269	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 6	33674_at	Day 7 Intra / Day 7 Extra	1.25	7.0676E-03
				34789_at	Day 7 Intra / Day 7 Extra	1.18	8.2532E-03

Diagnostic Up - Table 24

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
215	4059	Entrez Gene	Lutheran blood group (Aubergier b antigen included)	40093_at	Day 7 Intra / Day 7 Extra	1.88	7.6902E-03
390	947	Entrez Gene	CD34 antigen	38747_at	Day 3 Intra / Day 3 Extra	1.81	3.6481E-03
413	9266	Entrez Gene	pleckstrin homology, Sec7 and coiled-coil domains 2 (cytohesin-2)	38741_at	Day 7 Intra / Day 7 Extra	1.63	1.1433E-03

Diagnostic Up - Table 25

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
67	11006	Entrez Gene	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 4	36753_at	Day 7 Intra / Day 7 Peri	1.75	5.7745E-03
206	5836	Entrez Gene	phosphorylase, glycogen; liver (Hers disease, glycogen storage disease type VI)	37215_at	Day 3 Intra / Day 3 Peri	1.76	5.9794E-03
327	2935	Entrez Gene	G1 to S phase transition 1	33932_at	Day 3 Intra / Day 3 Peri	1.55	4.8401E-03
505	5476	Entrez Gene	protective protein for beta-galactosidase (galactosialidosis)	39062_at	Day 7 Intra / Day 7 Peri	1.34	5.9349E-03
566	10487	Entrez Gene	CAP, adenylate cyclase-associated protein 1 (yeast)	935_at	Day 3 Intra / Day 3 Peri	1.27	6.2948E-03
679	9276	Entrez Gene	Coatomer protein complex, subunit beta 2 (beta prime)	31799_at	Day 0 Intra / Day 0 Peri	1.41	4.0010E-03
704	9125	Entrez Gene	RCD1 required for cell differentiation1 homolog (S. pombe)	33844_at	Day 7 Intra / Day 7 Peri	1.39	4.0104E-03

Diagnostic Up - Table 26

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
4	6318	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 4	1549_s_at	Day 3 Intra/ Day 0 Intra	26.94	3.0352E-04
7	50486	Entrez Gene	G0/G1switch 2	1549_s_at 38326_at 38326_at	Day 7 Intra/ Day 0 Intra Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra	10.58 18.80 9.74	2.5869E-03 1.1438E-04 1.1543E-03
14	3858	Entrez Gene	keratin 16 (focal non-epidermolytic palmoplantar keratoderma)	601_s_at	Day 3 Intra/ Day 0 Intra	10.35	5.4576E-04
19	1992	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 1	601_s_at	Day 7 Intra/ Day 0 Intra	8.34	6.2898E-04
20	3934	Entrez Gene	lipocalin 2 (oncogene 24p3)	33305_at	Day 3 Intra/ Day 0 Intra	9.14	8.7328E-04
21	3162	Entrez Gene	heme oxygenase (decycling) 1	32821_at 32821_at 33802_at 33802_at	Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra	9.06 6.96 9.00 7.79	1.3903E-03 6.3774E-03 3.6488E-03 6.9001E-04
29	6317	Entrez Gene	serpin peptidase inhibitor, clade B (ovalbumin), member 3	1343_s_at	Day 3 Intra/ Day 0 Intra	7.60	5.0769E-03
33	7083	Entrez Gene	thymidine kinase 1, soluble	910_at 910_at	Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra	7.32 5.14	9.5800E-05 2.2040E-03
36	2209	Entrez Gene	Fc fragment of IgG, high affinity Ia, receptor (CD64)	37220_at	Day 3 Intra/ Day 0 Intra	7.02	2.7900E-05
41	341	Entrez Gene	apolipoprotein C-I	37220_at 41764_at	Day 7 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra	6.20 5.33	3.1656E-03 1.6409E-04
54	5255	Entrez Gene	serpin peptidase inhibitor, clade A (alpha-1 antitrypsin), member 1	36781_at	Day 3 Intra/ Day 0 Intra	5.52	2.5357E-04
63	9133	Entrez Gene	cyclin B2	36781_at 32263_at 32263_at	Day 7 Intra/ Day 0 Intra Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra	5.32 5.08 2.91	5.2761E-03 2.6474E-04 7.1162E-03
65	9768	Entrez Gene	KIAA0101	38116_at 38116_at	Day 3 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra	4.99 2.71	2.6582E-04 2.6791E-03
67	11006	Entrez Gene	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 4	36753_at	Day 7 Intra/ Day 0 Intra	4.94	6.6276E-04
68	8529	Entrez Gene	cytochrome P450, family 4, subfamily F, polypeptide 2	36753_at	Day 3 Intra/ Day 0 Intra	3.50	3.2894E-03
71	713	Entrez Gene	complement component 1, q subcomponent, beta polypeptide	1350_at	Day 7 Intra/ Day 0 Intra	2.22	5.3725E-03
79	2214	Entrez Gene	Fc fragment of IgG, low affinity IIIa, receptor (CD16a)	38796_at 37200_at 37200_at	Day 7 Intra/ Day 0 Intra Day 7 Intra/ Day 0 Intra Day 3 Intra/ Day 0 Intra	4.64 4.38 3.56	2.6535E-03 6.4885E-04 2.6167E-03

Diagnostic Up - Table 26

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
83	891	Entrez Gene	cyclin B1	1945_at	Day 3 Intra/ Day 0 Intra	4.27	1.2700E-06
84	6925	Entrez Gene	Transcription factor 4	34736_at	Day 7 Intra/ Day 0 Intra	2.89	4.1984E-03
				36605_at	Day 7 Intra/ Day 3 Intra	1.69	1.0927E-03
85	4680	Entrez Gene	carcinoembryonic antigen-related cell adhesion molecule 6 (non-specific cross reacting antigen)	36105_at	Day 3 Intra/ Day 0 Intra	4.22	4.3373E-03
				36105_at	Day 7 Intra/ Day 0 Intra	4.07	6.8300E-03
88	2215	Entrez Gene	Fc fragment of IgG, low affinity IIb, receptor (CD16b)	31499_s_at	Day 7 Intra/ Day 0 Intra	4.18	1.2925E-03
90	1973	Entrez Gene	Eukaryotic translation initiation factor 4A, isoform 1	1199_at	Day 3 Intra/ Day 0 Intra	1.63	8.6946E-03
95	9997	Entrez Gene	SCO cytochrome oxidase deficient homolog 2 (yeast)	40639_at	Day 3 Intra/ Day 0 Intra	3.84	6.6460E-03
96	3872	Entrez Gene	keratin 17	34301_r_at	Day 3 Intra/ Day 0 Intra	3.82	1.1187E-04
				34301_r_at	Day 7 Intra/ Day 0 Intra	2.61	1.0275E-03
100	9407	Entrez Gene	transmembrane protease, serine 11D	31345_at	Day 7 Intra/ Day 0 Intra	3.77	9.2377E-03
106	597	Entrez Gene	BCL2-related protein A1	2002_s_at	Day 3 Intra/ Day 0 Intra	3.70	9.6898E-04
107	7298	Entrez Gene	thymidylate synthetase	1505_at	Day 3 Intra/ Day 0 Intra	3.57	4.2900E-07
				1505_at	Day 7 Intra/ Day 0 Intra	2.70	4.8300E-05
112	3055	Entrez Gene	hemopoietic cell kinase	40742_at	Day 3 Intra/ Day 0 Intra	2.99	6.5264E-03
117	2207	Entrez Gene	Fc fragment of IgE, high affinity I, receptor for, gamma polypeptide	2045_s_at	Day 7 Intra/ Day 0 Intra	2.01	8.8252E-03
				36889_at	Day 3 Intra/ Day 0 Intra	3.52	5.1985E-03
119	2212	Entrez Gene	Fc fragment of IgG, low affinity IIa, receptor (CD32)	37689_s_at	Day 3 Intra/ Day 0 Intra	3.44	1.7285E-03
				37689_s_at	Day 7 Intra/ Day 0 Intra	3.43	4.1850E-04
120	AF025533	GenBank	leukocyte immunoglobulin-like receptor, subfamily B (with TM and ITIM domains), member 2 /// leukocyte immunoglobulin-like receptor, subfamily B (wit	37148_at	Day 3 Intra/ Day 0 Intra	3.42	2.2916E-03
				37148_at	Day 7 Intra/ Day 0 Intra	2.37	8.4158E-03
132	4599	Entrez Gene	myxovirus (influenza virus) resistance 1, interferon-inducible protein p78 (mouse)	37014_at	Day 3 Intra/ Day 0 Intra	3.26	7.7487E-03
				37014_at	Day 7 Intra/ Day 0 Intra	2.78	4.1954E-04
140	699	Entrez Gene	BUB1 budding uninhibited by benzimidazoles 1 homolog (yeast)	41081_at	Day 3 Intra/ Day 0 Intra	3.18	3.5900E-05
				41081_at	Day 7 Intra/ Day 0 Intra	2.66	5.8517E-03

Diagnostic Up - Table 26

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
146	54440	Entrez Gene	chromosome X open reading frame 9	40296_at	Day 7 Intra/ Day 0 Intra	3.11	8.1793E-03
148	6813	Entrez Gene	syntaxin binding protein 2	38259_at	Day 3 Intra/ Day 0 Intra	3.09	1.0445E-03
150	9473	Entrez Gene	chromosome 1 open reading frame 38	41409_at	Day 7 Intra/ Day 0 Intra	3.07	1.8232E-04
151	7378	Entrez Gene	uridine phosphorylase 1	41409_at	Day 3 Intra/ Day 0 Intra	2.80	5.0493E-04
152	890	Entrez Gene	cyclin A2	37351_at	Day 3 Intra/ Day 0 Intra	3.07	1.6607E-04
				40697_at	Day 3 Intra/ Day 0 Intra	3.06	3.1000E-05
				40697_at	Day 7 Intra/ Day 0 Intra	2.51	3.1100E-05
153	6772	Entrez Gene	signal transducer and activator of transcription 1, 91kDa	AFFX-HUMISGF3A/M9793_5_5_at	Day 7 Intra/ Day 0 Intra	3.05	1.0200E-03
154	8942	Entrez Gene	kynureninase (L-kynurenine hydrolase)	33339_g_at	Day 3 Intra/ Day 0 Intra	2.55	1.9749E-04
				40671_g_at	Day 3 Intra/ Day 0 Intra	3.04	7.2609E-03
158	1164	Entrez Gene	CDC28 protein kinase regulatory subunit 2	40672_at	Day 7 Intra/ Day 0 Intra	1.60	4.2814E-03
164	929	Entrez Gene	CD14 antigen	40690_at	Day 3 Intra/ Day 0 Intra	3.00	3.3300E-06
				36661_s_at	Day 7 Intra/ Day 0 Intra	2.94	5.4018E-03
173	10615	Entrez Gene	sperm associated antigen 5	36661_s_at	Day 3 Intra/ Day 0 Intra	2.88	6.9631E-03
179	983	Entrez Gene	cell division cycle 2, G1 to S and G2 to M	32120_at	Day 3 Intra/ Day 0 Intra	2.88	2.5465E-03
				33324_s_at	Day 3 Intra/ Day 0 Intra	2.84	3.0030E-03
186	50810	Entrez Gene	Hepatoma-derived growth factor, related protein 3	34673_r_at	Day 7 Intra/ Day 3 Intra	1.87	1.5069E-03
187	7805	Entrez Gene	lysosomal associated multispinning membrane protein 5	37759_at	Day 7 Intra/ Day 0 Intra	2.78	1.0398E-03
189	5341	Entrez Gene	pleckstrin	37759_at	Day 3 Intra/ Day 0 Intra	2.10	5.3961E-03
				37328_at	Day 7 Intra/ Day 0 Intra	2.75	5.2123E-04
192	3099	Entrez Gene	hexokinase 2	37328_at	Day 3 Intra/ Day 0 Intra	2.61	9.4767E-03
193	10630	Entrez Gene	podoplanin	40964_at	Day 3 Intra/ Day 0 Intra	2.73	3.9238E-03
				41870_at	Day 3 Intra/ Day 0 Intra	2.72	2.1686E-03
195	5163	Entrez Gene	pyruvate dehydrogenase kinase, isoenzyme 1	41870_at	Day 7 Intra/ Day 0 Intra	2.55	6.0575E-03
196	8638	Entrez Gene	2'-5'-oligoadenylate synthetase-like	36386_at	Day 7 Intra/ Day 0 Intra	2.72	8.0520E-03
197	1476	Entrez Gene	cystatin B (steifin B)	34491_at	Day 3 Intra/ Day 0 Intra	2.72	4.3219E-03
				35816_at	Day 3 Intra/ Day 0 Intra	2.72	2.6259E-03
199	11130	Entrez Gene	ZW10 interactor	35816_at	Day 7 Intra/ Day 0 Intra	1.89	3.4096E-03
				35995_at	Day 3 Intra/ Day 0 Intra	2.70	2.5800E-05

Diagnostic Up - Table 26

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
205	7153	Entrez Gene	topoisomerase (DNA) II alpha 170kDa	40145_at	Day 3 Intra/ Day 0 Intra	2.64	5.1212E-04
				1592_at	Day 7 Intra/ Day 0 Intra	1.79	2.8739E-03
206	5836	Entrez Gene	phosphorylase, glycogen; liver (Hers disease, glycogen storage disease type VI)	37215_at	Day 3 Intra/ Day 0 Intra	2.61	1.0097E-03
208	3838	Entrez Gene	karyopherin alpha 2 (RAG cohort 1, importin alpha 1)	40407_at	Day 3 Intra/ Day 0 Intra	2.59	7.6802E-04
209	2591	Entrez Gene	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 3 (GalNAc-T3)	36483_at	Day 3 Intra/ Day 0 Intra	2.58	6.2318E-03
213	HG172- HT3924	The Institute for Genomic Research	---	1173_g_at	Day 3 Intra/ Day 0 Intra	2.57	1.8360E-04
				1173_g_at	Day 7 Intra/ Day 0 Intra	2.12	1.5100E-05
218	10095	Entrez Gene	actin related protein 2/3 complex, subunit 1B, 41kDa	39043_at	Day 3 Intra/ Day 0 Intra	2.54	8.3894E-04
226	8530	Entrez Gene	cystatin F (leukocystatin)	39043_at	Day 7 Intra/ Day 0 Intra	2.39	7.1434E-03
				34965_at	Day 7 Intra/ Day 0 Intra	2.52	5.5824E-03
231	4288	Entrez Gene	antigen identified by monoclonal antibody Ki-67	418_at	Day 3 Intra/ Day 0 Intra	2.48	2.6436E-03
				418_at	Day 7 Intra/ Day 0 Intra	2.17	3.2302E-03
232	4939	Entrez Gene	2'-5'-oligoadenylate synthetase 2, 69/71kDa	39263_at	Day 3 Intra/ Day 0 Intra	2.47	3.8935E-03
				39263_at	Day 7 Intra/ Day 0 Intra	2.45	1.9867E-03
234	2237	Entrez Gene	flap structure-specific endonuclease 1	41583_at	Day 3 Intra/ Day 0 Intra	2.47	4.1400E-05
				41583_at	Day 7 Intra/ Day 0 Intra	1.75	2.3531E-03
235	22974	Entrez Gene	TPX2, microtubule-associated, homolog (Xenopus laevis)	39109_at	Day 3 Intra/ Day 0 Intra	2.46	1.2900E-05
				39109_at	Day 7 Intra/ Day 0 Intra	1.70	4.8414E-04
237	23474	Entrez Gene	ethylmalonic encephalopathy 1	36170_at	Day 3 Intra/ Day 0 Intra	2.46	4.7700E-05
238	AF070571	GenBank	Clone 24739 mRNA sequence	36170_at	Day 7 Intra/ Day 0 Intra	1.84	1.2347E-03
243	4860	Entrez Gene	nucleoside phosphorylase	41575_at	Day 7 Intra/ Day 3 Intra	1.81	9.5342E-03
245	9134	Entrez Gene	cyclin E2	430_at	Day 3 Intra/ Day 0 Intra	2.44	3.4487E-04
				35249_at	Day 3 Intra/ Day 0 Intra	2.43	1.9900E-05
250	X02883	GenBank	T cell receptor alpha locus /// T cell receptor delta variable 2 /// T cell receptor alpha variable 20 /// T cell receptor alpha joining 17 /// T cell	432_s_at	Day 7 Intra/ Day 0 Intra	2.42	8.9499E-03

Diagnostic Up - Table 26

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
251	4688	Entrez Gene	neutrophil cytosolic factor 2 (65kDa, chronic granulomatous disease, autosomal 2)	41038_at	Day 7 Intra/ Day 0 Intra	2.42	1.0949E-03
257	HG1139-HT491	The Institute for Genomic Research	---	953_g_at	Day 7 Intra/ Day 0 Intra	2.40	2.7799E-03
266	22936	Entrez Gene	elongation factor, RNA polymerase II, 2	40606_at	Day 7 Intra/ Day 0 Intra	2.36	6.1549E-03
269	4938	Entrez Gene	2',5'-oligoadenylate synthetase 1, 40/46kDa	40606_at	Day 3 Intra/ Day 0 Intra	1.61	9.9712E-03
271	2760	Entrez Gene	GM2 ganglioside activator	38388_at	Day 3 Intra/ Day 0 Intra	2.34	3.0517E-03
273	4605	Entrez Gene	v-myb myeloblastosis viral oncogene homolog (avian)-like 2	38388_at	Day 7 Intra/ Day 0 Intra	2.06	2.5214E-03
275	1043	Entrez Gene	CD52 antigen (CAMPATH-1 antigen)	35820_at	Day 3 Intra/ Day 0 Intra	2.34	1.5204E-03
282	1058	Entrez Gene	centromere protein A, 17kDa	35820_at	Day 7 Intra/ Day 0 Intra	1.70	4.7303E-03
289	262	Entrez Gene	adenosylmethionine decarboxylase 1	1854_at	Day 3 Intra/ Day 0 Intra	2.33	4.7102E-04
292	4973	Entrez Gene	oxidised low density lipoprotein (lectin-like) receptor 1	1854_at	Day 7 Intra/ Day 0 Intra	2.01	1.8015E-03
301	5111	Entrez Gene	proliferating cell nuclear antigen	34210_at	Day 7 Intra/ Day 0 Intra	2.31	8.3785E-03
309	4277	Entrez Gene	MHC class I polypeptide-related sequence B	527_at	Day 3 Intra/ Day 0 Intra	2.29	9.6200E-05
310	27074	Entrez Gene	lysosomal-associated membrane protein 3	527_at	Day 7 Intra/ Day 0 Intra	1.77	9.3117E-03
315	9450	Entrez Gene	lymphocyte antigen 86	262_at	Day 3 Intra/ Day 0 Intra	2.26	9.8946E-04
323	2023	Entrez Gene	endase 1, (alpha)	262_at	Day 7 Intra/ Day 0 Intra	1.87	7.3808E-03
324	7531	Entrez Gene	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, epsilon polypeptide	37233_at	Day 3 Intra/ Day 0 Intra	2.25	1.3495E-03
325	2633	Entrez Gene	guanylate binding protein 1, interferon-inducible, 67kDa	1884_s_at	Day 3 Intra/ Day 0 Intra	2.20	1.6843E-04
327	2935	Entrez Gene	G1 to S phase transition 1	35937_at	Day 7 Intra/ Day 0 Intra	2.18	7.9073E-03
				37168_at	Day 7 Intra/ Day 0 Intra	2.18	7.2514E-03
				37168_at	Day 3 Intra/ Day 0 Intra	2.00	6.7084E-03
				35869_at	Day 7 Intra/ Day 0 Intra	2.17	8.7793E-04
				2035_s_at	Day 3 Intra/ Day 0 Intra	2.16	8.6734E-04
				2035_s_at	Day 7 Intra/ Day 0 Intra	1.72	1.0059E-03
				1011_s_at	Day 7 Intra/ Day 0 Intra	2.16	4.2489E-03
				35735_at	Day 7 Intra/ Day 0 Intra	2.15	1.7982E-03
				33932_at	Day 3 Intra/ Day 0 Intra	2.15	6.0824E-04

Diagnostic Up - Table 26

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
333	5230	Entrez Gene	phosphoglycerate kinase 1	31488_s_at	Day 3 Intra/ Day 0 Intra	2.12	9.0419E-04
334	HG1112-HT111	The Institute for Genomic Research	---	1840_g_at	Day 3 Intra/ Day 0 Intra	2.12	1.6631E-03
335	HG4074-HT434	The Institute for Genomic Research	---	1516_g_at	Day 3 Intra/ Day 0 Intra	2.12	1.9300E-05
338	6503	Entrez Gene	Src-like-adaptor	1427_g_at	Day 7 Intra/ Day 0 Intra	2.11	3.2000E-05
340	701	Entrez Gene	BUB1 budding uninhibited by benzimidazoles 1 homolog beta (yeast)	35699_at	Day 3 Intra/ Day 0 Intra	2.11	1.1112E-04
364	7027	Entrez Gene	Transcription factor Dp-1	37757_at	Day 3 Intra/ Day 0 Intra	1.43	9.7071E-04
365	4363	Entrez Gene	ATP-binding cassette, sub-family C (CFTR/MRP), member 1	34016_s_at	Day 3 Intra/ Day 0 Intra	1.67	2.7498E-03
378	5925	Entrez Gene	retinoblastoma 1 (including osteosarcoma)	1571_f_at	Day 7 Intra/ Day 0 Intra	1.99	2.7185E-03
380	3937	Entrez Gene	lymphocyte cytosolic protein 2 (SH2 domain containing leukocyte protein of 76kDa)	39319_at	Day 7 Intra/ Day 0 Intra	1.99	2.4570E-04
386	3059	Entrez Gene	hematopoietic cell-specific Lyn substrate 1	31820_at	Day 3 Intra/ Day 0 Intra	1.99	3.5900E-03
393	7351	Entrez Gene	uncoupling protein 2 (mitochondrial, proton carrier)	31820_at	Day 7 Intra/ Day 0 Intra	1.84	2.8845E-03
401	HG2059-HT211	The Institute for Genomic Research	---	957_at	Day 7 Intra/ Day 0 Intra	1.95	8.0500E-03
403	9402	Entrez Gene	GRB2-related adaptor protein 2	38866_at	Day 7 Intra/ Day 3 Intra	1.95	7.7480E-03
406	914	Entrez Gene	CD2 antigen (p50), sheep red blood cell receptor	40738_at	Day 7 Intra/ Day 0 Intra	1.94	2.8584E-03
415	HG620-HT620	The Institute for Genomic Research	---	1150_at	Day 7 Intra/ Day 0 Intra	1.92	5.0508E-03
416	3159	Entrez Gene	high mobility group AT-hook 1	1150_at	Day 3 Intra/ Day 0 Intra	1.72	4.6327E-03
419	3669	Entrez Gene	interferon stimulated exonuclease gene 20kDa	39704_s_at	Day 3 Intra/ Day 0 Intra	1.92	9.0675E-03
422	1175	Entrez Gene	adaptor-related protein complex 2, sigma 1 subunit	33304_at	Day 3 Intra/ Day 0 Intra	1.92	1.2699E-03
423	95	Entrez Gene	aminoacylase 1	39347_at	Day 3 Intra/ Day 0 Intra	1.91	6.4231E-03
454	9446	Entrez Gene	glutathione S-transferase omega 1	37713_at	Day 7 Intra/ Day 0 Intra	1.73	9.8805E-03
459	8986	Entrez Gene	ribosomal protein S6 kinase, 90kDa, polypeptide 4	824_at	Day 3 Intra/ Day 0 Intra	1.91	9.8638E-03
				41404_at	Day 3 Intra/ Day 0 Intra	1.82	7.5173E-03
					Day 3 Intra/ Day 0 Intra	1.70	3.5489E-03

Diagnostic Up - Table 26

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
462	9700	Entrez Gene	extra spindle poles like 1 (<i>S. cerevisiae</i>)	38158_at	Day 3 Intra/ Day 0 Intra	1.80	9.7504E-04
467	994	Entrez Gene	cell division cycle 25B	1347_at	Day 3 Intra/ Day 0 Intra	1.79	1.4270E-03
472	7167	Entrez Gene	triosephosphate isomerase 1	34003_at	Day 3 Intra/ Day 0 Intra	1.78	1.5049E-03
473	3965	Entrez Gene	lectin, galactoside-binding, soluble, 9 (galectin 9)	766_at	Day 7 Intra/ Day 0 Intra	1.78	3.2261E-03
480	10492	Entrez Gene	synaptotagmin binding, cytoplasmic RNA interacting protein	40122_at	Day 3 Intra/ Day 0 Intra	1.77	5.7540E-03
483	9830	Entrez Gene	tripartite motif-containing 14	33253_at	Day 3 Intra/ Day 0 Intra	1.77	3.3031E-03
491	7371	Entrez Gene	uridine-cytidine kinase 2	37193_at	Day 3 Intra/ Day 0 Intra	1.76	4.2747E-03
492	2280	Entrez Gene	FK506 binding protein 1A, 12kDa	880_at	Day 7 Intra/ Day 0 Intra	1.75	6.4425E-03
493	5641	Entrez Gene	legumain	317_at	Day 7 Intra/ Day 0 Intra	1.75	1.6880E-04
496	10325	Entrez Gene	hypoxia up-regulated 1	33863_at	Day 3 Intra/ Day 0 Intra	1.75	3.5653E-04
505	5476	Entrez Gene	protective protein for beta-galactosidase (galactosialidosis)	39062_at	Day 7 Intra/ Day 0 Intra	1.73	1.1127E-03
506	7112	Entrez Gene	thymopoietin	32683_at	Day 7 Intra/ Day 0 Intra	1.73	6.7500E-05
508	4171	Entrez Gene	MCM2 minichromosome maintenance deficient 2, mitotin (<i>S. cerevisiae</i>)	35312_at	Day 3 Intra/ Day 0 Intra	1.73	6.0681E-04
510	5226	Entrez Gene	phosphogluconate dehydrogenase	36963_at	Day 3 Intra/ Day 0 Intra	1.73	1.5966E-03
514	6723	Entrez Gene	spermidine synthase	241_g_at	Day 3 Intra/ Day 0 Intra	1.61	2.3876E-03
518	80143	Entrez Gene	hypothetical protein FLJ21168	33285_i_at	Day 3 Intra/ Day 0 Intra	1.71	6.2459E-03
533	10212	Entrez Gene	DEAD (Asp-Glu-Ala-Asp) box polypeptide 39	149_at	Day 3 Intra/ Day 0 Intra	1.68	1.3153E-04
535	990	Entrez Gene	CDC6 cell division cycle 6 homolog (<i>S. cerevisiae</i>)	36839_at	Day 3 Intra/ Day 0 Intra	1.67	6.0599E-03
539	4175	Entrez Gene	MCM6 minichromosome maintenance deficient 6 (MIS5 homolog, <i>S. pombe</i>) (<i>S. cerevisiae</i>)	40117_at	Day 3 Intra/ Day 0 Intra	1.67	1.6100E-05
541	3925	Entrez Gene	stathmin 1/oncoprotein 18	40117_at	Day 7 Intra/ Day 0 Intra	1.41	9.6300E-05
544	HG3344-HT352	The Institute for Genomic Research	---	1782_s_at	Day 3 Intra/ Day 0 Intra	1.67	1.9446E-03
549	3109	Entrez Gene	major histocompatibility complex, class II, DM beta	1164_at	Day 3 Intra/ Day 0 Intra	1.66	2.2712E-03
554	6183	Entrez Gene	mitochondrial ribosomal protein S12	41609_at	Day 7 Intra/ Day 0 Intra	1.65	2.8331E-03
				33215_g_at	Day 3 Intra/ Day 0 Intra	1.64	7.1481E-03

Diagnostic Up - Table 26

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
564	7851	Entrez Gene	mal, T-cell differentiation protein-like	33331_at	Day 3 Intra/ Day 0 Intra	1.62	7.9478E-03
565	586	Entrez Gene	branched chain aminotransferase 1, cytosolic	38201_at	Day 7 Intra/ Day 0 Intra	1.62	7.1938E-03
566	10487	Entrez Gene	CAP, adenylate cyclase-associated protein 1 (yeast)	935_at	Day 3 Intra/ Day 0 Intra	1.61	4.6984E-04
567	6197	Entrez Gene	ribosomal protein S6 kinase, 90kDa, polypeptide 3	935_at	Day 7 Intra/ Day 0 Intra	1.44	6.4995E-03
568	442871	Entrez Gene	chromosome 11 open reading frame 32	38411_at	Day 7 Intra/ Day 0 Intra	1.61	7.6214E-03
571	51512	Entrez Gene	G-2 and S-phase expressed 1	39872_at	Day 3 Intra/ Day 0 Intra	1.60	9.8094E-03
576	1965	Entrez Gene	eukaryotic translation initiation factor 2, subunit 1 alpha, 35kDa	1154_at	Day 3 Intra/ Day 0 Intra	1.59	4.2618E-03
578	56005	Entrez Gene	chromosome 19 open reading frame 10	38969_at	Day 3 Intra/ Day 0 Intra	1.59	2.2658E-03
579	10097	Entrez Gene	ARP2 actin-related protein 2 homolog (yeast)	35733_at	Day 7 Intra/ Day 0 Intra	1.32	4.0469E-03
582	10564	Entrez Gene	ADP-ribosylation factor guanine nucleotide-exchange factor 2 (brefeldin A-inhibited)	34484_at	Day 7 Intra/ Day 0 Intra	1.59	3.6899E-03
584	4522	Entrez Gene	methylene tetrahydrofolate dehydrogenase (NADP+-dependent) 1, methylenetetrahydrofolate cyclohydrolase, formyltetrahydrofolate synthetase	673_at	Day 3 Intra/ Day 0 Intra	1.58	4.2535E-03
587	410	Entrez Gene	arylsulfatase A	37963_at	Day 7 Intra/ Day 0 Intra	1.58	8.6911E-03
589	4836	Entrez Gene	N-myristoyltransferase 1	38999_s_at	Day 3 Intra/ Day 0 Intra	1.58	1.3516E-03
590	6119	Entrez Gene	replication protein A3, 14kDa	38999_s_at	Day 7 Intra/ Day 0 Intra	1.46	1.8788E-03
597	191	Entrez Gene	S-adenosylhomocysteine hydrolase	652_g_at	Day 3 Intra/ Day 0 Intra	1.43	8.5512E-03
601	4354	Entrez Gene	membrane protein, palmitoylated 1, 55kDa	40821_at	Day 3 Intra/ Day 0 Intra	1.57	2.0964E-03
				32207_at	Day 3 Intra/ Day 0 Intra	1.46	7.4656E-03
				32207_at	Day 7 Intra/ Day 0 Intra	1.44	2.9715E-03
607	471	Entrez Gene	5-aminimidazole-4-carboxamide ribonucleotide formyltransferase/IMP cyclohydrolase	38811_at	Day 3 Intra/ Day 0 Intra	1.54	4.3303E-03
				38811_at	Day 7 Intra/ Day 0 Intra	1.42	9.5032E-03

Diagnostic Up - Table 26

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
612	10972	Entrez Gene	transmembrane emp24-like trafficking protein 10 (yeast)	36128_at	Day 3 Intra/ Day 0 Intra	1.53	1.7775E-03
614	22948	Entrez Gene	chaperonin containing TCP1, subunit 5 (epsilon)	40417_at	Day 3 Intra/ Day 0 Intra	1.52	4.2364E-03
615	HG2036-HT209	The Institute for Genomic Research	---	1624_at	Day 7 Intra/ Day 0 Intra	1.52	4.7483E-03
620	5373	Entrez Gene	phosphomannomutase 2	32028_at	Day 3 Intra/ Day 0 Intra	1.40	3.1022E-03
622	10105	Entrez Gene	peptidylprolyl isomerase F (cyclophilin F)	40840_at	Day 3 Intra/ Day 0 Intra	1.51	2.4060E-03
624	5463	Entrez Gene	POU domain, class 6, transcription factor 1	40840_at	Day 7 Intra/ Day 0 Intra	1.49	5.8615E-03
626	8659	Entrez Gene	aldehyde dehydrogenase 4 family, member A1	104_at	Day 7 Intra/ Day 3 Intra	1.51	5.7316E-03
627	5971	Entrez Gene	v-rel reticuloendotheliosis viral oncogene homolog B, nuclear factor of kappa light polypeptide gene enhancer in B-cells 3 (avian)	37331_g_at	Day 3 Intra/ Day 0 Intra	1.50	9.8949E-03
629	9961	Entrez Gene	major vault protein	570_at	Day 7 Intra/ Day 0 Intra	1.45	9.5402E-03
631	4689	Entrez Gene	neutrophil cytosolic factor 4, 40kDa	38064_at	Day 3 Intra/ Day 0 Intra	1.50	3.1600E-03
646	9989	Entrez Gene	protein phosphatase 4, regulatory subunit 1	38893_at	Day 7 Intra/ Day 0 Intra	1.50	5.0746E-03
653	27351	Entrez Gene	DNA segment, Chr 15, Wayne State University 75, expressed	34371_at	Day 3 Intra/ Day 0 Intra	1.48	7.4671E-03
666	57794	Entrez Gene	splicing factor 4	41670_at	Day 7 Intra/ Day 0 Intra	1.47	1.5271E-03
677	5096	Entrez Gene	propionyl Coenzyme A carboxylase, beta polypeptide	31839_at	Day 3 Intra/ Day 0 Intra	1.45	6.1439E-04
685	HG1862-HT189	The Institute for Genomic Research	---	31839_at	Day 7 Intra/ Day 0 Intra	1.35	5.6434E-03
689	2717	Entrez Gene	galactosidase, alpha	36561_at	Day 3 Intra/ Day 0 Intra	1.43	9.0532E-03
691	3419	Entrez Gene	isocitrate dehydrogenase 3 (NAD+) alpha	955_at	Day 3 Intra/ Day 0 Intra	1.42	6.8245E-03
695	9470	Entrez Gene	eukaryotic translation initiation factor 4E member 2	36833_at	Day 3 Intra/ Day 0 Intra	1.41	1.1196E-03
701	7873	Entrez Gene	arginine-rich, mutated in early stage tumors	36195_at	Day 3 Intra/ Day 0 Intra	1.41	6.5855E-03
				32229_at	Day 7 Intra/ Day 0 Intra	1.41	3.8677E-03
				32229_at	Day 3 Intra/ Day 0 Intra	1.40	5.8851E-03
				36615_at	Day 3 Intra/ Day 0 Intra	1.40	2.9578E-03

Diagnostic Up - Table 26

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
704	9125	Entrez Gene	RCD1 required for cell differentiation1 homolog (S. pombe)	33844_at	Day 7 Intra/ Day 0 Intra	1.36	1.1289E-03
710	4478	Entrez Gene	moesin	40771_at	Day 3 Intra/ Day 0 Intra	1.38	6.8780E-03
716	4668	Entrez Gene	N-acetylgalactosaminidase, alpha-	36607_at	Day 7 Intra/ Day 0 Intra	1.38	3.1818E-03
729	103	Entrez Gene	adenosine deaminase, RNA-specific	38014_at	Day 7 Intra/ Day 0 Intra	1.35	9.5125E-03
732	1069	Entrez Gene	centrin, EF-hand protein, 2	38410_at	Day 7 Intra/ Day 0 Intra	1.34	6.3238E-03
744	8565	Entrez Gene	tyrosyl-tRNA synthetase	38977_at	Day 3 Intra/ Day 0 Intra	1.32	3.9487E-04
747	9695	Entrez Gene	ER degradation enhancer, mannosidase alpha-like 1	31898_at	Day 7 Intra/ Day 0 Intra	1.30	3.3255E-03
754	8683	Entrez Gene	splicing factor, arginine/serine-rich 9	32573_at	Day 3 Intra/ Day 0 Intra	1.26	1.9019E-03

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
218	10095	Entrez Gene	actin related protein 2/3 complex, subunit 1B, 41kDa	39043_at	Day 3 Intra/ Day 0 Intra	2.54	8.3894E-04
744	8565	Entrez Gene	tyrosyl-tRNA synthetase	39043_at	Day 7 Intra/ Day 0 Intra	2.39	7.1434E-03
				39977_at	Day 3 Intra/ Day 0 Intra	1.32	3.9487E-04

Diagnostic Up - Table 28

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
292	4973	Entrez Gene	oxidised low density lipoprotein (lectin-like) receptor 1	37233_at	Day 3 Intra/ Day 0 Intra	2.25	1.3495E-03
406	914	Entrez Gene	CD2 antigen (p50), sheep red blood cell receptor	40738_at	Day 7 Intra/ Day 0 Intra	1.94	2.8584E-03

Diagnostic Up - Table 29

Gene ID	Public Identifier	Data Source	Gene Name	Probe_ID	Comparison	Fold Change	P value
164	929	Entrez Gene	CD14 antigen	36661_s_at	Day 7 Intra/ Day 0 Intra	2.94	5.4018E-03
292	4973	Entrez Gene	oxidised low density lipoprotein (lectin-like) receptor 1	36661_s_at	Day 3 Intra/ Day 0 Intra	2.88	6.9631E-03
315	9450	Entrez Gene	lymphocyte antigen 86	37233_at	Day 3 Intra/ Day 0 Intra	2.25	1.3495E-03
				35869_at	Day 7 Intra/ Day 0 Intra	2.17	8.7793E-04

CLAIMS

1. A method for diagnosing a scar of interest as keloid or non-keloid, the method comprising:
comparing expression in a sample representative of gene expression in the scar of interest, of at least one gene, selected from the group of genes set out in Table 1, with expression of the said at least one gene in a comparator tissue;
wherein increased expression of said at least one gene in the scar of interest compared to expression of said at least one gene in the comparator tissue indicates that the scar of interest comprises a keloid.
2. A method according to claim 1, wherein the method is an *in vitro* method.
3. A method according to claim 1 or claim 2, comprising comparing the expression of at least one gene selected from the group of genes set out in Table 2.
4. A method according to any preceding claim, comprising comparing the expression of at least one gene selected from the group of genes set out in Table 3.
5. A method according to any preceding claim, comprising comparing the expression of at least one gene selected from the group of genes set out in Table 8.
6. A method according to any preceding claim, comprising comparing the expression of at least one gene selected from the group of genes set out in Table 12.
7. A method according to any preceding claim, comprising comparing the expression of at least one gene selected from the group of genes set out in Table 17.
8. A method according to any preceding claim, comprising comparing the expression of at least one gene selected from the group of genes set out in Table 18.

9. A method according to any preceding claim, comprising comparing the expression of at least one gene selected from the group of genes set out in Table 19
10. A method according to any preceding claim, comprising comparing the expression of at least one gene selected from the group of genes set out in Table 23.
11. A method according to any preceding claim, comprising comparing the expression of at least one gene selected from the group of genes set out in Table 25.
12. A method according to any preceding claim, comprising comparing the expression of at least one gene selected from the group of genes set out in Table 26.
13. A method according to any preceding claim, wherein the sample representative of gene expression in the scar of interest comprises a nucleic acid target molecule.
14. A method according to claim 13, wherein the nucleic acid target molecule comprises an RNA oligonucleotide.
15. A method according to claim 13, wherein the nucleic acid target molecule comprises a DNA oligonucleotide.
16. A method according to any one of claims 1 to 12, wherein the sample representative of gene expression in the scar of interest comprises a protein target molecule.
17. A method according to any of claims 13 to 16, wherein the comparison of gene expression is effected using a probe molecule capable of binding specifically to the target molecule.
18. A method according to claim 17, wherein the probe molecule is selected from the group comprising oligonucleotide probes, antibodies and aptamers.

19. A method according to any preceding claim, wherein expression in the sample and expression in the comparator tissue is compared for at least 5 genes.
20. A method according to any preceding claim, wherein expression in the sample and expression in the comparator tissue is compared for between 5 and 10 genes.
21. A kit for diagnosing a scar of interest as keloid or non-keloid, the kit comprising:
- i) at least one probe capable of binding specifically to a target molecule representative of expression in the scar of interest of at least one gene selected from the group set out in Table 1; and
 - ii) reference material able to indicate the level of expression of said at least one gene in comparator tissue.
22. A kit according to claim 21, wherein the probe comprises an oligonucleotide probe.
23. A kit according to claim 21, wherein the probe comprises an antibody.
24. A kit according to claim 21, wherein the probe comprises an aptamer.
25. A kit according to any of claims 21 to 24, wherein the probe is a labelled probe.
26. A kit according to claim 25, wherein the probe is a fluorescent-labelled probe.
27. A kit according to claim 25, wherein the probe is an enzyme-labelled probe.
28. A kit according to claim 25, wherein the probe is a radioactive-labelled probe.
29. A kit according to any one of claims 21 to 28, comprising probes capable of binding specifically to target molecules representative of expression of at least 5 genes selected from the group set out in Table 1.

30. A kit according to any one of claims 21 to 29, comprising probes capable of binding specifically to target molecules representative of expression of between 5 and 10 genes selected from the group set out in Table 1.
31. A kit according to any one of claims 21 to 30, wherein the kit comprises probes capable of binding specifically to target molecules representative of gene expression of at least one gene selected from those set out in Table 2; and/or those set out in Table 3; and/or those set out in Table 8; and/or those set out in Table 12; and/or those set out in Table 17 and/or those set out in Table 18; and/or those set out in Table 19; and/or those set out in Table 23; and/or those set out in Table 25; and/or those set out in Table 26.
32. A kit according to any one of claims 21 to 30, wherein the reference material comprises a library of nucleic acid targets representative of expression of said at least one gene selected from the group of genes set out in Table 1.
33. A kit according to any one of claims 21 to 31, wherein the reference material comprises a library of protein targets representative of expression of said at least one gene selected from the group of genes set out in Table 1.
34. A kit according to any one of claims 21 to 33, wherein the reference material comprises data as to the expression of said at least one gene selected from the group of genes set out in Table 1.
35. A kit according to any one of claims 21 to 34, further comprising a diagnostic algorithm.
36. A kit according to any one of claims 21 to 35, further comprising assay control material able to indicate that an assay has been performed correctly.
37. A kit according to any one of claims 21 to 36, further comprising materials for the preparation of a population of target molecules representative of gene expression in a scar of interest.

38. An array of oligonucleotide probes, characterised in that at least 6.37% of the oligonucleotides probes present in the array are selected from the group of genes set out in Table 1.
39. An array comprising a nylon substrate to which are adhered nucleic acid probes representative of genes selected from the group of genes set out in Table 1.
40. An array comprising immobilized antibody probes capable of binding specifically to molecules representative of expression of one or more of the group of genes set out in Table 1.
41. An array according to any one of claims 38 to 40, wherein the array comprises probes capable of binding specifically to target molecules representative of gene expression of at least one gene selected from those set out in Table 2; and/or those set out in Table 3; and/or those set out in Table 8; and/or those set out in Table 12; and/or those set out in Table 17; and/or those set out in Table 18; and/or those set out in Table 19; and/or those set out in Table 23; and/or those set out in Table 25; and/or those set out in Table 26.