




(86) Date de dépôt PCT/PCT Filing Date: 2004/09/14
(87) Date publication PCT/PCT Publication Date: 2005/05/06
(85) Entrée phase nationale/National Entry: 2006/03/31
(86) N° demande PCT/PCT Application No.: US 2004/029932
(87) N° publication PCT/PCT Publication No.: 2005/040972
(30) Priorité/Priority: 2003/10/03 (US10/677,265)

(51) Cl.Int./Int.Cl. *G06F 3/048* (2006.01),
G06F 17/30 (2006.01)
(71) Demandeur/Applicant:
LEXISNEXIS, A DIVISION OF REED ELSEVIER INC.,
US
(72) Inventeurs/Inventors:
GARDNER, DOUGLAS L., US;
JACOBS, WENDY D., US;
BRESSLER, JASON R., US;
BANCROFT, JAMES C., US;
RAMACHANDRAN, KAVYA, US;
LY, KEVIN T., US
(74) Agent: RIDOUT & MAYBEE LLP

(54) Titre : AUXILIAIRE DE NAVIGATION HIERARCHIQUE, MULTI-NIVEAUX, A EXPANSION ET CONTRACTION,
POUR STRUCTURES HIERARCHIQUES
(54) Title: HIERARCHICAL, MULTILEVEL, EXPAND AND COLLAPSE NAVIGATION AID FOR HIERARCHICAL
STRUCTURES



(57) Abrégé/Abstract:

A software utility navigation aid for hierarchical structures such as file managers, taxonomies, or tables of contents that displays a dynamic menu when the mouse cursor is hovered over an activator used to swap the expanded/collapsed state of a node



(57) **Abrégé(suite)/Abstract(continued):**

displayed in a hierarchical structure. The menu contains entries that identify in which display level of expansion the node resides based on the structure's fully collapsed condition (from the root node), the number of display levels to which this branch of the hierarchy can be expanded, and the number of nodes that will be exposed when this branch is expanded to each of those levels. Each displayed entry in this menu, positioned both below and above the identified node , can be clicked to cause the hierarchical structure to expand or collapse to that display level.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
6 May 2005 (06.05.2005)

PCT

(10) International Publication Number
WO 2005/040972 A2

(51) International Patent Classification⁷: **G06F**

(21) International Application Number:
PCT/US2004/029932

(22) International Filing Date:
14 September 2004 (14.09.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
10/677,265 3 October 2003 (03.10.2003) US

(71) Applicant (for all designated States except US): **LEX-
ISNEXIS, A DIVISION OF REED ELSEVIER INC.**
[US/US]; 9443 Springboro Pike, Dayton, OH 45342 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **GARDNER, Dou-
glas** [US/US]; 3810 Kehr Road, Oxford, OH 45056 (US).
JACOBS, Wendy [US/US]; 1010 Millstone Road, Dayton,
OH 45458 (US). **BRESSLER, Jason** [US/US]; 67 Twin
Lakes Drive, Fairfield, OH 45014 (US). **BANCROFT,**

James [US/US]; 10390 S. Union Road, Miamisburg, OH
45342 (US). **RAMACHANDRAN, Kavya** [IN/US]; 2921
Knoll Ridge Drive, Apt. C, Dayton, OH 45449 (US). **LY,
Kevin** [US/US]; 274 Tamarack Trail, Springboro, OH
45066 (US).


(74) Agents: **MELSER, Allen** et al.; Jacobson Holman, PLLC,
400 Seventh Street, N.W., Washington, DC 20004 (US).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,

[Continued on next page]

(54) Title: HIERARCHICAL, MULTILEVEL, EXPAND AND COLLAPSE NAVIGATION AID FOR HIERARCHICAL STRUC-
TURES



(57) Abstract: A software utility navigation aid for hierarchical structures such as file managers, taxonomies, or tables of contents that displays a dynamic menu when the mouse cursor is hovered over an activator used to swap the expanded/collapsed state of a node displayed in a hierarchical structure. The menu contains entries that identify in which display level of expansion the node resides based on the structure's fully collapsed condition (from the root node), the number of display levels to which this branch of the hierarchy can be expanded, and the number of nodes that will be exposed when this branch is expanded to each of those levels. Each displayed entry in this menu, positioned both below and above the identified node, can be clicked to cause the hierarchical structure to expand or collapse to that display level.

WO 2005/040972 A2

WO 2005/040972 A2



FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— *without international search report and to be republished upon receipt of that report*

- 1 -

HIERARCHICAL, MULTILEVEL, EXPAND AND COLLAPSE NAVIGATION AID FOR HIERARCHICAL STRUCTURES

5 A portion of the disclosure of this patent document contains material which is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure, as it appears in the patent file or records of WIPO or any national or regional patent office, but otherwise reserves all copyright rights whatsoever.

10 FIELD OF THE INVENTION

The invention relates to navigation aids for hierarchical structures such as file managers, taxonomies, or tables of contents.

BACKGROUND OF THE INVENTION

15 “Hierarchical structure” is used herein in the ordinary sense of a “tree,” wherein there is only one route between any pair of nodes, and there is a notion of “toward top of the tree” (i.e. the root node, which is a node with no parent), and its opposite direction, toward a “leaf” or bottom node with no descendants, such that there are multiple levels of nodes, and no node can have more than one parent. A tree with n nodes has $n-1$ branches between the root node and a leaf node. Any node between the root node and a leaf node is
20 referred to as an “intermediate node.”

Hierarchical structures such as file managers, taxonomies, and tables of contents, and particularly large or complex hierarchical file structures, contain multiple levels of nodes (folders and subfolders). Conventionally, an expand/collapse icon is displayed to the left of each node’s name. This icon shows a “+” symbol if the node is collapsed (that is,
25 if the descendant nodes (which may be document folders or files) in the levels under it are hidden). Clicking the icon while the “+” symbol is displayed causes the descendant nodes in the level directly under that node to display. The icon then displays a “-” symbol. In a similar fashion, clicking the icon while the “-” symbol is displayed causes the node to collapse -- the icon then displays the “+” symbol again. All descendant nodes displayed
30 under the original node are collapsed until the “+” symbol displayed next to them is clicked.

- 2 -

In current multilevel hierarchies, a branch of that structure can be collapsed and individual nodes in the hierarchy can only be expanded to the next display level with a single action. Expanding a branch to multiple display levels requires multiple actions and no indication of the number of nodes that will be exposed at a given display level is provided.

5 It is to the solution of these and other problems to which the present invention is directed.

BRIEF SUMMARY OF THE INVENTION

10 It is therefore a primary object of the present invention to provide a navigation aid that allows a specific branch of a multilevel hierarchical structure to be expanded (or collapsed) multiple display levels with a single action.

 It is another object of the present invention to allow a user to select any node in a multilevel hierarchy, to be aware of its position within the overall structure, to be aware of the number of items exposed at any lower level in that branch of the structure, and to quickly expand that node to any of those display levels.

15 These and other objects are achieved by provision of a software utility that comprises a navigation aid for hierarchical structures such as file managers, taxonomies, or tables of contents that display a dynamic menu when the cursor is hovered over an activator used to swap the expanded/collapsed state of a node displayed in a hierarchical structure. The menu contains entries that identify in which display level of expansion the node resides
20 based on the structure's fully collapsed condition (from the root node), the number of display levels to which this branch of the hierarchy can be expanded, and the number of nodes that will be exposed when this branch is expanded to each of those levels. Each displayed entry in this menu, positioned both below and above the identified node, can be clicked to cause the hierarchical structure to expand or collapse to that display level.

25 Other objects, features and advantages of the present invention will be apparent to those skilled in the art upon a reading of this specification including the accompanying drawings.

- 3 -

BRIEF DESCRIPTION OF THE DRAWINGS

The invention is better understood by reading the following Detailed Description of the Preferred Embodiments with reference to the accompanying drawing figures, in which like reference numerals refer to like elements throughout, and in which:

5 FIGURE 1 shows a first embodiment of an expand collapse menu in accordance with the present invention displayed in connection with a table of contents.

FIGURE 2 shows a second embodiment of an expand collapse menu in accordance with the present invention displayed in connection with a table of contents.

DETAILED DESCRIPTION OF THE INVENTION

10 In describing preferred embodiments of the present invention illustrated in the drawings, specific terminology is employed for the sake of clarity. However, the invention is not intended to be limited to the specific terminology so selected, and it is to be understood that each specific element includes all technical equivalents that operate in a similar manner to accomplish a similar purpose.

15 The multilevel expand/collapse software utility in accordance with the present invention is a navigation aid for hierarchical structures such as file managers, taxonomies, or tables of contents. It is particularly useful when used with large or complex hierarchical file structures containing multiple levels of nodes (e.g., folders and subfolders).

20 As shown in FIGURES 1 and 2, in the multilevel expand/collapse navigation aid, a conventional expand/collapse icon 10 is displayed to the left of the name of each node 20 of a conventional, multilevel hierarchical structure 40. The expand/collapse icon 10 has the conventional expand/collapse icon features, wherein clicking the icon 10 next to a selected node 20' while the "+" symbol is displayed causes the descendant nodes 20a directly under the selected node 20' to display, and clicking the icon 10 while the "-" symbol is displayed
25 causes the selected node 20' to collapse.

- 4 -

The multilevel expand/collapse navigation aid also provides an unobtrusive mechanism, in the form of a dynamically generated menu 30, that lets users easily expand or collapse a multilevel hierarchical structure 40 to a specific level of expansion. The menu 30 can be implemented as a Javascript layer to display expand/collapse options specific to the selected node 20'. However, as will be appreciated by those of ordinary skill in the art, the menu 30 can be created using technologies other than a Javascript layer, and the invention is not intended to be limited to a menu created using a Javascript layer.

Each individual node 20 of a hierarchy 40 can be expanded or collapsed to any level by hovering over the expand/collapse icon 10 within the hierarchy 40 and selecting a target level. The multilevel expand/collapse navigation aid displays a dynamic menu 30 when the cursor 50 is hovered over an activator used to swap the expanded/collapsed state of a node 20 displayed in a hierarchical structure 40. The menu 30 consists of entries to close ancestors of the selected node 20', the selected node 20', and options to individually open the nodes at each level of the hierarchy 40 below the selected node 20'. Each descendent level indicates the number of nodes that would be shown below the selected level 20', should the hierarchy 40 be opened to that level. The multilevel expand/collapse navigation aid thus saves the user from having either to expand the structure 40 by manually expanding multiple individual nodes 20 within that structure or to locate a specific parent node in order to collapse that branch of the structure.

As shown in FIGURES 1 and 2, if the cursor 50 is hovered over the icon 10 for a predetermined time (for example, 1.5 seconds) an expand/collapse menu 30 appears in the vicinity of the cursor 50, preferably below and to the right of the cursor 50. The hover duration may vary according to user preference. If the cursor 50 is too low on the screen for the entire menu 30 to be displayed below, then the menu 30 will display above and to the right of the cursor 50. The multilevel expand/collapse navigation aid will position the menu 30 so that the selected node 20' is visible either above or below the menu 30. For each expand option, the total number of nodes that would be visible under the selected node 20' if expanded to the selected level is visible next to the level to be expanded. The current level is selectable in the list, and will expand if currently collapsed, or collapse if currently expanded.

- 5 -

Each selection in the menu 30 highlights when the cursor 50 passes over it (commonly referred to as “mouseover” when the cursor is positioned using a mouse).

The expand/collapse menu 30 contains information that is generated dynamically after gathering statistics about the current state of the hierarchical structure 40 and then adjusting that information based on the position of the selected node 20' within that structure. This displayed menu 30 can then provide several functions:

- The menu 30 identifies, by node name or level number, the path of parent nodes from the root node to the selected node 20' (in FIGURE 1, “Close to Level 1”; in FIGURE 2, “Close TITLE 68” and “Close SAFETY”).

- The menu 30 identifies at what level of expansion, within the branch of the hierarchical structure 40, the selected node 20' resides (in FIGURE 1, “Level 2”; in FIGURE 2, “CHAPTER 126”).

- The menu 30 identifies how many additional levels this particular branch of the hierarchical structure 40 can be expanded (in FIGURE 1, “Open to Level 3,” “Open to Level 4,” and “Open to Level 5”; in FIGURE 2, “Open up to Level 4” and “Open up to Level 5”).

- The menu 30 identifies the total number of additional descendant nodes that will be displayed if the hierarchical structure 40 is expanded to a given level (in FIGURE 1, for Level 3, “11 items,” for Level 4, “86 items,” and for Level 5, “145 items”; in FIGURE 2, for Level 4, “4 items” and for Level 5, “44 items”). It is noted that in the user interfaces illustrated in FIGURES 1 and 2, “item” is used instead of the more technically-accepted term “node” because some users may not understand the term “node.”

- Each node in the menu 30 can be clicked to cause the screen to repaint, showing this branch of the hierarchical structure 40 to be expanded or collapsed to the selected level of expansion. The current level node 20' is also selectable in the list, and clicking will toggle its state (open it if closed, close it if open).

- 6 -

In a basic embodiment, the multilevel expand/collapse navigation aid provides an unobtrusive, dynamically generated menu 30 that lets users easily expand or collapse a hierarchical structure 40 to a specific level of expansion. An example of such a menu 30, in conjunction with a conventional expand/collapse menu 40 generated by the LexisNexis Research System for the table of contents of Deering's California Codes Annotated, is shown in FIGURE 1. In an enhanced embodiment, the multilevel expand/collapse navigation aid reports additional information about each level of the structure 40. An example of additional information is the precise specification of the node that would be closed by selecting that mode from the menu. An example of such a menu incorporating additional information, in conjunction with a conventional expand/collapse menu generated by the LexisNexis Research System for the table of contents of Deering's California Codes Annotated, is shown in FIGURE 2.

Exemplary behavior for each menu option in the basic embodiment will now be described with reference to FIGURE 1.

- 15 • “+” symbol: The user clicks the “+” symbol to expand the selected hierarchy node 20' as in the conventional expand/collapse menu 40. The user hovers over the icon 10 associated with the selected node 20' for a predetermined time (e.g., 1.5 seconds) to see the dynamic expand/collapse menu 30.
- 20 • “-” symbol: The user clicks “-” symbol to collapse the selected hierarchy node 20' as in the conventional expand/collapse menu 40. The user hovers over the icon 10 for a predetermined time to see the dynamic expand/collapse menu 30.
- 25 • Rows to collapse (close) hierarchy (all rows above the entity): This menu option is displayed as “Close to Level n ”, where n is the hierarchy node that will be collapsed by choosing this option. The user selects this menu option to collapse the branch of the hierarchy 40 containing the entity to the level selected. “Close Level 1” means collapse the root node of the hierarchy 40. “Close Level 2” means collapse the second level parent, etc. The resulting display is scrolled to target (the closed node).

- 7 -

• Level of current entity: This menu option is displayed as “Level n ”, where n is the node 20' that generated the dynamic menu 30, and is indicated with some graphical or text element (in this case, an arrow (“←”) symbol). This row of the menu is selectable and will toggle the expansion state of the node 20', opening the node if it is closed, closing it if it is open.

• Rows to expand hierarchy (all rows below the entity): This menu option is displayed as “Open to Level n (x items)”, where n is the lowest hierarchy node that will be shown by the action and x is the number of nodes below the current node which will be shown. The users select this menu option to expand the hierarchy 40 from the node 20' over which the cursor 50 is hovering (the current node) to the selected level.

Exemplary behavior for each menu option in the enhanced embodiment will now be described with reference to FIGURE 2.

• Close TITLE 68: If the user selects this option from the dynamic menu 30, the branch containing Title 68 will be closed to the first level. In this instance, the behavior would be the same as clicking the “-” icon for Title 68. The resulting Table of Contents display 40 is positioned to the node that was collapsed.

• Close SAFETY: If the user selects this option from the dynamic menu 30, the branch of TITLE 68 containing Safety will be closed to the second level. In this instance, the behavior would be the same as clicking the “-” icon for Safety. The resulting Table of Contents display is positioned to Safety.

• Chapter 126: This is the current node 20' (the node that generated the dynamic menu). Selecting it will toggle its state, expanding the node if closed, collapsing it if open.

• Open up to Level 4 (4 items): Clicking this option would expand Chapter 126 (at the 3rd level of the hierarchy) and display the 4th level under the chapter. In this case, there would be no effect, because Chapter 126 is already expanded to show the 4th level. If the 5th level were also shown, it would close.

- 8 -

- Open up to Level 5 (44 items): Clicking this option would expand Chapter 126 to the 5th level, expanding the four nodes at the fourth level to display an additional 40 nodes (mostly documents).

Because the multilevel expand/collapse navigation aid can expand large sections of a hierarchy 40 with one request, it may require chunking rules to manage the display of very large, open hierarchies.

In an alternative embodiment, the multilevel expand/collapse navigation aid can be implemented using an image swap and a separate click as an alternative to a mouseover for showing the menu. The specific use of a mouseover versus a click event is not a critical element of the present invention.

It will be understood that the multilevel expand/collapse software utility can be implemented by computer program instructions. These computer program instructions may be provided to a processor of a general purpose computer, special purpose computer, or other programmable data processing apparatus to produce a machine, such that the instructions, which execute via the processor of the computer or other programmable data processing apparatus, create means for implementing the functions described above.

These computer program instructions may also be stored in a computer-readable memory that can direct a computer or other programmable data processing apparatus to function in a particular manner, such that the instructions stored in the computer-readable memory produce an article of manufacture including instruction means which implement the functions described above.

The computer program instructions may also be loaded onto a computer or other programmable data processing apparatus to cause a series of operational steps to be performed on the computer or other programmable apparatus to produce a computer implemented process such that the instructions which execute on the computer or other programmable apparatus provide steps for implementing the functions described above.

- 9 -

Modifications and variations of the above-described embodiments of the present invention are possible, as appreciated by those skilled in the art in light of the above teachings. For example, the present invention could be applied to a file menu system. It is therefore to be understood that, within the scope of the appended claims and their
5 equivalents, the invention may be practiced otherwise than as specifically described.

- 10 -

We Claim:

1. A navigation aid for hierarchical structures having multiple levels of nodes, the navigational aid comprising:

means for displaying the nodes in a multilevel hierarchical structure;

5 means for displaying a conventional expand/collapse icon in the vicinity of the name of each node; and

means for displaying a dynamic menu when the cursor is hovered over an activator used to swap the expanded/collapsed state of a node displayed in the hierarchical structure.

10 2. The navigation aid of claim 1, wherein the means for displaying a dynamic menu includes means for gathering statistics about the current state of the hierarchical structure, and wherein the menu contains information that is generated dynamically from the statistics.

15 3. The navigation aid of claim 2, wherein the means for displaying a dynamic menu further includes means for adjusting the information based on the selected node's position within the hierarchical structure.

20 4. The navigation aid of claim 3, wherein the menu identifies, by node name, the path of parent nodes from the root node (hierarchy fully collapsed) to the selected node.

25 5. The navigation aid of claim 4, wherein the path information also identifies what level of expansion, within this branch of the hierarchy, the selected node resides.

6. The navigation aid of claim 3, wherein the menu identifies how many additional levels this particular branch of the hierarchical structure can be expanded.

30 7. The navigation aid of claim 3, wherein the menu identifies the total number of additional descendant nodes that will be displayed if the hierarchy is expanded to a given level.

- 11 -

8. The navigation aid of claim 1, further comprising means for updating the display to show the branch of the hierarchical structure to be expanded or collapsed to the selected level of expansion.

5

9. A computer program product for navigating hierarchical structures having multiple levels of nodes, the computer program product comprising a computer usable storage medium having computer readable program code embodied in the medium, the computer readable program code comprising:

10 computer readable program code means for displaying the nodes in a multilevel hierarchical structure;

computer readable program code means for displaying a conventional expand/collapse icon in the vicinity of each node's name; and

15 computer readable program code means for displaying a dynamic menu when the cursor is hovered over an activator used to swap the expanded/collapsed state of a node displayed in the hierarchical structure.




FIG. 1





FIG. 2

View: TOC

1 - 81 of 81

[FAST Print](#) [Print](#) [Download](#) [Fax](#) [Email](#) [Text Only](#)

Source: Legal >/.../> CA - Deering's California Codes Annotated 

Deering's California Code Annotated

☒ Terms and Connectors ☐ Natural Language

 [Search](#) [Advanced](#)

Enter terms of search the full text of this source.

Search within: ☒ Full-text ☐ Table of Contents

☐ Search Selected Only

[Clear All Selections](#) [Hide Book Headers](#)

 ☐ BUSINESS & PROFESSIONS CODE

 ☐ Preceding & 1

 ☐ General Provisions

 ☐ DIVISION 1. Department of Consumer Affairs

Close to Level 1

Level 2

Open up to Level 3 (11 items)

Open up to Level 4 (86 items)

Open up to Level 5 (145 items)

 ☐ CHAPTER 4. Consumer Affairs

 ☐ CHAPTER 5. Building of the Department

 ☐ CHAPTER 6. Public Members

 ☐ CHAPTER 7. Licensee

 ☐ CHAPTER 8. Dispute Resolution Programs

 ☐ CHAPTER 8. Certification of Third-Party Dispute Resolution Processes for New Motor Vehicles

 ☐ DIVISION 1. 2. Legislative Sunset Review Committee