

(12) United States Patent Görgens et al.

(10) **Patent No.:**

US 8,785,647 B2

(45) **Date of Patent:**

*Jul. 22, 2014

(54) PESTICIDAL ARYLPYRROLIDINES

Applicant: Bayer Intellectual Property GmbH,

Monheim (DE)

Inventors: Ulrich Görgens, Ratingen (DE); Jun Mihara, Tochigi (JP); Tetsuya Murata,

> Tochigi (JP); Daiei Yamazaki, Tochigi (JP); Yasushi Yoneta, Saitama (JP); Koichi Araki, Ibaraki (JP); Norio Sasaki, Ibaraki (JP); Kei Domon, Tochigi (JP); Mamoru Hatazawa, Ibaraki (JP); Eiichi Shimojo, Tochigi (JP); Teruyuki Ichihara, Tochigi (JP); Masashi Ataka, Ibaraki (JP); Katsuhiko

Shibuya, Tochigi (JP)

Assignee: Bayer Intellectual Property GmbH,

Monheim (DE)

Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

This patent is subject to a terminal dis-

(21) Appl. No.: 13/829,353

(22) Filed: Mar. 14, 2013

(65)**Prior Publication Data**

> US 2013/0310408 A1 Nov. 21, 2013

Related U.S. Application Data

Continuation of application No. 12/588,411, filed on Oct. 14, 2009, now Pat. No. 8,450,483.

(30)Foreign Application Priority Data

Oct. 17, 2008	(JP)	 2008-268729
Apr. 30, 2009	(JP)	 2009-111390

(51) **Int. Cl.**

C07D 401/04 (2006.01)

A01N 43/40 (2006.01)

(52) U.S. Cl.

CPC C07D 401/04 (2013.01); A01N 43/40 (2013.01)

USPC 546/276.4; 514/343; 514/428; 548/568

(58) Field of Classification Search

CPC C07D 401/04; A01N 43/40 USPC 546/276.4; 548/568; 514/343, 428 See application file for complete search history.

(56)**References Cited**

U.S. PATENT DOCUMENTS

8,188,122 B2 5/2012 Mihara et al. 8.450.483 B2 5/2013 Görgens et al. 2007/0066617 A1 3/2007 Mita et al 2012/0232278 A1 9/2012 Mihara et al.

FOREIGN PATENT DOCUMENTS

2008-110971 5/2008 ŴΟ WO 2008/128711 A1 10/2008 OTHER PUBLICATIONS

Bégué, J., et al., "Enhancement of Alkene Reactivity by a Trifluoromethyl group: Synthesis of Pyrrolidines via 1,3-Dipolar Cycloaddittion," Tetrahedron Letters 34:3279-3282, Elsevier, United Kingdom (1993).

Hosomi, A., et al., "N-(Trimethylsilylmethyl) Aminomethl Ethers as Azomethine Ylide Synthons. A New and Convenient Access to Prrolidine Derivatives," Chemistry Letters 13:1117-1120, The Chemical Society of Japan (1984). Iwata, A., et al, "Preparation of nitrogen-containing heterocyclic

compounds and their use as pesticides," Accession No. 2008:582853 CAPLUS, JP 2008-110971.

Jiang, B. and Xu, Y., "Trifluoroisopropenylzinc Reagent as a Useful α-(Trifluoromethyl)ethenyl Carbanion Synthetic Equivalent. Preparation and Palladium-Catalyzed Coupling with Aryl Halides," *J. Org.* Chem. 56:7336-7340, American Chemical Society, United States

Nader, B., et al., "A Novel Fluoride Ion Mediated Olefination of Electron-Deficient Aryl Ketones by Alkanesulfonyl Halides," J. Org. Chem. 59:2898-2901, American Chemical Society, United States

Olofson, R., et al., "A New Reagent for the Selective, High-Yield N-Dealkylation of Tertiary Amines: Improved Syntheses of Naltrexone and Nalbuphine," *J. Org. Chem.* 49:2081-2082, American Chemical Society, United States (1984).

Pan, R., et al., "A novel and convenient synthetic method for producing α-(trifluoromethyl)styrenes (3)," J. Fluor. Chem. 95:167-170, Elsevier Science S.A, United States (1999).

Sun, R., et al., "Synthesis, larvicidal activity, and SAR studies of new benzoylphenylureas containing oxime ether and oxime ester group, Bioorganic & Medicinal Chemistry Letters 20:4693-4699, Elsevier Ltd., United Kingdom (2010). Terfloth, L. and Gasteiger, J., "Electronic Screening: Lead Finding

from Database Mining," in The Practice of Medicinal Chemistry, 2d ed., Wermuth, C., ed., pp. 131-157, Academic Press, United Patent

Patent Abstracts of Japan (PAJ), Unverified English language abstract of JP 2008-110971, Japan Patent Office.

International Search Report and Written Opinion of PCT Application No. PCT/EP2009/007095.

Office Action of co-pending U.S. Appl. No. 12/597,015. Notice of Allowance of co-pending U.S. Appl. No. 12/597,015.

Primary Examiner — Robert Havlin

(74) Attorney, Agent, or Firm — Sterne, Kessler, Goldstein & Fox P.L.L.C.

(57)**ABSTRACT**

The invention is directed to arylpyrrolidines compounds which exhibit excellent insecticidal efficacy and which may be used as in the agrochemical field or in the vield of veterinary medicine. The compounds are represented by formula (I):

wherein the respective substituents are defined in the specification.

27 Claims, No Drawings

The present invention relates to novel arylpyrrolidines and their use as pesticides in the agrocultural field or as pharmaceutical for treating parasites in or on animals.

It is known that certain compounds containing a 5-membered heterocyclic ring can be used as pesticides. Substituted benzamide compounds containing a 5-membered ring which is isoxazoline, and which compounds are supposed to be useful for controlling noxious animal pests are described in WO2005/085216. Compounds, wherein the 5-membered ring is a pyrrolidine ring and which may be used as an agent for controlling noxious bioorganisms are described in JP2008-110971A and WO2008/128711.

Modern crop protection compositions have to satisfy many demands, for example in relation to efficacy, persistence and spectrum of their action, and possible use: Important questions relate to toxicity, combinability with other active ingredients or formulating assistants, and another is that of the effort and expense of synthesizing an active ingredient. Moreover, resistances can occur. For all these reasons, the search for novel crop protection compositions cannot be considered to be complete, and there is a constant need for novel compounds with improved properties over the known compounds, at least in relation to individual aspects. Thus, the inventors of the present invention intensively studied to develop novel compounds which exhibit a high pesticidal efficacy and have a broad spectrum of use.

As a result, the inventors have found that novel arylpyrrolidines represented by the following formula (I) have high pesticidal activity, a broad spectrum of use, safety, and also have an efficacy against noxious insects that are resistant to an organophosphorus agent or a carbamate agent.

Thus, this invention is directed to arylpyrrolidine compounds of formula (I)

wherein

R represents alkyl or haloalkyl;

Q represents one of the chemical groups represented by the formula (II) or (III)

$$\begin{array}{c} A^{4} \\ A^{1} \\ A^{2} \end{array}$$

$$\begin{array}{c} X^{1} \\ Y^{1} \end{array}$$

$$(III)$$

wherein in formula (II) the carbon atom between A^1 and A^4 is bound to the nitrogen atom in formula (I) and wherein in 65 formula (III) the carbon atom between the S atom and the N atom is bound to the nitrogen atom in formula (I);

2

 A^1, A^2, A^3 and A^4 each independently represents $C - Y^2$ or nitrogen, and if A^1 and A^2 (or A^3 and A^4) stand for $C - Y^2$, then the substituents Y^2 may together with the carbon atoms to which they are bound form a 5- or 6-membered saturated or unsaturated hydrocarbon ring or heterocyclic ring;

 B^1 , B^2 , B^3 and B^4 each independently represents $C - X^2$ or nitrogen, and if either B^1 and B^2 , or B^2 and B^3 , or B^3 and B^4 stand for $C - X^2$, then the substituents X^2 may together with the carbon atoms to which they are bound form a 5- or 6-membered saturated or unsaturated hydrocarbon ring or heterocyclic ring;

X¹, X² each independently represents hydrogen, halogen, nitro, cyano, hydroxy, mercapto, amino, alkyl, haloalkyl, alkoxy, haloalkoxy, alkylsulfanyl, alkylsulfinyl, alkylsulfonyl, haloalkylsulfanyl, haloalkylsulfinyl, haloalkylsulfonyl, acylamino, alkoxycarbonylamino, haloalkoxycarbonylamino, alkoxyimino, haloalkoxyimino, alkylsulfonylamino, or pentafluorosulfur;

 Y^1, Y^2 each independently represents hydrogen, halogen, nitro, evano, hydroxy, mercapto, amino, alkyl, haloalkyl, cycloalkyl, cyclohaloalkyl, alkenyl, alkynyl, alkoxy, haloalkoxy, alkylsulfanyl, alkylsulfanyl, alkylsulfonyl, haloalkylsulfanyl, haloalkylsulfinyl, haloalkylsulfonyl, alkylsulfonyloxy, haloalkylsulfonyloxy, alkylaminosulfonyl, haloalkylaminosulfonyl, dialkylaminosulfonyl, di(haloalkyl) aminosulfonyl, alkylamino, dialkylamino, acylamino, alkoxycarbonylamino, haloalkoxycarbonylamino, alkylsulfonylamino, haloalkylsulfonylamino, trialkylsilyl, alkoxyimino, haloalkoxyimino, alkoxyiminoalkyl, haloalkoxyimialkylsulfinylimino, alkylsulfinyliminoalkyl, alkylsulfinyliminoalkylcarbonyl, alkylsulfoxyimino, alkylsulfoxyiminoalkyl, alkoxycarbonyl, alkylcarbonyl, aminocarbonyl, alkylaminocarbonyl, aminothiocarbonyl, alkylaminothiocarbonyl, dialkylaminocarbonyl, dialkylaminothiocarbonyl;

G represents

(1)

45

1 represents an integer of 1 to 3;

R¹ and R² each independently represents hydrogen, cyano, alkyl, haloalkyl, cycloalkyl, cyclohaloalkyl, alkenyl, alkynyl, haloalkenyl, haloalkynyl, alkoxycarbonyl, alkoxythiocarbonyl, alkylsulfonyl, haloalkylsulfonyl, aryl, aralkyl, a heterocyclic group, heterocyclic substituted alkyl, alkoxyalkyl, alkylsulfanylalkyl, alkylsulfinylalkyl, alkylsulfonylalkyl, alkylsulfonylalkyl, haloalkylaminocarbonylalkyl, or cycloalkylaminocarbonylalkyl, or

R¹ and R² may together with the nitrogen to which they are attached form a 3- to 7-membered heterocycle;

R³ and R⁴ each independently represents hydrogen, cyano, 60 alkyl, alkenyl, alkynyl, cycloalkyl or alkoxycarbonyl, or

when A^2 or A^3 is $C-Y^2$, then said Y^2 and R^3 , said Y^2 and R^4 or said Y^2 , R^3 and R^4 together may form a 5- to 7-membered saturated or unsaturated hydrocarbon ring or heterocyclic ring together with the carbon atoms to which said Y^2 and R^3 , said Y^2 and R^4 or said Y^2 , R^3 and R^4 are bound and further with the carbon atom between the carbon atom to which Y^2 is bound and the carbon atom to which Y^3 and Y^4 are bound, or

to which they are bound form a 5- or 6-membered saturated or unsaturated hydrocarbon ring or heterocyclic ring; B^1 , B^2 , B^3 and B^4 each independently represents C— X^2 or nitrogen, and if either B¹ and B², or B² and B³, or B³ and B⁴ stand for $C-X^2$, then the substituents X^2 may together with the carbon atoms to which they are bound form a 5- or 6-membered saturated or unsaturated hydrocarbon ring or heterocyclic ring;

when A² or A³ is C—Y² and 1 is 2, then the carbon atom bound to R^6 — $N(R^S)$ — may form carbonyl together with R^3 and R⁴, and the carbon atom bound to Q may form a 5- to 7-membered saturated or unsaturated hydrocarbon ring or heterocyclic ring together with any one or both of R³ and R⁴ bound thereto and further with Y², wherein the ring may be substituted with alkyl, haloalkyl, alkoxy, haloalkoxy, alkylcarbonyl, alkoxycarbonyl or carbonyl substituted with a 5- or 6-membered heterocyclic ring, and when one or more of the carbon atoms of the ring are substituted with two or more 10 alkyls, any two of the alkyls may form cycloalkyl together with the carbon atoms to which they are bound, or Y¹ may form a 5- to 7-membered saturated or unsaturated hydrocarbon ring or heterocyclic ring together with any one or both of R³ and R⁴, with the carbon atoms to which said Y¹ and said R³ and R⁴ are bound and further with the carbon atom between the carbon atom to which Y1 is bound and the carbon atom to which R³ and R⁴ are bound, and when 1 is 2, then the carbon atom bound to R⁶—N(R⁵)— may form carbonyl together with R³ and R⁴, and the carbon atom bound to O may form a 20 5- to 7-membered saturated or unsaturated hydrocarbon ring or heterocyclic ring together with any one or both of R³ and R⁴ bound thereto and further with Y¹, wherein the ring may be substituted with alkyl, haloalkyl, alkoxy, haloalkoxy, alkylcarbonyl, alkoxycarbonyl or carbonyl substituted with a 5- or 25 6-membered heterocyclic ring, and when one or more of the carbon atoms of the ring are substituted with two or more alkyls, and any two of said alkyls may form cycloalkyl together with the carbon atoms to which they are bound;

 X^1 , X^2 each independently represents hydrogen, halogen, nitro, cyano, hydroxy, mercapto, amino, C₁₋₆alkyl, C₁₋₆haloalkyl, C_{1-6} alkoxy, C_{1-6} haloalkoxy, C_{1-6} alkylsulfanyl, $C_{1\text{--}6} alkylsulfinyl, \ C_{1\text{--}6} alkylsulfonyl, \ C_{1\text{--}6} haloalkylsulfanyl,$ C_{1-6} haloalkylsulfinyl, C_{1-6} haloalkylsulfonyl, (total carbon atom number) C₂₋₇acylamino, (total carbon atom number) C₂₋₇alkoxycarbonylamino, (total carbon atom number) C_{2-7} haloalkoxycarbonylamino, C_{1-6} alkoxyimino, C_{1-6} haloalkoxyimino, C₁₋₆alkylsulfonylamino or pentafluorosulfur; preferably represents hydrogen, halogen, nitro, cyano, hydroxy, mercapto, amino, C_{1-4} alkyl, C_{1-4} haloalkyl, C_{1-4} alkoxy, C_{1-4} alkoxy, C_{1-4} alkylsulfanyl, C_{1-4} alkylsulfinyl, C_{1-4} alkylsulfonyl, C_{1-4} haloalkylsulfanyl, C_{1-4} haloalkylsulfinyl, C_{1-4} haloalkylsulfonyl, (total carbon atom number) C₂₋₅acylamino, (total carbon atom number) C_{2-5} alkoxycarbonylamino, (total carbon atom number) C₂₋₅haloalkoxycarbonylamino, C₁₋₄alkoxyimino, C₁₋₄haloalkoxyimino, C₁₋₄alkylsulfonylamino or pentafluorosulfur, more preferably represents hydrogen, fluoro, chloro, bromo, trifluoromethyl;

R⁵ represents hydrogen, amino, hydroxy, cyano, alkyl, 30 haloalkyl, cycloalkyl, alkenyl, alkynyl, alkoxy, aminocarbonylalkyl, iminoalkyl, alkylcarbonyl, alkylcarbonylamino, alkylimino, aryl, aralkyl, a heterocycle, a heterocyclic ring substituted alkyl, R^7 —C(=O)— or R^7 —C(=S)—;

Y¹, Y² each independently represents hydrogen, halogen, nitro, cyano, hydroxy, mercapto, amino, C₁₋₆alkyl, C₁₋₆haloalkyl, C_{3-7} cycloalkyl, C_{3-7} cyclohaloalkyl, C_{2-6} alkenyl, $\mathrm{C}_{2\text{-}6}$ alkynyl, $\mathrm{C}_{1\text{-}6}$ alkoxy, $\mathrm{C}_{1\text{-}6}$ halo
alkoxy, $\mathrm{C}_{1\text{-}6}$ alkylsulfanyl, $C_{1\text{--}6} alkylsulfinyl, \, C_{1\text{--}6} alkylsulfonyl, \, C_{1\text{--}16} haloalkylsulfanyl,$ C_{1-6} haloalkylsulfinyl, C_{1-6} haloalkylsulfonyl, C_{1-6} alkylsulfo nyloxy, C_{1-6} haloalkylsulfonyloxy, C_{1-6} alkylaminosulfonyl, C₁₋₆haloalkylaminosulfonyl, (total carbon atom number) C₂₋₁₂dialkylaminosulfonyl, (total carbon atom number) C_{2-12} di(haloalkyl)aminosulfonyl, C_{1-6} alkylamino, (total carbonyl, alkoxythiocarbonyl, alkylsulfanylcarbonyl, alkylsul- 40 bon atom number) C₂₋₁₂dialkylamino, (total carbon atom number) C₂₋₇acylamino, (total carbon atom number) C₂₋₇alkoxycarbonylamino, (total carbon atom number) C₂₋₇haloalkoxycarbonylamino, C_{1-6} alkylsulfonylamino, C₁₋₆haloalkylsulfonylamino, (total carbon atom number) bonylalkylcarbonyl, cycloalkylaminocarbonyl, alkenylami- 45 C₃₋₁₈trialkylsilyl, C₁₋₆alkoxyimino, C₁₋₆haloalkoxyimino, (total carbon atom number) C₂₋₁₂alkoxyiminoalkyl, (total carbon atom number) C_{2-12} haloalkoxyiminoalkyl, C_{1-6} alkylsulfinylimino, (total carbon atom number) C₂₋₁₂alkylsulfinyliminoalkyl, (total carbon atom number) C₃₋₁₃alkylsulfinyliminoalkylcarbonyl, C₁₋₆alkylsulfoxyimino, (total carbon atom number) C_{2-12} alkylsulfoxyiminoalkyl, (total carbon atom number) C₂₋₇alkoxycarbonyl, (total carbon atom number) C₂₋₇alkylcarbonyl, aminocarbonyl, (total carbon atom number) C₂₋₇alkylaminocarbonyl, aminothiocarbonyl, (total $carbon\,atom\,number)\,C_{2\text{--}7}alkylaminothiocarbonyl, (total\,carbonyl)$ bon atom number) C_{3-13} dialkylaminocarbonyl or (total carbon atom number) C₃₋₁₃dialkylaminothiocarbonyl, preferably represents hydrogen, halogen, nitro, cyano, hydroxy, mercapto, amino, C₁₋₄alkyl, C₁₋₄haloalkyl, C₃₋₆cycloalkyl, $C_{3\text{-}6} cyclohaloalkyl, \ C_{2\text{-}4} alkenyl, \ C_{2\text{-}4} alkynyl, \ C_{1\text{-}4} alkoxy,$ $\begin{array}{lll} C_{1.4} haloalkoxy, & C_{1.4} alkylsulfanyl, & C_{1.4} alkylsulfinyl, \\ C_{1.4} alkylsulfonyl, & C_{1.4} haloalkylsulfanyl, & C_{1.4} haloalkylsulfinyl, \\ \end{array}$ nyl, C₁₋₄haloalkylsulfonyl, C₁₋₄alkylsulfonyloxy, C₁₋₄haloalkylsulfonyloxy, C₁₋₄alkylaminosulfonyl, C₁₋₄haloalkylaminosulfonyl, (total carbon atom

C₂₋₈dialkylaminosulfonyl, (total carbon atom number) C₂₋₈

di(haloalkyl)aminosulfonyl, C₁₋₄alkylamino, (total carbon

R⁶ represents hydrogen, cyano, carbonyl, thiocarbonyl, 35 alkylcarbonyl. alkylthiocarbonyl, haloalkylcarbonyl, haloalkylthiocarbonyl, alkylaminocarbonyl, alkylaminothiocarbonyl, dialkylaminocarbonyl, dialkylaminothiocarbonyl, alkoxyaminocarbonyl, alkoxyaminothiocarbonyl, alkoxycaralkylsulfonyl, fanylthiocarbonyl, haloalkylsulfonyl, alkynylcarbonyl, cycloalkylcarbonyl, alkenylcarbonyl, cycloalkylalkylcarbonyl, alkylsulfanylalkylcarbonyl, alkylsulfinylalkylcarbonyl, alkylsulfonylalkylcarbonyl, alkylcarnocarbonyl, alkynylaminocarbonyl, alkylaminosulfonyl, dialkylaminosulfonyl, alkoxyalkylcarbonyl, alkylcarbonyhaloalkylcarbonylaminoalkyllaminoalkylcarbonyl, alkylsulfanylalkylcarbonylaminoalkylcarbonyl, alkylsulfinylalkylcarbonylaminoalkylcarbonyl, alkylsulfo-50 nylalkylcarbonyl-aminoalkylcarbonyl, aralkylcarbonyl, heterocyclic substituted alkylcarbonyl, R⁷—C(=O)— R^7 —C(\equiv S)—, or R⁵ and R⁶ may form a 3- to 6-membered heterocyclic ring,

together with the nitrogen atom to which they are bound, and 55 said ring may be substituted with keto, thioketo or a nitroimino group; and

R⁷ represents an optionally substituted phenyl or an optionally substituted heterocycle.

Compounds of formula (I) are preferred wherein

R represents C_{1-6} alkyl, or C_{1-6} haloalkyl; preferably represents C_{1-4} alkyl or C_{1-4} haloalkyl, more preferably represents trifluoromethyl;

Q stands for one of the chemical groups represented by formula (II) or (III) in which

 A^1, A^2, A^3 and A^4 each independently represents C—Y² or nitrogen, and if A^1 and A^2 (or A^3 and A^4) stand for $C-Y^2$,

then the substituents Y² may together with the carbon atoms

atom number) C_{2-8} dialkylamino, (total carbon atom number) C_{2-5} acylamino, (total carbon atom number) C_{2-5} alkoxycarbonylamino, (total carbon atom number) C₂₋₅haloalkoxycarbonylamino, C₁₋₄alkylsulfonylamino, C₁₋₄haloalkylsulfonylamino, (total carbon atom number) C₃₋₁₂-trialkylsilyl, C₁₋₄alkoxyimino, C₁₋₄haloalkoxyimino, (total carbon atom number) C₂₋₈alkoxyiminoalkyl, (total carbon atom number) C₂₋₈haloalkoxyiminoalkyl, (total carbon atom number) C₁₋₄alkylsulfinylimino, (total carbon atom number) C_{2-8} alkylsulfinyliminoalkyl, (total carbon atom number) C₁₋₄alkylsulfoxy-C₃₋₉alkylsulfinyliminoalkylcarbonyl, imino, (total carbon atom number) C₂₋₈alkylsulfoxyiminoalkyl, (total carbon atom number) C₂₋₅alkoxycarbonyl, (total carbon atom number) C₂₋₅alkylcarbonyl, aminocarbonyl, (total carbon atom number) C2-5alkylaminocarbonyl, aminothiocarbonyl, (total carbon atom number) C2-5alkylami $nothio carbonyl, (total\ carbon\ atom\ number)\ C_{3\text{--}11} dialkylami$ nocarbonyl (total carbon atom number) C₃₋₉dialkylaminothiocarbonyl, more preferably represents hydrogen, halogen, methyl, or trifluoromethyl;

G represents

1 represents 1 or 2, preferably 1;

R¹ and R² each independently represents hydrogen, cyano, 35 C₁₋₆alkyl, C₁₋₆haloalkyl, C₃₋₇cycloalkyl, C₃₋₇cyclohaloalkyl, C₂₋₆alkenyl, C₂₋₆haloalkenyl, C₂₋₆haloalkynyl, (total carbon atom number) C2-7alkoxycarbonyl, (total carbon atom number) C₂₋₇alkoxythiocarbonyl, C₁₋₆alkylsulfonyl, C₁₋₆haloalkylsulfonyl, phenyl, 4-chlorophenyl, 4-bro- 40 mophenyl, 4-cyanophenyl, 1-naphthyl, 2-naphthyl, benzyl, 2-fluorobenzyl, 4-fluorobenzyl, 4-chlorobenzyl, 4-bromobenzyl, 1-naphthylmethyl, 2-naphthylmethyl, 1,3-thiazol-2-yl, pyridin-2-yl, pyridin-3-yl, pyridin-4-yl, 2-chloropyridin-3-yl, 2-chloropyridin-5-yl, pyrimidin-2-yl, pyrimidin-4- 45 5-chloropyrimidin-2-yl, 5-bromopyrimidin-2-yl, 5-cyanopyrimidin-2-yl, quinolin-3-yl, quinolin-6-yl, (1-methyl-1H-pyrazol-4-yl)methyl, (1,3-thiazol-4-yl)methyl, (2-chloro-1,3-thiazol-4-yl)methyl, pyridin-2-ylmethyl, pyridin-3-ylmethyl, pyridin-4-ylmethyl, (6-chloropyridin-3-yl) 50 methyl, pyrimidin-2-ylmethyl, pyridine-2-ylethyl, 1-(pyridin-2-yl)ethyl], (total carbon atom $C_{2\text{-}12}$ alkoxyalkyl, (total carbon atom number) $C_{2\text{-}12}$ alkylsulfanylalkyl, (total carbon atom number) C_{2-12} alkylsulfinylalkyl, (total carbon atom number) C_{2-12} alkylsulfonylalkyl, (to- 55 tal carbon atom number) C_{2-7} alkyl-O—N=CH—, (total carbon atom number) C₃₋₁₃alkylaminocarbonylalkyl, (total carbon atom number) C₃₋₁₃haloalkylaminocarbonylalkyl or (total carbon atom number) C₅₋₁₄cycloalkylaminocarbonylalkyl, preferably represents hydrogen, cyano, C₁₋₄alkyl, 60 $\rm C_{1\text{--}4}$ haloalkyl, $\rm C_{3\text{--}6}$ cyclo
haloalkyl, $\rm C_{2\text{--}4}$ alkenyl, C_{2-4} alkynyl, C_{2-4} haloalkenyl, C_{2-4} haloalkynyl, (total carbon atom number) C_{2-5} alkoxycarbonyl, (total carbon atom number) C₂₋₅ alkoxythiocarbonyl, C₁₋₄alkylsulfonyl, C₁₋₄haloalkylsulfonyl, C_{6-12} aryl, (total carbon atom number) ben- $\,^{65}$ zyl, 2-fluorobenzyl, 4-fluorobenzyl, 4-chlorobenzyl, 4-bromobenzyl, 2-chloropyridin-5-yl, pyrimidin-2-yl,

6

5-chloropyrimidin-2-yl, 5-bromopyrimidin-2-yl, 5-cyanopyrimidin-2-yl, (1-methyl-1H-pyrazol-4-yl)methyl, (1,3-thiazol-4-yl)methyl, pyridin-2-ylmethyl, pyrimidin-2-ylmethyl, 1-(pyridin-2-yl)ethyl, (total carbon atom number) C_{2-8} alkoxyalkyl, (total carbon atom number) C₂₋₈alkylsulfanylalkyl, (total carbon atom number) C₂₋₈ alkylsulfinylalkyl, (total carbon atom number) C_{2-8} alkylsulfonylalkyl, (total carbon atom number) C₂₋₅alkyl-O—N=CH—, (total carbon atom number) C₃₋₉alkylaminocarbonylalkyl, (total carbon atom number) C₃₋₉haloalkylaminocarbonylalkyl or (total carbon atom number) C₅₋₁₁ cycloalkylaminocarbonylalk, more preferably represents C₁₋₂haloalkyl particularly 2,2,2-trifluoroethyl, heterocyclic substituted alkyl, particularly pyridin-2-ylmethyl and pyrimidin-2-ylmethyl), C₁₋₂ haloalkylaminocarbonylmethyl, particularly 2-oxo-2-[(2,2,2trifluoroethyl)amino]ethyl and 2-oxo-2-[(2-chloroethyl) amino]ethyl;

 R^1 and R^2 may together with the nitrogen to which they are attached form a 3- to 7-membered heterocycle;

 R^3 and R^4 each independently represents hydrogen, cyano, C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{3-7} cycloalkyl or (total carbon atom number) C_{2-7} alkoxycarbonyl, preferably represents hydrogen, cyano, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, C_{3-6} cycloalkyl or (total carbon atom number) C_{2-5} alkoxycarbonyl, more preferably represents hydrogen:

bonyl, more preferably represents hydrogen; when A² or A³ is C—Y², then said Y² and R³, said Y² and R⁴, or said Y², R³ and R⁴ together may form a 5- to 7-membered saturated or unsaturated hydrocarbon ring or heterocyclic ring together with the carbon atoms to which said Y² and R³, said Y² and R⁴, or said Y², R³ and R⁴ are bound and further with the carbon atom between the carbon atom to which Y² is bound and the carbon atom to which R³ and R⁴ are bound, or when A² or A³ is C—Y² and I is 2, then the carbon atom bound to R⁶—N(R⁵)— may form carbonyl together with R³ and R⁴,
and the carbon atom bound to

Q may form a 5- to 7-membered saturated or unsaturated hydrocarbon ring or heterocyclic ring together with any one or both of R³ and R⁴ bound thereto and further with Y², wherein the ring may be substituted with C₁₋₆alkyl, C₁₋₆haloalkyl, C₁₋₆alkoxy, C₁₋₆haloalkoxy, (total carbon atom number) C₂₋₇alkylcarbonyl, (total carbon atom number) C_{2-7} alkoxycarbonyl, preferably with C_{1-4} alkyl, C_{1-4} haloalkyl, $\mathrm{C}_{1\text{--}4}$ alkoxy, $\mathrm{C}_{1\text{--}4}$ haloalkoxy, (total carbon atom number) C₂₋₅alkylcarbonyl, (total carbon atom number) C₂₋₅alkoxycarbonyl, or carbonyl substituted with a 5- or 6-membered heterocyclic ring, and when one or more of the carbon atoms of the ring are substituted with two or more alkyls, any two of the alkyls may form C₃₋₇ cycloalkyl, preferably C₃₋₆cycloalkyl together with the carbon atoms to which they are bound, or Y1 may form a 5- to 7-membered saturated or unsaturated hydrocarbon ring or heterocyclic ring together with any one or both of R3 and R4, with the carbon atoms to which said Y1 and said R3 and R4 are bound and further with the carbon atom between the carbon atom to which Y¹ is bound and the carbon atom to which R³ and R⁴ are bound, and when 1 is 2, then the carbon atom bound to R⁶—N (R^5) — may form carbonyl together with R^3 and R^4 , and the carbon atom bound to Q may form a 5- to 7-membered saturated or unsaturated hydrocarbon ring or heterocyclic ring together with any one or both of $\ensuremath{R^3}$ and $\ensuremath{R^4}$ bound thereto and further with Y¹, wherein the ring may be substituted with C_{1-6} alkyl, C_{1-6} haloalkyl, C_{1-6} alkoxy, C_{1-6} haloalkoxy, (total carbon atom number) C₂₋₇alkylcarbonyl, (total carbon atom number) C_{2-7} alkoxycarbonyl, preferably with C_{1-4} alkyl, C₁₋₄haloalkyl, C₁₋₄alkoxy, C₁₋₄haloalkoxy, (total carbon atom number) C₂₋₅ alkylcarbonyl, (total carbon atom number) C₂₋₅alkoxycarbonyl or carbonyl substituted with a 5- or

6-membered heterocyclic ring, and when one or more of the carbon atoms of the ring are substituted with two or more alkyls, and any two of said alkyls may form C_{3-7} cycloalkyl, preferably C_{3-6} cycloalkyl together with the carbon atoms to which they are bound;

R⁵ represents hydrogen, amino, hydroxy, cyano, C₁₋₆alkyl, $C_{1\text{--}6} haloalkyl, \quad C_{2\text{--}6} alkenyl, \quad C_{2\text{--}6} alkenyl, \quad C_{2\text{--}6} alkynyl,$ C₁₋₆alkoxy, (total carbon atom number) C₂₋₇aminocarbonylalkyl, C₁₋₆iminoalkyl, (total carbon atom number) C₂₋₇alkylcarbonyl, (total carbon atom number) C₂₋₇alkylcarbony- 10 lamino, (total carbon atom number) C2-7alkylimino, (total carbon atom number) C₆₋₁₂aryl, (total carbon atom number) C₇₋₁₆aralkyl, a heterocyclic group, heterocyclic ring substituted alkyl, R^7 —C(\Longrightarrow 0)—or R^7 —C(\Longrightarrow 5)—, preferably represents hydrogen, amino, hydroxy, cyano, C_{1-4} alkyl, C_{1-4} ha- 15 loalkyl, C_{3-6} cycloalkyl, C_{2-4} alkenyl, C₂₋₄alkynyl, C₁₋₄alkoxy, (total carbon atom number) C₂₋₅aminocarbonylalkyl, C₁₋₄iminoalkyl, (total carbon atom number) C₂₋₅alkylcarbonyl, (total carbon atom number) C₂₋₅alkylcarbonylamino, (total carbon atom number) C₂₋₅alkylimino, (total 20 carbon atom number) C₆₋₁₂aryl, (total carbon atom number) C₇₋₁₀aralkyl, a heterocyclic group, heterocyclic ring substituted alkyl, R^7 —C(\Longrightarrow 0)— or R^7 —C(\Longrightarrow 5)—, more preferably represents hydrogen or methyl;

R⁶ represents hydrogen, cyano, carbonyl, thiocarbonyl, 25 (total carbon atom number) C₂₋₇alkylcarbonyl, (total carbon atom number) C₂₋₇alkylthiocarbonyl, (total carbon atom number) C₂₋₇haloalkylcarbonyl, (total carbon atom number) C₂₋₇haloalkylthiocarbonyl, (total carbon atom number) C₂₋₇alkylaminocarbonyl, (total carbon atom number) 30 C_{2-7} alkylaminothiocarbonyl, (total carbon atom number) C₃₋₁₃dialkylaminocarbonyl, (total carbon atom number) C_{3-13} dialkylaminothiocarbonyl, (total carbon atom number) C₂₋₇alkoxyaminocarbonyl, (total carbon atom number) C₂₋₇alkoxyaminothiocarbonyl, (total carbon atom number) 35 C_{2-7} alkoxycarbonyl, (total carbon atom number) C_{2-7} alkoxythiocarbonyl, (total carbon atom number) C₂₋₇alkylsulfanylcarbonyl, (total carbon atom number) C₂₋₇alkylsulfanylthiocarbonyl, C_{1-6} alkylsulfonyl, C_{1-6} haloalkylsulfonyl, (total carbon atom number) C₄₋₈cycloalkylcarbonyl, (total carbon 40 atom number) C_{3-7} alkenylcarbonyl, (total carbon atom number) C₃₋₇alkynylcarbonyl, (total carbon atom number) C₅₋₁₄cycloalkylalkylcarbonyl, (total carbon atom number) C_{3-13} alkylsulfanylalkylcarbonyl, (total carbon atom number) C_{3-13} alkylsulfinylalkylcarbonyl, (total carbon atom number) 45 C₃₋₁₃alkylsulfonylalkylcarbonyl, (total carbon atom number) C₄₋₁₄alkylcarbonylalkylcarbonyl, (total carbon atom number) C₄₋₈cycloalkylaminocarbonyl, (total carbon atom number) C₃₋₇alkenylaminocarbonyl, (total carbon atom number) C_{3-7} alkynylaminocarbonyl, C_{1-6} alkylaminosulfonyl, (total 50 carbon atom number) C₂₋₁₂dialkylaminosulfonyl, (total carbon atom number) C₃₋₁₃alkoxyalkylcarbonyl, (total carbon atom number) C₄₋₁₄alkylcarbonylaminoalkylcarbonyl, (total carbon atom number) C4-14haloalkylcarbonylaminoalkylcarbonyl, (total carbon atom number) C₅₋₂₀alkylsulfanyla- 55 cyclic ring; lkylcarbonylaminoalkylcarbonyl, (total carbon atom num-C₅₋₂₀alkylsulfinylalkylcarbonylaminoalkylcarbonyl, (total carbon atom number) C₅₋₂₀alkylsulfonylalkylcarbonylaminoalkylcarbonyl, (total carbon atom number) C₈₋₁₇aralkylcarbonyl, heterocyclic substituted (total carbon 60 atom number) C_{2-7} alkylcarbonyl, R^7 —C(\Longrightarrow O)— or R^7 —C=S)—, preferably represents hydrogen, cyano, carbonyl, thiocarbonyl, (total carbon atom number) C₂₋₅alkylcarbonyl, (total carbon atom number) C₂₋₅alkylthiocarbonyl, (total carbon atom number) C₂₋₅haloalkylcarbonyl, (total carbon atom 65 number) C2-5haloalkylthiocarbonyl, (total carbon atom number) C₂₋₅alkylaminocarbonyl, (total carbon atom number)

8

C₂₋₅alkylaminothiocarbonyl, (total carbon atom number) C₃₋₉dialkylaminocarbonyl, (total carbon atom number) C₃₋₉dialkylaminothiocarbonyl, (total carbon atom number) C₂₋₅alkoxyaminocarbonyl, (total carbon atom number) C₂₋₅alkoxyaminothiocarbonyl, (total carbon atom number) C₂₋₅alkoxycarbonyl, (total carbon atom number) C₂₋₅alkoxythiocarbonyl, (total carbon atom number) C₂₋₅alkylsulfanylcarbonyl, (total carbon atom number) C₂₋₅alkylsulfanylthiocarbonyl, C₁₋₄alkylsulfonyl, C₁₋₄haloalkylsulfonyl, (total carbon atom number) C₄₋₇cycloalkylcarbonyl, (total carbon atom number) C₃₋₅alkenylcarbonyl, (total carbon atom number) C₃₋₅alkynylcarbonyl, (total carbon atom number) C₅₋₁₁cycloalkylalkylcarbonyl, (total carbon atom number) C₃₋₁₃alkylsulfanylalkylcarbonyl, (total carbon atom number) C₃₋₉alkylsulfinylalkylcarbonyl, (total carbon atom number) C₃₋₉alkylsulfonylalkylcarbonyl, (total carbon atom number) C₄₋₁₀alkylcarbonylalkylcarbonyl, (total carbon atom number) C₄₋₇cycloalkylaminocarbonyl, (total carbon atom number) C₃₋₅alkenylaminocarbonyl, (total carbon atom number) C₃₋₅alkynylaminocarbonyl, C₁₋₄alkylaminosulfonyl, (total carbon atom number) C₂₋₈dialkylaminosulfonyl, (total carbon atom number) C₃₋₉alkoxyalkylcarbonyl, (total carbon atom number) C₄₋₁₀alkylcarbonylaminoalkylcarbonyl, (total carbon atom number) C₄₋₁₀haloalkylcarbonylaminoalkylcarbonyl, (total carbon atom number) C₅₋₁₄alkylsulfanylalkylcarbonylaminoalkylcarbonyl, (total carbon atom num- C_{5-14} alkylsulfinylalkylcarbonylaminoalkylcarbonyl, (total carbon atom number) C_{5-14} alkylsulfonylalkylcarbonylaminoalkylcarbonyl, (total carbon atom number) C₈₋₁₁aralkylcarbonyl, heterocyclic substituted (total carbon atom number) C_{2-5} alkylcarbonyl, R^7 —C(\Longrightarrow O)— or R^7 —C(=S)—, more preferably represents C₂₋₅alkylcarbonyl particularly acetyl, propionyl, n-propylcarbonyl, iso-propylcarbonyl, n-butylcarbonyl, (total carbon atom number) C₂₋₃haloalkylcarbonyl particularly difluoroacetyl, 3,3,3-trifluoropropanoyl, (total carbon atom number) C2-3alkylaminocarbonyl particularly ethylcarbamoyl and propylcarbamoyl, (total carbon atom number) C₄₋₅cycloalkylcarbonyl particularly cyclopropylcarbonyl and cyclobutylcarbonyl, C_{3-6} cycloalkyl (C_{1-4}) alkylcarbonyl particularly cyclopropylacetyl, (total carbon atom number) C₄₋₇ cycloalkylaminocarbonyl particularly cyclopropylcarbamoyl, cyclobutylcarbam- C_{1-4} alkoxy (C_{1-4}) alkylcarbonyl(3- C_{1-2} alkyl- $S(C_{1-2})$ alkylcarbonyl, methoxypropanoyl, C_{1-2} alkyl- $SO(C_{1-2})$ alkylcarbonyl, C_{1-2} alkyl- $SO_2(C_{1-2})$ alkyl-

R⁵ and R⁶ may form a 3- to 6-membered heterocyclic ring, together with the nitrogen atom to which they are bound, and said ring may be substituted with keto, thioketo or a nitroimino group; and

R⁷ represents phenyl, or a saturated or unsaturated heterocyclic ring;

Moreover, the invention is directed to a pesticide comprising as an active ingredient a compound according to the invention

Additionally, the invention is directed to an animal parasite-controlling agent comprising as an active ingredient a compound according to the invention.

In another aspect, the invention is directed to compounds which are useful intermediates in the preparation of compounds according to the invention and which are represented by the following formula (XXIV)

reacting an amin represented by formula (VIII):

$$\begin{array}{c} X^1 \\ R \\ B^2 \\ B^3 \end{array} \stackrel{R}{\longrightarrow} \begin{array}{c} X^1 \\ N \\ A^1 \\ A^2 \end{array} \stackrel{A^4}{\longrightarrow} \begin{array}{c} X^1 \\ T^4 \end{array}$$

wherein

 X^1 , R, A^1 to A^4 and B^1 to B^4 have the same meaning as defined herein, and wherein T^4 is selected among cyano, amino or nitro, and the following chemical groups —C(O) OR^8 , —C(O)L², —(CR³R⁴)_r-L³, —(CR³R⁴)_r-NHR⁵). 15 Wherein 1, R³, R⁴ and R⁵ have the same meaning as defined herein:

 R^8 stands for hydrogen or C_{1-4} alkyl;

 $\rm L^2$ represents chloro, bromo, (total carbon number) $\rm C_{2-5}$ alkylcarbonyloxy, (total carbon number) $\rm C_{2-5}$ alkoxycarbonyloxy or azolyl; and

 L^3 represents chloro, bromo, iodo, C_{1-4} alkylsulfonyloxy, C_{1-4} haloalkylsulfonyloxy, arylsulfonyloxy or azolyl.

Additionally, the invention is directed to a preparation method (a) for the preparation of compounds of formula (I) which comprises

reacting a compound represented by formula (IV):

wherein X^1 , R and B^1 to B^4 have the same meaning as defined herein,

with a compound represented by formula (V-I)

$$L^{1} \xrightarrow{A^{4} = A^{3}} G$$
(V-I)

wherein A^1 to A^4 , G and Y have the same meaning as defined 50 above, and L^1 stands for halogen or a C_1 - C_4 haloalkylsulfonyloxy group,

or with a compound represented by formula (V-II):

60

wherein G, Y^1 and L^1 have the same meaning as defined herein, preferably in the presence of a base and, if necessary, in the presence of a metal catalyst.

And to a preparation method (b) for the preparation of 65 compounds of formula (I) wherein G stands for —CONR¹R² which method comprises

$$R^2 - \underset{H}{N} - R^1$$
 (VIII)

wherein R¹ and R² are as defined herein, with a compound represented by formula (VI-I), (VI-II), (VII-I), or (VII-II)

$$\begin{array}{c} X^1 & R \\ \\ R \\ \\ R^2 \\ \\ B^2 \\ \\ R^3 \end{array} \begin{array}{c} A^4 \\ \\ A^3 \\ \\ O \end{array} \begin{array}{c} (VI-I) \\ \\ A^1 \\ \\ A^2 \end{array} \begin{array}{c} OH \\ \\ OH \end{array}$$

wherein X^1 , R, A^1 to A^4 and B^1 to B^4 have the same meaning as defined herein,

$$\begin{array}{c} X^1 & R \\ \\ R \\ \\ B^2 \\ \\ B^3 \end{array} \stackrel{N}{\longrightarrow} \begin{array}{c} \\ N \\ \\ S \\ \\ O \end{array}$$

wherein X^1 , Y^1 , R and B^1 to B^4 have the same meaning as defined herein,

wherein X^1 , R, A^1 to A^4 and B^1 to B^4 have the same meaning as defined herein, and L^2 represents chloro, bromo, (total carbon number) C_{2-5} alkylcarbonyloxy, (total carbon number) C_{2-5} alkoxycarbonyloxy or azolyl,

wherein X^1,Y^1,R,B^1 to B^4 and L^2 have the same meaning as defined above,

in the presence of a condensation agent, and preferably in the presence of a suitable base.

And to a preparation method (c) for the preparation of compounds of formula (I) wherein G stands for —CONR¹R² and which method comprises

25

reacting a compound represented by formula (Ib-I) or (Ib-II):

wherein X^1 , R, R^1 , A^1 to A^4 and B^1 to B^4 have the same meaning as defined above,

wherein X^1, Y^1, R, R^1 and B^1 to B^4 have the same meaning as defined herein,

with a compound R^2 - L^3 (IX) wherein R^2 has the same meaning as defined herein, and L^3 represents chloro, bromo, ³⁰ iodo, C_{1-4} alkylsulfonyloxy, C_{1-4} haloalkylsulfonyloxy, arylsulfonyloxy or azolyl, preferably, in the presence of a base.

And to a preparation method (d) for the preparation of compounds of formula (I) wherein G stands for —CSNR¹R², which method comprises

reacting a compound represented by formula (Ia-I), or (Ia-II)

wherein X^1 , R, R^1 , R^2 , A^1 to A^4 and B^1 to B^4 have the same meaning as defined herein,

wherein X^1 , Y^1 , R, R^1 , R^2 and B^1 to B^4 have the same meaning as defined herein,

with a sulfurizing agent.

And to a preparation method (e) for the preparation of compounds of formula (I) wherein G stands for

$$\frac{1}{R^3} \sum_{\substack{l=1\\R^4}}^{N} N$$

which method comprises reacting a compound represented by formula (X-I), or X-II)

$$\begin{array}{c} X^1 & R \\ \\ R \\ \\ R^2 \\ \\ R^3 \end{array} \xrightarrow{R^4} \begin{array}{c} X^4 \\ \\ R^3 \\ \\ R^4 \end{array}$$

wherein X^1,R,R^3,R^4,A^1 to A^4,B^1 to B^4,l and L^3 have the same meaning as defined herein,

$$\begin{array}{c} X^1 & R \\ \\ R \\ \\ R^2 & R^3 \end{array}$$

wherein $X^1, Y^1, R, R^3, R^4, B^1$ to $B^4, 1$ and L^3 have the same meaning as defined herein,

with a compound represented by formula (XI)

$$R^5 - N - R^6$$
 (XI)

wherein R⁵ and R⁶ have the same meaning as defined herein, preferably in the presence of a base.

And to a preparation method (f) for the preparation of compounds of formula (I) wherein G stands for

60

which method comprises reacting a compound represented $_{55}\;$ by formula (XII-I), or (XII-II):

wherein X^1 , R, R^3 , R^4 , R^5 , A^1 to A^4 , 1 and B^1 to B^4 have the same meaning as defined herein,

$$\begin{array}{c} X^1 & R \\ \\ R^1 & \\ B^2 & B^3 \end{array} \xrightarrow{R^4} \begin{array}{c} (XIII-II) \\ \\ R^3 & R^4 \end{array}$$

wherein $X^1, Y^1, R, R^3, R^4, R^5, 1$ and B^1 to B^4 have the same meaning as defined herein,

with a compound R⁶-L⁴ (XIII)

wherein R⁶ has the same meaning as defined above, and wherein L⁴ represents fluoro, chloro, bromo, a C₁₋₄alkylcarbonyloxy group, a C₁₋₄alkoxy-carbonyloxy group, an 15 azolyl group, a C₁₋₄ alkylsulfonyloxy group, a C₁₋₄haloalkylsulfonyloxy group, or an arylsulfonyloxy group), preferably in the presence of a base.

And to a preparation method (g) for the preparation of compounds of formula (I) wherein G stands for

$$\frac{1}{\mathbb{R}^3} \mathbb{N}^{1} \mathbb{N}^{1}$$

which method comprises reacting a compound represented by formula (Ic-I) or (Ic-II):

same meaning as defined herein,

wherein X¹, Y¹, R, R³, R⁴, R⁶, 1 and B' to B⁴ have the same meaning as defined herein,

with a compound R5-L4 (XIV), wherein R5 and L4 have the same meaning as defined herein, preferably in the presence of 55 haloalkyl, cycloalkyl, cycloalkyl, alkenyl, alkynyl,

According to the present invention, the arylpyrrolidines represented by formula (I) of the present invention have a very strong pesticidal efficacy.

In the present specification, the term "alkyl" indicates lin- 60 ear or branched $C_{1\text{--}12}$ alkyl, for example, methyl, ethyl, n- or iso-propyl, n-, iso-, sec- or tert-butyl, n-pentyl, n-hexyl, n-heptyl, n-octyl, n-nonyl, n-decyl, n-undecyl, n-dodecyl and the like, preferably C_{1-6} alkyl, and more preferably C_{1-4} alkyl.

In addition, for an alkyl moiety that is comprised in other 65 groups as a part of their constitution, those described in the above for the "alkyl" can be exemplified.

The term "haloalkyl" indicates a carbon chain in which at least one hydrogen on linear or branched C_{1-12} alkyl, preferably C₁₋₆alkyl, and more preferably C₁₋₄alkyl is substituted with a halogen(s), for example, CH₂F, CHF₂, CF₃, CF₂Cl, CFCl₂, CF₂Br, CF₂CF₃, CFHCF₃, CH₂CF₃, CFClCF₃, CCl₂CF₃, CF₂CH₃, CF₂CH₂F, CF₂CHF₂, CF₂CF₂CI, CF₂CF₂Br, CFHCH₃, CFHCHF₂, CFHCHF₂, CHFCF₃, $\begin{array}{lll} \text{CHFCF}_2\text{Cl}, & \text{CHFCF}_2\text{Br}, & \text{CFCICF}_3, & \text{CCI}_2\text{CF}_3, & \text{CF}_2\text{CF}_2\text{CF}_3, \\ \text{CH}_2\text{CF}_2\text{CF}_3, & \text{CF}_2\text{CH}_2\text{CF}_3, & \text{CF}_2\text{CF}_2\text{CH}_3, & \text{CHFC}_2\text{CF}_3, \\ \end{array}$ CF₂CHFCF₃, CF₂CF₂CHF₂, CF₂CF₂CH₂F, CF₂CF₂CI, and CF₂CF₂CF₂Br. The haloalkyl many be further substi-

The term "alkoxy" indicates linear or branched C₁₋₁₂, preferably C_{1-6} , and more preferably C_{1-4} alkoxy, for example, methoxy, ethoxy, n-propoxy, i-propoxy, n-, iso-, sec- or tertbutoxy, pentyloxy, or hexyloxy. The alkoxy may be further substituted.

The term "acylamino" for example indicates alkylcarbonylamino, cyclopropylcarbonylamino and benzoylamino. In 20 addition, for an alkyl mojety that is comprised in these groups as a part of their constitution, those described in the above for the "alkyl" can be exemplified.

The term "halogen" and the halogen moiety that is comprised in halogen-substituted groups represent fluoro, chloro, 25 bromo, or iodo, and preferably fluoro, chloro, or bromo.

The term "cycloalkyl" indicates C₃₋₈cycloalkyl of cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl, and cyclooctyl, preferably C₃₋₇ cycloalkyl, and more preferably C₃₋₆ cycloalkyl.

The term "alkenyl" indicates C_{2-6} alkenyl, preferably C_{2-5} alkenyl, such as vinyl, allyl, 1-propenyl, 1-(or 2-, or 3-) butenyl, 1-pentenyl, and the like, and more preferably C_{2-4} alkenyl.

The term "alkynyl" indicates C_{2-6} alkynyl, preferably 35 C₂₋₅alkynyl such as ethynyl, propargyl, 1-propynyl, butan-3ynyl, pentan-4-ynyl, and the like, and more preferably C_{2-4} alkynyl.

The term "aryl" indicates a C₆-C₁₂ aromatic hydrocarbon group, for example, phenyl, naphthyl, and biphenyl, and pref $wherein \ X^1, R, R^3, R^4, R^6, A^1 \ to \ A^4, l \ and \ B^1 \ to \ B^4 \ have \ the \\ \ \ _{40} \ \ erably \ a \ C_{6-10} \ aromatic \ hydrocarbon \ group, \ and \ more \ preference \ A \ barrier \ ba$ ably phenyl.

The term "aralkyl" indicates arylalkyl, for example, benzyl and phenethyl.

The term "heterocyclic ring" represents a 5- or 6-mem-45 bered heterocyclic ring wherein at least one heteroatom selected from the group consisting of N, O and S is comprised and also the ring represents a fused heterocyclic ring that can be benzo-fused.

Specific examples of the heterocyclic ring may include 50 furyl, thienyl, pyrrolyl, isoxazolyl, pyrazolyl, oxazolyl, thiazolyl, imidazolyl, triazolyl, oxadiazolyl, thiadiazolyl, tetrazolyl, pyridyl, pyrimidinyl, pyridazinyl, pyrazinyl, triazinyl, indolyl, benzoxazolyl, quinolyl and the like.

All chemical groups, particularly the groups amino, alkyl, alkoxy, haloalkoxy, alkylsulfanyl, alkylsulfinyl, alkylsulfonyl, haloalkylsulfanyl, haloalkylsulfinyl, haloalkylsulfonyl, alkylsulfonyloxy, haloalkylsulfonyloxy, alkylaminosulfonyl, haloalkylaminosulfonyl, dialkylaminosulfonyl, di(haloalkyl) aminosulfonyl, alkylamino, dialkylamino, acylamino, alkoxycarbonylamino, haloalkoxycarbonylamino, alkylsulfonylamino, haloalkylsulfonylamino, trialkylsilyl, alkoxyimino, haloalkoxyimino, alkoxyiminoalkyl, haloalkoxyiminoalkyl, alkylsulfinylimino, alkylsulfinyliminoalkyl, alkylsulfinyliminoalkylcarbonyl, alkylsulfoxyimino, alkylsulfoxyiminoalkyl, alkoxycarbonyl, alkylcarbonyl, aminocarbonyl, alkylaminocarbonyl, aminothiocarbonyl, alky-

(B)

wherein B1, B3, B4, X1, A1 to A4 and R2 to R6 are as defined herein.

Among the compounds of formula (A), compounds having the following structures (A-I) to (A-III) are particularly pre-

$$X^{2-1} \xrightarrow{X^1 \text{ CF}_3} X^{2-4} \xrightarrow{N} X^{2-3} X^{2-4} \xrightarrow{N} X^{2-3} X^{2-4} X^{2-4} \xrightarrow{N} X^{2-3} X^{2-4} X^{2-$$

$$X^{2-1} \xrightarrow{X^1 \text{ CF}_3} X^{2-4} \xrightarrow{Y^{2-1}} X^{2-3} \xrightarrow{R^5} X^{2-6}$$

and wherein X1, R3, R4, R5 and R6 are as defined herein, each X^{2-1} , X^{2-2} , X^{2-3} and X^{2-4} are as defined herein for X^2 , and wherein each Y²⁻¹, Y²⁻³ and Y²⁻⁴ are as defined herein for

Among the compounds of formula (B), compounds having the following structures (B-I) to (B-III) are particularly pre-

laminothiocarbonyl, dialkylaminocarbonyl, dialkylaminothiocarbonyl, may be substituted by at least one substitutent which may be selected among amino, hydroxy, halogen, nitro, cvano, isocvano, mercapto, isothiocvanate, carboxy, carboamide, SF₅, aminosulfonyl, alkyl, cycloalkyl, alkenyl, cycloalkenyl, alkynyl, monoalkylamino, dialkylamino, N-alkylcarbonyl-amino, alkoxy, alkenyloxy, alkynyloxy, cycloalkyloxy, cycloalkenyloxy, alkoxycarbonyl, alkenyloxycarbonyl, alkynyloxycarbonyl, aryloxycarbonyl, alkylcarbonyl, alkenylcarbonyl, alkynylcarbonyl, arylcarbonyl, alkylthio, cycloalkylthio, alkenylthio, cycloalkenylthio, alkynylthio, alkylsulfanyl, alkylsulfinyl, alkylsulfinyl including their isomers, alkylsulfonyl, monoalkylaminosulfonyl, dialkylaminosulfonyl, alkylphosphinyl, alkylphosphonyl, alkylphosphinyl including their isomers, alkylphosphonyl including their isomers, N-alkyl-aminocarbonyl, N,N-di-N-alkyl-carbonyl-aminocarbonyl, alkyl-aminocarbonyl, N-alkylcarbonyl-N-alkylaminocarbonyl, aryl, aryloxy, benzyl, benzyloxy, benzylthio, arylthio, arylamino, benzy- 20 lamino, heterocyclic ring, trialkylsilyl, alkoxyalkyl, alkylthalkylthioalkoxy, alkoxyalkoxy, ioalkyl, phenethyl, benzyloxy, haloalkyl, haloalkoxy, haloalkylthio, haloalkylcarbonyl, haloalkoxycarbonyl, haloalkoxyalkoxy, haloalkoxyalkylthio, haloalkoxyalkylcarbonyl and 25 haloalkoxyalkyl, preferably, chloro, fluoro, bromo, iodo, amino, nitro, cyano, hydroxy, thio and carboxy.

The expression, "Y2, R3 and R4 together" in the expression, "saidY2 and R3, saidY2 and R4 or saidY2, R3 and R4 together may form a 5- to 7-membered saturated or unsaturated hydrocarbon ring or heterocyclic ring together with the carbon atoms to which said Y² and R³, said Y² and R⁴ or said Y², R³ and R⁴ are bound and further with the carbon atom between the carbon atom to which Y² is bound and the carbon atom to which R³ and R⁴ are bound" which is specified when A² or A³ is C—Y² indicates that, for example, R³ and R⁴ together form an alkenylene group, and further form an unsaturated hydrocarbon ring (e.g., phenyl, cyclopentenyl or cyclohexenyl) together with Y^2 . In addition, the expression, "both of R^3 and R⁴" in the expression, "the carbon atom bound to R⁶—N (R⁵)— may form carbonyl together with R³ and R⁴, and the carbon atom bound to Q may form a 5- to 7-membered saturated or unsaturated hydrocarbon ring or heterocyclic ring together with any one or both of R³ and R⁴ bound thereto and further with Y²" which is specified when 1 is 2 also indicates that, for example, R3 and R4 together form an alkenylene group, and further form an unsaturated hydrocarbon ring (e.g., phenyl, cyclopentenyl, cyclohexenyl) together with the carbon atom bound to Q and Y².

The same is applied to the case where Y1 forms a ring together with both of R³ and R⁴.

The phrase "(total carbon atom number)", which is used in relation to a group with any substituent, indicates the number of carbon atom included in the whole group without such

In an aspect of the invention compounds of formula (A) or (B) are preferred

45

50

60

65

-continued

$$X^{2-1} \xrightarrow{X^1 \quad CF_3} \xrightarrow{N} \xrightarrow{N} \xrightarrow{N} \xrightarrow{R^5} \xrightarrow{N} \xrightarrow{R^6}$$

$$X^{2-1}$$
 X^{2-1}
 X^{2

and wherein X^1 , R^3 , R^4 , R^5 and R^6 are as defined herein, each $X^{2\text{-}1}$, $X^{2\text{-}2}$, $X^{2\text{-}3}$ and $X^{2\text{-}4}$ are as defined herein for X^2 , and wherein each $Y^{2\text{-}1}$, $Y^{2\text{-}3}$ and $Y^{2\text{-}4}$ are as defined herein for Y^2

In another aspect of the invention compounds of formula $\,^{25}$ (C-I) to (C-IV) are preferred having the following formula

$$X^{2-1}$$
 X^{2-1}
 X^{2

$$X^{2-1}$$
 X^{2-1}
 X^{2-1}
 X^{2-2}
 X^{2-2}
 X^{2-4}
 X^{2-3}
 X^{2-4}
 X^{2

$$X^{2-1}$$
 X^{2-1}
 X^{2

and wherein the chemical groups X^1 is defined as for X^1 , $X^{2\text{-}1}, X^{2\text{-}2}, X^{2\text{-}3}, X^{2\text{-}4}$ are as defined for X^2 and $Y^{2\text{-}1}, Y^{2\text{-}3}$ and $Y^{2\text{-}4}$ are as defined for Y^2 , and R^3 , R^4 are as defined herein, whereas $R^{5\text{-}1}$ is defined as for R^5 and $R^{6\text{-}1}$ is as defined for R^6 .

In the formula (C-I) to (C-IV), the chemical groups

 $X^1,\,X^{2\text{-}1},\,X^{2\text{-}2},\,X^{2\text{-}3}$ and $X^{2\text{-}4}$ independently of each other preferably represents hydrogen, halogen (i.e. F, Cl, Br, I) or $C_{1\text{-}4}$ -haloalkyl (e.g. $CF_3,\,CF_2H,\,CFH_2,\,CH_2CF_3,\,CF_2\text{---}CF_3),$ whereas it is preferred that at least one of the groups $X^1,\,X^{2\text{-}1},\,X^{2\text{-}2},\,X^{2\text{-}3},\,X^{2\text{-}4}$ stands for hydrogen, preferably one of X^1 and/or $X^{2\text{-}4}$ and/or $X^{2\text{-}2}$ stands for hydrogen, it is most preferred that X^1 and $X^{2\text{-}4}$ both are standing for hydrogen while the other groups are standing independently of each other for $CF_3,\,F,\,Cl,\,Br,$

and/or the chemical groups Y^{2-1} , Y^{2-3} and Y^{2-4} independently of each other preferably represents hydrogen, halogen (e.g. F, Cl, Br, I), C_{1-4} -alkyl, C_{1-4} -alkoxy, C_{1-4} -haloalkoxy, C_{3-6} -cycloalkyl, C_{1-4} -haloalkyl (e.g. CF_3 , CF_2H , CFH_2 , CH_2CF_3 , CF_2 — CF_3), C_{1-4} -alkylsulfanyl, or C_{1-4} -haloalkylsulfanyl,

and/or wherein R^3 or R^4 independently of each other preferably stands for hydrogen, and wherein R^{5-1} independently of each other preferably stands for hydrogen, C_{1-4} alkyl or C_{1-4} haloalkyl, preferably hydrogen;

and/or wherein R^{6-1} preferably represents C_{3-6} cycloalkyl (C_{1-4}) alkylcarbonyl, C_{1-4} alkoxy (C_{1-4}) alkylcarbonyl, C_{1-4} alkyl-SO (C_{1-4}) alkylcarbonyl, C_{1-4} alkyl-SO (C_{1-4}) alkylcarbonyl, more preferably represents one of the following groups

In another aspect of the invention compounds of formula 55 (D-I) to (D-III) are preferred having the following formula

$$X^{2-1}$$
 X^{2-1}
 X^{2-2}
 X^{2-3}
 X^{2-4}
 X^{2-4}
 X^{2-4}
 X^{2-4}
 X^{2-4}
 X^{2-5}
 X^{2-5}

-continued

 X^{2-1} X^{2-1} X^{2-1} X^{2-4} X^{2

$$X^{2-1} \xrightarrow{X^1 \text{ CF}_3} X^{2-2} \xrightarrow{N} X^{2-3} X^{2-3} \xrightarrow{N} X^{2-3} X^$$

and wherein each X^1 , R^1 and R^2 are as defined herein, and each $X^{2\text{--}1}$, $X^{2\text{--}2}$, $X^{2\text{--}3}$ and $X^{2\text{--}4}$ are as defined herein for X^2 , and wherein $Y^{2\text{--}3}$ is as defined herein for Y^2 .

In another aspect of the invention compounds of formula (E-I) to (E-III) are preferred having the following formula

$$X^{2-1}$$
 X^{2-1}
 X^{2-2}
 X^{2-2}
 X^{2-3}
 X^{2-4}
 X^{2

 X^{2-1} X^{2-1} X^{2-1} X^{2-1} X^{2-2} X^{2-3} X^{2-4} X^{2-4} X^{2-5} X^{2

$$X^{2-1}$$
 X^{2-1}
 X^{2-2}
 X^{2-2}
 X^{2-3}
 X^{2

and wherein each X^1 , R^3 , R^4 , R^5 and R^6 are as defined $_{65}$ herein, and each $X^{2\text{-}1}$, $X^{2\text{-}2}$, $X^{2\text{-}3}$ and $X^{2\text{-}4}$ are as defined herein for X^2 , and wherein $Y^{2\text{-}3}$ is as defined herein for Y^2 .

In another aspect of the invention compounds of formula (F-I) to (F-III) are preferred having the following formula

$$X^{2-1}$$
 X^{2-1}
 X^{2-1}
 X^{2-2}
 X^{2-3}
 X^{2-4}
 X^{2

$$X^{2-1}$$
 X^{2-1}
 X^{2

$$X^{2-1}$$

$$X^{2-1}$$

$$X^{2-2}$$

$$X^{2-3}$$

$$X^{2$$

and wherein each X^1,Y^1,R^1 and R^2 are as defined herein, and wherein each $X^{2\text{--}1},\,X^{2\text{--}2},\,X^{2\text{--}3}$ and $X^{2\text{--}4}$ are as defined herein for X^2 .

In another aspect of the invention compounds of formula (G-I) to (G-III) are preferred having the following formula

$$X^{2-1}$$
 X^{2-1}
 X^{2-1}
 X^{2-2}
 X^{2-2}
 X^{2-2}
 X^{2-2}
 X^{2-3}
 X^{2-4}
 X^{2

$$X^{2-1}$$
 X^{2-1}
 X^{2

20

25

35

60

$$X^{2-1}$$
 X^{2-2}
 X^{2-3}
 X^{2

and wherein each X^1 , Y^1 , R^3 , R^4 , R^5 and R^6 are as defined herein, and wherein each $X^{2\text{-}1}$, $X^{2\text{-}2}$, $X^{2\text{-}3}$ and $X^{2\text{-}4}$ are as 15 defined herein for X^2

In another aspect of the invention compounds of formula (H-I) to (H-III) are preferred having the following formula

$$X^{1} CF_{3}$$

$$X^{2-1}$$

$$X^{2-2}$$

$$X^{2-3}$$

$$X^{2-4}$$

$$X^{2-3}$$

$$(H-I)$$

$$X^{1} CF_{3}$$

$$X^{2-1}$$

$$X^{2-1$$

$$X^{1} CF_{3} \qquad \qquad W^{1} \\ X^{2-1} \qquad \qquad N \\ X^{2-3} \qquad \qquad N \\ X^{2-3} \qquad \qquad N \\ R^{5} \qquad \qquad N \\ R^{6} \qquad \qquad N \\ R^{6} \qquad \qquad N \\ N \qquad \qquad N \\$$

and wherein each X^1, Y^1, R^5 and R^6 are as defined herein, each $X^{2\text{--}1}, X^{2\text{--}2}, X^{2\text{--}3}$ and $X^{2\text{--}4}$ are as defined herein for X^2 , and wherein W^1 represents single bond or —CH₂—;

The compounds of formula (I) of the present invention have asymmetric carbons, and thus the compounds encompass optical isomers.

The nitrogen atom on the pyrrolidine backbone of the compounds of formula (I) of the present invention may be substituted with oxygen, alkyl or haloalkyl or may form a salt.

Preparation method (a) is exemplified by the reaction given below in which 3-(3,4,5-trichlorophenyl)-3-(trifluorom-65 ethyl)pyrrolidine and N-{[2-bromo-4-(trifluoromethyl)pyrimidin-5-yl]methyl}acetamide are used as starting materials:

Preparation method (b) is exemplified by the reaction given below in which 2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-(trifluoromethyl)-pyrimidine-5-carboxylic acid and 2-picolylamine are used as starting materials:

$$N_{\mathrm{NH}_{2}}$$

Preparation method (c) is exemplified by the reaction given below in which N-(pyridin-2-ylmethyl)-2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-(trifluoromethyl)pyrimidine-5-carboxamide and iodomethane are used as starting materials:

$$\begin{array}{c} F \\ F \\ Cl \\ Cl \\ \end{array}$$

Preparation method (d) is exemplified by the reaction given below in which N-(pyridin-2-ylmethyl)-2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-(trifluoromethyl)pyrimidine-5-carboxamide and Lawesson reagent are used as starting materials:

Preparation method (e) is exemplified by the reaction given below in which 5-(bromomethyl)-2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-(trifluoromethyl)pyrimidine and benzamide are used as starting materials:

Preparation method (f) is exemplified by the reaction given below in which $1-\{2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-(trifluoromethyl)-pyrimidin-5-yl\}methanamine and acetyl chloride are used as starting materials:$

Preparation method (g) is exemplified by the reaction given below in which N-({2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-(trifluoro-methyl)pyrimidin-5-yl}methyl)acetamide and iodomethane are used as starting materials:

The compounds of formula (IV), which are the starting materials in the Preparation method (a), can be synthesized by the method described below. Specifically, the compounds represented by the following formula (XV):

$$\begin{array}{c}
X^1 \\
B^2 \\
B^3 = B^4
\end{array}$$

$$\begin{array}{c}
CH_2 \\
R
\end{array}$$

wherein X¹, B¹ to B⁴ and R have the same meaning as defined herein can be reacted with N-benzyl-1-methoxy-N-[(trimethylsilyl)-methyl]methanamine in the presence of a catalyst (e.g. trifluoroacetic acid, trimethylsilyl trifluoromethane sulfonate, iodotrimethylsilane, cesium fluoride) to give the compounds represented by formula (XVI):

$$\begin{array}{c} X^1 \\ R \\ B^2 \\ B^3 \end{array} B^4 \end{array}$$

wherein X^1 , B^1 to B^4 and R have the same meaning as defined herein, followed by debenzylation to obtain the compounds represented by the above formula (IV).

The reaction which yields compounds of formula (XVI) may be carried out according to the methods described in 35 "Chemistry Letters, 1984, 1117-1120" and "Tetrahedron Letters, 1993, 34, 3279-3282". The deprotection reaction such as the debenzylation of compounds of formula (XVI) may be carried out according to the methods described in "Journal of the Organic Chemistry, 1984, 49, 2081" and "PROTECTIVE 40 GROUPS in ORGANIC CHEMISTRY THIRD EDITION, JOHN WILEY & SONS, INC".

The compounds of the above formula (XV) encompass the compounds that are known and described, for example in "The Journal of Organic Chemistry, 1991, vol. 56, pp. 7336-457340"; "The Journal of Organic Chemistry, 1994, vol. 59, pp. 2898-2901"; "Journal of Fluorine Chemistry, 1999, vol. 95, pp. 167-170"; "WO2005/05085216A". Such compounds may be synthesized by the methods described therein.

Representative examples of the compounds of formula 50 (XV) include [1-(trifluoromethyl)vinyl]benzene, 1-chloro-3[1-(trifluoromethyl)vinyl]benzene, 1-bromo-3-[1-(trifluoromethyl)vinyl]benzene, 1-nitro-3-[1-(trifluoromethyl)vinyl]benzene, 1-tri-fluoromethyl-3-[1-(trifluoromethyl)vinyl]benzene, 1,3-difluoro-5-[1-(trifluoromethyl)vinyl]benzene, 1,3-difluoro-5-[1-(trifluoromethyl)vinyl]benzene, 1,3-difluoro-5-[1-(trifluoromethyl)vinyl]benzene, 1,2,3-trichloro-5-[1-(trifluoromethyl)vinyl]benzene, 1,3-dimethyl-2-nitro-5-[1-(trifluoromethyl)vinyl]benzene.

Instead of N-benzyl-1-methoxy-N-[(trimethylsilyl)methyl]methanamine in the above reaction, N-benzyl-1-butoxy-N-[(trimethylsilyl)methyl]methanamine or N-(butoxy-methyl)-N-[(trimethylsilyl)methyl]cyclohexylamine may be used.

Representative examples of the compounds of formula (IV) in the Preparation method (a) include 3-(3,5-dichlo-

rophenyl)-3-(trifluoromethyl)pyrrolidine, 3-[3,5-bis(trifluoro-methyl)phenyl]-3-(trifluoromethyl)pyrrolidine, 3-(3,4,5-trichloro-phenyl)-3-(trifluoromethyl)pyrrolidine, and 3-(3,5-dimethyl-4-nitro-phenyl)-3-(trifluoromethyl)pyrrolidine.

Many of the compounds of formula (V-I) or (V-II), which are starting materials in the Preparation method (a), are known compounds, and they may be readily synthesized by the methods widely known in organic chemistry.

The specific examples of formula (V-I) include for example 2-chloro-N-ethyl-4-(trifluoromethyl)pyrimidine-5-carboxamide, tert-butyl (5-bromo-2,3-dihydro-1H-inden-1-yl)carbamate that is described in US Pat. No. 2008/0021024.

Further, the specific examples of formula (V-II) may include: 2-chloro-N-ethyl-4-(trifluoromethyl)-1,3-thiazole-5-carboxamide and the like.

The reaction of the Preparation method (a) can be carried out in a suitable diluent, and examples thereof include aliphatic hydrocarbons (e.g. hexane, cyclohexane, heptane etc.), aliphatic halogenated hydrocarbons (e.g. dichloromethane, chloroform, carbon tetrachloride, dichloroethane, etc.), aromatic hydrocarbons (e.g. benzene, toluene, xylene, chlorobenzene etc.), ethers (e.g. diethyl ether, dibutyl ether, dimethoxyethane (DME), tetrohydrofuran, dioxane etc.), esters (e.g. ethyl acetate, ethyl propionate etc.), acid amides (e.g. dimethylformamide (DMF), dimethylacetamide (DMA), N-methylpyrrolidone etc.), nitriles (e.g. acetonitrile, propionitrile etc.), dimethylsulfoxide (DMSO), water or mixed solvents thereof and the like.

The reaction of the Preparation method (a) can be carried out in the presence of a base, such as alkali metal bases (e.g. lithium hydride, sodium hydride, potassium hydride, butyl lithium, tert-butyl lithium, trimethylsilyl lithium, lithium hexamethyldisilazide, sodium carbonate, potassium carbonate, cesium carbonate, tripotassium phosphate, sodium acetate, potassium acetate, sodium methoxide, sodium ethoxide, sodium-tert-butoxide and potassium-tert-butoxide etc.). organic bases (e.g. triethylamine, diisopropylethylamine, tributylamine, N-methylmorpholine, N,N-dimethylaniline, N.N-diethylaniline, 4-tert-butyl-N.N-dimethylaniline, pyridine, picoline, lutidine, diazabicycloundecene, diazabicyclooctane, imidazole etc.) and optionally in the presence of a metal catalyst such as transition metal catalysts (eg. Pd₂ Pd₂(dba)₃CHCl₃ (dba=dibenzylideneacetone), $(dba)_3$ Pd(OAc)₂, CuI, Cu₂O). The transition metal catalyst can be used in the presence of phosphine ligands such as 2,2'-bis (diphenylphosphino)-1,1'-binaphtalene (BINAP), 4,5-bis (diphenylphosphino)-9,9-dimethylxanthene (Xantphos), tributylphosphine, triphenyl-phosphine, or amine ligands such as 8-quinolinol, proline, N,N-dimethylglycine.

The preparation method (a) can be carried out within a substantially wide temperature range. It may be generally carried out at the temperature between about -78° C. and about 200° C., preferably between -10° C. and about 150° C. Said reaction is desirably carried out at normal pressure although it may be carried out under elevated or reduced pressure. The reaction time is 0.1 to 72 hours, preferably 0.1 to 24 hours.

For carrying out the Preparation method (a), for example, 1 mole of the compound of formula (IV) can be reacted with 1 to 3 moles of the compound of formula (V-I) or (V-II) in the presence of 1 to 3 moles of a base (e.g. sodium-tert-butoxide and a catalytic amount (e.g. in the range of about 1 to 10 mol-%) of the transitional metal catalyst (e.g. $Pd_2(dba)_3$ or $Pd_2(dba)_3$ CHCl₃) and a suitable amount (e.g. in the range of about 3 to 30 mol-%) of phosphine ligand compound (e.g.

4,5-bis(diphenylphosphino)-9,9-dimethylxanthen) in a diluent (e.g. toluene) to obtain the compound of formula (I) of the present invention.

Some of the compounds of formula (VI-I) and (VI-II), which are the starting materials in the Preparation method (b), are novel compounds and they can be synthesized by the methods below. Specifically, the compounds of the above formula (IV) can be reacted with a compound represented by the following formula (XVII-I):

$$L^{1} \xrightarrow{A^{4} = A^{3}} OR^{8}$$

$$\downarrow A^{1} - A^{2} O$$

$$\downarrow A^{1} - A^{2}$$

wherein A^1 to A^4 and L^1 have the same meaning as defined above, and R^8 represents hydrogen or $C_{1,4}$ alkyl, or

with a compound represented by the following formula (XVII-II):

wherein Y^1 , R^8 , A^1 to A^4 and L^1 have the same meaning as defined herein

to obtain the compounds represented by formula (XVIII-I):

$$\begin{array}{c} X^{1} \\ R \\ N \\ A^{1} \\ A^{2} \end{array}$$
 OR8

wherein X¹, B¹ to B⁴, R, A¹ to A⁴ and R⁸ have the same 45 meaning as defined herein, or

the compounds represented by formula (XVIII-II):

$$\begin{array}{c} X^{1} \\ R \\ N \\ \end{array}$$

$$\begin{array}{c} X^{1} \\ N \\ \end{array}$$

$$\begin{array}{c} X^{1} \\ Y^{1} \\ \end{array}$$

$$\begin{array}{c} XVIII-II) \\ OR^{8} \\ \end{array}$$

wherein X^1 , B^1 to B^4 , R, Y^1 and R^8 have the same meaning as defined herein. In addition, when R^8 represents C_{1-4} alkyl, 60 by subjecting the compounds represented by the above formula (XVIII-I) or (XVIII-II) to a hydrolysis reaction, the compounds represented by formula (VI-I) or (VI-II) can be obtained.

The compounds represented by the above formula (XVII-65 I) and (XVII-II) in above Preparation method, which are well known compounds in the field of organic chemistry, may

include the following compounds, for example: ethyl 2-chloro-4-(trifluoromethyl)pyrimidine-5-carboxylate, and ethyl 2-chloro-4-(trifluoromethyl)-1,3-thiazole-5-carboxylate.

Furthermore, the compounds represented by formula (VII-I) or (VII-II), which are the starting materials in the Preparation method (b), can be synthesized according to well known methods in the field of organic chemistry.

For example, they can be readily obtained by the method comprising a reaction of the compounds represented by the above formula (VI-I) or (VI-II) with a chlorinating agent such as thionyl chloride, oxalyl chloride, phosphorus pentachloride and the like, or by the method comprising a reaction with an organic acid halide such as pivaloyl chloride and the like, or the method comprising a reaction with carbonyl diimidazole or sulfonyl imidazole and the like.

Representative compounds of formula (VI-I) or (VI-II) in the Preparation method (b) may include: 2-chloro-4-(trifluoromethyl)pyrimidine-5-carboxylic acid, 2-chloro-4-(trifluoro-methyl)-1,3-thiazole-5-carboxylic acid, and the like.

Representative compounds of formula (VII-I) or (VII-II) may include: 2-chloro-4-(trifluoromethyl)pyrimidine-5-carbonyl chloride, 2-chloro-4-(trifluoro-methyl)-1,3-thiazole-5-carbonyl chloride, and the like.

The compounds of formula (VIII), which are the starting materials in the Preparation method (b), are well known compounds and their specific examples may include: methylamine, ethylamine, cyclopropylamine, propargylamine, 2,2, 2-trifluoroethylamine, 2-picolylamine, 3-aminomethyl-6-chloropyridine, and the like.

The reaction of the Preparation method (b) can be carried out in a suitable diluent, and examples thereof include aliphatic hydrocarbons (e.g. hexane, cyclohexane, heptane etc.), aliphatic halogenated hydrocarbons (e.g. dichloromethane, chloroform, carbon tetrachloride, dichloroethane etc.), aromatic hydrocarbons (e.g. benzene, toluene, xylene, chlorobenzene etc.), ethers (e.g. diethyl ether, dibutyl ether, dimethoxyethane (DME), tetrohydrofuran, dioxane etc.), esters (e.g. ethyl acetate, ethyl propionate etc.), acid amides (e.g. dimethylformamide (DMF), dimethylacetamide (DMA), N-methylpyrrolidone etc.), nitriles (e.g. acetonitrile, propionitrile etc.), dimethylsulfoxide (DMSO), water or mixed solvents thereof and the like.

the same 45 The reaction can be carried out using the following bases such as alkali metal bases including sodium hydroxide, potassium hydroxide, sodium carbonate, potassium carbonate, cesium carbonate, tripotassium phosphate, sodium acetate, potassium acetate and the like and organic bases including triethylamine, diisopropylethylamine, tributylamine, N-methylmorpholine, N,N-dimethylaniline, N,N-diethylaniline, 4-tert-butyl-N,N-dimethylaniline, pyridine, picoline, lutidine, diazabicycloundecene, diazabicyclooctane, imidazole and the like.

The reaction can be carried out using the following condensation agents: 1,3-dicyclohexylcarbodiimide (DCC), 1-ethyl-3-(3'-dimethylaminopropyl)-carbodiimide hydrochloride (WSCI), carbonyldiimidazole (CDI), diethyl cyanophosphate (DEPC), 2-chloro-1-methylpyridinium iodide (Mukaiyama's reagent) and the like.

The Preparation method (b) can be carried out within a substantially wide temperature range. It may be generally carried out between about -78° C. and about 200° C., preferably between -10° C. and about 150° C. Said reaction is desirably carried out at normal pressure although it may be carried out under elevated or reduced pressure. The reaction time is 0.1 to 72 hours, preferably 0.1 to 24 hours.

For carrying out the Preparation method (b), for example, 1 mole of the compound of formula (VI-I) or (VI-II) can be reacted with 1 to 3 moles of the compound of formula (VIII) using 1 mole to 3 moles of a condensation agent and, if desired, with a catalytic amount of an additive such as 1-hy-droxybenzotriazole in a diluent (e.g. DMF) to obtain the corresponding compound of formula (I).

The compounds of formula (Ib-I) or (Ib-II), which are the starting materials in the Preparation method (c), are encompassed by formula (I) of the present invention obtained by above Preparation method (b).

The con pounds of formula (IX), which are the starting materials, are well known compounds and their specific examples may include iodomethane, iodoethane and the like. In addition, with respect to formula (IX), when L³ represents arylsulfonyloxy, the aryl includes phenyl, 4-methylphenyl, 4-chlorophenyl and the like.

The reaction of the Preparation method (c) can be carried out in a suitable diluent, and examples thereof include aliphatic hydrocarbons (e.g. hexane, cyclohexane, heptane etc.), aliphatic halogenated hydrocarbons (e.g. dichloromethane, chloroform, carbon tetrachloride, dichloroethane etc.), aromatic hydrocarbons (e.g. benzene, toluene, xylene, chlorobenzene etc.), ethers (e.g. diethyl ether, dibutyl ether, 25 dimethoxyethane (DME), tetrohydrofuran, dioxane etc.), esters (e.g. ethyl acetate, ethyl propionate etc.), acid amides (e.g. dimethylformamide (DMF), dimethylacetamide (DMA), N-methylpyrrolidone etc.), nitriles (e.g. acetonitrile, propionitrile etc.), dimethylsulfoxide (DMSO), water or 30 mixed solvents thereof and the like.

The reaction can be carried out using the following bases such as alkali metal bases including lithium hydride, sodium hydroxide, potassium hydroxide, sodium hydroxide, potassium hydroxide, sodium carbonate, potassium carbonate, cesium carbonate, tripotassium phosphate, sodium acetate, potassium acetate and the like, organic bases such as triethylamine, diisopropylethylamine, tributylamine, N-methylmorpholine, N,N-dimethylaniline, N,N-diethylaniline, 4-tert-butyl-N,N-dimethylaniline, pyridine, picoline, lutidine, diazabicycloundecene, diazabicyclooctane, imidazole and the like.

The Preparation method (c) can be carried out within a substantially wide temperature range. It may be generally carried out between about -78° C. and about 200° C., preferably between -10° C. and about 150° C. Said reaction is 45 preferably carried out at normal pressure although it may be carried out under elevated or reduced pressure. The reaction time is 0.1 to 72 hours, preferably 0.1 to 24 hours.

For carrying out the Preparation method (c), for example, 1 mole of the compound of formula (Ib-I) or (Ib-II) can be 50 reacted with 1 to 5 moles of the compound of formula (IX) in a diluent (e.g. THF) in the presence of a base to obtain the corresponding compound of formula (I).

The compounds of formula (Ia-I) or (Ia-II), which are the starting materials in the Preparation method (d), are encompassed by formula (I) of the present invention obtained by the above Preparation method (b) or Preparation method (c).

As a sulfurizing agent used in the Preparation method (d), phosphorus pentasulfide, Lawesson reagent and the like can be mentioned.

The reaction of the Preparation method (d) can be carried out in a suitable diluent, and examples thereof include aliphatic hydrocarbons (e.g. hexane, cyclohexane, heptane etc.), aliphatic halogenated hydrocarbons (e.g. dichloromethane, chloroform, carbon tetrachloride, dichloroethane etc.), aromatic hydrocarbons (e.g. benzene, toluene, xylene, chlorobenzene etc.), ethers (e.g. diethyl ether, dibutyl ether,

dimethoxyethane (DME), tetrohydrofuran, dioxane etc.) or mixed solvents thereof and the like.

The Preparation method (d) can be carried out within a substantially wide temperature range. It may be generally carried out between about -78° C. and about 200° C., preferably between room temperature and about 150° C. Said reaction is desirably carried out at normal pressure although it may be carried out under elevated or reduced pressure. The reaction time is 0.1 to 72 hours, preferably 0.1 to 24 hours.

For carrying out the Preparation method (d), for example, 1 mole of the compound of formula (Ia-I) or (Ia-II) can be reacted with 0.5 mole to 3 moles of a Lawesson reagent in a diluent (e.g. toluene) to obtain the corresponding compound of formula (I).

The compounds of formula (X-I) or (X-II), which are the starting materials in the Preparation method (e), are novel compounds and may be synthesized by the method below, for example. Specifically, the compounds of the above formula (VII-I) or (VII-II) can be reduced to obtain the compounds represented by the following formula (XIX-Ia):

$$\begin{array}{c} X^1 \\ B^1 \\ B^2 \\ B^3 \end{array} \begin{array}{c} X^1 \\ A^4 \\ A^3 \\ A^1 \\ A^2 \end{array} \begin{array}{c} OH \end{array}$$

wherein X^1 , B^1 to B^4 , R and A^1 to A^4 have the same meaning as defined herein, or

the compounds represented by the following formula (XIX-IIa):

$$\begin{array}{c} X^{l} \\ R \\ N \\ N \\ S \\ \end{array} \begin{array}{c} N \\ Y^{l} \\ \end{array}$$
 OH

wherein X^1 , B^1 to B^4 , R and Y^1 have the same meaning as defined herein,

which are then subjected to the reaction such as halogenation or alkylsulfonylation in a typical manner to obtain the compounds represented by the following formula (X-Ia):

$$X^1$$
 R N A^4 A^3 L^3 B^2 B^3 B^4 A^1 A^2

wherein X^1 , B^1 to B^4 , R, A^1 to A^4 and L^3 have the same meaning as defined herein, or the compounds represented by the following formula (X-IIa):

(X-IIa)

wherein X^1 , B^1 to B^4 , R, Y^1 and L^3 have the same meaning $\ ^{10}$ as defined herein.

Representative examples of the compounds of formula (X-I) or (X-II) in the Preparation method (e) may include: 5-(chloromethyl)-2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-(trifluoromethyl)pyrimidine, 5-(chloromethyl)-2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-(trifluoromethyl)-1,3-thiazole, and the like.

The compounds of formula (XI), which are the starting materials in the Preparation method (e), are well known compounds and the representative examples may include: ammonia, acetamide, propionamide, benzamide, 2-chlorobenzamide, 3-chlorobenzamide, 4-chlorobenzamide and the like.

The reaction of the Preparation method (e) can be carried 25 out in a suitable diluent, and examples thereof include aliphatic hydrocarbons (e.g. hexane, cyclohexane, heptane etc.), aliphatic halogenated hydrocarbons (e.g. dichloromethane, chloroform, carbon tetrachloride, dichloroethane etc.), aromatic hydrocarbons (e.g. benzene, toluene, xylene, chlorobenzene etc.), ethers (e.g. diethyl ether, dibutyl ether, dimethoxyethane (DME), tetrohydrofuran, dioxane etc.), esters (e.g. ethyl acetate, ethyl propionate etc.), acid amides (e.g. dimethylformamide (DMF), dimethylacetamide (DMA), N-methylpyrrolidone etc.), nitriles (e.g. acetonitrile, 35 propionitrile etc.), dimethylsulfoxide (DMSO), water or mixed solvents thereof and the like.

The reaction can be carried out using the following bases such as alkali metal bases including lithium hydride, sodium hydride, potassium hydride, sodium hydroxide, potassium 40 hydroxide, sodium carbonate, potassium carbonate, cesium carbonate, tripotassium phosphate, sodium acetate, potassium acetate and the like and organic bases such as triethylamine, diisopropylethylamine, tributylamine, N-methylmorpholine, N,N-dimethylaniline, N,N-diethylaniline, 45 4-tert-butyl-N,N-dimethylaniline, pyridine, picoline, lutidine, diazabicycloundecene, diazabicyclooctane, imidazole and the like.

The Preparation method (e) can be carried out within a substantially wide temperature range. It may be generally 50 carried out between about -78° C. and about 200° C., preferably between -10° C. and about 150° C. Said reaction is desirably carried out at normal pressure although it may be carried out under elevated or reduced pressure. The reaction time is 0.1 to 72 hours, preferably 0.1 to 24 hours.

For carrying out the Preparation method (e), for example, 1 mole of the compound of formula (X-I) or (X-II) can be reacted with 1 to 3 moles of the compound of formula (XI) in the presence of a base in a diluent (e.g. THF) to obtain the corresponding compound of formula (I).

The compounds of formula (XII-I) or (XII-II), which are the starting materials in the Preparation method (f), are novel compounds and may be obtained by reacting a compound of the above formula (X-I) or (X-II) with a compound represented by the following formula (XX):

$$R^5$$
— NH_2 (XX)

wherein R⁵ has the same meaning as described in the

Furthermore, regarding the compounds represented by formula (XII-I) or (XII-II) wherein l=1, they can be also synthesized by an alternative method comprising reacting a compound of the above formula (IV) with a compound represented by the following formula (XXI-I):

wherein A^1 to A^4, R^3, R^4 and L^1 have the same meaning as defined herein

or with a compound represented by the following formula (XXI-II):

$$L^{1} \xrightarrow{N}_{R^{2}} \stackrel{(XXI-II)}{\underset{R^{4}}{\bigvee}}$$

wherein Y^1 , R^3 , R^4 and L^1 have the same meaning as defined herein

to obtain the compounds represented by the following formula (XXII-I):

$$\begin{array}{c} X^1 & R \\ & & \\ & & \\ B^1 & & \\ B^2 & B^3 \end{array} \xrightarrow{R^4} \begin{array}{c} O \\ & & \\ O \\ & & \\ O \end{array}$$

wherein X^1,B^1 to B^4,A^1 to A^4,R^3,R^4 and R have the same meaning as defined herein, or

the compounds represented by the following formula (XXII-II):

$$\begin{array}{c} X^1 \\ B^2 \\ B^3 \end{array} \xrightarrow{B^4} \begin{array}{c} X^1 \\ N \\ S \\ R^3 \end{array} \xrightarrow{R^4} \begin{array}{c} (XXII-II) \\ O \\ O \end{array}$$

wherein X^1 , B^1 to B^4 , Y^1 , R^3 , R^4 and R have the same meaning as defined herein,

followed by carrying out an amino Gabriel amine synthesis reaction.

The compounds of above formula (XXI-I) or (XXI-II) are known compounds and may include the followings:

2-{[2-chloro-4-(trifluoromethyl)pyrimidin-5-yl]methyl}-1H-isoindol-1,3(2H)-dione, 2-{[2-chloro-4-(trifluoromethyl)-1,3-thiazol-5-yl]methyl}-1H-isoindol-1,3(2H)-dione, 2-(4-bromobenzyl)-1H-isoindol-1,3(2H)-dione, 2-(4-iodobenzyl)-1H-isoindol-1,3(2H)-dione, 2-(4-iodobenzyl)-1H-isoindol-1,3(2H)-dione, 2-(4-iodo-2-nitrobenzyl)-1H-isoindol-1,3(2H)-dione, 2-(2-chloro-4-iodobenzyl)-1H-isoindol-1,3(2H)-dione and the like.

Furthermore, the compounds of formula (XII-I) or (XII-II) wherein R³, R⁴ and R⁵ represent hydrogen may be also readily synthesized by an alternative method which includes a usual reduction reaction of the nitrile compounds represented by formula (XXIII-I):

$$\begin{array}{c} X^1 \\ R \\ B^2 \\ B^3 \end{array} \xrightarrow{B^4} \begin{array}{c} X^1 \\ A^4 \\ A^3 \\ A^2 \end{array} \xrightarrow{CN} \end{array} (XXIII-I)$$

wherein X^1 , B^1 to B^4 , A^1 to A^4 and R have the same meaning as defined herein, or the nitrile compounds represented by 30 formula (XXIII-II):

$$\begin{array}{c} X^1 \\ R \\ B^2 \\ B^3 \end{array} \stackrel{R}{\longrightarrow} B^4 \\ \end{array} \qquad \begin{array}{c} X \\ N \\ S \\ \end{array} \qquad \begin{array}{c} Y^1 \\ C \\ N \end{array}$$

wherein X¹, B¹ to B⁴, Y¹ and R have the same meaning as defined herein, followed by a subsequent hydrolysis reaction.

Representative examples of the compounds of formula (XII-I) or (XII-II) in the Preparation method (f) may include: 45 1-{2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-(trifluoro-methyl)pyrimidin-5-yl}methanamine, 1-{2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-(trifluoromethyl)-1,3-thiazol-5-yl}methanamine, 1-{2-chloro-4-[3-(3,5-dichlorophenyl)-3- (trifluoromethyl)pyrrolidin-1-yl]-phenyl}methanamine, 1-{2-bromo-4-[3-(3,5-dichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-phenyl}methanamine and the like.

The compounds of formula (XIII), which are the starting materials in the Preparation method (f), are well known compounds, and the specific examples may include: acetyl chloride; propionyl chloride; benzoyl chloride; 2-chlorobenzoyl chloride;

3-chlorobenzoyl chloride; 4-chlorobenzoyl chloride; nicotinoylchloride hydrochloride salt and the like.

The reaction of the Preparation method (f) can be carried out in a suitable diluent, and examples thereof include aliphatic hydrocarbons (e.g. hexane, cyclohexane, heptane etc.), aliphatic halogenated hydrocarbons (e.g. dichloromethane, chloroform, carbon tetrachloride, dichloroethane etc.), aromatic hydrocarbons (e.g. benzene, toluene, xylene, chlorobenzene etc.), ethers (e.g. diethyl ether, dibutyl ether,

34

dimethoxyethane (DME), tetrohydrofuran, dioxane etc.), esters (e.g. ethyl acetate, ethyl propionate etc.), acid amides (e.g. dimethylformamide (DMF), dimethylacetamide (DMA), N-methylpyrrolidone etc.), nitriles (e.g. acetonitrile, propionitrile etc.), dimethylsulfoxide (DMSO), water or mixed solvents thereof and the like.

The reaction can be carried out using the following bases such as alkali metal bases including lithium hydride, sodium hydroxide, potassium hydroxide, potassium hydroxide, sodium carbonate, cesium carbonate, tripotassium phosphate, sodium acetate, potassium acetate and the like and organic bases such as triethylamine, diisopropylethylamine, tributylamine, N-methylmorpholine, N,N-dimethylaniline, N,N-diethylaniline, 4-tert-butyl-N,N-dimethylaniline, pyridine, picoline, lutidine, diazabicycloundecene, diazabicyclooctane, imidazole and the like.

The Preparation method (f) can be carried out within a substantially wide temperature range. It may be generally carried out between about -78° C. and about 200° C., preferably between -10° C. and about 150° C. Said reaction is desirably carried out at normal pressure although it may be carried out under elevated or reduced pressure. The reaction time is 0.1 to 72 hours, preferably 0.1 to 24 hours.

For carrying out the Preparation method (f), for example, 1 mole of the compound of formula (XII-I) or (XII-II) can be reacted with 1 to 3 moles of the compound of formula (XIII) in the presence of a base in a diluent (e.g. THF) to obtain the corresponding compound of formula (I).

The compounds of formula (Ic-I) or (Ic-II), which are the starting materials in the Preparation method (g), are encompassed by formula (I) of the present invention obtained by the above Preparation method (e) or Preparation method (f).

The compounds of formula (XIV) as the starting materials are well known and the specific examples may include iodomethane, iodoethane, acetyl chloride and the like.

The reaction of the Preparation method (g) can be carried out in a suitable diluent, and examples thereof include aliphatic hydrocarbons (e.g. hexane, cyclohexane, heptane etc.), aliphatic halogenated hydrocarbons (e.g. dichloromethane, chloroform, carbon tetrachloride, dichloroethane etc.), aromatic hydrocarbons (e.g. benzene, toluene, xylene, chlorobenzene etc.), ethers (e.g. diethyl ether, dibutyl ether, dimethoxyethane (DME), tetrohydrofuran, dioxane etc.), esters (e.g. ethyl acetate, ethyl propionate etc.), acid amides (e.g. dimethylformamide (DMF), dimethylacetamide (DMA), N-methylpyrrolidone etc.), nitriles (e.g. acetonitrile, propionitrile etc.), dimethylsulfoxide (DMSO), water or mixed solvents thereof and the like.

The reaction can be carried out using the following bases such as alkali metal bases including lithium hydride, sodium hydroxide, potassium hydroxide, potassium hydroxide, sodium carbonate, cesium carbonate, tripotassium phosphate, sodium acetate, potassium acetate and the like and organic bases such as triethylamine, diisopropylethylamine, tributylamine, N-methylmorpholine, N,N-dimethylaniline, N,N-diethylaniline, 4-tert-butyl-N,N-dimethylaniline, pyridine, picoline, lutidine, diazabicycloundecene, diazabicyclooctane, imidazole and the like.

The Preparation method (g) can be carried out within a substantially wide temperature range. It may be generally carried out between about -78° C. and about 200° C., preferably between -10° C. and about 150° C. Said reaction is desirably carried out at normal pressure although it may be carried out under elevated or reduced pressure. The reaction time is 0.1 to 72 hours, preferably 0.1 to 24 hours.

For carrying out the Preparation method (g), for example, 1 mole of the compound of formula (Ic-I) or (Ic-II) can be reacted with 1 to 3 moles of the compound of formula (XIV) in the presence of a base in a diluent (e.g. THF) to obtain the corresponding compound of formula (1).

With respect to the above Preparation methods for the compounds of formula (I) of the present invention, novel raw materials thereof (i.e., starting materials and intermediates) can be collectively represented by formula (XXIV) described below:

$$\begin{array}{c} X^1 \\ R \\ B^2 \\ B^3 \end{array} \xrightarrow{R} \begin{array}{c} N \\ A^4 \\ A^3 \\ A^1 \\ A^2 \end{array} \xrightarrow{T^4} \end{array}$$

wherein X^1 , R, A^1 to A^4 and B^1 to B^4 have the same meaning as defined above, and T^4 represents,

cyano, amino, or nitro, and $1, L^2, L^3, R^3, R^4, R^5$ and R^8 have the same meaning as defined above.

The active compounds of the invention, in combination with good plant tolerance and favourable toxicity to warmblooded animals and being tolerated well by the environment, are suitable for protecting plants and plant organs, for increasing harvest yields, for improving the quality of the harvested material and for controlling animal pests, in particular insects, arachnids, helminths, nematodes and molluses, which are encountered in agriculture, in horticulture, in animal husbandry, in forests, in gardens and leisure facilities, in the protection of stored products and of materials, and in the hygiene sector. They can be preferably employed as plant protection agents. They are active against normally sensitive and resistant species and against all or some stages of development.

Such umwanted insects which may damage plants and/or technical materials include e.g. beetles (Coleopteran), such as 50 adzuki bean beetle (Callosobruchus Chinensis), maize weevil (Sitophilus zeamais), red flour beetle (Tribolium Castaneum), large twenty-wight-spotted lady beetle (Epilachna vigintioctomaculata), barley wireworm (Agriotes ogurae fuscicollis), soy bean beetle (Anomala rufocuprea), Colorado 55 potato beetle (Leptinotarsa decemlineata), corn root worm (Diabrotica spp.), Matsunomadra long-horned beetle (Monochamus alternatus endai), rice water weevil (Lissorhoptrus oryzophilus), powder-post beetle (Lyctus brunneus); lepidopteran pests, such as gypsy moth (Lymantria dispar), 60 Lackey moth (Malacosoma neustria), small white (Pieris rapae crucivora), cotton leafworm (Spodoptera litura), cabbage moth (Mamestra brassicae), rice stem borer (Chilo suppressalis), European corn borer (Ostrinia nubilalis), dried currant moth (Cadra cautella), chyanokokakumonhamaki 65 (Adoxophyes honmai), codling moth (Cydia pomonella), Turnip Moth (Agrotis segetum), Wax Moth (Galleria mel-

lonella), Diamondback moth (Plutella xylostella), tobacco budworm moth (Heliothis virescens), citrus leaf miner (Phyllocnistis citrella); hemipterous pests, such as green rice leafhopper (Nephotettix cincticeps), brown planthopper (Nilaparvata lugens), comstock mealybug (Pseudococcus comstocki), arrowheat scale (Unaspis yanonensis), Momoaka-aburamusi (Myzus persicas), green apple aphid (Aphis pomi), cotton aphid (Aphis gossypii), turnip aphid (Lipaphis erysimi), Nashi-gunbai (Stephanitis nashi), Nezara (Nezara spp.), greenhouse whitefly (Trialeurodes vaporariorm), Pshylla (Pshylla spp.); thysanoptera pests, such as palm thrips (Thrips palmi), western flower thrips (Franklinella occidentalis); orthopteran pests, such as mole cricket (Gryllotalpa Africana), migratory locust (Locusta migratoria); 15 blattarian pests, such as German cockroach (Blatella germanica), American cockroach (Periplaneta americana), yamato white ant (Reticulitermes speratus), Formosan subterranean termite (Coptotermes formosanus);

dipterous pests, such as housefly (*Musca domestica*), yel20 low fever mosquito (*Aedes aegypti*), Seedcorn maggot (*Delia platura*), Aka-ie-ka (*Culex pipiens pallens*), Sina-hamadaraka (*Anopheles sinensis*), kodaka-aka-ie-ka (*Culex tritaenio-rhynchus*), serpentine leafminer (*Liriomyza trifolii*) and the like.

Further, as mites, Carmine spider mite (*Tetranychus cinnabarinus*), two-spotted spider mite (*Tetrahychus urticae*), Citrus red mite (*Panonychus citri*), Pink citrus rust mite (*Aculops pelekassi*), *Tarsonemus* (*Tarsonemus* spp.) and the like can be mentioned.

In addition, as nematodes, sweet potato root-knot nematode (*Meloidogyne incognita*), pine wood nematode (*Bursaphelenchus xylophilus*), rice white-tip nematode (*Aphelenchoides besseyi*), soybean cyst nematode (*Heterodera glycines*), meadow nematode (*Pratylenchus* spp.) and the like can be mentioned.

The Abovementioned Pests Include:

From the order of the Anoplura (Phthiraptera), for example, *Damalinia* spp., *Haematopinus* spp., *Linognathus* spp., *Pediculus* spp., *Trichodectes* spp.

From the class of the Arachnida, for example, Acarus spp., Aceria sheldoni, Aculops spp., Aculus spp., Amblyomma spp., Amphitetranychus viennensis, Argas spp., Boophilus spp., Brevipalpus spp., Bryobia praetiosa, Chorioptes spp., Dermanyssus gallinae, Eotetranychus spp., Epitrimerus pyri, Eutetranychus spp., Eriophyes spp., Halotydeus destructor, Hemitarsonemus spp., Hyalomma spp., Ixodes spp., Latrodectus mactans, Metatetranychus spp., Nuphersa spp., Oligonychus spp., Ornithodoros spp., Panonychus spp., Phyllocoptruta oleivora, Polyphagotarsonemus latus, Psoroptes spp., Rhipicephalus spp., Rhizoglyphus spp., Sarcoptes spp., Scorpio maurus, Stenotarsonemus spp., Tarsonemus spp., Tetranychus spp., Vasates lycopersici.

From the class of the Bivalva, for example, *Dreissena* spp. From the order of the Chilopoda, for example, *Geophilus* spp., *Scutigera* spp.

From the order of the Coleoptera, for example, Acalymma vittatum, Acanthoscelides obtectus, Adoretus spp., Agelastica alni, Agriotes spp., Amphimallon solstitialis, Anobium punctatum, Anoplophora spp., Anthonomus spp., Anthrenus spp., Apion spp., Apogonia spp., Atomaria spp., Attagenus spp., Bruchidius obtectus, Bruchus spp., Cassida spp., Cerotoma trifurcata, Ceutorrhynchus spp., Chaetocnema spp., Cleonus mendicus, Conoderus spp., Cosmopolites spp., Costelytra zealandica, Ctenicera spp., Curculio spp., Cryptorhynchus lapathi, Cylindrocopturus spp., Dermestes spp., Diabrotica spp., Dichocrocis spp., Diloboderus spp., Epilachna spp., Epitrix spp., Faustinus spp., Gibbium psylloides, Hellula

38
bergella singularis, Scaptocoris castanea, Scotinophora
spp., Stephanitis nashi, Tibraca spp., Triatoma spp.

undalis, Heteronychus arator, Heteronyx spp., Hylamorpha elegans, Hylotrupes bajulus, Hypera postica, Hypothenemus spp., Lachnosterna consanguinea, Lema spp., Leptinotarsa decemlineata, Leucoptera spp., Lissorhoptrus oryzophilus, Lixus spp., Luperodes spp., Lyctus spp., Megascelis spp., 5 Melanotus spp., Meligethes aeneus, Melolontha spp., Migdolus spp., Monochamus spp., Naupactus xanthographus, Niptus hololeucus, Oryctes rhinoceros, Oryzaephilus surinamensis, Oryzaphagus oryzae, Otiorrhynchus Oxycetonia jucunda, Phaedon cochleariae, Phyllophaga 10 spp., Phyllotreta spp., Popillia japonica, Premnotrypes spp., Psylliodes spp., Ptinus spp., Rhizobius ventralis, Rhizopertha dominica, Sitophilus spp., Sphenophorus spp., Sternechus spp., Symphyletes spp., Tanymecus spp., Tenebrio molitor, Tribolium spp., Trogoderma spp., Tychius spp., Xylotrechus 15 spp., Zabrus spp.

From the order of the Collembola, for example, *Onychiurus armatus*.

From the order of the Diplopoda, for example, *Blaniulus guttulatus*.

From the order of the Diptera, for example, Aedes spp., Agromyza spp., Anastrepha spp., Anopheles spp., Asphondylia spp., Bactrocera spp., Bibio hortulanus, Calliphora erythrocephala, Ceratitis capitata, Chironomus spp., Chrysomyia spp., Cochliomyia spp., Contarinia spp., Cordylobia anthropophaga, Culex spp., Cuterebra spp., Dacus oleae, Dasyneura spp., Delia spp., Dermatobia hominis, Drosophila spp., Echinocnemus spp., Fannia spp., Gastrophilus spp., Hydrellia spp., Hylemyia spp., Hyppobosca spp., Hypoderma spp., Liriomyza spp. Lucilia spp., Musca spp., Nezara spp., Oestrus spp., Oscinella frit, Pegomyia spp., Phorbia spp., Prodiplosis spp., Psila rosae, Rhagoletis spp., Stomoxys spp., Tabanus spp., Tannia spp., Tetanops spp., Timula spp.

From the class of the Gastropoda, for example, *Arion* spp., 35 *Biomphalaria* spp., *Bulinus* spp., *Deroceras* spp., *Galba* spp., *Lymnaea* spp., *Oncomelania* spp., *Pomacea* spp., *Succinea* spp.

From the class of the Helminthen, for example, Ancylostoma duodenale, Ancylostoma ceylanicum, Acylostoma bra- 40 ziliensis, Ancylostoma spp., Ascaris lubricoides, Ascaris spp., Brugia malayi, Brugia timori, Bunostomum spp., Chabertia spp., Clonorchis spp., Cooperia spp., Dicrocoelium spp., Dictyocaulus filaria, Diphyllobothrium latum, Dracunculus medinensis, Echinococcus granulosus, Echinococcus 45 multilocularis, Enterobius vermicularis, Faciola spp., Haemonchus spp., Heterakis spp., Hymenolepis nana, Hyostrongulus spp., Loa Loa, Nematodirus spp., Oesophagostomum spp., Opisthorchis spp., Onchocerca volvulus, Ostertagia spp., Paragonimus spp., Schistosomen spp., Strongyloides 50 fuelleborni, Strongyloides stercoralis, Stronyloides spp., Taenia saginata, Taenia solium, Trichinella spiralis, Trichinella nativa, Trichinella britovi, Trichinella nelsoni, Trichinella pseudopsiralis, Trichostrongulus spp., Trichuris trichuria, Wuchereria bancrofti.

It is furthermore possible to control protozoa, such as Eimeria.

From the order of the Heteroptera, for example, Anasa tristis, Antestiopsis spp., Blissus spp., Calocoris spp., Campylomma livida, Cavelerius spp., Cimex spp., Collaria 60 spp., Creontiades dilutus, Dasynus piperis, Dichelops furcatus, Diconocoris hewetti, Dysdercus spp., Euschistus spp., Eurygaster spp., Heliopeltis spp., Horcias nobilellus, Leptocorisa spp., Leptoglossus phyllopus, Lygus spp., Macropes excavatus, Miridae, Monalonion atratum, Nezara spp., 65 Oebalus spp., Pentomidae, Piesma quadrata, Piezodorus spp., Psallus spp., Pseudacysta persea, Rhodnius spp., Sahl-

From the order of the Homoptera, for example, Acyrthosipon spp., Acrogonia spp., Aeneolamia spp., Agonoscena spp., Aleurodes spp., Aleurolobus barodensis, Aleurothrixus spp., Amrasca spp., Anuraphis cardui, Aonidiella spp., Aphanostigma piri, Aphis spp., Arboridia apicalis, Aspidiella spp., Aspidiotus spp., Atanus spp., Aulacorthum solani, Bemisia spp., Brachycaudus helichrysii, Brachycolus spp., Brevicoryne brassicae, Calligypona marginata, Carneocephala fulgida, Ceratovacuna lanigera, Cercopidae, Ceroplastes spp., Chaetosiphon fragaefolii, Chionaspis tegalensis, Chilorita onukii, Chromaphis juglandicola, Chrysomphalus ficus, Cicadulina mbila, Coccomytilus halli, Coccus spp., Cryptomyzus ribis, Dalbulus spp., Dialeurodes spp., Diaphorina spp., Diaspis spp., Drosicha spp., Dysaphis spp., Dysmicoccus spp., Empoasca spp., Eriosoma spp., Erythroneura spp., Euscelis bilobatus, Ferrisia spp., Geococcus coffeae, Hieroglyphus spp., Homalodisea coaguiata, Hyalopterus 20 arundinis, Icerva spp., Idiocerus spp., Idioscopus spp., Laodelphax striatellus, Lecanium spp., Lepidosaphes spp., Lipaphis erysimi, Macrosiphum spp., Mahanarva spp., Melanaphis sacchari, Metcalfiella spp. Metopolophium dirhodum, Monellia costalis, Monelliopsis pecanis, Myzus spp., Nasonovia ribisnigri, Nephotettix spp., Nilaparvata lugens, Oncometopia spp., Orthezia praelonga, Parabemisia myricae, Paratrioza spp., Parlatoria spp., Pemphigus spp., Peregrinus maidis, Phenacoccus spp., Phloeomyzus passerinii, Phorodon humuli, Phylloxera spp., Pinnaspis aspidistrae, Planococcus spp., Protopulvinaria pyriformis, Pseudaulacaspis pentagona, Pseudococcus spp., Psylla spp., Pteromalus spp., Pyrilla spp., Quadraspidiotus spp., Quesada gigas, Rastrococcus spp., Rhopalosiphum spp., Saissetia spp., Scaphoides titanus, Schizaphis graminum, Selenaspidus articulatus, Sogata spp., Sogatella furcifera, Sogatodes spp., Stictocephala festina, Tenalaphara malayensis, Tinocallis caryaefoliae, Tomaspis spp., Toxoptera spp. Trialeurodes spp., Trioza spp., Typhlocyba spp., Unaspis spp., Viteus vitifolii, Zygina spp.

From the order of the Hymenoptera, for example, *Athalia* spp., *Diprion* spp., *Hoplocampa* spp., *Lasius* spp., *Monomorium pharaonis*, *Vespa* spp.

From the order of the Isopoda, for example, *Armadillidium vulgare*, *Oniscus asellus*, *Porcellio scaber*.

From the order of the Isoptera, for example, *Acromyrmex* spp., *Atta* spp., *Cornitermes cumulans, Microtermes obesi, Odontotermes* spp., *Reticulitermes* spp.

From the order of the Lepidoptera, for example, Acronicta major, Adoxophyes spp., Aedia leucomelas, Agrotis spp., Alabama spp., Amyelois transitella, Anarsia spp., Anticarsia spp., Argyroploce spp., Barathra brassicae, Borbo cinnara, Bucculatrix thurberiella, Bupalus piniarius, Busseola spp., Cacoecia spp., Caloptilia theivora, Capua reticulana, Carpocapsa pomonella, Carposina niponensis, Chematobia bru-55 mata, Chilo spp., Choristoneura spp., Clysia ambiguella, Cnaphalocerus spp., Cnephasia spp., Conopomorpha spp., Conotrachelus spp., Copitarsia spp., Cydia spp., Dalaca noctuides, Diaphania spp., Diatraea saccharalis, Earias spp., Ecdytolopha aurantium, Elasmopalpus lignosellus, Eldana saccharina, Ephestia kuehniella, Epinotia spp., Epiphyas postvittana, Etiella spp., Eulia spp., Eupoecilia ambiguella, Euproctis spp., Euxoa spp., Feltia spp., Galleria mellonella, Gracillaria spp., Grapholitha spp., Hedylepta spp., Helicoverpa spp., Heliothis spp., Hofmannophila pseudospretella, Homoeosoma spp., Homona spp., Hyponomeuta padella, Kakivoria flavofasciata, Laphygma spp., Laspeyresia molesta, Leucinodes orbonalis, Leucoptera spp., Lithocolle-

tis spp., Lithophane antennata, Lobesia spp., Loxagrotis albicosta, Lymantria spp., Lyonetia spp., Malacosoma neustria, Maruca testulalis, Mamestra brassicae, Mocis spp., Mythimna separata, Nymphula spp., Oiketicus spp., Oria spp., Orthaga spp., Ostrinia spp., Oulema oryzae, Panolis 5 flammea, Parnara spp., Pectinophora spp., Perileucoptera spp., Phthorimaea spp., Phyllocnistis citrella, Phyllonorycter spp., Pieris spp., Platynota stultana, Plusia spp., Plutella xylostella, Prays spp., Prodenia spp., Protoparce spp., Pseudaletia spp., Pseudoplusia includens, Pyrausta nubila- 10 lis, Rachiplusia nu, Schoenobius spp., Scirpophaga spp., Scotia segetum, Sesamia spp., Sparganothis spp., Spodoptera spp., Stathmopoda spp., Stomopteryx subsecivella, Synanthe $don\,{\rm spp.}, Tecia\,solani vora,\, Thermesia\,gemmatalis,\, Tinea\,pel$ lionella, Tineola bisselliella, Tortrix spp., Trichoplusia spp., 15 Tuta absoluta, Virachola spp.

From the order of the Orthoptera, for example, Acheta domesticus, Blatta orientalis, Blattella germanica, Dichroplus spp., Gryllotalpa spp., Leucophaea maderae, Locusta spp., Melanoplus spp., Periplaneta americana, 20 Schistocerca gregaria.

From the order of the Siphonaptera, for example, *Ceratophyllus* spp., *Xenopsylla cheopis*.

From the order of the Symphyla, for example, *Scutigerella* spp.

From the order of the Thysanoptera, for example, Anaphothrips obscurus, Baliothrips biformis, Drepanothris reuteri, Enneothrips flavens, Frankliniella spp., Heliothrips spp., Hercinothrips femoralis, Rhipiphorothrips cruentatus, Scirtothrips spp., Taeniothrips cardamoni, Thrips spp.

From the order of the Thysanura, for example, *Lepisma* saccharina.

The phytoparasitic nematodes include, for example, *Aphelenchoides* spp., *Bursaphelenchus* spp., *Ditylenchus* spp., *Globodera* spp., *Heterodera* spp., *Longidorus* spp., *Meloid-* 35 ogyne spp., *Pratylenchus* spp., *Radopholus* similis, *Trichodorus* spp., *Tylenchulus* semipenetrans, *Xiphinema* spp.

All plants and plant parts can be treated in accordance with the invention. Plants are to be understood as meaning in the present context all plants and plant populations such as 40 desired and undesired wild plants or crop plants (including naturally occurring crop plants). Crop plants can be plants which can be obtained by conventional plant breeding and optimization methods or by biotechnological and genetic engineering methods or by combinations of these methods, 45 including the transgenic plants and including the plant cultivars protectable or not protectable by plant breeders' rights. Plant parts are to be understood as meaning all parts and organs of plants above and below the ground, such as shoot, leaf, flower and root, examples which may be mentioned 50 being leaves, needles, stalks, stems, flowers, fruit bodies, fruits, seeds, roots, tubers and rhizomes. The plant parts also include harvested material, and vegetative and generative propagation material, for example cuttings, tubers, rhizomes, offshoots and seeds.

Treatment according to the invention of the plants and plant parts with the active compounds is carried out directly or by allowing the compounds to act on their surroundings, habitat or storage space by the customary treatment methods, for example by immersion, spraying, evaporation, fogging, scattering, painting on, injecting and, in the case of propagation material, in particular in the case of seed, also by applying one or more coats.

As already mentioned above, it is possible to treat all plants and their parts according to the invention. In a preferred embodiment, wild plant species and plant cultivars, or those obtained by conventional biological breeding methods, such

40

as crossing or protoplast fusion, and parts thereof, are treated. In a further preferred embodiment, transgenic plants and plant cultivars obtained by genetic engineering methods, if appropriate in combination with conventional methods (Genetically Modified Organisms), and parts thereof, are treated. The terms "parts", "parts of plants" and "plant parts" have been explained above.

Particularly preferably, plants of the plant cultivars which are in each case commercially available or in use are treated according to the invention. Plant cultivars are understood as meaning plants having novel properties ("traits") which have been obtained by conventional breeding, by mutagenesis or by recombinant DNA techniques. These can be cultivars, bioor genotypes.

Depending on the plant species or plant cultivars, their location and growth conditions (soils, climate, vegetation period, diet), the treatment according to the invention may also result in superadditive "synergistic") effects. Thus, for example, reduced application rates and/or a widening of the activity spectrum and/or an increase in the activity of the substances and compositions which can be used according to the invention, better plant growth, increased tolerance to high or low temperatures, increased tolerance to drought or to water or soil salt content, increased flowering performance, easier harvesting, accelerated maturation, higher harvest yields, higher quality and/or a higher nutritional value of the harvested products, better storage stability and/or processability of the harvested products are possible, which exceed the effects which were actually to be expected.

The preferred transgenic plants or plant cultivars (obtained by genetic engineering) which are to be treated according to the invention include all plants which, by virtue of the genetic modification, received genetic material which imparts particularly advantageous, useful traits to these plants. Examples of such traits are better plant growth, increased tolerance to high or low temperatures, increased tolerance to drought or to water or soil salt content, increased flowering performance, easier harvesting, accelerated maturation, higher harvest yields, higher quality and/or a higher nutritional value of the harvested products, better storage stability and/or processability of the harvested products. Further and particularly emphasized examples of such traits are a better defence of the plants against animal and microbial pests, such as against insects, mites, phytopathogenic fungi, bacteria and/or viruses, and also increased tolerance of the plants to certain herbicidally active compounds. Examples of transgenic plants which may be mentioned are the important crop plants, such as cereals (wheat, rice), maize, soya beans, potatoes, sugar beet, tomatoes, peas and other vegetable varieties, cotton, tobacco, oilseed rape and also fruit plants (with the fruits apples, pears, citrus fruits and grapes), and particular emphasis is given to maize, soya beans, potatoes, cotton, tobacco and oilseed rape. Traits that are emphasized in particular are the increased defence of the plants against insects, arachnids, nematodes and slugs and snails by virtue of toxins formed in the plants, in particular those formed in the plants by the genetic material from Bacillus thuringiensis (for example by the genes CryIA(a), CryIA(b), CryIA(c), CryIIA, CryIIIA, CryIIIB2, Cry9c, Cry2Ab, Cry3Bb and CryIF and also combinations thereof) (referred to hereinbelow as "Bt plants"). Traits that are also particularly emphasized are the increased defence of the plants against fungi, bacteria and viruses by systemic acquired resistance (SAR), system in, phytoalexins, elicitors and resistance genes and correspondingly expressed proteins and toxins. Traits that are furthermore particularly emphasized are the increased tolerance of the plants to certain herbicidally active compounds, for example imidazolinones,

sulphonylureas, glyphosate or phosphinotricin (for example the "PAT" gene). The genes which impart the desired traits in question can also be present in combination with one another in the transgenic plants. Examples of "Bt plants" which may be mentioned are maize varieties, cotton varieties, soya bean 5 varieties and potato varieties which are sold under the trade names YIELD gARD® (for example maize, cotton, soya beans), KnockOut® (for example maize), StarLink® (for example maize), Bollgard® (cotton), Nucotn® (cotton) and NewLeaf® (potato). Examples of herbicide-tolerant plants 10 which may be mentioned are maize varieties, cotton varieties and soya bean varieties which are sold under the trade names Roundup Ready® (tolerance to glyphosate, for example maize, cotton, soya beans), Liberty Link® (tolerance to phosphinotricin, for example oilseed rape), IMI® (tolerance to 15 imidazolinones) and STS® (tolerance to sulphonylureas, for example maize). Herbicide-resistant plants (plants bred in a conventional manner for herbicide tolerance) which may be mentioned include the varieties sold under the name Clearfield® (for example maize). Of course, these statements 20 also apply to plant cultivars having these genetic traits or genetic traits still to be developed, which plant cultivars will be developed and/or marketed in the future.

The plants listed can be treated according to the invention in a particularly advantageous manner with the compounds 25 according to the invention at a suitable concentration.

In the veterinary sector, that is, in veterinary medicine, the active compounds according to the present invention are effective in controlling animal parasites, specifically endoparasites or ectoparasites. The term "endoparasite" 30 includes, specifically, helminths (tapeworms, nematodes, trematodes, and the like) and protozoa (coccidium and the like).

Ectoparasites include, typically and preferably, arthropods, specifically, insects (flies (stinging and licking), parasitic fly larvae, sucking lice, crab lice, biting lice, fleas, and the like), acaridae (ticks and the like, for example, hard ticks or soft ticks), or acarina (itchmites, trombiculid mites, bird mites, and the like).

These Parasites are as Follows:

from Anoplurida, for example, Haematopinus spp., Linognathus spp., Pediculus spp., Phtirus spp., Solenopotes spp.; particularly, for representative examples, Linognathus setosus, Linognathus vituli, Linognathus ovillus, Linognathus oviformis, Linognathus pedalis, Linognathus stenopsis, Haematopinus asini macrocephalus, Haematopinus eurysternus, Haematopinus suis, Pediculus humanus capitis, Pediculus humanus corporis, Phylloera vastatrix, Phthirus pubis, Solenopotes capillatus;

from Mallophagida, Amblycerina, and Ischnocerina, for 50 example, Trimenopon spp., Menopon spp., Trinoton spp., Bovicola spp., Werneckiella spp., Lepikentron spp., Damalina spp., Trichodectes spp., Felicola spp.; particularly, for representative examples, Bovicola bovis, Bovicola ovis, Bovicola limbata, Damalina bovis, Trichodectes canis, Felicola 55 subrostratus, Bovicola caprae, Lepikentron ovis, Werneckiella equi;

from Diptera, Nematocerina, and Brachycerina, for example, Aedes spp., Anopheles ssp., Culex spp., Simulium spp., Eusimulium spp., Phlebotomus spp., Lutzomyia spp., 60 Culicoides spp., Chrysops spp., Odagmia spp., Wilhelmia spp., Hybomitra spp., Atylotus spp., Tabanus spp., Haematopota spp., Philipomyia spp., Braula spp., Musca spp., Hydrotaea spp., Stomoxys spp., Haematobia spp., Morellia spp., Fannia spp., Glossina spp., Calliphora spp., Lucilia spp., 65 Chrysomyia spp., Wohlfahrtia spp., Sarcophaga spp., Oestrus spp., Hypoderma spp., Gasterophilus spp., Hippo-

42

bosca spp., Lipoptena spp., Melophagus spp., Rhinoestrus spp., Tipula spp.; particularly, for representative examples, Aedes aegypti, Aedes albopictus, Aedes taeniorhynchus, Anopheles gambiae, Anopheles maculipennis, Calliphora erythrocephala, Chrysozona pluvialis, Culex quinquefasciatus, Culex pipiens, Culex tarsalis, Fannia canicularis, Sarcophaga carnaria, Stomoxys calcitrans, Tipula paludosa, Lucilia cuprina, Lucilia sericata, Simulium reptans, Phlebotomus papatasi, Phlebotomus longipalpis, Odagmia ornata, Wilhelmia equina, Boophthora erythrocephala, Tabanus bromius, Tabanus spodopterus, Tabanus atratus, Tabanus sudeticus, Hybomitra ciurea, Chrysops caecutiens, Chrysops relictus, Haematopota pluvialis, Haematopota italica, Musca autumnalis, Musca domestica, Haematobia irritans irritans, Haematobia irritans exigua, Haematobia stimulans, Hydrotaea irritans, Hydrotaea albipuncta, Chrysomya chloropyga, Chrysomya bezziana, Oestrus ovis, Hypoderma bovis, Hypoderma lineatum, Przhevalskiana silenus, Dermatobia hominis, Melophagus ovinus, Lipoptena capreoli, Lipoptena cervi, Hippobosca variegata, Hippobosca equina, Gasterophilus intestinalis, Gasterophilus haemorroidalis, Gasterophilus interrnis, Gasterophilus nasalis, Gasterophilus nigricornis, Gasterophilus pecorum, Braula coeca:

from Siphonapterida, for example, *Pulex* spp., *Ctenocephalides* spp., *Tunga* spp., *Xenopsylla* spp., *Ceratophyllus* spp.; particularly, for representative examples, *Ctenocephalides canis*, *Ctenocephalides felis*, *Pulex irritans*, *Tunga penetrans*, *Xenopsylla cheopis*;

from Heteropterida, for example, Ciimex spp., Triatoma spp., Rhodnius spp., Panstrongylus spp.;

from Blattarida, for example, *Blatta orientalis, Periplaneta americana, Blattela germanica, Supella* spp. (for example, *Suppella longipalpa*);

from Acari (Acarina), Metastigmata, and Mesostigmata, for example, Argas spp., Ornithodorus spp., Otobius spp., Ixodes spp., Amblyomma spp., Rhipicephalus (Boophilus) spp., Dermacentor spp., Haemophysalis spp., Hyalomma spp., Dermanyssus spp., Rhipicephalus spp. (original genus of heteroxenous mites), Ornithonyssus spp., Pneumonyssus spp., Raillietia spp., Pneumonyssus spp., Sternostoma spp., Varroa spp., Acarapis spp.); particularly, for representative examples, Argas persicus, Argas reflexus, Ornithodorus mou-Otobius megnini, Rhipicephalus (Boophilus) microplus, Rhipicephalus (Boophilus) decoloratus, Rhipicephalus (Boophilus) annulatus, Rhipicephalus (Boophilus) calceratus, Hyalomma anatolicum, Hyalomma aegypticum, Hyalomma marginatum, Hyalomma transiens, Rhipicephalus evertsi, Ixodes ricinus, Ixodes hexagonus, Ixodes canisuga, Ixodes pilosus, Ixodes rubicundus, Ixodes scapularis, Ixodes holocyclus, Haemaphysalis concinna, Haemaphysalis punctata, Haemaphysalis cinnabarina, Haemaphysalis otophila, Haemaphysalis leachi, Haemaphysalis longicorni, Dermacentor marginatus, Dermacentor reticulatus, Dermacentor pictus, Dermacentor albipictus, Dermacentor andersoni, Dermacentor variabilis, Hyalomma mauritanicum, Rhipicephalus sanguineus, Rhipicephalus bursa, Rhipicephalus appendiculatus, Rhipicephalus capensis, Rhipicephalus turanicus, Rhipicephalus zambeziensis, Amblyomma americanum, Amblyomma variegatum, Amblyomma maculatum, Amblyomma hebraeum, Amblyomma cajennense, Dermanyssus gallinae, Ornithonyssus bursa, Ornithonyssus sylviarum, Varroa jacobsconi;

from Actinedida (Prostigmata), and Acaridida (Astigmata), for example, *Acarapis* spp., *Cheyletiella* spp., *Ornithocheyletia* spp., *Myobia* spp., *Psorergates* spp., *Demodex* spp., *Trombicula* spp., *Listrophorus* spp., *Acarus* spp.,

 $Tyrophagus {\it spp.}, Caloglyphus {\it spp.}, Hypodectes {\it spp.}, Pteroli$ chus spp., Psoroptes spp., Chorioptes spp., Otodectes spp., Sarcoptes spp., Notoedres spp., Knemidocoptes spp., Cytodites spp., Laminosioptes spp.; particularly, for example, Cheyletiella yasguri, Cheyletiella blakei, Demodex canis, Demodex bovis, Demodex ovis, Demodex caprae, Demodex equi, Demodex caballi, Demodex suis, Neotrombicula autumnalis, Neotrombicula desaleli, Neoschonegastia xerothermobia, Trombicula akamushi, Otodectes cynotis, Notoedres cati, Sarcoptis canis, Sarcoptes bovis, Sarcoptes 10 ovis, Sarcoptes rupicaprae (=S. caprae), Sarcoptes equi, Sarcoptes suis, Psoroptes ovis, Psoroptes cuniculi, Psoroptes equi, Chorioptes bovis, Psoergates ovis, Pneumonyssoidic mange, Pneumonyssoides caninum, Acarapis woodi.

In addition, the compounds according to the invention can be used for controlling pathogenic endoparasites which occur in humans and in animal breeding and animal husbandry in livestock, breeding, zoo, laboratory, experimental and domestic animals. In this case they are effective against all or specific stages of development of the endoparasites and also 20 against resistant and normally sensitive species. By controlling the pathogenic endoparasites, it is intended to reduce illness, deaths and performance reductions (e.g. in the production of meat, milk, wool, hides, eggs, honey and the like), so that more economical and simpler animal keeping is made 25 possible by the use of the active compounds. Pathogenic endoparasites include cestodes, trematodes, nematodes, acanthocephales.

The active compounds according to the present invention are suitable for the control of arthropods, helminths, and 30 protozoa that attack animals. The animals include, for example, agricultural animals such as cattle, sheep, goats, horses, pigs, donkeys, camels, buffalo, rabbits, chickens, turkeys, ducks, geese, hatchery fish, and bees. In addition, the animals include pet animals (also known as companion ani- 35 mals), such as dogs, cats, cage birds, and aquarium fish, and experimental animals (for example, hamsters, guinea pigs, rats and mice).

Death rates of host animals will be reduced and productivity (in the cases of meat, milk, wool, hides, eggs, honey, and 40 the like) and animal health will be improved by the control of these arthropods, helminths, and/or protozoa using the active compounds according to the present invention, and as a result, a more economic and simpler animal husbandry can be achieved.

For example, it is preferable that the acceptance of blood from a host by parasites should be prevented or inhibited (where applicable). The control of parasites can be helpful for prevention of infections by infectious organisms.

means that the active compounds are effective in reducing each parasite incidence in animals infected by these parasites to harmless levels. More specifically, "controlling" used herein means that the active compounds are effective in killing, inhibiting the growth of, or inhibiting the proliferation of 55 each parasite.

In the present invention, substances having insecticidal efficacies against noxious insects encompassing all of such pests are referred to as insecticides.

In the case of the active compounds of the present invention 60 used as insecticides, they may be formed in general formulation forms. Such formulation forms may include, for example, solutions, emulsions, wettable powders, wettable granules, suspensions, powders, foams, pastes, tablets, granules, aerosols, natural products and synthetic products 65 impregnated with the active compounds, microcapsules, coating agents for seeds, formulations with combustion

44

device (e.g. the combustion devices include fumigation or fume cartridges, cans, coils and the like), UVL (cold mist, warm mist) and the like.

These formulations may be prepared by a method known per se. For example, they can be prepared by mixing the active compounds together with spreading agents, i.e. liquid diluents or carriers; liquefied gas diluents or carriers; solid diluents or carriers, and, optionally, with surfactants i.e. emulsifiers and/or dispersants and/or foam-forming agents.

When water is used as a spreading agent, for example, organic solvents may be used as an auxiliary solvent.

Liquid diluents or carriers may include, for example, aromatic hydrocarbons (e.g. xylene, toluene, alkylnaphthalene etc.), chlorinated aromatic or chlorinated aliphatic hydrocarbons (e.g. chlorobenzenes, ethylene chlorides, methylene chlorides etc.), aliphatic hydrocarbons (e.g. cyclohexanes or paraffins (e.g. mineral oil fractions)), alcohols (e.g. butanol, glycol and ethers or esters thereof, etc.), ketones (e.g. acetone, methyl ethyl ketone, methyl isobutyl ketone, cyclohexanone etc.), strong polar solvents (e.g. dimethylformamide, dimethylsulfoxide etc.), water and the like.

Liquefied gas diluents or carriers may include substances which exist as gas at ambient temperature and normal pressure, for example aerosol propellants such as bulan, propane, nitrogen gas, carbon dioxide and halogenated hydrocarbons.

Solid diluents may include, for example, crushed natural minerals (e.g. kaolin, clay, talc, chalk, quartz, attapulgite, montmorillonite or diatomaceous earth etc.), crushed synthetic minerals (e.g. highly-dispersive silic acid, alumina, silicate etc.) and the like.

Solid carriers for granules may include, for example, crushed and fractionated rocks (e.g. calcite, marble, pumice stone, sepiolite, dolomite etc.), synthetic granules of inorganic or organic powders, fine particles of organic materials (e.g. sawdust, coconut shells, maize cobs, tobacco stalks, etc.).

Emulsifiers and/or foam-forming agents may include, for example, nonionic or anionic emulsifiers (e.g. polyoxyethylene fatty acid esters, polyoxyethylene fatty alcohol ethers (e.g. alkylarylpolyglycol ether), alkyl sulfonates alkyl sulfates, aryl sulfonates etc.), albumin hydrolysates and the like.

Examples of dispersants include, for example, lignin sulfite waste liquor, methylcellulose and the like.

Adhesive agents may also be used for the formulations (powders, granules, emulsions), such as carboxymethylcellulose, natural or synthetic polymers (e.g. gum Arabic, polyvinyl alcohols, polyvinyl acetates etc.) and the like.

Colorants may be used, such as inorganic pigments (e.g. The term "control" used herein in the veterinary field 50 iron oxide, titanium oxide, Prussian blue etc.), organic pigments (e.g. alizarin dyes, azo dyes or metallophthalocyanine dyes etc.) as well as trace elements (e.g. salts of iron, manganese, boron, copper, cobalt, molybdenum or zinc etc.).

> Generally such formulations may contain the active compounds described above in a range from 0.1 to 95% by weight, preferably 0.5 to 90% by weight.

> The active compounds of formula (I) of the present invention may be present in the commercially useful formulations and usage forms prepared from their formulations, as mixed formulation forms with other active compounds such as insecticides, poison baits, bactericides, acaricides, nematocides, fungicides, growth regulating agents, herbicides and the like. Above mentioned insecticides may include, for example, organophosphorus agents, carbamate agents, carboxylate chemical agents, chlorohydrocarbon type chemical agents, neonicotinoid type insecticides, insecticidal substances produced by microorganisms and the like.

In addition, the active compounds of formula (I) of the present invention may be present as mixed formulations with synergists and such formulations and usage forms may include commercially useful formulations and forms. Such synergists, which are not necessarily active per se, are the 5 compounds that are capable of enhancing the activity of the active compounds.

The content of the active compounds of formula (I) of the present invention in a commercially useful usage form may vary over a wide range.

The practical usage concentration of the active compounds of formula (I) of the present invention may be within a range of 0.0000001 to 100% by weight, preferably 0.00001 to 1% by weight.

The compounds of formula (I) of the present invention may 15 be used in general manners suitable for their usage forms.

The active compounds of the present invention, when used against hygienic insects and stored grain pests, have effective stability against alkaline substances present in lime materials.

In addition, they have excellent residual efficacies in woods 20 1-1490, and soils

In general, for the treatment of animals, the active compounds of the present invention may be directly applied to animals. Preferably, they are applied as pharmaceutical compositions which may contain either one or both of pharmaceutically acceptable excipients and adjuvants widely known in the art.

The active compounds in the veterinary field and animal husbandry are applied (administered) by known means, such as by enteral administration in the form of, for example, 30 tablets, capsules, drinks, orally-taken medicines, granulates, pastes, boluses, the feed-through process, and suppositories; by parenteral administration, for example, by injection (intramuscular, subcutaneous, intravenous, intraperitoneal, and the like), by implants, by intranasal application, by dermal use in 35 the form of, for example, dipping or immersing, spraying, pour-on and spot-on, washing, and powdering, and with the help of appliances containing the active compound, such as collars, ear markers, tail markers, limb bands, halters, marking devices, and the like. The active compounds may be 40 formulated in a suitable form such as shampoo, aerosol, or non-pressurized spray, for example, pump spray and nebulizer.

When used in live stock, poultry, and pet animals, the active compounds according to the present invention may be applied 45 in any formulation (for example, powder, wettable powder (WP), emulsion, emulsion concentrate (EC), flowable agent, homogenous solution, and suspension concentrate (SC)) containing the active compounds in an amount of 1 to 80% by weight, either directly or after dilution (for example, 10- to 50 10000-fold dilution), or by other methods such as chemical baths.

When used in the veterinary field, the active compounds according to the present invention may be used in combination with a suitable synergist or another active compound, 55 such as a tickicide, insecticide, anthelmintic, and antiprotozoal agent.

Furthermore, the active compounds of the present invention have low toxicity and can be safely used for warmblooded animals.

For the use in the animal health field, in particular for controlling ectoparasitic arthropods, the following compounds may be mentioned as preferred examples:

1-174, 1-967, 1-729, 1-968, 1-1471, 1-1472, 1-1998, 1-945, 1-308, 1-143, 1-317, 1-307, 1-301, 1-305, 6-267, 6-4, 65 6-273, 1-675, 1-404, 1-313, 1-1488, 1-1490, 1-494, 1-495, 1-730, 1-491, 1-146, 1-319, 1-357, 1-304, 1-338, 1-1991,

46

1-345, 1-1291, 1-1292, 1-19, 1-36, 1-150, 1-258, 1-173, 1-180, 1-186, 1-231, 1-224, 1-966, 1-963, 1-500, 1-1467, 1-925, 1-926, 1-314, 1-312, 1-296, 1-297, 1-327, 1-302, 1-309, 1-220, 1-330, 1-341, 1-339, 6-268, 1-866, 1-856, 5-144, 1-346, 1-347, 1-285, 1-398, 1-1289, 1-1290, 1-1489, 1-1427, 1-1434, 1-155, 1-329, 1-340,

As more preferred examples for the abovementioned use in the animal health field the following compounds may be mentioned:

1-174, 1-967, 1-729, 1-968, 1-1471, 1-1472, 1-1998, 1-945, 1-308, 1-143, 1-317, 1-307, 1-301, 1-305, 6-267, 6-4, 6-273, 1-675, 1-404, 1-313, 1-1488, 1-1490, 1-494, 1-495, 1-730, 1-491, 1-146, 1-319, 1-357, 1-304, 1-338, 1-1991, 1-345, 1-1291, 1-1292, 1-1471,

Of these compounds the following are particularly preferred:

1-967, 1-729, 1-968, 1-1998, 1-945, 1-308, 1-143, 1-307, 1-301, 1-305, 6-267, 6-4, 6-273, 1-675, 1-404, 1-313, 1-1488, 1-1490

In the field of animal health the compound 1-967 may be mentioned as an especially preferred example.

Further, in the field of animal health the compound 1-729 may be mentioned as an especially preferred example.

Further, in the field of animal health the compound 1-143 may be mentioned as an especially preferred example.

Further, in the field of animal health the compound 1-307 may be mentioned as an especially preferred example.

Further, in the field of animal health the compound 6-4 may be mentioned as an especially preferred example.

Further, in the field of animal health the compound 6-273 may be mentioned as an especially preferred example.

When used in the animal health field the active compounds according to the invention may be used in combination with suitable synergists or other active compounds, such as for example, acaricides, insecticides, anthelmintics, growth regulators (e.g. juvenile hormone analogues, chitin synthesis inhibitors) and anti-protozoal drugs.

An active compound of the present invention can be prepared in conventional formulation forms, when used as an insecticide. Examples of the formulation forms include solutions, emulsions, wettable powders, water dispersible granules, suspensions, powders, foams, pastes, tablets, granules, aerosols, active compound-infiltrated natural and synthetic materials, microcapsules, seed coating agents, formulations used with a combustion apparatus (for example, fumigation and smoking cartridges, cans, coils or the like as the combustion apparatus), ULV (cold mist, warm mist), and the like.

These formulations can be produced by methods that are known per se. For example, a formulation can be produced by mixing the active compound with a developer, that is, a liquid diluent or carrier; a liquefied gas diluent or carrier; a solid diluent or carrier, and optionally with a surfactant, that is, an emulsifier and/or dispersant and/or foaming agent.

In the case where water is used as the developer, for example, an organic solvent can also be used as an auxiliary solvent.

Examples of the liquid diluent or carrier include aromatic
60 hydrocarbons (for example, xylene, toluene, alkylnaphthalene and the like), chlorinated aromatic or chlorinated aliphatic hydrocarbons (for example, chlorobenzenes, ethylene
chlorides, methylene chlorides), aliphatic hydrocarbons (for
example, cyclohexanes), paraffins (for example, mineral oil
65 fractions), alcohols (for example, butanol, glycols and their
ethers, esters and the like), ketones (for example, acetone,
methyl ethyl ketone, methyl isobutyl ketone, cyclohexanone

and the like), strongly polar solvents (for example, dimethylformamide, dimethylsulfoxide and the like), water and the like.

The liquefied gas diluent or carrier may be those which are gaseous at normal temperature and normal pressure, for example, aerosol propellants such as butane, propane, nitrogen gas, carbon dioxide and halogenated hydrocarbons.

Examples of the solid diluent include pulverized natural minerals (for example, kaolin, clay, talc, chalk, quartz, attapulgite, montmorillonite, diatomaceous earth, and the like), pulverized synthetic minerals (for example, highly dispersed silicic acid, alumina, silicates and the like), and the like.

Examples of the solid carrier for granules include pulverized and screened rocks (for example, calcite, marble, pumice, sepiolite, dolomite and the like), synthetic granules of inorganic and organic powder, fine particles of organic materials (for example, sawdust, coconut shells, maize cobs, tobacco stalk and the like), and the like.

Examples of the emulsifier and/or foaming agent include nonionic and anionic emulsifiers [for example, polyoxyethylene fatty acid esters, polyoxyethylene fatty acid alcohol ethers (for example, alkylaryl polyglycol ether), alkylsulfonates, alkylsulfates, arylsulfonates and the like], albumin ²⁵ hydrolyzate, and the like.

Examples of the dispersant include lignin sulfite waste liquor and methylcellulose.

Fixing agents can also be used in the formulations (powders, granules, emulsions), and examples of the fixing agent include carboxymethylcellulose, natural and synthetic polymers (for example, gum arabic, polyvinyl alcohol, polyvinyl acetate, and the like) and the like.

Colorants can also be used, and examples of the colorants include inorganic pigments (for example, iron oxide, titanium oxide, Prussian Blue and the like), organic dyes such as alizarin dyes, azo dyes or metal phthalocyanine dyes, and in addition, trace elements such as the salts of iron, manganese, boron, copper, cobalt, molybdenum and zinc.

The formulations in general can contain the active ingredient in an amount ranging from 0.1 to 95% by weight, and preferably 0.5 to 90% by weight.

The compound according to the present invention can also 45 exist as an admixture with other active compounds, for example, insecticides, poisonous baits, bactericides, miticides, nematicides, fungicides, growth regulators, herbicides and the like, in the form of their commercially useful formulation forms and in the application forms prepared from those 50 formulations.

The content of the compound according to the present invention in a commercially useful application form can be varied within a wide range.

The concentration of the active compound according to the present invention in actual usage can be, for example, in the range of 0.0000001 to 100% by weight, and preferably 0.00001 to 1% by weight.

The compounds according to the present invention can be used through conventional methods that are appropriate for the usage form. 60

The active compound of the present invention have, when used against hygiene pests and pests associated with stored products, stability effective against alkali on lime materials, 65 and also shows excellent residual effectiveness on wood and soil.

48

Next, the present invention is exemplified by way of the following examples, but the invention is not intended to be limited thereto.

SYNTHESIS EXAMPLE 1

Synthesis of 6-chloro-N-{4-[3-(3,5-dichlorophenyl)-3-(trifluoromethyl)-pyrrolidin-1-yl]-2-(trifluoromethyl)benzyl}pyridine-3-carboxamide (No. 1-198)

Step 1-1. Synthesis of 4-[3-(3,5-dichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-2-(trifluoromethyl)benzonitrile

3-(3,5-Dichlorophenyl)-3-(trifluoromethyl)pyrrolidine (5.6 g), 4-fluoro-2-trifluoromethylbenzo-nitrile (4.5 g) and potassium carbonate (5.4 g) were added to N,N-dimethylformamide (50 mL), and the mixture was stirred at 110° C. for 4 hours. After cooling the mixture to room temperature, the solution was diluted with ethyl acetate and washed with water three times. The organic layer was dried over anhydrous magnesium sulfate. The solvent was evaporated off under reduced pressure, and the residue was then purified by a column chromatography to obtain the title compound (3.8 g).

15

¹H-NMR (CDCl₃) δ: 2.56-2.66 (1H, m), 2.91-2.99 (1H, m), 3.55-3.71 (2H, m), 3.84 (1H, d), 4.16 (1H, d), 6.72 (1H, dd), 6.86 (1H, d), 7.27 (2H, d), 7.42 (1H, t), 7.65 (1H, d).

Step 1-2. Synthesis of t-butyl {4-[3-(3,5-dichlorophenyl)-3-(trifluoromethyl)-pyrrolidin-1-yl]-2-(trifluoromethyl)-benzyl}carbamate

CI F F F CN 15

CI CI F F F CN
$$\frac{F}{F}$$
 $\frac{F}{F}$ $\frac{F}{F}$ $\frac{F}{F}$ $\frac{F}{F}$ $\frac{F}{F}$ $\frac{CH_3}{CH_3}$ 20

CI CI F F F CN $\frac{F}{F}$ $\frac{F}{F}$ $\frac{F}{F}$ $\frac{F}{F}$ $\frac{CH_3}{C}$ $\frac{20}{C}$

To the mixture comprising 4-[3-(3,5-dichlorophenyl)-3-(trifluoromethyl)-pyrrolidin-1-yl]-2-(trifluoro-methyl)benzonitrile (3.2 g), di-t-butyl bicarbonate (3.1 g), nickel chloride dihydrate (1.7 g), methanol (50 mL) and dioxane (100 mL), sodium borohydride (1.3 g) was added under ice cooling, followed by stirring for 30 minutes. After the dilution with 30 ethyl acetate, the solution was washed with water, saturated sodium bicarbonate solution, and saturated brine. The organic layer was dried over anhydrous magnesium sulfate. The solresidue was then purified by a column chromatography to 35 and 6-chloronicotinic acid chloride (0.04 g) were dissolved in obtain the title compound (2.5 g).

¹H-NMR (CDCl₃) δ: 1.45 (9H, s), 2.50-2.60 (1H, m), 2.83-2.91 (1H, m), 3.45-3.61 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.38 (2H, d), 4.83 (1H, br s), 6.71 (1H, dd), 6.79 (1H, d), 7.29 (2H, d), 7.39 (1H, t), 7.44 (1H, d).

Step 1-3. Synthesis of 1-{4-[3-(3,5-dichlorophenyl)-3-(trifluoromethyl)-pyrrolidin-1-yl]-2-(trifluoromethyl)phenyl}methanamine

A mixture comprising t-butyl {4-[3-(3,5-dichlorophenyl)-3-(trifluoromethyl)-pyrrolidin-1-yl]-2-(trifluoromethyl) benzyl}carbamate (6.0 g), concentrated hydrochloric acid (20 mL) and ethanol (100 mL) was stirred at 50° C. for three hours. After cooling the mixture to room temperature, the 65 reaction solution was diluted by adding water (150 mL) and ethyl acetate (150 mL). By adding sodium carbonate in small

portions, the solution was neutralized. After the extraction using ethyl acetate, the organic layer was washed with saturated brine, and dried over anhydrous magnesium sulfate. The solvent was evaporated off under reduced pressure to obtain the title compound (5.2 g).

¹H-NMR (CDCl₃) δ: 2.50-2.60 (1H, m), 2.83-2.91 (1H, m), 3.48-3.61 (2H, m), 3.79 (1H, d), 3.91 (2H, s), 4.06 (1H, d), 6.74 (1H, d), 6.80 (1H, d), 7.30 (2H, d), 7.40 (2H, dd).

Step 1-4. Synthesis of 6-chloro-N-{4-[3-(3,5-dichlorophenyl)-3-(trifluoro-methyl)-pyrrolidin-1-yl]-2-(trifluoromethyl)benzyl}pyridine-3-carboxyamide

1-{4-[3-(3,5-Dichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-2-(trifluoro-methyl)phenyl}methanamine (0.1 g) methylene chloride (5 mL), and then pyridine (0.03 g) was added thereto. The resulting mixture was stirred at room temperature for one hour. The solvent was evaporated off under reduced pressure, and the residue was then purified by 40 a column chromatography to obtain the title compound (0.1 g).

¹H-NMR (CDCl₃) δ: 2.50-2.64 (1H, m), 2.83-2.88 (1H, m), 3.36 (2H, s), 3.49-3.60 (2H, m), 3.79 (1H, d), 4.08 (1H, d), 4.70 (2H, d), 6.30 (1H, bt), 6.70-6.83 (2H, m), 7.26-7.51 (5H, m), 8.01-8.71 (2H, m).

SYNTHESIS EXAMPLE 2

Synthesis of N-({2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)-pyrrolidin-1-yl]-(tri-fluoromethyl) pyrimidin-5-yl}methyl)propanamide (No. 3-168)

$$CI \longrightarrow F \longrightarrow F \longrightarrow F \longrightarrow F \longrightarrow CH_2$$

10

25

Ethyl 2-chloro-4-(trifluoromethyl)pyrimidine-5-carboxylate (1.2 g) [see J. Med. Chem., 43, 3995 (2000)], 3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)pyrrolidine (1.5 g), and potassium carbonate (0.7 g) were added to N,N-dimethylformamide (50 mL) and the mixture was heated at 100° C. for 5 hours. After cooling, the reaction solution was poured over ice water, and then extracted with ethyl acetate. The organic layer was dried over magnesium sulfate. The solvent was evaporated off under reduced pressure, and the residue was then purified by a silica gel chromatography to obtain the title compound (2.4 g, 95%).

¹H-NMR (CDCl₃) δ: 1.39 (3H, t), 2.50-2.60 (1H, m), 2.89-2.93 (1H, m), 3.87-3.89 (2H, m), 4.08-4.16 (1H, m), 4.37 (2H, q), 4.52-4.56 (1H, m), 7.45 (2H, s), 8.95 (1H, s).

Step 2-2. Synthesis of 2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)-pyrrolidin-1-yl]-4-(trifluoromethyl)pyrimidine-5-carboxylic acid

52

Ethyl 2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl) pyrrolidin-1-yl]-4-(trifluoromethyl)pyrimidine-5-carboxylate (2.4 g) was added to a mixture solution comprising 1,4dioxane (40 mL) and an aqueous solution (40 mL) of sodium hydroxide (2.0 g), and then heated at 80° C. for 10 hours. After cooling, the reaction solution was poured over ice water, acidified by adding concentrated hydrochloric acid, and then extracted with ethyl acetate. The organic layer was dried over magnesium sulfate. The solvent was evaporated off under reduced pressure to obtain the title compound (2.1 g, 92%).

Step 2-3. Synthesis of {2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)-pyrrolidin-1-yl]-4-(trifluoromethyl)-pyrimidin-5-yl}methanol

2-[3-(3,4,5-Trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-(trifluoro-methyl)pyrimidine-5-carboxylic acid (2.0 g) was added to 1,2-dichloroethane (50 mL). To the resulting mixture, thionyl chloride (1.0 g), and one drop of 55 N,N-dimethylformamide was added and the mixture was refluxed under heating for 5 hours. After removing the solvent by evaporation, the residues were dissolved in 1,4-dioxane (20 mL), and the resulting solution was added dropwise to the mixture solution comprising water (30 mL), 1,4-dioxane (30 60 mL), and sodium borohydride (0.4 g) under ice cooling. After the dropwise addition was completed, the solution was refluxed under heating for one hour. After cooling, the reaction solution was poured over ice water and then extracted with ethyl acetate. After cooling, the extraction was carried 65 out by adding water and ethyl acetate to the solution. The organic layer was dried over magnesium sulfate. The solvent was evaporated off under reduced pressure, and the residue

¹H-NMR (CDCl₃) δ: 1.81 (1H, t), 2.35-2.58 (1H, m), 2.83-2.92 (1H, m), 3.82-3.88 (2H, m), 4.02-4.06 (1H, m), 4.47-4.51 (1H, m), 4.73 (2H, d), 7.44 (2H, s), 8.63 (1H, s).

Step 2-4. Synthesis of 1-{2-[3-(3,4,5-trichlorophenyl)-3-(tri-fluoromethyl)-pyrrolidin-1-yl]-4-(trifluoromethyl)pyrimidin-5-yl}methanamine

$$\begin{array}{c} F \\ F \\ C \\ C \\ C \\ \end{array}$$

{2-[3-(3,4,5-Trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-(tri-fluoromethyl)pyrimidin-5-yl}methanol (1.0 g) was added to tetrahydrofuran (30 mL), and then, under ice cooling, tetrahydrofuran solution (10 mL) comprising methanesulfonyl chloride (0.3 g) was added dropwise thereto. After the dropwise addition was completed, the solution was stirred at room temperature for one hour. The resulting solution was added dropwise to a mixture solution, which was separately prepared to comprise 28% ammonia water (50 mL), tetrahydrofuran (100 mL), and methanol (100 mL), under ice cooling. After the stirring for 12 hours at room temperature, the reaction solution was poured over ice water, and then extracted with ethyl acetate. The organic layer was dried over magnesium sulfate. The solvent was evaporated off under reduced pressure, and the residue was then purified by 65 a silica gel chromatography to obtain the title compound (0.4 g, 45%).

54

 1 H-NMR (CDCl₃) δ : 1.65 (2H, br s), 2.49-2.54 (1H, m), 2.82-2.91 (1H, m), 3.68-4.16 (6H, m), 4.46-4.50 (1H, m), 7.44 (2H, s), 8.58 (1H, s).

Step 2-5. Synthesis of N-{2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)-pyrrolidin-1-yl]-4-(trifluoromethyl)pyrimidin-5-yl}methyl)propanamide

1-{2-[3-(3,4,5-Trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-(trifluoromethyl)pyrimidin-5-yl}methanamine (0.1 g) and triethylamine (0.05 g) were added to dichloromethane (20 mL), and then dichloromethane solution (10 mL) comprising anhydrous propionic acid (0.05 g) was added dropwise thereto under ice cooling. After the dropwise addition was completed, the reaction solution was stirred at room temperature for one hour. The solvent was evaporated off under reduced pressure, and the residue was then purified by a silica gel chromatography to obtain the

¹H-NMR (CDCl₃) &: 1.16 (3H, t), 2.21 (2H, q), 2.46-2.56 (1H, m), 2.82-2.90 (1H, m), 3.80-3.83 (2H, m), 3.98-4.02 (1H, m), 4.42-4.47 (3H, m), 5.75-5.78 (1H, m), 7.43 (2H, s), 8.63 (1H, s).

title compound (0.1 g, 90%).

SYNTHESIS EXAMPLE 3

Synthesis of N-({2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-trifluoromethyl)-1,3-thiazol-5-yl}methyl)propanamide (No. 5-142)

10

25

Ethyl 2-chloro-4-(trifluoromethyl)-1,3-thiazole-5-carboxylate (1.4 g) [see J. Het. Chem., 22, 1621 (1985)], 3-(3,4, 35 - trichlorophenyl)-3-(trifluoromethyl)pyrrolidine (1.7 g), and potassium carbonate (0.8 g) were added to N,N-dimethylformamide (50 mL), followed by heating at 100° C. for five hours. After cooling, the reaction solution was poured over ice water, and then extracted with ethyl acetate. The organic 40 layer was dried over magnesium sulfate. The solvent was evaporated off under reduced pressure, and the residue was then purified by a silica gel chromatography to obtain the title compound (2.5 g, 86%).

¹H-NMR (CDCl₃) 8: 1.35 (3H, t), 2.59-2.64 (1H, m), 2.93- 2.97 (1H, m), 3.61-3.73 (2H, m), 3.96-4.00 (1H, m), 4.32 (2H, q), 4.42-4.46 (1H, m), 7.41 (2H, s).

Step 3-2. Synthesis of 2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)-pyrrolidin-1-yl]-4-(trifluoromethyl)-1,3-thiazole-5-carboxylic acid

-continued
F
S
OH

Ethyl 2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl) pyrrolidin-1-yl]-4-(tri-fluoromethyl)-1,3-thiazole-5-carboxylate (2.4 g) was added to a mixture solution comprising 1,4-dioxane (40 mL) and an aqueous solution (40 mL) of sodium hydroxide (2.0 g), followed by heating at 80° C. for ten hours. After cooling, the reaction solution was poured over ice water, acidified by adding concentrated hydrochloric acid, and then extracted with ethyl acetate. The organic layer was dried over magnesium sulfate. The solvent was evaporated off under reduced pressure to obtain the title compound (2.25 g, 99%).

Step 3-3. Synthesis of {2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)-pyrrolidin-1-yl]-4-(trifluoromethyl)-1,3-thiazol-5-yl}methanol

2-[3-(3,4,5-Trichlorophenyl)-3-(trifluoromethyl)pyrroli-50 din-1-yl]-4-(trifluoro-methyl)-1,3-thiazole-5-carboxylic acid (2.2 g) was added to 1,2-dichloroethane (50 mL). Thionyl chloride (1.0 g) and one drop of N,N-dimethylformamide were added to the mixture, which was then refluxed under heating for 5 hours. After removing the solvent by evaporation, the residues were dissolved in 1,4-dioxane (20 mL), and then added dropwise to the mixture solution comprising water (30 mL), 1,4-dioxane (30 mL), and sodium borohydride (0.5 g) under ice cooling. After the dropwise addition was completed, the reaction solution was refluxed under heating for one hour. After cooling, the reaction solution was poured over ice water, and then extracted with ethyl acetate. After cooling, the extraction was again carried out by adding water and ethyl acetate. The organic layer was dried over magnesium sulfate. The solvent was evaporated off under 65 reduced pressure, and the residue was then purified by a silica gel chromatography to obtain the title compound (1.1 g, 65%).

Step 3-4. Synthesis of 1-{2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)-pyrrolidin-1-yl]-4-(trifluoromethyl)-1,3-thiazol-5-yl}methanamine

{2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-(trifluoro-methyl)-1,3-thiazol-5-yl}methanol (1.05 g) was added to tetrahydrofuran (30 mL). Then, tetrahydrofuran solution (10 mL) comprising methanesulfonyl chloride (0.3 g) was added dropwise thereto under ice cooling. After the dropwise addition was completed, the reaction solution was stirred at room temperature for one hour. The resulting solution was added dropwise to a mixture solution, which was separately prepared to contain 28% ammonia water (50 mL), tetrahydrofuran (100 mL), and methanol (100 mL), under ice cooling. After stirring the mixture at room temperature for 12 hours, the reaction solution was poured over ice water, and then extracted with ethyl acetate. The organic layer was dried over magnesium sulfate. The solvent was evaporated off under reduced pressure, and the residue was then purified by a silica gel chromatography to obtain the title compound (0.4 g, 45%).

¹H-NMR (CDCl₃) 8: 1.64 (2H, br s), 2.51-2.61 (1H, m), 2.88-2.92 (1H, m), 3.56-3.65 (2H, m), 3.92-3.96 (1H, m), 4.02-4.16 (2H, m), 4.16-4.38 (1H, m), 7.41 (2H, s).

Step 3-5. Synthesis of N-({2-[3-(3,4,5-trichlorophenyl)-3-(trifluoromethyl)-pyrrolidin-1-yl]-4-(trifluoromethyl)-1,3-thiazol-5-yl}methyl)propanamide

58

1-{2-[3-(3,4,5-Trichlorophenyl)-3-(trifluoromethyl)pyrrolidin-1-yl]-4-(trifluoro-methyl)-1,3-thiazol-5-

yl}methanamine (0.1 g) and triethylamine (0.05 g) were added to dichloromethane (20 mL), followed by the dropwise addition of dichloromethane solution (10 mL) comprising anhydrous propionic acid (0.05 g) under ice cooling. After the dropwise addition was completed, the reaction solution was stirred at room temperature for one hour. The solvent was evaporated off under reduced pressure, and the residue was then purified by a silica gel chromatography to obtain the title compound (0.1 g, 90%).

 $^1\text{H-NMR}$ (CDC₃) δ : 1.14 (3H, t), 2.25 (2H, q), 2.52-2.58 (1H, m), 2.87-2.91 (1H, m), 3.55-3.64 (2H, m), 3.91 (1H, m), 4.34 (1H, m), 4.55-4.57 (2H, m), 5.91-5.93 (1H, m), 7.39 (2H, s).

SYNTHESIS EXAMPLE 4

Synthesis of N-(5-{3-[3,5-bis(trifluoromethyl)phenyl]-3-(trifluoromethyl)-pyrrolidin-1-yl}-2,3-dihydro-1H-inden-1-yl)propanamide (No. 6-273)

$$F = F$$

$$F$$

Step 4-1. Synthesis of 5-bromo-N-hydroxyindan-1-imine

5-Bromoindan-1-one (5.0 g) was dissolved in methanol.
Hydroxylammonium chloride (2.5 g) and sodium acetate (2.9 g) were added to the solution at room temperature, and then stirred overnight. The reaction solution was diluted with

15

20

water and extracted twice with ethyl acetate. The organic layers were combined, washed with water, and dried over anhydrous magnesium sulfate. The desiccant was filtered and separated, and then the solvent was evaporated off under reduced pressure to obtain 5-bromo-N-hydroxyindan-1- 5 imine (5.1 g).

 1 H-NMR (DMSO-d₆) δ : 2.76-2.81 (2H, m), 2.98-3.03 (2H, m), 7.41-7.49 (2H, m), 7.59 (1H, s), 10.98 (1H, s).

Step 4-2. Synthesis of N-(5-bromo-2,3-dihydro-1Hinden-1-yl)propanamide

$$Br$$
 CH_3

5-Bromo-N-hydroxyindan-1-imine (2.0 g), propionic acid 30 anhydride (2.3 g) and nickel chloride dihydrate (1.1 g) were dissolved in methanol. Sodium borohydride (1.3 g) was slowly added to the solution under ice cooling, and the mixture was stirred for 30 minutes. Diethylenetriamine (2.9 ml) was added to the reaction solution, which was heated back to 35 room temperature, and stirred for 30 minutes. The mixture was diluted with ethyl acetate and water, and stirred for 5 minutes. The organic layer was separated and the aqueous layer was extracted with ethyl acetate. The organic layers were combined, washed with saturated sodium bicarbonate 40 aqueous solution, and dried over magnesium sulfate. The desiccant was filtered and separated, and the solvent was evaporated off under reduced pressure. The Residue was separated and purified by a column chromatography to obtain N-(5-bromo-2,3-dihydro-1H-inden-1-yl)propanamide (1.1 45

¹H-NMR (acetone-d₆) δ: 1.19 (3H, t), 1.84-1.96 (1H, m), $2.26\,(2H,q), 2.49 - 2.60\,(1H,m), 2.88 - 3.10\,(2H,m), 5.36 - 5.46$ (1H, m), 6.65 (1H, s), 7.24 (1H, d), 7.44 (1H, d), 7.51 (1H, s).

Step 4-3. Synthesis of N-(5-{3-[3,5-bis(trifluoromethyl)phenyl]-3-(trifluoro-methyl)pyrrolidin-1-yl}-2, 3-dihydro-1H-inden-1-yl)propanamide

3-[3,5-bis(trifluoromethyl)phenyl]-3-(trifluoromethyl) pyrrolidine (0.46 g) and N-(5-bromo-2,3-dihydro-1H-inden-1-yl)propanamide (0.35 g) were dissolved in toluene and deaeration procedure was performed three times under argon 25 atmosphere. Sodium tert-butoxide (0.25 g), Xantphos (0.05 g) and tris(dibenzylideneacetone)dipalladium (0) (chloroform adduct) (0.03 g) were added to the mixture and heated and stirred at 100° C. under argon atmosphere for 2 hours. The solution was cooled to room temperature and the reaction liquid was diluted with ethyl acetate followed by washing with water and brine. The organic layer was dried over anhydrous magnesium sulfate. The desiccant was filtered and separated, the solvent was evaporated off under reduced pressure, and the residue was purified by a silica gel chromatography to obtain N-(5-{3-[3,5-bis(trifluoromethyl)phenyl]-3-(trifluoromethyl)pyrrolidin-1-yl}-2,3-dihydro-1H-inden-1yl)propanamide (0.51 g).

¹H-NMR (CDCl₃) δ: 1.18 (3H, t), 1.75-1.86 (1H, m), 2.23 (2H, q), 2.54-2.64 (2H, m), 2.79-3.02 (3H, m), 3.47-3.64 (2H, m), 3.84 (1H, d), 4.15 (1H, d), 5.38-5.57 (2H, m), 6.52-6.49 (2H, m), 7.20 (1H, d), 7.85 (2H, s), 7.91 (1H, s).

The compounds according to the present invention as well as useful intermediates for the manufacturing of the compounds are described in the following tables.

In tables, abbreviations are as follows: Me: methyl, Et: ethyl, Pr. propyl, Bu. butyl, Allyl: allyl, Pen. pentyl, Hex: hexyl, Ph: phenyl, cyclo-: cyclic, py: pyridyl, pyrro or pyrrolidine: pyrrolidinyl, pipe or piperidine: piperidinyl, morph or morpholine: morpholinyl, thiomorph or thiomorpholine: thiomorpholinyl. In the tables, cyclic groups to which a carbonyl group is attached to,

55

60

are bound to the appropriate position in the general formula through the carbonyl carbon atom as follows:

		1				1			_			-					1	1	П
		$ m R^6$	H n-PrCO	iso-PrCO	n-BuCO	tert-BuCO	iso-BuCO	(СНЗ)3ССН2СО	cyclo-PenCO	cyclo-HexCO	CF3CO	ccl3co	CICH2CO	CICH2CH2CO	HCF2CF2CO CF3CH2CO	(CF3)2CHCO HCF2CO CICH2CO	CH ₃	CC CC	F
		\mathbb{R}^5	н	ΗП	пπ	Н	==	н	н	Ξ Ξ	ΞΞ	Н	ΞΞ	ш	нн	шшш	Н	н	Н
		\mathbb{R}^4	нн	ш	ш	н		ΞΞ	H	II	Ξ	н	шп	Е	шш	шшш	H	H	н
	$\begin{array}{c} X^1 \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$	\mathbb{R}^3		ΗΞ	- H	Н		ΞH	H	Ξ Ξ	Ξ.	H	шп	н	нн	шшш	н	H	H
		A^4	H H	B 5	5 B	CH	88	8 8	H	3 E	8 8	H	5 5	5 5	8 E	8888	СН	E	СН
TABLE 1		A^3	C-CI C-CI	7 7 0 0	7 7	C-CI	; []	5 T C C	C-CI	ਹ ਹ ਹ ਹ	5 5 5	C-CI	7 0 0	7 7	ე <u>ე</u>	5	C-CI	C-CI	[]
TAI		A^2	H _D	E E	5 5	СН	8 8	∃ B	CH	3 E	∃ B	СН	B	5 5 5	5 E	5555	СН	СН	СН
		A^1	HO	H H	5 5	СН	₩ ₩	B B	CH	3 E	# E	СН	8 8	5 5	E E	B B B B	СН	Ю	СН
	—m —m	~	CF3 CF3	CF3	E E	CF3	CF3	CE3	CF3	EE E	CE3	CF3	CE3	CE3	CE3	CF3 CF3 CF3	CF3	CF3	CF3
		\times	нн	Η	= =	Н	ШΠ	Ξ	Ξ:		ш	Н	ΗН	ΞΞ	ΞΞ	ннн	н	Ħ	н
		\mathbf{B}^4	FF	T C	1 1.	С—Н			H	J		С—Н		3			H	Н—Э	С—Н
		B^3	7 7 7 7	ت ا ا	7 7 3 0	C_C	ت ت د	5 5 5 5	-C	7 0 0	5 5 5 5	-C	ე ე ე ე]]]	7 7 7		D_0	C—CI	C—CI
		\mathbf{B}^2	##-3	H C		С—Н		H - 0	С—Н	# T		С—Н	H_0				С—Н	С—Н	С—Н
		\mathbf{B}^1	5 5 0 0	ت ا ا	7 7 8 8	C_C	ე ე ე	7 7 7		7]]	5 5 5 5	- C-C	ე ე ე	7 7 7 8	7 		[] C—C]		C_C
		Table 1-ExNo.	1-1 1-2	1-3	1-5	1-6	1-7	1-9	1-10	1-11 1-12	1-13	1-14	1-15 1-16	1-10	1-18 1-19	1-20 1-21 1-22	1-23	1-24	1-25

		1	1	П	П	
		$ m R^6$	F CO	H ₃ C CO	CO	CH2=CH-CO CH3CH=CH-CO CH3CH=CH-CO CH3CH=C(CH3)-CO (CH3)2C=CH-CO (CH3)2C=CH-CO (CH3)2C=CH-CO (CH3)2C=CH-CO (CH3)2C=CH-CO (CH3)2C=CH-CO (CH3)2C=CH-CO (CH3)2C-CO (CH3)2C-CO (CH3)2CH-CO (CH3)2CH-CO (CH3)2CH2-CO (CH3)2CH3CO (CH3)COCH2-CO (CH3)COCH2-CO (CH3)2CH3CO (CH3)2CH3-CO (CH3)2
		\mathbb{R}^5	Н	H	H	
		\mathbb{R}^4	Н	H	H	
		\mathbb{R}^3	Н	Ħ	Ħ	
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	СН	СН	СН	555555555555555555555555555555555555555
TABLE 1-continued	N	$A^3$	10—0	C—CI	C—CI	
TABLE		$A^2$	КЭ	СН	СН	######################################
		$A^1$	СН	Н	Н	888888888888888888888888888
	—54 	R	CF3	CF3	CF3	E E E E E E E E E E E E E E E E E E E
		X ₁	Н	H	H	
		$\mathrm{B}^4$	С—Н	С—Н	С—Н	
		$\mathrm{B}^3$	C—CI	[]—C	[]—O	
		$\mathbf{B}^2$	С—Н	С—Н	С—Н	
		$\mathrm{B}^1$	C—CI	C—CI	C—CI	
		Table 1-ExNo.	1-26	1-27	1-28	1.29 1.30 1.31 1.33 1.34 1.35 1.35 1.36 1.40 1.40 1.40 1.40 1.40 1.40 1.40 1.40

		1	п			-		11
		$ m R^6$	CO	2-F—PhCO 3-F—PhCO 4-F—PhCO 2-CI—PhCO 3-CI—PhCO 4-CI—PhCO 2-Br—PhCO 2-Br—PhCO 2-CF3—PhCO 2-CF3—PhCO 2-CF3—PhCO		$\circ$	S S	
		$\mathbb{R}^5$	Н		н	н	н	Ħ
		$\mathbb{R}^4$	Н		Ħ	Ħ	Ħ	H
	$\begin{array}{c} X^1 \\ B^2 \\ B^3 \\ B^4 \end{array}$	$\mathbb{R}^3$	H		н	Ħ	Ħ	н
		$A^4$	СН	555555555	СН	СН	НО	CH
TABLE 1-continued		$A^3$	ID—)		[]	<del></del>	<del></del>	[ <del>]</del>
TABLE 1		$A^2$	СН	#888888888	СН	СН	СН	НЭ
		$\mathbf{A}^1$	СЭ	555555555	СН	СН	СН	СН
		<b>x</b>	CF3	888888888	CF3	CF3	CF3	CF3
		$X^1$	н		н	Н	H	н
		$\mathbf{B}^4$	Н—Э		С—Н	С—Н	С—Н	С—Н
		$\mathrm{B}^3$	[ <del></del> C]		[] C_C	[] C	CCC	[]—O
		$\mathbf{B}^2$	С—Н		С—Н	С—Н	С—Н	Н—Э
		$\mathbf{B}^1$	ID—D	000000000	0-0	DO	D—0	[] C-C[
		Table 1-ExNo.	1-54	1-55 1-56 1-57 1-58 1-59 1-60 1-61 1-62	1-64	1-65	1-66	1-67

		1		1		
		$ m R^6$	F ₃ C	N CF ₃	S N	CH3CO CH3CH2CO cyclo-PrCO CF3CH2CO CH3CH2CO CH3CH2NHCO In-PNHCO iso-PNHCO iso-PNHCO iso-PNHCO ordo-Pan/HCO cyclo-Pan/HCO cyclo-PrCH2NHCO cyclo-PrCH2NHCO CH2—CHCH2NHCO CH2—CHCH2NHCO CH2(CH3)CHNHCO CF3(CH3)CHNHCO CF3(CH3)CHNHCO CF3(CH3)CCNCO CF3(CH2)CCNCO CF3(CH3)CCNCO CF3(CH3)CCNCO CF3(CH3)CCNCO CF3(CH3)CCNCO CF3(CH3)CCNCO CF3(CH3)CCNCO CF3(CH3)CCNCO CF3(CH2)CCNCO CF3(CH3)CCNCO
		$\mathbb{R}^5$	田	н	н	
		$\mathbb{R}^4$	H	н	ш	
	A-1 A-2 A-4 R-5 R-4 R-6 R-5 R-4 R-6	$\mathbb{R}^3$	Ħ	H	н	
		$A^4$	H)	СН	СН	55555555555555555555555555555555555555
IABLE 1-continued		$A^3$	<u>5</u>	[ <del></del>	C—CI	
FABLE 1		$A^2$	СН	СН	СН	555555555555555555555555555555555555555
	, B 3 B 4	$\mathbf{A}^1$	СН	СН	СН	5555555555555555555555555
	~==~a	~	CF3	CF3	CF3	555555555555555555555555555555555555555
		$X_1$	H	н	н	
		$\mathrm{B}^4$	H-J	H O	С—Н	777777777777777777777777777777777777777
		$\mathrm{B}^3$	<u>D</u>	C—C	[] C	
		$\mathbf{B}^2$	H_O	С—Н	С—Н	
		$\mathbf{B}^1$	<del></del>	[] C	<del></del>	
		Table 1-ExNo.	1-68	1-69	1-70	1-72 1-73 1-74 1-75 1-76 1-70 1-80 1-81 1-82 1-83 1-84 1-85 1-86 1-90 1-91

		1		1				1	1	-	1
		$ m R^6$	CF3CH2CH2NHCO HCF2CF2CH2NHCO CH3OCH2CH2NHCO CH3SCH2CH2NHCO	$F \longrightarrow NHCO$	$CF_3$ NHCO	BO2CCH2NHCO 2-CF3—PhNHCO 3-CF3—PhNHCO 4-CF3—PhNHCO 2-py—NHCO 3-py—NHCO 4-py—NHCO	$F_3C$ NHCO	$F_3C$ NHCO	PhCH2HNCO	NHCO	СНЗИНСО
		$\mathbb{R}^5$	ннн	Н	Н		н	Н	Н	ш	CH3
		$\mathbb{R}^4$	ннн	H	Ħ		Ħ	Ħ	Н	Ħ	Н
		$\mathbb{R}^3$	нннн	Н	Ħ		Ħ	H	Н	Ħ	Н
	Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-	$A^4$	######################################	СН	СН	5555555	СН	СН	СН	СН	СН
TABLE 1-continued	A	$A^3$	5555 5555	[] C-C	<del></del>	5555555 5555555	ID—O	C—CI	[ <del>]</del>	<del></del>	[ <del>]</del>
TABLE 1	Ž	$A^2$	H3 H3 H3	СН	СН	5555555	СН	СН	СН	СН	СН
	»3, B4 − × × × × × × × × × × × × × × × × × ×	$A^1$	5555	Н	СН	5555555	СН	СН	СН	НО	СН
	 	~	CF3 CF3 CF3 CF3	CF3	CF3	ES CES CES CES CES CES CES CES CES CES C	CF3	CF3	CF3	CF3	CF3
		$X^1$	ннн	H	H		H	н	Н	н	Н
		B4	<b>5</b> 55	С—Н	С—Н		С—Н	H-J	С—Н	С—В	С—Н
		$\mathrm{B}^3$	5555 	C—CI	[] C_C	555555 000000	[] C_C	C—CI	C_C	C—CI	[] 
		$\mathbf{B}^2$	H-3	С—Н	С—Н		С—Н	С—Н	С—Н	С—Н	С—Н
		$\mathrm{B}^1$	5555	C—CI	[ <del>]</del>		[]	[ <del>]</del>	[] 	<del></del>	[] C
		Table 1-ExNo.	1-95 1-96 1-97 1-98	1-99	1-100	1-101 1-102 1-103 1-104 1-105 1-106 1-106	1-108	1-109	1-110	1-111	1-112

		1				П	Π,	<b>—</b>			-	-		-		-			П			-				<b>-</b> -		П				1	
		$ m R^6$	CH3CH2NHCO	cyclo-FineCO	piperidineCO	morpholineCO	(CH3)2NCO	CH3OCO	CH3CH2OCO	c-PrCH2OCO	CF3CH2OCO	CH2=CHCH2OCO	HCCCH2OCO	PhCH20CO	tert-BuOCO	tert-BuOCO	CH3SO2 CH3CH3SO3	CF3SO2	CF3CH2SO2	PhSO2	(CH3)2NCONHSO2	CH3CS	CH3CH2CS	CF3CH2CS	H	CH3CH2CO	iso-PrCO	cyclo-PrCO	n-BuCO	ieo-BuCO	cyclo-BuCO	(снз)зссн2с	cyclo-PenCO cyclo-HexCO
		$\mathbb{R}^5$	CH3	£ =	н	Н	н:	Ξ	ΞΞ	==	Н	Н	ΗΞ	==	н	CH3	Ξ.	- H	Н	ШΠ	н	H	Ξ.	Ξ Ξ	н		п <b>ш</b>	Н	Η		ΞН	Н	шш
		$\mathbb{R}^4$	н		Ξ	Н	Ξ:	Ξ;	I I	: =	Ξ	H	ΞΞ	c ==	н	Ξ:	I D	G II	Η	H	Ξ	H	==	ΞΞ	H			Н	H		ΞΞ	Η	ΞΞ
		$\mathbb{R}^3$	н		ΞΞ	Н	н;	Ξ:	I I	ΞΞ	Н	Η	ΞΞ	==	Н	н	Ξ.	C II	Η	ΗП	ΞΞ	H	Ξ.	ΞΞ	н		υШ	Н	ΞΞ		ΞΞ	Н	ΞΞ
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	H)	5 5	8 8	СН	H i	H)	3 E	5 5	Н	СН	B €	5 E	Η̈́	Н	3 B	5 5	CH	₩ ₩	8 8	HO	3 B	3 B	₩.	38	5 5	СН	8 €	5 5	3 8	CH	H H
IABLE 1-continued	A	A^3	5 5 5 6]]	5 T 2 C	[] 	0 -C	7	3			[] C	급 t		5 5 5	- C-C	ე ე ე ე	7 7]]	[] C_C	ت ت د د	5 5 5 5	J .	უ <u>ე</u>	5 T	C—CF3			C—CF3	C_CF3		- CE3	C—CF3	C—CF3 C—CF3
TABLE	$\sum_{z'}$	A^2	HO	5 E	ВВ	CH	СН	H I	5 E	5 E	CH	$^{\mathrm{CH}}$	E E	5 E	Н	СН	3 B	5 5	СН	H H	BB	СН	5 B	B	Н	5 B	5 5	СН	CH	5 5	3 B	СН	B B
	X	A^1	HO	5 E	ВВ	СН	Н	₩.	5 E	3 B	СН	CH	Вξ	5 E	НЭ	СН	3 B	5 5	СН	E E	ВВ	CH	5 B	3 B	В	5 B	5 8	СН	H E	5 5	3 B	CH	8 B
	,—————————————————————————————————————	R	CF3	5 E	CE3	CF3	CF3	CE3	ES E	CES	CF3	CF3	CF3	E E	CF3	CF3	E E	CE3	CF3	CF3	CE3	CF3	E E	CE3	CF3	£ 5	CE3	CF3	CF3	5 E	SS	CF3	CF3 CF3
		X^1	н		н	Н	Η:	Ξ:	= =	: =	Н	Н	ШΞ	. .	н	н	Ξ.	ιн	Η	ΗП	ΞΞ	H	I D	ΞН	H		υН	Н	н		ΞΞ	Н	нн
		B^4	С—Н			С—Н	СН	H_0	#		C_H	С—Н	H-0	Ī	H_O	CH	T .	J	С—Н	H_0	= = = = = = = = = = = = = = = = = = =	СН	T .	J	H_0	T .	J	С—Н	H 0		J	С—Н	H H
		B^3	[] C—C[]	7	5 T	[] 	C-C	C -	7 	50	5 - - - -	C_C	7 0 0		5 5 7 7	C-C	ე ნ ა ა	7 0		ე ე	5 0	0 0	ว	5 T	7 C	ت د د	7 7 7 8	[] 	ت ا ا	J	50	C—CI	7 7 0
		\mathbf{B}^2	С—Н		- H-O	С—Н	С—Н	- H	# T			С—Н	C—H	; ;	С—Н	С—Н			С—Н	H 0	H_O				H_0	T .		С—Н	H_0			С—Н	# # # # # # # # # # # # # # # # # # #
		B^1	D 0	7 T	5 5 5 5	[] C—C]	7 0 0	7 7 7	7 7 3 3		5 0	C—CI	ე <u>ე</u>]]	5 5 5 5	7 0	უ ნ ა	7 0 0	<u></u>	ე ე	5 5 5 5	J .	ე ნ ა	5 5 5 5	ت د د	7 T]]]	[] C—C]	ت ا ا	7 5	5 5 5 5	C—CI	<u> </u>
		Table 1-ExNo.	1-113	1-114	1-116	1-117	1-118	1-119	1-120	1-122	1-123	1-124	1-125	1-120	1-128	1-129	1-130	1-131	1-133	1-134	1-136	1-137	1-138	1-140	1-141	1-143	1-144 1-145	1-146	1-147	1-148	1-150	1-151	1-152 1-153

		1	П		1	1	П	П	-1
		R ⁶	$\stackrel{\otimes}{\longleftarrow}$	cydo-PrOH2CO	$F_3 c \longrightarrow CO$	8 £	CI	F CO	F CO
		\mathbb{R}^5	н		ш	H	н	н	н
		\mathbb{R}^4	H		н	н	Н	H	н
	_	\mathbb{R}^3	Ħ		Ħ	五	Ħ	Ħ	田
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	СН	88888888888	СН	СН	СН	СН	СН
TABLE 1-continued	A - 4	$A^3$	C_CF3		C—CF3	C—CF3	C—CF3	C-CF3	C—CF3
TABLE		$A^2$	СН	888888888888	СН	СН	СН	СН	СН
	-××××××××××	$A^1$	СН	555555555555	СН	СН	СН	СН	СН
	<u>-</u> 8—89	24	CF3		CF3	CF3	CF3	CF3	CF3
		$\times$	H		H	н	H	H	H
		$\mathrm{B}^4$	С—Н		С—Н	H-0	С—Н	С—Н	С—Н
		$\mathrm{B}^3$	[ <del>]</del>	5555555555	[] C	[] C	C—CI	[] C—CI	[] C
		$\mathbf{B}^2$	Н—О		С—Н	С—Н	С—Н	Н—Э	С—Н
		$\mathrm{B}^1$	<del>1</del> 2		[ <del>]</del>	[ <del></del>	[] C_C	[]	<del></del>
		Table 1-ExNo.	1-154	1-155 1-156 1-157 1-158 1-160 1-161 1-162 1-163 1-164	1-166	1-167	1-168	1-169	1-170

		1	1	1		1
		$\mathbb{R}^{6}$	H ₃ C CO	NC NC	CH2=CH—CO CH3CH=CH—CO CH3CH=C(H3)—CO CH3CH=C(H1)—CO CH2=C(C1)—CO CH2=C(C1)—CO CH2=C(C1)—CO CH2=C(C1)—CO CH3CC—CO CH3CC—CO CH3CC—CO CH3CC—CO CH3CC—CO CH3CC—CO CH3CCOCC CH3CCC CH3CCOCC CH3CCC CH3CC CH3CCC CH3CCC CH3CCC CH3CCC CH3CCC CH3CCC CH3CCC CH3CCC CH3CC CH3CCC CH3CC CH3CCC CH3CC	CI
		$\mathbb{R}^5$	н	H		н
		$\mathbb{R}^4$	Н	н		н
		R³	Н	н		H
	Z-Z-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X	$A^4$	СН	СН	555555555555555555555555555555555555555	HO
IABLE 1-continued	A	$A^3$	C-CF3	C—CF3	565666666666666666666666666666666666666	C—CF3
TABLE	$\left\langle \right\rangle$	$A^2$	СН	СН	555555555555555555555555555555555555555	СН
	-×	$A^1$	СН	СН	8888888888888888888888888	Н
	_————————————————————————————————————	<b>~</b>	CF3	CF3		CF3
		$\times$	н	H		Н
		$\mathrm{B}^4$	Н—Э	С—Н		С—Н
		$\mathrm{B}^3$	D—O	[ <del></del> C]		[] C—C]
		$\mathbf{B}^2$	Н—Э	С—Н		С—Н
		$\mathrm{B}^{1}$	C—CI	D_0		<u></u>
		Table 1-ExNo.	1-171	1-172	1-173 1-174 1-175 1-176 1-177 1-178 1-180 1-183 1-183 1-184 1-186 1-190 1-190 1-191 1-192 1-193 1-194 1-195	1-198

		1		1		1	1	1
		$ m R^6$	2-F—PhCO 3-F—PhCO 4-F—PhCO 2-CI—PhCO 3-CI—PhCO 4-CI—PhCO 2-Br—PhCO 2-CF3—PhCO 2-CF3—PhCO 2-CF3—PhCO			oo s		F ₃ C
		$\mathbb{R}^5$		н	н	H	н	Ħ
		$\mathbb{R}^4$		н	H	н	н	Ħ
		$\mathbb{R}^3$		H	н	н	Н	н
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	555555555	Ю	Н	Ю	Ю	СН
TABLE 1-continued	A	A^3		C—CF3	C—CF3	C—CF3	C—CF3	C—CF3
TABLE	Ž	A^2	555555555	Ю	СН	СН	СН	HO
	×- K	A^1	888888888	Ю	Н	СН	CH	СН
		R	CF3 CF3 CF3 CF3 CF3 CF3 CF3 CF3 CF3 CF3	CF3	CF3	CF3	CF3	CF3
		X^1		н	н	н	н	н
		B^4	7777777	С—Н	С—Н	С—Н	С—Н	H_J
		B^3	555555555	C_C	[] C	[] 	C_CI	C_C
		\mathbf{B}^2		Н—О	H_O	С—Н	С—Н	H J
		B^1	555555555	C_C			C—CI	
		Table 1-ExNo.	1-199 1-200 1-201 1-202 1-203 1-204 1-205 1-206	1-208	1-209	1-210	1-211	1-212

		1	1	1	1	1	
		R ⁶	$N = \frac{\text{CF}_3}{N}$	S		S	CH3CO cyclo-PrCO CH3CH2CO CH3CH2NHCO CF3CH2NHCO CF3CH2NHCO is-PrNHCO is-PrNHCO is-PrNHCO is-PrNHCO cyclo-PrNHCO cyclo-PrNHCO cyclo-PenNHCO NCCH2NHCO NCCH2NHCO
		\mathbb{R}^5	н	н	н	н	СНЗ
		\mathbb{R}^4	Н	ш	Ħ	Ξ	
		\mathbb{R}^3	Н	н	ш	н	
	Z_Z_Z_X_Z_Z_Z_Z_Z_Z_Z_Z_Z_Z_Z_Z_Z_Z_Z_Z	A^4	СН	СН	СН	СН	888888888888888888
TABLE 1-continued	A	A^3	C—CF3	C—CF3	C—CF3	C—CF3	
TABLE	Ž	A^2	СН	СН	СН	СН	55555555555555555
	B3 B4	\mathbf{A}^1	СН	СН	СН	СН	55555555555555555
		R	CF3	CF3	CF3	CF3	
		X^1	Ħ	Ξ	Ξ	Ħ	
		B^4	С—Н	Н—О	H O	H	######################################
		B^3	C—CI	[] C	C_C		
		\mathbf{B}^2	Н—Э	H_O	C—H	H J	7777777777777777
		\mathbf{B}^1	[]—]	<u> </u>		<u> </u>	
		Table 1-ExNo.	1-213	1-214	1-215	1-216	1-217 1-218 1-219 1-220 1-221 1-223 1-224 1-225 1-226 1-229 1-230 1-230 1-230 1-230

		1		T	1		П	1	1
		$ m R^6$	CF3(CH3)CHNHCO CF3(CH3)2CNCO FCH2CH2NHCO CF3CH2CH2NHCO HCF2CF2CH2NHCO	F NHCO	CF_3 NHCO	EIO2CCH2NHCO CH3OCH2CH2NHCO 2-CF3—PhNHCO 3-CF3—PhNHCO 4-CF3—PhNHCO 2-py—NHCO 3-py—NHCO 4-py—NHCO 4-py—NHCO	F_3C \longrightarrow NHCO	F_3C NHCO	PhCH2HNCO
		\mathbb{R}^5	нннн	Н	н		н	H	Н
		\mathbb{R}^4	ппппп	Н	Н		Ħ	н	Н
		\mathbb{R}^3	ннянн	н	н		Ħ	Ħ	Н
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	55555	CH	СН	5555555555	CH	СН	CH
TABLE 1-continued	A	$A^3$	£5	C—CF3	C—CF3	555555555	C—CF3	C—CF3	C—CF3
TABLE	z	$A^2$	88888	СН	СН	55555555	СН	СН	СН
	-X	$A^1$	55555	СН	СН	55555555	СН	СН	СН
		R	CF3 CF3 CF3 CF3 CF3	CF3	CF3		CF3	CF3	CF3
		$X^1$	нннн	н	н		н	H	Н
		$\mathrm{B}^4$	JJJJ	С—Н	H_J		С—Н	7	С—Н
		$\mathrm{B}^3$	55555 55555	[]—C	D	55555555 55555555555555555555555555555	D	<u> </u>	C—CI
		$\mathbf{B}^2$		С—Н	С—Н		Н—О	С—Н	С—Н
		$\mathrm{B}^1$	55555 	[ <del>]</del>	ID—O	000000000	D	D-0	C—CI
		Table 1-ExNo.	1-234 1-235 1-237 1-238 1-239	1-240	1-241	1-242 1-243 1-244 1-246 1-246 1-247 1-249 1-250	1-251	1-252	1-253

		1	1	
		$ m R^6$	NHCO	pyrrolidineCO piperidineCO cH3/CH2NHCO CH3/CH2NHCO CH3/CH2NHCO CH3/CH2NCO CH3/CH2OCO CF3/CH2OCO Ph/CH2OCO Ph/CH2OCO Ph/CH2OCO CF3/CH2OCO CF3/CH2OCO CH3/CH2OCO CH3/CH2OCO CH3/CH2OCO CH3/CH2OCO CH3/CH2OCO CH3/CH2OCO CH3/CH2OCO CF3/CH2OCO CF3/CH2OCO CF3/CH2OCO CF3/CH2OCO CF3/CH2OCO CF3/CH2OCO CF3/CH2CO CF3/CH
		$\mathbb{R}^5$	Н	н н н н н н н н н н н н н н н н н н н
		$\mathbb{R}^4$	Н	
		$\mathbb{R}^3$	Н	
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	СН	######################################
IABLE 1-continued	A - A - A - A - A - A - A - A - A - A -	A^3	C—CF3	
TABLE	$\left\langle \right\rangle$	A^2	СН	**************************************
	-X	A^1	СН	**************************************
	.r==2d∕	R	CF3	
		X^1	Н	
		B^4	Н—Э	
		B^3	D—CI	
		\mathbf{B}^2	Н—Э	
		\mathbf{B}^1	10—0	
		Table 1-ExNo.	1-254	1.255 1.256 1.257 1.259 1.260 1.261 1.263 1.264 1.264 1.264 1.265 1.266 1.266 1.270 1.271 1.271 1.272 1.273 1.274 1.275 1.276 1.277 1.278

		ı																									
		1													,								,				-
		R ⁶	CH3CO CH3CH2CO cyclo-PrCO	CF3CH2CO	CH3CH2INHCO H	CF3CH2CO CICH2CH2CO	CH3OCO CH3OCO	tert-BuOCO	CH3CH2NHCO	n-PrNHCO	so-Finhco cyclo-Pinhco	Н	cyclo-PrCO	CF3CH2CO text-BijOCO	H	CH3CH2CO	cyclo-rrcd CF3CH2CO	tert-BuOCO H	CH3CO	CH3CH2CO	CF3CH2CO	CH3SO2 CH3CH2SO2	CF3SO2	CF3CH2SO2 PhSO2	Н	CF3CH2CO n-PrCO	ISO-FICO
		\mathbb{R}^5	ннн	н	ш	ΗН	ш	===	= =	н	ΞΞ	н	- H	н	: ш :	ш	ΞΞ	ΗН	н	нн	ΞН	н	: ш :	ΞΞ	н		Ξ
		\mathbb{R}^4	ннн	н	ΕШ	нн	ш	===	ΞΞ	н	ΞΞ	н	u II	ΗН	: ::::::::::::::::::::::::::::::::::::	ш:	ΞΞ	ΠП	ΞΞ	ΞΞ	ΞН	н	: =:	ΞΞ	н:		Г
		\mathbb{R}^3	ннн	н	υШ	нн	ш	===	ΞΞ	н	ΞΞ	н	- I	ΗН	: ::::::::::::::::::::::::::::::::::::	ш:	ΕШ	ΗН	ΞΞ	ΞΞ	ΞН	н	: =:	ΞΞ	н:		=
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	555	B 5	5 5	88	<del> </del>	3 B 8	5 5	H H	3 B	H 5	5 5	# H	∃ <del> </del>	8 €	5 5	8 €	B B	8 €	Ð	E E	∃ë	3 B	H)	5 5 5	5
TABLE 1-continued	A	$A^3$	SHO-O	C—CH3	C-CF3	- 	C—CF3			C—CF3		700	] ] ]	7 7 7		C—Br		C—Br	C—NO2	C-N02 C-N02	C—NO2	CE3	C-CF3		C—CF3		
TABLE	Ž	$A^2$	B B B	CH	5 5	H H	B 5	B	5 5	СН	5 B	СН	5 5	H)	B	8 €	5 5	E E	CH	# E	B	H)	B E	3 B	СН	5 5 5	5
	N	$A^1$	888	CH	55	88	B 5	B B B	5 5	СН	5 5	Н	5 5	H H		8 €	5 B	E E	B	8 8	B	E E	B 8	5 B	СН	5 5 5	5
		R	CF3 CF3 CF3	CF3	CEO EEO	CF3 CF3	CE3	E E	SES SES	CF3	E E E	CF3	S ES	CE3	CE3	E E	CES	CF3	CF3	CE3	CF3	CF3	CF3	E E	CF3	E E E	CF3
		$X^1$	шшш	ΞΞ	υШ	ΗН	ш	===	ΙШ	Η:	ΞΞ	н	υШ	нн	ш	ш	ΞΞ	ΞΞ	ΞΞ	ΞΞ	Ξ	ΞΞ	: ::::	ΞΞ	н	шш	E
		$\mathrm{B}^4$		Н	JJ	T T	H_0		J	H	JJ	H-0	J	T J			JJ		H_0	T J	H O		H_0	T T	С—Н	J J J	5
		$\mathrm{B}^3$	5 5 5 0 0 0	700	C-CE3	0—053 0—053	C-CE3		- E	C—CF3		C—CF3	S = S	E9-0	C_CF3	CE3		C - CE3	C—CE3	S S S	C—CF3	C_CF3	C_CF3			777	] ]
		$\mathrm{B}^2$		C—H	T T	H H	Н-0		T T	Н—0	T T				1 FF 1						H_O		H .	T T		7 7 7 3 0 0	ت ا
		$\mathrm{B}^1$	000 000	7 0 0		-CE)	C-CE3			C—CF3		C—CF3			C—CE3			CE3	CE3_2		C—CE3	CE3	C-CE3		D 0	7 7 7 3 0 0	]   
		Table 1-ExNo.	1-290 1-291 1-292	1-293	1-294 1-295	1-296 1-297	1-298	1-300	1-301 1-302	1-303	1-30 <del>4</del> 1-305	1-306	1-30/ 1-308	1-309 1-310	1-311	1-312	1-515 1-314	1-315	1-317	1-318 1-319	1-320	1-321	1-323	1-32 <del>4</del> 1-325	1-326	1-32 <i>/</i> 1-328 1-30	L-3.29

		1	
		R ⁶	
		$\mathbb{R}^5$	
		$\mathbb{R}^4$	
		$\mathbb{R}^3$	
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	555555555555555555555555555555555555555
[ABLE 1-continued	A	A^3	
[ABLE]		A^2	######################################
	-X	A^1	######################################
	_m=_m	R	£5555555555555555555555555555555555555
		X^1	
		B^4	
		B^3	
		\mathbf{B}^2	
		\mathbf{B}^1	
		Table 1-ExNo.	1.330 1.331 1.332 1.333 1.334 1.335 1.335 1.344 1.344 1.344 1.344 1.357 1.350

TABLE 1-continued

		1	1	1			1		- -	-	1				-	-			-			1			-			-		1			1
		$ m R^6$	Н	CH3CH2C0	cyclo-PrCO CF3CH2CO	CH3CH2NHCO	Н	CH3CO	CH3CH2CO	CF3CH2CO	CH3CH2NHCO	H	CF3CH2CO	H	CH3CH2CO	cyclo-PrCO	CF3CH2CO	CHICHICO	CF3CH2CO	CH3CH2NHCO	CF3CH2CO	CH3CH2NHCO	H	CH3CH2CO	cyclo-PrCO	CF3CH2CO H	CH3CO	СНЗСН2СО	cyclo-PrCO CF3CH2CO	CH3CH2NHCO	Н	CH3CH2CO	cyclo-PrCO
		\mathbb{R}^5	Н	Н	шш	ΞΞ	Н	ш		Ξ	Н	н:	===	= =	Н	н	= :	- I	н	ΗП	= =	Н	ш :	= =	Н	нн	ΞΞ	Н	шш	н	ш	ш	Н
		\mathbb{R}^4	Н	H	шш	ΞΞ	Н	Ħ:		: =	Н	Ξ;	II	ΞΞ	н	H	= :	C II	H	ΗП	ΞΞ	Н	= =	= =	Н	ΞΞ	ΞΞ	Н	шш	Ξ	H	ΞΞ	н
		\mathbb{R}^3	Н	H	шш	ΞΞ	Н	ш		: ==	н	Ξ:	II	ΞΞ	Н	н	ш:	C II	H	田口	ΞΞ	Н	ш	ΞΞ	Н	ΞΞ	ΞΞ	Н	шш	Ξ	ΞΞ	C II	Н
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	Н	Н	<b>5</b> €	<del>.</del> 5	СН	8 5	5 E	<del>5</del> 8	CH	H I	₩ ₩	z	Z	z	z z	zz	z	zz	z	Z	₩ 5	3 B	Н	8 B	<del>.</del> 5	СН	5 E	H	H 5	5 B	СН
TABLE 1-continued	AA	$A^3$	C—CF3	C—CF3	C_CF3	C-CF3	C—CF3	-CE3			C—CF3	C-CE3	C_CE3		C—CF3	C—CF3			C—CF3	C-CE3		C—CF3	C—SCF3	C—SCF3	C—SCF3	C—SCF3	C—S(O)CF3		C—S(O)CF3 C—S(O)CF3	C—S(O)CF3	C—SO2CF3		C—SO2CF3
TABLE	z	$A^2$	СН	CH	E E	B B	CH	B 5	5 E	5 B	CH	Н	5 E	3 B	CH	СН	H E	5 5	CH	H)	B B	СН	# E	3 B	СН	E E	B B	СН	E E	Э	H)	55	СН
	EB EP	$\mathbf{A}^1$	z	Z	z z	z	z	z	z z	z	z	Z;	z z	HO	Н	СН	# F	5 5	Н	B 8	B	СН	# F	3 B	СН	e e	B B	СН	e e	H	H F	5 B	CH
	.E—54	R	CF3	CF3	CF3	CE3	CF3	CE3	E E	CE3	CF3	CE3	CE3	SES SES	CF3	CF3	CE3	CE3	CF3	CF3	CE3	CF3	CE3	S ES	CF3	CF3	CE3	CF3	CF3	CF3	CF3	CF3	CF3
		$\mathbf{X}^1$	Н	Н	ΗН	ΞΞ	Н	ш		: Ш	н	Ξ;	==	: н	н	H	ш	<b>=</b> =	н	ΗП	ΞΞ	Н	ш	ΞΞ	Н	ΞΞ	ΞΞ	Н	ΞΞ	Ξ	ΞΞ	υШ	Н
		$\mathrm{B}^4$	С—Н	С—Н		H J	С—Н	H-0	J		С—Н	H C		J	С—Н	С—Н			СТН	Н О		С—Н		J	С—Н	J	H S	С—Н	T J	H_O	H C	JJ	С—Н
		$\mathrm{B}^3$	C—CI	C-C	7 7 7	5 5 5 5	C—C]	ة <del>ب</del>	3 Z	5 5 5 5 5	0-0	C_CF3		]     	-C	- - - - -	ਹ ਹ ਹ ਹ	7 7     0	- C	C_C	GE3	C—CF3	ნ ს ს	5 5 5 5	C—CI	7     	5 5 5 5	[] C_C	7 7 7	5 0	7 0	7 7 7 7	[] C—C]
		$\mathbf{B}^2$																														7 7	
		$\mathrm{B}^1$	C—CI		7     	5 5 5	C—CI	ට     	7 ] ]	5 5 5 5	0-0	C-CF3		50	7	- - - - -		7 0 0	7	C_C	CE)	C—CF3	ნ ნ ს ს	5 5 5 5	[] C_C	7     	5 5 5	[] C_C	7     	5 0	7 t	7 7	[] C
		Table 1-ExNo.	1-370	1-372	1-373	1-375	1-376	1-377	1-3/8	1-380	1-381	1-382	1-386 1-387	1-388	1-390	1-391	1-392	1-394	1-398	1-399	1-404	1-405	1-406	1-408	1-409	1-410 1-411	1-412	1-413	1-414 1-415	1-416	1-417	1-418 1-419	1-420

		1	1 1		-		-	1	1	1	1	1	1					П	<b></b> -	<b>-</b> -		-	<b></b> .		-			
		$ m R^6$	CF3CH2CO CH3CH2NHCO	H CH3CO	CH3CH2CO	cyclo-PrCO CF3CH2CO	Н	СНЗСО	СНЗСН2СО	cyclo-PrCO	CF3CH2CO	CH3CH2NHCO	Н	CH3CH2CO	cyclo-PrCO	CF3CH2CO	CH3(CO)CO	NCCÓ	CF3CH(CH3)NHCO	momorpholineCO	tetrahydrofurufuryl aminoCO	1-(2-thiazolyl)ethyl aminoCO	CH3CO	CH3CH2CO nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CH3CH2CO	CH3S(O)CH2CO CH3SO2CH2CO
		$\mathbb{R}^5$	н	нн	Н	нн	Н	Н	Н	Н	Н	Н	Н	ΞΞ	ΞН	Η	ΞШ	Н	ш		ΞН	Н	ш	= =	н	ш:	ΞΞ	шш
		$\mathbb{R}^4$	н	ШΞ	н	ΗН	н	Н	Н	Н	Н	Н	Н	ΞΞ	Ξ	ш	пШ	Н	ш		ΞΞ	Н	ΞΞ	I II	н	ш	ΞΞ	шш
		$\mathbb{R}^3$	нн	ΗН	н	ΞΞ	Н	Н	Н	Н	Н	Н	Н	нн	Ξ	ΞΞ		Н	Ξ		ΞΞ	Н	ΞΞ	<b>.</b> .	Ξ	н	ΞΞ	==
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	HO	H H	H	88	CH	СН	СН	СН	СН	СН	СН	E E	H H	₩ 8	5 5	CH	# F	5 E	3 B	СН	H 5	55	Н	H 5	3 B	1 <del>5</del> 5
TABLE 1-continued	A - A - A - A - A - A - A - A - A - A -	A^3	C—SO2CF3 C—SO2CF3	C—SCH2CF3 C—SCH2CF3	C—SCH2CF3	C—SCH2CF3 C—SCH2CF3	C—S(O)	CH2CF3 C—S(O)	CH2CF3 C—S(0)	CH2CF3 C—S(0)	CH2CF3	C—S(O)	CH2CF3 C—SO2CH2CF3	C_SO2CH2CF3	C—SO2CH2CF3	C—SO2CH2CF3	C—SUZCHZUF3	[] C—C]	7 0 0	7 Z	7 7	C—CI	<u></u>	j	C_F	C_F	ŢŢ	j j
TABLE		A^2	HU	8 B	СН	88	СН	СН	СН	СН	СН	СН	СН	E E	В	# E	5 8	СН	H 5	5 E	3 B	СН	HJ 5	55	СН	HO	3 B	1 5 5
	××××××××××××××××××××××××××××××××××××××	\mathbf{A}^1	HO	# #	Н	# #	СН	СН	СН	СН	Н	Н	СН	E E	B	₩ ₩	5 5	CH	H F	5 E	3 8	СН	H H	5 5	Н	H 5	3 E	H H
		ద	CF3 CF3	CF3 CF3	CF3	CE3	CF3	CF3	CF3	CF3	CF3	CF3	CF3	CE3	CF3	CE3	E E	CF3	CF3	3 5	CE3	CF3	CF3	E E	CF3	CF3	E E	CF3 CF3
		X_1	н	ΗН	н	ΗН	н	Н	Н	Н	Н	Н	Н	ΗН	Ξ	ш	ш	Н	Η		ΞΞ	Η	ΞΞ		Н	н	= =	нн
		B^4	H-3		Т		C_H	С—Н	С—Н	С—Н	С—Н	С—Н	С—Н	J		H_0		$\mathrm{C}\!\!-\!\!\mathrm{H}$	H_0			$^{\mathrm{C-H}}$	H 0	J	Т	H_0	JJ	H
		B^3	 	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	CE3	C—CF3	C_CF3		C—C		J 5	7 T	C—CI	고 - - -]]	- C	7 0 0	5 5 5 6	
		\mathbf{B}^2	7 7 7 7	7 7 0 0	[]]	7 7 0 0	C_C	[] C—C]	[] C—C]	[] 	[] C—C]	[] C	[] 	7 7 7	50	ე <u>ე</u>	7 H	С—Н	H_0			С—Н	H_0	J	С—Н	H_O	J J	
		B^1	D-0 0-0	C_CE3	C—CF3	C_CE3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	- C	C—CF3	-CE		C—CI	ت ا ا	J 0	5 5		ت ا ا]		7 0	5 5 3 0	777
		Table 1-ExNo.	1-421 1-422	1-423 1-424	1-425	1-426 1-427	1-428	1-429	1-430	1-431	1-432	1-433	1-434	1-435 1-436	1-437	1-438	1-439 1-440	1-441	1-442	1-443	1-445	1-446	1-447	1-448 1-449	1-450	1-451	1452 1-453	1-454 1 455

		1			
		$ m R^6$	CH3CH2NHCO CH3 CH3 CH3CHBn/CO CH3CNO/CH2CO CH3CNO/CH2CO CH3CH2SCO/CH2CO CH3CH2SCO/CH2CO CH3CH2SCO/CH2CO iso-PrSCO/CH2CO iso-PrSCO/CH2CO iso-PrSCO/CH2CO cH3CH2CO/CH2CO cH3CH2CO/CH2CO cH3CH2CO/CH2CO cH3CH2CH2CO ch3CH2CH2CH2CO ch3CH2CH2CH2CO ch3CH2CH2CH2CO ch3CH2CH2CH2CO ch3CH2CH2CH2CO ch3CH2CH2CH2CO ch3CH2CH2CH2CO ch3CH2CH2CH2CO ch3CH2CH2CH2CH2CO ch3CH2CH2CH2CH2CO ch3CH2CH2CH2CH2CO ch3CH2CH2CH2CH2CH2CH2CH2CO ch3CH2CH2CH2CH2CH2CH2CH2CH2CH2CH2CH2CH2CH2C	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	eyde-PrCH2CO CH3SCH2CO CH3SCH2CO CH3CH2CO CH3CH2CO CH3CH2CO cyclo-PrCO cyclo-PrCO cyclo-PrCO CH3SCH2CO CH3CH2CO CH3CH2
		R ⁵		н	
		\mathbb{R}^4		H	
		\mathbb{R}^3		Ħ	
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$\mathrm{A}^4$	55555555555555	СН	555555555555555555555555555555555555555
IABLE 1-continued		$A^3$	<u> </u>	[ <del></del>	
TABLE	$\left\langle \right\rangle$	$A^2$	5555555555555	СН	555555555555555555555555555555555555555
	-X	$A^1$	5555555555555	СН	555555555555555555555555555555555555555
	B==B	~		CF3	
		$X^1$		Ħ	
		$\mathbf{B}^4$		H	
		$\mathrm{B}^3$			
		$\mathbf{B}^2$		C_H	
		$\mathbf{B}^1$		<u> </u>	
		Table 1-ExNo.	1456 1457 1458 1460 1460 1461 1464 1464 1465 1467	1-469	1470 1471 1473 1473 1474 1477 1478 1487 1488 1488 1488 1488

		1			-	-			-	-			-			_	-					-							٠,		_		
		$ m R^6$	CH3OCH2CH2CO	CH3CH2OCH2CO HSCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CF3SCH2CO	CF3S(2)CH2CO CF3SO2CH2CO	CH3CH2SCH2CO	CH3CH2S(O)CH2CO	CH3CH2SO2CH2CO	(AllvhSCH2CO	(Allyl)S(O)CH2CO	(Allyl)SO2CH2CO CH3sCH(CH3)CO	CH3S(O)CH(CH3)CO	CH3SO2CH(CH3)CO	CH3SCH2CH2CO	CH3SC(CH3)2CO	CH3SO2C(CH3)2CO	CH3CONHCH2CO	CH3CH2CONHCH2CO	CF3CH2CONHCH2CO	CH3SCH2CONHCH2CO	CH3SO2CH2CONHCH2CO	tert-BuOCONHCH2CO	CH3COVITICITION CH3/CO	cyclo-PrCONHCH(CH3)CO	CF3CH2CONHCH(CH3)CO	CH3SCH2CONHCH(CH3)CO	CH3S(Q)CH2CONHCH(CH3)CO	CH3CONHC(CH3)2CO	CH3CH2CONHC(CH3)2CO cyclo-PrCONHC(CH3)2CO	
		$\mathbb{R}^5$	Н	ΞΞ	Н	Ħ :	ΠП	ΞΞ	Н	H	ΞΞ	Ξ Ξ	Н	нп	ΞΞ	н	н	ΗП	ΞН	Η	ΞI	Н	ш	ΞН	н	= =	ΞН	н:	Ξ:	пπ	Η	ΗН	
		$\mathbb{R}^4$	Н		н	II I		==	H	H	шп	ΞΞ	н	шп	ΞΞ	H	H:	шп	ΞΞ	н:	I I	Ξ	ШΠ	ΞΞ	н	= =	ΞĦ	Ξ	II I	= =	Η	ΗН	
		$\mathbb{R}^3$	н	I I	н	Ξ:		: =	Ξ	H	<b>=</b> =	: =	Ξ	шп	: =	H	Ξ:	<b>=</b> =	ΞΞ	H:	I I	: =	II :	ΞΞ	ш	= =	Ξ	Ξ:	Ξ:		Η	нн	
	2X X X X X X X X X X X X X X X X X X X	$A^4$	HO	3 E	Ð	H)	8 8	5 5 5	CH	СН	8 B	5 5	Н	8 B	5 5 5	CH	CH	8 B	3 B	Н	3 E	∄	₩ 8	5 B	H 7	5 5	5 5 5	8 €	3 E	5 5	СН	H H	
IABLE 1-continued	A	$A^3$	C—CF3		C—CF3	C-CF3	C_C3		C—CF3	C—CF3	C_CE3		C—CF3	C-CE3		C—CF3	C—CF3	C-CE3		C—CF3		C—CF3			C—CF3			C—CF3			C—CF3	C—CF3 C—CF3	
TABLE	Ž	$A^2$	CH	3 5	СН	E :	B 5	3 B	СН	СН	H)	3 B	СН	H H	3 B	CH	CH	H)	B B	HO	3 E	B	## F	3 B	CH	3 5	B B	Н	5 E	5 5	СН	H H	
	-X	$A^1$	E)	5 E	Н	Ħ.	₩ ₩	3 5 5	CH	СН	H H	3 B	СН	₩ ₩	B B	Э	Н	H H	3 B	H)	3 E	B	₩ ₩	3 B	HJ B	3 5	3 B	H E	5 E	5 5	СН	H H	
	_——34	R	CF3	5 E	CF3	CE3	CE3	E E	CF3	CF3	CE3	SS	CF3	CF3	GE GE	CF3	CF3	CE3	CE3	CF3	E E	CF3	CE3	CE3	CF3	3 5	CE3	CF3	E E	S E	CF3	CF3 CF3	
		$X^1$	н		Н	H	ΞΞ	: н	н	н	ΞΞ	: =	н	ΞΞ	ΞΞ	н	Ξ:	ΞΞ	ΞΞ	ш:	<b>=</b> =	: Ξ	ШΕ	ΞΞ	Н		ΞΞ	н	Ξ:	пπ	Н	ΗН	
		$\mathrm{B}^4$	Н—Э	J	С—Н	HJ.			H_O	H_O		J	С—Н			T	H_O			H_0	J	H	H_0	J			J	H_0	Ţ ;	J	С—Н	T T	
		$\mathrm{B}^3$	[] C—C[]		5 <del>-</del>	J :	ت ا ا	7 7		0 	ت ت ت	7 0 0	C_C	ت ت ت	7 7		C -C	ت ت ت	7 7 7 8		7 7 7		ت ت ک	7 7 7 8	700	ت ت ک د	7 7	7 C	วี	7 7     0	C—CI	7 7 7	
		$\mathbf{B}^2$	C—H	J J	C—H	H_0				C_H			С—Н	# F		C_H			H O	H_0	# T		# J		С			H_0	# F		С—Н	# # # # # # # # # # # # # # # # # # #	
		$\mathrm{B}^{\mathrm{l}}$	[] [] []	J 0	0 0	7     	ე ე ე	5 0		C_C	J J		0-0	ਹ ਹ ਹ	5 0	- C	- - - - -	ت ت ت	7 7 7 7	7 0 0	7 7 2	5 0	ت ا ا	5 0 0	7 7 7 C	ל כ ט כ	5 5	7 0 0	7 7 5 0	7 T	C—CI	7 7 7 7	
		Table 1-ExNo.	1-491	1-492 1-493	1-494	1-495	1-496	1-498	1-499	1-500	1-501	1-503	1-504	1-505 1-506	1-507	1-508	1-509	1-510	1-512	1-513	1-514 1-515	1-516	1-517	1-519	1-520	1-521	1-522	1-524	1-525	1-527	1-528	1-529 1-530	

		1		-	1				П
		$\mathbb{R}^6$	CF3CH2CONHC(CH3)2CO CH3SCH2CONHC(CH3)2CO CH3S(O)CH2CONHC(CH3)2CO CH3CONHCH2CH3CO CH3CONHCH2CH2CO CH3CONHCH2CH2CO CH3CONHCH2CH2CO CF3CH2CONHCH2CH2CO CF3CH2CONHCH2CH2CO CF3CH2CONHCH2CH2CO CF3CH2CONHCH2CH2CO CF3CH3CONHCH2CH2CO CF3CH3CONHCH2CH2CO CF3CH3CONHCH2CH2CO CF3CH3CONHCH2CH2CO CF3CH3CONHCH2CH2CO CF3CH3CONHCH2CH2CO CF3CH3CONHCH2CH2CO CF3CH3CONHCH2CH2CO	N—CH ₂ CO	N N CH ₂ CO	CH ₂ CO	F CH ₂ CO	$C_1$ $C_2$ $C_3$ $C_4$ $C_4$ $C_5$	CI CH ₂ CO
		$\mathbb{R}^5$		н	H	н	Ħ	н	H
		$\mathbb{R}^4$		н	H	H	н	H	н
		$\mathbb{R}^3$		н	H	H	Ξ	Ħ	H
	N N N N N N N N N N N N N N N N N N N	$A^4$	**************************************	Ð	СН	СН	HO	СН	СН
TABLE 1-continued	→	$A^3$		C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C-CF3
TABLE	z	$A^2$	######################################	СН	СН	СН	СН	СН	СН
		$A^1$	5555555555	СН	СН	Н	СН	СН	СН
	` <u>`</u> =``d'	R	£££££££££	CF3	CF3	CF3	CF3	CF3	CF3
		$X^1$		н	Н	H	H	н	Н
		$\mathrm{B}^4$		С—Н	С—Н	С—Н	С—Н	С—Н	С—Н
		$\mathrm{B}^3$		[] C—C]	C_C	C_C	C—CI	[] 	
		$\mathbf{B}^2$		H_O	H	С—Н	С—Н	С—Н	H_O
		$\mathbf{B}^1$		D—0	D-0	D—O	D—0	[]—C	[]—C
		Table 1-ExNo.	1-531 1-532 1-533 1-534 1-535 1-536 1-537 1-539 1-539 1-540	1-542	1-543	1-544	1-545	1-546	1-547

		1	1	1	11	1	П	1	1	1
		$ m R^6$	Br CH ₂ CO	Br CH ₂ CO	CH ₂ CO	I CH ₂ CO	O ₂ N CH ₂ CO	CN CH ₂ CO	$F_3C \longrightarrow N \longrightarrow CH_2CO$	$F_3C$ CH ₂ CO
		$\mathbb{R}^5$	Ħ	ш	ш	Ħ	H	н	H	H
		$\mathbb{R}^4$	Ħ	Ħ	Ξ	Ξ	Ħ	Ħ	H	Ħ
		$\mathbb{R}^3$	Ħ	Ħ	Ħ	Ħ	н	Ħ	Ħ	H
	Z—Z Z—X Rs°	$A^4$	СН	СН	CH	СН	СН	СН	СН	СН
TABLE 1-continued	A	$A^3$	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3
TABLE	$\left\langle \right\rangle$	$\mathbf{A}^2$	НО	СН	СН	СН	СН	СН	Н	СН
	×	$A^1$	НЭ	СН	СН	СН	СН	СН	СН	СН
	=B	æ	CF3	CF3	CF3	CF3	CF3	CF3	CF3	CF3
		$X^1$	Н	н	н	Н	н	н	Н	H
		$\mathrm{B}^4$	Н—О	C—H	C—H	С—Н		С—Н	С—Н	CH
		$\mathrm{B}^3$	I) O	CCC	I) C		CCC	[] C	[] C-C	C—CI
		$\mathbf{B}^2$	С—Н	С—Н	С—Н	С—Н	С—Н	Н	Н	С—Н
		$\mathbf{B}_{1}$	[] []	D 	[] []	[] 	[] C_C	D—0	DO	D-0
		Table 1-ExNo.	1-548	1-549	1-550	1-551	1-552	1-553	1-554	1-555

		1	1	П	1	П	П	-	П	-
		$ m R^6$	N = N	N CH ₂ CO	N CH ₂ CO	$\sum_{N}^{N} CH_2CO$	$N$ $N$ $CH_2CO$ $F_3C$ $N$	$N \longrightarrow N \subset H_2CO$ $F_3CS \longrightarrow N$	N = N $N = N$ $N = N$	N CH ₂ CO
		$\mathbb{R}^5$	Н	Ξ	н	Ξ	н	н	Ξ	н
		$\mathbb{R}^4$	Н	Ħ	н	ш	H	Ħ	ш	н
		$\mathbb{R}^3$	Н	H	н	н	Ħ	H	н	н
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	СН	Ю	Н	Ю	СН	СН	Ю	CH
TABLE 1-continued		A^3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3
TABLE	$\left\langle \right\rangle$	A^2	СН	СН	СН	СН	СН	СН	СН	СН
	-×	A^1	СН	СН	СН	СН	СН	СН	СН	СН
	_m==24	R	CF3	CF3	CF3	CF3	CF3	CF3	CF3	CF3
		X^1	н	H	н	H	н	Ħ	H	H
		B^4	Н—Э	Н_О	Н	Н—О	С—Н	С—Н	Н—О	Н
		B^3	[]—C				[] C	C_C		[] C
		\mathbf{B}^2	С—Н	С—Н	H_O	C_H	С—н	С—Н	D —	H_O
		\mathbf{B}^1	[[[[<u></u>	[]	[]
		Table 1-ExNo.	1-556	1-557	1-558	1-559	1-560	1-561	1-562	1-563

		1	1	-	-	Н	1	П	П	П
		$ m R^6$	N = N $N = N$ $N = N$	N CH ₂ CO	N = N $N = N$	N N N CH_2CO F_3C	$N \longrightarrow SCH_3$ $N \longrightarrow N \longrightarrow CH_2CO$ $N \Longrightarrow N$	$\begin{array}{c} N \\ N \\ N \end{array}$	CH ₂ CH ₂ CO	N CH2CH2CO
		R ⁵	Н	Ξ	ш	Ξ	н	н	ш	н
		\mathbb{R}^4	Н	H	н	н	н	н	н	Н
		\mathbb{R}^3	Н	Ħ	н	H	н	н	H	Н
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	СН	СН	СН	СН	СН	CH	СН	СН
TABLE 1-continued	A	$A^3$	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3	C—CF3
TABLE		$A^2$	СН	СН	СН	СН	СН	СН	СН	Ю
	-X	$A^1$	СН	СН	СН	СН	СН	СН	СН	Ю
	<u>.</u> ——	×	CF3	CF3	CF3	CF3	CF3	CF3	CF3	CF3
		$X_1$	Н	H	H	H	H	H	H	H
		$\mathrm{B}^4$	С—Н	E C	С—Н	С—Н	С—Н	С—Н	H—O	С—Н
		$\mathrm{B}^3$	[2—C]	C—C	[] C—C]	C-C	[] C_C	[] C_C	[]—C	C—CI
		$\mathbf{B}^2$	С—Н	С—Н	С—Н	Н—О	С—Н	Н—О	С—Н	С—Н
		$\mathbf{B}^{1}$	C—CI	<u>C</u>	D-0	5	0	<del></del>	[] C—C]	C—CI
		Table 1-ExNo.	1-564	1-565	1-566	1-567	1-568	1-569	1-570	1-571

		1	1	-	1				1	<b></b>					·			<b>.</b> .					_			
		$ m R^6$	N CH2CH2CO	N CH2CH2CO	(CH3)2NSO2	CH3CO	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3SCH2CO CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO cyclo-PrCO	CF3CH2CO	CH3CH2CO	cyclo-PrCO	CF3CH2CO	CH3SCH2CO CH3CO	CH3CH2CO	cyclo-PrCO	CH3CH2CO	nPrCO	cyclo-PrCO	CF3CH2CO	CH3SCH2CO CH3S(O)CH2CO
		$\mathbb{R}^5$	н	ш	Н	H	шп	ΞΞ	Н	ш		н	ш	ш	н		Н	<b>=</b> :	ш	H	Ξ:	ш	Н	шп	н	ΗН
		$\mathbb{R}^4$	Н	H	н	H	ΞΞ	Ξ	Н	ΞΞ	<b>.</b> .	н	ΞΞ	ΞΞ	H		H	Ξ:		H	Ξ.	ΞΞ	Η	ШΠ	ΞΞ	ШШ
		$\mathbb{R}^3$	Н	H	н	H	ΞΞ	Ξ	Н	Ξ:	<b>:</b>	Ξ	Ħ:		H		H	Ξ:		H	<b>=</b> =	ΞΞ	Ή	ΞΞ	ΞΞ	ΞΞ
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	СН	СН	СН	CH	8 €	<del>5</del> <del>5</del>	CH	8 €	5 E	Н	B 5	55	HO	5 5	НЭ	<del>5</del> 5	5 5	CH	3 B	∄ 8	СН	8 8	3 B	# # #
IABLE 1-continued	A-1-A-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-	A^3	C—CF3	C—CF3	C—CF3	C—CN	Z Z		C-CN	Z 3	3 3		NO-C	C—SCH3	C—SCH3	C_S(O)CH3		C—S(O)CH3	C—S(O)CH3 C—SO2CH3		C—SO2CH3		C—SCF3	C—SCF3	C—SCF3	C—SCF3 C—SCF3
TABLE	$\left\langle \right\rangle$	A^2	СН	Н	СН	СН	## E	B B	СН	B 5	3 B	В	# E	5 B	СН	55	СН	# E	5 5	СН	3 8	B B	CH	## E	B B	H H
	EB 3 B 3 B 3 B 3 B 3 B 3 B 3 B 3 B 3 B 3	A^1	СН	Ю	НЭ	СН	8 €	5 5	СН	E E	5 E	В	E 5	3 B	H	5 5	СН	5 5	5 5	СН	₹ B	3 8 8	СН	B 8	- 8	H H
	m==m	R	CF3	CF3	CF3	CF3	CF3	CE3	CF3	CF3	E E	CF3	CF3	CE3	CF3	S S	CF3	CE3	S S	CF3	S E	CE3	CF3	CF3	CE3	CF3 CF3
		X^1	Н	H	Н	H	ΞΞ	ΞΞ	Н	ΞΞ		Ξ	ΞΞ	ΞΞ	Η:	==	H	II I	пШ	H	Ξ 5	ΞΞ	Η	ΗН	: Ш	н
		B^4	С—Н	С—Н	CH	СН		ŢŢ	$_{\rm C-H}$	H C	Ī		T C	JJ	H o	J	С—Н		J	СН	T C	T T	С—Н			H - 3
		B^3	C—CI	C_C	-C	C -C	7 7 7	7 7 7		7 0 0	1 1	0-0	다 	7	7 C	7 0	[] 	ე ნ ე ი	7 T	C_C	ฮ ฮ ๖ ๖	7 7 7 7	C—C	ე ე ე ე	7 7 7 7	7 7 7 9
		B^2	Н—Э	С—Н	H	С—Н		T T	С—Н	T 5	ī Ţ	C—H	T 0	Ŧ Ŧ	H_O	ī Ţ	С—Н	T .		С—Н			С—Н	T-0		H - 3
		B^1	[]		C_C	- - - - -	7 7 0 2	7 7 7 8		7 0 0	J	0 0	ე ნ ს	7 7 3 0	7 0	7 0 		 	7 7 0	C-C	ე ნ ა	77		ე <u>ე</u>	77	7 7 7
		Table 1-ExNo.	1-572	1-573	1-574	1-575	1-576	1-578	1-579	1-580	1-581	1-583	1-584	1-580 1-587	1-588	1-590	1-591	1-592	1-595 1-594	1-595	1-596	1-598	1-599	1-600	1-602	1-603 1-604

		1	1			1	⊣ -	- -		1				-	1						-		-				п,						-
		$ m R^6$	CH3SO2CH2CO	CH3CH2NHCO	IIPrCO	cyclo-PrCO	cyclo-PrCH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO	CH3CH2CO CH3SCH2CO	CH3S(0)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CH2C0	n-PrCO	eyclo-FrCO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CO
		\mathbb{R}^5	Н	шп	ΞН	Н	н	==	ΞΞ	Н	н	Ξ:	ш	н	Н	ш	- I	н	= =	н	Η	π п	Н	н:	II II	н	Н		ш	н:	пп	: ш :	H
		\mathbb{R}^4	Н	шп	ΞΞ	Н	ш:		ΞΞ	Н	ш:	===	I II	н	Н	Ξ:	c =	н	шп	ΞΞ	Η	ΞΞ	H	ШΙ	II	Ξ	н		υШ	Ξ:	I I	: ш :	Ξ
		\mathbb{R}^3	Н	ΞП	ΞΞ	Н	Ξ	I I	ΞΞ	Н	н	I D	I II	н	Η	Ξ:		Ξ	= =	ΞΞ	Η		H	Ξ	II	ΞΞ	н:	= =	= =	Η:	I I	: ш :	Ξ
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	СН	# # # # # # # # # # # # # # # # # # #	3 B	СН	H 5	3 E	<del>.</del> 8	CH	Н	3 8	5 5	H	CH	₩ ₩	5 E	CH	<b>∃</b> ∃	E E	СН	3 B	CH	H)	3 E	B B	H is	3 B	5 5	CH	5 E	H H	Н
TABLE 1-continued	A	$A^3$	C—SCF3	C—SCF3	C—S(O)CF3	c— $s(o)cF3$		C_8(0)CF3	C—S(O)CF3	c— $s$ (O)CF3		C_SO2CF3				C—SO2CF3			ت د د	5 5 5 5	C_C	3 G	[] []	ت ا د	J &	C B	C—Br			C—Br			C—CF3
TABLE	Ž	$A^2$	СН	E E	5 5	СН	CH	3 E	5 B	CH	СН	5 B	5 5	СН	СН	E E	5 E	СН	H H	B B	СН	3 B	СН	H	3 E	B B	СН	5 B	5 B	СН	5 E	Н	СН
	N N N N N N N N N N N N N N N N N N N	$A^1$	СН	E E	3 B	СН	H H	3 E	5 B	CH	CH	5 B	5 5	H	СН	₩ ₩	5 E	CH	E E	3 5	СН	3 B	CH	H)	3 E	3 5	Е	5 B	5 B	H	5 E	Ð	E
		R	CF3	CF3	CE3	CF3	CF3	E E	CE3	CF3	CF3	CE3	GE CE	CF3	CF3	CE3	E E	CF3	CE3	CE3	CF3	E E	CF3	CF3	E E	CE3	CF3	E E	E E	CF3	E E	CF3	CE3
		$X^1$	Н	ΗН	= =	Н	н:	I I	ΞΞ	Н	Ξ:	Ξ:		Н	Н	ΞΞ	: I	Ξ	ΞΞ	Ξ Ξ	Η	I I	Н	Η:	I I	Ξ Ξ	ш:		υШ	н;	<b>=</b> =	: н :	Η
		$\mathrm{B}^4$	С—Н	H_0		С—Н	H_O			С—Н	СН			С—Н	С—Н	H C	J	H_O	J	J	С—Н	JJ	С—Н	H_0		CHT)	H_0		JJ	СН	T T	CHIO	С—Н
		$\mathrm{B}^3$	C—CI	ت <del>ت</del> ک ک	77	[] C_C	7 0 0	7 7 3 3	7 7	C—C	- C	7 5 5 5	7 7	- C		7 0 0			C—Br	C_Br	- 1		C—Br		C-Br				C_Br	C—Br		C—Br	C—Br
		$\mathbf{B}^2$	С—Н	— Н— О	T T	С—Н	C—H	; ;		С—Н		T		E-H		H_0		E T				T T	С—Н		# # # # # # # # # # # # # # # # # # #		C—H	F		C—H	Į	H_O	Ŧ_0
		$\mathrm{B}^{1}$	C—CI	ت ا ا	] ] ]	C—C	ت د د	7 ] ]	7 7 7			7 7 0				7 0 0			C—Br		C—Br			C—Br					C Br				
		Table 1-ExNo.	1-605	1-606	1-608	1-609	1-610	1-611 1-612	1-613	1-614	1-615	1-616	1-61./ 1-618	1-619	1-620	1-621	1-623 1-623	1-624	1-625	1-627	1-628	1-629 1-630	1-631	1-632	1-633 1-634	1-635	1-636	1-63/	1-036 1-639	1-640	1-641 1-642	1-643	1-644

		1					·									- 1								1 1
		$ m R^6$	CH3CH2CO n-PrCO cyclo-PrCO	CF3CH2CO	CH3SCH2CO CH3S(O)CH2CO	CH3CH2NHCO CH3CH2NHCO	CH3CU CH3CH2CO	nPrCO cvclo-PrCO	cyclo-PrCH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO CH3CO	CH3CH2CO	nrrco cyclo-PrCO	cyclo-PrCH2CO CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO	nPrCO exclo-PrCO	cyclo-PrCH2CO	CH3SCH2CO CH3SCH2CO	CH3SO2CH2CO	СНЗСН2NНСО СН3СО
		$\mathbb{R}^5$	ннн	: Ш :	ппп	п == :	ΞΞ:	пπ	шш	: = :	ш	н	: п:	н	н	Н	ΗН	н	Е	н	шш		ш	нн
		$\mathbb{R}^4$	пппп	: Ш :	ппп	п == :	ΞΞ:	I II	шш	: Ш :	==	ΞΞ	: = :	I II	ΞΞ	Н	ШΞ	шп	ΞΞ	ШΠ	ш	===	шш	ΞΞ
		$\mathbb{R}^3$	ннн	: ш :	===	==:	==:	ΞΞ	==	: = :	E E	шп	: = :	ΞΞ	ΞΞ	H	ΞΞ	нн	ш	ΞΞ		===		ΞΞ
	2X - X - X - X - X - X - X - X - X - X -	$A^4$	8888	B B	3 B B	5 5 5	55	5 B	15 E	# E	5 B	E E	B B 8	55	# # # # # # # # # # # # # # # # # # #	СН	8 8	## ## ## ## ## ## ## ## ## ## ## ## ##	3 B	H H	B 5	B B B	5 5	8 B
TABLE 1-continued	A	$A^3$	C-CF3 C-CF3 C-CF3	C-CF3			5 5 5 5 6	5 5 5 0	77	5 G G	7 7 7 7	7 t				C—Br		C_Br			C-CF3			C—CF3
${\bf TABLE}$	$\left\langle \right\rangle$	$A^2$	888	B	3 B B	5 5 5	55	3 B	E E	# E	5 5	E E	# E	55	E E	СН	8 B	HJ	3 B	H H	## E	3 B 8	5 5	H H
	E B B B B B B B B B B B B B B B B B B B	$A^1$	8888	B	3 B B	5 8 8	3 B 8	3 B	## E	B B	55	HO	B B	55	H H	СН	88	HJ	B B	H H	88	B B 8	5 5	## ## ## ## ## ## ## ## ## ## ## ## ##
	_m==_m_	Я	CF3 CF3 CF3	CF3	E E E	GE3	EEE	E E	EE E	CE3	CF3	CF3	CF3	GE EE	CF3	CF3	CF3 CF3	CF3	CE3	CF3	CE3	E E E	EE	CF3 CF3
		$X^1$	ннн	ΞΗ	ΞΞΞ	E II :	ΞΞ:	ΞΞ	шш	ш	ΞΞ	ΞΞ	: Ш:	ΞΞ	нн	Н	ΞΞ	н	н	ΗН	шш	: = :		ΗН
		$\mathrm{B}^4$		H - 3	77	JJ	JJ;	JJ	J	H F	ŢŢ	ij	J	JJ	Ħ J	С—Н	JJ	H J		JJ				H H
		$\mathrm{B}^3$	C—Br C—Br C—Br					5	777	5 0 C	77	77	7 7 7	7	7 7 7	C_C	7     	ت ا ا	7 7	7     	77 7	7 7 7 0 0 0	7 7	<del></del>
		$\mathrm{B}^2$		H_0		T T ;	j j ;	j		J .	jj	ŢŢ	J	ij	ŢŢ	$C_{-F}$	ijij	JJ					jj	C_F
		$\mathrm{B}^{1}$	C—Br C—Br C—Br					5 5 5 0		5 G G		7     	77	7 T	7 7 0 0	- D	7 0 0	0 0 0	7 7 7 7	7 7 0 0	7 7	7 7 7 0 0 0	7 7	5 5 0 0
		Table 1-ExNo.	1-645 1-646 1-647	1-649	1-650 1-651 1-653	1-653	1-654 1-655	1-656 1-657	1-658	1-660	1-662 1-662	1-663 1-664	1-665	1-667	1-668 1-669	1-670	1-671 1-672	1-673	1-675	1-676	1-678	1-680	1-681	1-683 1-684

		1	- 1								-				-					П,			<b>-</b>		П.		-			
		$ m R^6$	CH3CH2CO nP+CO	cyclo-PrCO	cyclo-PrCH2CO	CH3SCH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	tert-BuOCO	n-PrCO	HSCH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3COSCH2CO	n-PrCO	cyclo-PrCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2CO	nPrCO	cyclo-FTCO	CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO	CF3CH2CO CF3CH2CO	CICH2CO	cyclo-PrCH2CO	CH3CH2OCH2CH2CO	HSCH2CO CH3SCH2CO
		$\mathbb{R}^5$	н	Ξ	ΗП	Ξ Ξ	ш	= =	Ξ	н	- H	ΞН	шп	ш	H	ш	пш	н	ΞΞ	н:	= =	н	H	пн	н	c ==	Н	ΗП	ш	нн
		$\mathbb{R}^4$	н	Ξ	田口	ΞΞ	: Ш :	I I	Ξ	ш	==	H	<b>H</b> II	Ξ	H	ш		ш	ΞΞ	Ξ:		Ξ	H		ШΞ	c ==	Н	≖□	ΞШ	нн
		$\mathbb{R}^3$	н	Ξ	ΠП	ΞΞ	: =:	I I	Ξ	ΞΞ	==	Ξ	Ħ D	ΞΞ	Ξ:	<b>=</b> :	υШ	ΗП	ΞΞ	Ξ:		Ξ	ΞΞ		н		Н	Ħ D	н	ΗН
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	HO	# <del> </del>	₩ ₩	38	H H	5 E	# B	H)	5 5	B	₩ ₩	B B	Н	# F	5 B	H 7	3 B	H)	5 E	H	₩ 8	5 5	B 5	5 5	СН	₩ 8	<del>5</del> 5	H H
TABLE 1-continued	A	A^3	C_F		C - F		. J.	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	, _[]	7 T]]	5 -0	7 7 0 0	50	C—Br	C Br		C—Br		C—CH3		C—CH3	C—CH3		C—CH3	C-cyclo-Fr	cCF3			C—CF3
TABLE	$\left\langle \begin{array}{c} \dot{z} \\ \dot{z} \end{array} \right\rangle$	A^2	HO	В	H P	3 E	Н	5 E	СН	НЭ	55	В	H)	ВВ	СН	H E	5 B	НЭ	BB	CH	5 E	CH	# E	5 B	H)	5 5	CH	HO E	5 B	H H
	-X	A^1	HO	# E	H 19	3 5	H)	5 E	# E	HO	5 5	B	E 5	B B	Н	# E	5 B	H)	3 B	CH	5 E	Н	₩ 8	5 B	H H	5 5	СН	B 8	5 5 5	H H
	<u>_</u> —2 4	R	CF3	CF3	CF3	E E	CF3	E E	CF3	CF3	3 E	CF3	CF3	CE3	CF3	E E	CE3	CF3	CE3	CF3	E E	CF3	CE3	CE3	CF3	3 8	CF3	CF3	CE3	CF3 CF3
		X^1	Н	Ξ	Ξ□	ΞΞ	: = :	ΞΞ	ΞΞ	н	==	Ξ	Ξ 🗆	ΞΞ	Η:	Ξ:	υШ	нп	ΞΞ	Η:		Н	Ξ:	ΞΞ	H	υШ	Η	H	ΞΞ	ΗН
		B^4	#-J		H J	J	H G	ŢŢ		H 3	J	C—H		H_0	СН		T T	H J	J	СН		C_H	H 0		H_0		С—Н	H_0		H-0
		B^3	0 0 0 0	5 5 5 5	ت ت د د	7 T	5 C C	3 Z	5 0	7 0 0		5 0	ت ت د	5 0	C_C	7 0 0	77	700	7 7 3 0	C -C	7 T	5 7	7 0 0	77	7 0 0	7 0	C—CI	77]]]]	5 5 5 5
		B^2	0 0 0 0	5 5 5 5	77	7 T		J	5 5 5 5	7 7 0	7 0 0	5 0	ت ت د	7 7	C_C	7 0 0	77	77	7 7 7	C - C	7 T	5 7	ت ا ا	77	7 7 0 0 0	7 0	C—C	7 7 0 0	77	5 5 0 0
		B^{I}	[] [] []	5 0	ت ا ا	7 T	5 0 0	J [5 0	700		5 0	ე ე ე ე	5 5 5 5		다 0 0		ت ت د		C - C	7 T	- C	급 - - -	77	7 0]]]	C—CI	ت ت د د	7 7	7 7 7 7
		Table 1-ExNo.	1-685	1-687	1-688	1-690	1-691	1-69 <i>2</i> 1-693	1-694	1-695	1-697	1-698	1-699	1-701	1-702	1-707	1-709	1-710	1-712	1-713	1-/14	1-716	1-717	1-719	1-720	1-722	1-723	1-724	1-726	1-727 1-728

		1	1 -				П.			1			1			П			1							٠.			П.		-
		$ m R^6$	CH3S(O)CH2CO	CF3SCH2CO	(Allyl)SCH2CO	(Allyl)SO2CH2CO	CH3COSCH2CO	CH3CO CH3CH2CO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CO CH3CO	СНЗСН2СО	cyclo-PrCO	CF3CH2CO CH3CO	СНЗСН2СО	cyclo-PrCO	CH3SCH2CO	CH3CO CH3CH3CO	ch3CH2CO	ČF3CH2CO	ovelo-PrCH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	nPrCO	cyclo-FrCH2CO CH3SCH2CO	CH3S(O)CH2CO
		\mathbb{R}^5	Н	н	==	Ξ Ξ	н:	шш	Ι Ξ	H	ш;	ΞΞ	Н	ш :	==	Н	ш:	пπ	Н	шп	Ξ.	Н	c ==	н	= =	Ξ Ξ	нн	: Ш	н:	ΞΞ	Н
		\mathbb{R}^4	Н	: Ш :		ΞΞ	Η;	ШΞ	Ξ	Ξ:	ш:	II	H	ш п	ш	Η	Ξ:	I II	Н	Ξ.	Ξ	ΞΞ	c ==	⊞:	= =	Ξ	II	Ξ	Η;		H
		\mathbb{R}^3	Н	: Ш :	==	ΞН	н	ΞΞ	ΞН	н	ш:	IΠ	Н		ш	Н	н	IΠ	Н		ΞΞ	н	C II	н:		ΞН	ΞΞ	н	Η:	ΞΞ	н
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	HO HO	E E	₩ ₩	3 B	CH	₩ ₩	# E	СН	# E	3 B	СН	# F	5 B	СН	H H	<del>5</del> 5	СН	₩ 8	∃ ∃	H 5	5 5	H)	5 E	E E	H H	∃ ∃	CH	<del>5</del> 5	СН
TABLE 1-continued	A	$A^3$	C—CF3	C—CF3	C—CF3	CF3_0	C—CF3			C_CN		3 3	C-CN	Z 3	C—SCH3	C—SCH3	C—SCH3	C—SCH3 C—S(O)CH3		C—S(O)CH3	C—S(O)CH3	C—S02CH3	C—SO2CH3	C—SO2CH3	C—SCF3	C—SCF3	C—SCF3	C—SCF3	C—S(O)CF3	C—S(O)CF3 C—S(O)CF3	C—S(O)CF3
TABLE	Ž	$A^2$	HO	B	E E	3 B	СН	e e	B	СН	H E	3 B	СН	H H	5 B	СН	Н	3 B	НЭ	# F	B B	H F	5 5	CH	5 E	8 8	H)	В	СН	<del>5</del> 8	СН
,	-XXXXXXXXXXXXX-	$A^1$	HO	# E	e e	5 B	СН	e e	B	СН	E E	<del>5</del> 8	CH	# E	5 B	СН	CH	3 B	СН	₩ ₩	B B	H 5	5 5	H)	5 E	B B	E E	В	СН	<del>5</del> 8	СН
		R	CF3 CF3	CF3	CF3	CE3	CF3	E E	CE3	CF3	CF3	E E	CF3	CE3	CE3	CF3	CF3	E E	CF3	CF3	CE3	CF3	E E	CF3	E E	CE3	CF3	CE3	CF3	CE3 CE3	CF3
		$X^1$	Н	ΞН		ΞН	Н	ΗН	Н	Н	ш;	ΞΞ	Н	ш	ш	Н	н	ΞΞ	Н	шп	н	н	<b>.</b>	н		Н	нн	Н	Н	ΗН	Н
		$\mathrm{B}^4$	H_2	H J		Į Ę	С—Н	J		СН	H_0	JJ	$_{\rm C-H}$			С—Н	H C	J J	С—Н			H 0		H_O	J		H H	C_H	C—H	JJ	С—Н
		$\mathrm{B}^3$	D-0	5 0	ت ت د د	77	C—C]	7 7 8	5 5 5 5	C-C	7 0 0	3	C—CI	7 0 0	7 7 7 8	[] C_C	<u></u>	5 5 5 0	C—CI	ت ت د	7 7 7 7	7 0 0	7 T		; [ ]	5 T	7 7 7 8	5 5 5 5	C—C]	5 5 5 5	C—CI
		$\mathbf{B}^2$	[] [] []	5 0	ت ت د	7 7     0	C-C	7     	5 5 5 5	C-C	7 0 0	7 7 3 0	C—CI	7 0 0	7 7 7 8		7 0 0	7 7 3 0	C—CI	ت ت د	7 7 7 7	7 7 0	7 0 0	[] []	; [ ]	5 T	7 7 7 8	5 5 5 5	C-C	5 5 5 5	C—Cl
		$\mathbf{B}^1$	0 0 0 0	5 T	7 0 0	7 7     	C-C	7 7 7	5 5 5 5	C-C	J 0	5 5 5 5		7 0 0	7 7 0			5 5 5 5		ე ე		ت ا ا		[] []	; [ ]	5 T	7 7 7 7	5 5 5 5	C-C	3	C—CI
		Table 1-ExNo.	1-729	1-731	1-732	1-734	1-735	1-736	1-738	1-739	1-740	1-741 1-742	1-743	1-744	1-746	1-747	1-748	1-750	1-751	1-752	1-754	1-755	1-757	1-758	1-760	1-761	1-762 1-763	1-764	1-765	1-767	1-768

		1									1						٠.							·				1
		R ⁶	CH3SO2CH2CO nPrCO	CH3SCH2CO	CH3S(O)CH2CO	CH3CO	CH3CH2CO nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO CH3CH2NHCO	СНЗСО	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CO CH3CH2CO	nPrCO	cyclo-PrCO cyclo-PrCH2CO	CF3CH2CO	CH3S(0)CH2CO	CH3SO2CH2CO	CH3CHZNACO CH3CO	CH3CH2CO nPrCO	cyclo-PrCO
		$\mathbb{R}^5$	нн	ш	нн	Ξ	нн	Ξ	шп	ш	н	ΗН	Н	ΞΞ	н	ΞΞ	н	ш	н	пπ	н	ΗН	н		Ħ Þ	ш	ΞΞ	н
		$\mathbb{R}^4$	нн	ш	ΗН	ΞН	ΗН	ΞН	шп	ΞΞ	Н	ΞΞ	н	ΞΞ	: Н	ΞΞ	н		н	ΙН	H	ΗН	н		ш п		ШШ	I
		$\mathbb{R}^3$	нн	ш	==	ΞΞ	HH	ΞΞ	H	ΞΞ	Ξ	ΗН	H	I I	: Ш :	IΠ	H		н:	пπ	: Ш :	ΞΞ	H		Ξ:		ΞΞ	Ξ
	Z — Z Z — Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	$A^4$	B B 8	55	8 8	Η̈́	<b>5</b> 5	Η̈́	E E	5 B	СН	<b>∄</b> ₩	СН	3 B	H	3 B	HO	5 E	H)	3 B	Н	<del>5</del> 5	H)	5 8	₩ ₩	5 5	8 B	CH
TABLE 1-continued	**************************************	$A^3$	C—S(O)CF3 C—SO2CF3		C—SO2CF3 C—SO2CF3	_	7 7 0 0	5 5 5 5 5 5	7 7 7	7 7		7 0 0	C—Br		C—Br		C—Br	C Br	C—Br		C—CF3		C—CF3		C—CF3		5 5 0 0	
TABLE	$\left\langle \right\rangle$	$A^2$	#5 #5	5 5	8 B	CH	8 B	CH	H)	5 B	CH	H H	СН	3 B	СН	<del>5</del> 5	СН	5 5	СН	3 B	H	# # # # # # # # # # # # # # # # # # #	СН	5 5	B 8	5 B	## ## ## ## ## ## ## ## ## ## ## ## ##	Э
	× × × × × × × × × × × × × × × × × × ×	$A^1$	## ## ## ## ## ## ## ## ## ## ## ## ##	5 5	8 €	В	<b>8</b> €	Н	H H	5 B	СН	E E	СН	3 B	CH	3 B	СН	5 B	Н	3 B	H	3 B	H)	5 5	# B	5 8	5 5 5	CH
	—™ —————————————————————————————————	R	CF3 CF3	CE3	CE3	CF3	CF3	CF3	CE3	CE3	CF3	CE3	CF3	E E	CF3	£ £	CF3	CE3	CF3	E E	CF3	CES EES	CF3	E E :	CE3	CE3	CF3 CF3	CF3
		$X^1$	нн	υШ	ΗН	н	ΗН	н	ΞΞ	= =	Н	ΞΞ	н:	ΞΞ	н:	I I	н	ĽΞ	н:	ΞΞ	ш:	ΞΞ	н		Ξ :		ΞΞ	Ξ
		$\mathrm{B}^4$		J	JJ	OH H	JJ	CHO		J	CH	JJ	CH	JJ	H	JJ	H_0	JJ	H_O	JJ	H.	JJ	H_O				ŢŢ	U-H
		$\mathrm{B}^3$	555 500	77	7     	5 0	7 7 0 0	5 0	77	7 7		7 0 0	C—CI	7 7 3 0		ਹ ਹ ਹ ਹ		] ] ]	C C	7 7 3 0	- C	7     	7 0	777	7 0 0	C Br	C—Br	C—Br
		$\mathrm{B}^2$	5 5 5 0 0 0	77	7 7 0 0	C—Br		C—Br	C Br		C—Br		C—Br		C—Br		C—Br		C—Br		C—Br		C—Br	C Br	C—Br		7 7 0 0	<u> </u>
		$\mathrm{B}^{\mathrm{l}}$	5 5 5 6 7 7	77	7     	5 5 7 7	7 7 8	5 5 7 7	7 7 7			7 7 7		ਹ ਹ ਹ ਹ		ਹ ਹ ਹ ਹ	7 C	7	D 0	5 0 3 0	0	5 5 ] ]	7 0	] ] ]	ਹ ਹ ਹ	7 7	7 7 8 8	<u></u>
		Table 1-ExNo.	1-769 1-770	1-771	1-773 1-774	1-775	1-776	1-778	1-779	1-781	1-782	1-783 1-784	1 785	1-786 1-787	1-788	1-789 1-790	1-791	1-792 1-793	1-794	1-795 1-796	1-797	1-798 1-799	1-800	1-802	1-803	1-805	1-806 1-807	1-808

		1	1 -					-	1			-	·			1				1			-									-
		$ m R^6$	cyclo-PrCH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CO CH3CO	СНЗСН2СО	nPrCO	cyclo-PrCO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3CH2CH2CO	CH3CO	СНЗСН2СО	nPrCO	cyclo-PrCO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CO	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO CH3CH2NHCO	CH3CO	CH3CH2CO nPrCO	cyclo-PrCO
		$\mathbb{R}^5$	Н	ΞН	н	<b>=</b> =	- H	Н	Н	===	==	н	Н	<b>=</b> =	: Ш	Н	н	шш	н	Н	ш	ΞΞ	н	<b>=</b> =	: Ш :	H:	= =	н:	ΞΞ	н:	пπ	Н
		$\mathbb{R}^4$	н	н	н:	Ξ:	ш	Н	Н	Ξ:	<b>.</b>	н	н	I I	Ξ	Н	Η:	шш	ΞН	Н	ш	ΞΞ	H	ΞΞ	: Ш	Ξ:	= =	ш:	ΞΞ	ш:	ΞΞ	Н
		$\mathbb{R}^3$	н	Ξ	Ξ:	Ξ:	c =	Η	H	Ξ:	<b>:</b>	Ξ	Ξ:	I I	Ξ	Н	н;	II II	Ξ	Η	===	==	H	I I	: Ш :	Ξ:		Ξ:		Η:	I II	H
	Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-	$A^4$	H	8 B	H)	∃ 5	5 5	CH	CH	# E	5 5	CH	Н	5 E	ЮН	CH	H)	8 8	Ε	СН	# E	3 B	НЭ	3 E	B	8 8	3 B	CH	5 5	Н	5 B	СН
TABLE 1-continued	A	$A^3$	[] [] []	5 5 5 5	C—C	7 0 0	0 - B	C—Br		C—Br						C— $CF3$	C—CF3		C-CF3	C—CF3			7 7 7	3 C	5 0 :	7 0 0	5 5 3 5	C — C	5 5 5 5	C—Br		C—Br
TABLE 1		$A^2$	CH	B B	СН	# E	5 5	CH	СН	# E	5 5	Н	СН	3 E	Э	СН	H)	8 B	B	СН	B 5	3 B	СН	3 E	H H	# E	3 B	СН	5 B	СН	5 B	СН
	-X	$A^1$	H	BB	CH	<b>∃</b> 5	5 5	CH	СН	# E	5 5	CH	CH	3 E	Н	СН	H)	8 B	В	СН	# E	3 B	Н	3 E	# # # # # # # # # # # # # # # # # # #	# E	3 8	H)	5 5	HO	5 5	СН
		R	CF3	CE3	CF3	S S	E E	CF3	CF3	E E	E E	CF3	CF3	E E	CF3	CF3	CF3	E E	CE3	CF3	CE3	CE3	CF3	E E	CF3	EE E	E E	CF3	E E	CF3	E E	CF3
		$X^1$	Н	Ξ	н	Ξ:	υН	Н	н	Ξ:	<b>=</b> =	н	н	ΞΞ	Ξ	Η	H	ΗН	н	Н	Ξ:	ΞΞ	Œ I	בן וב	· Li	щ	ı, lı,	щ	ı, lı,	щ	цц	II.
		$\mathrm{B}^4$	H-3		СН	T C	J	С—Н	С—Н		J	C—H	СН	JJ		С—Н	T.	ij	C_H	С—Н		J	С—Н	J	- H	T .	JJ	СН	J	СН	JJ	С—Н
		$\mathrm{B}^3$	C—Br	C—Br	C—Br	C Br		C—Br	C—Br	C—Br		C—Br	C—Br		C—Br	C—Br	C—Br		C—Br	C—Br	C Br		C-C	ฮ ฮ ๖ ป	5 O	ပ	7 7 7 8	C-C	5 5 5 5	C -C	7 7 8 8	C—C
		$\mathbf{B}^2$	[] [] []	5 5 5 5	C C	ฮ ฮ ว c	7     		-C	ਹ ਹ ਹ ਹ	] ]	- C		7       		C_C	ت ا ا	7 7 0 0			ਹ ਹ ਹ ਹ	7 7 7 7	C_F	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓			jj	$C$ $\overline{F}$	jj	$\stackrel{\mathrm{C}}{-F}$	j	C— $F$
		$\mathrm{B}^1$	0 0 0	5 5 5 5	7 7 7	ฮ ฮ ว ฮ	7 T	C—CI	-C	ე <u>ე</u>	] ]	0	7 0 0	5 5       	5 0	C_C	ت ا ا	7 7 8	5 5 5 5		ე ე ე	7 7 7 8	7	7       	5 0	ට ට ට	5 5 3 0	C -C	5 5 5 5	C C C	7 7 3 0	C—C
		Table 1-ExNo.	1-809	1-811	1-812	1-813	1-815	1-816	1-817	1-818	1-819 1-820	1-821	1-822	1-823	1-825	1-826	1-827	1-828 1-829	1-830	1-831	1-832	1-834	1-835	1-836	1-838	1-839	1-840 1-841	1-842	1-843 1-844	1-845	1-846 1-847	1-848

		1					1				<b>-</b>		<b>-</b>		<b>-</b>												·	
		$ m R^6$	cyclo-PrCH2CO CF3CH2CO	CH3SCH2CO CH3S(O)CH2CO	CH3SO2CH2CO	CH3CHZNHCO CH3CO	CH3CH2CO	nPrCO	cyclo-FrCO	CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2CH2CO CH3CO	CH3CH2CO	oyclo-PrCO	cyclo-PrCH2CO	CH3SOCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO CF3CH2CO	CH3SOCH2CO	CH3S(O)CH2CO CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO	nPrCO cyclo-PrCO
		$\mathbb{R}^5$	Н	нн	н	ΗН	Н	шп	ш	ΞΞ	ΞΞ	н	ΞΞ	н	ΞΞ	н	ш	н	пШ	ΗП	ш	ш	ΗН	н	нн	н	пπ	ΞΞ
		$\mathbb{R}^4$	н	нн	Ξ:	ΞΞ	H	= □	ш	≖:	ΞΞ	н:	ш	ш	ш	ш	пπ	H	5 E	ш	= =	H	шш	: Ξ	ΗН	н	==:	ΞΞ
		$\mathbb{R}^3$	н	ΗН	н:	==	Н	ш	ΞΞ	Ξ:	==	ш:		ш	I II	ш	E E	ш	сΞ	ш	υШ	ΙШ :		ΞН	ΞΞ	ш	==:	ΞΞ
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	H H	8 8	H)	<del>5</del> 5	CH	₩ ₩	58	₩ ₩	3 B	HO	5 5	Н Н	5 5	Н Н	5 5	H F	5 B	B 5	58	B	₩ ₩	B B	8 B	H F	5 8 1	3 B
TABLE 1-continued	A	A^3	C—Br C—Br	C – Br	C—Br		C—CF3	C-CE3		C—CF3		C—CF3	C-CE3	C—CE3	C-CE3	C-CE3		C-G3	- E	C_CE3		C—CF3		C—CF3		C—CF3		
TABLE	z	A^2	HO	8 B	H	3 B	СН	B 8	В	E E	5 B	СН	5 B	СН	5 B	СН	5 5	СН	5 B	E E	5 5	Н	# E	H H	H)	CH	5 8 1	5 B
	× × × × × × × × × × × × × × × × × × ×	A^1	H)	88	H E	3 B	СН	₩ ₩	5 B	H 5	3 B	HO	5 B	H 5	3 B	H 5	5 5	H) E	5 5	₩ ₩	5 5	Н	# E	B	# # #	H H	5 5 1	3 B
	~ <u>~</u> ~~~	R	CF3 CF3	ES ES	CF3	E E	CF3	CE3	CF3	CF3	E E	CF3	CF3	CF3	CF3	CF3	CE3	CE3	SEO EEO	CF3	S S	CF3	E E	CF3	CF3 CF3	CF3	381	E E
		X^1	шш	ыH	ы	ı II	ц	ц	чн	щ	ı, ii,	щ	ı H	н	ΞΞ	н	. .	Η	υШ	ΞΞ	ΞΞ	ш:	ΗН	Ξ	ΗН	H	L [L]	чн
		B^4	#J	H J	H_O	JJ	$\mathrm{C}\!\!-\!\!\mathrm{H}$	H 0	J	H-0	JJ	H C	JJ	H 0	JJ	H 0	JJ	T C	J	H_0		J	J			H_0	JJ	JJ
		B^3	 	7 7 7	C_C	ว	C—CI	ਹ ਹ ਹ ਹ] 	7 0	5 5 5 0	- C] 	H_O	T T	H_O	JJ	H C	T T	H 0	J	H_3	ŢŢ		# # 5	H_0		JJ
		\mathbf{B}^2	C_F		C_F	jj	C_{-F}		jj	C_F	j	C—F		Н—О		Н—О	T T	H C	T T		j	C		C.F.		C_F		## ## ## ## ## ## ## ## ## ## ## ## ##
		\mathbf{B}^1	 	5 5 5 5	C-C	5 5 3 0	C—CI	7 0 0	7 7	_ - - -	5 0 5 0	D 0		C—CF3		C—CF3	E E E	C—CE3		CE3-3		C—CF3		C—CE3	0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0 -0	C—CF3		E E E
		Table 1-ExNo.	1-849 1-850	1-851 1-852	1-853	1-854 1-855	1-856	1-857	1-859 1-859	1-860	1-861 1-862	1-863	1-864 1-865	1-866	1-86/ 1-868	1-869	1-8/0	1-872	1-874	1-875	1-877	1-878	1-879	1-881	1-882 1-883	1-884	1-885	1-887 1-888

		1			-			-				1	_			-	_				_			Т			-			1			П
		$ m R^6$	cyclo-PrCH2CO	CF3CH2CO CH3SOCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CHZNHCO	cyclo-PrCO	CH3CO	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3OCH2CH2CO	CH3CH2OCH2CH2CO	CH3SCH2CO	CH3SO2CH2CO CH3SO2CH2CO	CH3CO	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3SCH2CO CH3S(O)CH2CO	СНЗЅОЗСН2СО	CH3CH2NHCO	cyclo-PrCO	CH3SCH2CO	CH3S(O)CH2CO	CH3CO CH3CO	CH3CH2CO
		\mathbb{R}^5	н	= =	н	ш	I I	Η	ш	I I	н	Н	н:	ш	ı I	Н	Η	н	= 0	ш	н	IΠ	Н	Н	ш		н:	Ξ:	= =	Н	ш	ΞΞ	н
		\mathbb{R}^4	н	п III	ш	ш:	ĽΞ	Ξ	Ξ:	IΙ	Ξ	Н	Η:	Ξ:	==	Н	Н	Ξ:	= =	- H	H	IΞ	Н	Н	ш:	c ==	н:	II.		Н	ш п	ΞΞ	Η
		\mathbb{R}^3	н	пπ	Н	m :	ĽΞ	Ξ	н:	ΞΞ	Ξ	Н	Η:	Ξ:	ΞΞ	Н	Н	Ξ:	Ξ.	ΞΞ	H	ΞΞ	Н	Н	Ħ:		н:	I :		Н	Ξ.	ΞΞ	Η
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	HJ T	5 5	H	₩ ₩	5 5	Н	⊞ 8	5 E	ΞE	СН	Н	H 5	5 E	Ю	СН	H E	3 B	5 5	СН	3 B	Э	НЭ	₩ ₩	5 5	CH	<del>5</del> 5	5 5	СН	8 8	<del>5</del> 8	Н
TABLE 1-continued	A	$A^3$	C—CF3		C—CF3			0 0 0	C—CH3		C—CH3	C—CH3	C—CH3	C—CH3		C—CH3	C—CF3		ე <u>ე</u>	7 T	C—Br		C—Br	C—Br	C—Br	C B	C—Br			C—CF3	C-C3	3	C— $F$
TABLE	$\left\langle \begin{array}{c} \dot{z} \\ \dot{z} \end{array} \right\rangle$	$A^2$	HO	5 5	СН	# E	55	CH	CH	5 E	ЕΘ	СН	CH	НΘ	5 5	НЭ	СН	CH	3 B	5 B	СН	3 8	Н	СН	# E	5 5	CH	5 E	5 5	СН	# E	ВВ	СН
	E P P P P P P P P P P P P P P P P P P P	$\mathbf{A}^1$	HD B	5 5	Н	₩ 8	5 E	СН	H 5	3 E	ЕΘ	СН	Н	H E	5 E	Э	СН	ВΞ	3 B	5 5	СН	3 B	Э	НЭ	₩ ₩	5 5	HO	5 E	5 5	СН	₩ ₩	3 B	СН
	- <u>R</u> =	R	CF3	CE3	CF3	CE3	3 E	CF3	CF3	E E	CE3	CF3	CF3	CF3	SE SE	CF3	CF3	CF3	E E	CE3	CF3	E E	CF3	CF3	CE3	E E	CF3	CE	GE GE	CF3	CE3	CE3	CF3
		$X^1$	щи	ı ii	ı II	ין אַז	4 II	Ξ	н	ΞΞ	Ξ	Η	Ξ:	Ξ:		Н	Η	н:	Ξ 🗆	υШ	н	ΞΞ	Ξ	Η	ШΕ	ιн	н	Ξ:	ΞН	Н	ΞП	н	Η
		$\mathrm{B}^4$	Н—О	J	С—Н	H-0	ŢŢ	С—Н	H_0	JJ	H J	С—Н	CH	T .	ij	C_H	С—Н	C—H	Ţ.,	JJ	СН	JJ	C—H	С—Н	H-0		C_H	T :	J	С—Н		J	С—Н
		$\mathrm{B}^3$	Н—О		C_H	# F		C—CE3	C—CF3		C—CE3	C— $CF3$	C—CF3	C-CE3		C—CF3	C—CF3	C—CF3		CES—CES	C—CF3	3 5	C—CF3	C—CF3	C—CF3		C—CF3		CE3	c— $cF3$	C—CE3	C—CE3	C—CF3
		$\mathbf{B}^2$	Н—О		С—Н	H 0	T T	СТН	H_0	JJ	H H	С—Н	H_O	T 0	J	C_H	С—Н	C—H	J C	F T	С—Н	<b>5</b> 5		С—Н	H-0		C—H	T 5		С—Н	H_0	H_O	С—Н
		$\mathrm{B}^1$	C—CF3		C—CF3	C-CF3		0 0 0	7 0 0	3 5 3 0	5 5 5 5 5	C—CI	- - - - -	7 0	J 0	- C	C—C	7 C	ე ნ ე ს	7 7 ] ]	0 0 0	5 5 3 0	5 <del>-</del> 5	C—CI	ਹ ਹ ਹ ਹ	7 7 ] ]	C - C	ว ถ ว เ	7 0 3 0	C—C]	7 0 0		C— $CF3$
		Table 1-ExNo.	1-889	1-890 1-891	1-892	1-893	1-894 1-895	1-896	1-897	1-898 1-899	1-900	1-901	1-902	1-903	1-90 <del>4</del> 1-905	1-906	1-907	1-908	1-909	1-910 1-911	1-912	1-913 1-914	1-915	1-916	1-917	1-916 1-919	1-920	1-921	1-9 <i>22</i> 1-923	1-924	1-925	1-927	1-928

		1					·									_,		1									
		$ m R^6$	nPrCO cyclo-PrCO	CF3CH2CO	CH3SCH2CO CH3S(O)CH2CO	CH3SO2CH2CO	nPrCO	cyclo-PrCH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3CO2CH2CO CH3CH2NHCO	nPrCO	cyclo-PrCH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CH2CO	nPrCO	cyclo-PrCU cyclo-PrCH2CO	CF3CH2CO	CH3SCH2CO CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2CO CH3CH2CO	CF3CH2CO	cyclo-PrCH2CO	CH3C(O)CH2CO	CH3OCH2CH2CO	CH3SCH2CO	CH3SO2CH2CO
		$\mathbb{R}^5$	нн	ш	шш	ш	: ш:	ΞΞ	н:	ШΗ	Н	ΞΞ	н	пШ	ΞΞ	н:	ΞΞ	Н	ΗН	Н		шо	ΞШ	<b>=</b> :	пπ	шп	н
		$\mathbb{R}^4$	шш	==	шш	==	: ::::	ΞΞ	н:	ΞΞ	н:	ΞΞ	ш	C III :	ΞΞ	ш:	ΞΞ	H	шш	ш	ш	шп	ш	ш:	ΞΞ	шп	:
		$\mathbb{R}^3$	нн			шш	: ш :	II	Ξ;	ΕΞ	Ξ:	==	ш	C II :	I I	Η:	II	H	EΞ	Ε		===	ΞΞ	Ξ:		ΞI	ΞШ
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	B B 8	5 B	8 8	B 5	B 8	<del>5</del> 5	СН	<del>5</del> 5	CH	<del>5</del> 5	H F	55	<del>5</del> 5	СН	5 B	CH	3 B	В	55	# B	8 8	8 €	5 B	8 B	5 5
TABLE 1-continued	A - A - A - A - A - A - A - A - A - A -	A^3	-	ij		C-F	7 7 7	3 3 3 3	C-C	5 5 J J	C—Br		C—Br	CBr		C—CH3		C—CH3		C—CH3	C-cyclo-Pr	C-cyclo-Pr	C—CF3	C-C3		C-CE3	C—CF3
TABLE	Ž	A^2	E E E	5 B	8 B	## E	: : : : : : : : : : : : : : : : : : : :	5 5	СН	H H	СН	3 8	H 5	5 B I	3 B	CH	3 B	СН	5 5	B 5	5 B	B 8	B B	# F	3 B	H H	5 B
	× × × × × × × × × × × × × × × × × × ×	A^1	888	5 B	B B	88	B B i	5 5	СН	H H	СН	5 5	H)	5 B	5 5	СН	5 5	CH	∃	В	55	H)	ВВ	H 5	55	H H	5 5
	<u>m</u>	R	CF3 CF3	CES	CE3	CE3	CES	EE3 CE3	CF3	CF3 CF3	CF3	CE3 CE3	CF3	CE3	CE3	CF3	CE3 CE3	CF3	E E	CF3	E E	CF3	CF3	E 5	EE3	CF3	CE3
		X^1	нн	ш	ΗН	ш	: н:	ΗН	Η:	ΞΞ	н:	ΞΞ	Η	ш	ΞΞ	Η:	ΞΞ	H	ΞΞ	н	ΞΞ	ΗБ	н	ш	ΞΞ	ΗП	ш
		B^4		T	TJ	H	T.	JJ	H_O	TJ	H	JJ	H	TJ.	JJ	СЩ	JJ	C_H	JJ	Н—О	JJ	H 0	T T	H_0	JJ		
		B^3	C—CF3 C—CF3	C-CE3	C_CE3	C—CF3						E3-0	C—CF3				E E S		C - C - C - C - C - C - C - C - C - C -	C—CF3	EE -	C—CF3		C-CF3	C-CE3	C—CF3	
		\mathbf{B}^2			T T		T .	7 7	C_H	TT		# T	H	1 1	JJ	C—H	7 7		T T	H_0	JJ	H_0	J		JJ		H O
		B^1	C—CF3 C—CF3								-CE3	E E		E3 (C—CF3		CF3	£ £	C—CE3	CE3	C—CF3		C—CE3	CE3
		Table 1-ExNo.	1-929 1-930	1-931 1-932	1-933 1-934	1-935	1-937	1-938 1-939	1-940	1-941 1-942	1-943	1-944 1-945	1-946	1-947	1-949 1-950	1-951	1-952 1-953	1-954	1-955 1-956	1-957	1-938 1-959	1-960	1-962	1-963	1-964 1-965	1-966	1-968

		П	1 -			٦.		1		- -				- -	- 1							⊣ -		1	•				- -		_ ,	
		$ m R^6$	(Allyl)SCH2CO	(Allyl)SO2CH2CO	CH3C0	CH3CH2CO	oyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CO	CH3CH2CO	CF3CH2CO	CH3CO	CH3CH2CO	CF3CH2CO	CH3SCH2CO	CH3CO	cyclo-PrCO	CF3CH2CO	CH3CH2CO	nPrCO	cyclo-PrCO	CESCH2CO	CH3SCH2CO	CH3S(0)CH2CO	CH3SO2CH2CO	CH3CH2CO CH3CO	СНЗСН2СО	nPrCO cyclo-PrCO
		\mathbb{R}^5	Н	ΙН	н	==	ш	Н	ш:	ΗН	Н	H	ш:	пπ	н	Н	Ξ =	пш	н	Ι Π	ΞН	Ξ		Н	н		Ξ Ξ	н	= =	пШ	н:	шш
		\mathbb{R}^4	н	ΞН	ш:	II I	ΞΞ	Η	Ξ:	I I	Ξ	н	Ξ:	ΞΞ	Ξ	Ħ:	= =	- H	н		Ξ	Ħ:		H	ш:		= =	н	= =	пπ	н:	ΗН
		\mathbb{R}^3	н	ΞΞ	Ξ	II :		Η	Ξ:	I I	Ξ	Ξ:	Ξ:	I I	Ξ	Ξ:	I D	==	н		: Ξ	Ħ:		: Ξ	Ξ:		= =	н:	= =	пΞ	Ξ:	ΞΞ
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	HO	3 B	H)	3 B	5 B	СН	H :	3 B	E	CH	₩ ₩	3 B	CH	CH	3 B	5 B	CH	3 E	H	B 5	5 5	H	H 5	5 E	5 B	ЭН	3 B	5 B	СН	## ## ## ## ## ## ## ## ## ## ## ## ##
IABLE 1-continued	AA	$A^3$	C—CF3		C-CN	2 6 3 6		C—CN			C-CN	CCN	C—SCH3		C—SCH3		C—S(O)CH3		C—S(O)CH3	C—SO2CH3	C—SO2CH3	C—SO2CH3	C—SCE3	C—SCF3	C—SCF3	C—SCE3	C—SCF3	C—SCF3		C—SCF3 C—S(O)CF3		C—S(0)CF3 C—S(0)CF3
TABLE	Ž	$A^2$	HO	5 5 5	CH	<del>5</del> 5	5 5	СН	H)	3 E	Э	СН	E E	3 B	СН	CH	3 B	5 B	Э	3 B	Э	## E	5 5	H	H)	5 E	5 5	СН	5 B	5 B	СН	# #
	¹ ^X ^R ^B ⁴	$A^1$	HO	38	CH	<del>5</del> 5	5 5	СН	H E	3 E	Ю	СН	E E	3 E	СН	CH	3 B	5 B	Н	3 B	Э	B 5	5 5	Н	H E	5 E	5 B	CH	5 B	55	CH	# #
	_m=_m	<b>x</b>	CF3	CE3	CF3	E E	CE3	CF3	CF3	E E	CF3	CF3	CF3	SES ES	CF3	CF3	CE E	CF3	CF3	E E	CF3	CF3	CE3	CF3	CF3	E E	CE3	CF3	EE CE	E E	CF3	CF3
		$X^1$	Н	ΞН	н	II I	пπ	Н	н	I I	н	н	ш:	ΞΞ	н	н	<b>=</b> =	υШ	ΞΞ		Ξ	Ξ	ш	ш	н		:	н:		пΗ	Η:	ΗН
		$\mathrm{B}^4$	H—O	J	СН	T 5	JJ	С—Н	H_0		H_O	H_2		JJ	C_H	СТН		JJ	H_O			H_0	J	Н	H_0		T T	H_0		JJ	H_0	FF
		$\mathrm{B}^3$	C—CF3	C_CE3	C—CF3	E3 6		C—CF3	C—CF3		C-CF3	C—CF3	CE3		C—CF3			C-CE3	C—CE3	35	C—CF3	C-CE3		C—CF3	C—CF3		CE3-	C—CF3		C-C53	C—CF3	C-C3
		$\mathbf{B}^2$	C_H	H O	H_0	# F		С—Н	H 0	J	C—H	С—Н	H 0	ŦŢ	C—H	C—H			C—H	Į	C—H	C—H		H	H_0		J	C—H	T	JJ	C—H	
		$\mathrm{B}^1$	C—CF3							3 5	CE3	-CF3	CE3	3 5	-CF3	-CE3			CE3		-CE3	C—CF3		-CF3	CE3			CE3				C—CF3
		Table 1-ExNo.	1-969	1-971	1-972	1-9/3	1-974 1-975	1-976	1-977	1-979	1-980	1-981	1-982	1-983 1-984	1-985	1-986	1-987	1-989 1-989	1-990	1-991 1-99 <i>7</i>	1-993	1-994	1-995 1-996	1-997	1-998	1-999 1-1000	1-1001	1-1002	1-1003	1-1004 1-1005	1-1006	1-1007 1-1008

		1					,					1														
		$ m R^6$	cyclo-PrCH2CO CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO CH3CH2NHCO	CH3CO	nPrco	cyclo-PrCU cyclo-PrCH2CO	CF3CH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO CH3CH2NHCO	nPrCO	cyclo-PrCO CH3SCH2CO	CH3S(O)CH2CO	CH3CO	CH3CH2CO nPrCO	cyclo-PrCO	CF3CH2CO	CH3SCH2CO CH3S(0)CH2CO	CH3SO2CH2CO	nPrC0	cyclo-PrCO CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO CH3CO	CH3CH2CO nPrCO cyclo-PrCO	<b>x</b>
		$\mathbb{R}^5$	нн	ш	нн	н	: ш:	ш	шш	: = :	ΞΞ	Н	ΞΞ	ΞΞ	н	ΞΞ	ш	: = :	ΞΞ	н	==	ΗН	н	ΗН	ппп	
		$\mathbb{R}^4$	нн	пπ	нн	н	=:	ΞΞ	шш	ш	ΞΞ	Н	ΞΞ	нн	Ξ	ΞΞ	ш	: ш :	ΞΞ	н	ш	ΞΞ	н:	==	шшш	
		$\mathbb{R}^3$	нн		ΗН	н	==:	шш	ΞΞ	: = :	ΞΞ	Н	ΗН	нн	н	ΞΞ	H	: = :	ΗН	н	ΞΞ	ΞΞ	н:	ΞΞ	шшш	
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	55	55	8 B	В	5 B 8	5 B	₩ ₩	H H	5 5	СН	E E	H H	Н	3 B	E 5	∃ <del>5</del> 5	5 B	Н	3 B	55	H E	8 B	888	
IABLE 1-continued	A A A A A A A A A A A A A A A A A A A	A^3	C—S(O)CF3 C—S(O)CF3	C—S(O)CF3 C—S(O)CF3	C—S(O)CF3 C—S(O)CF3	C—SOZCF3		C—SO2CF3	C_SO2CF3 C_SO2CF3		C_SO2CF3 C_SO2CF3	[] C—C]	7 7 7 8	J J	C—Br		C—Br	C—Br		C—Br	C—CF3	C_C3	C—CF3		5 5 5 0 0 0	
TABLE		A^2	888	5 B	8 B	СН	5 B 8	3 B	# #	H)	3 B	СН	8 B	# #	H	3 B	# F	# # E	3 8	НЭ	- 8	## ##	H	## ## ## ## ## ## ## ## ## ## ## ## ##	888	
	N N N N N N N N N N N N N N N N N N N	A^1	888	3 B	8 €	В	5 B 8	3 8	88	H H	3 B	СН	8 B	8 B	B	3 8	₩ ₩	B 8	3 B	H H]	## ### ###############################	H	5 5	888	
	`m=`````	В	CF3 CF3	E E	CE3	CF3	EE EE	EE GE	CE3	CF3	EE EE	CF3	CF3 CF3	CE3	CF3	E E	CE3	CF3	E E	CF3	CE3	CE3	CF3	CE3	CF3 CF3	
		X^1	нн	ш	ΗН	н	ш:	ΞΞ	ΞΞ	н	ΗН	Н	ΗН	нн	Ξ	ΞΞ	ш	ш	ΞΞ	н	ш	ΞΞ	Η:	ΞΞ	ннн	
		B^4	## 3	JJ				JJ	JJ	H C	JJ	$\mathrm{C}\mathbf{-H}$	JJ	77		JJ			JJ		J	JJ	H_0			
		B^3	C—CF3 C—CF3		C—CF3	C—CF3	C—CF3						C-CE3	C—CE3				C—CF3		C—CF3	C—CE3		C—CF3		0 0 0 0 0 0	
		\mathbf{B}^2	H-0	JJ		СН		JJ			ŦŢ		7 7 0 0	777		7 7 3 0			7 7 3 0	77	7 7	7 7 0 0	C - C	Z	zzz	
		B^{l}	C—CF3 C—CF3		0 -CE3 -CE3	C—CF3	CE3 - C			C-CE3		C—CI	ਹ ਹ ਹ ਹ	J J	5 O	7 7 3 0	77	5 T 5	5 5 3 8	77]]]	7 	C-C	7 7 7 8	5 5 5 0 0 0	
		Table 1-ExNo.	1-1009 1-1010	1-1011 1-1012	1-1013 1-1014	1-1015	1-1017	1-1018 1-1019	1-1020 1-1021	1-1022	1-1023 1-1024	1-1025	1-1026 1-1027	1-1028	1-1030	1-1031 1-1032	1-1033	1-1035	1-1036 1-1037	1-1038	1-1040	1-1041 1-1042	1-1043	1-1044 1-1045	1-1046 1-1047 1-1048	

		1									·	·				·							
		R ⁶	cyclo-PrCH2CO CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO CH3CH2NHCO	CH3CO CH3CO	nPrco	cyclo-PrCO cyclo-PrCH2CO	CF3CH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3SOZCHZCO CH3CHZNHCO	CH3CH2CO	nPrCO cyclo-PrCO	cyclo-PrCH2CO CF3CH2CO	CH3SCH2CO	CH3S(U)CH2CU CH3SO2CH2CO	CH3CO CH3CO	CH3CH2CO nPrCO	cyclo-PrCO	CF3CH2CO	CH3SCH2CO CH3S(O)CH2CO	CH3CH2NHCO	CH3CH2CO nPrCO cyclo-PrCO
		\mathbb{R}^5	нн	ш	нн	н	: ::::	ΞΞ	ΗН	н	ι π :	ш	ΗН	нн	: ш :	===	ш	ШΗ	нн	===		: ш п	
		\mathbb{R}^4	нн	==	ΞΞ	шш	ΞΞ:	ΞШ	ШΞ	ш	п ш :	пш	ΞН	ΞΞ	: = :	пш		ШΕ	шп	: = =	I II I	шш	: = = =
		\mathbb{R}^3	нн	ш	нн		: ш:	ΞΞ	ΞΞ	ш	C III :	E III :	ΗН	ΞΞ	:=:	с = :		ΞΞ	н			==	
	Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-	A^4	#5 #5	5 5	88	H H	∃ 8 1	3 8	# # #	H)	5 5 5	5 B I	# # #	# E	∄ 8	5 5 5	58	5 5	H H	3 B B	3 B B	# 8 8	8 8 8 8
IABLE 1-continued	A	A^3	7 7 7 7	7	5 J J	C Br				C Br			- E		CE3	E E E			C_CF3				
TABLE	$\left\langle \right\rangle$	A^2	## ## ## ## ## ## ## ## ## ## ## ## ##	5 B	H H	88	B B I	5 5	# # # # # # # # # # # # # # # # # # #	Н	5 5 5	5 5	3 B	H H	E E	5 5 5	BB	88	СН	3 B B	8 B B	# B B	3 8 8 8 8
	N N N N N N N N N N N N N N N N N N N	A^1	888	5 5	88	## E	B B I	3 B	88	Н Н	5 B 8	5 B I	3 B	# #	∃ B 8	5 5 5	58	8 8	H H	# 8 8	3 8 E	# E E	3 8 8 8 8
	В==В	R	CF3 CF3	CES	CE3 CE3	CE3	CF3	E E	CF3 CF3	CF3	E E E	E E I	E E	CF3	CF3	E E E	CF3	CES CES	CF3	E E	388	E E E	CF3 CF3 CF3
		X^1	н	υШ	ΗН	шш	: =:	ΞΞ	ΞΞ	ΗП	E E :	п ш :	ΞΞ	ΗН	ш	ЕШЕ	ΞΞ	ΗН	ΗН			ш	шшш
		B^4	F 7 3	J	J		J	JJ	TJ	H		J	JJ	J			J	JJ	H				zzz
		B^3	5 5 5 0 0 0	7	7 0 0	7 7	7 7	5 5 5 3 0	5 5 0 0	77 77		7 7 7	7 7 7 8	7 7 8	5 T T	777		ŦŢ		## ## ## ## ## ## ## ## ## ## ## ## ##		J	
		\mathbf{B}^2	ZZZ	zz	zz	zz	z z ;	zz	zz	zz	zz	zz	ΖZ	zz	: Z	zz	ΖZ	zz	zz	: Z Z	3 Z Z	z Z	
		B^1	7 7 7 7 7]]]	7 7 8	000	7 0 7	3 0 1 3 0	0 0 0	77	700			7 7 0 0		700			C—CF3			C-CF3	
		Table 1-ExNo.	1-1049 1-1050	1-1051	1-1053 1-1054	1-1055	1-1057	1-1058 1-1059	1-1060 1-1061	1-1062	1-1064	1-1066	1-1067 1-1068	1-1069 1-1070	1-1071	1-10/2	1-10/4	1-1076 1-1077	1-1078	1-1080	1-1082	1-1084	1-1086 1-1087 1-1088

		1	1				⊣ -	- -		1		-			1	 -						_	- -		-			-		→ -			
		R ⁶	cyclo-PrCH2CO	CF3CH2CO	CH3S(0)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CH3CO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3SCH2CO CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3S(O)CH2CO	CH3SOCH2CO	CH3CHZNHCO	CH3CH2CO	nPrCO	cyclo-PrCO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SOZCHZCO	CH3CO	СНЗСН2СО	nPrCO cyclo-PrCO
		\mathbb{R}^5	Н	ΗП	ш	Н	н		ΞΞ	Н	н	н:	= =	Ξ	Н	ш:	= =	Ξ	H	= =	ΞΞ	Н	===	н	Н	Π:	= =	Η	Н	I I		н	нн
		\mathbb{R}^4	Н	ΞЭ	υШ	Η	ш:		ΞΞ	Η	H	Ξ;	шп	Ξ	Н	Ħ:	I II	Ξ	H	I I	ΞΞ	H		ΞΞ	H	Ξ:		Ξ	н	==	I I	ш	ΞΞ
		\mathbb{R}^3	Н	ш	ΞΞ	Н	Η:		= =	Н	н	Ξ:		Ξ	Н	Ξ:		Ξ	H	I I	ΞΞ	H		н	H	II:		Ξ	ш	I I		ш	ΞΞ
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	СН	₩ ₩	5 B	Н	H H	5 E	5 B	СН	СН	E i	8 B	Н	CH	Ð 5	5 E	ВΒ	CH	3 B	5 B	CH	3 E	5 B	CH	# E	5 5	В	Н	5 E	5 E	Н	8 8
TABLE 1-continued	A	$A^3$	C—CF3	E E		C—CF3	C—CF3		CE3_0	C—CF3	C—CF3	C-CE3		C-CE3	C—CF3	; ; ;		5 5 5 5	5	ฮ ฮ ๖ c	] ] ]	- - - - -	# C	C Br	C—Br	C—Br		C—Br	C—Br			C—CF3	
TABLE 1		$A^2$	СН	H P	5 5	СН	H)	5 E	5 B	CH	СН	H I	8 B	Н	СН	H 5	3 B	ВВ	СН	3 B	3 B	СН	3 E	BB	СН	# E	5 E	В	Н	5 E	3 B	СН	H H
	N N N N N N N N N N N N N N N N N N N	$A^1$	СН	8 8	5 5	СН	H 5	5 E	3 5 5	CH	НЭ	E E	8 B	B	СН	8 5	5 E	ΕB	HO	3 E	3 B	CH	3 B	B B	СН	₩ ₩	5 5	Э	Н Н	5 E	55	Н	E E
		R	CF3	CE3	EE EE	CF3	CF3	E E	CE3	CF3	CF3	CF3	E E	CE3	CF3	CE3	E E	CE3	CF3	E E	CE3	CF3	3 5	CE3	CF3	CE3	G.	CF3	CF3	E E	3 8	CF3	CF3 CF3
		$X^1$	Н	ΗП	υН	Н	н		: н	Н	Η:	Η:	ΞΞ	н	н	ш:		:	Ξ:	I 1	ΞΞ	H	I I	ΞΞ	H	Ξ:		Н	н	==		Ξ	нн
		$\mathrm{B}^4$	z	zz	zz	z	z	z	zz	z	z	z;	zz	z	z	Ţ	ŢŢ	Ŧ	Ţ	Ţ	Ţ	Ţ	Ţ	Ţ	Ţ	Ţ	ŢŢ	Ŧ	T.	Ţ.	ŢŢ	Ţ	ŢŢ
		$\mathrm{B}^3$	С—Н	#-J		C—H	H 5		CE3	C—CF3	C—CF3	EE E		CE3	C—CF3			C-CE3	C—CF3			C—CF3			CE3	- C3		CES	C—CF3			CE3	C-CE3 C
		$\mathbf{B}^2$	H	T.	T T						-			C—H	Η										z	z				Z	zz	z	zz
		$\mathrm{B}^1$	C—CF3 C				~									C—CE3		C—CF3	C—CF3		ES-0	C—CF3		C-CF3		C-CE3				3 5			C-C3
		Table 1-ExNo.	1-1089	1-1090	1-1091	1-1093	1-1094	1-1095 1-1096	1-1097	1-1098	1-1099	1-1100	1-1101 1-1102	1-1103	1-1104	1-1105	I-1106 1-1107	1-1108	1-1109	1-1110 1-1111	1-1112	1-1113	1-1114	1-1116	1-1117	1-1118	I-1119 1-1120	1-1121	1-1122	1-1123	I-1124 1-1125	1-1126	1-1127 11128

		П	- 1					1			1				1			- 1			-			1								
		$ m R^6$	cyclo-PrCH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CO CH3CO	CH3CH2CO	nPrCO	cyclo-PrCH2CO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	СН3СО	CH3CH2CO	Secto-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO	nPrCO	cyclo-PrCO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	n-PrCO	cyclo-PrCO	cyclo-PrCH2CO
		R ⁵	Н	ΞН	н:	Ξ 5	пн	Н	ш 1	ΞΞ	Н	ΗП		ΞΞ	Н	ш	= =	ΞН	ΗП	u ==	Н	ш :	пн	Н	Шο	<b>-</b> -	ΞН	н	ш	н:	<b>=</b> =	н
		$\mathbb{R}^4$	н	= =	н:	===	пп	H	===	ΞΞ	Н	ΠП		ΞΞ	H	Ħ:		Ξ	ΗП	c =	Н	<b>=</b> =		H	шп		Ξ	ш	ш	н:	шп	Ξ
		$\mathbb{R}^3$	н	ΞΞ	н:	Ξ:		Н		ΞΞ	Η	ΞЭ		ΞΞ	Н	ш	==	Ξ	ΞЭ	C II	Н	ш:	- H	Н	ΞЭ	c =	ΞН	ΞΞ		ш:		Ξ.
	~~~×~~×~~×~~~×~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	H 1	3 B	H)	3 B	5 5	СН	₩ ₩	5 B	СН	H 7	5 5	5 B	СН	E 5	5 E	Ξ	H 7	5 5	CH	₩ E	5 5	СН	B 8	5 5	Ξ	H 5	5 5	z	z z	z
IABLE 1-continued	A	A^3	C—CF3		C—CF3		£ 5 - 5	C—CI	7 0 0	7 0 3 0	C_CI	7 T] [7 7 7 8	C—Br	C—Br		C Br	C—Br		C—Br	C—Br		C—CF3			C-CF3	C-CF3		C-C	5 5	5 0
IABLE 1		A^2	HO	3 B	СН	3 B	5 B	СН	## E	5 B	СН	HO	5 5	. 5	СН	E 5	5 5	ΞE	HO	5 5	СН	# E	5 5	СН	H)	5 E	ΞE	H)	5 5	СН	## ## ## ## ## ## ## ## ## ## ## ## ##	B
,		A^1	H)	3 B	СН	3 B	5 B	СН	B 8	5 B	CH	CH	5 5	5 B	СН	# E	5 E	ВΒ	HO	5 5	CH	8 €	5 5	СН	E E	5 E	B B	H)	5 B	CH	8 B	H H
		ద	CF3	CF3	CF3	SES ES	CF3	CF3	CE3	CE3	CF3	CF3	E E	GE CE	CF3	CF3	E E	CF3	CF3	CE3	CF3	CF3	CE3	CF3	CF3	E E	CF3	CF3	CE3	CF3	E E	CF3
		X^1	н	ΞΞ	Η:	I D	υΞ	Н		ΞΞ	Н	н		ΞΞ	Н	ΞΞ		Н	ΗП	u II	Н	ш	- H	Н	H		ΞН	н	υН	Η:	ΞΞ	н
		B^4	Н—О	T T	H_O		z	z	z z	ΖZ	Z	zz	z	z	z	zz	z z	z	ZZ	zz	Z	zz	zz	z	zz	z	z	zz	zz	H_0	J	H_0
		B^3	C—CF3	E - S	C—CF3			C—CF3	CE3 C	E E	C— $CF3$	C—CF3		E E	C—CF3	C-CE3	1 1	C—CF3	C—CE3		C—CF3			C—CF3	C—CF3		C—CF3	C—CF3	CE3		7 7 8	5 -C
		\mathbf{B}^2	zz	zz	z;	z	C_H	С—Н			С—Н	Н_О		F F		H_0	ij	C H	H_0	J	С—Н			С—Н	Н—О		H_0	H_0		С—Н		C_H
		B^1	C—CF3	CE3	C—CF3			-CF3		CE3	-CF3	C—CE3		CE3	-CF3	C-CF3		CE3	C—CE3		CE3	CF3	3 E	-CF3	C—CE3			C—CE3		C-C	7 7 8	5 5 5 5
		Table 1-ExNo.	1-1129	1-1131	1-1132	1-1133	1-1134 1-1135	1-1136	1-1137	1-1139	1-1140	1-1141	1-1142 1-1143	1-1144	1-1145	1-1146	1-114/ 1-1148	1-1149	1-1150	1-1151	1-1153	1-1154	1-1155 1-1156	1-1157	1-1158	1-1159	1-1161	1-1162	1-1164 1-1164	1-1167	1-1168 1-1169	1-1170

		1	1				·				1	_ ,			-				- 1	п.			_ ,			1			1				
		$ m R^6$	CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO	nPrCO	cyclo-PrCO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO n-PrCO	cyclo-PrCH2CO	СН3ОСН2СО	CH3CH2OCH2CO	CH3CCH2CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2CO	cyclo-FrcO CF3CH2CO	CH3CH2CO	cyclo-PrCO	CH3CH2CO	CH3CH2CO	cyclo-PrCO	CF3CH2CO	IPCO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO CH3CH2NHCO
		\mathbb{R}^5	Н	н:	ΞΞ	Ξ	н:	Ξ:	c =	Н	Н	ш:	= =	н	Н	ш:	= 1	G III	н	н	ΞΞ	Н	ШΞ		Н	Н	ш =	= ==	Н	Ξ;	==	ΞΞ	нн
		\mathbb{R}^4	Н	н:	II	Ξ	н:	I D	c =	Ξ	н	≖:	II	Ξ	Н	ш:		c II	н	ш		Ξ	ШΙ		Œ	Н		= ==	Н	II :		ΞШ	нн
		\mathbb{R}^3	Н	Ξ:	I I	: Ξ	Ξ:	==	C (II	Ξ	Ξ	Ξ:	I I	Ξ	Н	Ξ:		C II	H	H	II	: Ш	Ħ:		Ξ	H	==	= ==	Н	Ξ;	II	ΞΞ	ΗН
	Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-	A^4	Z	Z;	z z	z	Z;	Z 7	z z	z	Z	z;	z z	Z	Z	z	Z	z z	z	z	z z	z	z	z z	Z	z	Z Z	zz	z	z;	z z	z	ΖZ
TABLE 1-continued	A-1-A-2 A-2 A-2 A-3 B-3 B-3 B-3 B-3 B-3 B-3 B-3 B-3 B-3 B	A^3	C—CI	7 7 7	5 5 J J	; ;; ;;	C—Br			C—Br		C—Br	C _ Br	C—CF3	C—CF3	C-CF3			C—CF3	C—SCH3		C—SOCH3	C—SOCH3	C—SOCH3	C—SO2CH3	C—SO2CH3	C—SO2CH3		C—SCF3	C—SCF3	C—SCF3	C—SCF3	C—SCF3 C—SCF3
TABLE		A^2	СН	H)	3 B	B	H	5 5	5 5	СН	СН	CH	3 B	В	CH	H)	5 5	5 5	CH	H 5	5 E	B	H)	5 5	Э	СН	# E	38	СН	Е	8 E	5 5	НЭ
	-X	A^1	СН	H I	3 B	H	H	5 B	5 5	Н	СН	H E	3 B	В	CH	E E	5 E	5 5	CH	H)	3 B	B	H E	5 5	H	СН	8 €	38	CH	8 €	8 E	5 5	H H
	_B—_B,	R	CF3	CF3	E E	CF3	CF3	EE GE	3 8	CF3	CF3	CF3	E E	CE3	CF3	CF3	E E	3 8	CF3	CF3	E E	CF3	CF3	3 E	CF3	CF3	CE3	EE EE	CF3	CF3	CE3	CE3	CF3 CF3
		X^1	Н	Η:	ΞΞ	Ξ	Ξ:	Ξ:	G II	Ξ	Η	Ξ:	ΞΞ	Ξ	Η	Ξ:	I D	Ξ Ξ	Η	н	ΞΞ	Ξ	Ξ:		Ξ	Н	Ξ:	ΞΞ	Η	Ξ:	ΞΞ	Η	Н
		B^4	С—Н	H_0	JJ		H_0	T 0	J	C_H	С—Н	T .	JJ	T	С—Н	T o	; ;	J	H_O	H C	JJ	S H	H o	J	C_H	С—Н		J	С—Н	T .			JJ
		B^3	C—CI	C -C	7 0 3 0	5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -	-C-C	ე ნ ა ი		000			7 7 2 0				J 0				7 		7 0 0		0 0 0	C—C	ე <u>ე</u>	7 T	C—CI	- - - - -	7 0 0	7 7	7 7 7
		\mathbf{B}^2	С—Н	C—H	5 5			T	55	OH -0		H :	T T				# #				# # 5		H 0	J		С—Н			С—Н	H_0		T - 0	77
		\mathbf{B}^1	C—C1	C -C	7 0 3 0	5 O	0-0	ე ნ ა	7 0	5 5 7 7 7	C_C	7 0	7 7 3 0	5 5 7 7	C—C	70	J 0		- - - - -	다 0 0	7 7 3 0	5 5 5	7 0 0	7 C	5 5 5 7 7	C_C	7 0 0	7 7 0	C—C	- - - - -	7 7 8	7 0	7 7 7
		Table 1-ExNo.	1-1171	1-1172	1-11/3 1-1174	1-1175	1-1178	1-11/9	I-1180 1-1181	1-1182	1-1183	1-1184	1-1185 1-1186	1-1187	1-1188	1-1189	1-1190	I-1192 1-1193	1-1194	1-1196	I-119/ I-1198	1-1200	1-1201	I=1202 1=1203	1-1205	1-1206	1-1207	I-1209 1-1210	1-1211	1-1212	1-1213	1-1215	1-1216 1-1217

		1											1											,	- -		
		R ⁶	CH3CH2CO nPrCO	cyclo-PrCO cyclo-PrCH2CO	CF3CH2CO	CH3SCH2CO CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO CH3CH2CO	nPrCO	cyclo-rrcO cyclo-PrCH2CO	CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO CH3CO	CH3CH2CO	eyelo-PrCO	cyclo-PrCH2CO	CF3CH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CO	CH3CH2CO nPrCO	cyclo-PrCO	CF3CH2CO	CH3SCH7CO	CH3SQ2CH2CO CH3SQ2CH2CO	CH3CH2CO CH3CO CH3CH2CO
		\mathbb{R}^5	Н	ΞΞ	н	ΞΞ	н	= =	ш	ш	н	ΞΞ	Н	ΞΞ	==	.	н	ΞΞ	н	пπ	н	= =	н	: ::::::::::::::::::::::::::::::::::::		п == :	
		\mathbb{R}^4	Н	ΞΞ	н:	ΞΞ	Ξ	ΞΞ	н	υШ	н:	ΞΞ	Н	ΞΞ	ш	- I	н:	HΗ	н:	пπ	н	==	н	: н:	Ξ.	п == :	
		\mathbb{R}^3	Н	ΞΞ	ш:	ΞΞ	Η		ш	C II	Ξ	EE	Н	ΞΞ	==	C ==	Ξ	ΞΞ	н		Ξ	ΞΞ	шп	: ш :	= =	==:	
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	zz	zz	z	ΖZ	zź	ΖZ	zz	zz	z	z z	z	zz	ZZ	zz	z	ΖZ	z	zz	z	ΖZ	ZZ	z	Z	zz	ZZZ
IABLE 1-continued	A-1-A-2	$A^3$	C—S(O)CF3 C—S(O)CF3	C—S(O)CF3 C—S(O)CF3	C—S(O)CF3	C—S(O)CF3 C—S(O)CF3	C—S(O)CF3	C—S(O)CF3 C—SO2CF3	C—SO2CF3	C—SO2CF3		C—SO2CF3 C—SO2CF3		C_SO2CF3 C_C1	77	7	\(\frac{1}{2}\)	5 5 5 0	ت ا د	5 5 5 0	C—Br		C—Br	C Br			E E E E E E E E E E E E E E E E E E E
TABLE		$A^2$	НЭ	88	HO	55	СН	3 8	НЭ	5 B	СН	3 B	$_{\mathrm{CH}}$	8 B	B 5	5 5	CH	3 B	Н	3 B	H)	5 5	НЭ	B 8	5 5	5 B 5	5 5 5
	-X	$A^1$	HO	8 8	HO	3 B	Н	5 B	В	5 B	СН	5 B	СН	<del>5</del> 5	H 5	5 5	СН	3 B	H H	3 B	Н	3 B	H H	: E	3 B	5 5 5	555
	<u>m</u> ==`m	R	CF3 CF3	CE3 CE3	CF3	CE3 CE3	CF3	E E	CF3	CF3	CF3	E E	CF3	CE3	CF3	CE3	CF3	E E	CF3	E E	CF3	E E	CF3	CF3	CE3	38	CE3 CE3
		$X^1$	н	ΗН	Η:	нн	н	ΗН	н	υШ	Η:	ΞΞ	Н	ΗН	ш	ΕΞ	Η:	ΞΞ	Ξ:	ΞΞ	Η:	ΞΞ	н	ш:	= =	п = :	===
		$\mathrm{B}^4$	#J			JJ	T .	JJ	СН	JJ	H C	JJ	$_{\rm C-H}$	JJ	T C	J	H_O	JJ	H_0	JJ	H_0	JJ					
		$\mathrm{B}^3$	0 0 0 0	ਹ ਹ ਹ ਹ	7 0 0	5	7 0	3 0 3 0	7 7 7 C	7 7 3 0		7 7 3 8	C—CI	ਹ ਹ ਹ ਹ	700	7 7 3 0		5 5 3 0	7 0	5 5 3 0	7 0	7 7 7 8	7 7 0 0	5 T 5	ว		555
		$\mathbf{B}^2$	H-3	TJ	СН	JJ	H_0		H_0	T T	C—H		С—Н	T J	7	ij	C_F	ŢŢ	C_F	j	C.F.	jj			֓֞֞֞֓֓֓֓֓֓֓֓֓֓֟֓֓֓֓֟֓֓֓֓֓֓֓֓֟֓֓֓֓֓֓֟֓֓֓֓֓֓	j j j	ijij
		$\mathrm{B}^1$	0 0 0	ਹ ਹ ਹ ਹ		3 0 3 0	7 0	3 0 3 0	<u></u>	7 7 3 3	7 c	7 7 3 0		ਹ ਹ ਹ ਹ	700			3 0 3 0	다. - - -	3 0 3 0	다. - - - -	7 7 3 0	77	5 T 5	J 0		555
		Table 1-ExNo.	1-1219 1-1220	1-1221 1-1222	1-1223	1-1224 1-1225	1-1226	1-1 <i>22/</i> 1-1 <i>2</i> 29	1-1230	1-1232	1-1233	1-1234 1-1235	1-1236	1-1237 1-1238	1-1239	I-1240 I-1241	1-1242	1-1243 1-1244	1-1245	1-124 <b>6</b> 1-1247	1-1248	1-1249 1-1250	1-1251	1-1253	1-1254	1-1256	1-125/ 1-1258 1-1259

		1	1	-							-				-							-	-						٠.	1				-
		R ⁶	nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CH3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CHSCHZNHCO	cyclo-PrCH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO CH3CO	CH3CH2CO	cyclo-PrCO	CF3CH2CO	CH3CH2CO	cyclo-PrCO	CF3CH2CO
		$\mathbb{R}^5$	Н	Н	⊞:		ш	н	= =	Ξ Ξ	н	ш:	= =	Ξ	Н	ш:	= =	- I	Н	н	= =	н	H	пп	Ξ	ΞΞ	Ξ:	ΞΞ	ΞН	Н	ΗП	= =	н:	I
		$\mathbb{R}^4$	Н	н	ш		н	н		н	Н	ш:		Ξ	Н	н:	= =	C II	н	ш		ш	H	<b>#</b> #	Ξ	ш:	Ξ:	ΞΞ	Ξ	Н	шп	: =	ш:	Ξ
		$\mathbb{R}^3$	Н	н	ΞΞ		Н	н		н	Н	ш:		ΞΞ	Н	Ξ:	<b>=</b> =	C II	н	Ε		н	H	ΗН	н	Ξ:	I:	<b>#</b> #	Ξ	Н	шп	п ш	н:	Ξ
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	Z	Z	z	z z	z	Z	z	z	z	z z	z z	z	Z	z	z	z z	Z	zz	z z	z	Z	z z	z	z	Z;	z z	Z	Z	Z	ζZ	z	Z
TABLE 1-continued	AA	A^3	C—CF3	C—CF3	C-CE3		C—CF3	C—CF3	£ 5	5 T		ت د د		5 5 5 5	C—CI	7 0			C—Br	C—Br		C—Br	C—Br		C-CE3	C_CE3		C-CF3 C-SCH3	C—SCH3		C—SCH3	C—S(O)CH3	C—S(O)CH3	C—S(O)CH3
${\bf TABLE}$	$\left\langle \right\rangle$	A^2	НЭ	СН	E E	5 E	СН	Н	5 E	В	СН	# F	5 5	В	СН	СН	3 5	5 5	Н	НЭ	5 5	Н	СН	3 B	Н	Н	# E	3 B	Э	СН	ВΒ	5 5	СН	СН
	-X	\mathbf{A}^1	CH	СН	8 8	5 E	В	Н	5 E	BB	CH	. 5	5 E	ВВ	CH	H)	3 B	5 E	НЭ	H F	5 E	H	Н	3 B	H	H 5	5 5	3 B	B	СН	B 8	5 5	CH	J
		~	CF3	CF3	CE3	E E	CF3	CF3	E E	CE3	CF3	CF3	E E	CE3	CF3	CF3	E E	E E	CF3	CF3	E E	CF3	CF3	E E	CF3	CF3	EE3	E E	CF3	CF3	CF3	CE3	CF3	CE
		\times^1	Н	н	Ξ:		Ξ	H		ΞΞ	Ξ	Ξ:		Ξ	Η	Ξ:	I D	- I	н	н		Ξ	H	Ξ Ξ	Ξ	ΞΞ	I:	ΙΞ	Ξ	Η	H	= Ξ	Η:	I
		B4	С—Н	Т	T (J	H_0	СТ	J		С—Н		J	O H	С—Н	T .	J .	J	СТН	H C		Т	С—Н	JJ	H	H C	T .	J	= = = = = = = = = = = = = = = = = = =	С—Н			H_0	Ŧ_5
		B^3	C—CI	- C	ت ا ا	J 0	5 0	7 7 0 0 0	ן ן ן	5 5 5 5	C_C	ਹ ਹ ਹ]]]			7 0 0	ე ნ ა ს			7 0 0	7 T	- 1	U .	7 7 3 8		ت ا ا	უ ნ ე ი	7 0 0	5 7 0	-C	7 0 0	7 7 0	C C	J 5
		\mathbf{B}^2	C— F	C_F	J (j	C.F.	C	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	5 5 5 5	0 	7 0 0	7 T	5 5 5 5 5		7 0	วี		50	ت ا ا	7 T	0	C_C	5 5 5 6	0	7 0	; ; ; ;	7 7 0 0	5 5 7 7		ت ت ک] 	C -C	<u> </u>
		\mathbf{B}^1	C—CI	- C	ت ا ا	7 7 3 8	5 5 5 5	7 0 0	J [5 5 5 5		; []	7 T				ว	1 1		7 0 0	7 T			7 7 3 8	0			7 0 0		C—C	7 0 0	7 7	C -C	J 5
		Table 1-ExNo.	1-1260	1-1261	1-1262	1-1263	1-1265	1-1266	1-1269	1-1270	1-1271	1-1272	1-12/3 1-1274	1-1275	1-1276	1-1277	1-12/8	1-1280	1-1281	1-1282	1-1284	1-1285	1-1286	1-128/	1-1289	1-1290	1-1291	1-1292 1-1293	1-1294	1-1295	1-1296	1-1298	1-1299	1-1300

		1	1			1			1	-				1	- ,			1			1	-		1			1			-			-
		$ m R^6$	CH3SCH2CO	CH3CH2CO	cyclo-PrCO	CF3CH2CO	CH3CO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CO	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO	nPrCO	cyclo-PrCO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CO	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO
		\mathbb{R}^5	Н	нн	ΞН	Н	н	g III	Н	Ξ:	= =	п Ш	Н	Н	≖:	шп	ΞΞ	Н	ш	ш	Н	H	G II	Н	H	ш	Н	ш;	пп	Н	шп	ΞШ	Н
		\mathbb{R}^4	Н	ΗН	ΞН	Н	ш	C III	н	н:	ш п	==	н	Н	ш:	= =	Ξ	Н	ΞΞ	==	Н	ш	G II	н	ΞΞ		Н	Ξ:	==	Н	шп	Е	Н
		\mathbb{R}^3	Н	==	ΞΞ	Н	ш	C II	н	н:		==	н	Н	ш:	==	Ξ	Н	ΞΞ	==	Н	Ξ:		н	ΞΞ		Н	Ξ:		Н		ΞΞ	Н
	N N N N N N N N N N N N N N N N N N N	A^4	Z	z z	z	Z	z	zz	z	z	z 2	zz	Z	z	z;	z z	z	Z	z	ΖZ	Z	z	z z	z	z	z z	Z	Z;	z z	z	ZZ	Z	Z
TABLE 1-continued	A-1-A-3	A^3	C—S(O)CH3	C—SO2CH3	C—SO2CH3	C—SO2CH3	C—SCF3	C—SCF3	C—SCF3	C—SCF3	C—SCF3	C—SCF3		C—SCF3	C—S(O)CF3	C—S(O)CF3	C—S(O)CF3	C— $S(O)CF3$	C—S(O)CF3	C—S(O)CF3 C—S(O)CF3	C— $S(O)CF3$	C—S(O)CF3	C_SO2CF3	C—SO2CF3	C—SO2CF3	C—SO2CF3	C—SO2CF3	C—SO2CF3	C_S02CF3	[] []	۵ ت ن د	5 5 5 5	C—CI
TABLE	$\left\langle \right\rangle$	A^2	СН	E E	В	СН	HO	5 5	НЭ	Н	H 7	5 5	Н	$^{\rm CH}$	H i	# E	E E	СН	E E	5 5	СН	Ð 8	5 E	СН	H 5	5 5	СН	# E	5 5	СН	НЭ	B	СН
	Na N	A^1	СН	8 B	8 8	СН	B 8	5 5	CH	H	B 8	5 5	CH	CH	₩.	B	ΕĐ	CH	E E	5 5	CH	8 €	5 E	CH	8 €	5 5	СН	8 8	5 5	СН	E E	B	СН
	<u>-</u> 2—24	В	CF3	CE3	GE3	CF3	CF3	3 3	CF3	CF3	CE3	GE GE	CF3	CF3	CF3	CE3	CE3	CF3	CF3	S S	CF3	CF3	3 E	CF3	CF3	E E	CF3	CE3	E	CF3	CF3	CF3	CF3
		X^1	Н	ΗН	ΞΞ	Н	Ξ:	ιн	Ξ	Ξ:	Ξ:	пπ	Ξ	Η	II:	ΞΞ	Ξ	Η	H	ΞΞ	Η	ΞΞ	= =	Н	Ξ:	ΞΞ	Η	Ξ:		Н	ΗП	ΞΞ	Н
		B^4	С—Н	T J		H_O	H 0		H_O	CH			CH	С—Н	H :	ij	H S	С—Н	T C	J	С—Н	T o	J	СТН	H C	J	С—Н	H_0	JJ	С—Н	H 0		С—Н
		B^3	C—CI	ਹ ਹ ਹ ਹ	7 7 7 8	C—C	7 0	7 0	C_C	C_C	7 0 0	7 7		C_C		77	- 1	C	7 0 0	7 7 3 0		ت ا ا	7	- C	ت ا ا	7 7 0	C—CI	ਹ 	7 7 3 0	C—C	7 0 0	5 5 5 5	C—CI
		\mathbf{B}^2	C—CI	ਹ ਹ ਹ ਹ	7 7 7 8	C—C	7 0	7 0	C_C	C - C	7 0 0					77			7 0 0		-C	ت ا ا				7		ਹ ਹ ਹ	7 7 3 0	C—Br	C—Br	C—Br	C—Br
		\mathbf{B}^1	C—CI	ਹ ਹ ਹ ਹ	7 7	C—C	77	7 7	J - J	7 7 7	7 0 0	7 0				77			ე <u>ე</u>	7 T		ე ე ე	7 T			7	C_C	ਹ 	7 7 3 0	[]]	7 0	5 5 5 5	C—C]
		Table 1-ExNo.	1-1301	1-1302	1-1304	1-1305	1-1306	1-1308	1-1309	1-1310	1-1311	1-1313	1-1314	1-1315	1-1316	1-1317	1-1319	1-1320	1-1321	1-1323 1-1323	1-1324	1-1325	1-1327	1-1328	1-1329	1-1331 1-1331	1-1332	1-1333	1-1334 1-1335	1-1336	1-1337	1-1339	1-1340

		1						1				- -					-								1				
		$ m R^6$	CF3CH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CO	CH3CH2CO nPrCO	cyclo-PrCO	cyclo-PrCH2CO CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SOZCHZCO	СНЗСО	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CO	CH3CH2CO	nPrCO cyclo-PrCO	cyclo-PrCH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO CH3CH2NHCO	CH3CO	CH3CH2CO nPrCO	cyclo-PrCO cyclo-PrCH2CO
		\mathbb{R}^5	Н	шп	н	шп	ш	Н	ΞΞ	ΞΞ	ш	c ==	ΞН	шп	ш	н:	==	н:	II.	Ξ	н		ш	ΞΞ	Н	ΞΞ	н:	ΞΞ	нн
		\mathbb{R}^4	н	ΗП	Ξ	ΞЪ	c =	н	шш	Ξ	н	c =	: Ξ	= □	==	н:	I II	н:	I I	Ξ	ΞΞ		ш	==	Н	ШΞ	н:	ΞΞ	ΞΞ
		\mathbb{R}^3	Н	ΞΞ	ΞН	ΞЭ	- H	Н	ΞΞ	Ξ	н	c =	Ξ	ш	- H	н:	==	н:	ΞΞ	Ξ	ш		ш	==	Н	ΞΞ	н:	ΙШ	нн
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	zz	ZZ	z	ZZ	zz	Z	z z	z	zz	z z	z	zz	ΖZ	z	z z	z	z z	Z	z	z z	ZZ	Z	z	zz	z	ΖZ	ΖZ
TABLE 1-continued	A - A - A - A - A - A - A - A - A - A -	$A^3$	13—3	7 7 7	5 5 5 5	C—Br	C Br	C—Br		C Br	C—Br		C—CF3			C—CF3		C—CF3		, D	7 T	5 5 3 8	77	7     	[ <del></del>	7 0 0	C—Br		C—Br C—Br
TABLE	Ž	$A^2$	HO	H)	B	H P	5 5	СН	E E	В	H H	5 5	Э	ВΒ	5 B	СН	3 8	HO	3 E	B	Н	3 B	B 8	3 3 5	СН	8 B	СН	3 B	HO
	E E E E E E E E E E E E E E E E E E E	$A^1$	H)	H)	H H	HO II	5 5	СН	E E	EΒ	Н	5 5	H	B 5	5 5	CH	<del>5</del> 5	H	3 E	B	H H	3 B	H	3 5 5	СН	8 8	CH	5 B	# # # # # # # # # # # # # # # # # # #
		R	CF3 CF3	CF3	CE3	CF3	E E	CF3	CE3	CE3	CF3	3 E	CF3	CE3	CE3	CF3	E E	CF3	E E	CF3	CF3	E E	CF3	CE3	CF3	CE3 CE3	CF3	CE3 CE3	CF3 CF3
		$X^1$	Н	ΗН	ΞН	ΞР	<b>-</b> =	H	ΞΞ	ΞΗ	н	C II	н	ΗП	Ξ	Η:	I I	н:	<b>I</b> I	Ξ	н	I I	ш	Ξ	Η	ΞΞ	Η:	ΞΞ	нн
		$\mathrm{B}^4$	FJ.	J	C_H	H_0		H_O	JJ	H	Н	J	C_H	H 0		H_O	JJ	HT.	J		H_0	J	H		С—Н	TJ	H_O	JJ	<b>T T</b>
		$\mathrm{B}^3$	[] [] []	7 7 0 0	5 5 5 5	ت ا ا	7 T	C—CI	7 7 7	5 5 5 5	7 C			77		- 1	3 0 3 0		7 7 8						- 1	C—Br	- 1	C—Br	C—Br
		$\mathbf{B}^2$	C—Br C—Br	C—Br		C—Br					C—Br			C—Br							ت ا ا	7 0 3 0	700	7	C—CI	ਹ ਹ ਹ ਹ ਹ		5	7 7 7 7
		$\mathrm{B}^{1}$	77 70 70 70 70 70 70 70 70 70 70 70 70 7	7 7 7 8	5 5 5 5	ت ا ا	7     	C_C	7     	5 0	77			7 0 0			7 7 3 0		7 7 2 2		다     	7 0 3 0	777	7 T	C—C	7 7 0 0	D 0	5 5 5 5	0 0 0
		Table 1-ExNo.	1-1341 1-1342	1-1343	1-1345	1-1346	1-1348	1-1349	1-1350 1-1351	1-1352	1-1353	1-1355	1-1356	1-1357	1-1359	1-1360	1-1361 1-1362	1-1363	1-1364 1-1365	1-1366	1-1367	1-1368 1-1369	1-1370	1-1372	1-1373	1-1374 1-1375	1-1376	1-13// 1-1378	1-1379 1-1380

		1	1			1			-	<b></b> -	<b>-</b> -		1			1	т.			1			1						1				-
		$ m R^6$	CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CO CH3CH3CO	nPrco	cyclo-PrCO	cyclo-PrCH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO CH3CO	CH3CH2CO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CO CH3CO	СН3СН2СО	nPrCO	cyclo-FICO cyclo-PrCH2CO	CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CO	CH3CH2CO nPrCO	cyclo-PrCO	Cyclo-F1Cn2CO
		$\mathbb{R}^5$	H	шп	н	Н	шп	ш	Н	Π	==	Ξ	Н	ΞΞ	Ξ	Н	н:	шп	- H	Н	ш п	= =	Н	ш:		н	шп	ΞШ	Н	ΞΞ	пШ	ΗП	G
		$\mathbb{R}^4$	H	шп	Ξ	Н	ΞΞ	п п	Н	Ξ:	I I	: Ξ	Н	ΞΞ	Ξ	Н	Η:	<b>=</b> :	- H	Н	<b>=</b> =	ΞΞ	Н	H	= =	Ξ	H	Ξ	Н	ш:	ΞΞ	шп	G
		$\mathbb{R}^3$	H		Ξ	H		= =	H	Ξ:	I I	Ξ	Η	ΞΞ	: Ξ	H	Ξ;	<b>=</b> :	==	Н	<b>=</b> :	==	H	Ħ F		Ξ	II I	Ξ	Η	Ξ:		шп	G
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	Z	z z	Z	Z	zz	zz	Z	z	z z	z	z	zz	Z	Z	Z ;	zz	z z	Z	<b>z</b>	zz	Z	z	z	z	z z	z	z	ZZ	z z	ZZ	7
TABLE 1-continued	A	A^3	C—Br	C—Br	C Br	C—Br	C—CF3	C—CF3	C—CF3	C—CF3	3 5	C-CF3	C—CF3	C_C53	5 5 5 5	C_C	7	7 7 0 0	7 7 3 8	[] C—C]	7 7 0 0	C B	C—Br	C—Br		C—Br	C—Br	C B	C—Br	C-CF3	0-CE3	-CE3	CTCES
TABLE	Ž	A^2	СН	e e	B B	СН	## E	5 B	СН	CH	3 E	В	СН	e e	В	СН	Н	H 7	5 5	СН	# B	3 B	СН	B 5	5 E	Н	₩ ₩	B B	СН	H F	5 5	НЭ	5
	N N N N N N N N N N N N N N N N N N N	A^1	СН	8 B	B B	СН	₩ ₩	5 B	CH	H)	3 E	E	СН	8 B	Ð	СН	H I	B 8	5 5	НЭ	# 5	3 B	СН	8 €	5 E	H	8	3 8	СН	H F	5 5	H H	5
	_m==_m	R	CF3	CE3	GE GE	CF3	CF3	CE3	CF3	CF3	3 8	CE3	CF3	CE3	CE3	CF3	CF3	CE3	CE3	CF3	CE3	CE3	CF3	CE3	E E	CF3	CF3	CE3	CF3	CF3	E E	CF3	CF3
		X^1	Н	= =	ΞН	Н	ΗП	ΞΞ	Н	Ξ:	ΞΞ	н	Η	Η	, II,	ц	II, I	щ	L LL	Ľ	щи	<u>.</u>	ц	ובן וב	בן וַב	<u> </u>	цц	ı II	н	II, I	цЦ	щ	4
		B^4	C—H	T J		С—Н	H-0		С—Н	H_0	JJ		С—Н			С—Н	H_O		J	С—Н		J	С—Н	H 0	J	C_H	# J		С—Н	H C	T T	H 0	
		B^3	C—Br	C—Br	C—Br	C—Br	C—Br			C—Br		C—Br	C—Br		0-0	C_C	- - - - -	7 0 0	7 T		ე ე ე ე		C—C	ე <u>ე</u>		0	ე ე ე ე	5 T	C—CI	ت ا ا	7 7 8	ت ت د]
		\mathbf{B}^2	C—CI	ਹ ਹ ਹ ਹ	5 5 5 5 5	C_C	ე ე ე ე	7 7	C—C	7 0	J [5 5 5 5	C_C	<u></u>	C T	C_{-F}	C.		ij	C_{-F}		j	C— F	J (j	C_F			C — \overline{F}	J .	jj	J .	j
		\mathbf{B}^1	C—CI	7 7 0	5 5 5 5	C_C	ე ე ე	7 7 7 8	C—C	7 0 0	J [5 5 5 5		7 7 7		- 1	- 1	ე ე ე		- 1	ე ე ე			ਹ ਹ ਹ	7 C		ე ე		C—C	ت ا ا	7 7 8	7 7]]
		Table 1-ExNo.	1-1381	1-1382	1-1384	1-1385	1-1386	1-1388	1-1389	1-1390	1-1391 1-1392	1-1393	1-1394	1-1395 1-1396	1-1397	1-1398	1-1399	1-1400	1-1401 1-1402	1-1403	1-1404	1-1406	1-1407	1-1408	1-1409 1-1410	1-1411	1-1412	1-1414	1-1415	1-1416	1-141 / 1-1418	1-1419	1-1420

		1							1							·										
		$ m R^6$	CF3CH2CO CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO CH3CO	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO	nPrcO	cyclo-PrCH2CO	CF3CH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CO	LH3CH2CO nPrCO	cyclo-PrCO cyclo-PrCH2CO	CF3CH2CO	CH3SOCH2CO	CH3SO2CH2CO	CH3CO	CH3CH2CO nPrCO	cyclo-PrCO cyclo-PrCH2CO
		\mathbb{R}^5	Н	==:	нн	н	ш	шш	Н	нн	ш	ш	н	ΞΞ	ΞΞ	: ::::::::::::::::::::::::::::::::::::	ΞΞ	н	ш	н	н	н		ΞН	нн	нн
		\mathbb{R}^4	Н	ΞΞ:	ΗН	ш	ΞΞ	ΞΞ	Н	ΗН	н	ΞΞ	Η	пπ	шп	: ш :	ΞΞ	н	пШ	ΗН	H	ΗН	===	ΞН	нн	ΞΞ
		\mathbb{R}^3	н	==:	ΗН	н	ΞΞ	шш	Η	ΗН	н	ΞΞ	н	ΞΞ	ΞΞ	: ::::::::::::::::::::::::::::::::::::	ΞΞ	н	ш	нн	н	н		ΞΞ	ΗН	нн
	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	A^4	ZZZ	ZZ	zz	ZZ	ΖZ	ΖZ	Z	zz	ZZ	zz	z	ΖZ	Z Z	: Z ;	ΖZ	zz	ΖZ	zz	z	zz	: Z Z	ZZ	zz	ΖZ
TABLE 1-continued	A	A^3	C—CF3 C—CF3	G-0		C—CF3			C—CF3	C_G3	C—CF3	C—CF3	C—CF3		C-CE3			C—CF3	C-CF3	C-CE3	C—CF3	C-CE3	35	C-CF3		C—CF3
TABLE	Ž	A^2	## ## ## ## ## ## ## ## ## ## ## ## ##	3 B I	5 5	НЭ	5 B	8 B	СН	H H	Н Н	5 B	Н	5 5	E E	B B I	38	H 5	5 5	8 B	Э	E E	8 B B	B B	## ## ## ## ## ## ## ## ## ## ## ## ##	H H
	B. B.	A^1	H H H	5 B I	5 5	Н	5 B	8 B	СН	НЭ	Н	5 5	Н	5 5	E E	B B i	5 5	H	58	88	Н	E E	8 B B	BB	5 B	# # # # # # # # # # # # # # # # # # #
	, 25————————————————————————————————————	R	CF3 CF3	CE3	EE EE	CF3	CE3	CE3	CF3	CF3 CF3	CF3	CE3	CF3	CF3	CF3	CE3	E E	CF3	E E	CE3	CF3	CF3	CE3	CE3	CF3	CF3 CF3
		X^1	ппп	ч [114]	ч н	н	ш	ΞΞ	Н	нн	ш	=	H	ΞΞ	ΗП	: :::	ΞΞ	II, I	i ii	II, II	ш	II, II	, II, II	Ή	нн	нн
		B^4	H 3	JJ	JJ	H_O	J	TJ	С—Н		T C	J	H O	ŢŢ			JJ	# J	J	ij	C_H	ij		J	# 	ŦŢ
		B^3	5 5 5 0 0 0	7 7 7 0 7	7 H 3 0		J		С—Н		H 5	T T	H 0	ŢŢ	T J] [] ;	JJ	H C	ŢŢ	ŦJ	C_H	ŦŢ		J	T T	Ħ Ħ
		B^2		jj		H_0		T T	С—Н	T T	H_0	j	J 0	ij	J J	J	ij	H_0	T T		C_H			C—CF3	C-C=	C—CF3
		B^1	5 5 5 5 5	7 7 7 0 7		C—CF3	C_C3	C - C - C - C - C - C - C - C - C - C -	C—CF3	C_CE3	C—CF3	S = S	C—CF3		C-CE3	C CF3	- E	C—CF3		C _ C _ C _ C _ C _ C _ C _ C _ C _ C _	C—CF3	C_CF3	E E	50	7 7 7 8	-
		Table 1-ExNo.	1-1421 1-1422 1-1423	1-1424	1-1425 1-1426	1-1427	1-1429	1-1430 1-1431	1-1432	1-1433 1-1434	1-1435	1-1437	1-1438	1-1439 1-1440	1-1441	1-1443	1-1444 1-1445	1-1446	1-144/ 1-1448	1-1449 1-1450	1-1451	1-1452	1-1454	1-1456	1-1457 1-1458	1-1459 1-1460

		1	1 1				- -				-				-	- 1								- -						-
		$ m R^6$	CF3CH2CO CH3SOCH2CO	CH3S(0)CH2CO	CH3CH2NHCO	CH3CH2CO	cyclo PrCO	cyclo-PrCH2CO	CF3CH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO	nPrCO	cyclo-PrCU cvclo-PrCH2CO	CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO	cyclo-PrCH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CO	CH3CH2CO	CF3CH2CO	CH3CH	CH2CH2CO	CF3CH2CO	CH3SCH2CO CH3CO	CH3CH2CO
		\mathbb{R}^5	Н	нн	ΞН	н	c ==	н	нн	= =	н	===	ΞΞ	н	пπ	Н	ΗН	ΞН	ΗП	н	н:	==	н		пШ	шп	==	ΞΞ:	ΞΞ	Н
		\mathbb{R}^4	Н	ΗН	ΞН	н	c ==	Ξ	нн	==	н:	===	= =	н	ΞΞ	Н	ΞΞ	Ξ	ΗП	н	н:	I I	н			шп	==	ΞΞ:	ΞΞ	Н
		\mathbb{R}^3	н	II	: Ξ	ΞΞ	C II	Ξ	шп	Ξ	Ξ:	= =	ΞΞ	Ξ:	IΞ	Н	I I	Ξ	Ξ 1	Ξ	Ξ:	ΞΞ	H		G EE		==	ΞΞ:	ΞΞ	Н
	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	A^4	ZZ	ZZ	Z	zz	4 Z	z	z z	z	Z	z	zz	z	z z	z	zz	Z	zz	ζZ	z	z z	zz	Z	ZZ	ZZ	4 Z	Z	zz	z
TABLE 1-continued	AAAAAAAAAAAAA	A^3	C—CF3 C—CF3	C—CF3	C—CF3	77]]]	5-0	7 7 7	5 5	7	J &		C—Br		C—Br	C Br	C—Br	C—Br		C—CF3		C—SCH3	C—SCH3	C—SCH3	C—SOCH3	C_SOCH3	C—SOCH3	C—SOCH3 C—SO2CH3	C—SO2CH3
TABLE	$\left\langle \right\rangle$	A^2	HO	E E	B	HJ F	5 5	CH	E E	5 E	CH	3 B	5 B	СН	3 B	СН	E E	Э	E E	3 5 5	Э	3 B	Н	5 5	5 5	В	5 E	B	H H	СН
	E H	A^1	H5	H H	B	B 5	5 E	Ð	E E	3 B	CH	3 B	5 5	CH	38	CH	E E	Ð	# F	3 B	H)	3 B	B 5	3 B	5 5	H H	5 E	B	8 B	СН
		Я	CF3 CF3	CF3	CF3	CF3	3 8	CF3	CE3	CE3	CF3	E E	CE3	CF3	E E	CF3	CE3	CF3	CF3	CE3	CF3	3 8	CF3	3 5	EE3	CF3	E E	CF3	CE3 CE3	CF3
		X^1	Н	нн	н	н		н	ΞΞ	ΞН	н:	==	ш	Η:	ΞΞ	Н	ΗН	н	ΞÞ	ΞΞ	н:	I I	н		υШ	ш	==	Ξ Ξ :	нн	Н
		B^4	H_2		H_O	Н		H_O			СН	J.	J	H_O	JJ	С—Н	T J	H		J	H_0	JJ	H_0		J	Н	J	H H		С—Н
		B^3	H—3		= = = = = = = = = = = = = = = = = = =	C—CF3		C—CF3	CE3	CE3							C - CE3		C_CE3	C-CE3						C—CE3		C—CF3	C—CE3	
		B^2	C—CF3 C—CF3	C—CE3	C—CF3	H_0	J	H_0			С—Н	J .			J	С—Н			H 0		C—H	Į Į	H 0			H_0	J		T T	С—Н
		\mathbf{B}^{1}	0 0 0 0	7 7 7 7	5 5 5 5	C—CE3		C—CF3											CE3 C				C—CF3	3 5		C—CF3		C-CE3	C_C3	C—CF3
		Table 1-ExNo.	1-1461 1-1462	1-1463	1-1465	1-1467	1-1469 1-1469	1-1470	1-1471 1-1472	1-1473	1-1474	1-1475	1-1477	1-1478	1-14/9 1-1480	1-1481	1-1482	1-1484	1-1485	1-1487	1-1488	I-1489 1-1490	1-1491	1-1492	1-149 <i>3</i> 1-1494	1-1495	1-1497	1-1498	1-1499 1-1500	1-1501

		1	1			1	Η,			-	Н,			П	_				-		-	п,		-			1			-		- -	
		$ m R^6$	cyclo-PrCO	CF3CH2CO	CH3CH2CO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO	nPrCO	cyclo-PrCU	CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO	СНЗСО	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO	CH3CH2CO	CH3S(O)CH2CO
		\mathbb{R}^5	Н	ΗП	u m	Н	Ξ:	шш	Ξ	Н	Ξ:	==	ΞΞ	Н	Н	ΞΞ	= =	Ξ	Н	шш	Н	н		н	H	пπ	Н	ш:	пπ	Η	н:	==	н
		\mathbb{R}^4	Н	ΞП	- H	Н	н:	==	Ξ	Н	Ξ:	II	ΞΞ	Н	Η	ш:		ΞΞ	Н	шш	н	ш		н	ΞΞ	= =	Н	Ħ:	= =	н	н:	Ξ Ξ	ΞΞ
		\mathbb{R}^3	Н	田口		Н	н:	II	Ξ	Н	ш:	I I	ΞΞ	Н	Η	ш:		ΞΞ	Н		н	Ξ		н	Ξ:	гπ	Н	Ξ:	= =	н	н:	I I	Ξ Ξ
	N N N N N N N N N N N N N N N N N N N	A^4	Z	Z Z	ΖZ	Z	Z;	z z	z	z	z	z z	z	z	Z	z	z 7	z	Z	zz	z	z	z	z	z	z z	z	z;	z z	z	z	z z	ZZ
TABLE 1-continued	A	A^3	C—SO2CH3	C—SO2CH3	C—SCF3	C—SCF3	C—SCF3	C—SCF3	C—SCF3	C—SCF3		C_SCF3	C—S(O)CF3	c— $s(o)$ CF3	C—S(O)CF3	C—S(O)CF3	C_S(O)CF3	C—S(O)CF3	C—S(O)CF3	C—S(O)CF3 C—SO2CF3	C—SO2CF3	C—SO2CF3	C—SO2CF3	C—SO2CF3	C—SO2CF3	C—SO2CF3	C—SO2CF3	C-CE3		C—CF3	C—CF3		C-CE3
TABLE	$\left\langle \right\rangle$	A^2	СН	H .	5 5	СН	Е	e e	B	СН	H)	3 E	. 5	СН	CH	СН	5 5	В	СН	8 B	НЭ	НЭ	3 E	Н	H)	5 5	СН	E E	3 B	Э	CH	5 E	E E
	-X	A^1	СН	## E	5 5	СН	H I	E E	. 8	СН	H E	3 E	5 5	СН	СН	E E	5 E	ΞE	СН	₩ ₩	Н	H H	3 E	Н	8 €	5 5	СН	8 €	3 B	В	CH	3 E	## ## ## ## ## ## ## ## ## ## ## ## ##
	,——¤	R	CF3	CF3	E E	CF3	CF3	E E	CE3	CF3	CF3	E E	CE3	CF3	CF3	CF3	E E	CF3	CF3	E E	CF3	CF3	5 E	CF3	CF3	E E	CF3	CE3	E E	CF3	CF3	£ £	CE3
		X^1	Н	ΗП	υШ	Н	Ξ:	ΞΞ	Ξ	Н	Η:	I I	ΞΞ	Н	Н	Ξ:		ΞΞ	Η	ΞΞ	н	Ξ	I I	Н	ΞΞ		Н	Η:	ΞΞ	Ξ	Ξ:	I I	н
		B^4	С—Н	H_0		С—Н		J		С—Н	C_H			С—Н	С—Н	H G		H S	С—Н	J	C—H	H			H C	JJ	С—Н	H-0	JJ	H	H_0		J
		B^3	C—CF3	C—CF3	CE3_0	C—CF3	C—CF3		C-CE3	C—CF3	C—CF3			C—CF3	C—CF3	C-CF3			C—CF3		C—CF3	C-CF3	3 E	C—CF3	C_CF3		C—CF3	ت ا ا	5 5 5 6	 	[] 	J [5 0
		B^2	с—н	H_3		С—Н				С—Н		# T		С—Н		T,		H H O		T T				H_0		T T		CE3		C—CF3	CF3	3 5	E E
		B^1	C—CF3	C_C3										-CF3	-CF3			CE3	-CF3		-CE3			CE3				구 :	5 0 5 0 5 0	ᄀ	000		
		Table 1-ExNo.	1-1502	1-1503	1-1505	1-1506	1-1507	1-1508 1-1509	1-1510	1-1511	1-1512	1-1513	1-1515	1-1516	1-1517	1-1518	1-1519	1-1521	1-1522	1-1523 1-1524	1-1525	1-1526	1-152/	1-1529	1-1530	1-1531 1-1532	1-1533	1-1534	1-1535 1-1536	1-1537	1-1538	1-1539	1-1541

		1	1 1 1																						- -	,		
		$ m R^6$	CH3SO2CH2CO CH3CH2NHCO	СН3СО СН3СН2СО	nPrCO	cyclo-FICO	CF3CH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CO CH3CO	СНЗСН2СО	nPrCO cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CO	nPrC0	cyclo-PrCO	CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO CH3CH2CO	IPTCO	cyclo-FrcO cyclo-PrcH2CO	CF3CH2CO CH3SCH2CO CH3S(O)CH2CO	
		\mathbb{R}^5	Н	ШШ	ΗП	ш	н	н	нп	ш	н:	ΞΞ	н	ΞΞ	ш	I II	н	ш	н	пп	н		Н	===		σ = :	ппп	:
		\mathbb{R}^4	н	шш	н	ш	шш	Ξ	шп	ш	Ξ:	ΞΞ	н:	ΞΞ	Η:	ш	ш	ΞΞ	ΞΞ	пп	н	пн	н	===		с III :		:
		\mathbb{R}^3	н	ΞΞ	ш	ш	нн	н	H	ш	ш:	ΞΞ	н:	ΞΞ	н	ΞΞ	н	ш	ш		н		н	: = :		с III :		1
	Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-	A^4	ZZ	ΖZ	ZZ	ΖZ	zz	z	ZZ	ZZ	z	zz	Z	ΖZ	Z	z z	ZZ	ΖZ	ZZ	ΖZ	zź	ΖZ	ZZ	3 Z Z	Z 2	zz;	zzz	-
TABLE 1-continued	A - A - A - A - A - A - A - A - A - A -	A^3	C_CF3 C_CF3	7 7 7	7 t	7	7 7 7	5 5 5 5	7 C		C—Br		C—Br	0 <u>B</u> <u>B</u>	C—Br	0 - <u>p</u>	C—CF3		C_CF3		C—CF3		C—CF3	7 7 7 3 0 0	7 5	777	3	j)
TABLE	Ž	A^2	СН	88	H F	5 5	E E	B B	HO	5 B	Е	5 5 5	НЭ	3 B	Н Н	3 B	H)	5 5	НЭ	5 B	H H	5 B	НЭ Б	3 8 8	5 E	5 B E	3 8 8	;
	B. B.	A^1	H)	88	E E	5 B	E E	B B	CH	5 5	CH	8 B	CH	5 5	Н	55	H H	5 B	H F	55	В	5 5	H	3 5 5	5 E	5 B 8	3 8 8	;
	,2==2,5 ,2==2,	Я	CF3 CF3	CE3	CF3	CE3	CF3	CE3	CF3	CE3	CF3	CF3 CF3	CF3	EE EE	CF3	CE3	CF3	CE3	CF3	CE3	CF3	CE3	CF3	E E E	3 5	CE3	388	;
		X^1	Н	ΞΞ	Ξ:	υН	ΞΞ	ΞΞ	нп	н	Ξ:	ΗН	Ξ:	ΞΞ	Ξ:	ΞΞ	н	ш	Η	ΞΞ	н	ΞΞ	ΗΞ	ш		GΞ:		:
		B^4	H-3	T T	H C	JJ	J		H_0	J	С—Н	J	H C	JJ	H 0	JJ	H_0	J	H_0	JJ	H 0		H 0			JJ;	JJJ	:
		B^3	[] [] []	7 7 8 8	ت ا ا	7 7 7 8	7 7 7	5 5 5 5 5	<u></u>	7 7 7 7	C -C	7 0 0	7 C	7 7 7 8	7 C	5 5 3 3	7 C	7 7	ت ا ا	7 7 3 3	7 C	7	7 7 0 0	7 7 7	J 0	7 7 7	3	j)
		B^2	C—CF3 C—CF3	7 7 8	ت ا ا	7 7	7 	5 5 5 5	77	7 7	- - - - -	7 7 0 0		5 5 5 5	770	7 7 8 8	77	7 7	ت ا ا	7 7 3 0	7 7 7 0 0	7 7 3 0	C_C	zz	Z 2	zz;	zzz	,
		B^1	[] [] [] []		C_CE3	CE3	C-CF3	C-CE3	C—CF3	C-CE3	C—CF3		C—CF3		C—CF3		C—CF3		C—CE3		C—CF3		C—CF3		J C		5 5 5 5 6 6	j)
		Table 1-ExNo.	1-1542 1-1543	1-1544 1-1545	1-1546	1-154 <i>)</i> 1-1548	1-1549	1-1551	1-1552	1-1554	1-1555	1-1556 1-1557	1-1558	1-1559 1-1560	1-1561	1-1562 1-1563	1-1564	1-1565	1-1567	1-1569 1-1569	1-1570	1-1572	1-1573	1-15/4	1-15/6	1-1377	1-15/9 1-1580 1-1581	1001

		1	1			1		- -		-				1	٠,			-			-		-	н,	⊣ ←				-	Н,			
		$ m R^6$	CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CO	CH3CH2CO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CH3SCH2CO	CH3S(0)CH2CO	CH3SO2CH2CO	CH3CO	СНЗСН2СО	nPrCO cvclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO	nPrCO	cyclo-PrCO	cyclo-FrCH2CO CF3CH2CO	CH3SCH2CO CH3S(O)CH2CO	\ / I
		\mathbb{R}^5	Н	ΗН	ΞН	Н	ш	пп	ΞН	Н	ш		ΞΞ	Н	≖:	шп	: ш	Н	ш	н	H		Н	н	пп	ΞШ	н		н	н	пШ	нн	
		\mathbb{R}^4	Н	шп	ΞΞ	Н	Ξ:	II	Ξ	Η	ΞΞ	I I	Ξ	Н	Ξ:	= =	Ξ.	Η	ш	Ξ	H	ΙI	H	н	ΞΞ	Ξ	ш	C II	Ξ	н:	ΙШ	нн	
		\mathbb{R}^3	Н	ΞΞ	н	Н	ш:	I I	ΞН	Н	ΞΞ	I I	ΞΞ	Н	≖:	= =	Ξ	Н	ш	ΞΞ	H		н	Ξ		Ξ	н		Ξ	н:	ΞΞ	ΕЕ	
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	Z	zz	zz	Z	z	z z	z	Z	z	z z	z	z	z;	z z	z	Z	zz	z	Z	z z	Z	z	z z	z	z	z z	z	z	z z	ΖZ	
TABLE 1-continued	A	$A^3$	[2—C]			C—Br			C—Br	C—Br			C-CF3	C—CF3	C-CE3	E-C-3	CE3	C—CF3	C-C3	C_CF3	C—CF3		C—CF3	C—CF3	E E	C-CF3	C-CE3		C—CF3	C—CF3		C_CF3	
TABLE 1		$A^2$	СН	# F	5 B	СН	H H	5 E	E E	СН	Н	3 E	ВВ	СН	# H	5 E	B B	СН	E E	B B	НЭ	3 B	CH	CH	3 E	В	H E	5 E	СН	CH	5 5	H H	
	X-1 R	$A^1$	СН	5 5 5	3 5 5	НЭ	H 5	5 E	E	СН	H H	5 E	<del>.</del> 5	СН	E E	8 €	∃	СН	B 8	∄ 8	Н	3 B	CH	H)	3 E	E	H F	5 5	Н	H :	5 5	H H	
		R	CF3	CF3	CE3	CF3	CF3	E E	CF3	CF3	CF3	E E	CE3	CF3	CE3	CE3	GE GE	CF3	CF3	GE E	CF3	E E	CF3	CF3	EE EE	CF3	CF3	E E	CF3	CF3	E E	CF3 CF3	
		$X^1$	Н	ΞΞ	Н	Н	Ξ:	ΙΞ	ΞΞ	Н	Ξ:	I I	Н	Η	Ξ:	ΞΞ	ΞΞ	Н	НП	ΞΞ	н	ΞΞ	Н	Ξ:	I I	ΞН	Η		Ξ	Η:	ΞΞ	ΞΞ	
		$\mathrm{B}^4$	С—Н	TJ	J	H	H_0	J	H_0	С—Н	H G		T T	С—Н	H_0	ij	F	С—Н	F 5	Z	Z	z z	z	z	z z	z	z	z z	z	z	zz	zz	
		$\mathrm{B}^3$	_	7 7 0				- - - - - - - - - - - - - - - - - - -	, 1				5 5 5 5 5		7 ;	77	5 5 5 5 5		7 7 0 0	J J	H_O	J	C_H	H_0	ĪĪ	T 5	H 5		C—CF3	C—CF3		C—CF3	
		$\mathbf{B}^2$	Z	z z	z	z	z	z z	z	Z	z	z z	z	z	z;	z z	z	z	zz	C_H	H_3	Į Į	C_H				H 0			H_0	J H		
		$\mathrm{B}^1$	[]—C	7 7 8	7 7 7	[] C_C	7 0	5 5 3 3	5 5 5 5			J J		- 1		7 7 7			ე ე	C-CE3	C—CF3	3 5		C—CF3			C—CF3		H—O	H_0	T T	## ## ## ## ## ## ## ## ## ## ## ## ##	
		Table 1-ExNo.	1-1582	1-1583	1-1585	1-1586	1-1587	1-1588 1-1589	1-1590	1-1591	1-1592	1-1593 1-1594	1-1595	1-1596	1-1597	1-1598	1-1600	1-1601	1-1602	1-1604	1-1605	1-1607	1-1608	1-1609	1-1610 1-1611	1-1612	1-1613	1-1615	1-1616	1-1617	1-1618 1-1619	1-1620 1-1621	

		1	,			٠			1		⊶ -	<b>-</b>				·							·		٠		7
		$ m R^6$	CH3SO2CH2CO CH3CH2NHCO	CH3CO CH3CH2CO	nPrCO evelo-PrCO	cyclo-PrCH2CO	CH3SCH2CO	CH3S(O)CH2CO CH3SO2CH2CO	CH3CH2NHCO	CH3CO CH3CH2CO	nPrCO	cyclo-PrCH2CO	CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO CH3CH2NHCO	CH3CO	CH3CH2CO nPrCO	cyclo-PrCO	cyclo-PrcH2CO CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO	evelo-PrCO	cyclo-PrCH2CO	CF3CH2CO CH3SCH2CO	CE33(Q)CE17C
		$\mathbb{R}^5$	н	ΗН	ΞΞ	: Ш :	п н	нн	Н	ΗН	н	ΞΞ	н	ΞН	ΗН	: Ш :	ΞΞ	н	ΞΞ	н	ΞΞ	нп	: Ш :	C II	: Ш :	пшп	G
		$\mathbb{R}^4$	нн	ΗН	ΞΞ	: Ш :	<b>.</b>	ШΗ	Н	ΗН	н	ΞΞ	н	ΞΞ	ΗН	: = :	ΞΞ	Η:	==	н		нп	===	C II	: Ш :		5
		$\mathbb{R}^3$	нн	ΞΞ		: Ш :	E E	ΗН	Н	ΞΞ	E		ш	Ξ	II	: = :	ΞΞ	⊞:		H		шп	===	C II	: = :		G
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	ZZ	ΖZ	zz	z	ΖZ	zz	z	ZZ	z	z z	ZZ	z	zz	z	z z	z	z z	z	ΖZ	ZZ	5 Z Z	z z	z	z z 2	<u>r</u>
TABLE 1-continued	A	A^3	C—CF3 C—CF3	E-C-E	C_CF3	0-CE3		C-CE3	C—CF3	7 7 7	7 T	3 5	7 7	; ;; } ;	7 0 0	C Br		C—Br		C—Br	C—Br	C—Br			C-CE3		27-2
TABLE	Ž	A^2	HO	3 B	B B	HO	55	5 B	CH	ΗЭ	НЭ	5 B	CH	ВВ	H H	CH	5 5	СН	3 B	Э	5 B	НЭ	B B 8	5 5	BB	5 5 5	CD
	X B B	A^1	HO	3 B	8 B	H H	5 5	B B	СН	8 8	H 5	5 5	HJ P	3 B	E E	H 8	3 B	H)	3 B	H 5	5 B	HJ H	B B 8	5 5	# E	3 8 8	5
	~ <u>~</u> ~~~	R	CF3 CF3	E E	CE3	CF3	CF3	CF3 CF3	CF3	CF3 CF3	CF3	CF3	CF3	CE3	CE3	CF3	E E	CF3	E E	CF3	GE GE3	CF3	CE3	5 E	CF3	388	CFJ
		X^1	нн	ΞΞ	ΗН	: ::::	ΞΞ	н	Н	ΗН	н:	ΕΞ	ΗП	ΞΞ	ΞΞ	ш:	ΞΞ	н	ΞΞ	н	пπ	н	ш		ш	шш	C
		B^4	zz	T T	TJ	H 0	J		С—Н		H-3	JJ	H J	J	ŦJ	H G	JJ	H_O	JJ	H_0	JJ	H		T T	T C		Ī
		B^3	C—CF3 C—CF3		JJ		T T		С—Н	C—CE3	C—CF3		C—CF3		C CE3					C—CF3		C—CF3	C CE3		C—CF3		
		\mathbf{B}^2	H_3;	ΖZ	zz	z	zz	zz	z	zz	z	z z	zz	z z	zz	z	z z	z	z z	z	z z	zz	3 Z Z	zz	zz	zzz	ζ.
		B^1	H—3			C-CE3	-CE	C_C3		E-CE3-0	C-CE3		C—CE3		C - CE3	C-CE3		C—CF3		C—CF3		C—CF3			C-CE3		
		Table 1-ExNo.	1-1622 1-1623	1-1624 1-1625	1-1626 1-1627	1-1628	1-1629 1-1630	1-1631 1-1632	1-1633	1-1634 1-1635	1-1636	1-163 <i>8</i> 1-163 <i>8</i>	1-1639	1-1641	1-1642 1-1643	1-1644	1-1645 1-1646	1-1647	1-1648 1-1649	1-1650	1-1651 1-1652	1-1653	1-1655	1-1657	1-1658	1-1659 1-1660 1-1661	1-1001

		1	1			1	 -					1	⊣ -	- -		П								٠.	-	→ .			П	н.		
		$ m R^6$	CH3SO2CH2CO	CH3CH2NHCO CH3CO	CH3CH2CO	nPrCO	cyclo-PrCO	CF3CH2CO	CH3SCH2CO	CH3S(0)CH2CO	CH3CH2NHCO	СНЗСО	CH3CH2CO	nPrCO	cyclo-PrCH2CO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO CH3SO2CH2CO	CH3CH2NHCO	CH3CO	nPrC0	cyclo-PrCO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO CH3SCH2CO	CH3S(O)CH2CO CH3SO2CH2CO
		\mathbb{R}^5	H		Е	Н	н		ш	шп	u =	Н	ш	I I	ΞН	Н	ш	= =	н	= =	==	н		Ξ	Н	н:	пп	ΞΉ	Н	н:	ΞΞ	н
		\mathbb{R}^4	Н	шп	ΞН	Н	н	I I	Ξ		= =	Н	ш:	I I	ΞΞ	Н	ш:	ΞΞ	н:	= :	ΞΞ	н:		: =	H	ш:	II	ΞΞ	Н	ш:	ΞΞ	ΞΞ
		\mathbb{R}^3	H	шп	Е	Н	ш		Ξ	==	==	Н	ш:	I I	Ξ	Η	==	ΕΞ	н:	==	= =	н:		: =	н	Ξ	II.	ΞΞ	Н	н:	ΞΞ	ΗН
	~~~× ~~× ~~× ~~×	$A^4$	Z	z z	z	Z	zz	z z	z	z z	zz	z	z	z z	z	Z	z z	z z	z	z þ	zz	z;	z z	Z	z	z	z z	z	z	z;	ΖZ	ZZ
IABLE 1-continued		$A^3$	C—CF3	E 5	7 T	[] C—C]	7 to	J	5 5 7 7	<u></u>	] ] ]	C—Br	C—Br	C - Rr	C—Br	C—Br	C—Br		C—Br			C—CF3	E E	C—CE3	C—CF3	C—CF3	C_C53	C—SCH3	C—SCH3	C—SCH3	C—SCH3 C—SCH3	C—SCH3
TABLE	$\left\langle \begin{array}{c} z' \\ \end{array} \right\rangle$	$A^2$	СН	₩ ₩	3 5 5	Н	H)	5 E	CH	B	5 5	CH	E E	3 E	B B	СН	₩ 5	3 B	HO	3 E	5 B	Е	5 E	: E	CH	HJ	3 E	<del>.</del> 8	СН	HJ E	5 B	H H
	-X	$A^1$	СН	e e	B B	СН	H 5	5 E	Э	# E	5 5	СН	# E	3 E	B	СН	E E	3 B	НЭ	₹ 5	5 5	H E	3 B	# E	H	H E	3 E	BB	CH	H 6	<del>5</del> 5	H H
	_—3. _—3.	R	CF3	CE3	GE CES	CF3	CF3	E E	CF3	CF3	E E	CF3	GE E	E E	CF3	CF3	E E	E E	CF3	E E	CE3	CF3	E E	CE3	CF3	CF3	E E	CE3	CF3	CF3	E E	CE3
		$X^1$	H	шп	ΞН	Η	ΞΞ		Н	ΞБ	<b>.</b>	Ξ	Ξ:	<b>=</b> =	ш	Η	ш:		н	I :	ıπ	н:	I I	: =	H	ш	I I	Е	Н	н:	ΞΞ	нн
		$\mathrm{B}^4$	C—H	H Z	zz	z	zź	z z	z	zz	zz	Z	z	z z	z	z	z z	zz	z	z z	zz	z;	z z	Z	z	z	Z [	H_O	С—Н	H—O	T T	JJ
		$\mathrm{B}^3$	C—CF3	C_CF3	C—CF3	C—CF3	C—CF3		C—CF3	C—CE3		C—CF3	CE3		CE3	C—CF3	CE3		C—CF3	S = C	CE3	C—CF3		C—CF3	C—CF3	C—CF3		C_CF3		7 0	5 5 3 0	<u></u>
		$\mathbf{B}^2$	z	z [	H_0	С—Н	H 0	Į Į	C—H	H_0		С—Н	H 0	# T	H_0		H_0		H_0	#		C—H		: H_O	H_O	F 0	# 7 3	5 H_0	Т	H_0	T 0	77
		$\mathrm{B}^1$	C—CF3					3 5	CE3			-CF3	E 5		E E E	-CF3		£ £	CE3			C—CF3		C—CF3							5 5 5 5	<u>0</u> 0
		Table 1-ExNo.	1-1662	1-1663	1-1665	1-1666	1-1667	1-1668 1-1669	1-1670	1-1671	1-16/2	1-1674	1-1675	1-16/6	1-1678	1-1679	1-1680	1-1681 1-1682	1-1683	1-1684	1-1083	1 -1687	I-1688 1-1689	1-1690	1-1691	1-1692	1-1693 1-1694	1-1695	1-1696	1-1697	1-1698 1-1699	1-1700

		1	1			1	-			-	-				1	<b>-</b> ,			-		<b>-</b> -	-	_			Η,				<b>→</b> -	<b></b>	-		1
		$ m R^6$	CH3SCH2CO	CH3S(0)CH2CO	CH3CO CH3CO	n-PrCO	cyclo-PrCO	cyclo-PrCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CO	n-PrcO	cyclo-PrCH2CO	CH3SCH2CO	CH3S(0)CH2CO	CH3SO2CH2CO	CH3CO	n-PrCO	cyclo-PrCO	CH3SCH2CO	CH3S(0)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	n-Prco	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CO	CH3CH2C0	nPrCO evelo-PrCO	27.00
		$\mathbb{R}^5$	Н	н	- H	Н	н:	===	==	Н	Н	ш:	==	==	Н	ш:	II:	==	н	ш	= =	н	н	===	==	н	Ξ:	= =	н:	II	= =	н	нн	:
		$\mathbb{R}^4$	н	ш	- H	Н	н:	ΞП	==	н	Н	ш:	ΞΞ	Ξ	Н	Ξ:	I.	==	н	ш		ш	H	Ξ =	Ξ	н	II :	= =	ш:	II E		Н	ΞΞ	;
		$\mathbb{R}^3$	H	Ξ:	<b>=</b> ==	Н	Ξ;	ΞΞ	Ξ	Н	н	Ξ;	I I	Ξ.	Η	Ξ:	I.	C II	Ξ	н		Ξ	Ħ:	II	Ξ.	Ξ;	E :		Ξ:	I :		Ξ	==	:
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	z	ZZ	x HO	CH	H H	5 E	5 B	Э	CH	# E	∃ E	5 E	СН	CH	<del>5</del> 5	5 E	H	H E	5 E	H	Н	IJ Z	z	z	z ;	z z	z	z þ	z z	Z	zz	,
TABLE 1-continued		A^3	C—SCH3	C—SCH3	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	CHCH3	C—CH3	C—CH3		C—CH3			с—снз	C—CH3)
TABLE	$\sum_{i=1}^{z'}$	A^2	СН	H F	5 5	Н	ВΞ	B	3 8	CH	СН	E E	3 E	# E	CH	CH	5 5	5 5	Н	H 5	5 E	В	СН	∃ E	3 B	СН	5 5	5 5	СН	5 E	5 5	СН	5 5	;
	N	A^1	СН	H F	5 B	CH	Н	8 E	3 B	Э	СН	H E	5 E	EΒ	СН	CH	5 5	5 5	CH	H)	3 E	H	СН	5 E	3 B	Э	5 5	5 8	CH	5 5	3 5	СН	8 B	1
		R	CF3	CF3	E E	CF3	CF3	EE EE	EE EE	CF3	CF3	CE3	E E	CE3	CF3	CF3	CE3	S E	CF3	CF3	E E	CF3	CF3	SES ES	GE CE	CF3	E E	E E	CF3	E E	E E	CF3	CF3	;
		X^1	Н	ΞΞ	c =	Н	Ξ:	==	Ξ	н	Η	Ξ;	= =	ΞΞ	Н	н:	Ξ:		Н	Ξ		н	H	Ξ =	ΞΞ	Ξ:	II :	пπ	Η:	Ξ:		н	ΞΞ	:
		B^4	С—Н	T S		С—Н	H_O			С—Н	С—Н	H .	# T	F	С—Н	C—H	T C	Į Į	Т	H 0	J		Н—0	T J		H_0	T o		H	F 5	T T	С—Н	ŢŢ	1
		B^3	C—CF3	C—CF3	37	C—C	7 0 0	7 7 8	7 7 7 8	- C	-C	7 0 0	5 5 J J	7 7 8	-C		ე ნ ე ი	ΙТ	C_CF3	C_CE3	E E	C—CF3	C_CF3				ე შ ე მ	7 7 	C - CI	7 t	7 0 3 0	- C	7 7 0 0	;
		\mathbf{B}^2	С—Н	H 0		С—Н	H_0			СН	С—Н		7 T	7 7	C_C		ว ถ ว ถ	J H	C_H	H C	T T	H_O	C—H	# J	F T 3	C—H	T o		H_0	F 5	# 0 	C_C	77	j
		B^1	C—CF3	C—CE3		[] C—C]		5 5 5 5		乊		7 7	5 5 5 5	7 7	Image: section of the content of the	구 :	วี ถึ ว ถ	~		CE3	3 5	CF3		E - C	ರ ಧ	구 7	ე შ ა	7	;	ე ნ ს ი			7 7 7	i)
		Table 1-ExNo.	1-1702	1-1703	1-1/04	1-1706	1-1707	1-1708	1-1710	1-1711	1-1712	1-1713	1-1/14 1 -1715	1-1716	1-1717	1-1718	1-1719	1-1721 1-1721	1-1722	1-1723	1-1/24	1-1726	1-1727	1-1728	1-1731	1-1732	1-1733	1-1/34	1-1736	1-1/3/	1-1/38 1-1739	1-1740	1-1741 1-1742	71 / 1

		1					·	·					·						٠						
		$ m R^6$	cyclo-PrCH2CO CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO CH3CH2NHCO	CH3CO	nPrco	cyclo-FrCU cyclo-PrCH2CO	CF3CH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO CH3SO2CH2CO	CH3CO CH3CO	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO CH3CO	CH3CH2CO	cyclo-PrCO
		\mathbb{R}^5	нн	ш	ΗН	нп	: ш:	ΞΞ:	ΞΞ	ΞΞ	===	: = :	п III :		шп	===	ш	нн	: ::::::::::::::::::::::::::::::::::::	шш	ш	пπ	нн	н	ш
		\mathbb{R}^4	нн	==	ΞΞ	шп	: ш:	ΞΞ:	ΞΞ	ΞΞ	===	===	с = :		шп	===	ш	==	: ::::::::::::::::::::::::::::::::::::	ш	ш	ΕШ	ΗН	шп	ш
		\mathbb{R}^3	н	E E	ΞΞ	шп	Ξ:	==:	II	ΞΞ		: = :	C III :		ΞЭ	===	ш	шш	: =:	ΞΞ	ΞΞ	ΕШ	нн	шп	=
	~~~× ~~~~× ~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	ZZZ	ΖZ	zz	ZZ	zz	zz;	ΖZ	zz	: Z Z	: Z 2	zz	ΖZ	zz	Z Z Z	ζZ	zz	z	ΖZ	ZZ	ΖZ	zz	ZZ	ZZ
IABLE 1-continued	A	$A^3$	C—CH3 C—CH3			C—CH3							C-CH3				C-cyclo-Pr	C-cyclo-Pr C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Fr C-cyclo-Pr	C-cyclo-Pr C-cyclo-Pr	C-cyclo-Pr	C-cyclo-rr C-cyclo-Pr
TABLE	$\left\langle \right\rangle$	$A^2$	B B 5	5 5	88	HO	B B 8	5	3 B	E E	# E E	# E	5 B I	3 B	B 8	3 B 5	BB	E E	B B 8	3 B	E E	5 5	88	Н	5 B
	-X	$A^1$	888	5 5	88	НЭ	B	5 B E	5 B	8 B	8 B B	# E	5 B i	5 B	H F	∄ ₩ ₹	3 B	B E	B 8	5 B	E E	5 5	88	CH	5 8
	<u>~</u> ™	ĸ	CF3 CF3	CE3	CF3 CF3	CF3	GE G	EE	CE3	CF3	CE3	CF3	CE3	E E	CF3	EE EE	CE3	E E	CF3	EE CE3	CF3	E E	CE3	CF3	CE3
		$X^1$	нн	ΞΞ	ΗН	н	: ::::	ΞΞ:	ΞΞ	Н	ш	ш	ι π :	ΗН	нп	===	н	ΗН	ш:	ΗН	н :	υН	Н	н	ΞΞ
		$\mathrm{B}^4$	FT.		TJ		TT.	TT.	J	JJ			JJ	JJ			J	J		JJ		T T			T T
		$\mathrm{B}^3$	777 777	7 7	ฮ ฮ   		; ;	JJ;	JJ	T J	H-0	CE3		E E E	C—CF3		] ] ]	ฮ ฮ   		5 5 5 0	7 0 0	7 7     0	5     	77	7 7
		$\mathbf{B}^2$	5 5 5 5 5 5	7 7	7 7 8		J J	TT:	T T				T T	T T	Н—О				T .	JJ	H 5	T T		700	7 7
		$\mathbf{B}^1$	 	7 7	7 7 0 0	C—CF3				-CE3	-CE		C-CE3		C—CF3		30	7     	5 T T	5 5 5 0		7 7 ] ]	5 5 5 5	7 J	7 7
		Table 1-ExNo.	1-1743 1-1744 1-1745	1-1/43	1-1747 1-1748	1-1749	1-1751	1-1753	1-1/54 1-1755	1-1756	1-1758	1-1760	1-1762	1-1/63 1-1764	1-1765	1-1767	1-1769	1-1770	1-1772	1-1 <i>1/13</i> 1-1 <i>7</i> 74	1-1775	1-1777	1-1778	1-1780	1-1782

		1	1,				<b>-</b>	-	Π,	<b></b>		1				<b>-</b> -		<b></b>							1						-
		$ m R^6$	cyclo-PrCH2CO	CF3CH2CO CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CHZNHCO	СНЗСН2СО	nPrCO	cyclo-PrCH2CO	CF3CH2CO	CH38CH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CO	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	СНЗСО	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CO CH3CO	CH3CH2CO nPrCO	cyclo-PrCO
		$\mathbb{R}^5$	H	шш	н	ш:	пп	Н	н:	ıπ	H	н	<b>=</b> :	пπ	н:	I I	н	ш	ш	н	пп	Н	ШΠ	пΉ	Н	шп	: = :		ш	ΗН	н
		$\mathbb{R}^4$	H	шш	н	==		Η	Ξ:	ΞΞ	Н	Η:	Ξ:	IΞ	Ξ:		ΞН	I	пШ	H	ΞΞ	H	H	пШ	Н	шп	: = :		пш	ΗН	н
		$\mathbb{R}^3$	H		н	ш:		Н	ш:	I I	н	H	ш:	EE	Ξ:	I I	Ξ	ш	ш	H	==	Н	ΞΞ	СΞ	Н	ШΠ	: = :		ΕЩ	ΞΞ	Ξ
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	z	zz	z	z	z z	z	z;	z z	z	Z	z	ΖZ	z;	z z	z	Z Z	zz	z	z z	z	ZZ	zz	z	zz	zz	Z 2	ΖZ	zz	z
TABLE 1-continued	A-1-A-4-A-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3	A^3	C-cyclo-Pr	C-cyclo-Pr C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Fr C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-Pr	C-cyclo-F1	C-cyclo-Pr	C-cyclo-Pr C-cyclo-Pr	C—CH2CF3	C—CH2CF3	C—CH2CF3	C—CH2CF3	C—CH2CF3	C—CH2CF3	C—CH2CF3	C—CH2CF3	C—CH2CF3 C—CH2CF3	C—CH2CF3
TABLE	$\left\langle \right\rangle$	A^2	СН	8 B	CH	8 5	5 5	СН	CH	3 B	СН	СН	E E	5 B	СН	3 E	СН	# E	5 B	СН	3 B	СН	# E	5 5	СН	H)	B B	5 8	5 5 5	НЭ	СН
	× R	A^1	HO	B B	CH	# E	5 8	СН	H E	3 E	СН	CH	H 5	5 B	СН	5 E	Н	B 5	5 B	СН	3 B	СН	B 5	5 8	СН	B 5	B B	5 5	55	НЭ	СН
		R	CF3	E E	CF3	E 5	E E	CF3	CF3	E E	CF3	CF3	E E	E E	CF3	E E	CF3	CF3	CE3	CF3	3 E	CF3	CF3	CE3	CF3	CF3	CE3	3 5	CES	CF3 CF3	CF3
		X^1	H	ΞΞ	н	Ξ:	ш	Η	Ξ:	I I	Н	Η:	Ξ:		ш:	I I	H	ΞБ	υШ	H	ΞΞ	Н	Ħ E	υШ	Н	ΗП	: = :		ΞΞ	нн	н
		B^4	Н	ŢŢ	C_H		J	С—Н	H_0	JJ	С—Н	C_H		JJ	СН	Į	H O	H C	J	СН	JJ	С—Н	H 0	J	С—Н	Н О			T T	JJ	С—Н
		B^3	io—ci	7 7 8	5 - C	- - - -	7 H	С—Н	H_0	JJ	CH	C_H	H 0	J J	C—CF3		C—CF3	C-CF3	-CE)	C—CF3		70-0	ت ا ا	7 7 0		ت ت ک د	5 7 8 5 0 8	J 0	7	7 7 0 0	[]
		\mathbf{B}^2	C—CI	7 0 0	0 - C	ე ნ ს	7 H	С—Н	H_0	JJ	С—Н	СН	H-0	T T	C—H	; ; ;	C—H	H 0	FΨ	Ŧ:	Į Į	С—Н	H 5		С—Н	H-0		T .		7 7 7	C—CI
		\mathbf{B}^1	C—CI	7 7 8	0 0	ت ت ک د		C—CF3	C—CF3		C—CF3	C—CF3	C—CE3				C—CF3	C—CE3		C—CF3		70	ე ე ე	7 T	[] 	ე <u>ე</u>	7 7 7 2 0 0	J 0	77	7 0 0	C_C
		Table 1-ExNo.	1-1783	1-1784 1-1785	1-1786	1-1787	1-1789	1-1790	1-1791	1-1 /92 1-1 793	1-1794	1-1795	1-1796	1-1/9/ 1-1798	1-1799	1-1800	1-1802	1-1803	1-1805	1-1806	1-180/	1-1809	1-1810	1-1812	1-1813	1-1814	1-1816	1-181/	1-1818 1-1819	1-1820 1-1821	1-1822

		1	1 1					1		-						-										-	-			
		$ m R^6$	cyclo-PrCH2CO CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO	nPrCO	cyclo-PrCU cyclo-PrCH2CO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CO CH3CH3CO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO CH3CH2NHCO	CH30CH2CH2CO	CH3OCH2CH2CO	CH3OCH2CH2CO	CH3OCH2CH2CO	CH3CO CH3CH2CO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CH3OCH2CH2CO	CH3SCH2CO CH3S(O)CH2CO
		\mathbb{R}^5	н	нп	ΞΞ	н	пπ	н:	Ξ Ξ	н	н:	= =	н	шп	= =	Н	= =	н	н	ΞΞ	н	II:	= =	н	ШΠ	ΞН	Н	ш =	: н	нн
		\mathbb{R}^4	нн		Ξ	н:		Ξ:	II	н	ш:	==	Ξ	= 1	ΞΞ	H	шш	н	H		н:	Ξ:	I I	Ξ	HH	Ξ	Η	шп	Ξ Ξ	ΞΞ
		\mathbb{R}^3	нн		Ξ	н:		н:	IΠ	H	Ξ:	I I	ΞН	E D	: =	Ξ:	шш	Ξ	ш		Ξ:	II :	I I	Ξ	ΞΞ	Ξ	Η	шп	ΞΞ	ΞΞ
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	zz	Z Z	z	z	zz	z	z z	z	z	z z	z	zz	zz	z	zz	Z	z	z z	z	z ;	z z	z	E E	∃ ∃	СН	8 8	5 B	H H
IABLE 1-continued	A	$A^3$	C—CH2CF3 C—CH2CF3	C—CH2CF3	C—CH2CF3	C—CH2CF3	C—CH2CF3	C—CH2CF3	C_CH2CF3	C—CH2CF3		C_CH2CF3		C—CH2CF3		C—CH2CF3	C_CH2CF3	C—CH2CF3	C—CH2CF3	C—CH2CF3	C—CF3			C-CF3	C CF3	C—CF3	C—CF3	- C		C—CF3 C—CF3
TABLE	$\left\langle \right\rangle$	$A^2$	HO	НЭ	В	CH	5 5	СН	3 B	НЭ	CH	3 B	Н	НЭ	<del>.</del> 8	СН	8 B	B	H H	5 B	CH	# E	55	СН	8 B	Н	СН	E E	5 5 5	Н
	-X	$A^1$	HO	H H	BB	H)	5 5	CH	3 B	CH	CH	3 B	H	H H	3 B	СН	e e	ВВ	H E	5 5	СН	<del>5</del> 5	35	В	88	В	СН	8	3 B	НЭ
	_m=_m	<b>x</b>	CF3 CF3	CF3	CF3	CF3	E E	CF3	E E	CF3	CF3	E E	CF3	CF3	GE CE	CF3	E E	CF3	CF3	EE EE	CF3	SES ES	3 8	CF3	CF3	CF3	CF3	CF3	GE GE	CF3 CF3
		$X^1$	Н	н	ΞH	ш:	ΞΞ	Η:	I I	Н	Ξ:	<b>=</b> =	н	ш	ΞΞ	H	ΞΞ	ΞΞ	Н	ΞΞ	н:	Ξ:		Н	ΗН	Н	Н	ΗП	ıπ	н
		$\mathrm{B}^4$	ĦJ	Н—О	H J	F-0	J	H_0	T T	Т	C_H	ij	E T		J	СЕ	T J	H	H o	J	H_0	J o	J	H	H J	H_0	С—Н	H_0		Ħ
		$\mathrm{B}^3$	 	ت ت د د	5 5 5 5		J	H_0	######################################	СТН	C—H	JJ	E		CE3	C—CF3		C—CE3	C—CF3	E E		-		C—CF3	20—C		20—C	20—C	20 20 20 20	20—C 20—C
		$\mathbf{B}^2$	7 7 0 0	77	5 5 5 5	[] :		C—H	T T	С—Н	С—Н	# T	Ŧ	H		С—Н			H—O		C—H	_	J		C_OCH2O		C_OCH2O	C_OCH2O	C_OCH20	C—OCH2O C—OCH2O
		$\mathrm{B}^1$	0 0 0 0	ت ا ا	5 5 5	C_C		C—CF3		C—CF3	C—CF3		C—CF3	C - CE3		C—CF3			C—CE3					C—CE3	7     	5 <del>7</del> 0	C—CI	ე <u>ე</u>		
		Table 1-ExNo.	1-1823 1-1824	1-1825	1-1827	1-1828	1-1829 1-1830	1-1831	1-1832 1-1833	1-1834	1-1835	1-1836 1-1837	1-1838	1-1839	1-1841	1-1842	1-1843 1-1844	1-1845	1-1846	1-184/ 1-1848	1-1849	1-1850	1 -1851 1-1852	1-1853	1-1854 1-1855	1-1856	1-1857	1-1858	1-1860	1-1861 1-1862

		1	1						П	_			1	<b></b> -			1	<b></b> ,			<b></b> ,		1				п.			⊣,			-
		$ m R^6$	CH3SO2CH2CO	CH3CH2NHCO CH3CO	СНЗСН2СО	nPrCO .	cyclo-PrCO	CF3CH2CO	CH3OCH2CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CO	снзсн2со	IPPCO PPCO	cyclo-PrCH2CO	CF3CH2CO	CH3OCH2CH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CH2CO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CH3OCH2CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CO	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO
		$\mathbb{R}^5$	Н	шш	н	Η:	ΞΞ	: н	Н	Η:	ΞΞ	= =	Н	н		:	Н	Η:	I I	Н	н	= =	Н	Η		Ξ Ξ	н		ΞН	Н:	Ι Π	н	н
		$\mathbb{R}^4$	Н		Ξ	Ξ:	II	Ξ	Н	Ξ:	II I	Ξ	н	Η:	<b>.</b> .	: Ξ	Н	Ξ:	I I	н	н		Н	Ξ	I I	Ξ	ШΞ		Ξ Ξ	Ξ:	IΙ	H	Ξ
		$\mathbb{R}^3$	Н	шп	н	Ξ:	II	ΞΞ	Н	Ξ:	шп	ΞΞ	н	н:		Ξ	Н	ш:	II	Ξ	Η:	I II	Н	Ξ	I I	ΞΞ	н		ΞΞ	н:	ΞΞ	н	I
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	СН	e e	Э	E E	8 B	ВВ	CH	H i	8 E	5 B	H	СН	5 5	5 B	CH	CH	3 B	В	CH	5 5	СН	# E	3 E	5 B	HJ 5	3 E	5 B	H)	5 E	B 8	E.
TABLE 1-continued	A	A^3	C—CF3		C—CF3	C-CF3		C_CF3	C—CF3	C—CF3	C_CE3		C—CF3	C—CF3		ED-O	C—CF3	C—CF3		C—CF3	C—CF3		C—CF3	C—CF3		C-CE3	C—CF3			-	5 5 3 8	7 c	<u></u>
TABLE	Ž	A^2	СН	88	СН	H I	5 E	ВВ	СН	H	E E	5 B	CH	СН	5 E	BB	CH	CH	3 E	В	CH	5 8	СН	H)	5 E	5 B	HJ 5	5 E	3 5	СН	3 5	Н	5
	×× × × × × × × × × × × × × × × × × × ×	\mathbf{A}^1	СН	88	Н	H I	8 E	B	CH	H I	8 E	3 B	HO	Н	3 E	B B	СН	H E	3 E	B	H)	5 5	НЭ	H E	3 E	3 B	H 5	5 E	3 B	H)	5 5	H 5	5
	.E—54	R	CF3	E E	CF3	CF3	CES EE	CE3	CF3	CE3	CE3	CE3	CF3	CF3	CES	CE3	CF3	CF3	E E	CF3	CF3	CE3	CF3	CF3	ES E	CE3	CF3	3 E	CE EE	CF3	E E	CF3	£3
		X^1	Н	ΞΞ	Н	Η:	II I	Ξ	Н	Η:	ΞΞ	ΞΞ	Н	Η:		ΞΞ	Н	Η:	I I	Ξ	Ξ:	гπ	Η	Ξ:	= =	ΞΞ	Ξ:		ΞΞ	Ξ:	IΞ	Ξ:	I
		B^4	С—Н	T J	С—Н	HT.			С—Н	HJ.	ij		С—Н	С—Н	ij	F	С—Н	C—H	J	H	H_0		С—Н	H o			H_O			Н—0	J	H_O	Ŧ ₃
		B^3	120—C	OCH20—C	120—C		750—C		120—C		OCH20—C		H3)20—C		H3)20 CC				H3)20—C		H3)20—C	C_0CF20_C	-OCF20—C	OCF20—C	OCF20—C	OCF20—C	OCF20_C	OCF20 C				C—CF3	E3-3
		\mathbf{B}^2	с—осн20	C_OCH20	C-0CH20	C_OCH20	C_OCH2O			С—ОСН2О	C_OCH20		C-OC(CH3)20	C_OC(CH3)20	C_OC(CH3)20		C-OC(CH3)20		C_OC(CH3)20	C—OC(CH3)20	C_OC(CH3)20	C_0CF20_	DO-0							C—H	ŢŢ	СН	Ŧ S
		\mathbf{B}^1	C—CI	ਰ ਹ ਹ ਹ	5 0	J ;	7 7 0	5 5 5 7		- - - - -	7 7 7	7 7 7 8	- C		ت ت ل		C	0 0 0	5 5 5 5		ت د د	7 0 			5 5 3 2			J 0	7 7	C_F	j	C	5
		Table 1-ExNo.	1-1863	1-1864 1-1865	1-1866	1-1867	1-1868	1-1870	1-1871	1-1872	1-1873	1-1875	1-1876	1-1877	1-1879	1-1880	1-1881	1-1882	1-1883	1-1885	1-1886	1-1888	1-1889	1-1890	1-1891 1-1892	1-1893	1-1894	1-1895	1-1897	1-1898	1-1899 1-1900	1-1901	1-1902

		1	1			1				1	-	⊣ •	- -		-					_					٠.	1	-				-			_
		$ m R^6$	CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CO	CH3CH2CO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	СНЗСО	CH3CH2CO		cyclo-PrCH2CO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CO	CH3CH2CO "PrCO	cyclo-PrCO	cyclo-PrCH2CO	CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CO	CH3CH2CO nPrCO	cyclo-PrCO	cyclo-PrCH2CO
		\mathbb{R}^5	Н	ШΕ	пШ	Н	н:	ΞΞ	: н	Н	Н	Ξ:	пп	ΞΞ	Н	н:	ΞΞ	= =	ΞΉ	н	пп	н	Η	= =	Ξ	Н	Н	Ξ.	ΞΞ	ΞН	H	エエ	Η	Н
		\mathbb{R}^4	Н	ш	ш	Н	н:	I I	ΞΞ	Н	н	ш:	I I	Ξ	Н	ш:	II I	==	ΞΞ	H	II	Ξ	ш		: =	Н	Н	Ξ:	ΞΞ	н	H	II	н	Н
		\mathbb{R}^3	Н	ΞΞ		Н	ш:	ΞΞ	Ξ Ξ	Н	н	ш:	==	Ξ	Н	Ξ:	I I		Е	ΗI	II	н	ΞΞ		: Ξ	Н	Н	Ξ.	ΞΞ	н	H	IΙ	н	Н
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	СН	8 €	5 5	СН	H :	3 E	<del>5</del> 5	CH	Н	E E	5 E	Ξ	CH	E E	3 B	5 5	E E	H	3 E	BB	8 5	5 5	: <del> </del>	СН	Н	3 B	3 E	∄	H	8 B	Н	СН
TABLE 1-continued	A. A	$A^3$	[2—C]	ਹ ਹ ਹ ਹ	] ] ]	[] C—C]	C—Br		C Br	C—Br					C— $CF3$	C—CF3			C-G3	C—CF3		C-CF3	C-CE3		C_CF3	C—CF3	C—CF3			C—CF3	C—CF3		C—CF3	C—CF3
TABLE	$\left\langle \begin{array}{c} z' \\ \end{array} \right\rangle$	$A^2$	СН	## E	5 5	СН	CH	3 E	5 B	СН	СН	E E	3 B	EΒ	СН	E G	3 B	5 5	E E	Н	3 E	В	## E	5 E	: :	СН	СН	3 B	3 5	В	CH	88	CH	СН
	~ E	$\mathbf{A}^1$	СН	B 5	5 5	СН	E E	3 E	5 B	CH	Н	H)	3 B	EΒ	CH	E E	<del>5</del> 5	5 E	B	Н	3 E	B	B 5	5 E	E	СН	СН	3 B	38	B	HO	88	HO	СН
	_m==24	<b>x</b>	CF3	CF3	EE3	CF3	CF3	E E	CE3	CF3	CF3	CE3	3 8	CE3	CF3	CF3	CES	E E	CE3	CF3	E E	CF3	CF3	3 E	CE3	CF3	CF3	E E	S E	CE3	CF3	EE EE	CF3	CF3
		$X_1$	Η	ΞΞ	υН	Н	Η:	ΞΞ	ΞΞ	Н	н	Ξ:	ΞΞ	ΞΞ	Н	Ξ:	Ξ:		н	H	Ξ Ξ	ΞН	ΞΞ		: Ξ	Н	Η	Η 1	ΞΞ	ΞΞ	H	ΞΞ	Н	Н
		$\mathrm{B}^4$	Н—Э	H .		С—Н	C_H			С—Н	CH		J	H O	$_{\rm C-H}$	H .	Ţ,	J	H	CH	J	C_H	z	z	Z	z	Z	z z	; Z	z	Z	zz	z	Z
		$\mathrm{B}^3$	C—CF3	C—CF3	CE3	C—CF3	C—CF3		CE3	C—CF3	C—CF3	C-CF3		CE3	C—CF3	C—CE3	E E		C—CF3	C—CF3		C—CF3	_ _ _ _	7 T	5 0 0	[] 		ე ნ ა	7 C	5 5 5 5	C—Br		C—Br	C—Br
		$\mathbf{B}^2$	С—Н	H_0		С—Н	C_H			С—Н	С—Н	C_H		H_O	С—Н	H_0		ij	C_H	СН	Į	СТН	H_0			С—Н	С—Н			H_O	С—Н		C—H	С—Н
		$\mathrm{B}^1$	C—F	J .	ijij	$C$ — $\overline{F}$	C_F	j	j	C— $F$	J .	C.	jj		CF	T .	֓֞֞֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֟֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	J	C_F	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	J J	C—CF3		C—CF3	C—CF3	C—CF3			C—CF3	C—CF3		C—CF3	C—CF3
		Table 1-ExNo.	1-1903	1-1904	1-1906	1-1907	1-1908	1-1909	1-1911	1-1912	1-1913	1-1914	1-1915 1-1916	1-1917	1-1918	1-1919	1-1920	1-1921 1-1922	1-1923	1-1924	1-1925 1-1926	1-1927	1-1928	1-1929 1-1930	1-1931	1-1932	1-1933	1-1934	1-1936	1-1937	1-1938	1-1939 1-1940	1-1941	1-1942

		1	1 ,			-			1			1	1			-	т.			п,			П			-		<b>→</b> -	٠,		1	
		$ m R^6$	CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO	CH3CO CH3CH2CO	nPrCO	cyclo-PrCO	cyclo-PrCH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2NHCO CH3CO	CH3CH2CO	nPrcO	cyclo-PrCO	cyclo-PrCH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3CH2NHCO	CH3CO	CH3CH2CO	cyclo-PrCO CF3CH2CO	CH3CO	CH3CH2CO	cyclo-PrCO CF3CH2CO	CH3CO	CH3CHZCO , î î îî	cyclo-PrCO CF3CH2CO	CH3CO	CH3CH2CO cyclo-PrCO
		$\mathbb{R}^5$	Н	H H	н	ш:	<b>=</b> =	ΞΞ	Н	ΞΞ		Н	Н	ΗП	Ξ	Н	н	шп	ш	Н		ΞН	Н	ΗН	ΞН	Н	нн	н	I;	ΗН	Н	нн
		$\mathbb{R}^4$	H	II	Ξ	Ξ:	II	≡	Н	H		Ξ	H	шп	: Ξ	Η	Ξ:	<b>=</b> :	==	Η:	==	: Ξ	H	HH	≡	Н	нн	н	Ξ;	ΞΞ	Н	ΗН
		$\mathbb{R}^3$	н	II	Н	Ħ:	II	ΞΞ	Н	ΞΞ		Ξ	Η	шп	Ξ	Η	Ξ:	ш	= =	Η:		ΞН	Η	шш	Ξ	H	нн	ш:	Ξ;	ΞΞ	Н	нн
	ZZXXXXXXXXXXXX	$A^4$	CH	3 B	Н	# E	e e	<del>5</del> 8	CH	B 5	3 B	# E	СН	<b>5</b> €	Ð	CH	H I	₩ ₩	5 B	H)	3 B	ΞĐ	CH	₩ ₩	B B	HO	8 €	# F	5 8	3 B	C— $F$	
TABLE 1-continued	A	$A^3$	C—CF3		C—CF3	C—CF3		C—CF3	C—CF3	C-CE3		C—CF3	C—CF3	C_CE3	C—CF3	C—CF3	C—CF3	C-CE3		C—CF3		,       	0 C	7 7 7	5 5 5 5	[] 	5 J J	7 0	J (	5 5 5 5	[] C—C]	<del></del>
TABLE	Z'	$A^2$	HO	3 B	СН	Н	E E	В	СН	H 5	5 E	Н	СН	8 B	Э	СН	Н	H)	5 B	СН	3 B	В	СН	H H	BB	СН	88	B 5	<del>5</del> !	<del>5</del> 5	CH	Н
	N N N N N N N N N N N N N N N N N N N	$A^1$	HO	3 B	Э	H E	e e	# E	НЭ	B 5	3 B	Ð	СН	8 E	Ð	CH	H I	B 8	5 5	H)	3 B	C.F.	C— $F$			$C_{-F}$	ij	C-F	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	jj	СН	H H
	~==°±	R	CF3	E E	CF3	CF3	E E	CE3	CF3	CF3	E E	CF3	CF3	CF3	CE3	CF3	CF3	CE3	CE3	CF3	E E	CF3	CF3	CE3	CE3	CF3	CE3	CF3	E E	E E	CF3	CF3 CF3
		$X^1$	H	ΗН	Н	н:	ΞΞ	Ξ	Η	ш:	= =	Ξ	Η	ΞΞ	Ξ	Η	н:	ΞБ	ш	Η:	<b>=</b> =	Ξ.	Η	ΞΞ	ш	Н	ΗН	н	I;	ΞΞ	Η	н
		$\mathrm{B}^4$	z	z z	z	z;	z z	z	z	z	z z	z	z	z z	z	z	z :	z z	zz	z	z z	C_H_O	С—Н	T J	H_0	СЩ	TJ	H_0	F :	T T	С—Н	H_0
		$\mathrm{B}^3$	C—Br		C—Br	C—Br		C-CH3					C—CH3	C_CH3	C—OCH3	C-0CH3	C_OCH3	C_OCH3		C-0CH3				ე ე ე			5 0 0					7 7 7
		$\mathbf{B}^2$	H—3	ŦŢ	C—H	H.			С—Н		; ;	C—H			- : 平	Ŧ			F F	円:		1 F		H 0			7 7 0 0	H_0	= : 	T T	H	T T
		$\mathrm{B}^1$	C—CF3									CE3	-CE3	C-CE3	CE3			C—CE3					7	5 5 5 5 5	_	Image: contract to the contract	7 7 7 8					7 7 7 7 8 7
		Table 1-ExNo.	1-1943	1-1944 1-1945	1-1946	1-1947	1-1948 1-1949	1-1950	1-1951	1-1952	1-1953 1-1954	1-1955	1-1956	1-1957	1-1959	1-1960	1-1961	1-1962	1-1964	1-1965	1-1966 1-1967	1-1968	1-1969	1-1970	1-1972	1-1973	1-1974 1-1975	1-1976	I-19//	1-19/8 1-1979	1-1980	1-1981 1-1982

		1		1	1	1	1	1	
		$ m R^6$	CF3CH2CO CH3CO CH3CO CH3CH2CO eyalo-PrCO CF3CH2CO CF3CH2CO CF3CH2CO CF3CH2CO CF3CH2CO CF3CH2CO CF3CH2CO CF3CH2CO CF3SCH2CO CF3SCH2CO CF3SCH2CO CF3SCH2CO	O ₂ N CH ₂ CO	OH ₂ CO	N CH ₂ CO	СНЗСО	OH ₂ CO	CH3OCH2CH2CO CH3OCH2CH2CO CH3OCH2CH2CO CH3SO2 CH3SO2 2-py—CO
		$\mathbb{R}^5$		H	н	H	Н	ш	
		$\mathbb{R}^4$		Ħ	Ħ	Ħ	Н	ш	пппппп
		$\mathbb{R}^3$		Ħ	Ħ	Ħ	Н	Ħ	пппппп
	Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-Z-	$A^4$		СН	СН	СН	СН	СН	N N N H N N
TABLE 1-continued	A - A - A - A - A - A - A - A - A - A -	$A^3$		C—CF3	C—CF3	C—CF3	C—Br	C—Br	
TABLE	$\left\langle \right\rangle$	$A^2$	888888888888	СН	СН	СН	СН	СН	555555
	-X	$A^1$	888888888888	Ю	CH	Ю	СН	СН	555555
	. ₁	R		CF3	CF3	CF3	CF3	CF3	CF3 CF3 CF3 CF3 CF3
		$X^1$		н	H	н	Н	H	
		$\mathrm{B}^4$		C_H	С—Н	С—В	С—Н	С—н	
		$\mathrm{B}^3$		C—CI		C-CF3	C—CF3	C—CF3	E-0-0 10-0 10-0 10-0 10-0 10-0 10-0 10-0
		$\mathbf{B}^2$		C_H	[] C	С—Н	С—Н	С—Н	
		$\mathbf{B}^1$		<u></u>	<del></del>	[] 	C—CF3	C—CF3	
		Table 1-ExNo.	1-1983 1-1984 1-1985 1-1986 1-1987 1-1989 1-1990 1-1991 1-1991 1-1993	1-1995	1 -1996	1-1997	1-1998	1-999	1-2000 1-2001 1-2002 1-2003 1-2004 1-2005

		1	1			1	П,			1			- 1			1	_			- ,		- 1	П.			→ -		→ •		-		-
		$ m R^6$	Н	CH3CO CH3CH3CO	cyclo-PrCO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	H	СНЗСО	CH3CH2CO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO tert-BiOCO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CO	CH3CH2CO	cyclo-PrCO	CH3CH2CO	CH3S(0)CH2CO	CH3SO2CH2CO	H CH3CO	CH3CH2CO	cyclo-frec CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO CH3SO2CH2CO	CH3CH2CO
		$\mathbb{R}^5$	Н	ΗП	ΞН	Н	н	пп	н	Н	шп	- H	н	н	I II	Н	Η	шп	ΞΞ	Η:		ш	ш	= =	ΞН	≖:	пπ	н	I II	Н	<b>=</b> =	СНЗ
		$\mathbb{R}^4$	Н	ш :	ΞΞ	Н	ΞΞ	IΙ	Ξ	Н	<b>=</b> 1	C 22	Ξ	н	==	н	Η	шп	ΞΞ	Η:	IΙ	Ξ	ш:	= =	Ξ	Ξ:		н:	<b>.</b> .	н	<b>=</b> =	H
		$\mathbb{R}^3$	Н	ΞЭ	ΞΞ	Н	Ξ		Ξ	Н	шп		н	ΞΞ		н	H	шп	<b>=</b>	н:		Ξ	ш		Ξ	Ξ:	==	н		н	==	Н
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	СН	8 8	38	СН	8 €	5 E	J	C_F		j	, <u>-</u>	J (	j	C.F.	C		ŢŢ	C	ŢŢ	J	J ;	֓֞֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓		J	jj	C	j	- T	ij	СН
TABLE 1-continued	A	A^3	C_I	JJ	JJ	C	J	JJ		C_{-F}		jj	T	7.	j	- IO	7 0	7 7 7]]]	I C — C I	E E	C—CH3	CHCH3		C—CH3	C—CH3		C—CH3		C—CH3		СН
${\bf TABLE}$	$\left\langle \right\rangle$	A^2	СН	B 8	5 5 5	СН	Э	5 E	B B	СН	H)	5 5	СН	СН	5 E	CH	СН	E E	5 B	СН	5 E	CH	H)	3 E	Э	8 €	3 B	СН	55	СН	H H	СН
	N N N N N N N N N N N N N N N N N N N	A^1	СН	8 8	3 B	СН	H 5	5 E	E	СН	B 8	5 5	Н	H H	5 E	Н	Н	B 8	5 5	СН	5 E	B	8 €	3 E	H H	8 €	∃	H)	5 5	Э	8 B	СН
	_m==_m	R	CF3	CF3	CE3	CF3	CF3	E E	CF3	CF3	CF3	CE3	CF3	CF3	E E	CF3	CF3	CE3	CE3	CF3	E E	CF3	CF3	EE.	CF3	CF3	E E	CF3	CE3	CF3	CF3 CF3	CF3
		X^1	Н	ΗБ	ΞΞ	Н	H	I I	н	Η	ΞБ	ιш	н	н		н	н	ΞП	ш	Η:	I I	н	ΞΞ	ш	ΞΞ	Ξ:	ΞΞ	н:		Н	ΗН	H
		B^4	С—Н	H_0		С—Н	Н О	T T	C_H	С—Н			С—Н	H	ij	С—Н	С—Н		J	С—Н	Į	Н	H	Ī	H O	H o	JJ		J	C_H	H H	С—Н
		B^3	C—CF3	C_CF3	C-CE3	C—CF3	C—CF3		C-CF3	C—CF3	C-CE3		C—CF3	C—CF3		C—CF3	C—CF3	C_CF3	7			C—CF3	C_CF3		C—CF3	C-CF3	5 5 J J	7 C	J 0	0-0	5 5 5 5	C—C]
		B^2	С—Н	H_0	H J	С—Н		Į Į	H_0		H_0	1 1	C_H	C—H	T T		С—Н	H_0			Į Į	H_O	H G	Į	# T	H 0	7 7 3 0	770	7 0	50	7 7 0 0	С—Н
		B^1	C—CF3	C-CE3		C—CF3	C—CF3	3 5		C—CF3	C—CE3					C—CF3		CE3	7 7		3 5						5 5 J J				<u></u>	C—CI
		Table 1-ExNo.	1-2006	1-2007	1-2009	1-2010	1-2011	1-2012	1-2014	1-2015	1-2016	1-2017	1-2019	1-2020	1-2021 1-2022	1-2023	1-2024	1-2025	1-2027	1-2028	1-2029	1-2031	1-2632	1-2033 1-2034	1-2035	1-2036	1-203/ 1-2038	1-2039	1-2040	1-2042	1-2043 1-2044	1-2045

		1			-					_ ,					1			1			_ ,	_ ,		1			1	₩.			+
		$ m R^6$	CH3CH2CO CH3CH2CO	CH3CH2CO CH3CH2CO	СНЗСН2СО	CH3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3OCH2CH2CO	СНЗОСН2СН2СО	CH3OCH2CH2CO CH3OCH2CH2CO	CH3OCH2CH2CO	CH3OCH2CH2CO	CH3OCH2CH2CO	СНЗОСН2СН2СО	CH3OCH2CH2CO	CH3OCH2CH2CO	СНЗСН2СО	cyclo-PrCO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3CH2CO cvclo-PrCO	cyclo-PrCH2CO	CH3SCH2CO	CH3S(O)CH2CO CH3SO2CH2CO	CH3OCH2CH2CO	H.	cyclo-PrCO cyclo-PrCH2CO	CF3CH2CO	CITCOCITC
		\mathbb{R}^5	н	нн	н	шп	ΞΞ	шп	н	н:	шш	н	ш	ш	Н	шп	ш	Н	ΗН	ΞН	н	= :	I II	н	Η	I I	н	н:	ΗН	нп	7
		\mathbb{R}^4	н	ΕΞ	H		Ξ	шп	ΞΞ	Ξ;	шш	Ξ	ΞΞ	ΞΞ	Η		ΞΞ	Н	ΠП	Н	н:	Ξ:	ΞΞ	Ξ	ш:		Ξ	Ξ;	шш	шп	7
		\mathbb{R}^3	нн	ΗН	н	шп	ΞΞ	ΞΞ	ΞΞ	Ξ;	ΞΞ	Ξ	ΞΞ	= =	Н	ш	= =	Н	ΞΞ	н	н:	Ξ:	E E	Н	ш:		Н	н:	ΗН	нп	11
	×	A^4	H H	8 B	H	₩ ₩	5 8	## ## ## ## ## ## ## ## ## ## ## ## ##	# E	H I	E z	z	z	K HO	Н	Z Z	ΖZ	Z	z z	Z	z	Z;	z z	z	z	z z	z	z	ΖZ	Z Z	-
IABLE 1-continued	A - A - A - A - A - A - A - A - A - A -	A^3	CH	88	НЭ	C_OCH3	C_OCH3	C_OCH3	500	7	7 	10 10	7 7 0 0	E M	C—Br	C—Br	C B	C—CF3	C_CE3	C-CF3	C—CF3			C—CF3	C—CF3		C—CF3	B	# # # # # # # # # # # # # # # # # # #	В	
TABLE	$\left\langle \right\rangle$	A^2	HO	8 B	Н	8 8	5 5 5	H H	B	H)	5 5	СН	# E	5 B	СН	E E	5 5	СН	E E	B	H)	∃ 5	3 B	CH	H)	5 E	CH	CH	5 5	H)	1
	-XXXXXXXXXXXXX-	A^1	HO	8 B	В	8 8	5 8	H	B	H I	5 5	Н	8 €	5 B	СН	E E	5 B	НЭ	E E	∄	H H	∃ 5	3 B	H	H 8	5 E	Н	H	₩ ₩	HO	77
	_—2₩	R	CF3 CF3	CE3	CF3	CF3	CE3	CF3	CF3	CF3	CE3 CE3	CF3	CE3	CE3	CF3	CF3	CE3	CF3	CE3	CF3	CF3	CE3	E E	CF3	CF3	3 8	CF3	CF3	CF3 CF3	CF3	3
		X^1	н	ΗН	Н	ΗП	ΞΞ	ΗН	ΞΞ	н;	= =	Н	ш:	ш	Н	= 1	= =	Н	ΞΞ	Ξ	н:	Ξ:	ΞΞ	H	Η:	I I	Н	Η;	ΞΞ	ΗН	7
		B^4	ŦŢ	J	СН				J	H C	JJ	СТН	H C	T T	$_{\rm C-H}$		J	$_{\rm C-H}$	ŢŢ	C_H	С—Н	J (JJ	С—Н	H_0	T T	С—Н	СН	JJ	H J	1
		B^3	C—CI C—CF3	7 0 0	C—CE3	ე ე ე ე	7 0	<u></u>	5 5 7 7	C—CE3		- C	C—CE3	37	C— $CF3$	D-0	S CES	C—CF3	CE3	C—CF3	C—CF3	2 2 3 4		C—Br	C—Br		C—Br	C-C	5 5 0 0	7 7 7	ڙ ر
		\mathbf{B}^2	13—3 13—3		H_O	H 0			70	C_H		- C-C	H 0	T 0	С—Н	7 -	T T	С—Н			C—H	T :	# # 5 5	H_O	H 0	T T	H_0	C_H	T T	H 7	יי נ
		B^{I}	C—CI C—CF3	7 7 0 0	C—CF3	ت ت د د	7 7	7 7 7 7	200	7 0 0		- C	ت ا	30	C—C	700		C—C	ე <u>ე</u>	5 TO 0 O		ت ک ک		C—Br	C—Br		C—Br	C_C	ਹ ਹ 	7 7 7 8	ڙ د
		Table 1-ExNo.	1-2046 1-2047	1-2048 1-2049	1-2050	1-2051	1-2053	1-2054	1-2056	1-2057	1-2058 1-2059	1-2060	1-2061	1-2062 1-2063	1-2064	1-2065	1-2067	1-2068	1-2069 1-2070	1-2071	1-2072	1-2073	1-20/4 1-2075	1-2076	1-2077	1-20/8 1-2079	1-2080	1-2081	1-2082 1-2083	1-2084	1-200

		1	1			1	П,			1					1	-	- -		1			ц,			1			1					
		$ m R^6$	CH3S(O)CH2CO	CH3SO2CH2CO	Н	СНЗСО	CH3CH2CO	cyclo-PrCO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3OCH2CH2CO	CH3CO	CH3CH2CO	cyclo-PrCO	CF3CH2CO	CHSSCHCO	CH3SO2CH2CO	CH3OCH2CH2CO	H CH3CO	CH3CH2CO	cyclo-PrCO	CF3CH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	CH3OCH2CH2CO	CH3CO	СН3СН2СО	cyclo-PrCO	CH3SCH2CO	CH3S(O)CH2CO	CH3SO2CH2CO	H
		\mathbb{R}^5	Н	ΞΞ	н	Н	н	I I	Ξ	Н	н	I :	= =	н	Н	ш:		ΞΞ	H	= =	ΞΞ	н		ΞН	Н	шп	ΞШ	Н	шп	: =	н	шп	ш
		\mathbb{R}^4	Н	ΗН	Ξ	Н	ш:	ΞΞ	Ξ	Η	Ξ;	Ξ:	IΞ	Н	Н	Ξ:		Ξ	H	IΙ	Ξ	н		Ξ	Н	ш п	Ξ	Н	E I	ΞΞ	Ξ	ш:	Ξ
		\mathbb{R}^3	Н	шш	Ξ	H	ш:	II	Ξ	Н	Ξ:	I.	I I	Ξ	Н	Ξ:		Ξ	H	II	Ξ	Ħ:		Ξ	Н		==	Н	шп	; ;	Ξ		ш
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	Z	z z	Z	Z	z	z z	z	Z	Z	z þ	z z	Z	Z	z	z	z	z	z z	z	Z	z	Z	Z	zz	zz	Z	zz	; Z	Z	zz	zz
TABLE 1-continued	A	$A^3$	НЭ	8 E	НЭ	СН	H i	5 E	3 B	СН	СН	<del>5</del> 5	3 B	CH	СН	НЭ 🖽	5 5	# B	СН	# E	3 B	H)	5 5	B	СН	8 €	7	[]—C	7 7 7	] ]	5 5 5 5	7 T	7 J
TABLE		$A^2$	СН	E E	B	СН	H)	5 E	B	СН	СН	<del>5</del> 5	5 5	СН	СН	E E	5 5	В	СН	3 E	# E	СН	5 E	B	СН	# F	3 8	СН	8 B	ΞE	В	Н	H H
	-×	$A^1$	СН	8 B		C	C.F.	֓֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֟֓֓֓֓֓֓֓	J	$C_{-F}$		֓֞֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	j	C.F.	CF	j ;	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	J	CF	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	, <u>T</u>		֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	J	C_F		j	C	C T	]			j
	<u>m</u> =24	Я	CF3	CE3	CF3	CF3	CF3	E E	CE3	CF3	CF3	CE3	E E	CF3	CF3	CE3	CES E	CE3	CF3	E E	CE3	CF3	E E	CF3	CF3	CE3	CE3	CF3	CF3	E CE	CF3	CF3	CE3
		$X^1$	Н	ΗН	н	Н	н:	ΞΞ	ΞН	Η	н	Ξ:	ΞΞ	Н	Η	ΞΞ		н	H	ΞΞ	н	н:	<b>=</b> =	ΞН	Н	ΞП	ΞΞ	Н	ΗН	Ξ Ξ	ΞΞ	ΗП	н
		$\mathrm{B}^4$	С—Н	J	C_H	С—Н	H_0	J		С—Н	С—Н	T 5	J	СН	С—Н	H_0		T	СН	J	H O	H_O		H O	С—Н			С—Н			T 5	F 3	J
		$\mathrm{B}^3$	C—CI	7 7 0	5 0	C—C]	7 0 0	5 5 5 5	5 5 5 5	C—C]		     	7 7 8			7 7 0 0			77		C-CE3	C—CF3	3 5	C_CF3	C—CF3	C CE3		[] C_C	7 7 0 0	ן ט	5 5 5 5 5 5	7 0 0	7 7
		$\mathbf{B}^2$	С—Н				C—H	J	H	С—Н		T C			- 1	7 7 0 0	J 5			J		H_O		CH C	С—Н			С—Н	H 7			H_0	500
		$\mathrm{B}^1$	[C—C]	7     	5 0	C—C	7 0 0	J [	5 0 0	C—CI		ฮ ซี ว ต	J 0	C_C	C—CI	7 t	77	5 5	7		S = C	C—CF3		C—CF3	C—CF3	- C	7 0 0	C—CI	7 7 7		5 5	7 0	7 0 0
		Table 1-ExNo.	1-2086	1-2087 1-2088	1-2089	1-2090	1-2091	1-2092	1-2094	1-2095	1-2096	1-2097	1-2098 1-2099	1-2100	1-2101	1-2102	1-2103	1-2105	1-2106	1-2107 1-2108	1-2109	1-2110	1-2111	1-2113	1-2114	1-2115	1-2117	1-2118	1-2119	1-2121	1-2122	1-2123	1-2124

		1	- 1			П			1	-			_			-	_	П.					-				П,	<b>-</b> -		П,			1
		$ m R^6$	CH3CO	CH3CH2CO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3OCH2CH2CO	H	CH3CO	CH3CH2CO	CF3CH2CO	CH3SCH2CO	CH3S(O)CH2CO	CH3OCH2CH2CO	Н	Н	H:	I I	H	H	H tert-BuOCO	tert-BuOCO	tert-BuOCO	tert-BuOCO	tert-BuOCO	H	CH3CO	cyclo-PrCO	CF3CH2CO	CH3SCH2CO	CH3SO2CH2CO	СНЗОСН2СН2СО
		$\mathbb{R}^5$	Н		ΞН	Н	шп	ΞН	Н	н;	п п	= Ξ	Н	н	ı I	Н	Н	н:	I I	Ξ	н	ıπ	Н	Η	пп	ıΗ	н:	H E		н:	шп	Ξ Ξ	Н
		$\mathbb{R}^4$	Н		ΞН	H		: =	Н	Ξ:	I I	ΞΞ	Η	Ħ:	I II	Ξ	Н	ш:	I I	H	Η:	ΙΞ	Н	Ξ:		ΞΞ	н:	Ξ:	пπ	Ξ:	шп	ΞΞ	Н
		$\mathbb{R}^3$	н		Ξ	Н		Ξ	Н	ш:	<b>=</b> =	ΞΞ	Н	ш:	I II	н	Н	Ξ	пп	: Ш	Ξ	II	Н	Ξ:	I I	ΞΞ	н:	I.	пп	Η:		ΞΞ	Н
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	$A^4$	Z	z z	Z	Z	z z	z	Z	Z ;	z	z	Z	z	ΖZ	Z	Z	Z	5 z	Z	Z	ΖZ	Z	z	z	z	H)	<del>5</del> 5	5 5	H)	₩ ₩	<del>.</del> 8	СН
TABLE 1-continued	A	A^3	[] []	7 7 7 8	5 - C C - C	C-CI	7 7 7	5 5 5 5	C—CI	- C- C-	3 5 3 6]]	[] C—C]	700		5	[] C—C]		C_SCE3	C—Br	C—Br	# 0 	[] C—C]	7 7 8	5 E	B	C—OCF3		C—OCF3	C—OCF3	C_OCF3	C_OCF3	C—OCF3
TABLE	$\left\langle \right\rangle$	A^2	CH	3 E	В	СН	E E	B B	СН	Н	3 E	5 B	CH	Э	5 E	Э	СН	СН	3 B	H	СН	3 B	СН	E E	3 E	. 5	HO	5 5	5 5	СН	## E	E E	СН
	-XXXXXXXXXXXXX-	A^1	C—F	֓֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֟֓֓֓֓֓֓	C.F.	C_{-F}			C_{-F}	C.F.	j	j	$C_{\overline{\mathbf{L}}}$		j	CH	CH	CH	3 B	B	H	5 J	C	Ţ	֓֞֞֓֓֓֓֓֓֓֓֓֓֓֟֓֓֓֓֓֓֟֓֓֓֓֓֓֓֓֓֓֓֓֓֟֓֓֓֓֓֓	J	HO	3 B	5 5	СΗ	₩ ₩	Ð	CH
	<u>.</u> m=.,%	R	CF3	E E	CF3	CF3	CE3	CE3	CF3	CF3	E E	CE3	CF3	CF3	SE SE	CF3	CF3	CF3	3 E	CF3	CF3	EE EE	CF3	CF3	E E	CE3	CF3	E E	E E	CF3	CES	CE3	CF3
		X^1	Н	ΞΞ	Ξ	Η	= =	ΞΞ	Η	Ξ:	ΞΞ	ΞΞ	Η	H	ıπ	Н	Η	Ξ:	IΙ	Ξ	Ξ:	= =	Η	н:	ΞΞ	ΞΞ	Η:	Ξ:	ΞН	Η:	ΞΞ	н	Η
		B^4	H-0	J	H_0	С—Н			$\mathrm{C}\!\!-\!\!\mathrm{H}$	H_0	J J		C— H	H_O	JJ	СТН	СЩ	H 0	J	H_0		J	С—Н	T o	# # #		H_0	T :		H_0		H O	С—Н
		B^3	C—CI	3	5 5 5 5 7 5		7 7 0 0	5 5 5 5	c— $cF3$	C—CF3		CE3	C—CF3	C—CF3		- - - - -	- - - -	C—CF3	5 5 5 5	C—CF3	7 0 0	£ 7	C—CI	C-CE3	J	CE3	C—CF3	3 6		C—CF3		C—CF3	C—CF3
		\mathbf{B}^2	C—C	J	5 5 5 7		ਹ ਹ ਹ ਹ	5 5 5 5	С—Н	H_0	J J		С—Н	H_O	Į Į	СТН		H C	# T	H_0	ت ا ا	J	C—C	H .	# 5 	7 7 7	H_0	T :		H_0			С—Н
		B^{1}	[] []	7 7 3 2	5 0		7 7 7	5 5 5 5	C—CF3	C—CF3		CE3	C—CF3	C—CE3		- - - - - -		C—CF3	3 0 3 0	5 5 5 7 7	D (5	£ 5	[] C_C	C-CE3	7 T	CE3_	C—CF3			C—CF3		C—CE3	C—CF3
		Table 1-ExNo.	1-2126	1-212/	1-2129	1-2130	1-2131	1-2133	1-2134	1-2135	1-2136	1-2138	1-2139	1-2140	1-2141 1-2142	1-2143	1-2144	1-2145	1-2146	1-2148	1-2149	1-2150	1-2152	1-2153	1-2154	1-2156	1-2157	1-2158	1-2159	1-2161	1-2162	1-2164	1-2165

		1	
		$ m R^6$	tert-BuOCO H H H H CH3CH2CO CH3CH2CO
		\mathbb{R}^5	ннинн
		\mathbb{R}^4	пппппп
		\mathbb{R}^3	
	Z-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X	A^4	E C F
IABLE 1-continued	A	A^3	C-OCF3 C-C1 C-C1 C-C1 C-C1 C-C1
IABLE 1		A^2	555555
r.	×	A^1	8 8 8 8 8
	=2R	R	CF3 CF3 CF3 CF3 CF3
		X^1	нняння
		B^4	
		B^3	C-CF3
		\mathbf{B}^2	H
		B^1	E-5-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-3-
		Table 1-ExNo.	1-2166 1-2167 1-2168 1-2169 1-2170 1-2171

TABLE 2

$$\begin{array}{c} X^1 \\ B^1 \\ B^2 \\ B^3 \end{array} B^4 \\ \begin{array}{c} N \\ N \\ N \end{array} \\ \begin{array}{c} N \\ A^3 \\ N \\ \end{array} \\ \begin{array}{c} R^1 \\ R^2 \end{array}$$

							ö	
Table 2-ExNo.	B^1	B^2	B^3	B ⁴ X	¹ R	A^3	\mathbb{R}^1	R ²
2-1	C—Cl	С—Н	C—Cl	С—Н Н	f CF3	C—CF3	Η	H
2-2	C—Cl	С—Н	C—Cl	С—Н Н		C—CF3	H	СН3
2-3	C—Cl	С—Н	C—Cl	C—H H		C—CF3	H	CH3CH2
2-4 2-5	C—Cl C—Cl	С—Н С—Н	C—CI C—CI	C—H H		C—CF3	H H	n-Pr
2-3	C—Cl	С—н	C—CI	С—Н Н		C—CF3 C—CF3	Н	cyclo-Pr n-Bu
2-7	C—Cl	C—H	C—CI	C—H H		C—CF3	Н	tert-Bu
2-8	C—Cl	С—Н	C—Cl	С—Н Н		C—CF3	Н	CF3CH2
2-9	C—Cl	С—Н	C—Cl	С—Н Н	H CF3	C—CF3	Η	2-PyridylCH2
2-10	C—Cl	С—Н	C—Cl	C—H I		C—CF3	Η	Ph
2-11	C—CI	С—Н	C—CI	С—Н Н		C—CF3	Н	PhCH2
2-12 2-13	C—Cl C—Cl	С—Н С—Н	C—C1 C—C1	C—H H		C—CF3 C—CF3	H H	MeO2CCH2 cyclo-PrCH2
2-14	C—Cl	C—Cl	C—CI	C—H H		C—CF3	Н	Н
2-15	C—Cl	C—Cl	C—Cl	С—Н Н		C—CF3	Н	CH3
2-16	C—Cl	C—Cl	C—Cl	С—Н Н	f CF3	C—CF3	H	CH3CH2
2-17	C—Cl	C—Cl	C—Cl	С—Н Н		C—CF3	Η	n-Pr
2-18	C—Cl	C—Cl	C—Cl	С—Н Н		C—CF3	H	cyclo-Pr
2-19 2-20	C—Cl C—Cl	C—Cl C—Cl	C—C1 C—C1	C—H H		C—CF3 C—CF3	H H	n-Bu tert-Bu
2-20	C—CI	C—Cl	C—CI	С—Н Н		C—CF3	Н	CF3CH2
2-22	C—Cl	C—Cl	C—Cl	C—H		C—CF3	H	2-PyridylCH2
2-23	C—Cl	C—Cl	C—Cl	С—Н Н	f CF3	C—CF3	H	Ph
2-24	C—Cl	C—Cl	C—Cl	С—Н Н		C—CF3	Η	PhCH2
2-25	C—Cl	C—Cl	C—Cl	C—H H		C—CF3	H	MeO2CCH2
2-26	C—Cl	C—Cl C—H	C—Cl	C—H H		C—CF3 C—CF3	Н	cyclo-PrCH2
2-27 2-28	C—CF3 C—CF3	С—Н	C—CF3 C—CF3			C—CF3	H H	H CH3
2-29	C—CF3	C—H	C—CF3			C—CF3	H	CH3CH2
2-30	C—CF3	С—Н	C—CF3			C—CF3	Н	n-Pr
2-31	C—CF3	С—Н	C—CF3	С—Н Н	H CF3	C—CF3	Η	cyclo-Pr
2-32	C—CF3	С—Н	C—CF3			C—CF3	H	n-Bu
2-33	C—CF3	С—Н	C—CF3			C—CF3	H	tert-Bu
2-34 2-35	C—CF3 C—CF3	C—H C—H	C—CF3 C—CF3			C—CF3 C—CF3	H H	CF3CH2 2-PyridylCH2
2-36	C—CF3	C—H	C—CF3			C—CF3	Н	Ph
2-37	C—CF3	С—Н	C—CF3			C—CF3	Н	PhCH2
2-38	C—CF3	С—Н	C—CF3		H CF3	C—CF3	$_{\mathrm{H}}$	MeO2CCH2
2-39	C—CF3	С—Н	C—CF3			C—CF3	Н	cyclo-PrCH2
2-40	C—CI	C—Cl	C—CF3			C—CF3	H	H
2-41 2-42	C—Cl C—Cl	C—Cl C—Cl	C—CF3 C—CF3			C—CF3 C—CF3	H H	CH3 CH3CH2
2-43	C—Cl	C—CI	C—CF3			C—CF3	H	n-Pr
2-44	C—Cl	C—Cl	C—CF3			C—CF3	Н	cyclo-Pr
2-45	C—Cl	C—Cl	C—CF3		I CF3	C—CF3	Η	n-Bu
2-46	C—Cl	C—Cl	C—CF3			C—CF3	H	tert-Bu
2-47 2-48	C—Cl C—Cl	C—CI C—CI	C—CF3			C—CF3	H H	CF3CH2
2-48	C—CI	C—Cl	C—CF3 C—CF3			C—CF3 C—CF3	Н	2-PyridylCH2 Ph
2-50	C—Cl	C—Cl	C—CF3			C—CF3	Н	PhCH2
2-51	C—Cl	C—Cl	C—CF3			C—CF3	Н	MeO2CCH2
2-52	C—Cl	C—Cl	C—CF3			C—CF3	Η	cyclo-PrCH2
2-53	C—Cl	С—Н	C—Cl	С—Н Н		С—Н	Н	CH3
2-54 2-55	C—Cl C—Cl	С—Н С—Н	C—C1 C—C1	C—H H		С—Н С—Н	H H	CF3CH2 2-PyridylCH2
2-55 2-56	C—CI	С—Н	C—Cl	С—Н Н		С—Н	Н	PhCH2
2-57	C—Cl	C—H	C—Cl	C—H I		C—H	Н	MeO2CCH2
2-58	C—Cl	C—Cl	C—Cl	С—Н Н		С—Н	Н	CH3
2-59	C—Cl	C—Cl	C—Cl	С—Н Н		С—Н	Η	CF3CH2
2-60	C—Cl	C—Cl	C—Cl	C—H H		С—Н	H	2-PyridylCH2
2-61	C—Cl C—Cl	C—Cl C—Cl	C—C1 C—C1	C—H H		С—Н	H H	PhCH2 MeO2CCH2
2-62 2-63	C—CF3	C—Cl	C—CF3			С—Н С—Н	Н	CH3
2-64	C—CF3	C—Cl	C—CF3			C—H	H	CF3CH2
2-65	C—CF3	C—Cl	C—CF3			С—Н	Н	2-PyridylCH2
2-66	C—CF3	C—Cl	C—CF3			С—Н	Η	PhCH2
2-67	C—CF3	C—Cl	C—CF3	С—Н Н	H CF3	С—Н	Η	MeO2CCH2

TABLE 2-continued

$$\begin{array}{c} X^1 \\ R \\ \vdots \\ B^2 \\ B^3 \end{array} \stackrel{R^4}{\longrightarrow} N \\ N \\ N \\ N \\ N \\ R^2 \end{array}$$

								О	
Table 2-ExNo.	B^1	B^2	B^3	B ⁴	X^1	R	A^3	\mathbb{R}^1	R ²
2-68	C—Cl	С—Н	C—Cl	С—Н	н с	CF3	С—СНЗ	H	CH3
2-69	C—Cl	С—Н	C—Cl			CF3	С—СНЗ	Η	CF3CH2
2-70	C—Cl	С—Н	C—Cl			CF3	С—СНЗ	H	2-PyridylCH2
2-71	C—Cl C—Cl	С—Н	C—CI C—CI			CF3	C—CH3	H	PhCH2
2-72 2-73	C—Cl	C—H C—Cl	C—Cl			CF3 CF3	C—CH3 C—CH3	H H	MeO2CCH2 CH3
2-74	C—Cl	C—CI	C—CI			CF3	C—CH3	Н	CF3CH2
2-75	C—Cl	C—Cl	C—Cl			CF3	С—СНЗ	H	2-PyridylCH2
2-76	C—Cl	C—Cl	C—Cl			CF3	С—СНЗ	H	PhCH2
2-77	C—Cl	C—Cl	C—Cl			CF3	С—СНЗ	H	MeO2CCH2
2-78	C—CF3	C—Cl C—Cl	C—CF3 C—CF3			CF3	C—CH3	H	CH3
2-79 2-80	C—CF3 C—CF3	C—CI	C—CF3			CF3 CF3	C—CH3 C—CH3	H H	CF3CH2 2-PyridylCH2
2-81	C—CF3	C—Cl	C—CF3			CF3	C—CH3	Н	PhCH2
2-82	C—CF3	C—Cl	C—CF3			CF3	С—СНЗ	Н	MeO2CCH2
2-83	C—Cl	С—Н	C—Cl			CF3	C—Cl	Н	CH3
2-84	C—Cl	С—Н	C—Cl			CF3	C—Cl	H	CF3CH2
2-85 2-86	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl			CF3 CF3	C—Cl C—Cl	H H	2-PyridylCH2
2-80	C—Cl	С—Н	C—CI			CF3	C—CI	Н	PhCH2 MeO2CCH2
2-88	C—Cl	C—CI	C—CI			CF3	C—Cl	H	CH3
2-89	C—Cl	C—Cl	C—Cl			CF3	C—Cl	H	CF3CH2
2-90	C—Cl	C—Cl	C—Cl			CF3	C—Cl	Η	2-PyridylCH2
2-91	C—Cl	C—Cl	C—Cl			CF3	C—Cl	H	PhCH2
2-92	C—Cl C—CF3	C—Cl	C—Cl C—CF3			CF3 CF3	C—Cl C—Cl	H H	MeO2CCH2 CH3
2-93 2-94	C—CF3	C—CI	C—CF3			CF3	C—Cl	Н	CF3CH2
2-95	C—CF3	C—Cl	C—CF3			CF3	C—Cl	H	2-PyridylCH2
2-96	C—CF3	C—Cl	C—CF3			CF3	C—Cl	Н	PhCH2
2-97	C—CF3	C—Cl	C—CF3			CF3	C—Cl	Н	MeOCCH2
2-98	C—CF3	С—Н	C—CF3			CF3	С—Н	H	CF3CH2
2-99 2-100	C—CF3 C—CF3	C—H C—H	C—CF3 C—CF3			CF3 CF3	C—H	H H	2-PyridylCH2
2-100	C—CF3	С—н	C—CF3			DF3 DF3	C—CH3 C—CH3	Н	CF3CH2 2-PyridylCH2
2-102	C—Cl	С—Н	C—CI			CF3	C—Cl	H	CH3OCH2
2-103	C—Cl	С—Н	C—Cl	С—Н	н с	CF3	C—Cl	CH3CO	CH3OCH2
2-104	C—Cl	С—Н	C—CI			CF3	C—Cl	H	CH3CH2OCH2
2-105	C—Cl	С—Н	C—Cl			CF3	C—Cl	H	CH3OCH2CH2
2-106 2-107	C—Cl C—Cl	С—Н С—Н	C—CI C—CI			CF3 CF3	C—Cl C—Cl	H H	CH3CH2OCH2CH2 tetrahydrofuran-2-yl
2-108	C—Cl	C—H	C—CI			CF3	C—Cl	Н	CH3SCH2CH2
2-109	C—Cl	С—Н	C—Cl			CF3	C—Cl	H	CH3S(O)CH2CH2
2-110	C—Cl	С—Н	C—Cl			CF3	C—Cl	Η	CH3SO2CH2CH2
2-111	C—Cl	С—Н	C—Cl			CF3	C—Cl	H	CH3SCH2CH(CH3)
2-112 2-113	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl			CF3 CF3	C—Cl C—Cl	H H	CH3S(O)CH2CH(CH3) CH3SO2CH2CH(CH3)
2-113	C—Cl	C—H	C—CI			CF3	C—Cl	Н	CH3SCH2C(CH3)2
2-115	C—Cl	С—Н	C—CI			CF3	C—Cl	Н	CH3S(O)CH2C(CH3)2
2-116	C—Cl	С—Н	C—Cl	С—Н	H C	CF3	C—Cl	Н	CH3SO2CH2C(CH3)2
2-117	C—Cl	С—Н	C—Cl			CF3	C—Cl	Н	(Methoxyimino)methyl
2-118	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl			CF3 CF3	C—Cl C—Cl	Н	(Ethoxyimino)methyl
2-119 2-120	C—Cl	С—Н	C—CI			CF3	C—Cl	H H	[1-(1,3-thiazol-4-yl)]CH2 [1-(1-methyl-1H-pyrazol-5-yl]CH2
2-121	C—Cl	С—Н	C—CI			CF3	C—Cl	Н	5-chloropyrimidin-2-yl
2-122	C—Cl	С—Н	C—Cl			CF3	C—Cl	H	5-bromopyrimidin-2-yl
2-123	C—Cl	С—Н	C—Cl			CF3	C—Cl	Η	5-cyanopyrimidin-2-yl
2-124	C—Cl	С—Н	C—Cl			CF3	C—Cl	H	CH3NHC(O)CH2
2-125 2-126	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl			CF3 CF3	C—Cl C—Cl	H H	CH3CH2NHC(O)CH2 iso-PrNHC(O)CH2
2-120	C—CI	С—Н	C—CI			CF3	C—Cl	Н	cyclo-PrNHC(O)CH2
2-128	C—Cl	С—Н	C—Cl			CF3	C—Cl	Н	CF3CH2NHC(O)CH2
2-129	C—Cl	С—Н	C—Cl	С—Н	H C	CF3	C—Cl	H	CH3NHC(O)CH(CH3)
2-130	C—Cl	С—Н	C—Cl			CF3	C—Cl	H	CH3CH2NHC(O)CH(CH3)
2-131	C—Cl	С—Н	C—Cl			CF3	C—Cl	H	iso-PrNHC(O)CH(CH3)
2-132 2-133	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl			CF3 CF3	C—Cl C—Cl	H H	cyclo-PrNHC(O)CH(CH3) CF3CH2NHC(O)CH(CH3)
2-133	C—CI	С—н	C—CI			CF3	C—Cl	Н	CH3NHC(O)C(CH3)2
	0.01	~ 11		- 11			- 01	**	01101.110(0)(0110)2

TABLE 2-continued

$$\bigcup_{B^1 \atop B^2 \atop B^3}^{X^1} \bigcup_{B^4 \atop N \atop N}^{N} \bigcup_{A^3 \atop N \atop N}^{R^1} \bigcup_{R^2}^{R^2}$$

							О	
Table 2-ExNo.	B^1	B^2	B^3	B ⁴ X	l R	A^3	\mathbb{R}^1	\mathbb{R}^2
2-135	C—Cl	С—Н	C—CI	С—Н Н	CF3	C—Cl	H	CH3CH2NHC(O)C(CH3)2
2-136	C—Cl	С—Н	C—Cl	C—H H		C—Cl	H	iso-PrNHC(O)C(CH3)2
2-137	C—Cl	С—Н	C—Cl	С—Н Н		C—Cl	H	cyclo-PrNHC(O)C(CH3)2
2-138	C—CI	C—H	C—CI	C—H H		C—Cl C—Cl	H	CF3CH2NHC(O)C(CH3)2
2-139 2-140	C—Cl C—Cl	C—Cl C—Cl	C—CI	C—H H		C—Cl	H CH3CO	CH3OCH2 CH3OCH2
2-141	C—CI	C—CI	C—CI	C—H H		C—Cl	Н	CH3CH2OCH2
2-142	C—Cl	C—Cl	C—Cl	С—Н Н		C—Cl	H	CH3OCH2CH2
2-143	C—Cl	C—Cl	C—Cl	С—Н Н		C—Cl	Η	CH3CH2OCH2CH2
2-144	C—Cl	C—Cl	C—Cl	С—Н Н		C—Cl	H	tetrahydrofuran-2-yl
2-145 2-146	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H		C—Cl C—Cl	H H	CH3SCH2CH2 CH3S(O)CH2CH2
2-140	C—Cl	C—CI	C—CI	С—Н Н		C—Cl	Н	CH3SO2CH2CH2
2-148	C—Cl	C—Cl	C—Cl	С—Н Н		C—Cl	Н	CH3SCH2CH(CH3)
2-149	C-Cl	C—Cl	C—Cl	С—Н Н		C—Cl	H	CH3S(O)CH2CH(CH3)
2-150	C—Cl	C—Cl	C—Cl	C—H H		C—Cl	H	CH3SO2CH2CH(CH3)
2-151	C—Cl	C—Cl	C—Cl	C—H H		C—Cl	H	CH3SCH2C(CH3)2
2-152 2-153	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H		C—Cl C—Cl	H H	CH3S(O)CH2C(CH3)2
2-153	C—Cl	C—CI	C—CI	С—Н Н		C—Cl	Н	CH3SO2CH2C(CH3)2 (Methoxyimino)methyl
2-155	C—Cl	C—Cl	C—CI	С—Н Н		C—Cl	Н	(Ethoxyimino)methyl
2-156	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	C—Cl	$_{\mathrm{H}}$	[1-(1,3-thiazol-4-yl)]CH2
2-157	C—Cl	C—Cl	C—Cl	C—H H		C—Cl	Η	[1-(1-methyl-1H-pyrazol-5-yl]CH2
2-158	C—Cl	C—Cl	C—Cl	C—H H		C—Cl	H	5-chloropyrimidin-2-yl
2-159 2-160	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H		C—Cl C—Cl	H H	5-bromopyrimidin-2-yl
2-160	C—Cl	C—CI	C—CI	C—H H		C—Cl	H	5-cyanopyrimidin-2-yl CH3NHC(O)CH2
2-162	C—Cl	C—Cl	C—CI	С—Н Н		C—Cl	H	CH3CH2NHC(O)CH2
2-163	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	C—Cl	$_{\mathrm{H}}$	iso-PrNHC(O)CH2
2-164	C—Cl	C—Cl	C—Cl	C—H H		C—Cl	Η	cyclo-PrNHC(O)CH2
2-165	C—Cl	C—Cl	C—Cl	C—H H		C—Cl	H	CF3CH2NHC(O)CH2
2-166 2-167	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H		C—Cl C—Cl	H H	CH3NHC(O)CH(CH3) CH3CH2NHC(O)CH(CH3)
2-168	C—Cl	C—Cl	C—Cl	C—H H		C—Cl	H	iso-PrNHC(O)CH(CH3)
2-169	C—Cl	C—Cl	C—Cl	С—Н Н		C—Cl	H	cyclo-PrNHC(O)CH(CH3)
2-170	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	C—Cl	H	CF3CH2NHC(O)CH(CH3)
2-171	C—Cl	C—Cl	C—Cl	С—Н Н		C—Cl	H	CH3NHC(O)C(CH3)2
2-172 2-173	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H		C—Cl C—Cl	H H	CH3CH2NHC(O)C(CH3)2
2-173 2-174	C—CI	C—CI	C—CI	С—Н Н		C—Cl	Н	iso-PrNHC(O)C(CH3)2 cyclo-PrNHC(O)C(CH3)2
2-175	C—Cl	C—Cl	C—CI	С—Н Н		C—Cl	Н	CF3CH2NHC(O)C(CH3)2
2-176	C—Cl	С—Н	C—CF3	С—Н Н	CF3	C—Cl	H	CF3CH2
2-177	C—Cl	С—Н	C—CF3			C—Cl	Η	CH3OCH2
2-178	C—Cl	С—Н	C—CF3			C—Cl	CH3CO	CH3OCH2
2-179 2-180	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3			C—Cl C—Cl	H H	CH3CH2OCH2 CH3OCH2CH2
2-181	C—Cl	С—Н	C—CF3			C—Cl	Н	CH3CH2OCH2CH2
2-182	C-Cl	С—Н	C—CF3			C—Cl	H	tetrahydrofuran-2-yl
2-183	C—Cl	С—Н	C—CF3			C—Cl	H	CH3SCH2CH2
2-184	C—Cl	С—Н	C—CF3			C—Cl	H	CH3S(O)CH2CH2
2-185 2-186	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3			C—Cl C—Cl	H H	CH3SO2CH2CH2 CH3SCH2CH(CH3)
2-180	C—Cl	C—H		C—H H		C—Cl	H	CH3S(O)CH2CH(CH3)
2-188	C—Cl	С—Н	C—CF3			C—Cl	Н	CH3SO2CH2CH(CH3)
2-189	C—Cl	С—Н	C—CF3			C—Cl	H	CH3SCH2C(CH3)2
2-190	C—Cl	С—Н	C—CF3			C—Cl	H	CH3S(O)CH2C(CH3)2
2-191	C—Cl	С—Н	C—CF3			C—Cl	H	CH3SO2CH2C(CH3)2
2-192 2-193	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3			C—Cl C—Cl	H H	(Methoxyimino)methyl (Ethoxyimino)methyl
2-194	C—Cl	С—Н	C—CF3			C—Cl	H	2-PyridylCH2
2-195	C—Cl	С—Н	C—CF3			C—Cl	H	[1-(1,3-thiazol-4-yl)]CH2
2-196	C—Cl	С—Н	C—CF3			C—Cl	H	[1-(1-methyl-1H-pyrazol-5-yl]CH2
2-197	C—Cl	С—Н	C—CF3			C—Cl	H	5-chloropyrimidin-2-yl
2-198 2-199	C—Cl	С—Н	C—CF3 C—CF3			C—Cl C—Cl	Н	5-bromopyrimidin-2-yl 5-cyanopyrimidin-2-yl
2-199	C—Cl C—Cl	С—Н С—Н	C—CF3			C—Cl	H H	CH3NHC(O)CH2
2-200	C—Cl	C—H	C—CF3			C—Cl	H	CH3CH2NHC(O)CH2
								` /

TABLE 2-continued

$\mathbb{B}^{1} \xrightarrow{\mathbb{R}^{2}} \mathbb{B}^{2}$	N N A ³	$\bigvee_{0}^{R^1} \bigvee_{N \sim R^2}$
		O

								U	
Table 2-ExNo.	B^1	B^2	B^3	B^4	X^1	R	A^3	\mathbb{R}^1	\mathbb{R}^2
2-202	C—Cl	С—Н	C—CF3	СН	Н	CF3	C—Cl	Н	iso-PrNHC(O)CH2
2-203	C—Cl	С—Н	C—CF3		H	CF3	C—Cl	Н	cyclo-PrNHC(O)CH2
2-204	C—Cl	С—Н	C—CF3		Н	CF3	C—Cl	Н	CF3CH2NHC(O)CH2
2-205	C—Cl	С—Н	C—CF3		Н	CF3	C—Cl	Н	CH3NHC(O)CH(CH3)
2-206	C-Cl	С—Н	C-CF3	С—Н	Η	CF3	C-Cl	H	CH3CH2NHC(O)CH(CH3)
2-207	C-Cl	С—Н	C—CF3	С—Н	Η	CF3	C—Cl	Н	iso-PrNHC(O)CH(CH3)
2-208	C—Cl	С—Н	C—CF3	С—Н	Η	CF3	C—Cl	Η	cyclo-PrNHC(O)CH(CH3)
2-209	C—Cl	С—Н	C—CF3		Η	CF3	C—Cl	Η	CF3CH2NHC(O)CH(CH3)
2-210	C—Cl	С—Н	C—CF3		Η	CF3	C—Cl	H	CH3NHC(O)C(CH3)2
2-211	C—Cl	С—Н	C—CF3		Η	CF3	C—Cl	Н	CH3CH2NHC(O)C(CH3)2
2-212	C—Cl	С—Н	C—CF3		Н	CF3	C—Cl	Н	iso-PrNHC(O)C(CH3)2
2-213 2-214	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	C—Cl C—Cl	H H	cyclo-PrNHC(O)C(CH3)2
2-214	C—CF3	С—Н	C—CF3		Н	CF3	C—CI	Н	CF3CH2NHC(O)C(CH3)2 CF3CH2
2-216	C—CF3	C—H	C—CF3		Н	CF3	C—CI	Н	CH3OCH2
2-217	C—CF3	C—H	C—CF3		Н	CF3	C—Cl	CH3CO	CH3OCH2
2-218	C—CF3	С—Н	C—CF3		Н	CF3	C—Cl	Н	CH3CH2OCH2
2-219	C—CF3	С—Н	C—CF3		Н	CF3	C—Cl	Н	CH3OCH2CH2
2-220	C—CF3	С—Н	C-CF3	С—Н	Η	CF3	C-Cl	Н	CH3CH2OCH2CH2
2-221	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	C—Cl	H	tetrahydrofuran-2-yl
2-222	C—CF3	С—Н	C—CF3		Η	CF3	C—Cl	Η	CH3SCH2CH2
2-223	C—CF3	С—Н	C—CF3		Η	CF3	C—Cl	Η	CH3S(O)CH2CH2
2-224	C—CF3	С—Н	C—CF3		Η	CF3	C—Cl	H	CH3SO2CH2CH2
2-225	C—CF3	C—H	C—CF3		H	CF3	C—Cl	H	CH3SCH2CH(CH3)
2-226	C—CF3 C—CF3	С—Н	C—CF3		H	CF3	C—Cl	Н	CH3S(O)CH2CH(CH3)
2-227	C—CF3	C—H C—H	C—CF3 C—CF3		H H	CF3 CF3	C—Cl C—Cl	H H	CH3SO2CH2CH(CH3) CH3SCH2C(CH3)2
2-228 2-229	C—CF3	С—Н	C—CF3		Н	CF3	C—CI	Н	CH3SCH2C(CH3)2 CH3S(O)CH2C(CH3)2
2-230	C—CF3	C—H	C—CF3		Н	CF3	C—Cl	H	CH3SO2CH2C(CH3)2
2-231	C—CF3	С—Н	C—CF3		Н	CF3	C—Cl	Н	(Methoxyimino)methyl
2-232	C—CF3	С—Н	C—CF3		H	CF3	C—Cl	H	(Ethoxyimino)methyl
2-233	C—CF3	С—Н	C-CF3		Η	CF3	C—Cl	H	2-PyridylĆH2
2-234	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	C—Cl	H	[1-(1,3-thiazol-4-yl)]CH2
2-235	C—CF3	С—Н	C—CF3		Η	CF3	C—Cl	Н	[1-(1-methyl-1H-pyrazol-5-yl]CH2
2-236	C—CF3	С—Н	C—CF3		Η	CF3	C—Cl	Η	5-chloropyrimidin-2-yl
2-237	C—CF3	С—Н	C—CF3		Η	CF3	C—Cl	Н	5-bromopyrimidin-2-yl
2-238	C—CF3	С—Н	C—CF3		H	CF3	C—Cl	H	5-cyanopyrimidin-2-yl
2-239	C—CF3	С—Н	C—CF3		H	CF3	C—Cl	Н	CH3NHC(O)CH2
2-240 2-241	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	C—Cl C—Cl	H H	CH3CH2NHC(O)CH2 iso-PrNHC(O)CH2
2-242	C—CF3	C—H	C—CF3		Н	CF3	C—CI	Н	cyclo-PrNHC(O)CH2
2-243	C—CF3	С—Н	C—CF3		Н	CF3	C—Cl	Н	CF3CH2NHC(O)CH2
2-244	C—CF3	С—Н	C—CF3		Н	CF3	C—Cl	Н	CH3NHC(O)CH(CH3)
2-245	C—CF3	С—Н	C—CF3		Η	CF3	C—Cl	Н	CH3CH2NHC(O)CH(CH3)
2-246	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	C—Cl	Н	iso-PrNHC(O)CH(CH3)
2-247	C—CF3	С—Н	C—CF3		Η	CF3	C—Cl	Η	cyclo-PrNHC(O)CH(CH3)
2-248	C—CF3	С—Н	C—CF3		Η	CF3	C—Cl	Н	CF3CH2NHC(O)CH(CH3)
2-249	C—CF3	С—Н	C—CF3		Н	CF3	C—Cl	Н	CH3NHC(O)C(CH3)2
2-250	C—CF3	C—H	C—CF3		H	CF3	C—Cl	Н	CH3CH2NHC(O)C(CH3)2
2-251	C—CF3 C—CF3	С—Н С—Н	C—CF3		H H	CF3	C—Cl C—Cl	H H	iso-PrNHC(O)C(CH3)2
2-252 2-253	C—CF3	С—Н	C—CF3 C—CF3		Н	CF3 CF3	C—CI	H H	cyclo-PrNHC(O)C(CH3)2 CF3CH2NHC(O)C(CH3)2
2-254	C—CI	С—Н	C—CI		Н	CF3	C—Br	Н	CF3CH2NHC(O)C(CH3)2
2-255	C—Cl	C—H	C—Cl	C—H		CF3	C—Br	Н	2-PyridylCH2
2-256	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	C—Br	Н	CF3CH2
2-257	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	C—Br	Н	2-PyridylCH2
2-258	C—Cl	С—Н	C—CF3		Η	CF3	C—Br	Н	CF3CH2
2-259	C—Cl	С—Н	C—CF3		Η	CF3	C—Br	Н	2-PyridylCH2
2-260	C—CF3	С—Н	C—CF3		Н	CF3	C—Br	H	CF3CH2
2-261	C—CF3	С—Н	C—CF3		H	CF3	C—Br	H	2-PyridylCH2
2-262	C—Cl	C—H	C—CI	С—Н	H	CF3	C—I	Н	CF3CH2
2-263	C—Cl	C—H	C—Cl	C—H	Н	CF3	C—I	H H	2-PyridylCH2
2-264 2-265	C—Cl C—Cl	C—Cl	C—Cl C—Cl	C—H	H H	CF3 CF3	C—I	H H	CF3CH2 2-PyridylCH2
2-266	C—Cl	C—H	C—CF3		Н	CF3	C—I	Н	CF3CH2
2-267	C—Cl	C—H	C—CF3		H	CF3	C—I	H	2-PyridylCH2
2-268	C—CF3	С—Н	C—CF3		H	CF3	Č—I	H	CF3CH2
	-	•	_	_					

TABLE 2-continued

								О	
Table 2-ExNo.	B^1	B^2	B^3	B^4	X^1	R	A^3	R^1	R ²
2-269	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	C—I	H	2-PyridylCH2
2-270	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	CH3OCH2
2-271	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3		CH3OCH2
2-272	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	H	CH3CH2OCH2
2-273	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	C—CF3	H	CH3OCH2CH2
2-274 2-275	C—Cl C—Cl	С—Н С—Н	C—CI C—CI	C—H C—H	H H	CF3 CF3	C—CF3 C—CF3	H H	CH3CH2OCH2CH2
2-275	C—CI	С—н	C—CI	С—п	Н	CF3	C—CF3	н Н	tetrahydrofuran-2-yl CH3SCH2CH2
2-277	C—Cl	C—H	C—CI	C—H	Н	CF3	C—CF3	Н	CH3S(O)CH2CH2
2-278	C—Cl	С—Н	C—CI	С—Н	Н	CF3	C—CF3	Н	CH3SO2CH2CH2
2-279	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	CH3SCH2CH(CH3)
2-280	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	CH3S(O)CH2CH(CH3)
2-281	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	CH3SO2CH2CH(CH3)
2-282	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Н	CH3SCH2C(CH3)2
2-283	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	C—CF3	H	CH3S(O)CH2C(CH3)2
2-284 2-285	C—Cl C—Cl	С—Н	C—Cl C—Cl	С—Н	H H	CF3 CF3	C—CF3 C—CF3	H H	CH3SO2CH2C(CH3)2 (Methoxyimino)methyl
2-286	C—CI	C—H	C—CI	C—H	Н	CF3	C—CF3	H	(Ethoxyimino)methyl
2-287	C—Cl	C—H	C—CI	C—H	Н	CF3	C—CF3	H	[1-(1,3-thiazol-4-yl)]CH2
2-288	C—Cl	С—Н	C—CI	С—Н	Н	CF3	C—CF3	Н	[1-(1-methyl-1H-pyrazol-5-yl]CH2
2-289	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	H	5-chloropyrimidin-2-yl
2-290	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	H	5-bromopyrimidin-2-yl
2-291	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	5-cyanopyrimidin-2-yl
2-292	C—Cl	С—Н	C—Cl	С—Н	H	CF3	C—CF3	H	CH3NHC(O)CH2
2-293 2-294	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	С—Н С—Н	H H	CF3 CF3	C—CF3 C—CF3	H H	CH3CH2NHC(O)CH2
2-294	C—Cl	С—н	C—CI	С—н	Н	CF3	C—CF3	Н	iso-PrNHC(O)CH2 cyclo-PrNHC(O)CH2
2-296	C—CI	C—H	C—CI	C—H	Н	CF3	C—CF3	H	CF3CH2NHC(O)CH2
2-297	C—Cl	С—Н	C—CI	С—Н	H	CF3	C—CF3	H	CH3NHC(O)CH(CH3)
2-298	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	H	CH3CH2NHC(O)CH(CH3)
2-299	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	$_{\mathrm{H}}$	iso-PrNHC(O)CH(CH3)
2-300	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	C—CF3	H	cyclo-PrNHC(O)CH(CH3)
2-301	C—Cl C—Cl	С—Н С—Н	C—CI C—CI	C—H C—H	H H	CF3 CF3	C—CF3	H H	CF3CH2NHC(O)CH(CH3)
2-302 2-303	C—CI	С—Н	C—CI	С—Н	Н	CF3	C—CF3 C—CF3	Н	CH3NHC(O)C(CH3)2 CH3CH2NHC(O)C(CH3)2
2-304	C—Cl	C—H	C—CI	C—H	Н	CF3	C—CF3	H	iso-PrNHC(O)C(CH3)2
2-305	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	cyclo-PrNHC(O)C(CH3)2
2-306	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	H	CF3CH2NHC(O)C(CH3)2
2-307	C—Cl	C—Cl	C—CI	С—Н	Η	CF3	C—CF3	Н	СНЗОСН2
2-308	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	C—CF3	CH3CO	CH3OCH2
2-309 2-310	C—Cl C—Cl	C—Cl C—Cl	C—CI C—CI	С—Н С—Н	H H	CF3 CF3	C—CF3 C—CF3	H H	CH3CH2OCH2 CH3OCH2CH2
2-310	C—CI	C—Cl	C—CI	C—H	Н	CF3	C—CF3	H	CH3CH2CH2CH2
2-312	C—Cl	C—Cl	C—CI	С—Н	Н	CF3	C—CF3	Н	tetrahydrofuran-2-yl
2-313	C-C1	C—Cl	C—Cl	С—Н	Η	CF3	C—CF3	H	CH3SCH2CH2
2-314	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	C—CF3	H	CH3S(O)CH2CH2
2-315	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	C—CF3	H	CH3SO2CH2CH2
2-316	C—Cl	C—Cl	C—Cl	С—Н	H H	CF3	C—CF3	H	CH3SCH2CH(CH3)
2-317 2-318	C—Cl C—Cl	C—Cl	C—Cl C—Cl	С—Н	Н	CF3 CF3	C—CF3 C—CF3	H H	CH3S(O)CH2CH(CH3) CH3SO2CH2CH(CH3)
2-319	C—Cl	C—Cl	C—CI	C—H	Н	CF3	C—CF3	Н	CH3SCH2C(CH3)2
2-320	C-Cl	C-Cl	C-C1	С—Н	Η	CF3	C—CF3	H	CH3S(O)CH2C(CH3)2
2-321	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	C—CF3	Η	CH3SO2CH2C(CH3)2
2-322	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	C—CF3	Η	(Methoxyimino)methyl
2-323	C—Cl	C—Cl	C—Cl	С—Н	H	CF3	C—CF3	H	(Ethoxyimino)methyl
2-324	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	C—CF3	Н	[1-(1,3-thiazol-4-yl)]CH2
2-325 2-326	C—Cl C—Cl	C—Cl	C—Cl C—Cl	С—Н	H H	CF3 CF3	C—CF3 C—CF3	H H	[1-(1-methyl-1H-pyrazol-5-yl]CH2 5-chloropyrimidin-2-yl
2-327	C—Cl	C—Cl	C—CI	C—H	Н	CF3	C—CF3	H	5-bromopyrimidin-2-yl
2-328	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	C—CF3	H	5-cyanopyrimidin-2-yl
2-329	C—Cl	C—Cl	C—C1	С—Н	Η	CF3	C—CF3	H	CH3NHC(O)CH2
2-330	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	C—CF3	Η	CH3CH2NHC(O)CH2
2-331	C—Cl	C—Cl	C—Cl	С—Н	H	CF3	C—CF3	H	iso-PrNHC(O)CH2
2-332	C—Cl	C—Cl	C—CI	C—H	Н	CF3	C—CF3	Н	cyclo-PrNHC(O)CH2
2-333 2-334	C—Cl C—Cl	C—Cl	C—Cl C—Cl	С—Н	H H	CF3 CF3	C—CF3 C—CF3	H H	CF3CH2NHC(O)CH2 CH3NHC(O)CH(CH3)
2-334	C—Cl	C—CI	C—CI	С—н	Н	CF3	C—CF3	H	CH3CH2NHC(O)CH(CH3)

TABLE 2-continued

$\mathbb{B}^{1} \xrightarrow{\mathbb{R}^{2}} \mathbb{B}^{2}$	N N A ³	$\bigvee_{0}^{R^1} \bigvee_{N \sim R^2}$
		O

								Ö	
Table 2-ExNo.	B^1	B^2	B^3	B^4	X^1	R	A^3	\mathbb{R}^1	R ²
2-336	C—Cl	C—Cl	C—CI	С—Н	Η	CF3	C—CF3	H	iso-PrNHC(O)CH(CH3)
2-337	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	C—CF3	H	cyclo-PrNHC(O)CH(CH3)
2-338	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	C—CF3	Η	CF3CH2NHC(O)CH(CH3)
2-339	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	C—CF3	Η	CH3NHC(O)C(CH3)2
2-340	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	C—CF3	Η	CH3CH2NHC(O)C(CH3)2
2-341	C—Cl	C—Cl	C—C1	С—Н	Η	CF3	C—CF3	H	iso-PrNHC(O)C(CH3)2
2-342	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	C—CF3	H	cyclo-PrNHC(O)C(CH3)2
2-343	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	C—CF3	H	CF3CH2NHC(O)C(CH3)2
2-344	C—Cl	С—Н	C—CF3		Η	CF3	C—CF3	Η	CF3CH2
2-345	C—Cl	С—Н	C—CF3		Η	CF3	C—CF3	Н	СНЗОСН2
2-346	C—Cl	С—Н	C—CF3		Η	CF3	C—CF3	CH3CO	СНЗОСН2
2-347	C—Cl	С—Н	C—CF3		Н	CF3	C—CF3	H	CH3CH2OCH2
2-348	C—Cl	С—Н	C—CF3		H	CF3	C—CF3	H	CH3OCH2CH2
2-349	C—Cl C—Cl	С—Н	C—CF3 C—CF3		H H	CF3	C—CF3 C—CF3	H H	CH3CH2OCH2CH2
2-350 2-351	C—Cl	С—Н С—Н	C—CF3		Н	CF3 CF3	C—CF3	Н	tetrahydrofuran-2-yl CH3SCH2CH2
2-351	C—Cl	С—Н	C—CF3		Н	CF3	C—CF3	Н	CH3S(O)CH2CH2
2-352	C—Cl	C—H	C—CF3		Н	CF3	C—CF3	H	CH3SO2CH2CH2
2-354	C—Cl	C—H	C—CF3		Н	CF3	C—CF3	H	CH3SCH2CH(CH3)
2-355	C—Cl	C—H	C—CF3		Н	CF3	C—CF3	H	CH3S(O)CH2CH(CH3)
2-356	C—Cl	С—Н	C—CF3		Н	CF3	C—CF3	Н	CH3SO2CH2CH(CH3)
2-357	C—Cl	С—Н	C—CF3		H	CF3	C—CF3	H	CH3SCH2C(CH3)2
2-358	C—Cl	С—Н	C—CF3		Н	CF3	C—CF3	H	CH3S(O)CH2C(CH3)2
2-359	C-Cl	С—Н	C—CF3		Η	CF3	C—CF3	Η	CH3SO2CH2C(CH3)2
2-360	C—Cl	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	H	(Methoxyimino)methyl
2-361	C—Cl	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	H	(Ethoxyimino)methyl
2-362	C—Cl	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	H	2-PyridylCH2
2-363	C—Cl	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	H	[1-(1,3-thiazol-4-yl)]CH2
2-364	C—Cl	С—Н	C—CF3		Η	CF3	C—CF3	Η	[1-(1-methyl-1H-pyrazol-5-yl]CH2
2-365	C—Cl	С—Н	C—CF3		Η	CF3	C—CF3	H	5-chloropyrimidin-2-yl
2-366	C—Cl	С—Н	C—CF3		H	CF3	C—CF3	H	5-bromopyrimidin-2-yl
2-367	C—Cl	С—Н	C—CF3		H	CF3	C—CF3	H	5-cyanopyrimidin-2-yl
2-368 2-369	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	C—CF3 C—CF3	H H	CH3NHC(O)CH2
2-370	C—Cl	С—Н	C—CF3		Н	CF3	C—CF3	Н	CH3CH2NHC(O)CH2 iso-PrNHC(O)CH2
2-370	C—Cl	C—H	C—CF3		Н	CF3	C—CF3	H	cyclo-PrNHC(O)CH2
2-372	C—Cl	С—Н	C—CF3		Н	CF3	C—CF3	Н	CF3CH2NHC(O)CH2
2-373	C—Cl	С—Н	C—CF3		Н	CF3	C—CF3	H	CH3NHC(O)CH(CH3)
2-374	C—Cl	С—Н	C—CF3		Η	CF3	C—CF3	H	CH3CH2NHC(O)CH(CH3)
2-375	C—Cl	С—Н	C-CF3	С—Н	Η	CF3	C—CF3	H	iso-PrNHC(O)CH(CH3)
2-376	C—Cl	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	H	cyclo-PrNHC(O)CH(CH3)
2-377	C—Cl	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	Η	CF3CH2NHC(O)CH(CH3)
2-378	C—Cl	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	H	CH3NHC(O)C(CH3)2
2-379	C—Cl	С—Н	C—CF3		Η	CF3	C—CF3	Η	CH3CH2NHC(O)C(CH3)2
2-380	C—Cl	С—Н	C—CF3		Η	CF3	C—CF3	Η	iso-PrNHC(O)C(CH3)2
2-381	C—Cl	С—Н	C—CF3		Η	CF3	C—CF3	Н	cyclo-PrNHC(O)C(CH3)2
2-382	C—Cl	С—Н	C—CF3		Н	CF3	C—CF3	H	CF3CH2NHC(O)C(CH3)2
2-383	C—CF3	С—Н	C—CF3		H	CF3	C—CF3	Н	CH3OCH2
2-384 2-385	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	C—CF3 C—CF3	CH3CO H	CH3OCH2 CH3CH2OCH2
2-385	C—CF3	С—Н	C—CF3		Н	CF3	C—CF3	Н	CH3OCH2CH2
2-380	C—CF3	С—Н	C—CF3		Н	CF3	C—CF3	Н	CH3CH2OCH2CH2
2-388	C—CF3	C—H	C—CF3		Н	CF3	C—CF3	Н	tetrahydrofuran-2-yl
2-389	C—CF3	С—Н	C—CF3		Н	CF3	C—CF3	H	CH3SCH2CH2
2-390	C—CF3	С—Н	C—CF3		Н	CF3	C—CF3	Н	CH3S(O)CH2CH2
2-391	C—CF3	С—Н	C—CF3		Н	CF3	C—CF3	Н	CH3SO2CH2CH2
2-392	C—CF3	С—Н	C—CF3		Н	CF3	C—CF3	H	CH3SCH2CH(CH3)
2-393	C—CF3	С—Н	C-CF3		Η	CF3	C-CF3	H	CH3S(O)CH2CH(CH3)
2-394	C—CF3	С—Н	C—CF3		Η	CF3	C—CF3	H	CH3SO2CH2CH(CH3)
2-395	C—CF3	С—Н	C—CF3		Η	CF3	C—CF3	H	CH3SCH2C(CH3)2
2-396	C—CF3	С—Н	C—CF3		Η	CF3	C—CF3	Η	CH3S(O)CH2C(CH3)2
2-397	C—CF3	С—Н	C—CF3		Η	CF3	C—CF3	H	CH3SO2CH2C(CH3)2
2-398	C—CF3	С—Н	C—CF3		Η	CF3	C—CF3	H	(Methoxyimino)methyl
2-399	C—CF3	С—Н	C—CF3		Η	CF3	C—CF3	H	(Ethoxyimino)methyl
2-400	C—CF3	С—Н	C—CF3		Н	CF3	C—CF3	H	[1-(1,3-thiazol-4-yl)]CH2
2-401	C—CF3	С—Н	C—CF3		H	CF3	C—CF3	H	[1-(1-methyl-1H-pyrazol-5-yl]CH2
2-402	C—CF3	С—Н	C—CF3	С—Н	Н	CF3	C—CF3	Н	5-chloropyrimidin-2-yl

TABLE 2-continued

$$\bigcup_{B^1 \atop B^2 \atop B^3}^{X^1} \bigcup_{B^4 \atop N \atop N}^{N} \bigcup_{A^3 \atop N \atop N}^{R^1} \bigcup_{R^2}^{R^2}$$

								U	
Table 2-ExNo.	B^1	B^2	B^3	B^4	X^1	R	A^3	\mathbb{R}^1	\mathbb{R}^2
2 402	0 053	O 11	0 053	O 17	17	OE3	0 053	17	5 harmonia (12, 2, 1
2-403 2-404	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	C—CF3 C—CF3	H H	5-bromopyrimidin-2-yl
									5-cyanopyrimidin-2-yl
2-405	C—CF3 C—CF3	С—Н	C—CF3		H H	CF3 CF3	C—CF3	H H	CH3NHC(O)CH2
2-406 2-407	C—CF3	С—Н С—Н	C—CF3 C—CF3		Н	CF3	C—CF3 C—CF3	H H	CH3CH2NHC(O)CH2
2-407	C—CF3	С—н	C—CF3		Н	CF3	C—CF3	Н	iso-PrNHC(O)CH2 cyclo-PrNHC(O)CH2
2-409	C—CF3	C—H	C—CF3		H	CF3	C—CF3	H	CF3CH2NHC(O)CH2
2-410	C—CF3	C—H	C—CF3		Н	CF3	C—CF3	H	CH3NHC(O)CH(CH3)
2-411	C—CF3	С—Н	C—CF3		Н	CF3	C—CF3	Н	CH3CH2NHC(O)CH(CH3)
2-412	C—CF3	С—Н	C—CF3		Н	CF3	C—CF3	Н	iso-PrNHC(O)CH(CH3)
2-413	C—CF3	С—Н	C—CF3		Н	CF3	C—CF3	Н	cyclo-PrNHC(O)CH(CH3)
2-414	C—CF3	С—Н	C-CF3		Н	CF3	C—CF3	H	CF3CH2NHC(O)CH(CH3)
2-415	C—CF3	С—Н	C-CF3	С—Н	Η	CF3	C—CF3	H	CH3NHC(O)C(CH3)2
2-416	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	H	CH3CH2NHC(O)C(CH3)2
2-417	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	H	iso-PrNHC(O)C(CH3)2
2-418	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	Η	cyclo-PrNHC(O)C(CH3)2
2-419	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	Η	CF3CH2NHC(O)C(CH3)2
2-420	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	C—CF3	Η	CH3OCH2
2-421	C—Cl	C—Cl	C—CF3		Η	CF3	C—CF3	CH3CO	CH3OCH2
2-422	C—Cl	C—Cl	C—CF3		Η	CF3	C—CF3	Η	CH3CH2OCH2
2-423	C—Cl	C—Cl	C—CF3		Н	CF3	C—CF3	H	CH3OCH2CH2
2-424	C—Cl	C—Cl	C—CF3		Н	CF3	C—CF3	H	CH3CH2OCH2CH2
2-425	C—Cl	C—Cl	C—CF3		Н	CF3	C—CF3	H	tetrahydrofuran-2-yl
2-426	C—Cl	C—Cl	C—CF3		H	CF3	C—CF3	H	CH3SCH2CH2
2-427 2-428	C—Cl C—Cl	C—Cl	C—CF3 C—CF3		H H	CF3 CF3	C—CF3 C—CF3	H H	CH3S(O)CH2CH2 CH3SO2CH2CH2
2-429	C—Cl	C—CI	C—CF3		H	CF3	C—CF3	H	CH3SCH2CH(CH3)
2-430	C—Cl	C—CI	C—CF3		H	CF3	C—CF3	H	CH3S(O)CH2CH(CH3)
2-431	C—Cl	C—Cl	C—CF3		H	CF3	C—CF3	H	CH3SO2CH2CH(CH3)
2-432	C—Cl	C—Cl	C—CF3		Н	CF3	C—CF3	Н	CH3SCH2C(CH3)2
2-433	C—Cl	C—Cl	C-CF3		Η	CF3	C—CF3	H	CH3S(O)CH2C(CH3)2
2-434	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	C—CF3	H	CH3SO2CH2C(CH3)2
2-435	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	C—CF3	Η	(Methoxyimino)methyl
2-436	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	C—CF3	Η	(Ethoxyimino)methyl
2-437	C—Cl	C—Cl	C—CF3		Η	CF3	C—CF3	Η	[1-(1,3-thiazol-4-yl)]CH2
2-438	C—Cl	C—Cl	C—CF3		Н	CF3	C—CF3	H	[1-(1-methyl-1H-pyrazol-5-yl]CH2
2-439	C—Cl	C—Cl	C—CF3		Н	CF3	C—CF3	H	5-chloropyrimidin-2-yl
2-440	C—Cl	C—CI	C—CF3		Н	CF3	C—CF3	H	5-bromopyrimidin-2-yl
2-441 2-442	C—Cl C—Cl	C—Cl C—Cl	C—CF3 C—CF3		H H	CF3 CF3	C—CF3 C—CF3	H H	5-cyanopyrimidin-2-yl CH3NHC(O)CH2
2-443	C—Cl	C—CI	C—CF3		Н	CF3	C—CF3	H	CH3CH2NHC(O)CH2
2-444	C—Cl	C—CI	C—CF3		Н	CF3	C—CF3	Н	iso-PrNHC(O)CH2
2-445	C—Cl	C—Cl	C—CF3		Н	CF3	C—CF3	H	cyclo-PrNHC(O)CH2
2-446	C-Cl	C—Cl	C-CF3		Η	CF3	C—CF3	H	CF3CH2NHC(O)CH2
2-447	C-C1	C—Cl	C-CF3	С—Н	Η	CF3	C—CF3	H	CH3NHC(O)CH(CH3)
2-448	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	C—CF3	Η	CH3CH2NHC(O)CH(CH3)
2-449	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	C—CF3	H	iso-PrNHC(O)CH(CH3)
2-450	C—Cl	C—Cl	C—CF3		Η	CF3	C—CF3	Η	cyclo-PrNHC(O)CH(CH3)
2-451	C—Cl	C—Cl	C—CF3		Η	CF3	C—CF3	H	CF3CH2NHC(O)CH(CH3)
2-452	C—Cl	C—Cl	C—CF3		Н	CF3	C—CF3	H	CH3NHC(O)C(CH3)2
2-453 2-454	C—Cl C—Cl	C—Cl C—Cl	C—CF3		H H	CF3	C—CF3	H H	CH3CH2NHC(O)C(CH3)2 iso-PrNHC(O)C(CH3)2
2-454	C—Cl	C—CI	C—CF3 C—CF3		Н	CF3 CF3	C—CF3 C—CF3	Н	cyclo-PrNHC(O)C(CH3)2
2-456	C—Cl	C—CI	C—CF3		Н	CF3	C—CF3	H	CF3CH2NHC(O)C(CH3)2
2-457	C—Cl	N	C—CI	C—H	H	CF3	C—CF3	H	CF3CH2
2-458	C—Cl	N	C—CI	C—H	Н	CF3	C—CF3	H	CH3OCH2
2-459	C—Cl	N	C—CI	С—Н	Н	CF3	C—CF3	СНЗСО	CH3OCH2
2-460	C—Cl	N	C—CI	С—Н	Н	CF3	C—CF3	Н	CH3CH2OCH2
2-461	C-Cl	N	C—C1	С—Н	Η	CF3	C—CF3	H	CH3OCH2CH2
2-462	C—Cl	N	C—C1	С—Н	Η	CF3	C—CF3	H	CH3CH2OCH2CH2
2-463	C—Cl	N	C—C1	С—Н	Η	CF3	C—CF3	Η	tetrahydrofuran-2-yl
2-464	C—Cl	N	C—Cl	С—Н	Η	CF3	C—CF3	Η	CH3SCH2CH2
2-465	C—Cl	N	C—Cl	С—Н	Η	CF3	C—CF3	H	CH3S(O)CH2CH2
2-466	C—Cl	N	C—Cl	С—Н	Н	CF3	C—CF3	H	CH3SO2CH2CH2
2-467	C—Cl	N	C—Cl	C—H	H	CF3	C—CF3	H	CH3SCH2CH(CH3)
2-468 2-469	C—Cl C—Cl	N N	C—Cl C—Cl	C—H	H H	CF3 CF3	C—CF3 C—CF3	H H	CH3S(O)CH2CH(CH3) CH3SO2CH2CH(CH3)
<u>∠-</u> ∓02	C—Ci	1.4	<u></u>	C—II	11	Cro	r	11	C113502C112C11(C113)

TABLE 2-continued

						Ö	
Table 2-ExNo.	B^1	B^2	B^3 B^4 X^1	R	A^3	R^1	\mathbb{R}^2
2-470	C—Cl	N	С—СІ С—Н Н	CF3	C—CF3	H	CH3SCH2C(CH3)2
2-471	C—Cl	N	C—Cl C—H H	CF3	C—CF3	Η	CH3S(O)CH2C(CH3)2
2-472	C—Cl	N	C—Cl C—H H	CF3	C—CF3	H	CH3SO2CH2C(CH3)2
2-473	C—Cl	N	C—Cl C—H H	CF3	C—CF3	H	(Methoxyimino)methyl
2-474 2-475	C—Cl C—Cl	N N	C—Cl C—H H C—Cl C—H H	CF3 CF3	C—CF3 C—CF3	H H	(Ethoxyimino)methyl
2-475	C—CI C—CI	N	C—CI C—H H	CF3	C—CF3	Н	2-PyridylCH2 [1-(1,3-thiazol-4-yl)]CH2
2-477	C—Cl	N	C—CI C—H H	CF3	C—CF3	Н	[1-(1,5-thiazor-4-yr)]CH2
2-478	C—Cl	N	C—Cl C—H H	CF3	C—CF3	Н	5-chloropyrimidin-2-yl
2-479	C—Cl	N	C—Cl C—H H	CF3	C—CF3	H	5-bromopyrimidin-2-yl
2-480	C—Cl	N	C—Cl C—H H	CF3	C—CF3	Η	5-cyanopyrimidin-2-yl
2-481	C—Cl	N	C—Cl C—H H	CF3	C—CF3	Η	CH3NHC(O)CH2
2-482	C—Cl	N	C—Cl C—H H	CF3	C—CF3	H	CH3CH2NHC(O)CH2
2-483 2-484	C—Cl C—Cl	N N	C—Cl C—H H C—Cl C—H H	CF3 CF3	C—CF3 C—CF3	H H	iso-PrNHC(O)CH2 cyclo-PrNHC(O)CH2
2-485	C—CI	N	C—C1 C—H H	CF3	C—CF3	Н	CF3CH2NHC(O)CH2
2-486	C—Cl	N	C—Cl C—H H	CF3	C—CF3	Н	CH3NHC(O)CH(CH3)
2-487	C—Cl	N	C—Cl C—H H	CF3	C—CF3	H	CH3CH2NHC(O)CH(CH3)
2-488	C—Cl	N	C—Cl C—H H	CF3	C—CF3	Η	iso-PrNHC(O)CH(CH3)
2-489	C—Cl	N	C—Cl C—H H	CF3	C—CF3	Η	cyclo-PrNHC(O)CH(CH3)
2-490	C—Cl	N	C—CI C—H H C—CI C—H H	CF3	C—CF3	Н	CF3CH2NHC(O)CH(CH3)
2-491 2-492	C—Cl C—Cl	N N	C—Cl C—H H C—Cl C—H H	CF3 CF3	C—CF3 C—CF3	H H	CH3NHC(O)C(CH3)2 CH3CH2NHC(O)C(CH3)2
2-493	C—Cl	N	C—CI C—H H	CF3	C—CF3	H	iso-PrNHC(O)C(CH3)2
2-494	C—Cl	N	C—Cl C—H H	CF3	C—CF3	H	cyclo-PrNHC(O)C(CH3)2
2-495	C—Cl	N	С—СІ С—Н Н	CF3	C—CF3	H	CF3CH2NHC(O)C(CH3)2
2-496	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	H	CF3CH2
2-497	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	Н	CH3OCH2
2-498	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	CH3CO	CH3OCH2
2-499 2-500	C—CF3 C—CF3	N N	C—H C—H H C—H C—H H	CF3 CF3	C—CF3 C—CF3	H H	CH3CH2OCH2 CH3OCH2CH2
2-501	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	H	CH3CH2OCH2CH2
2-502	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	H	tetrahydrofuran-2-yl
2-503	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	H	CH3SCH2CH2
2-504	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	H	CH3S(O)CH2CH2
2-505	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	H	CH3SO2CH2CH2
2-506 2-507	C—CF3 C—CF3	N N	C—H C—H H C—H C—H H	CF3 CF3	C—CF3 C—CF3	H H	CH3SCH2CH(CH3) CH3S(O)CH2CH(CH3)
2-508	C—CF3	N	C—H C—H H	CF3	C—CF3	H	CH3SO2CH2CH(CH3)
2-509	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	Н	CH3SCH2C(CH3)2
2-510	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	Н	CH3S(O)CH2C(CH3)2
2-511	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	H	CH3SO2CH2C(CH3)2
2-512	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	Н	(Methoxyimino)methyl
2-513 2-514	C—CF3 C—CF3	N N	C—H C—H H C—H C—H H	CF3 CF3	C—CF3 C—CF3	H H	(Ethoxyimino)methyl 2-PyridylCH2
2-514	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	Н	[1-(1,3-thiazol-4-yl)]CH2
2-516	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	Н	[1-(1-methyl-1H-pyrazol-5-yl]CH2
2-517	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	Н	5-chloropyrimidin-2-yl
2-518	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	Η	5-bromopyrimidin-2-yl
2-519	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	Н	5-cyanopyrimidin-2-yl
2-520	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	H	CH3NHC(O)CH2
2-521 2-522	C—CF3 C—CF3	N N	C—H C—H H	CF3 CF3	C—CF3 C—CF3	H H	CH3CH2NHC(O)CH2 iso-PrNHC(O)CH2
2-523	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	Н	cyclo-PrNHC(O)CH2
2-524	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	Н	CF3CH2NHC(O)CH2
2-525	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	Η	CH3NHC(O)CH(CH3)
2-526	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	Η	CH3CH2NHC(O)CH(CH3)
2-527	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	H	iso-PrNHC(O)CH(CH3)
2-528 2-529	C—CF3 C—CF3	N N	C—H C—H H	CF3 CF3	C—CF3 C—CF3	H H	cyclo-PrNHC(O)CH(CH3) CF3CH2NHC(O)CH(CH3)
2-529 2-530	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	H H	CH3NHC(O)C(CH3)2
2-531	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	Н	CH3CH2NHC(O)C(CH3)2
2-532	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	H	iso-PrNHC(O)C(CH3)2
2-533	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	H	cyclo-PrNHC(O)C(CH3)2
2-534	C—CF3	N	С—Н С—Н Н	CF3	C—CF3	H	CF3CH2NHC(O)C(CH3)2
2-535	C—CF3	N	C—CF3 C—H H	CF3	C—CF3	Н	CF3CH2
2-536	C—CF3	N	C—CF3 C—H H	CF3	C—CF3	Н	СНЗОСН2

204

BI R R R R R R R R R R R R R R R R R R R	\bigvee_{N}	N _A 3	$ \stackrel{R^1}{\underset{N}{\longleftarrow}}_{R^2} $

Table 2-Ex-No. B									O	
2-539	Table 2-ExNo.	B^1	B^2	B^3	B^4	X^1	R	A^3	R^1	R ²
2-590	2-537	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	CH3CO	CH3OCH2
2-54	2-538	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	H	CH3CH2OCH2
2-54	2-539	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	H	CH3OCH2CH2
2-542	2-540	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	H	CH3CH2OCH2CH2
2-544	2-541	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	H	tetrahydrofuran-2-yl
2-544	2-542	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	H	CH3SCH2CH2
2-546	2-543	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	Η	CH3S(O)CH2CH2
2-546	2-544		N	C—CF3	С—Н		CF3	C—CF3	H	CH3SO2CH2CH2
2-547	2-545									CH3SCH2CH(CH3)
2-548										
2-549										· /
2-550										* *
2-551										
2-552										
2-555										
2-554										
2-555										
2-556										
2-557										
2-558										
2-559										
2-560										
2-56 C_CF3										
2-563	2-561									
2-564	2-562	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	H	cyclo-PrNHC(O)CH2
C-CF3	2-563	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	H	CF3CH2NHC(O)CH2
2-566	2-564		N				CF3			CH3NHC(O)CH(CH3)
2-567										
2-568										
2-569										
2-570										
2-571										` ' ` '
2-572										
2-573										
2-5774 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3CCH2 2-5775 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3OCH2 2-5776 C—CF3 C—H C—CF3 N H CF3 C—CF3 CH3OCH2 2-5777 C—CF3 C—H C—CF3 N H CF3 C—G73 C—H C—CF3 N H CF3 C—G73 C—H C—CF3 N H CF3 C—G73 H CH3OCH2CH2 2-578 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3OCH2CH2 2-580 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCH2CH2 2-581 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCH2CH2 2-582 C—CF3 C—H C—CF3 N H C										
2-576 C—CF3 C—H C—CF3 N H CF3 C—CF3 CH3COCH2 2-577 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3CH2OCH2 2-578 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3CH2OCH2 2-579 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3CH2CH2 2-580 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCH2CH2 2-581 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCH2CH2 2-582 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCH2CH2 2-583 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2CH2 2-584 C—CF3 C—H C—CF3 N H CF3	2-574	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	H	
2-5777 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3CH2OCH2 2-578 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3CH2CH2 2-579 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3CH2CH2 2-580 C—CF3 C—H C—CF3 N H CF3 C—F3 H tetrahydrofuran-2-yl 2-581 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCH2CH2 2-582 C—CF3 C—H C—CF3 N H CF3 C—G53 H CH3SCH2CH2 2-584 C—CF3 C—H C—CF3 N H CF3 C—G73 H CH3SCH2CH2 2-585 C—CF3 C—H C—CF3 N H CF3 C—G73 H CH3SCOH2CHCH3) 2-586 C—CF3 C—H C—CF3 N <td< td=""><td>2-575</td><td>C—CF3</td><td>С—Н</td><td>C—CF3</td><td>N</td><td>Η</td><td>CF3</td><td>C—CF3</td><td>H</td><td>CH3OCH2</td></td<>	2-575	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	H	CH3OCH2
2-578 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3OCH2CH2 2-579 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3CH2CH2CH2 2-580 C—CF3 C—H C—CF3 N H CF3 C—CF3 H tetrahydrofuran-2-yl 2-581 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCH2CH2 2-582 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCH2CH2CH2 2-583 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3SCH2CHCH2 2-584 C—CF3 C—H C—CF3 N H CF3 C—GF3 H CH3SCH2CH(CH3) 2-585 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2CH(CH3) 2-587 C—GF3 C—H C—CF3 N </td <td>2-576</td> <td></td> <td>С—Н</td> <td></td> <td>N</td> <td>Η</td> <td>CF3</td> <td></td> <td>CH3CO</td> <td>CH3OCH2</td>	2-576		С—Н		N	Η	CF3		CH3CO	CH3OCH2
2-579 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3CH20CH2CH2 2-580 C—CF3 C—H C—CF3 N H CF3 C—CF3 H tetrahydrofuran-2-yl 2-581 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2CH2 2-582 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SQCH2CH2 2-583 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SQCH2CH2 2-584 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SQCH2CH(CH3) 2-586 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SQCH2CH(CH3) 2-587 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SQCH2CH(CH3) 2-588 C—CF3 C—H C—CF3 <	2-577				N	Η	CF3		Η	CH3CH2OCH2
2-580 C—CF3 C—H C—CF3 N H CF3 C—CF3 H tetrahydrofuran-2-yl 2-581 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCH2CH2 2-582 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3S(O)CH2CH2 2-583 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2CH2 2-584 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2CH(CH3) 2-585 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2CH(CH3) 2-586 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2CH(CH3) 2-587 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2CH(CH3) 2-589 C—CF3 C—H C—CF3										
2-581 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCH2CH2 2-582 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3S(O)CH2CH2 2-583 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3SCQCH2CH2 2-584 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3SCQCH2CH(CH3) 2-585 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2CH(CH3) 2-586 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2C(CH3)2 2-587 C—GF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2C(CH3)2 2-588 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2C(CH3)2 2-590 C—CF3 C—H C—CF3										
2-582 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3S(O)CH2CH2 2-583 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2CH2 2-584 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2CH(CH3) 2-585 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2CH(CH3) 2-586 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3SCQCH2CH(CH3) 2-587 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3SCQCH2C(CH3)2 2-588 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2C(CH3)2 2-590 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCQCH2C(CH3)2 2-591 C—CF3 C—H C—CF3										
2-583 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SO2CH2CH2 2-584 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCH2CH(CH3) 2-585 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCD4CH(CH3) 2-586 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3SO2CH2CH(CH3)2 2-587 C—GF3 C—H C—CF3 N H CF3 C—F3 H CH3SO2CH2C(CH3)2 2-588 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3SO2CH2C(CH3)2 2-589 C—CF3 C—H C—CF3 N H CF3 C—G73 H CH3SO2CH2C(CH3)2 2-590 C—CF3 C—H C—CF3 N H CF3 C—G73 H CH3SO2CH2C(CH3)2 2-592 C—CF3 C—H C—CF3										
2-584 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCH2CH(CH3) 2-585 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3S(O)CH2CH(CH3) 2-586 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3S(O)CH2CH(CH3) 2-587 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3S(O)CH2C(CH3)2 2-588 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3S(O)CH2C(CH3)2 2-589 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3S(O)CH2C(CH3)2 2-590 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SOCH2C(CH3)2 2-591 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH4socyclino)methyl 2-593 C—CF3 C—H										* *
2-585 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3S(O)CH2CH(CH3) 2-586 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SC02CH2CH(CH3) 2-587 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3SC02CH2CH(CH3)2 2-588 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3SC02CH2C(CH3)2 2-589 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3SC02CH2C(CH3)2 2-590 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3SC02CH2C(CH3)2 2-591 C—CF3 C—H C—CF3 N H CF3 C—F3 H (Methoxyimino)methyl 2-592 C—CF3 C—H C—CF3 N H CF3 C—F3 H (Ethoxyimino)methyl 2-593 C—CF3 C—H										
2-586 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SO2CH2CH(CH3) 2-587 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCH2C(CH3)2 2-588 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCOCH2C(CH3)2 2-589 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3SO2CH2C(CH3)2 2-590 C—CF3 C—H C—CF3 N H CF3 C—F3 H (Methoxyimino)methyl 2-591 C—CF3 C—H C—CF3 N H CF3 C—F3 H (Ethoxyimino)methyl 2-592 C—CF3 C—H C—CF3 N H CF3 C—F3 H (Ethoxyimino)methyl 2-593 C—CF3 C—H C—CF3 N H CF3 C—F3 H [1-(1,3-thiazol-4-yl)]CH2 2-594 C—CF3 C—H										
2-587 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCH2C(CH3)2 2-588 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCOLCC(CH3)2 2-589 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SCOLCH2C(CH3)2 2-590 C—CF3 C—H C—CF3 N H CF3 C—F3 H (Methoxyimino)methyl 2-591 C—CF3 C—H C—CF3 N H CF3 C—F3 H (Ethoxyimino)methyl 2-592 C—CF3 C—H C—CF3 N H CF3 C—F3 H 2-PyridylCH2 2-593 C—CF3 C—H C—CF3 N H CF3 C—F3 H [1-(1,3-thiazol-4-yl)]CH2 2-594 C—CF3 C—H C—CF3 N H CF3 C—F3 H 5-chloropyrimidin-2-yl 2-595 C—CF3 C—H										
2-589 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3SO2CH2C(CH3)2 2-590 C—CF3 C—H C—CF3 N H CF3 C—CF3 H (Methoxyimino)methyl 2-591 C—CF3 C—H C—CF3 N H CF3 C—F3 H (Ethoxyimino)methyl 2-592 C—CF3 C—H C—CF3 N H CF3 C—F3 H 2-PyridylCH2 2-593 C—CF3 C—H C—CF3 N H CF3 C—CF3 H [1-(1,3-thiazol-4-yl)]CH2 2-594 C—CF3 C—H C—CF3 N H CF3 C—CF3 H [1-(1,-methyl-1H-pyrazol-5-yl]CH2 2-595 C—CF3 C—H C—CF3 N H CF3 C—CF3 H 5-chloropyrimidin-2-yl 2-597 C—CF3 C—H C—CF3 N H CF3 C—F3 H 5-bromopyrimidin-2-yl 2-598 C—CF3	2-587	C—CF3	С—Н	C-CF3	N	Η	CF3		Н	
2-590 C—CF3 C—H C—CF3 N H CF3 C—CF3 H (Methoxyimino)methyl 2-591 C—CF3 C—H C—CF3 N H CF3 C—CF3 H (Ethoxyimino)methyl 2-592 C—CF3 C—H C—CF3 N H CF3 C—CF3 H 2-PyridylCH2 2-593 C—CF3 C—H C—CF3 N H CF3 C—CF3 H [1-(1,3-thiazol-4-yl)]CH2 2-594 C—CF3 C—H C—CF3 N H CF3 C—CF3 H [1-(1,3-thiazol-4-yl)]CH2 2-595 C—CF3 C—H C—CF3 N H CF3 C—CF3 H 5-chloropyrimidin-2-yl 2-596 C—CF3 C—H C—CF3 N H CF3 C—F3 H 5-bromopyrimidin-2-yl 2-597 C—CF3 C—H C—CF3 N H CF3 C—F3 H 5-cyanopyramidin-2-yl 2-598 C—CF3	2-588	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	Η	CH3S(O)CH2C(CH3)2
2-591 C—CF3 C—H C—CF3 N H CF3 C—CF3 H (Ethoxyimino)methyl 2-592 C—CF3 C—H C—CF3 N H CF3 C—F3 H 2-PyridylCH2 2-593 C—CF3 C—H C—CF3 N H CF3 C—F3 H [1-(1,3-thiazol-4-yl)]CH2 2-594 C—CF3 C—H C—CF3 N H CF3 C—F3 H [1-(1-methyl-1H-pyrazol-5-yl]CH2 2-595 C—CF3 C—H C—CF3 N H CF3 C—F3 H 5-chloropyrimidin-2-yl 2-596 C—CF3 C—H C—CF3 N H CF3 C—CF3 H 5-bromopyrimidin-2-yl 2-597 C—CF3 C—H C—CF3 N H CF3 C—F3 H 5-cyanopyramidin-2-yl 2-598 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3CH2NHC(O)CH2 2-599 C—CF3	2-589				N	Η	CF3	C—CF3	H	CH3SO2CH2C(CH3)2
2-592 C—CF3 C—H C—CF3 N H CF3 C—F3 H 2-PyridylCH2 2-593 C—CF3 C—H C—CF3 N H CF3 C—CF3 H [1-(1,3-thiazol-4-yl)]CH2 2-594 C—CF3 C—H C—CF3 N H CF3 C—CF3 H [1-(1,3-thiazol-4-yl)]CH2 2-595 C—CF3 C—H C—CF3 N H CF3 C—CF3 H 5-chloropyrimidin-2-yl 2-596 C—CF3 C—H C—CF3 N H CF3 C—F3 H 5-cryanopyramidin-2-yl 2-597 C—CF3 C—H C—CF3 N H CF3 C—CF3 H 5-cryanopyramidin-2-yl 2-598 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3CH2NHC(O)CH2 2-599 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3CH2NHC(O)CH2 2-600 C—CF3 <					N					
2-593 C—CF3 C—H C—CF3 N H CF3 C—CF3 H [1-(1,3-thiazol-4-yl)]CH2 2-594 C—CF3 C—H C—CF3 N H CF3 C—CF3 H [1-(1,3-thiazol-4-yl)]CH2 2-595 C—CF3 C—H C—CF3 N H CF3 C—CF3 H 5-chloropyrimidin-2-yl 2-596 C—CF3 C—H C—CF3 N H CF3 C—CF3 H 5-bromopyrimidin-2-yl 2-597 C—CF3 C—H C—CF3 N H CF3 C—CF3 H 5-cyanopyramidin-2-yl 2-598 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3NHC(O)CH2 2-599 C—CF3 C—H C—CF3 N H CF3 C—G73 H CH3CH2NHC(O)CH2 2-600 C—CF3 C—H C—CF3 N H CF3 C—F3 H cyclo-PrNHC(O)CH2 2-602 C—CF3										
2-594 C—CF3 C—H C—CF3 N H CF3 C—CF3 H [1-(1-methyl-1H-pyrazol-5-yl]CH2 2-595 C—CF3 C—H C—CF3 N H CF3 C—CF3 H 5-chloropyrimidim-2-yl 2-596 C—CF3 C—H C—CF3 N H CF3 C—F3 H 5-bromopyrimidim-2-yl 2-597 C—CF3 C—H C—CF3 N H CF3 C—F3 H 5-cyanopyramidim-2-yl 2-598 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3NHC(O)CH2 2-599 C—CF3 C—H C—CF3 N H CF3 C—F3 H CH3CH2NHC(O)CH2 2-600 C—CF3 C—H C—CF3 N H CF3 C—F3 H cyclo-PrNHC(O)CH2 2-602 C—CF3 C—H C—CF3 N H CF3 C—F3 H CF3CH2NHC(O)CH2										
2-595 C—CF3 C—H C—CF3 N H CF3 C—CF3 H 5-chloropyrimidin-2-yl 2-596 C—CF3 C—H C—CF3 N H CF3 C—F3 H 5-bromopyrimidin-2-yl 2-597 C—CF3 C—H C—CF3 N H CF3 C—CF3 H 5-cyanopyramidin-2-yl 2-598 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3NHC(O)CH2 2-599 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3CH2NHC(O)CH2 2-600 C—CF3 C—H C—CF3 N H CF3 C—CF3 H cyclo-PrNHC(O)CH2 2-601 C—CF3 C—H C—CF3 N H CF3 C—F3 H CF3CH2NHC(O)CH2 2-602 C—CF3 C—H C—CF3 N H CF3 C—F3 H CF3CH2NHC(O)CH2										
2-596 C—CF3 C—H C—CF3 N H CF3 C—CF3 H 5-bromopyrimidin-2-yl 2-597 C—CF3 C—H C—CF3 N H CF3 C—F3 H 5-cyanopyramidin-2-yl 2-598 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3NHC(O)CH2 2-599 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3CH2NHC(O)CH2 2-600 C—CF3 C—H C—CF3 N H CF3 C—F3 H cyclo-PrNHC(O)CH2 2-601 C—CF3 C—H C—CF3 N H CF3 C—F3 H cyclo-PrNHC(O)CH2 2-602 C—CF3 C—H C—CF3 N H CF3 C—F3 H CF3CH2NHC(O)CH2										
2-597										
2-598										
2-599										
2-600										
2-601										* /
2-602 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CF3CH2NHC(O)CH2										
2-603 C—CF3 C—H C—CF3 N H CF3 C—CF3 H CH3NHC(O)CH(CH3)			С—Н					C—CF3		CF3CH2NHC(O)CH2
	2-603	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	H	CH3NHC(O)CH(CH3)

TABLE 2-continued

Table 2-ExNo.	B^1	B^2	B^3	B^4	\mathbf{X}^{1}	R	A^3	\mathbb{R}^1	\mathbb{R}^2
2-604	C—CF3	С—Н	C—CF3	N	Н	CF3	C—CF3	Н	CH3CH2NHC(O)CH(CH3)
2-605	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	H	iso-PrNHC(O)CH(CH3)
2-606	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	H	cyclo-PrNHC(O)CH(CH3)
2-607	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	H	CF3CH2NHC(O)CH(CH3)
2-608	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	Η	CH3NHC(O)C(CH3)2
2-609	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	Η	CH3CH2NHC(O)C(CH3)2
2-610	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	H	iso-PrNHC(O)C(CH3)2
2-611	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	H	cyclo-PrNHC(O)C(CH3)2
2-612	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	H	CF3CH2NHC(O)C(CH3)2
2-613	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	Н	tert-BuOC(O)CH2

TABLE 3

$$\begin{bmatrix} & & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & &$$

Table 3- ExNo.	B^{1}	B^2	B^3	B^4	X^1	R	A^3	R^3	R^4	R^5	\mathbb{R}^6	1
3-1	C—CI	С—Н	C—Cl	С—Н	Н	CF3	C—CF3	Н	Н	Н	Н	1
3-2	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	HCO	1
3-3	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	CH3CO	1
3-4	C—Cl	С—Н	C—Cl	С—Н		CF3	C—CF3	Η	Η	Η	CH3CH2CO	1
3-5	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	n-PrCO	1
3-6	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	iso-PrCO	1
3-7	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	cyclo-PrCO	1
3-8	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	n-BuCO	1
3-9	C—Cl	С—Н	C—C1	С—Н	Η	CF3	C—CF3	Η	Η	Η	tert-BuCO	1
3-10	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	iso-BuCO	1
3-11	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	cyclo-BuCO	1
3-12	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	(CH3)3CCH2CO	1
3-13	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	cyclo-PenCO	1
3-14	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	cyclo-HexCO	1
3-15	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	cyclo-PrCH2CO	1
3-16	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	CF3CO	1
3-17	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	CCl3CO	1
3-18	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	ClCH2CO	1
3-19	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	CF2ClCO	1
3-20	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	CICH2CH2CO	1
3-21	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	HCF2CF2CO	1
3-22	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	CF3CH2CO	1
3-23	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	(CF3)2CHCO	1
3-24	C—Cl	С—Н	C—Cl	С—Н		CF3	C—CF3	Η	Η	Η	HCF2CO	1
3-25	C—CI	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Н	CICH2CO	1
3-26	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	C—CF3	Н	Η	Н	∇	1
3-27	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	C—CF3	Н	Н	Н	H ₃ C CO	1
											\sim _co	

TABLE 3-continued

				R.	/	$\overline{}$						
			\mathbb{B}^{1} \mathbb{B}^{2}	B ³	^	_\ [\]	N N	A	3 \	R ⁵	R ⁶	
Table 3- ExNo.	B^1	B^2	B^3	B^4	X^1	R	A^3	R^3	R^3 R^4	R ⁴	R ⁶	1
3-28	C—CI	С—Н	C—CI	С—Н	Н	CF3	C—CF3	Н	Н	Н	F_F	1
3-29	C—Cl	С—Н	C—CI	С—Н	Н	CF3	C—CF3	Н	Н	Н		1
3-30	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	C—CF3	Η	Н	Н	H_3C CO	1
3-31	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	C—CF3	Н	Н	Н	CONC	1
3-32 3-33 3-34 3-35 3-36 3-37 3-38 3-39 3-40 3-41 3-42 3-43 3-44 3-45 3-46 3-47 3-48 3-49 3-50 3-51 3-52 3-53 3-56	C — CI C	С—Н С—Н С—Н С—Н С—Н С—Н С—Н С—Н С—Н С—Н	C-CI C-CI C-CI C-CI C-CI C-CI C-CI C-CI	C—H	нининининининининининин	CF3	C—CF3	ниннинниннинниннинниннинн	н н н н н н н н н н н н н н н н н н н	Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н	CH2=CH-CO CH3CH=CH-CO CH3CH=C(CH3)-CO CH3CH=C(CH3)-CO (CH3)2C=CH-CO CH2=C(CI)-CO CH2=C(CH3)-CO CH2=CHCH2-CO HCC-CO NCCH2-CO CH30CH2-CO CH3OCH2-CO CH3O(CO)CH2-CO CH3(CO)CH2-CO CH3(CO)CH2-CO CH3(CO)CH2-CO CH3(CO)CH2-CO CH3(CO)CO CO CH3(CO)CO CH3(CO)CO CO C	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3-58 3-59 3-60 3-61 3-62 3-63 3-64 3-65 3-66	C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H C—H C—H C—H C—H C—H C—H	C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl	C—H C—H C—H C—H	H H H H H H H	CF3 CF3 CF3 CF3 CF3 CF3 CF3 CF3	C—CF3 C—CF3 C—CF3 C—CF3 C—CF3 C—CF3 C—CF3 C—CF3	H H H H H H H H H H	H H H H H H H	H H H H H H H	N=	1 1 1 1 1 1 1 1
3-68	c—cı	С—Н		С—Н			C—CF3	Н	Н	Н	co	1

TABLE 3-continued

	X ¹ R											
$ \begin{array}{c} $												
Table 3- ExNo.	B^1	B^2	B^3	B^4	X¹ R	A^3	R^3	R ³	R* R ⁵	$ m R^6$		
3-69	C—Cl	С—Н	C—Cl	С—Н	н сғ	3 C—CF3	Н	Н	Н	Co co		
3-70	C—Cl	С—Н	C—Cl	С—Н	н сғ	3 C—CF3	Н	Н	Н	$\sqrt{\sum_{N}}$ co		
3-71	C—CI	С—Н	C—Cl	С—Н	н сғ	3 C—CF3	Н	Н	Н	F ₃ C CO		
3-72	C—CI	С—Н	C—Cl	С—Н	н сғ	3 C—CF3	Н	Н	Н	CF ₃		
3-73	C—CI	С—Н	C—Cl	С—Н	н сғ	3 C—CF3	Н	Н	Н	CO		
3-74	C—CI	С—Н	C—Cl	С—Н	н сғ	3 C—CF3	Н	Н	Н	co		
3-75 3-76 3-77 3-78 3-79 3-80 3-81 3-82 3-83 3-84 3-85 3-85 3-86 3-87 3-88 3-89 3-90 3-91 3-92 3-93 3-95 3-96 3-97	C-CI C-CI C-CI C-CI C-CI C-CI C-CI C-CI	C—H C—H C—H C—H C—H C—H C—H C—H C—H C—H		C—H	H CF H CF H CF H CF H CF H CF H CF H CF	3 C—CF3	H H H H H H H H H H H H H H H H H H H	ннинининнинниннин н н	CH3 CH3 H H H H H H H H H H H H H H H H	CH3CO cyclo-PrCO CH3NHCO CH3CH2NHCO CH3CH2NHCO n-PrNHCO iso-PrNHCO iso-PrNHCO ocyclo-PrNHCO tert-BuNHCO cyclo-BuNHCO cyclo-PenNHCO cyclo-PenNHCO cyclo-PenNHCO cyclo-HexNHCO CH2—CHCH2NHCO HCCCH2NHCO CF3(CH3)CHNHCO CF3(CH3)CHNHCO CF3(CH3)CHNHCO CF3(CH3)CHNHCO CF3CH2CH2NHCO HCF2CF2CH2NHCO FCH2CH2NHCO CF3CH2CH2NHCO FCH2CH2NHCO FCH2CH2NHCO FCH2CH2NHCO FCH2CH2NHCO FCH2CH2NHCO FCH2CH2NHCO HCF2CF2CH2NHCO HCF2CF2CH2NHCO		
3-99	C—CI	С—Н	C—Cl	С—Н	н сғ	3 C—CF3	Н	Н	Н	CF ₃ NHCO		

TABLE 3-continued

					12:	11111	3 contin	iuce				
$ \begin{array}{c} & X^{1} \\ & B^{1} \\ & B^{2} \\ & B^{3} \\ & B^{4} \end{array} $ $ \begin{array}{c} & N \\ & N \\ $												
Table 3- ExNo.	B^1	B^2	B^3	B^4	X^1	R	A^3	\mathbb{R}^3	R^4	R^5	R ⁶ 1	
3-100 3-101 3-102 3-103 3-104 3-105 3-106	C—CI C—CI C—CI C—CI C—CI C—CI	C—H C—H C—H C—H C—H C—H	C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl	C—H C—H C—H C—H C—H C—H	H H H H H H	CF3 CF3 CF3 CF3 CF3 CF3	C—CF3 C—CF3 C—CF3 C—CF3 C—CF3 C—CF3	H H H H H	H H H H H	H H H H H	EtO2CCH2NHCO 1 2-CF3—PhNHCO 1 3-CF3—PhNHCO 1 4-CF3—PhNHCO 1 2-py-NHCO 1 3-py-NHCO 1 4-py-NHCO 1	
3-107	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	Н	Н	Н	F_3C NHCO 1	
3-108	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	C—CF3	Н	Н	Н	F_3C NHCO N	
3-109	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	C—CF3	Н	Н	Н	PhCH2HNCO 1	
3-110	C—CI	С—Н	C—Cl	С—Н	Н	CF3	C—CF3	Н	Н	Н	N——NHCO 1	
3-111 3-112 3-113 3-114 3-115 3-116 3-117 3-118 3-119 3-120 3-121 3-122 3-123 3-124 3-125 3-124 3-125 3-127 3-128 3-127 3-128 3-129 3-131 3-132 3-133 3-134 3-135 3-134 3-135 3-137 3-138 3-137 3-140 3-141 3-142 3-143 3-144 3-145 3-146 3-147 3-148 3-149	C_G C_G C_G C_G C_G C_G C_G C_G C_G C_G	С—Н СС—Н СС—Н СС—Н СС—Н СС—Н СС—Н СС—Н	C-CI C-CI C-CI C-CI C-CI C-CI C-CI C-CI	C—H	Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н	CF3	C—CF3	НН	ннининининининининининининининининининин	Н3 СН3 СН3 СН3 Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н	(CH3)2NCO 1 CH3NHCO 1 CH3NHCO 1 CH3CH2NHCO 1 eyclo-PrNHCO 1 pyrrolidineCO 1 piperidineCO 1 morpholineCO 1 CH3CH2OCO 1 CH3CH2OCO 1 cyclo-PrOCO 1 CF3CH2OCO 1 PhOCO 1 CH3SO2 1 CH3CH2SO2 1 CF3CH2SO2 1 CF3CH2SO2 1 CF3CH2SO2 1 CF3CH2SO2 1 CH3CH2SO2 1 CH3CH2CO 1 CH3CH2CS 1 CH3CH2CS 1 CH3CH2CS 1 CH3CH2CS 1 CH3CH2CO 1	

TABLE 3-continued

$ \begin{array}{cccccccccccccccccccccccccccccccccccc$

Table 3- ExNo.	B^1	B^2	B^3	B ⁴	X ¹ F	. A ³	R^3	R^4	R ⁵	R ⁶	1
3-150	C—CF3	С—Н	C—CF3	С—Н	H CI	3 C—CF3	Η	Η	Η	CF3CH2CO	1
3-151	C—CF3	С—Н	C—CF3		H CI		Η	Η	Η	CH3CH2NHCO	1
3-152	C—Cl	C—Cl	C—CF3		H CI		Н	H	Н	CH3CO	1
3-153 3-154	C—Cl C—Cl	C—Cl C—Cl	C—CF3 C—CF3		H CI H CI		H H	H H	H H	CH3CH2CO	1 1
3-154	C—CI	C—Cl	C—CF3		H CI		Н	Н	Н	cyclo-PrCO CF3CH2CO	1
3-156	C—Cl	C—Cl	C—CF3		H CI		Н	Н	Н	CH3CH2NHCO	1
3-157	C—Br	С—Н	C—Br	С—Н	н сі	3 C—CF3	Η	Η	Η	CH3CO	1
3-158	C—Br	С—Н	C—Br		H CI		Η	Η	Η	CH3CH2CO	1
3-159	C—Br	С—Н	C—Br		H CI		Н	H	H	cyclo-PrCO	1
3-160 3-161	C—Br C—Br	С—Н С—Н	C—Br C—Br		Н СІ Н СІ		H H	H H	H H	CF3CH2CO CH3CH2NHCO	1 1
3-162	C—Cl	C—H	C—Cl		H CI		Н	Н	Н	CH3CO	1
3-163	C—CI	С—Н	C—Cl		H CI		Н	Н	Н	CH3CH2CO	1
3-164	C—C1	С—Н	C—Cl		H CI		Η	Η	H	cyclo-PrCO	1
3-165	C—Cl	С—Н	C—Cl		H CI		Η	Η	Η	CF2CH2CO	1
3-166	C—CI	C—H	C—Cl		H CI		H	H	H	CH3CH2NHCO	1
3-167 3-168	C—CI C—CI	C—Cl C—Cl	C—Cl C—Cl		Н СІ Н СІ		H H	H H	H H	CH3CO CH3CH2CO	1 1
3-169	C—CI	C—Cl	C—Cl		H CI		Н	Н	Н	cyclo-PrCO	1
3-170	C—Cl	C—Cl	C—Cl		H CI		Н	Η	Н	CF3CH2CO	1
3-171	C—Cl	C—Cl	C—Cl		H CI		Η	Η	Η	CH3CH2NHCO	1
3-172	C—CF3	С—Н	C—CF3		H CI		H	Н	H	CH3CO	1
3-173 3-174	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		Н СІ Н СІ		H H	H H	H H	CH3CH2CO cyclo-PrCO	1 1
3-174	C—CF3	C—H	C—CF3		H CI		H	H	H	CF3CH2CO	1
3-176	C—CF3	С—Н	C—CF3		H CI		Н	Н	Н	CH3CH2NHCO	1
3-177	C—Cl	С—Н	C—Cl	С—Н	H CI	3 C—CH3	Η	Η	H	CH3CO	1
3-178	C—Cl	С—Н	C—Cl		H CI		Η	Η	Η	CH3CH2CO	1
3-179	C—Cl	С—Н	C—Cl		H CI		H	H	Н	cyclo-PrCO	1
3-180 3-181	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl		H CI H CI		H H	H H	H H	CF3CH2CO CH3CH2NHCO	1 1
3-182	C—CI	C—Cl	C—Cl		H CI		Н	H	H	CH3CO	1
3-183	C—Cl	C—Cl	C—Cl		H CI		Η	Η	Η	CH3CH2CO	1
3-184	C—Cl	C—Cl	C—Cl		H CI		Η	Η	Η	cyclo-PrCO	1
3-185	C—CI	C—Cl	C—Cl		H CI		H	H	H	CF3CH2CO	1
3-186 3-187	C—Cl C—CF3	C—Cl C—H	C—Cl C—CF3		H CI H CI		H H	H H	H H	CH3CH2NHCO CH3CO	1 1
3-188	C—CF3	С—Н	C—CF3		H CI		Н	H	H	CH3CH2CO	1
3-189	C—CF3	С—Н	C—CF3	С—Н	н сі	3 C—CH3	Η	Η	Η	cyclo-PrCO	1
3-190	C—CF3	С—Н	C—CF3		H CI		Η	Η	Η	CF3CH2CO	1
3-191	C—CF3	С—Н	C—CF3		H CI			H	H	CH3CH2NHCO	1
3-192 3-193	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl		Н СІ Н СІ		H H	H H	H H	CH3CO CH3CH2CO	1 1
3-194	C—Cl	С—Н	C—Cl		H CI		Н	Н	Н	cyclo-PrCO	1
3-195	C—Cl	С—Н	C—Cl	С—Н	H CI	3 C—Cl	Η	Η	Η	CF3CH2CO	1
3-196	C—Cl	С—Н	C—Cl		H CI		Η	Η	Η	CH3CH2NHCO	1
3-197	C—Cl	C—Cl	C—Cl		H CI		H	H	H	CH3CO	1
3-198 3-199	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl		Н СІ Н СІ		H H	H H	H H	CH3CH2CO cyclo-PrCO	1 1
3-200	C—CI	C—Cl	C—Cl		H CI		H	H	Н	CF3CH2CO	1
3-201	C—Cl	C—Cl	C—Cl	С—Н	н сі	3 C—C1	Η	Η	Η	CH3CH2NHCO	1
3-202	C—CF3	С—Н	C—CF3		H CI		Η	Η	Η	CH3CO	1
3-203	C—CF3	С—Н	C—CF3		H CI		H	H	Н	CH3CH2CO	1
3-204 3-205	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		Н СІ Н СІ		H H	H H	H H	cyclo-PrCO CF3CH2CO	1 1
3-206	C—CF3	C—H	C—CF3		H CI		Н	H	Н	CH3CH2NHCO	1
3-207	C—Cl	С—Н	C—Cl		н сі		Η	Η	Η	n-PrCO	1
3-208	C—Cl	С—Н	C—Cl		H CI		Η	Η	Η	cyclo-PrCH2CO	1
3-209	C—Cl	С—Н	C—Cl		H CI		H	H	H	CH3SCH2CO	1
3-210 3-211	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl		Н СІ Н СІ		H H	H H	H H	CH3S(O)CH2CO CH3SO2CH2CO	1 1
3-211	C—CI	C—Cl	C—CI		H CI		Н	H	Н	n-PrCO	1
3-213	C—Cl	C—Cl	C—Cl		H CI		Н	Н	Н	cyclo-PrCH2CO	1
3-214	C—Cl	C—Cl	C—Cl		H CI		Η	Η	Н	CH3SCH2CO	1
3-215	C—Cl	C—Cl	C—Cl	С—Н	H CI	3 C—H	Η	Η	Н	CH3S(O)CH2CO	1

TABLE 3-continued

$ \begin{array}{cccccccccccccccccccccccccccccccccccc$

Table 3- ExNo.	B^1	B^2	B^3	B^4	X^1	R	A^3	R^3	R^4	R^5	R^6 1
3-216	C—CI	C—Cl	C—Cl	С—Н	Н	CF3	С—Н	Н	Н	Н	CH3SO2CH2CO 1
3-217	C—CF3	С—Н	C—CF3		Н	CF3	С—Н	Н	Н	Н	n-PrCO 1
3-218	C—CF3	С—Н	C—CF3		Η	CF3	С—Н	Η	Η	Η	cyclo-PrCH2CO 1
3-219	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	С—Н	Η	Η	Η	CH3SCH2CO 1
3-220	C—CF3	С—Н	C—CF3		Η	CF3	С—Н	Η	Η	Η	CH3S(O)CH2CO 1
3-221	C—CF3	C—H	C—CF3		Н	CF3	С—Н	H	H	H	CH3SO2CH2CO 1
3-222 3-223	C—Cl C—Cl	C—Cl C—Cl	C—CF3 C—CF3		H H	CF3 CF3	С—Н С—Н	H H	H H	H H	n-PrCO 1 cyclo-PrCH2CO 1
3-223	C—CI	C—Cl	C—CF3		Н	CF3	С—Н	Н	Н	Н	CH3SCH2CO 1
3-225	C—Cl	C—Cl	C—CF3		Н	CF3	С—Н	Н	Н	Н	CH3S(O)CH2CO 1
3-226	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	С—Н	Η	Η	Η	CH3SO2CH2CO 1
3-227	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	С—СНЗ	Η	Η	Η	n-PrCO 1
3-228	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	C—CH3	H	H	Н	cyclo-PrCH2CO 1
3-229 3-230	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	С—Н С—Н	H H	CF3 CF3	C—CH3 C—CH3	H H	H H	H H	CH3SCH2CO 1 CH3S(O)CH2CO 1
3-230	C—CI	С—н	C—Cl	С—Н	Н	CF3	C—CH3	Н	Н	Н	CH3S(O)CH2CO 1 CH3SO2CH2CO 1
3-232	C—Cl	C—Cl	C—Cl	C—H	Н	CF3	C—CH3	Н	Н	Н	n-PrCO 1
3-233	C—Cl	C—Cl	C—C1	С—Н	Η	CF3	С—СН3	Η	Н	Н	cyclo-PrCH2CO 1
3-234	C—C1	C—Cl	C—C1	С—Н	Η	CF3	С—СН3	Η	Η	Η	CH3SCH2CO 1
3-235	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	С—СНЗ	Η	Η	Η	CH3S(O)CH2CO 1
3-236	C—Cl	C—Cl	C—Cl	С—Н	H	CF3	C—CH3	H	H	H	CH3SO2CH2CO 1
3-237 3-238	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	C—CH3 C—CH3	H H	H H	H H	n-PrCO 1 cyclo-PrCH2CO 1
3-236	C—CF3	С—н	C—CF3		Н	CF3	С—СНЗ	Н	Н	Н	CH3SCH2CO 1
3-240	C—CF3	С—Н	C—CF3		Н	CF3	C—CH3	H	H	H	CH3S(O)CH2CO 1
3-241	C—CF3	С—Н		С—Н	Η	CF3	С—СН3	Η	Η	Η	CH3SO2CH2CO 1
3-242	C—Cl	C—Cl	C—CF3		Η	CF3	С—СНЗ	Η	Η	Η	n-PrCO 1
3-243	C—Cl	C—Cl	C—CF3		Н	CF3	С—СНЗ	H	Н	Н	cyclo-PrCH2CO 1
3-244	C—Cl C—Cl	C—Cl	C—CF3 C—CF3		H	CF3	C—CH3	H	Н	Н	CH3SCH2CO 1
3-245 3-246	C—CI	C—Cl C—Cl	C—CF3		H H	CF3 CF3	C—CH3 C—CH3	H H	H H	H H	CH3S(O)CH2CO 1 CH3SO2CH2CO 1
3-247	C—CI	C—H	C—CI	C—H	Н	CF3	C—Cl	Н	H	H	n-PrCO 1
3-248	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CI	Н	Н	Н	cyclo-PrCH2CO 1
3-249	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—C1	Η	Η	Η	CH3SCH2CO 1
3-250	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—Cl	Η	Η	Η	CH3S(O)CH2CO 1
3-251	C—Cl	C—H	C—Cl	С—Н	Н	CF3	C—CI	Н	Н	Н	CH3SO2CH2CO 1
3-252 3-253	C—CI C—CI	C—Cl C—Cl	C—Cl C—Cl	С—Н С—Н	H H	CF3 CF3	C—CI C—CI	H H	H H	H H	n-PrCO 1 cyclo-PrCH2CO 1
3-254	C—CI	C—Cl	C—CI	C—H	Н	CF3	C—CI	H	H	H	CH3SCH2CO 1
3-255	C—CI	C—Cl	C—Cl	С—Н	Η	CF3	C—CI	Η	Н	Н	CH3S(O)CH2CO 1
3-256	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	C—Cl	Η	Η	Η	CH3SO2CH2CO 1
3-257	C—CF3	С—Н	C—CF3		Η	CF3	C—Cl	Η	Н	Н	n-PrCO 1
3-258	C—CF3	С—Н	C—CF3		Н	CF3	C—CI	Н	H	Н	cyclo-PrCH2CO 1
3-259 3-260	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	C—Cl C—Cl	H H	H H	H H	CH3SCH2CO 1 CH3S(O)CH2CO 1
3-261	C—CF3	С—Н	C—CF3		Н	CF3	C—CI	Н	Н	Н	CH3SO2CH2CO 1
3-262	C—CI	C—Cl	C—CF3		Η	CF3	C—CI	Н	Н	Н	n-PrCO 1
3-263	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	C—Cl	Η	Η	Η	cyclo-PrCH2CO 1
3-264	C—Cl	C—Cl	C—CF3		Η	CF3	C—Cl	Η	Η	Η	CH3SCH2CO 1
3-265	C—Cl	C—Cl	C—CF3		Н	CF3	C—CI	Н	H	H	CH3S(O)CH2CO 1
3-266 3-267	C—Cl C—Cl	C—Cl C—H	C—CF3 C—Cl	С—Н	H H	CF3 CF3	C—Cl C—Br	H H	H H	H H	CH3SO2CH2CO 1 CH3CO 1
3-268	C—Cl	C—H	C—Cl		Н	CF3	C—Br	Н	Н	Н	CH3CH2CO 1
3-269	C—C1	С—Н	C—C1		Η	CF3	C—Br	Н	Н	Н	n-PrCO 1
3-270	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—Br	Η	Η	Η	cyclo-PrCO 1
3-271	C—Cl	С—Н	C—Cl		Η	CF3	C—Br	Η	Η	Η	cyclo-PrCH2CO 1
3-272	C—CI	С—Н	C—Cl	С—Н	Н	CF3	C—Br	Н	Н	Н	CF3CH2CO 1
3-273 3-274	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	C—Br C—Br	H H	H H	H H	CH3SCH2CO 1 CH3S(O)CH2CO 1
3-274	C—CI	С—н	C—Cl	С—Н	Н	CF3	C—Br	Н	Н	Н	CH3SO2CH2CO 1
3-276	C—CI	С—Н	C—Cl	С—Н	Н	CF3	C—Br	Н	Н	Н	CH3CH2NHCO 1
3-277	C—C1	C—Cl	C—Cl	С—Н	Η	CF3	C—Br	Η	Η	Η	CH3CO 1
3-278	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	C—Br	Н	Η	Η	CH3CH2CO 1
3-279	C—Cl	C—Cl	C—Cl		Н	CF3	C—Br	Η	Н	Н	n-PrCO 1
3-280	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	C—Br	H	H	H	cyclo-PrCO 1
3-281	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	C—Br	Η	Н	Н	cyclo-PrCH2CO 1

TABLE 3-continued

$ \begin{array}{cccccccccccccccccccccccccccccccccccc$

									R ³	K*	
Table 3- ExNo.	B^1	B^2	B^3	B^4	X^1	R	A^3	R^3	R ⁴	R ⁵	R ⁶ 1
3-282	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	C—Br	Н	Η	Η	CF3CH2CO 1
3-283	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	C—Br	H	Н	H	CH3SCH2CO 1
3-284 3-285	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	C—Br C—Br	H H	H H	H H	CH3S(O)CH2CO 1 CH3SO2CH2CO 1
3-286	C—CI	C—Cl	C—CI	C—H	Н	CF3	C—Br	H	Н	H	CH3CH2NHCO 1
3-287	C—CF3	С—Н	C—CF3		Η	CF3	C—Br	Н	Н	Η	CH3CO 1
3-288	C—CF3	С—Н	C—CF3		Η	CF3	C—Br	Η	Η	Η	CH3CH2CO 1
3-289	C—CF3	С—Н С—Н	C—CF3		Н	CF3	C—Br	Н	Н	H	n-PrCO 1
3-290 3-291	C—CF3 C—CF3	С—Н	C—CF3 C—CF3		H H	CF3 CF3	C—Br C—Br	H H	H H	H H	cyclo-PrCO 1 cyclo-PrCH2CO 1
3-292	C—CF3	С—Н	C—CF3		Н	CF3	C—Br	Н	Н	Н	CF3CH2CO 1
3-293	C—CF3	С—Н	C—CF3		Η	CF3	C—Br	Η	Η	Η	CH3SCH2CO 1
3-294	C—CF3	С—Н	C—CF3		Н	CF3	C—Br	Н	H	Н	CH3S(O)CH2CO 1
3-295 3-296	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	C—Br C—Br	H H	H H	H H	CH3SO2CH2CO 1 CH3CH2NHCO 1
3-290	C—CI	C—Cl	C—CF3		Н	CF3	C—Br	Н	Н	Н	CH3CO 1
3-298	C—CI	C—Cl	C—CF3		Н	CF3	C—Br	Н	Н	Η	CH3CH2CO 1
3-299	C—Cl	C—Cl	C—CF3		Η	CF3	C—Br	Η	Η	Η	n-PrCO 1
3-300	C—Cl	C—Cl	C—CF3		H	CF3	C—Br	H	Н	H	cyclo-PrCO 1
3-301 3-302	C—Cl C—Cl	C—Cl C—Cl	C—CF3 C—CF3		H H	CF3 CF3	C—Br C—Br	H H	H H	H H	cyclo-PrCH2CO 1 CF3CH2CO 1
3-302	C—CI	C—Cl	C—CF3		Н	CF3	C—Br	H	Н	H	CH3SCH2CO 1
3-304	C—Cl	C—Cl	C—CF3		Η	CF3	C—Br	Η	Η	Η	CH3S(O)CH2CO 1
3-305	C—Cl	C—Cl	C—CF3		Η	CF3	C—Br	Η	Η	Η	CH3SO2CH2CO 1
3-306	C—Cl	C—Cl C—H	C—CF3		H	CF3	C—Br C—CF3	Н	H	H H	CH3CH2OCH2CO 1
3-307 3-308	C—Cl C—Cl	С—Н	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	C—CF3	H H	H H	Н	CH3CH2OCH2CO 1 CH3OCH2CH2CO 1
3-309	C—CI	С—Н	C—Cl	C—H	Н	CF3	C—CF3	Н	Н	H	CH3CH2OCH2CH2CO 1
3-310	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	H	Η	H	CH3S(O)CH2CO 1
3-311	C—CI	С—Н	C—Cl	С—Н	Н	CF3	C—CF3	Н	Н	H	CH3SO2CH2CO 1
3-312 3-313	C—Cl C—Cl	С—Н С—Н	C—Br C—Br	C—H C—H	H H	CF3 CF3	C—CF3 C—CF3	H H	H H	H H	CH3CO 1 CH3CH2CO 1
3-313	C—CI	C—H	C—Br	C—H	Н	CF3	C—CF3	H	Н	H	n-PrCO 1
3-315	C—Cl	С—Н	C—Br	С—Н	Н	CF3	C—CF3	Н	Н	Η	cyclo-PrCO 1
3-316	C—Cl	С—Н	C—Br	С—Н	Η	CF3	C—CF3	Η	Η	Η	cyclo-PrCH2CO 1
3-317	C—CI	С—Н	C—Br	С—Н	Н	CF3	C—CF3	H	Н	H	CF3CH2CO 1
3-318 3-319	C—Cl C—Cl	С—Н С—Н	C—Br C—Br	C—H C—H	H H	CF3 CF3	C—CF3 C—CF3	H H	H H	H H	CH3SCH2CO 1 CH3S(O)CH2CO 1
3-320	C—CI	С—Н	C—Br	С—Н	Н	CF3	C—CF3	Н	Н	H	CH3SO2CH2CO 1
3-321	C—Cl	С—Н	C—Br	С—Н	Η	CF3	C—CF3	Η	Η	H	CH3CH2NHCO 1
3-322	C—Br	С—Н	C—Br	С—Н	Н	CF3	C—CF3	Н	Η	H	CH3SCH2CO 1
3-323 3-324	C—Br C—Br	С—Н С—Н	C—Br C—Br	C—H C—H	H H	CF3 CF3	C—CF3 C—CF3	H H	H H	H H	CH3S(O)CH2CO 1 CH3SO2CH2CO 1
3-324	C—Cl	C—F	C—Cl	С—Н	Н	CF3	C—CF3	Н	Н	H	CH3CO 1
3-326	C—CI	C—F	C—Cl	С—Н	Н	CF3	C—CF3	Н	Н	Н	CH3CH2CO 1
3-327	C—Cl	C—F	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	n-PrCO 1
3-328	C—Cl C—Cl	C—F	C—Cl C—Cl	C—H C—H	H	CF3	C—CF3	H H	H	Н	cyclo-PrCO 1
3-329 3-330	C—CI	C—F C—F	C—Cl	С—н	H H	CF3 CF3	C—CF3 C—CF3	Н	H H	H H	cyclo-PrCH2CO 1 CF3CH2CO 1
3-331	C—CI	C—F	C—Cl	С—Н	Н	CF3	C—CF3	Н	Н	Н	CH3SCH2CO 1
3-332	C—Cl	C—F	C—C1	С—Н	Η	CF3	C—CF3	Η	Η	Η	CH3S(O)CH2CO 1
3-333	C—Cl	C—F	C—Cl	С—Н	Н	CF3	C—CF3	H	H	H	CH3SO2CH2CO 1
3-334 3-335	C—Cl C—Cl	C—F C—Cl	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	C—CF3 C—CF3	H H	H H	H H	CH3CH2NHCO 1 cyclo-PrCH2CO 1
3-335	C—Cl	C—Cl	C—CI	С—Н	Н	CF3	C—CF3	Н	Н	Н	cyclo-PrCH2CO 1 tert-BuCH2CO 1
3-337	C—CI	C—Cl	C—C1	С—Н	Н	CF3	C—CF3	Н	Н	Н	CH3OCH2CH2CO 1
3-338	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	CH3CH2OCH2CH2CO 1
3-339	C—Cl	C—Cl	C—Cl	C—H	H	CF3	C—CF3	Н	H	Н	CH3SCH2CO 1
3-340 3-341	C—Cl C—Cl	C—Cl	C—Cl C—Cl	C—H	H H	CF3 CF3	C—CF3 C—CF3	H H	H H	H H	CH3S(O)CH2CO 1 CH3SO2CH2CO 1
3-341	C—CI	C—Cl	C—CI	С—Н	Н	CF3	C—CF3	Н	Н	Н	CH3SO2CH2CO 1 CH3CONHCH(CH3)CO 1
3-343	C—Cl	C—Br	C—Cl	С—Н	Η	CF3	C—CF3	Η	Н	Η	CH3CO 1
3-344	C—Cl	C—Br	C—Cl	С—Н	Η	CF3	C—CF3	Н	Η	Η	CH3CH2CO 1
3-345	C—Cl	C—Br	C—Cl	C—H	H	CF3	C—CF3	Н	Н	Н	n-PrCO 1
3-346 3-347	C—Cl C—Cl	C—Br C—Br	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	C—CF3 C—CF3	H H	H H	H H	cyclo-PrCO 1 cyclo-PrCH2CO 1
J-J41	C—CI	C—DI	C—CI	С—п	п	Crs	C—CF3	п	11	11	cyclo-11CH2CO I

TABLE 3-continued

								10	10		
Table 3- ExNo.	B^1	B^2	B^3	B ⁴ X	1 R	A^3	R^3	R^4	R ⁵	R ⁶	1
3-348	C—Cl	C—Br	C—Cl	С—Н Н	CF3	C—CF3	Н	Η	Н	CF3CH2CO	1
3-349	C—Cl	C—Br	C—Cl	С—Н Н	I CF3	C—CF3	Η	Η	Η	CH3SCH2CO	1
3-350	C—Cl	C—Br	C—Cl	С—Н І	I CF3	C—CF3	Η	Η	Η	CH3S(O)CH2CO	1
3-351	C—Cl	C—Br	C—Cl	С—Н І	I CF3	C—CF3	Η	Η	Η	CH3SO2CH2CO	1
3-352	C—Cl	C—Br	C—Cl	С—Н Н		C—CF3	Η	Η	Η	CH3CH2NHCO	1
3-353	C—Cl	C—Cl	C—Br	C—H I		C—CF3	Η	Η	Η	CH3CO	1
3-354	C—Cl	C—Cl	C—Br	C—H I		C—CF3	Η	Η	Η	CH3CH2CO	1
3-355	C—Cl	C—Cl	C—Br	C—H I		C—CF3	Η	Η	Η	n-PrCO	1
3-356	C—Cl	C—Cl	C—Br	C—H I		C—CF3	Η	Η	Η	cyclo-PrCO	1
3-357	C—Cl	C—Cl	C—Br	С—Н І		C—CF3	Н	Η	Н	cyclo-PrCH2CO	1
3-358	C—Cl	C—Cl	C—Br	C—H I		C—CF3	Н	Н	Н	CF3CH2CO	1
3-359	C—Cl C—Cl	C—Cl	C—Br C—Br	C—H I C—H I		C—CF3	Н	H	Н	CH3SCH2CO	1
3-360 3-361	C—CI	C—Cl C—Cl	C—Br	C—H H		C—CF3 C—CF3	H H	H H	H H	CH3S(O)CH2CO	1 1
3-362	C—CI	C—CI	C—Br	С—Н Н		C—CF3	Н	Н	Н	CH3SO2CH2CO CH3CH2NHCO	1
3-362	C—CI	C—F	C—Cl	C—H I		C—CF3	Н	Н	Н	CH3CO	1
3-364	C—Cl	C—F	C—Cl	C—H I		C—CF3	Н	H	Н	CH3CO CH3CH2CO	1
3-365	C—Cl	C—F	C—Cl	C—H I		C—CF3	Н	Н	Н	n-PrCO	1
3-366	C—Cl	C—F	C—Cl	C—H I		C—CF3	Н	Н	H	cyclo-PrCO	1
3-367	C—Cl	C—F	C—Cl	C—H I		C—CF3	Н	Н	Н	cyclo-PrCH2CO	1
3-368	C—Cl	C—F	C—Cl	С—Н І		C—CF3	Н	Н	H	CF3CH2CO	1
3-369	C—Cl	C—F	C—Cl	С—Н І		C—CF3	Н	Н	Н	CH3SCH2CO	1
3-370	C—Cl	C—F	C—Cl	С—Н І		C—CF3	Η	Η	Η	CH3S(O)CH2CO	1
3-371	C—Cl	C—F	C—Cl	С—Н І	CF3	C—CF3	Η	Η	Η	CH3SO2CH2CO	1
3-372	C—Cl	C—F	C—Cl	С—Н І	CF3	C—CF3	Η	Η	Η	CH3CH2NHCO	1
3-373	C—Cl	С—Н	C—CF3	С—Н Н	CF3	C—CF3	Η	Η	Η	CH3CO	1
3-374	C—Cl	С—Н	C—CF3	С—Н І	I CF3	C—CF3	Η	Η	Η	CH3CH2CO	1
3-375	C—Cl	С—Н	C—CF3	C—H I	I CF3	C—CF3	Η	Η	Η	n-PrCO	1
3-376	C—Cl	С—Н		C—H I		C—CF3	Η	Η	Η	cyclo-PrCO	1
3-377	C—Cl	С—Н	C—CF3			C—CF3	Η	Η	Η	cyclo-PrCH2CO	1
3-378	C—Cl	С—Н	C—CF3			C—CF3	Η	Η	Η	CF3CH2CO	1
3-379	C—Cl	С—Н	C—CF3			C—CF3	Η	Η	Η	CH3OCH2CH2CO	1
3-380	C—Cl	С—Н	C—CF3			C—CF3	Η	Η	H	CH3CH2OCH2CH2CO	1
3-381	C—Cl	С—Н	C—CF3			C—CF3	Н	H	H	CH3SCH2CO	1
3-382	C—Cl C—Cl	С—Н	C—CF3			C—CF3	Н	H	H	CH3S(O)CH2CO	1
3-383 3-384	C—CI	С—Н С—Н	C—CF3 C—CF3			C—CF3 C—CF3	H H	H H	H H	CH3SO2CH2CO CH3CH2NHCO	1
3-385	C—CF3	С—н	C—CF3			C—CF3	Н	Н	Н	CH3OCH2CH2CO	1 1
3-386	C—CF3	С—н	C—CF3			C—CF3	Н	Н	Н	CH3CH2OCH2CH2CO	1
3-387	C—CF3	C—H	C—CF3			C—CF3	Н	Н	Н	CH3SCH2CO	1
3-388	C—CF3	С—Н	C—CF3			C—CF3	Н	Н	Н	CH3S(O)CH2CO	1
3-389	C—CF3	С—Н	C—CF3			C—CF3	Н	Н	Н	CH3SO2CH2CO	1
3-390	C—CI	C—Cl	C—CF3			C—CF3	Н	Н	H	CH3SCH2CO	1
3-391	C—Cl	C—Cl	C—CF3			C—CF3	Н	Н	Н	CH3S(O)CH2CO	1
3-392	C—Cl	C—Cl	C—CF3			C—CF3	Η	Η	Н	CH3SO2CH2CO	1
3-393	C—Cl	N	C—Cl	С—Н Н	CF3	C—CF3	Η	Η	Η	CH3CO	1
3-394	C—Cl	N	C—Cl	С—Н І	I CF3	C—CF3	Η	Η	Η	CH3CH2CO	1
3-395	C—Cl	N	C—Cl	C—H I	I CF3	C—CF3	Η	Η	Η	n-PrCO	1
3-396	C—Cl	N	C—Cl	C—H I	I CF3	C—CF3	Η	Η	Η	cyclo-PrCO	1
3-397	C—Cl	N	C—Cl	C—H I	I CF3	C—CF3	Η	Η	Η	cyclo-PrCH2CO	1
3-398	C—Cl	N	C—Cl	C—H I		C—CF3	Η	Η	Η	CF3CH2CO	1
3-399	C—Cl	N	C—Cl	C—H I		C—CF3	Η	Η	Η	CH3SCH2CO	1
3-400	C—Cl	N	C—Cl	C—H I		C—CF3	Η	Η	Η	CH3S(O)CH2CO	1
3-401	C—Cl	N	C—Cl	С—Н І			Η	Η	Η	CH3SO2CH2CO	1
3-402	C—Cl	N	C—Cl	C—H I		C—CF3	H	H	Н	CH3CH2NHCO	1
3-403	C—CF3	N	С—Н	C—H I			Н	H	H	CH3CO	1
3-404	C—CF3	N	С—Н	C—H H		C—CF3	H	H	H	CH3CH2CO	1
3-405	C—CF3	N	C—H	C—H I		C—CF3	Н	H	Н	n-PrCO	1
3-406	C—CF3	N	C—H	C—H H		C—CF3	Н	Н	H	cyclo-PrCO	1
3-407	C—CF3	N	С—Н	C—H H		C—CF3	Н	Н	Н	cyclo-PrCH2CO	1
3-408	C—CF3	N N	C—H	C—H H		C—CF3	Н	Н	Н	CF3CH2CO	1
3-409	C—CF3 C—CF3	N N	С—Н С—Н	C—H H			Н	Н	Н	CH3SCH2CO	1
3-410	C—CF3	N	С—Н				H H	Н	Н	CH3S(O)CH2CO	1 1
3-411 3-412	C—CF3	N N	С—Н	C—H H		C—CF3 C—CF3	Н	H H	H H	CH3SO2CH2CO CH3CH2NHCO	1
		N N	C—CF3								
3-413	C—CF3	N	C—CF3	С—Н І	I CF3	C—CF3	Η	Η	Н	CH3CO	1

TABLE 3-continued

Table 3- ExNo.	B^1	B^2	B^3	B^4	X^1	R	A^3	R^3	R^4	R ⁵	R ⁶	1
3-414	C—CF3	N	C—CF3	С—Н	Н	CF3	C—CF3	Н	Н	Н	CH3CH2CO	1
3-415	C—CF3	N	C-CF3	С—Н	Η	CF3	C—CF3	Η	Н	Η	n-PrCO	1
3-416	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	Η	Η	H	cyclo-PrCO	1
3-417	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	Η	Η	Η	cyclo-PrCH2CO	1
3-418	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	Η	Η	Η	CF3CH2CO	1
3-419	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	Η	Η	Η	CH3SCH2CO	1
3-420	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	Η	Η	Η	CH3S(O)CH2CO	1
3-421	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	Η	Η	Η	CH3SO2CH2CO	1
3-422	C—CF3	N	C—CF3	С—Н	Η	CF3	C—CF3	Η	Η	Η	CH3CH2NHCO	1
3-423	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	Η	Η	Η	CH3CO	1
3-424	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	Η	Η	Η	CH3CH2CO	1
3-425	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	Η	Η	Η	n-PrCO	1
3-426	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	Η	Η	Η	cyclo-PrCO	1
3-427	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	Η	Η	Η	cyclo-PrCH2CO	1
3-428	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	Η	Η	Η	CF3CH2CO	1
3-429	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	Η	Η	Η	CH3SCH2CO	1
3-430	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	Η	Η	Η	CH3S(O)CH2CO	1
3-431	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	Η	Η	Η	CH3SO2CH2CO	1
3-432	C—CF3	С—Н	C—CF3	N	Η	CF3	C—CF3	Η	Η	Η	CH3CH2NHCO	1
3-433	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	Η	Η	Η	cyclo-PrCH2CO	1
3-434	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	Η	Η	Η	tert-BuCH2CO	1
3-435	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	C—CF3	Η	Η	Η	CH3SO2	1
3-436	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	Η	Η	Η	CH3SO2	1
3-437	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	Η	Η	Η	CF3CF2CO	1
3-438	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	C—CF3	Η	Η	Η	PhSCH2CH2CO	1
3-439	C—CF3	С—Н	С—Н	С—Н	Η	CF3	C—CF3	Η	Η	Η	CH3CH2CO	1
3-440	C—CF3	С—Н	С—Н	С—Н	Η	CF3	C—CF3	Η	Η	Η	cyclo-PrCH2CO	1
3-441	C—CF3	С—Н	С—Н	С—Н	Η	CF3	C—CF3	Η	Η	Η	CH3SCH2CO	1
3-442	C—CF3	С—Н	С—Н	С—Н	Η	CF3	C—CF3	Η	Η	Η	CH3S(O)CH2CO	1
3-443	C—CF3	С—Н	С—Н	С—Н	Η	CF3	C—CF3	Η	Η	Η	CH3SO2CH2CO	1
3-444	C—Br	С—Н	C—Br	С—Н	Η	CF3	C—CF3	Н	Η	Н	cyclo-PrCH2CO	1

TABLE 4

Table 4- ExNo.	B^1	B^2	B^3	B^4	X^1	R	Y	R^1	\mathbb{R}^2
4-1	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CF3	Н	Н
4-2	C-C1	С—Н	C-C1	С—Н	Η	CF3	CF3	H	CH3
4-3	C—Cl	С—Н	C-C1	С—Н	Η	CF3	CF3	H	CH3CH2
4-4	C-C1	С—Н	C-C1	С—Н	Η	CF3	CF3	H	n-Pr
4-5	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	H	cyclo-Pr
4-6	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	H	n-Bu
4-7	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	H	tert-Bu
4-8	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	H	CF3CH2
4-9	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	H	2-PyridylCH2
4-10	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	H	Ph
4-11	C-C1	С—Н	C-C1	С—Н	Η	CF3	CF3	H	PhCH2
4-12	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	H	MeO2CCH2
4-13	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	H	cyclo-PrCH2
4-14	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CF3	H	Н
4-15	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CF3	H	CH3
4-16	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CF3	H	CH3CH2
4-17	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CF3	H	n-Pr

TABLE 4-continued

							U	
Table 4-	n.l	D 2	p3	D4 371	D	**	n l	D 2
ExNo.	B ¹	B ²	B ³	B ⁴ X ¹	R	Y	R ¹	R ²
4-18 4-19	C—Cl C—Cl	C—Cl	C—Cl C—Cl	C—H H C—H H	CF3 CF3	CF3 CF3	H H	cyclo-Pr
4-19	C—CI	C—Cl	C—CI	С—н н	CF3	CF3	H H	n-Bu tert-Bu
4-21	C—C1	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	CF3CH2
4-22	C—CI	C—Cl	C—CI	С—Н Н	CF3	CF3	H	2-PyridylCH2
4-23 4-24	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H C—H H	CF3 CF3	CF3 CF3	H H	Ph PhCH2
4-25	C—C1	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	MeO2CCH2
4-26	C—CI	C—Cl	C—CI	С—Н Н	CF3	CF3	H	cyclo-PrCH2
4-27 4-28	C—CF3 C—CF3	С—Н	C—CF3 C—CF3		CF3 CF3	CF3 CF3	H H	H CH3
4-29	C—CF3	С—Н	C—CF3		CF3	CF3	H	CH3CH2
4-30	C—CF3	С—Н	C—CF3		CF3	CF3	H	n-Pr
4-31 4-32	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		CF3 CF3	CF3 CF3	H H	cyclo-Pr n-Bu
4-33	C—CF3	С—Н	C—CF3		CF3	CF3	H	tert-Bu
4-34	C—CF3	С—Н	C—CF3		CF3	CF3	H	CF3CH2
4-35 4-36	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		CF3 CF3	CF3 CF3	H H	2-PyridylCH2 Ph
4-37	C—CF3	С—Н	C—CF3		CF3	CF3	H	PhCH2
4-38	C—CF3	С—Н	C—CF3		CF3	CF3	H	MeO2CCH2
4-39 4-40	C—CF3 C—Cl	C—H C—Cl	C—CF3 C—CF3		CF3 CF3	CF3 CF3	H H	cyclo-PrCH2 H
4-41	C—Cl	C—Cl	C—CF3		CF3	CF3	H	CH3
4-42	C—Cl	C—Cl	C—CF3		CF3	CF3	H	CH3CH2
4-43 4-44	C—Cl C—Cl	C—Cl C—Cl	C—CF3 C—CF3		CF3 CF3	CF3 CF3	H H	n-Pr cyclo-Pr
4-45	C—Cl	C—Cl	C—CF3		CF3	CF3	H	n-Bu
4-46	C—Cl	C—Cl	C—CF3		CF3	CF3	H	tert-Bu
4-47 4-48	C—Cl C—Cl	C—Cl C—Cl	C—CF3 C—CF3		CF3 CF3	CF3 CF3	H H	CF3CH2 2-PyridylCH2
4-49	C—Cl	C—Cl	C—CF3		CF3	CF3	H	Ph
4-50	C—Cl	C—Cl	C—CF3		CF3	CF3	H	PhCH2
4-51 4-52	C—Cl C—Cl	C—Cl C—Cl	C—CF3 C—CF3		CF3 CF3	CF3 CF3	H H	MeO2CCH2 cyclo-PrCH2
4-53	C—Cl	C—H	C—CI	C—H H	CF3	Н	H	CH3
4-54	C—Cl	С—Н	C—Cl	С—Н Н	CF3	Н	H	CF3CH2
4-55 4-56	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	C—H H C—H H	CF3 CF3	H H	H H	2-PyridylCH2 PhCH2
4-57	C—CI	C—H	C—CI	C—H H	CF3	H	H	MeO2CCH2
4-58	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	Η	H	CH3
4-59 4-60	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H C—H H	CF3 CF3	H H	H H	CF3CH2 2-PyridylCH2
4-61	C—Cl	C—Cl	C—CI	C—H H	CF3	Н	H	PhCH2
4-62	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	Н	H	MeO2CCH2
4-63 4-64	C—CF3 C—CF3	C—Cl	C—CF3 C—CF3		CF3 CF3	H H	H H	CH3 CF3CH2
4-65	C—CF3	C—Cl	C—CF3		CF3	Н	H	2-PyridylCH2
4-66	C—CF3	C—Cl	C—CF3		CF3	Н	H	PhCH2
4-67 4-68	C—CF3 C—Cl	C—Cl C—H	C—CF3 C—Cl	C—H H	CF3 CF3	H CH3	H H	MeO2CCH2 CH3
4-69	C—CI	С—Н	C—CI		CF3	CH3	H	CF3CH2
4-70	C—Cl	С—Н	C—Cl	С—Н Н	CF3	CH3	H	2-PyridylCH2
4-71 4-72	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	C—H H	CF3 CF3	CH3 CH3	H H	PhCH2 MeO2CCH2
4-72	C—CI	C—Cl	C—CI	С—Н Н	CF3	CH3	H	CH3
4-74	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	CH3	H	CF3CH2
4-75 4-76	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H	CF3 CF3	CH3 CH3	H H	2-PyridylCH2 PhCH2
4-76 4-77	C—CI	C—CI	C—CI	С—Н Н	CF3	CH3	H H	MeO2CCH2
4-78	C—CF3	C—Cl	C—CF3	С—Н Н	CF3	CH3	H	CH3
4-79 4-80	C—CF3 C—CF3	C—Cl	C—CF3 C—CF3		CF3 CF3	CH3	H H	CF3CH2
4-80 4-81	C—CF3	C—Cl	C—CF3		CF3	CH3 CH3	H H	2-PyridylCH2 PhCH2
4-82	C—CF3	C—Cl	C—CF3		CF3	CH3	H	MeO2CCH2
4-83	C—Cl	С—Н		С—Н Н	CF3	C1	H	CH3
4-84	C—Cl	С—Н	C—Cl	С—Н Н	CF3	Cl	Н	CF3CH2

TABLE 4-continued

$$\begin{bmatrix} X^1 & R & & & & \\ & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & & \\ & & &$$

Table 4-		-2	2	1	1			-1	-2
ExNo.	B^1	B ²	B^3		Κ ¹	R	Y	R ¹	R ²
4-85 4-86	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	2-PyridylCH2 PhCH2
4-87	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	Cl	H	MeO2CCH2
4-88 4-89	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	CH3 CF3CH2
4-90	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	Cl	H	2-PyridylCH2
4-91 4-92	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	PhCH2 MeO2CCH2
4-93	C—CF3	C—Cl	C—CF3		Н	CF3	Cl	Н	CH3
4-94 4-95	C—CF3 C—CF3	C—Cl	C—CF3 C—CF3		H H	CF3 CF3	Cl Cl	H H	CF3CH2 2-PyridylCH2
4-96 4-97	C—CF3 C—CF3	C—Cl C—Cl	C—CF3 C—CF3		H H	CF3 CF3	Cl Cl	H H	PhCH2 MeO2CCH2
4-97	C—CF3	С—СІ	C—CF3		п Н	CF3	Н	H	CF3CH2
4-99 4-100	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	H CH3	H H	2-PyridylCH2 CF3CH2
4-101	C—CF3	С—Н	C—CF3		Н	CF3	CH3	H	2-PyridylCH2
4-102 4-103	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H CH3CO	CH3OCH2 CH3OCH2
4-104	C—C1	С—Н	C—Cl	С—Н	Η	CF3	Cl	Н	CH3CH2OCH2
4-105 4-106	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	CH3OCH2CH2 CH3CH2OCH2CH2
4-107	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	Cl	Н	tetrahydrofuran-2-yl
4-108 4-109	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	CH3CH2CH2 CH3S(O)CH2CH2
4-110	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	Cl	Н	CH3SO2CH2CH2
4-111 4-112	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	CH3SCH2CH(CH3) CH3S(O)CH2CH(CH3)
4-113	C—C1	С—Н	C—Cl	С—Н	Н	CF3	Cl	Н	CH3SO2CH2CH(CH3)
4-114 4-115	C—Cl C—Cl	C—H C—H	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	CH3SCH2C(CH3)2 CH3S(O)CH2C(CH3)2
4-116	C—Cl	С—Н	C—Cl		Н	CF3	Cl	Н	CH3SO2CH2C(CH3)2
4-117 4-118	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	(Methoxyimino)methyl (Ethoxyimino)methyl
4-119	C—CI	С—Н	C—Cl		H H	CF3	Cl	H	[1-(1,3-thiazol-4-yl)]CH2
4-120 4-121	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl		н Н	CF3 CF3	Cl Cl	H H	[1-(1-methyl-1H-pyrazol-5-yl]CH2 5-chloropyrimidin-2-yl
4-122 4-123	C—Cl C—Cl	C—H C—H	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	5-bromopyrimidin-2-yl 5-cyanopyrimidin-2-yl
4-124	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	Cl	H	CH3NHC(O)CH2
4-125 4-126	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	CH3CH2NHC(O)CH2 iso-PrNHC(O)CH2
4-127	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	Cl	H	cyclo-PrNHC(O)CH2
4-128 4-129	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	CF3CH2NHC(O)CH2 CH3NHC(O)CH(CH3)
4-130	C—C1	С—Н	C—Cl	С—Н	Η	CF3	C1	Н	CH3CH2NHC(O)CH(CH3)
4-131 4-132	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	iso-PrNHC(O)CH(CH3) cyclo-PrNHC(O)CH(CH3)
4-133	C—C1	С—Н	C—Cl	С—Н	Η	CF3	C1	Н	CF3CH2NHC(O)CH(CH3)
4-134 4-135	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	CH3NHC(O)C(CH3)2 CH3CH2NHC(O)C(CH3)2
4-136	C—Cl	С—Н	C—Cl		Н	CF3	Cl	Н	iso-PrNHC(O)C(CH3)2
4-137 4-138	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	cyclo-PrNHC(O)C(CH3)2 CF3CH2NHC(O)C(CH3)2
4-139 4-140	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H CH3CO	CH3OCH2 CH3OCH2
4-141	C—Cl	C—Cl	C—CI		Н	CF3	Cl	Н	CH3CH2 CH3CH2OCH2
4-142 4-143	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	Н Н	CH3OCH2CH2 CH3CH2OCH2CH2
4-144	C—C1	C—Cl	C—Cl	С—Н	Н	CF3	Cl	H	tetrahydrofuran-2-yl
4-145 4-146	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	CH3SCH2CH2 CH3S(O)CH2CH2
4-147	C—C1	C—Cl	C—Cl	С—Н	Η	CF3	Cl	Н	CH3SO2CH2CH2
4-148 4-149	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl		H H	CF3 CF3	Cl Cl	H H	CH3SCH2CH(CH3) CH3S(O)CH2CH(CH3)
4-150	C—C1	C—Cl	C—Cl	С—Н	Η	CF3	Cl	Н	CH3SO2CH2CH(CH3)
4-151	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	Cl	Н	CH3SCH2C(CH3)2

TABLE 4-continued

Table 4-								
ExNo.	B^1	B^2	B^3	B ⁴ X ¹	R	Y	\mathbb{R}^1	R ²
4-152	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	Cl	H	CH3S(O)CH2C(CH3)2
4-153 4-154	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H	CF3 CF3	CI CI	H H	CH3SO2CH2C(CH3)2 (Methoxyimino)methyl
4-155	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	C1	H	(Ethoxyimino)methyl
4-156 4-157	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H	CF3 CF3	CI CI	H H	[1-(1,3-thiazol-4-yl)]CH2 [1-(1-methyl-1H-pyrazol-5-yl]CH2
4-158	C—CI	C—Cl	C—Cl	С—Н Н	CF3	Cl	H	5-chloropyrimidin-2-yl
4-159	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	Cl	H	5-bromopyrimidin-2-yl
4-160 4-161	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H	CF3 CF3	CI CI	H H	5-cyanopyrimidin-2-yl CH3NHC(O)CH2
4-162	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	Cl	H	CH3CH2NHC(O)CH2
4-163 4-164	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H	CF3 CF3	CI CI	H H	iso-PrNHC(O)CH2 cyclo-PrNHC(O)CH2
4-165	C—C1	C—Cl	C—Cl	С—Н Н	CF3	C1	H	CF3CH2NHC(O)CH2
4-166 4-167	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H	CF3 CF3	Cl Cl	H H	CH3NHC(O)CH(CH3) CH3CH2NHC(O)CH(CH3)
4-168	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	Cl	Н	iso-PrNHC(O)CH(CH3)
4-169	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	Cl	H	cyclo-PrNHC(O)CH(CH3)
4-170 4-171	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H	CF3 CF3	Cl Cl	H H	CF3CH2NHC(O)CH(CH3) CH3NHC(O)C(CH3)2
4-172	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	C1	H	CH3CH2NHC(O)C(CH3)2
4-173 4-174	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H	CF3 CF3	CI CI	H H	iso-PrNHC(O)C(CH3)2 cyclo-PrNHC(O)C(CH3)2
4-175	C—CI	C—Cl	C—Cl	С—Н Н	CF3	Cl	H	CF3CH2NHC(O)C(CH3)2
4-176	C—Cl	С—Н	C—CF3 C—CF3		CF3	Cl	H	CF3CH2
4-177 4-178	C—Cl C—Cl	С—Н С—Н	C—CF3		CF3 CF3	CI CI	H CH3CO	CH3OCH2 CH3OCH2
4-179	C—Cl	С—Н	C—CF3	С—Н Н	CF3	Cl	H	CH3CH2OCH2
4-180 4-181	C—Cl C—Cl	C—H C—H	C—CF3 C—CF3		CF3 CF3	CI CI	H H	CH3OCH2CH2 CH3CH2OCH2CH2
4-182	C—Cl	С—Н	C—CF3		CF3	Cl	H	tetrahydrofuran-2-yl
4-183 4-184	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3		CF3 CF3	CI CI	H H	CH3SCH2CH2 CH3S(O)CH2CH2
4-185	C—CI	C—H	C—CF3		CF3	Cl	H	CH3SO2CH2CH2
4-186	C—Cl	С—Н	C—CF3		CF3	Cl	H	CH3SCH2CH(CH3)
4-187 4-188	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3		CF3 CF3	CI CI	H H	CH3S(O)CH2CH(CH3) CH3SO2CH2CH(CH3)
4-189	C—Cl	С—Н	C—CF3	С—Н Н	CF3	Cl	H	CH3SCH2C(CH3)2
4-190 4-191	C—Cl C—Cl	C—H C—H	C—CF3 C—CF3		CF3 CF3	CI CI	H H	CH3S(O)CH2C(CH3)2 CH3SO2CH2C(CH3)2
4-192	C—CI	С—Н	C—CF3		CF3	CI	H	(Methoxyimino)methyl
4-193	C—CI	C—H C—H	C—CF3		CF3	Cl	H	(Ethoxyimino)methyl
4-194 4-195	C—Cl C—Cl	С—Н	C—CF3 C—CF3		CF3 CF3	CI CI	H H	2-PyridylCH2 [1-(1,3-thiazol-4-yl)]CH2
4-196	C—Cl	С—Н	C—CF3		CF3	Cl	H	[1-(1-methyl-1H-pyrazol-5-yl]CH2
4-197 4-198	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3		CF3 CF3	CI CI	H H	5-chloropyrimidin-2-yl 5-bromopyrimidin-2-yl
4-199	C—Cl	С—Н	C—CF3	С—Н Н	CF3	C1	H	5-cyanopyrimidin-2-yl
4-200 4-201	C—C1 C—C1	С—Н С—Н	C—CF3 C—CF3		CF3 CF3	Cl Cl	H H	CH3NHC(O)CH2 CH3CH2NHC(O)CH2
4-201	C—CI	C—H	C—CF3		CF3	Cl	H	iso-PrNHC(O)CH2
4-203	C—Cl	С—Н	C—CF3		CF3	Cl	H	cyclo-PrNHC(O)CH2
4-204 4-205	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3		CF3 CF3	Cl Cl	H H	CF3CH2NHC(O)CH2 CH3NHC(O)CH(CH3)
4-206	C—C1	С—Н	C—CF3	С—Н Н	CF3	C1	H	CH3CH2NHC(O)CH(CH3)
4-207 4-208	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3		CF3 CF3	Cl Cl	H H	iso-PrNHC(O)CH(CH3) cyclo-PrNHC(O)CH(CH3)
4-208	C—CI	С—Н	C—CF3		CF3	Cl	H	CF3CH2NHC(O)CH(CH3)
4-210	C—Cl	С—Н	C—CF3		CF3	Cl	H	CH3NHC(O)C(CH3)2
4-211 4-212	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3		CF3 CF3	Cl Cl	H H	CH3CH2NHC(O)C(CH3)2 iso-PrNHC(O)C(CH3)2
4-213	C—Cl	С—Н	C—CF3	С—Н Н	CF3	C1	H	cyclo-PrNHC(O)C(CH3)2
4-214 4-215	C—Cl C—CF3	С—Н С—Н	C—CF3 C—CF3		CF3 CF3	CI CI	H H	CF3CH2NHC(O)C(CH3)2 CF3CH2
4-216	C—CF3	С—Н	C—CF3		CF3	Cl	H	CH3OCH2
4-217	C—CF3	С—Н	C—CF3	С—Н Н	CF3	Cl	СН3СО	CH3OCH2
4-218	C—CF3	С—Н	C—CF3	С—Н Н	CF3	Cl	Н	СН3СН2ОСН2

TABLE 4-continued

								O	
Table 4- ExNo.	B^1	B^2	B^3	Β ⁴ Σ	[1	R	Y	R^1	\mathbb{R}^2
4-219	C—CF3	С—Н	C—CF3	С—Н 1	Η	CF3	Cl	H	CH3OCH2CH2
4-220	C—CF3	С—Н	C—CF3			CF3	Cl	H	CH3CH2OCH2CH2
4-221	C—CF3	С—Н	C—CF3			CF3	Cl	H	tetrahydrofuran-2-yl
4-222	C—CF3	С—Н	C—CF3			CF3	Cl	H	CH3SCH2CH2
4-223 4-224	C—CF3 C—CF3	C—H C—H	C—CF3 C—CF3			CF3 CF3	Cl Cl	H H	CH3S(O)CH2CH2
4-225	C—CF3	С—Н	C—CF3			CF3	Cl	H	CH3SO2CH2CH2 CH3SCH2CH(CH3)
4-226	C—CF3	С—Н	C—CF3			CF3	Cl	H	CH3S(O)CH2CH(CH3)
4-227	C—CF3	С—Н	C—CF3		I	CF3	Cl	Н	CH3SO2CH2CH(CH3)
4-228	C—CF3	С—Н	C—CF3	С—Н 1	I	CF3	C1	H	CH3SCH2C(CH3)2
4-229	C—CF3	С—Н	C—CF3			CF3	C1	H	CH3S(O)CH2C(CH3)2
4-230	C—CF3	С—Н	C—CF3			CF3	Cl	H	CH3SO2CH2C(CH3)2
4-231 4-232	C—CF3 C—CF3	C—H C—H	C—CF3 C—CF3			CF3 CF3	Cl Cl	H H	(Methoxyimino)methyl (Ethoxyimino)methyl
4-232	C—CF3	С—Н	C—CF3			CF3	Cl	H	2-PyridylCH2
4-234	C—CF3	С—Н	C—CF3			CF3	Cl	H	[1-(1,3-thiazol-4-yl)]CH2
4-235	C—CF3	С—Н	C—CF3		I	CF3	C1	H	[1-(1-methyl-1H-pyrazol-5-yl]CH2
4-236	C—CF3	С—Н	C—CF3	С—Н 1	I	CF3	C1	H	5-chloropyrimidin-2-yl
4-237	C—CF3	С—Н	C—CF3			CF3	C1	H	5-bromopyrimidin-2-yl
4-238	C—CF3	С—Н	C—CF3		I	CF3	C1	H	5-cyanopyrimidin-2-yl
4-239 4-240	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3			CF3 CF3	Cl Cl	H H	CH3NHC(O)CH2
4-240 4-241	C—CF3	С—Н	C—CF3		1 -I	CF3	Cl	H H	CH3CH2NHC(O)CH2 iso-PrNHC(O)CH2
4-242	C—CF3	C—H	C—CF3			CF3	Cl	H	cyclo-PrNHC(O)CH2
4-243	C—CF3	С—Н	C—CF3			CF3	CI	H	CF3CH2NHC(O)CH2
4-244	C—CF3	С—Н	C—CF3	C—H 1	I	CF3	Cl	H	CH3NHC(O)CH(CH3)
4-245	C—CF3	С—Н	C—CF3			CF3	Cl	H	CH3CH2NHC(O)CH(CH3)
4-246	C—CF3	С—Н	C—CF3			CF3	Cl	H	iso-PrNHC(O)CH(CH3)
4-247	C—CF3	С—Н	C—CF3		I	CF3	Cl	H	cyclo-PrNHC(O)CH(CH3)
4-248 4-249	C—CF3 C—CF3	C—H C—H	C—CF3 C—CF3			CF3 CF3	Cl Cl	H H	CF3CH2NHC(O)CH(CH3) CH3NHC(O)C(CH3)2
4-250	C—CF3	C—H	C—CF3		I	CF3	Cl	H	CH3CH2NHC(O)C(CH3)2
4-251	C—CF3	С—Н	C—CF3			CF3	Cl	H	iso-PrNHC(O)C(CH3)2
4-252	C—CF3	С—Н	C—CF3	C—H I	I	CF3	Cl	H	cyclo-PrNHC(O)C(CH3)2
4-253	C—CF3	С—Н	C—CF3		I	CF3	C1	H	CF3CH2NHC(O)C(CH3)2
4-254	C—Cl	С—Н	C—Cl	C—H		CF3	Br	H	CF3CH2
4-255 4-256	C—Cl C—Cl	C—H C—Cl	C—Cl C—Cl	C—H I	1 -I	CF3 CF3	Br Br	H H	2-PyridylCH2 CF3CH2
4-257	C—CI	C—Cl	C—CI	C—H 1		CF3	Br	H	2-PyridylCH2
4-258	C—Cl	C—H	C—CF3			CF3	Br	H	CF3CH2
4-259	C—Cl	С—Н	C—CF3		I	CF3	$_{\mathrm{Br}}$	H	2-PyridylCH2
4-260	C—CF3	С—Н	C—CF3	С—Н 1	I	CF3	$_{\mathrm{Br}}$	H	CF3CH2
4-261	C—CF3	С—Н	C—CF3			CF3	$_{\mathrm{Br}}$	H	2-PyridylCH2
4-262	C—Cl	С—Н	C—Cl		I	CF3	I	H	CF3CH2
4-263 4-264	C—C1 C—C1	C—H C—Cl	C—Cl C—Cl	C—H I		CF3 CF3	I I	H H	2-PyridylCH2
4-265	C—CI	C—CI	C—CI		ı I	CF3	I	Н	CF3CH2 2-PyridylCH2
4-266	C—CI	С—Н	C—CF3			CF3	Ī	H	CF3CH2
4-267	C—Cl	С—Н	C—CF3	С—Н 1	I	CF3	I	H	2-PyridylCH2
4-268	C—CF3	С—Н	C—CF3	C—H 1	I	CF3	I	H	CF3CH2
4-269	C—CF3	С—Н	C—CF3			CF3	I	Н	2-PyridylCH2
4-270	C—Cl	С—Н		C—H I		CF3	CF3	H	CH3OCH2
4-271 4-272	C—Cl C—Cl	C—H	C—Cl C—Cl	C—H I	1 -I	CF3 CF3	CF3 CF3	CH3CO H	CH3OCH2 CH3CH2OCH2
4-272	C—Cl	С—Н	C—CI	С—н		CF3	CF3	Н	CH3CH2OCH2 CH3OCH2CH2
4-274	C—Cl	C—H	C—Cl		I	CF3	CF3	H	CH3CH2OCH2CH2
4-275	C—Cl	С—Н	C—Cl		I	CF3	CF3	H	tetrahydrofuran-2-yl
4-276	C—Cl	С—Н	C—Cl	C—H 1		CF3	CF3	H	CH3SCH2CH2
4-277	C—Cl	С—Н	C—Cl		I	CF3	CF3	H	CH3S(O)CH2CH2
4-278	C—Cl	С—Н	C—Cl		I	CF3	CF3	H	CH3SO2CH2CH2
4-279	C—Cl	С—Н	C—Cl	C—H I		CF3	CF3	H	CH3SCH2CH(CH3)
4-280 4-281	C—C1 C—C1	С—Н С—Н	C—Cl C—Cl		I I	CF3 CF3	CF3 CF3	H H	CH3S(O)CH2CH(CH3) CH3SO2CH2CH(CH3)
4-281	C—CI	С—Н	C—CI	С—Н 1		CF3	CF3	H H	CH3SCH2CH(CH3) CH3SCH2C(CH3)2
4-282	C—CI	С—н	C—Cl	С—н 1		CF3	CF3	Н	CH3S(O)CH2C(CH3)2
4-284	C—Cl	С—Н	C—CI	C—H I		CF3	CF3	H	CH3S(0)CH2C(CH3)2
4-285	C—Cl	С—Н	C—Cl	С—Н		CF3	CF3	Н	(Methoxyimino)methyl
									·

TABLE 4-continued

Table 4-								
ExNo.	B^1	B^2	B^3	B ⁴ X ¹	R	Y	\mathbb{R}^1	R ²
4-286	C—Cl	С—Н	C—Cl	С—Н Н	CF3	CF3	Н	(Ethoxyimino)methyl
4-287 4-288	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	C—H H C—H H	CF3 CF3	CF3 CF3	H H	[1-(1,3-thiazol-4-yl)]CH2 [1-(1-methyl-1H-pyrazol-5-yl]CH2
4-289	C—CI	С—Н	C—Cl	C—H H	CF3	CF3	H	5-chloropyrimidin-2-yl
4-290	C—Cl	С—Н	C—Cl	С—Н Н	CF3	CF3	H	5-bromopyrimidin-2-yl
4-291	C—Cl	С—Н	C—Cl	С—Н Н	CF3	CF3	H	5-cyanopyrimidin-2-yl
4-292 4-293	C—C1 C—C1	С—Н С—Н	C—Cl C—Cl	C—H H C—H H	CF3 CF3	CF3 CF3	H H	CH3NHC(O)CH2 CH3CH2NHC(O)CH2
4-294	C—Cl	С—Н	C—CI	С—Н Н	CF3	CF3	H	iso-PrNHC(O)CH2
4-295	C—Cl	С—Н	C—Cl	С—Н Н	CF3	CF3	H	cyclo-PrNHC(O)CH2
4-296 4-297	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	C—H H C—H H	CF3 CF3	CF3 CF3	H H	CF3CH2NHC(O)CH2 CH3NHC(O)CH(CH3)
4-298	C—CI	С—Н	C—CI	C—H H	CF3	CF3	H	CH3CH2NHC(O)CH(CH3)
4-299	C—Cl	С—Н	C—Cl	С—Н Н	CF3	CF3	H	iso-PrNHC(O)CH(CH3)
4-300	C—Cl C—Cl	С—Н С—Н	C—Cl	C—H H	CF3 CF3	CF3 CF3	Н	cyclo-PrNHC(O)CH(CH3)
4-301 4-302	C—CI	С—н	C—Cl C—Cl	С—н н	CF3	CF3	H H	CF3CH2NHC(O)CH(CH3) CH3NHC(O)C(CH3)2
4-303	C—Cl	С—Н	C—Cl	С—Н Н	CF3	CF3	H	CH3CH2NHC(O)C(CH3)2
4-304	C—Cl	С—Н	C—Cl	С—Н Н	CF3	CF3	H	iso-PrNHC(O)C(CH3)2
4-305 4-306	C—CI C—CI	С—Н С—Н	C—Cl C—Cl	C—H H	CF3 CF3	CF3 CF3	H H	cyclo-PrNHC(O)C(CH3)2 CF3CH2NHC(O)C(CH3)2
4-307	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	CH3OCH2
4-308	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	CF3	CH3CO	CH3OCH2
4-309 4-310	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H	CF3 CF3	CF3 CF3	H H	CH3CH2OCH2 CH3OCH2CH2
4-310	C—CI	C—Cl	C—Cl	С—н н	CF3	CF3	H	CH3CH2CH2 CH3CH2OCH2CH2
4-312	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	tetrahydrofuran-2-yl
4-313	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	CH3SCH2CH2
4-314 4-315	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H C—H H	CF3 CF3	CF3 CF3	H H	CH3S(O)CH2CH2 CH3SO2CH2CH2
4-316	C—CI	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	CH3SCH2CH(CH3)
4-317	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	CH3S(O)CH2CH(CH3)
4-318 4-319	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H C—H H	CF3 CF3	CF3 CF3	H H	CH3SO2CH2CH(CH3) CH3SCH2C(CH3)2
4-320	C—CI	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	CH3S(O)CH2C(CH3)2
4-321	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	CH3SO2CH2C(CH3)2
4-322 4-323	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H C—H H	CF3 CF3	CF3 CF3	H H	(Methoxyimino)methyl (Ethoxyimino)methyl
4-324	C—Cl	C—Cl	C—Cl	C—H H	CF3	CF3	H	[1-(1,3-thiazol-4-yl)]CH2
4-325	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	[1-(1-methyl-1H-pyrazol-5-yl]CH2
4-326	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H C—H H	CF3	CF3	H H	5-chloropyrimidin-2-yl
4-327 4-328	C—CI	C—Cl	C—Cl	C—H H C—H H	CF3 CF3	CF3 CF3	H H	5-bromopyrimidin-2-yl 5-cyanopyrimidin-2-yl
4-329	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	CH3NHC(O)CH2
4-330	C—CI	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	CH3CH2NHC(O)CH2
4-331 4-332	C—Cl C—Cl	C—Cl	C—Cl	C—H H C—H H	CF3 CF3	CF3 CF3	H H	iso-PrNHC(O)CH2 cyclo-PrNHC(O)CH2
4-333	C—CI	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	CF3CH2NHC(O)CH2
4-334	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	CH3NHC(O)CH(CH3)
4-335 4-336	C—Cl C—Cl	C—Cl	C—Cl	C—H H	CF3 CF3	CF3 CF3	H H	CH3CH2NHC(O)CH(CH3) iso-PrNHC(O)CH(CH3)
4-330	C—CI	C—Cl	C—Cl	С—Н Н	CF3	CF3	Н	cyclo-PrNHC(O)CH(CH3)
4-338	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	CF3	Н	CF3CH2NHC(O)CH(CH3)
4-339	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	CH3NHC(O)C(CH3)2
4-340 4-341	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H H	CF3 CF3	CF3 CF3	H H	CH3CH2NHC(O)C(CH3)2 iso-PrNHC(O)C(CH3)2
4-342	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	cyclo-PrNHC(O)C(CH3)2
4-343	C—Cl	C—Cl	C—Cl	С—Н Н	CF3	CF3	H	CF3CH2NHC(O)C(CH3)2
4-344 4-345	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3		CF3 CF3	CF3 CF3	H H	CF3CH2 CH3OCH2
4-345	C—Cl	С—Н	C—CF3		CF3	CF3	CH3CO	CH3OCH2 CH3OCH2
4-347	C—Cl	С—Н	C—CF3	С—Н Н	CF3	CF3	H	CH3CH2OCH2
4-348	C—Cl	С—Н		C—H H	CF3	CF3	H	CH3OCH2CH2
4-349 4-350	C—CI C—CI	С—Н С—Н	C—CF3 C—CF3		CF3 CF3	CF3 CF3	H H	CH3CH2OCH2CH2 tetrahydrofuran-2-yl
4-351	C—Cl	C—H	C—CF3		CF3	CF3	H	CH3SCH2CH2
4-352	C—Cl	С—Н		С—Н Н	CF3	CF3	H	CH3S(O)CH2CH2

TABLE 4-continued

Table 4-								
ExNo.	B^1	B^2	B^3	B ⁴ X	1 R	Y	R ¹	\mathbb{R}^2
4-353	C—Cl C—Cl	С—Н С—Н	C—CF3				H	CH3SO2CH2CH2
4-354 4-355	C—CI	С—Н	C—CF3 C—CF3				H H	CH3SCH2CH(CH3) CH3S(O)CH2CH(CH3)
4-356	C—Cl	С—Н	C—CF3				H	CH3SO2CH2CH(CH3)
4-357 4-358	C—CI C—CI	C—H C—H	C—CF3 C—CF3				H H	CH3SCH2C(CH3)2 CH3S(O)CH2C(CH3)2
4-359	C—Cl	С—Н	C—CF3				H	CH3SO2CH2C(CH3)2
4-360 4-361	C—Cl C—Cl	C—H	C—CF3 C—CF3				H H	(Methoxyimino)methyl (Ethoxyimino)methyl
4-362	C—Cl	С—Н	C—CF3	С—Н І	CF3	CF3	H	2-PyridylCH2
4-363 4-364	C—Cl C—Cl	C—H	C—CF3 C—CF3				H H	[1-(1,3-thiazol-4-yl)]CH2 [1-(1-methyl-1H-pyrazol-5-yl]CH2
4-365	C—Cl	С—Н	C—CF3				H	5-chloropyrimidin-2-yl
4-366 4-367	C—Cl C—Cl	C—H C—H	C—CF3 C—CF3				H H	5-bromopyrimidin-2-yl 5-cyanopyrimidin-2-yl
4-368	C—Cl	С—Н	C—CF3				H	CH3NHC(O)CH2
4-369 4-370	C—Cl C—Cl	C—H	C—CF3 C—CF3				H H	CH3CH2NHC(O)CH2 iso-PrNHC(O)CH2
4-371	C—Cl	С—Н	C—CF3	С—Н Н	CF3	CF3	H	cyclo-PrNHC(O)CH2
4-372 4-373	C—Cl C—Cl	C—H	C—CF3 C—CF3				H H	CF3CH2NHC(O)CH2 CH3NHC(O)CH(CH3)
4-374	C—Cl	С—Н	C—CF3	С—Н Н	CF3	CF3	H	CH3CH2NHC(O)CH(CH3)
4-375 4-376	C—Cl C—Cl	C—H	C—CF3 C—CF3				H H	iso-PrNHC(O)CH(CH3) cyclo-PrNHC(O)CH(CH3)
4-377	C—Cl	С—Н	C—CF3	С—Н Н	CF3	CF3	H	CF3CH2NHC(O)CH(CH3)
4-378 4-379	C—Cl C—Cl	C—H	C—CF3 C—CF3				H H	CH3NHC(O)C(CH3)2 CH3CH2NHC(O)C(CH3)2
4-380	C—CI	С—Н	C—CF3	С—Н Н			H	iso-PrNHC(O)C(CH3)2
4-381 4-382	C—CI	C—H C—H	C—CF3 C—CF3				H H	cyclo-PrNHC(O)C(CH3)2 CF3CH2NHC(O)C(CH3)2
4-383	C—CF3	С—Н	C—CF3				H	CH3OCH2
4-384 4-385	C—CF3 C—CF3	C—H C—H	C—CF3 C—CF3				CH3CO H	CH3OCH2 CH3CH2OCH2
4-386	C—CF3	С—Н	C—CF3				H	CH3OCH2CH2
4-387	C—CF3	С—Н	C—CF3				H	CH3CH2OCH2CH2
4-388 4-389	C—CF3 C—CF3	C—H C—H	C—CF3 C—CF3				H H	tetrahydrofuran-2-yl CH3SCH2CH2
4-390	C—CF3	С—Н	C—CF3				H	CH3S(O)CH2CH2
4-391 4-392	C—CF3 C—CF3	C—H	C—CF3 C—CF3				H H	CH3SO2CH2CH2 CH3SCH2CH(CH3)
4-393	C—CF3	С—Н	C—CF3				H	CH3S(O)CH2CH(CH3)
4-394 4-395	C—CF3 C—CF3	C—H	C—CF3 C—CF3				H H	CH3SO2CH2CH(CH3) CH3SCH2C(CH3)2
4-396	C—CF3	С—Н	C—CF3	С—Н І	CF3	CF3	H	CH3S(O)CH2C(CH3)2
4-397 4-398	C—CF3 C—CF3	C—H	C—CF3 C—CF3				H H	CH3SO2CH2C(CH3)2 (Methoxyimino)methyl
4-399	C—CF3	С—Н	C—CF3	С—Н І	CF3	CF3	H	(Ethoxyimino)methyl
4-400 4-401	C—CF3 C—CF3	C—H	C—CF3 C—CF3				H H	[1-(1,3-thiazol-4-yl)]CH2 [1-(1-methyl-1H-pyrazol-5-yl]CH2
4-402	C—CF3	С—Н	C—CF3	С—Н І	CF3		Н	5-chloropyrimidin-2-yl
4-403 4-404	C—CF3 C—CF3	C—H	C—CF3 C—CF3				H H	5-bromopyrimidin-2-yl 5-cyanopyrimidin-2-yl
4-405	C—CF3	С—Н	C—CF3				Н	CH3NHC(O)CH2
4-406	C—CF3	С—Н	C—CF3				Н	CH3CH2NHC(O)CH2
4-407 4-408	C—CF3 C—CF3	С—Н	C—CF3 C—CF3				H H	iso-PrNHC(O)CH2 cyclo-PrNHC(O)CH2
4-409	C—CF3	С—Н	C—CF3	С—Н І			H	CF3CH2NHC(O)CH2
4-410 4-411	C—CF3 C—CF3	C—H	C—CF3 C—CF3				H H	CH3NHC(O)CH(CH3) CH3CH2NHC(O)CH(CH3)
4-412	C—CF3	С—Н	C—CF3	С—Н І	CF3	CF3	H	iso-PrNHC(O)CH(CH3)
4-413 4-414	C—CF3 C—CF3	C—H	C—CF3 C—CF3				H H	cyclo-PrNHC(O)CH(CH3) CF3CH2NHC(O)CH(CH3)
4-415	C—CF3	С—Н	C—CF3	С—Н Н	CF3	CF3	H	CH3NHC(O)C(CH3)2
4-416 4-417	C—CF3 C—CF3	C—H C—H	C—CF3 C—CF3				H H	CH3CH2NHC(O)C(CH3)2 iso-PrNHC(O)C(CH3)2
4-417 4-418	C—CF3	С—Н	C—CF3				Н	cyclo-PrNHC(O)C(CH3)2
4-419	C—CF3	С—Н		С—Н Н			Н	CF3CH2NHC(O)C(CH3)2

TABLE 4-continued

Table 4- ExNo.	B^1	B^2	B^3	B^4	X^1	R	Y	\mathbb{R}^1	\mathbb{R}^2
4-420	C—Cl	C—Cl	C—CF3	С—Н	Н	CF3	CF3	Н	CH3OCH2
4-421	C—CI	C—Cl	C—CF3		Н	CF3	CF3	CH3CO	CH3OCH2
4-422	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	CF3	H	CH3CH2OCH2
4-423	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	CF3	H	CH3OCH2CH2
4-424	C—Cl	C—Cl	C—CF3		Η	CF3	CF3	H	CH3CH2OCH2CH2
4-425	C—Cl	C—Cl	C—CF3		Н	CF3	CF3	H	tetrahydrofuran-2-yl
4-426 4-427	C—C1 C—C1	C—Cl C—Cl	C—CF3 C—CF3		H H	CF3 CF3	CF3 CF3	H H	CH3SCH2CH2 CH3S(O)CH2CH2
4-428	C—CI	C—CI	C—CF3		Н	CF3	CF3	H	CH3SO2CH2CH2
4-429	C—CI	C—Cl	C—CF3		Н	CF3	CF3	H	CH3SCH2CH(CH3)
4-430	C-Cl	C—Cl	C—CF3	С—Н	Η	CF3	CF3	H	CH3S(O)CH2CH(CH3)
4-431	C—Cl	C—Cl	C—CF3		Η	CF3	CF3	H	CH3SO2CH2CH(CH3)
4-432	C—Cl	C—Cl	C—CF3		Н	CF3	CF3	H	CH3SCH2C(CH3)2
4-433 4-434	C—Cl C—Cl	C—Cl C—Cl	C—CF3		Н	CF3	CF3	H H	CH3S(O)CH2C(CH3)2
4-434	C—CI	C—Cl	C—CF3 C—CF3		H H	CF3 CF3	CF3 CF3	Н	CH3SO2CH2C(CH3)2 (Methoxyimino)methyl
4-436	C—CI	C—Cl	C—CF3		Н	CF3	CF3	H	(Ethoxyimino)methyl
4-437	C—CI	C—Cl	C—CF3		Η	CF3	CF3	H	[1-(1,3-thiazol-4-yl)]CH2
4-438	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	CF3	H	[1-(1-methyl-1H-pyrazol-5-yl]CH2
4-439	C—Cl	C—Cl	C—CF3		Η	CF3	CF3	H	5-chloropyrimidin-2-yl
4-440	C—Cl	C—Cl	C—CF3		Н	CF3	CF3	H	5-bromopyrimidin-2-yl
4-441 4-442	C—Cl C—Cl	C—Cl C—Cl	C—CF3 C—CF3		H H	CF3 CF3	CF3 CF3	H H	5-cyanopyrimidin-2-yl
4-442	C—CI	C—Cl	C—CF3		Н	CF3	CF3	H	CH3NHC(O)CH2 CH3CH2NHC(O)CH2
4-444	C—CI	C—Cl	C—CF3		Н	CF3	CF3	H	iso-PrNHC(O)CH2
4-445	C—Cl	C—Cl	C—CF3		Η	CF3	CF3	H	cyclo-PrNHC(O)CH2
4-446	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	CF3	H	CF3CH2NHC(O)CH2
4-447	C—Cl	C—Cl	C—CF3		Η	CF3	CF3	H	CH3NHC(O)CH(CH3)
4-448	C—Cl	C—Cl	C—CF3		H	CF3	CF3	H	CH3CH2NHC(O)CH(CH3)
4-449 4-450	C—Cl C—Cl	C—Cl C—Cl	C—CF3 C—CF3		H H	CF3 CF3	CF3 CF3	H H	iso-PrNHC(O)CH(CH3) cyclo-PrNHC(O)CH(CH3)
4-451	C—CI	C—CI	C—CF3		Н	CF3	CF3	H	CF3CH2NHC(O)CH(CH3)
4-452	C—CI	C—Cl	C—CF3		Н	CF3	CF3	H	CH3NHC(O)C(CH3)2
4-453	C—Cl	C—Cl	C—CF3		Η	CF3	CF3	H	CH3CH2NHC(O)C(CH3)2
4-454	C—Cl	C—Cl	C—CF3		Η	CF3	CF3	H	iso-PrNHC(O)C(CH3)2
4-455	C—Cl	C—Cl	C—CF3		Η	CF3	CF3	H	cyclo-PrNHC(O)C(CH3)2
4-456	C—Cl	C—Cl	C—CF3		Н	CF3	CF3	H	CF3CH2NHC(O)C(CH3)2
4-457 4-458	C—Cl C—Cl	N N	C—Cl C—Cl		H H	CF3 CF3	CF3 CF3	H H	CF3CH2 CH3OCH2
4-459	C—CI	N	C—CI		Н	CF3	CF3	CH3CO	CH3OCH2
4-460	C—CI	N	C—Cl		Η	CF3	CF3	Н	CH3CH2OCH2
4-461	C—Cl	N	C—Cl	С—Н	Η	CF3	CF3	H	CH3OCH2CH2
4-462	C—Cl	N	C—Cl		Η	CF3	CF3	H	CH3CH2OCH2CH2
4-463	C—CI	N	C—Cl		Н	CF3	CF3	H	tetrahydrofuran-2-yl
4-464 4-465	C—Cl C—Cl	N N	C—Cl C—Cl		H H	CF3 CF3	CF3 CF3	H H	CH3SCH2CH2 CH3S(O)CH2CH2
4-466	C—CI	N	C—CI		Н	CF3	CF3	H	CH3SO2CH2CH2
4-467	C—CI	N	C—Cl		Н	CF3	CF3	H	CH3SCH2CH(CH3)
4-468	C—Cl	N	C—Cl	С—Н	Η	CF3	CF3	H	CH3S(O)CH2CH(CH3)
4-469	C—Cl	N	C—Cl		Η	CF3	CF3	H	CH3SO2CH2CH(CH3)
4-470	C—Cl	N	C—Cl		Н	CF3	CF3	H	CH3SCH2C(CH3)2
4-471	C—Cl	N	C—Cl		Н	CF3	CF3	H	CH3S(O)CH2C(CH3)2
4-472 4-473	C—Cl	N N	C—Cl C—Cl		Н	CF3 CF3	CF3 CF3	н Н	(Methoxyimino)methyl
4-474	C—CI	N	C—Cl		Н	CF3	CF3	H	(Ethoxyimino)methyl
4-475	C—C1	N	C-C1		Η	CF3	CF3	Н	2-PyridylCH2
4-476	C—Cl	N	C—Cl	С—Н	Η	CF3	CF3	H	[1-(1,3-thiazol-4-yl)]CH2
4-477	C—Cl	N	C—Cl		Η	CF3	CF3	H	[1-(1-methyl-1H-pyrazol-5-yl]CH2
4-478	C—Cl	N	C—Cl		Н	CF3	CF3	H	5-chloropyrimidin-2-yl
4-479 4-480	C—Cl C—Cl	N N	C—Cl C—Cl		H H	CF3 CF3	CF3 CF3	H H	5-bromopyrimidin-2-yl 5-cyanopyrimidin-2-yl
4-480	C—CI	N	C—CI		Н	CF3	CF3	H	CH3NHC(O)CH2
4-482	C—Cl	N	C—Cl		Н	CF3	CF3	H	CH3CH2NHC(O)CH2
4-483	C—CI	N	C—Cl		Н	CF3	CF3	H	iso-PrNHC(O)CH2
4-484	C—Cl	N	C—Cl	С—Н	Η	CF3	CF3	H	cyclo-PrNHC(O)CH2
4-485	C—Cl	N	C—Cl		Η	CF3	CF3	H	CF3CH2NHC(O)CH2
4-486	C—Cl	N	C—Cl	С—Н	Η	CF3	CF3	H	CH3NHC(O)CH(CH3)

TABLE 4-continued

Table 4-									
ExNo.	B^1	B^2	B^3	B^4	X^1	R	Y	\mathbb{R}^1	\mathbb{R}^2
4-487	C—Cl	N			Н	CF3	CF3	Н	CH3CH2NHC(O)CH(CH3)
4-488 4-489	C—Cl C—Cl	N N			H H	CF3 CF3	CF3 CF3	H H	iso-PrNHC(O)CH(CH3) cyclo-PrNHC(O)CH(CH3)
4-490	C—Cl	N			Н	CF3	CF3	H	CF3CH2NHC(O)CH(CH3)
4-491	C—Cl	N			Η	CF3	CF3	H	CH3NHC(O)C(CH3)2
4-492	C—Cl	N			Н	CF3	CF3	H	CH3CH2NHC(O)C(CH3)2
4-493 4-494	C—C1 C—C1	N N			H H	CF3 CF3	CF3 CF3	H H	iso-PrNHC(O)C(CH3)2 cyclo-PrNHC(O)C(CH3)2
4-495	C—CI	N			Н	CF3	CF3	H	CF3CH2NHC(O)C(CH3)2
4-496	C—CF3	N			Η	CF3	CF3	H	CF3CH2
4-497	C—CF3 C—CF3	N			Н	CF3	CF3	H	CH3OCH2
4-498 4-499	C—CF3	N N			H H	CF3 CF3	CF3 CF3	CH3CO H	CH3OCH2 CH3CH2OCH2
4-500	C—CF3	N			Н	CF3	CF3	Н	CH3OCH2CH2
4-501	C—CF3	N			Η	CF3	CF3	H	CH3CH2OCH2CH2
4-502 4-503	C—CF3 C—CF3	N			H H	CF3 CF3	CF3 CF3	H H	tetrahydrofuran-2-yl
4-303 4-504	C—CF3	N N			Н	CF3	CF3	Н	CH3SCH2CH2 CH3S(O)CH2CH2
4-505	C—CF3	N			Η	CF3	CF3	H	CH3SO2CH2CH2
4-506	C—CF3	N			Η	CF3	CF3	H	CH3SCH2CH(CH3)
4-507 4-508	C—CF3 C—CF3	N N			H H	CF3 CF3	CF3 CF3	H H	CH3S(O)CH2CH(CH3)
4-509	C—CF3	N			Н	CF3	CF3	Н	CH3SO2CH2CH(CH3) CH3SCH2C(CH3)2
4-510	C—CF3	N			Η	CF3	CF3	H	CH3S(O)CH2C(CH3)2
4-511	C—CF3	N			Н	CF3	CF3	H	CH3SO2CH2C(CH3)2
4-512 4-513	C—CF3 C—CF3	N N			H H	CF3 CF3	CF3 CF3	H H	(Methoxyimino)methyl (Ethoxyimino)methyl
4-514	C—CF3	N			Н	CF3	CF3	H	2-PyridylCH2
4-515	C—CF3	N			Η	CF3	CF3	H	[1-(1,3-thiazol-4-yl)]CH2
4-516	C—CF3	N			Н	CF3	CF3	H	[1-(1-methyl-1H-pyrazol-5-yl]CH2
4-517 4-518	C—CF3 C—CF3	N N			H H	CF3 CF3	CF3 CF3	H H	5-chloropyrimidin-2-yl 5-bromopyrimidin-2-yl
4-519	C—CF3	N			Н	CF3	CF3	H	5-cyanopyrimidin-2-yl
4-520	C—CF3	N			Η	CF3	CF3	H	CH3NHC(O)CH2
4-521 4-522	C—CF3 C—CF3	N N			H H	CF3 CF3	CF3 CF3	H H	CH3CH2NHC(O)CH2
4-523	C—CF3	N			Н	CF3	CF3	H	iso-PrNHC(O)CH2 cyclo-PrNHC(O)CH2
4-524	C—CF3	N	С—Н	С—Н	Η	CF3	CF3	H	CF3CH2NHC(O)CH2
4-525	C—CF3	N			Н	CF3	CF3	H	CH3NHC(O)CH(CH3)
4-526 4-527	C—CF3 C—CF3	N N			H H	CF3 CF3	CF3 CF3	H H	CH3CH2NHC(O)CH(CH3) iso-PrNHC(O)CH(CH3)
4-528	C—CF3	N			Н	CF3	CF3	H	cyclo-PrNHC(O)CH(CH3)
4-529	C—CF3	N			Η	CF3	CF3	H	CF3CH2NHC(O)CH(CH3)
4-530 4-531	C—CF3	N			Н	CF3	CF3	H	CH3NHC(O)C(CH3)2
4-531 4-532	C—CF3 C—CF3	N N			H H	CF3 CF3	CF3 CF3	H H	CH3CH2NHC(O)C(CH3)2 iso-PrNHC(O)C(CH3)2
4-533	C—CF3	N			Н	CF3	CF3	Н	cyclo-PrNHC(O)C(CH3)2
4-534	C—CF3	N			Η	CF3	CF3	H	CF3CH2NHC(O)C(CH3)2
4-535 4-536	C—CF3 C—CF3	N N	C—CF3 C—CF3		H H	CF3 CF3	CF3 CF3	H H	CF3CH2 CH3OCH2
4-537	C—CF3	N	C—CF3		Н	CF3	CF3	СН3СО	CH3OCH2 CH3OCH2
4-538	C—CF3	N	C—CF3		Η	CF3	CF3	Н	СН3СН2ОСН2
4-539	C—CF3	N	C—CF3		Η	CF3	CF3	H	СНЗОСН2СН2
4-540 4-541	C—CF3 C—CF3	N N	C—CF3 C—CF3		H H	CF3 CF3	CF3 CF3	H H	CH3CH2OCH2CH2 tetrahydrofuran-2-yl
4-542	C—CF3	N	C—CF3		Н	CF3	CF3	Н	CH3SCH2CH2
4-543	C—CF3	N	C—CF3		Η	CF3	CF3	H	CH3S(O)CH2CH2
4-544	C—CF3	N	C—CF3		Н	CF3	CF3	H	CH3SO2CH2CH2
4-545 4-546	C—CF3 C—CF3	N N	C—CF3 C—CF3		H H	CF3 CF3	CF3 CF3	H H	CH3SCH2CH(CH3) CH3S(O)CH2CH(CH3)
4-547	C—CF3	N	C—CF3		Н	CF3	CF3	H	CH3SO2CH2CH(CH3)
4-548	C—CF3	N	C—CF3	С—Н	Η	CF3	CF3	H	CH3SCH2C(CH3)2
4-549	C—CF3	N	C—CF3		Н	CF3	CF3	H	CH3S(O)CH2C(CH3)2
4-550 4-551	C—CF3	N N	C—CF3		Н	CF3	CF3	H	CH3SO2CH2C(CH3)2
4-551 4-552	C—CF3 C—CF3	N N	C—CF3 C—CF3		H H	CF3 CF3	CF3 CF3	H H	(Methoxyimino)methyl (Ethoxyimino)methyl
4-553	C—CF3	N	C—CF3			CF3	CF3	H	2-PyridylCH2

TABLE 4-continued

Table 4-									
ExNo.	B^1	B^2	B^3	B^4	X^1	R	Y	\mathbb{R}^1	\mathbb{R}^2
4-554	C—CF3	N	C—CF3	С—Н	Н	CF3	CF3	Н	[1-(1,3-thiazol-4-yl)]CH2
4-555	C—CF3	N	C—CF3	С—Н	Η	CF3	CF3	H	[1-(1-methyl-1H-pyrazol-5-yl]CH2
4-556	C—CF3	N	C—CF3		Η	CF3	CF3	H	5-chloropyrimidin-2-yl
4-557	C—CF3	N	C—CF3		Н	CF3	CF3	H	5-bromopyrimidin-2-yl
4-558 4-559	C—CF3 C—CF3	N N	C—CF3 C—CF3		H H	CF3	CF3 CF3	H H	5-cyanopyrimidin-2-yl
4-559	C—CF3	N	C—CF3		Н	CF3 CF3	CF3	п Н	CH3NHC(O)CH2 CH3CH2NHC(O)CH2
4-561	C—CF3	N	C—CF3		Н	CF3	CF3	H	iso-PrNHC(O)CH2
4-562	C—CF3	N	C—CF3		Н	CF3	CF3	Н	cyclo-PrNHC(O)CH2
4-563	C—CF3	N	C—CF3	С—Н	Η	CF3	CF3	Н	CF3CH2NHC(O)CH2
4-564	C—CF3	N	C—CF3		Η	CF3	CF3	Н	CH3NHC(O)CH(CH3)
4-565	C—CF3	N	C—CF3		Н	CF3	CF3	H	CH3CH2NHC(O)CH(CH3)
4-566 4-567	C—CF3 C—CF3	N N	C—CF3 C—CF3		H H	CF3 CF3	CF3 CF3	H H	iso-PrNHC(O)CH(CH3) cyclo-PrNHC(O)CH(CH3)
4-568	C—CF3	N	C—CF3		Н	CF3	CF3	H	CF3CH2NHC(O)CH(CH3)
4-569	C—CF3	N	C—CF3		Н	CF3	CF3	H	CH3NHC(O)C(CH3)2
4-570	C—CF3	N	C—CF3		Η	CF3	CF3	Н	CH3CH2NHC(O)C(CH3)2
4-571	C—CF3	N	C—CF3		Η	CF3	CF3	H	iso-PrNHC(O)C(CH3)2
4-572	C—CF3	N	C—CF3		Η	CF3	CF3	Н	cyclo-PrNHC(O)C(CH3)2
4-573	C—CF3	N	C—CF3		Н	CF3	CF3	H	CF3CH2NHC(O)C(CH3)2
4-574 4-575	C—CF3 C—CF3	C—H	C—CF3 C—CF3	N N	H H	CF3 CF3	CF3 CF3	H H	CF3CH2 CH3OCH2
4-576	C—CF3	С—н	C—CF3	N	Н	CF3	CF3	CH3CO	CH3OCH2 CH3OCH2
4-577	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	Н	CH3CH2OCH2
4-578	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	H	CH3OCH2CH2
4-579	C—CF3	С—Н	C—CF3	N	Η	CF3	CF3	H	CH3CH2OCH2CH2
4-580	C—CF3	С—Н	C—CF3	N	Η	CF3	CF3	H	tetrahydrofuran-2-yl
4-581	C—CF3	С—Н	C—CF3	N	H	CF3	CF3	H	CH3SCH2CH2
4-582	C—CF3 C—CF3	C—H C—H	C—CF3	N	H H	CF3 CF3	CF3	H H	CH3S(O)CH2CH2
4-583 4-584	C—CF3	С—н	C—CF3 C—CF3	N N	Н	CF3	CF3 CF3	H	CH3SO2CH2CH2 CH3SCH2CH(CH3)
4-585	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	H	CH3S(O)CH2CH(CH3)
4-586	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	H	CH3SO2CH2CH(CH3)
4-587	C—CF3	С—Н	C—CF3	N	Η	CF3	CF3	H	CH3SCH2C(CH3)2
4-588	C—CF3	С—Н	C—CF3	N	Η	CF3	CF3	H	CH3S(O)CH2C(CH3)2
4-589	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	H	CH3SO2CH2C(CH3)2
4-590 4-591	C—CF3 C—CF3	C—H C—H	C—CF3 C—CF3	N N	H H	CF3 CF3	CF3 CF3	H H	(Methoxyimino)methyl (Ethoxyimino)methyl
4-592	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	H	2-PyridylCH2
4-593	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	H	[1-(1,3-thiazol-4-yl)]CH2
4-594	C—CF3	С—Н	C—CF3	N	Η	CF3	CF3	H	[1-(1-methyl-1H-pyrazol-5-yl]CH2
4-595	C—CF3	С—Н	C—CF3	N	Η	CF3	CF3	Н	5-chloropyrimidin-2-yl
4-596	C—CF3	С—Н	C—CF3	N	H	CF3	CF3	H	5-bromopyrimidin-2-yl
4-597 4-598	C—CF3 C—CF3	C—H C—H	C—CF3 C—CF3	N N	H H	CF3 CF3	CF3 CF3	H H	5-cyanopyrimidin-2-yl CH3NHC(O)CH2
4-599	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	H	CH3NHC(O)CH2 CH3CH2NHC(O)CH2
4-600	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	H	iso-PrNHC(O)CH2
4-601	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	Н	cyclo-PrNHC(O)CH2
4-602	C—CF3	С—Н	C—CF3	N	Η	CF3	CF3	Н	CF3CH2NHC(O)CH2
4-603	C—CF3	С—Н	C—CF3	N	Η	CF3	CF3	Н	CH3NHC(O)CH(CH3)
4-604	C—CF3	С—Н	C—CF3	N	Η	CF3	CF3	H	CH3CH2NHC(O)CH(CH3)
4-605	C—CF3	С—Н	C—CF3	N	Η	CF3	CF3	H	iso-PrNHC(O)CH(CH3)
4-606	C—CF3	С—Н	C—CF3	N	Η	CF3	CF3	Н	cyclo-PrNHC(O)CH(CH3)
4-607	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	H	CF3CH2NHC(O)CH(CH3)
4-608	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	H	CH3NHC(O)C(CH3)2
4-609 4-610	C—CF3	С—Н С—Н	C—CF3 C—CF3	N N	Н	CF3	CF3	Н	CH3CH2NHC(O)C(CH3)2
4-610 4-611	C—CF3 C—CF3	С—Н	C—CF3	N N	H H	CF3 CF3	CF3 CF3	H H	iso-PrNHC(O)C(CH3)2 cyclo-PrNHC(O)C(CH3)2
4-612	C—CF3	С—н	C—CF3	N	Н	CF3	CF3	H	CF3CH2NHC(O)C(CH3)2
4-613	C—CI	С—Н	C—CI	С—Н	Н	CF3	CF3	H	(pyrimidin-2-yl)CH2
4-614	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CF3	H	(pyridin-2-yl)CH2NHC(O)CH2
4-615	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CF3	H	CICH2CH2NHC(O)CH2
4-616	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	H	СНЗОСО
4-617	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	(dimethylamino)methylene	prop-2-yn-1-yl
4-618	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	H	

TABLE 5

						12 11						
			B B	X ¹ 2 B ³	R B ⁴		N	N R3	N R:	-Y -N -N -N -R ⁶		
ExNo.	B^1	B^2	B^3	B^4	X^1	R	Y	R^3	R ⁴	R ⁵	$ m R^6$	1
5-1 5-2 5-3 5-4 5-5 5-6 5-7 5-8 5-9 5-10 5-11 5-12 5-13 5-14 5-15 5-16 5-17 5-18 5-19 5-20 5-21 5-22 5-23 5-24 5-25 5-25 5-25 5-26 5-27 5-28 5-29 5-10 5-10 5-11 5-12 5-13 5-14 5-15 5-16 5-17 5-18 5-19 5-10 5-10 5-10 5-11 5-12 5-13 5-14 5-15 5-16 5-17 5-18 5-19 5-10 5-1	C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H	C-Cl C-Cl C-Cl C-Cl C-Cl C-Cl C-Cl C-Cl	C—H	ннининнинниннинниннинн	CF3	CF3	ннннннннннннннннннннннн	H H H H H H H H H H	н н н н н н н н н н н н н н н н н н н	H HCO CH3CO CH3CH2CO n-PrCO iso-PrCO cyclo-PrCO n-BuCO cyclo-BuCO cyclo-PenCO	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
5-27	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CF3	Н	Н	Н	H ₃ C CO	1
5-28	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CF3	Н	Н	Н	F CO	1
5-29	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CF3	Н	Н	Н	F——CO	1
5-30	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CF3	Н	Н	Н	H ₃ C CO	1
5-31	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	Н	Н	Н	CN——CO	1
5-32 5-33 5-34 5-35 5-36 5-37 5-38 5-39 5-40 5-41 5-42 5-43 5-44 5-45 5-46 5-47	C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H C—H C—H C—H C—H C—H C—H C—H	C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H C—H C—H C—H C—H C—H C—H C—H	H H H H H H H H H H	CF3	CF3	H H H H H H H H H H	H H H H H H H H H H H H H H	н н н н н н н н н н н н н н н н н н н	CH2=CH-CO CH3CH=CH-CO CH3CH=C(CH3)-CO CH3CH=C(CH3)-CO (CH3)2C=CH-CO CH2=C(CI)-CO CICH=C(CH3)-CO CH2=CHCH2-CO HCC-CO CH3CC-CO CCH3CC-CO CCH3CC-CO CCH3CCCO CCH3CCCO CCH3CCCO CCH3CCCO CCH3CCCO CCH3CCO CCH3CCO CCH3CCO CCH3CCO CCH3CCO CCH3CCO CCH3CCO CCH3CCO CCH3CCO CCCC CCCC	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

TABLE 5-continued

			D.		\rightarrow	$\langle \ $	N					
			B H B	2 B3 = I	 3 ⁴			N	<u>}</u>	- Y		
				В			5	~	<u></u>	R^{5}		
								R^3	$X \setminus I_I$ \mathbb{R}^4	R^6		
ExNo.	B^1	B^2	B^3	B^4	X^1	R	Y	R^3	R^4	R^5	R^6	1
5-49 5-50 5-51 5-52 5-53 5-54 5-55 5-56	C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H C—H C—H C—H C—H C—H C—H	C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl	C—H C—H C—H C—H C—H C—H	H H H H H H	CF3 CF3 CF3 CF3 CF3 CF3 CF3	CF3 CF3 CF3 CF3 CF3 CF3 CF3	H H H H H H	H H H H H H	H H H H H H	CF3O(CO)—CO CH3(CO)CH2—CO (CH3)2NCH2—CO PhCO PhCH2CO 2-py-CO 3-py-CO 4-py-CO	1 1 1 1 1 1 1
5-57	C—Cl	С—Н	C—CI	С—Н	Η	CF3	CF3	Н	Н	Н	CI \sim	1
5-58 5-59 5-60 5-61 5-62 5-63 5-64 5-65 5-66	C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H C—H C—H C—H C—H C—H C—H	C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl	C—H C—H C—H C—H C—H C—H C—H	H H H H H H	CF3 CF3 CF3 CF3 CF3 CF3 CF3 CF3 CF3	CF3 CF3 CF3 CF3 CF3 CF3 CF3 CF3	H H H H H H H	H H H H H H H	H H H H H H H	2-F—PhCO 3-F—PhCO 4-F—PhCO 2-Cl—PhCO 3-Cl—PhCO 4-Cl—PhCO 2-Br—PhCO 2-CF3—PhCO 2-CH3—PhCO	1 1 1 1 1 1 1 1
5-67	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CF3	Н	Н	Н	co	1
5-68	C—Cl	С—Н	C—CI	С—Н	Н	CF3	CF3	Н	Н	Н	CO	1
5-69	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CF3	Н	Н	Н	$_{\rm s}$	1
5-70	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CF3	Н	Н	Н	\sqrt{N} CO	1
5-71	C—CI	С—Н	C—Cl	С—Н	Н	CF3	CF3	Н	Н	Н	F ₃ C CO	1
5-72	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CF3	Н	Н	Н	CF_3	1
5-73	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	Н	Н	Н	CO	1
5-74	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CF3	Н	Н	Н	CO	1

TABLE 5-continued

			ъ.	X ¹ R	$\sqrt{}$	<u> </u>				
			B;	B^3 B^4		¬N s	^N	>	— Y	5
							R^3	λţ	-N	
ExNo.	B^1	B^2	B^3	B ⁴ X	R	Y	\mathbb{R}^3	R R ⁴	R ⁵	R ⁶ 1
5-75 5-76 5-77 5-78 5-79 5-80 5-81 5-82 5-83 5-84 5-85 5-86 5-87 5-88 5-89 5-90 5-91 5-92 5-93 5-95 5-97	C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H C—H C—H C—H C—H C—H C—H C—H C—H C—H		C—H H	CF3 CF3 CF3 CF3 CF3	CF3	ннннннннннннннннн	H H H H H H H H H H	CH3 CH3 H H H H H H H H H H H H H H H H	CH3CO 1 cyclo-PrCO 1 CH3NHCO 1 CH3CH2NHCO 1 CH3CH2NHCO 1 CF3CH2NHCO 1 n-PrNHCO 1 iso-PrNHCO 1 n-BuNHCO 1 tert-BuNHCO 1 cyclo-BuNHCO 1 cyclo-PenNHCO 1 cyclo-HexNHCO 1 cyclo-HexNHCO 1 cyclo-HexNHCO 1 CF3CH2NHCO 1 CF3CH2CH2NHCO 1
5-98	c—cı	С—Н	C—Cl	С—Н Н		CF3	Н	Н	Н	F NHCO 1
5-99	C—CI	С—Н	C—Cl	С—Н Н	CF3	CF3	Н	Н	Н	CF ₃ 1
5-100 5-101 5-102 5-103 5-104 5-105 5-106	C—CI C—CI C—CI C—CI C—CI C—CI	C—H C—H C—H C—H C—H C—H	C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl	C—H H	CF3 CF3 CF3 CF3 CF3	CF3 CF3 CF3 CF3 CF3 CF3 CF3	H H H H H	H H H H H	H H H H H	EtO2CCH2NHCO 1 2-CF3—PhNHCO 1 3-CF3—PhNHCO 1 4-CF3—PhNHCO 1 2-py-NHCO 1 3-py-NHCO 1 4-py-NHCO 1
5-107	C—Cl	С—Н	C—Cl	С—Н Н	CF3	CF3	Н	Н	Н	F_3C NHCO 1
5-108	C—Cl	С—Н	C—Cl	С—Н Н	CF3	CF3	Н	Н	Н	F_3C NHCO N
5-109	C—Cl	С—Н	C—Cl	С—Н Н	CF3	CF3	Н	Н	Н	PhCH2HNCO 1
5-110	C—Cl	С—Н	C—Cl	С—Н Н	CF3	CF3	Н	Н	Н	NHCO 1
5-111 5-112 5-113 5-114 5-115	C—CI C—CI C—CI C—CI	C—H C—H C—H C—H	C—Cl C—Cl	С—Н Н С—Н Н С—Н Н С—Н Н	CF3 CF3 CF3	CF3 CF3 CF3 CF3 CF3	H H H H	H H H H	H CH3 CH3 CH3	(CH3)2NCO 1 CH3NHCO 1 CH3CH2NHCO 1 cyclo-PrNHCO 1 pyrrolidineCO 1

TABLE 5-continued

$\mathbb{B}^1 \xrightarrow{\mathbb{R}^2} \mathbb{B}^4$	N N N M	
	R^3 $\begin{pmatrix} I_I & \\ R^4 & R^6 \end{pmatrix}$	

Section Sect										R			
S-118	ExNo.	B^1	B^2	B^3	B^4	X^1	R	Y	\mathbb{R}^3	R^4	R^5	R ⁶ 1	_
S-118	5-116	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	Н	Η	Η	piperidineCO 1	
S-19 C-C C-H C-C C-H CF3 CF3 H H H PrOCO 1	5-117	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	Η	Η	Η	morpholineCO 1	
5-12 C-C C C-H C-C C C-H C C-C C C-H C-C C	5-118	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	Η	Η	Η	CH3OCO 1	
5-122 C_C C_H C_C C_H C_C C_H H CF3 CF3 H H H CF3CH20CO 1													
5-122 C_C C													
S-124 C_C C_H												•	
5-124 C_C C_H													
S-126 C-C C-H C-C C-H H CF3 CF3 H H H PhiChoCo 1													
S-12 C													
S-127 C-C C-H C-C C-H H CF3 CF3 H H H H H H H S-1280 C													
S-128													
S-130													
S-131					С—Н				Η	Η			
S-132 C-C C-H C-C C-H CF3 CF3 H H H CF3CH2SO2 1	5-130	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	Η	Η	H	CH3CH2SO2 1	
5-134	5-131	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	Η	Η	H	CF3SO2 1	
S-134 C_C C_H C_C C_H H CF3 CF3 H H H CH3)ICONHSO2 1													
S-136 C-C C-H C-C C-H H CF3 CF3 H H H CH3)2NCONHSO2 1													
S-136 C-C C-H C-C C-H H CF3 CF3 H H H CH3CH2CS 1													
S-137													
S-138													
S-149													
S-140													
S-141													
S-144	5-141			C—Cl					Н	Н	H		
S-144	5-142	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	Η	Η	H	CH3CH2CO 1	
S-145	5-143	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	Η	Η	Η	cyclo-PrCO 1	
S-146													
S-147													
5-148 C—CF3 C—H C—CF3 C—H H CF3 CF3 H H H CH3CH2CO 1 5-149 C—CF3 C—H C—CF3 C—H H CF3 C—H H CF3 C—H H CF3 C—B H H CF3 C—H H CF3 C—B H H CF3 CF3 H H H CF3CH2CO 1 5-151 C—CF3 C—H C—CF3 C—H H CF3 CF3 H H H CH3CH2NHCO 1 5-152 C—CI C—CI C—CF3 C—H H CF3 H H H CH3CH2NHCO 1 5-155 C—CI C—CI C—CF3 C—H H CF3 CF3 H H H CH3CH2NHCO 1 5-156 C—CI C—CI C—CF3 C—H H CF3 CF3 H H H CF3CH2CO													
S-149													
5-150 C—CF3 C—H C—CF3 C—H H CF3 CF3 H H H CF3CH2CO 1 5-151 C—CF3 C—H C—CF3 C—H H CF3 CF3 H H H CH3CH2NHCO 1 5-152 C—CI C—CI C—CF3 C—H H CF3 CF3 H H H CH3CH2CO 1 5-153 C—CI C—CI C—CF3 C—H H CF3 H H H CH3CH2CO 1 5-154 C—CI C—CI C—CF3 C—H H CF3 CF3 H H H CF3CH2CO 1 5-155 C—CI C—CI C—CF3 C—H H CF3 CF3 H H H CF3CH2CO 1 5-157 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2NHCO 1													
5-151 C—CF3 C—H C—CF3 C—H H CF3 CF3 H H H CH3CH2NHCO 1 5-152 C—CI C—CI C—CF3 C—H H CF3 CF3 H H H CH3CH2NHCO 1 5-153 C—CI C—CI C—CF3 C—H H CF3 H H H CH3CH2NHCO 1 5-155 C—CI C—CI C—CF3 C—H H CF3 H H H CP3CH2CO 1 5-155 C—CI C—CI C—CF3 C—H H CF3 SF3 H H H CH3CH2NHCO 1 5-155 C—CI C—CH C—GF3 C—H H CF3 H H H CH3CH2NHCO 1 5-157 C—Br C—H C—Br C—H H CF3 H H H CH3CH2NHCO 1 5-159 C—Br C												•	
5-152 C—CI C—CI C—CF3 C—H H CF3 CF3 H H H CH3CCO 1 5-153 C—CI C—CI C—CF3 C—H H CF3 CF3 H H H CH3CH2CO 1 5-154 C—CI C—CI C—CF3 C—H H CF3 CF3 H H H Cyclo-PrCO 1 5-155 C—CI C—CI C—CF3 C—H H CF3 H H H CH3CH2CO 1 5-156 C—CI C—CI C—Br C—H H CF3 CF3 H H H CH3CH2CO 1 5-157 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2CO 1 5-157 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2CO 1 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>													
5-153 C—CI C—CI C—CF3 C—H H CF3 CF3 H H H CH3CH2CO 1 5-154 C—CI C—CI C—CF3 C—H H CF3 CF3 H H H Cyclo-PrCO 1 5-155 C—CI C—CI C—CF3 C—H H CF3 CF3 H H H CH3CH2CO 1 5-156 C—CI C—CI C—CF3 C—H H CF3 H H H CH3CH2NHCO 1 5-157 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2NHCO 1 5-158 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2NCO 1 5-160 C—Br C—H H CF3 CF3 H H H CH3CH2NCO 1 CH3CH2NCO 1 CH3CH2N													
5-155 C—CI C—CI C—CF3 C—H H CF3 CF3 H H H CF3CH2CO 1 5-156 C—CI C—CI C—CF3 C—H H CF3 CF3 H H H CH3CH2NHCO 1 5-157 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2CO 1 5-158 C—Br C—H C—Br C—H H CF3 H H H CH3CH2CO 1 5-160 C—Br C—H C—Br C—H H CF3 CF3 H H H CF3CH2CO 1 5-161 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2NHCO 1 S-166 C—CI C—H C—CH C—CH H CF3 H H H H CH3CH2NHCO 1 S-165 C—CI	5-153	C-C1	C—Cl	C—CF3	С—Н	Η	CF3	CF3	Η	Η	Η	CH3CH2CO 1	
5-156 C—CI C—CI C—CF3 C—H H CF3 CF3 H H H CH3CH2NHCO 1 5-157 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2CO 1 5-158 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2CO 1 5-160 C—Br C—H C—Br C—H H CF3 CF3 H H H CF3CH2CO 1 5-161 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2NHCO 1 5-161 C—Br C—H C—C—H H CF3 H H H CH3CH2NHCO 1 5-162 C—C—C C—H C—CH H CF3 H H H H CH3CH2NHCO 1 5-162 C—CI	5-154	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	CF3	Η	Η	H	cyclo-PrCO 1	
5-157 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CO 1 5-158 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2CO 1 5-159 C—Br C—H C—Br C—H H CF3 CF3 H H H Cyclo-PrCO 1 5-160 C—Br C—H C—Br C—H H CF3 H H H CH3CH2NHCO 1 5-161 C—Br C—H C—CI C—H H CF3 H H H CH3CH2NHCO 1 5-162 C—CI C—H C—CI C—H H CF3 H H H CH3CH2NHCO 1 5-163 C—CI C—H C—CI C—H H CF3 H H H H CH3CH2NHCO 1 5-166 C—CI <td< td=""><td>5-155</td><td>C—Cl</td><td>C—Cl</td><td>C—CF3</td><td>С—Н</td><td>Η</td><td>CF3</td><td>CF3</td><td>Η</td><td>Η</td><td>Η</td><td>CF3CH2CO 1</td><td></td></td<>	5-155	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	CF3	Η	Η	Η	CF3CH2CO 1	
5-158 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2CO 1 5-159 C—Br C—H C—Br C—H H CF3 CF3 H H H cyclo-PrCO 1 5-160 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2CO 1 5-161 C—Br C—H C—Br C—H H CF3 H H H CH3CH2NHCO 1 5-161 C—CI C—H C—CI C—H H CF3 H H H CH3CH2NHCO 1 5-163 C—CI C—H C—CI C—H H CF3 H H H CH3CH2CO 1 5-164 C—CI C—H C—CI C—H H CF3 H H H H CH3CH2CO 1 5-165 C—CI													
5-159 C—Br C—H C—Br C—H H CF3 CF3 H H H Cp3CH2CO 1 5-160 C—Br C—H C—Br C—H H CF3 CF3 H H H CF3CH2CO 1 5-161 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2CO 1 5-161 C—CI C—H C—CI C—H H CF3 H H H CH3CH2CO 1 5-162 C—CI C—H C—CI C—H H CF3 H H H CH3CH2CO 1 5-164 C—CI C—H C—CI C—H H CF3 H H H H CF3CH2CO 1 5-165 C—CI C—H C—CI C—H H CF3 H H H H CH3CH2CO 1 5-166 C—CI													
5-160 C—Br C—H C—Br C—H H CF3 CF3 H H H CF3CH2CO 1 5-161 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2NHCO 1 5-162 C—CI C—H C—CI C—H H CF3 H H H H CH3CH2CO 1 5-163 C—CI C—H C—CI C—H H CF3 H H H H CH3CH2CO 1 5-164 C—CI C—H C—CI C—H H CF3 H H H H CH3CH2CO 1 5-165 C—CI C—H C—CI C—H H CF3 H H H H CH3CH2NHCO 1 5-166 C—CI C—H C—CI C—H H CF3 H H H H CH3CH2NHCO 1													
5-161 C—Br C—H C—Br C—H H CF3 CF3 H H H CH3CH2NHCO 1 5-162 C—CI C—H C—CI C—H H CF3 H H H H CH3CO 1 5-163 C—CI C—H C—CI C—H H CF3 H H H H CH3CCO 1 5-164 C—CI C—H C—CI C—H H CF3 H H H H Cyclo-PrCO 1 5-165 C—CI C—H C—CI C—H H CF3 H H H H CH3CH2NHCO 1 5-166 C—CI C—C C—CI C—H H CF3 H H H H CH3CH2NHCO 1 5-167 C—CI C—CI C—CI C—H H CF3 H H H H CH3CH2NHCO 1													
5-162 C—CI C—H C—CI C—H H CF3 H CH3CH2CO 1 5-165 C—CI C—H C—CI C—H H CF3 H H H H H H H H H H H CH3CH2CO 1 5-166 C—CI C—CI C—CI H C—CI C—H H CF3 H H H H H H H H H H H CH3CH2CO 1 5-168 C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—C													
5-163 C—CI C—H C—CI C—H H CF3 H CH3CH2CO 1 5-166 C—CI C—CI C—CI C—H H CF3 H H H H CH3CH2NHCO 1 5-167 C—CI C—CI C—CI C—H H CF3 H H H H CH3CH2NHCO 1 5-168 C—CI C—CI C—CI C—CI H CC53 H H H H H CH3CH2CO 1 5-168 C—CI C—CI C—CI C—CI C—CI C—CI C—CI <													
5-165 C—CI C—H C—CI C—H H CF3 H CH3C 1 H H H H H CH3C L H H H H CH3C C </td <td></td>													
5-166 C—CI C—H C—CI C—H H CF3 H CH3CH2CO 1 5-169 C—CI C—CI C—CI C—H H CF3 H H H H Cyclo-PrCO 1 5-170 C—CI C—CI C—CI C—H H CF3 H H H H H H CH3CH2NHCO 1 5-171 C—CI C—CI C—CI C—H H CF3 H H H H H H CH3CH2NHCO 1 5-173 C—CF3 C—H	5-164	C-Cl	С—Н	C—Cl	С—Н	Η	CF3	Η	Η	Η	H	cyclo-PrCO 1	
5-167 C—CI C—CI C—CI C—H H CF3 H C C3 L H H H H H H C C3 C D C C0 C0 C C0 <	5-165	C—Cl			С—Н	Η	CF3	Η	Η	Η	H	CF3CH2CO 1	
5-168 C—CI C—CI C—CI C—H H CF3 H CH3CH2CO 1 5-171 C—CI C—CI C—H H CF3 H H H H CH3CH2CO 1 5-171 C—CI C—CI C—H H CF3 H H H H CH3CH2NHCO 1 5-173 C—CF3 C—H C—CF3 C—H H CF3 H H H H CH3CH2CO 1 5-174 C—CF3 C—H C—CF3 C—H H CF3 H H H H CH3CH2CO 1 5-175													
5-169 C—CI C—CI C—CI C—H H CF3 H CH3CH2NHCO 1 5-173 C—CF3 C—H C—CF3 C—H H CF3 H H H H H CH3CH2CO 1 5-174 C—CF3 C—H C—CF3 C—H H CF3 H H H H CH3CH2CO 1 5-175 C—CF3 C—H C—CF3 C—H CF3 H H H H CH3CH2CO 1 5-176 C—CF3 C—H C—CF3													
5-170 C—CI C—CI C—CI C—H H CF3 H CH3CO 1 5-173 C—CF3 C—H C—CF3 C—H H CF3 H H H H H CH3CH2CO 1 5-174 C—CF3 C—H C—CF3 C—H H CF3 H H H H Cyclo-PrCO 1 5-174 C—CF3 C—H C—CF3 C—H H CF3 H H H H CH3CH2CO 1 5-176 C—CF3 C—H C—CF3 C—H H													
5-171 C—CI C—CI C—CI C—H H CF3 H CH3CH2CO 1 5-174 C—CF3 C—H C—CF3 C—H H CF3 H H H H Cyclo-PrCO 1 5-175 C—CF3 C—H C—CF3 C—H H CF3 H H H H CF3CH2CO 1 5-176 C—CF3 C—H C—CF3 C—H H CF3 H H H H CH3CH2CO 1 5-177 C—CI C—H C—CI C—H H CF3 CH3 H H <td></td>													
5-172 C—CF3 C—H C—CF3 C—H H CF3 H C C CO 1 C													
5-173 C—CF3 C—H C—CF3 C—H H CF3 H													
5-174 C—CF3 C—H H CF3 H H H H Cyclo-PrCO 1 5-175 C—CF3 C—H C—CF3 C—H H CF3 H H H H CF3CH2CO 1 5-176 C—CF3 C—H C—CF3 C—H H CF3 H H H H CH3CH2NHCO 1 5-177 C—CI C—H C—CI C—H H CF3 CH3 H H H CH3CH2NHCO 1 5-178 C—CI C—H C—CI C—H H CF3 CH3 H H H CH3CH2NHCO 1 5-178 C—CI C—H C—CI C—H H CF3 CH3 H H H CH3CH2NHCO 1 5-179 C—CI C—H C—CI C—H H CF3 CH3 H H H CH3CH2NHCO 1 5-179													
5-175 C—CF3 C—H C—CF3 C—H H CF3 H H H H H CF3CH2CO 1 5-176 C—CF3 C—H C—CF3 C—H H CF3 H H H H CH3CH2NHCO 1 5-177 C—CI C—H C—CI C—H H CF3 CH3 H H H CH3CCO 1 5-178 C—CI C—H C—CI C—H H CF3 CH3 H H H CH3CH2CO 1 5-179 C—CI C—H C—CI C—H H CF3 CH3 H H H CH3CH2CO 1 5-179 C—CI C—H C—CI C—H H CF3 CH3 H H H CH3CH2CO 1													
5-176													
5-177 C—CI C—H C—CI C—H H CF3 CH3 H H H CH3CO 1 5-178 C—CI C—H C—CI C—H H CF3 CH3 H H H CH3CH2CO 1 5-179 C—CI C—H C—CI C—H H CF3 CH3 H H H cyclo-PrCO 1													
5-178 C—Cl C—H C—Cl C—H H CF3 CH3 H H H CH3CH2CO 1 5-179 C—Cl C—H C—Cl C—H H CF3 CH3 H H H cyclo-PrCO 1													
5-179 C—Cl C—H C—Cl C—H H CF3 CH3 H H H cyclo-PrCO 1					С—Н	Η			Η	Η	Η		
5-180 C—Cl C—H C—Cl C—H H CF3 CH3 H H H CF3CH2CO 1	5-179	C—Cl		C—Cl	С—Н	Η		CH3	Η	Η	Η	cyclo-PrCO 1	
	5-180	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CH3	Η	Η	Η	CF3CH2CO 1	

TABLE 5-continued

									R4	ļ K	
ExNo.	B^1	B^2	B^3	B^4	X^1	R	Y	\mathbb{R}^3	R^4	R ⁵	R ⁶ 1
5-181	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	СНЗ	Η	Н	Н	CH3CH2NHCO 1
5-182	C—C1	C—Cl	C—Cl	С—Н	Η	CF3	CH3	Η	Η	Η	CH3CO 1
5-183	C—C1	C—Cl	C—Cl	С—Н	Η	CF3	CH3	Η	Η	H	CH3CH2CO 1
5-184	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	СНЗ	Η	Η	Η	cyclo-PrCO 1
5-185	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	CH3	Н	H	H	CF3CH2CO 1
5-186	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	CH3	Н	H	H	CH3CH2NHCO 1
5-187 5-188	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		H	CF3 CF3	CH3 CH3	H H	H H	H H	CH3CO 1 CH3CH2CO 1
5-189	C—CF3	C—H	C—CF3		Н	CF3	CH3	H	Н	H	cyclo-PrCO 1
5-190	C—CF3	С—Н	C—CF3		H	CF3	CH3	H	H	H	CF3CH2CO 1
5-191	C—CF3	С—Н	C—CF3		Η	CF3	CH3	Η	Η	Η	CH3CH2NHCO 1
5-192	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C1	Η	Η	Η	CH3CO 1
5-193	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	Cl	Η	Η	Η	CH3CH2CO 1
5-194	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CI	Η	Η	Η	cyclo-PrCO 1
5-195	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	Cl	Н	H	H	CF3CH2CO 1
5-196 5-197	C—Cl C—Cl	C—H C—Cl	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	Cl Cl	H H	H H	H H	CH3CH2NHCO 1 CH3CO 1
5-197	C—CI	C—Cl	C—CI	С—н	Н	CF3	Cl	Н	Н	Н	CH3CH2CO 1
5-199	C—CI	C—Cl	C—CI	C—H	Н	CF3	Cl	Н	Н	Н	cyclo-PrCO 1
5-200	C—CI	C—Cl	C—CI	С—Н	Н	CF3	CI	H	Н	Н	CF3CH2CO 1
5-201	C—CI	C—Cl	C—Cl	С—Н	Н	CF3	Cl	Н	Н	Н	CH3CH2NHCO 1
5-202	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	C1	Η	Η	H	CH3CO 1
5-203	C—CF3	С—Н	C—CF3		Η	CF3	Cl	Η	Η	Η	CH3CH2CO 1
5-204	C—CF3	С—Н	C—CF3		Η	CF3	Cl	Η	Η	Η	cyclo-PrCO 1
5-205	C—CF3	С—Н	C—CF3		Η	CF3	C1	Η	Η	Η	CF3CH2CO 1
5-206	C—CF3	С—Н	C—CF3		Н	CF3	Cl	H	Н	H	CH3CH2NHCO 1
5-207	C—CI	С—Н	C—Cl	С—Н	Н	CF3	H	Н	H	H	n-PrCO 1
5-208 5-209	C—C1 C—C1	С—Н С—Н	C—CI	C—H C—H	H	CF3 CF3	H H	H H	H H	H H	cyclo-PrCH2CO 1 CH3SCH2CO 1
5-210	C—CI	C—H	C—CI	С—Н	Н	CF3	H	Н	Н	Н	CH3S(O)CH2CO 1
5-210	C—CI	С—Н	C—CI	C—H	Н	CF3	Н	Н	Н	Н	CH3SO2CH2CO 1
5-212	C—CI	C—Cl	C—Cl	С—Н	Н	CF3	Н	Н	Н	Н	n-PrCO 1
5-213	C—C1	C—Cl	C—Cl	С—Н	Η	CF3	H	Η	Η	H	cyclo-PrCH2CO 1
5-214	C—C1	C—Cl	C—Cl	С—Н	Η	CF3	H	Η	Η	H	CH3SCH2CO 1
5-215	C—C1	C—Cl	C—Cl	С—Н	Η	CF3	Η	Η	Η	Η	CH3S(O)CH2CO 1
5-216	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	H	Η	Η	Η	CH3SO2CH2CO 1
5-217	C—CF3	С—Н	C—CF3		H	CF3	H	H	Н	H	n-PrCO 1
5-218	C—CF3	С—Н С—Н	C—CF3		H	CF3	H H	H H	H H	H H	cyclo-PrCH2CO 1
5-219 5-220	C—CF3 C—CF3	С—н	C—CF3 C—CF3		Н	CF3 CF3	Н	Н	Н	Н	CH3SCH2CO 1 CH3S(O)CH2CO 1
5-221	C—CF3	C—H	C—CF3		Н	CF3	Н	Н	Н	H	CH3SO2CH2CO 1
5-222	C—Cl	C—Cl	C—CF3		Н	CF3	H	Н	Н	Н	n-PrCO 1
5-223	C—CI	C—Cl	C—CF3		H	CF3	H	Н	Н	H	cyclo-PrCH2CO 1
5-224	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	H	$_{\mathrm{H}}$	Η	Η	CH3SCH2CO 1
5-225	C—Cl	C—Cl	C—CF3		Η	CF3	H	Η	Η	Η	CH3S(O)CH2CO 1
5-226	C—Cl	C—Cl	C—CF3		Η	CF3	Η	Η	Η	Η	CH3SO2CH2CO 1
5-227	C—Cl	С—Н	C—Cl	С—Н	H	CF3	CH3	Н	H	H	n-PrCO 1
5-228 5-229	C—CI	С—Н	C—Cl	С—Н	Н	CF3	CH3	Н	H	H	cyclo-PrCH2CO 1
5-229 5-230	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	CH3 CH3	H H	H H	H H	CH3SCH2CO 1 CH3S(O)CH2CO 1
5-231	C—CI	C—H	C—Cl	С—Н	Н	CF3	CH3	Н	H	H	CH3SO2CH2CO 1
5-232	C—CI	C—Cl	C—CI	C—H	H	CF3	CH3	H	Н	Н	n-PrCO 1
5-233	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	СНЗ	Н	Н	H	cyclo-PrCH2CO 1
5-234	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	CH3	Η	H	H	CH3SCH2CO 1
5-235	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CH3	H	Η	H	CH3S(O)CH2CO 1
5-236	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CH3	Η	Η	Η	CH3SO2CH2CO 1
5-237	C—CF3	С—Н	C—CF3		Η	CF3	CH3	Η	Н	Н	n-PrCO 1
5-238	C—CF3	С—Н	C—CF3		H	CF3	CH3	H	H	H	cyclo-PrCH2CO 1
5-239	C—CF3	С—Н	C—CF3		Н	CF3	CH3	Н	H	H	CH3SCH2CO 1
5-240	C—CF3	С—Н	C—CF3		Н	CF3	CH3	Н	H	Н	CH3S(O)CH2CO 1
5-241	C—CF3	C—H	C—CF3		Н	CF3	CH3	Н	Н	H	CH3SO2CH2CO 1
5-242	C—Cl C—Cl	C—Cl	C—CF3		Н	CF3	CH3	Н	Н	Н	n-PrCO 1
5-243		C—Cl	C—CF3		Н	CF3	CH3	Н	Н	Н	cyclo-PrCH2CO 1
5-244 5-245	C—Cl C—Cl	C—Cl C—Cl	C—CF3 C—CF3		H H	CF3 CF3	CH3 CH3	H H	H H	H H	CH3SCH2CO 1 CH3S(O)CH2CO 1
3-243	C—CI	C—CI	C—Cr3	С—п	п	Crs	СПЭ	п	п	п	Ch35(O)Ch2CO I

TABLE 5-continued

$ \begin{array}{cccccccccccccccccccccccccccccccccccc$

								K	R ⁴	. R		
ExNo.	B^1	B^2	B^3	B^4	X^1	R	Y	\mathbb{R}^3	R^4	R^5	R^6 1	_
5-246	C—Cl	C—Cl	C—CF3		Η	CF3	СНЗ	Η	Η	Η	CH3SO2CH2CO 1	
5-247	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	Cl	Н	Н	Н	n-PrCO 1	
5-248 5-249	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	С—Н	H H	CF3 CF3	Cl Cl	H H	H H	H H	cyclo-PrCH2CO 1 CH3SCH2CO 1	
5-250	C—CI	C—H	C—CI	C—H	Н	CF3	Cl	H	Н	H	CH3S(O)CH2CO 1	
5-251	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	Cl	H	H	H	CH3SO2CH2CO 1	
5-252	C—C1	C—Cl	C—Cl	С—Н	Η	CF3	Cl	Η	Η	Η	n-PrCO 1	
5-253	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	Cl	Η	Η	H	cyclo-PrCH2CO 1	
5-254	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	Cl	Н	Н	H	CH3SCH2CO 1	
5-255 5-256	C—Cl C—Cl	C—Cl	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	Cl Cl	H H	H H	H H	CH3S(O)CH2CO 1 CH3SO2CH2CO 1	
5-257	C—CF3	C—H	C—CF3		Н	CF3	Cl	H	Н	H	n-PrCO 1	
5-258	C—CF3	С—Н	C—CF3		Η	CF3	Cl	Н	Н	H	cyclo-PrCH2CO 1	
5-259	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	Cl	Η	Η	H	CH3SCH2CO 1	
5-260	C—CF3	С—Н	C—CF3		Η	CF3	Cl	Η	Η	Η	CH3S(O)CH2CO 1	
5-261	C—CF3	С—Н	C—CF3		Н	CF3	Cl	H	Н	Н	CH3SO2CH2CO 1	
5-262 5-263	C—Cl C—Cl	C—Cl C—Cl	C—CF3 C—CF3		H H	CF3 CF3	Cl Cl	H H	H H	H H	n-PrCO 1 cyclo-PrCH2CO 1	
5-264	C—CI	C—Cl	C—CF3		Н	CF3	Cl	Н	Н	Н	cyclo-PrCH2CO 1 CH3SCH2CO 1	
5-265	C—CI	C—Cl	C—CF3		Н	CF3	Cl	Н	Н	Н	CH3S(O)CH2CO 1	
5-266	C—CI	C—Cl	C—CF3		Н	CF3	Cl	Н	Н	Н	CH3SO2CH2CO 1	
5-267	C—C1	С—Н	C—Cl	С—Н	Η	CF3	Br	Η	Η	Η	CH3CO 1	
5-268	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	Br	Η	Η	Η	CH3CH2CO 1	
5-269	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	Br	Н	Н	H	n-PrCO 1	
5-270	C—CI	С—Н	C—Cl	C—H	Н	CF3	Br	Н	H	H	cyclo-PrCO 1	
5-271 5-272	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	С—Н С—Н	H H	CF3 CF3	Br Br	H H	H H	H H	cyclo-PrCH2CO 1 CF3CH2CO 1	
5-272	C—CI	C—H	C—CI	C—H	Н	CF3	Br	H	Н	H	CH3SCH2CO 1	
5-274	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	Br	Н	Н	Н	CH3S(O)CH2CO 1	
5-275	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	$_{\mathrm{Br}}$	Η	Η	Η	CH3SO2CH2CO 1	
5-276	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	$_{\mathrm{Br}}$	Η	Η	Η	CH3CH2NHCO 1	
5-277	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	Br	Н	Н	H	CH3CO 1	
5-278	C—C1 C—C1	C—Cl	C—Cl	С—Н	Н	CF3	Br	Н	H	Н	CH3CH2CO 1	
5-279 5-280	C—CI	C—Cl C—Cl	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	Br Br	H H	H H	H H	n-PrCO 1 cyclo-PrCO 1	
5-281	C—CI	C—Cl	C—Cl	C—H	Н	CF3	Br	Н	Н	Н	cyclo-PrCH2CO 1	
5-282	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	Br	Н	H	H	CF3CH2CO 1	
5-283	C—C1	C—Cl	C—C1	С—Н	Η	CF3	$_{\mathrm{Br}}$	Η	Η	Η	CH3SCH2CO 1	
5-284	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	Br	Η	Η	Η	CH3S(O)CH2CO 1	
5-285	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	Br	H	H	H	CH3SO2CH2CO 1	
5-286 5-287	C—Cl C—CF3	C—Cl C—H	C—Cl C—CF3	С—Н	H H	CF3 CF3	Br Br	H H	H H	H H	CH3CH2NHCO 1 CH3CO 1	
5-288	C—CF3	С—н	C—CF3		Н	CF3	Br	Н	Н	Н	CH3CH2CO 1	
5-289	C—CF3	С—Н	C—CF3		Н	CF3	Br	H	H	H	n-PrCO 1	
5-290	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	Br	Η	Η	Η	cyclo-PrCO 1	
5-291	C—CF3	С—Н	C—CF3		Η	CF3	$_{\mathrm{Br}}$	Η	Η	Η	cyclo-PrCH2CO 1	
5-292	C—CF3	С—Н	C—CF3		Н	CF3	Br	H	H	H	CF3CH2CO 1	
5-293 5-294	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	Br Br	H H	H H	H H	CH3SCH2CO 1 CH3S(O)CH2CO 1	
5-29 4 5-295	C—CF3	С—н	C—CF3		Н	CF3	Br	Н	Н	Н	CH3SO2CH2CO 1	
5-296	C—CF3	С—Н	C—CF3		H	CF3	Br	H	H	H	CH3CH2NHCO 1	
5-297	C—CI	C—Cl	C—CF3		Η	CF3	$_{\mathrm{Br}}$	Η	Η	H	CH3CO 1	
5-298	C—Cl	C—Cl	C—CF3		Η	CF3	$_{\mathrm{Br}}$	Η	Η	Η	CH3CH2CO 1	
5-299	C—Cl	C—Cl	C—CF3		Н	CF3	Br	Н	Н	H	n-PrCO 1	
5-300	C—CI	C—Cl	C—CF3		Н	CF3	Br D.	Н	Н	Н	cyclo-PrCO 1	
5-301 5-302	C—Cl C—Cl	C—Cl C—Cl	C—CF3 C—CF3		H H	CF3 CF3	Br Br	H H	H H	H H	cyclo-PrCH2CO 1 CF3CH2CO 1	
5-302	C—CI	C—Cl	C—CF3		Н	CF3	Br	Н	Н	Н	CH3SCH2CO 1	
5-304	C—CI	C—Cl	C—CF3		Н	CF3	Br	Н	Н	Н	CH3S(O)CH2CO 1	
5-305	C—Cl	C—Cl	C—CF3		Η	CF3	Br	Η	Н	Н	CH3SO2CH2CO 1	
5-306	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	$_{\mathrm{Br}}$	Η	Η	Η	CH3CH2NHCO 1	
5-307	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	Η	Н	H	CH3CH2OCH2CO 1	
5-308	C—C1	С—Н	C—Cl	С—Н	Η	CF3	CF3	Η	Η	Η	CH3OCH2CH2CO 1	
5-309	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	Η	Η	Η	CH3CH2OCH2CH2CO 1	
5-310	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	Η	Н	Н	CH3S(O)CH2CO 1	

TABLE 5-continued

$ \begin{array}{c} X^1 \\ B^1 \\ B^2 \\ B^3 \end{array} $ $ B^4 \\ $	$ \begin{array}{c} $
	R^3 R^4 R^6

									R.	•	
ExNo.	B^1	B^2	B^3	B^4	\mathbf{X}^{1}	R	Y	\mathbb{R}^3	R^4	\mathbb{R}^5	R ⁶ 1
5-311	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CF3	Н	Η	Н	CH3SO2CH2CO 1
5-312	C—Cl	С—Н	C—Br	С—Н	Η	CF3	CF3	Η	Η	Η	CH3CO 1
5-313	C—Cl	С—Н	C—Br	С—Н	Η	CF3	CF3	Η	Η	Η	CH3CH2CO 1
5-314	C—Cl	С—Н	C—Br	C—H	Н	CF3	CF3	Н	Н	H	n-PrCO 1
5-315 5-316	C—Cl C—Cl	С—Н С—Н	C—Br C—Br	C—H C—H	H H	CF3 CF3	CF3 CF3	H H	H H	H H	cyclo-PrCO 1 cyclo-PrCH2CO 1
5-310	C—Cl	С—н	C—Br	С—Н	Н	CF3	CF3	Н	Н	Н	cyclo-PrCH2CO 1 CF3CH2CO 1
5-318	C—CI	C—H	C—Br	C—H	Н	CF3	CF3	H	Н	H	CH3SCH2CO 1
5-319	C—Cl	С—Н	C—Br	С—Н	Η	CF3	CF3	Н	Η	H	CH3S(O)CH2CO 1
5-320	C—Cl	С—Н	C—Br	С—Н	Η	CF3	CF3	Η	Η	Η	CH3SO2CH2CO 1
5-321	C—Cl	С—Н	C—Br	С—Н	Η	CF3	CF3	Η	Η	Η	CH3CH2NHCOOCO 1
5-322	C—Br	С—Н	C—Br	С—Н	Н	CF3	CF3	Н	Н	H	CH3SCH2CO 1
5-323	C—Br	С—Н С—Н	C—Br	С—Н	H	CF3	CF3	H	H	Н	CH3S(O)CH2CO 1 CH3SO2CH2CO 1
5-324 5-325	C—Br C—Cl	С—п С—F	C—Br C—Cl	C—H C—H	H H	CF3 CF3	CF3 CF3	H H	H H	H H	CH3SO2CH2CO 1 CH3CO 1
5-326	C—CI	C—F	C—Cl	C—H	Н	CF3	CF3	H	Н	H	CH3CH2CO 1
5-327	C—CI	C—F	C—Cl	С—Н	Н	CF3	CF3	Н	Н	Н	n-PrCO 1
5-328	C—Cl	C—F	C—Cl	С—Н	Η	CF3	CF3	Η	Η	Η	cyclo-PrCO 1
5-329	C—Cl	C—F	C—Cl	С—Н	Η	CF3	CF3	Η	Η	Η	cyclo-PrCH2CO 1
5-330	C—CI	C—F	C—Cl	С—Н	Η	CF3	CF3	Η	Η	Н	CF3CH2CO 1
5-331	C—Cl	C—F	C—Cl	C—H C—H	Н	CF3	CF3	Н	H	Н	CH3SCH2CO 1
5-332 5-333	C—Cl C—Cl	C—F C—F	C—Cl C—Cl	С—Н	H H	CF3 CF3	CF3 CF3	H H	H H	H H	CH3S(O)CH2CO 1 CH3SO2CH2CO 1
5-334	C—CI	C—F	C—CI	С—Н	Н	CF3	CF3	Н	H	Н	CH3CH2NHCOOCO 1
5-335	C—CI	C—Cl	C—Cl	С—Н	Н	CF3	CF3	Н	Н	Н	n-PrCH2CO 1
5-336	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CF3	Н	Η	Н	cyclo-PrCH2CO 1
5-337	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CF3	Η	Η	Η	tert-BuCH2CO 1
5-338	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CF3	Η	Η	Η	CH3OCH2CH2CO 1
5-339	C—Cl	C—Cl	C—Cl	C—H	Н	CF3	CF3	Н	Н	H	CH3CH2OCH2CH2CO 1
5-340 5-341	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	CF3 CF3	H H	H H	H H	CH3SCH2CO 1 CH3S(O)CH2CO 1
5-341	C—Cl	C—CI	C—Cl	С—Н	Н	CF3	CF3	Н	Н	Н	CH3S(O)CH2CO 1 CH3SO2CH2CO 1
5-343	C—CI	C—Br	C—Cl	C—H	Н	CF3	CF3	Н	Н	Н	CH3CO 1
5-344	C—CI	C—Br	C—Cl	С—Н	Н	CF3	CF3	Н	Н	Н	CH3CH2CO 1
5-345	C—C1	C—Br	C—Cl	С—Н	Η	CF3	CF3	Η	Η	Η	n-PrCO 1
5-346	C—Cl	C—Br	C—Cl	С—Н	Η	CF3	CF3	Η	Η	Η	cyclo-PrCO 1
5-347	C—Cl	C—Br	C—Cl	С—Н	Η	CF3	CF3	Н	Н	H	cyclo-PrCH2CO 1
5-348 5-349	C—Cl C—Cl	C—Br C—Br	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	CF3 CF3	H H	H H	H H	CF3CH2CO 1 CH3SCH2CO 1
5-349	C—CI	C—Br	C—Cl	С—Н	Н	CF3	CF3	Н	Н	Н	CH3S(O)CH2CO 1
5-351	C—CI	C—Br	C—Cl	С—Н	H	CF3	CF3	H	H	H	CH3SO2CH2CO 1
5-352	C—Cl	C—Br	C—Cl	С—Н	Η	CF3	CF3	Η	Η	Η	CH3CH2NHCOOCO 1
5-353	C—Cl	C—Cl	C—Br	С—Н	Η	CF3	CF3	Η	Η	Η	CH3CO 1
5-354	C—Cl	C—Cl	C—Br	С—Н	Н	CF3	CF3	Н	Н	H	CH3CH2CO 1
5-355	C—Cl C—Cl	C—Cl	C—Br C—Br	С—Н	Н	CF3	CF3	Н	H	Н	n-PrCO 1
5-356 5-357	C—Cl	C—Cl C—Cl	C—Br	C—H C—H	H H	CF3 CF3	CF3 CF3	H H	H H	H H	cyclo-PrCO 1 cyclo-PrCH2CO 1
5-358	C—CI	C—Cl	C—Br	C—H	Н	CF3	CF3	H	Н	Н	CF3CH2CO 1
5-359	C—CI	C—Cl	C—Br	С—Н	Н	CF3	CF3	Н	Н	Н	CH3SCH2CO 1
5-360	C—Cl	C—Cl	C—Br	С—Н	Η	CF3	CF3	Η	Η	Η	CH3S(O)CH2CO 1
5-361	C—Cl	C—Cl	C—Br	С—Н	Η	CF3	CF3	Η	Η	Η	CH3SO2CH2CO 1
5-362	C—CI	C—Cl	C—Br	С—Н	Н	CF3	CF3	Н	H	H	CH3CH2NHCOOCO 1
5-363	C—Cl C—Cl	C—F	C—Cl	С—Н	F	CF3	CF3	H	H	Н	CH3CO 1
5-364 5-365	C—CI	C—F C—F	C—Cl C—Cl	C—H C—H	F F	CF3 CF3	CF3 CF3	H H	H H	H H	CH3CH2CO 1 n-PrCO 1
5-366	C—CI	C—F	C—Cl	C—H	F	CF3	CF3	Н	Н	Н	cyclo-PrCO 1
5-367	C—CI	C—F	C—Cl	С—Н	F	CF3	CF3	Н	Н	Н	cyclo-PrCH2CO 1
5-368	C—Cl	C—F	C—Cl	С—Н	F	CF3	CF3	Η	Η	Н	CF3CH2CO 1
5-369	C—Cl	C—F	C—Cl	С—Н	F	CF3	CF3	Η	Η	Η	CH3SCH2CO 1
5-370	C—Cl	C—F	C—Cl	С—Н	F	CF3	CF3	Η	Η	Н	CH3S(O)CH2CO 1
5-371	C—Cl	C—F	C—Cl	С—Н	F	CF3	CF3	Н	H	Н	CH3SO2CH2CO 1
5-372	C—Cl	C—F	C—Cl	С—Н	F	CF3	CF3	Н	H	Н	CH3CH2NHCOOCO 1
5-373	C—Cl	С—Н	C—CF3		Н	CF3	CF3	Н	H	Н	CH3CO 1
5-374 5-375	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	CF3 CF3	H H	H H	H H	CH3CH2CO 1 n-PrCO 1
3-313	C—CI	С—п	C—Cr3	С—п	11	CF3	CF3	п	11	п	11-11-0 1

TABLE 5-continued

X ¹ R		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	N S N R^5	
	\mathbb{R}^3 \mathbb{R}^4 \mathbb{R}^6	
B^4 X^1 R	Y R ³ R ⁴ R ⁵	R^6

									R4		
ExNo.	B^1	B^2	B^3	B^4	X^1	R	Y	\mathbb{R}^3	R^4	R^5	R ⁶ 1
5-376	C—C1	С—Н	C—CF3	С—Н	Н	CF3	CF3	Н	Η	Η	cyclo-PrCO 1
5-377	C—Cl	С—Н	C—CF3 C	С—Н	Η	CF3	CF3	Η	Η	Η	cyclo-PrCH2CO 1
5-378	C—Cl	С—Н	C—CF3 C	С—Н	Η	CF3	CF3	Η	Η	Η	CF3CH2CO 1
5-379	C—Cl	С—Н	C—CF3 C		Η	CF3	CF3	Η	Η	Η	CH3OCH2CH2CO 1
5-380	C—Cl	С—Н		С—Н	Н	CF3	CF3	Н	H	H	CH3CH2OCH2CH2CO 1
5-381	C—Cl	С—Н		С—Н	Н	CF3	CF3	Н	Н	Н	CH3SCH2CO 1
5-382	C—Cl	С—Н	C—CF3 C		Н	CF3	CF3	H	H	H	CH3S(O)CH2CO 1
5-383 5-384	C—Cl C—Cl	C—H		C—H C—H	H H	CF3 CF3	CF3 CF3	H H	H H	H H	CH3SO2CH2CO 1 CH3CH2NHCOOCO 1
5-385	C—Cl	C—H	C—CF3 (Н	CF3	CF3	Н	Н	H	CH3OCH2CH2CO 1
5-386	C—Cl	С—Н		С—Н	Н	CF3	CF3	Н	Н	H	CH3CH2OCH2CH2CO 1
5-387	C—CF3	С—Н		С—Н	H	CF3	CF3	H	H	H	CH3SCH2CO 1
5-388	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	CF3	Η	Η	Η	CH3S(O)CH2CO 1
5-389	C—CF3	С—Н	C—CF3 C	С—Н	Η	CF3	CF3	Η	Η	Η	CH3SO2CH2CO 1
5-390	C—Cl	C—Cl		С—Н	Η	CF3	CF3	Η	Η	Η	CH3SCH2CO 1
5-391	C—Cl	C—Cl	C—CF3 C		Η	CF3	CF3	Η	Η	Η	CH3S(O)CH2CO 1
5-392	C—Cl	C—Cl		С—Н	Η	CF3	CF3	Η	Η	Η	CH3SO2CH2CO 1
5-393	C—Cl	N		С—Н	Н	CF3	CF3	H	Н	H	CH3CO 1
5-394	C—Cl	N		С—Н	Н	CF3	CF3	Н	H	H	CH3CH2CO 1
5-395 5-396	C—CI C—CI	N N		C—H C—H	H H	CF3 CF3	CF3 CF3	H H	H H	H H	n-PrCO 1 cyclo-PrCO 1
5-390	C—CI	N		С—Н	Н	CF3	CF3	Н	Н	Н	cyclo-PrCH2CO 1
5-398	C—CI	N		С—Н	Н	CF3	CF3	Н	Н	Н	CF3CH2CO 1
5-399	C—Cl	N		С—Н	Н	CF3	CF3	Н	Н	Н	CH3SCH2CO 1
5-400	C—Cl	N		С—Н	Н	CF3	CF3	Н	Н	Н	CH3S(O)CH2CO 1
5-401	C—Cl	N	C—Cl (С—Н	Η	CF3	CF3	Η	Η	Η	CH3SO2CH2CO 1
5-402	C-Cl	N	C—Cl (С—Н	Η	CF3	CF3	Η	Η	Η	CH3CH2NHCOOCO 1
5-403	C—CF3	N	С—Н	С—Н	Η	CF3	CF3	Η	Η	Η	CH3CO 1
5-404	C—CF3	N	С—Н	С—Н	Η	CF3	CF3	Η	Η	Η	CH3CH2CO 1
5-405	C—CF3	N	С—Н С	С—Н	Η	CF3	CF3	Η	Η	Η	n-PrCO 1
5-406	C—CF3	N	С—Н С	С—Н	Η	CF3	CF3	Η	Η	Η	cyclo-PrCO 1
5-407	C—CF3	N	С—Н С	С—Н	Η	CF3	CF3	Η	Η	Η	cyclo-PrCH2CO 1
5-408	C—CF3	N	С—Н (С—Н	Η	CF3	CF3	Η	Η	Η	CF3CH2CO 1
5-409	C—CF3	N	С—Н (С—Н	Η	CF3	CF3	Η	Η	Η	CH3SCH2CO 1
5-410	C—CF3	N	С—Н С	С—Н	Η	CF3	CF3	Η	Η	Η	CH3S(O)CH2CO 1
5-411	C—CF3	N		С—Н	Η	CF3	CF3	Η	Η	Η	CH3SO2CH2CO 1
5-412	C—CF3	N		С—Н	Η	CF3	CF3	Η	Η	Η	CH3CH2NHCOOCO 1
5-413	C—CF3	N		С—Н	Η	CF3	CF3	Η	Η	Η	CH3CO 1
5-414	C—CF3	N	C—CF3 C		Η	CF3	CF3	Η	Η	Η	CH3CH2CO 1
5-415	C—CF3	N		С—Н	Η	CF3	CF3	Η	Η	Η	n-PrCO 1
5-416	C—CF3	N		С—Н	Η	CF3	CF3	Η	Η	Η	cyclo-PrCO 1
5-417	C—CF3	N	C—CF3		Η	CF3	CF3	Η	Η	Η	cyclo-PrCH2CO 1
5-418	C—CF3	N	C—CF3 C		Η	CF3	CF3	Η	Η	Η	CF3CH2CO 1
5-419	C—CF3	N	C—CF3 C		Н	CF3	CF3	Н	Н	Н	CH3SCH2CO 1
5-420	C—CF3	N		C—H	H	CF3	CF3	Н	Н	H	CH3S(O)CH2CO 1
5-421	C—CF3	N		С—Н	Н	CF3	CF3	Н	Н	Н	CH3SO2CH2CO 1
5-422	C—CF3	N	C—CF3 C		Н	CF3	CF3	Н	Н	H	CH3CH2NHCOOCO 1
5-423	C—CF3	С—Н	C—CF3	N	H	CF3	CF3	Н	H	H	CH3CO 1
5-424	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	Н	Н	H	CH3CH2CO 1
5-425 5-426	C—CF3 C—CF3	C—H	C—CF3 C—CF3	N N	H H	CF3 CF3	CF3 CF3	H H	H H	H H	n-PrCO 1 cvclo-PrCO 1
5-427	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	Н	Н	Н	-y
5-427 5-428	C—CF3	С—п	C—CF3	N	Н	CF3	CF3	Н	Н	Н	cyclo-PrCH2CO 1 CF3CH2CO 1
5-428 5-429	C—CF3	С—Н	C—CF3		Н	CF3	CF3	Н	Н	Н	CH3SCH2CO 1
5-429 5-430	C—CF3	С—Н	C—CF3	N N	Н	CF3	CF3	Н	Н	Н	CH3S(O)CH2CO 1
5-431	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	Н	Н	Н	CH3SO2CH2CO 1
5-432	C—CF3	С—Н	C—CF3	N	Н	CF3	CF3	Н	Н	Н	CH3CH2NHCOOCO 1
5-433	C—CF3	С—Н	C—CF3 (Н	CF3	CF3	Н	Н	Н	cyclo-PrCH2CO 1
5-434	C—CF3	C—H	C—CF3 C		Н	CF3	CF3	Н	Н	Н	tert-BuCH2CO 1
5-435	C—CI	C—H		C—H	Н	CF3	Cl	Н	Н	Н	CH3SCO 1
5-436	C—Cl	C—H	C—Cl (Н	CF3	CH3	Н	Н	Н	CH3SCO 1
5-437	C—Cl	С—Н	C—Cl (Н	CF3	CF3	Н	Н	Н	CH3SCO 1
	- 0.	- 11	- 0. (-10				1

TABLE 6

			X ¹	\mathbb{R}	\]			
		B B	$\begin{bmatrix} 1 \\ 2 \\ B^3 \end{bmatrix}$	34	1	N T		T ^w	71
			Б				/	N	
ExNo.	B^1	B^2	B^3	B^4	X^1	R	\mathbf{W}^1	R ⁵	R ⁶
6-1 6-2 6-3 6-4 6-5 6-6 6-7 6-8 6-9 6-10 6-11 6-12 6-13 6-14 6-15 6-16 6-17 6-18 6-19 6-20 6-21 6-22 6-23 6-24 6-25	C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H	C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H	H H H H H H H H H H	CF3		H H H H H H H H H H H H H H	H HCO CH3CO CH3CH2CO n-PrCO iso-PrCO cyclo-PrCO n-BuCO tert-BuCO cyclo-BuCO (CH3)3CCH2CO cyclo-PrCCO cyclo-PrCO cyclo-PrCO cyclo-PrCO CF3CO CCIGCO CICH2CO CF2CICO CICH2CO CF3CH2CO CF3CH2CO CF3CH2CO CICH2CO CF3CH2CO CICH2CO CICH2CO CICH2CO CF3CH2CO CICH2CO CF3CH2CO CICF3CCO CICF3CCO CICH2CO CICF3CCO CICH2CO CICF3CH2CO CF3CH2CO CICH2CO CICH2CO CICH2CO CICH2CO
6-26	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	_	Н	H ₃ C CO
6-27	C—Cl	С—Н	C—CI	С—Н	Н	CF3	_	Н	Cl
6-28	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	_	Н	FCO
6-29	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	_	Н	F——CO
6-30	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	_	Н	H ₃ C CO
6-31	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	_	Н	CN——CO
6-32 6-33 6-34 6-35 6-36 6-37 6-38 6-39 6-40 6-41 6-42 6-43 6-44 6-45 6-46 6-47 6-48	C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H C—H C—H C—H C—H C—H C—H C—H	C-CI C-CI C-CI C-CI C-CI C-CI C-CI C-CI	C—H C—H C—H C—H C—H C—H C—H C—H C—H C—H	H H H H H H H H H H	CF3		H H H H H H H H H H H H H H	CH2=CH—CO CH3CH=CH—CO CH3CH=C(CH3)—CO CH3CH=C(CH3)—CO (CH3)2C=CH—CO CH2=C(CH)—CO CH2=C(CH3)—CO CH2=CCH3—CO CH3CC—CONH NCCH2—CO CH3CCH2—CO CH3CH2—CO CH3CH2—CO CH3CCH2—CO CH3CCH2—CO CH3CCH2—CO CH3CCH2—CO CH3CCH2—CO CH3CCH2—CO CH3CCH2—CO CH3CCO)CH2—CO CH3CCO)CH2—CO CH3CCO)CCH2—CO CH3CCO)CCH2—CO

TABLE 6-continued

			X^1	\mathbb{R}	\]			
		В В	1 P	14	1	N Y	<u></u>	_W	71
			2 B3 E			Ĺ	/	_	
							F	\25 ∕ N	Γ_{R^6}
ExNo.	B ¹	B^2	B^3	B^4	X^1	R	\mathbf{W}^1	R^5	R ⁶
6-49 6-50 6-51 6-52 6-53 6-54 6-55 6-56	C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H C—H C—H C—H C—H C—H C—H	C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H C—H C—H C—H C—H C—H	H H H H H H	CF3 CF3 CF3 CF3 CF3 CF3 CF3 CF3		H H H H H H	CF3O(CO)—CO CH3(CO)CH2—CO (CH3)2NCH2—CO PhCCO PhCH2CO 2-py-CO 3-py-CO 4-py-CO
6-57	C—CI	С—Н	C—CI	С—Н	Н	CF3	_	Н	CICO
6-58 6-59 6-60 6-61 6-62 6-63 6-64 6-65 6-66	C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl	C—H C—H C—H C—H C—H C—H C—H	C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl	C—H C—H C—H C—H C—H C—H C—H	H H H H H H H	CF3 CF3 CF3 CF3 CF3 CF3 CF3 CF3 CF3		H H H H H H H	2-F—PhCO 3-F—PhCO 4-F—PhCO 2-Cl—PhCO 3-Cl—PhCO 4-Cl—PhCO 2-Br-PhCO 2-CF3—PhCO 2-CF3—PhCO
6-67	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	_	Н	Co
6-68	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	_	Н	CO
6-69	C—Cl	С—Н	C—CI	С—Н	Н	CF3	_	Н	$_{\rm s}$
6-70	C—Cl	С—Н	C—CI	С—Н	Н	CF3	_	Н	\sqrt{N} co
6-71	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	_	Н	F_3C CO
6-72	C—CI	С—Н	C—Cl	С—Н	Н	CF3	_	Н	CF_3
6-73	C—Cl	С—Н	C—CI	С—Н	Н	CF3	_	Н	CO
6-74	C—CI	С—Н	C—CI	С—Н	Н	CF3	_	Н	
6-75	C—CI	С—Н	C—Cl	С—Н	Η	CF3	_	Н	СН3NНСО

261

TABLE 6-continued

			$\int_{1}^{X_1}$	R 🗸	\]			
		B		\wedge	1	N		V	V ¹
		В	2 B3 E	5 ⁴		Ĺ	/		
							ī	₂₅ /1	N _ R ⁶
ExNo.	B^1	B^2	B^3	B^4	X^1	R	W^1	R ⁵	$ m R^6$
6-76 6-77 6-78 6-79 6-80 6-81 6-82 6-83 6-84 6-85 6-86 6-87 6-88 6-88 6-89 6-90 6-91 6-93 6-94 6-95	C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H	C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H	H H H H H H H H H H	CF3		H H H H H H H H H H	CH3CH2NHCO CF3CH2NHCO n-PrNHCO iso-PrNHCO cyclo-PrNHCO n-BuNHCO tert-BuNHCO cyclo-BuNHCO cyclo-BuNHCO cyclo-HexNHCO cyclo-HexNHCO cyclo-HexNHCO CH2—CHCH2NHCO HCCCH2NHCO CF3(CH3)/CHNHCO CF3(CH3)/CHNHCO CF3(CH3)/CHNHCO CF3CH2CH2NHCO HCF2CF2CH2NHCO CF3CH2CH2NHCO
6-96	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	_	Н	F——NHCO
6-97	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	_	Н	CF ₃ NHCO
6-98 6-99 6-100 6-101 6-102 6-103 6-104	C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl	C—H C—H C—H C—H C—H C—H	C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl	C—H C—H C—H C—H C—H C—H	H H H H H	CF3 CF3 CF3 CF3 CF3 CF3 CF3		H H H H H	EtO2CCH2NHCO 2-CF3—PhNHCO 3-CF3—PhNHCO 4-CF3—PhNHCO 2-py-NHCO 3-py-NHCO 4-py-NHCO
6-105	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	_	Н	$F_3C - $
6-106	C—Cl	С—Н	C—CI	С—Н	Н	CF3	_	Н	$F_3C - $
6-107	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	_	Н	PhCH2HNCO
6-108	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	_	Н	NHCO
6-109 6-100 6-111 6-112 6-113 6-114 6-115 6-116 6-117 6-118	C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H C—H C—H C—H C—H C—H C—H C—H	C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl	C—H C—H C—H C—H C—H C—H C—H C—H	H H H H H H H	CF3 CF3 CF3 CF3 CF3 CF3 CF3 CF3 CF3		H H H H H H H H H	(CH3)2NCO pyrrolidineCO piperidineCO morpholineCO CH3OCO CH3CH2OCO n-PrOCO cyclo-PrOCO CF3CH2OCO CH2—CHCH2OCO

TABLE 6-continued

			X ¹	R	_	1			
		B B		14	!	N		V V	X1
			B3 E			Į.	/		
							F	₂₅ / ^N	R^6
ExNo.	B^1	B^2	B^3	B^4	X^1	R	\mathbf{W}^1	R^5	R^6
6-119 6-120 6-121 6-122 6-123 6-124 6-125 6-126 6-127 6-128 6-129 6-130 6-131 6-132 6-133 6-134 6-135 6-136 6-137 6-138 6-137 6-138 6-139 6-140 6-141 6-142 6-143 6-144 6-145 6-146 6-147 6-148 6-149 6-150 6-151 6-152 6-153 6-154 6-155 6-156 6-157 6-158	0 0	С—Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н Н		C—H	нннннннннннннннннннннннннннннннннннннн	CF3		нннннннннннннннннннннннннннннннннннннн	HCCCH2OCO PhOCO CH38O2 CH3CH2SO2 CF3SO2NH CF3CH2SO2 PhSO2 CH3NHCONHSO2 CH3CS CH3CH2CS CH3CH2CS CH3CH2CS CH3CH2CS H HCO CH3CO CH3CO CH3CH2CO n-PrCO iso-PrCO cyclo-PrCO n-BuCO tert-BuCO iso-BuCO CCH3CH2CO cyclo-PrCO cyclo-PrCO cyclo-PrCO cyclo-PrCO cyclo-PrCO CCH3CH2CO CCH3CH2CO CCH3CH2CO CCH2CO CCH2CO CCH2CO CCH2CO CCH2CO CCH2CO CCF3CH2CO CCCCC CCCCC CCCCC CCCCC CCCCCC CCCCC CCCC
									H ₃ C CO
6-160	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CH2	Н	CICO
6-161	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CH2	Н	FCO
6-162	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CH2	Н	F——CO
6-163	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CH2	Н	H ₃ C CO
6-164	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CH2	Н	CN——CO
6-165 6-166	C—Cl C—Cl	С—Н С—Н	C—Cl		H H	CF3 CF3	CH2 CH2	H H	СН2—СН—СО СН3СН—СН—СО

265

TABLE 6-continued

			X^1	\mathbb{R}	\]			
		B B	1 2 B3 E	34	1	V		, w.	1
			B_3			ľ	/	\backslash	
							F	5-N	$\sim_{\mathbb{R}^6}$
ExNo.	B^1	B^2	B ³	B^4	X^1	R	W^1	R ⁵	R ⁶
6-167 6-168 6-169 6-170 6-171 6-172 6-173 6-174 6-175 6-176 6-177 6-180 6-180 6-181 6-182 6-183 6-184 6-185 6-186 6-187	C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—CI	С—Н С—Н С—Н С—Н С—Н С—Н С—Н С—Н С—Н С—Н		C—H	H H H H H H H H H H H H H H	CF3	CH2	н н н н н н н н н н н н н н н н н н н	CH2=C(CH3)—CO CH3CH=C(CH3)—CO (CH3)2C=CH—CO CH2=C(CI)—CO CICH—C(CH3)—CO CH2=CHCH2—CO HCC—CO CH3CC—CONH NCCH2—CO CH3OCH2CO CH3O(CO)CH2—CO CH3(CO)OCH2—CO CH3(CO)OCH2—CO CH3(CO)CH2—CO CH3(CO)CH3(CO)CH2—CO CH3(CO)CH3
6-190	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CH2	Н	CI—CO
6-191 6-192 6-193 6-194 6-195 6-196 6-197 6-198 6-199	C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl	C—H C—H C—H C—H C—H C—H C—H	C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl	C—H C—H C—H C—H C—H C—H C—H	H H H H H H H	CF3 CF3 CF3 CF3 CF3 CF3 CF3 CF3	CH2 CH2 CH2 CH2 CH2 CH2 CH2 CH2	H H H H H H H	N=-/ 2-F—PhCO 3-F—PhCO 4-F—PhCO 2-CI—PhCO 3-CI—PhCO 4-CI—PhCO 2-Br—PhCO 2-CF3—PhCO 2-CH3—PhCO
6-200	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CH2	Н	Co co
6-201	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CH2	Н	CO
6-202	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CH2	Н	$_{\rm s}$
6-203	C—Cl	С—Н	C—CI	С—Н	Н	CF3	CH2	Н	\sqrt{N}
6-204	C—CI	С—Н	C—Cl	С—Н	Н	CF3	CH2	Н	F_3C CO

TABLE 6-continued

X ¹ R													
	\mathbb{R}^{1} \mathbb{N} \mathbb{N} \mathbb{N}												
		В	B3 P	34		Į	/						
							F	₂₅ —]	$\stackrel{ }{\sim}_{\mathbb{R}^6}$				
ExNo.	B^1	B^2	B^3	B^4	X^1	R	\mathbf{W}^{1}	R^5	R ⁶				
6-205	C—CI	С—Н	C—Cl	С—Н	Н	CF3	CH2	Н	CF ₃				
6-206	C—CI	С—Н	C—Cl	С—Н	Н	CF3	СН2	Н	CO				
6-207	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CH2	Н	CO CH ₃				
6-208 6-209 6-210 6-211 6-212 6-213 6-214 6-215 6-216 6-219 6-220 6-221 6-222 6-223 6-224 6-226 6-227 6-228 6-229	C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—CI	C—H	C-CI C-CI C-CI C-CI C-CI C-CI C-CI C-CI	C—H	нининининининин и н	CF3	CH2	нининининининин и	CH3NHCO CH3CH2NHCO CF3CH2NHCO n-PrNHCO iso-PrNHCO cyclo-PrNHCO n-BuNHCO tert-BuNHCO cyclo-BuNHCO cyclo-HexNHCO CH2—CHCH2NHCO HCCCH2NHCO CYclo-PrH2NHCO CYclo-PrH2NHCO CYclo-PrCH2NHCO FG3(CH3)2CNCO FCH2CH2NHCO CF3(CH3)2CNCO FCH2CH2NHCO CF3CH2CH2NHCO HCF2CF2CH2NHCO				
6-231 6-232 6-233 6-234 6-235 6-236 6-237	C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl	C—H C—H C—H C—H C—H C—H	C—Cl C—Cl C—Cl C—Cl C—Cl C—Cl	C—H C—H C—H C—H C—H C—H	H H H H H	CF3 CF3 CF3 CF3 CF3 CF3 CF3	CH2 CH2 CH2 CH2 CH2 CH2 CH2	H H H H H	EtO2CCH2NHCO 2-CF3—PhNHCO 3-CF3—PhNHCO 4-CF3—PhNHCO 2-py-NHCO 3-py-NHCO 4-py-NHCO				
6-238	C—CI	С—Н	C—Cl	С—Н	Н	CF3	CH2	Н	$F_3C - $				
6-239	C—CI	С—Н	C—Cl	С—Н	Н	CF3	CH2	Н	F_3C NHCO				

TABLE 6-continued

TABLE 6 Continued											
$\mathbb{R}^{1} \xrightarrow{\mathbb{R}^{1}} \mathbb{R}$											
		F	$\begin{bmatrix} 1 \\ B^2 \end{bmatrix}$	3 ⁴		\mathcal{T}					
			В				/	_			
							Ŧ	₂₅ —1	N_R6		
ExNo.	B^1	B^2	B^3	B^4	X^1	R	W^1	R ⁵	R ⁶		
6-240	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	СН2	Н	PhCH2HNCO		
6-241	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CH2	Н	N		
									NHCO		
6-242 6-243	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	(CH3)2NCO pyrrolidineCO		
6-244 6-245	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	piperidineCO morpholineCO		
6-246 6-247	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	C—H	H H	CF3 CF3	CH2 CH2	H H	CH3OCO CH3CH2OCO		
6-248 6-249	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	n-PrOCO cyclo-PrOCO		
6-250 6-251	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	CF3CH2OCO CH2=CHCH2OCO		
6-252 6-253	C—Cl C—Cl	C—H C—H	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	HCCCH2OCO PhOCO		
6-254 6-255	C—CI C—CI	C—H C—H	C—CI C—CI	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	PhCH2OCO		
6-256	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CH2	Η	tert-BuOCO CH3SO2		
6-257 6-258	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	С—Н	H	CF3 CF3	CH2 CH2	H H	CH3CH2SO2 CF3SO2NH		
6-259 6-260	C—Cl C—Cl	С—Н С—Н	C—Cl	С—Н С—Н	H H	CF3 CF3	CH2 CH2	H H	CF3CH2SO2 PhSO2		
6-261 6-262	C—C1 C—C1	С—Н С—Н	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	CH3NHCONHSO2 (CH3)2NCONHSO2		
6-263 6-264	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	С—Н С—Н	H H	CF3 CF3	CH2 CH2	H H	CH3CS CH3CH2CS		
6-265 6-266	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	C—H	H H	CF3 CF3	CH2 CH2	H H	cyclo-PrCS CF3CH2CS		
6-267 6-268	C—C1 C—C1	C—Cl C—Cl	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	_	H H	CH3CO CH3CH2CO		
6-269 6-270	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	_	H H	cyclo-PrCO CF3CH2CO		
6-271 6-272	C—Cl C—CF3	C—Cl C—H	C—Cl C—CF3	С—Н	H H	CF3 CF3	_	H H	CH3CH2NHCO CH3CO		
6-273 6-274	C—CF3	С—Н	C—CF3	С—Н	H H	CF3 CF3	_	H	CH3CH2CO		
6-275	C—CF3 C—CF3	С—Н	C—CF3	С—Н	Η	CF3	_	Η	cyclo-PrCO CF3CH2CO		
6-276 6-277	C—CF3 C—Cl	C—H C—Cl	C—CF3	С—Н	H	CF3 CF3	_	H	CH3CH2NHCO CH3CO		
6-278 6-279	C—Cl	C—Cl	C—CF3 C—CF3	С—Н	H H	CF3 CF3	_	H H	CH3CH2CO cyclo-PrCO		
6-280 6-281	C—Cl C—Cl	C—Cl C—Cl	C—CF3 C—CF3		H H	CF3 CF3	_	H H	CF3CH2CO CH3CH2NHCO		
6-282 6-283	C—Br C—Br	C—H C—H	C—Br C—Br	C—H C—H	H H	CF3 CF3	_	H H	CH3CO CH3CH2CO		
6-284 6-285	C—Br C—Br	С—Н С—Н	C—Br C—Br	C—H C—H	H H	CF3 CF3	_	H H	cyclo-PrCO CF3CH2CO		
6-286 6-287	C—Br C—Cl	C—H C—Cl	C—Br C—Cl	C—H C—H	H H	CF3 CF3	— CH2	H H	CH3CH2NHCO CH3CO		
6-288	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CH2	Н	CH3CH2CO		
6-289 6-290	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl	C—H	H H	CF3 CF3	CH2 CH2	H H	cyclo-PrCO CF3CH2CO		
6-291 6-292	C—Cl C—CF3	C—Cl C—H	C—Cl C—CF3	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	CH3CH2NHCO CH3CO		
6-293 6-294	C—CF3 C—CF3	C—H C—H	C—CF3 C—CF3	С—Н	H H	CF3 CF3	CH2 CH2	H H	CH3CH2CO cyclo-PrCO		
6-295	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	CH2	Η	CF3CH2CO		
6-296 6-297	C—CF3 C—Cl	C—Cl	C—CF3 C—CF3	С—Н	H H	CF3 CF3	CH2 CH2	H H	CH3CH2NHCO CH3CO		
6-298 6-299	C—Cl C—Cl	C—Cl	C—CF3 C—CF3		H H	CF3 CF3	CH2 CH2	H H	CH3CH2CO cyclo-PrCO		
									-		

TABLE 6-continued

EX.NO. B ¹ B ² B ³ B ⁴ X ¹ R W ¹ R ⁵ R ⁶ 6-300 C—Cl C—Cl C—CF3 C—H H CF3 CH2 H CF3CH2CO 6-301 C—Cl C—Cl C—GF3 C—H H CF3 CH2 H CF3CH2CO 6-302 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-303 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-303 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-304 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-305 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-306 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-307 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-308 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-309 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-309 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-309 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-309 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-309 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-309 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-309 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-310 C—Cl C—H C—H C—H CF3 — H CF3CH2CO 6-3110 C—Cl C—H C—H C—H CF3 — H CH3CO)CH2CO 6-3110 C—Cl C—H C—H C—H CF3 — H CH3CO)CH2CO 6-3111 C—Cl C—H C—H C—H CF3 — H CH3CO)CH2CO 6-312 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-313 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-314 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-315 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-316 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-317 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-318 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-319 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-310 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-3110 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-3110 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-3120 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-3131 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-319 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-310 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-310 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-310 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-310 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-3110 C—Cl C—H C—H F CF3 — H CH3CH2CO 6-3120 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-3130 C—Cl C—H C—H C—H F CF3 — H CH3CH2CO 6-3140 C—Cl C—H C—H F CF3 — H CH3CH2CO 6-3220 C—Cl C—H C—H C—H F CF3 — H CH3CH2CH2CO 6-3220 C—Cl C—H C—H C—H F CF3 — H CH3CH2CH2CO 6-3220 C—Cl C—H C—H C—H F CF3 — H CH3CH2CH2CO 6-3220 C—Cl C—H C—H C—H F CF3 — H CH3CH2CH2CO 6-3220 C—Cl C—H C—H C—			B		,4	!	I N		, w	71
Ex.No. B ¹ B ² B ³ B ⁴ X ¹ R W ¹ R ² R ⁶ 6-300 C—C1 C—C1 C—C7 C—H H C73 CH2 H C73 CH2 CH3 6-301 C—C1 C—H C—H C—H H C73 CH2 H C43 CH3 CH3 6-302 C—C1 C—H C—H C—H H C73 — H C43 CH3 6-303 C—C1 C—H C—H C—H H C73 — H C43 CH3 6-304 C—C1 C—H C—H C—H C—H H C73 — H C43 CH3 6-305 C—C1 C—H C—H C—H C—H H C73 — H C43 CH3 6-306 C—C1 C—H C—H C—H H C73 — H C43 CH3 6-307 C—C1 C—H C—H C—H H C73 — H C74 CH3 6-308 C—C1 C—H C—H C—H H C73 — H C74 CH3 6-309 C—C1 C—H C—H C—H H C73 — H C74 CH3 6-309 C—C1 C—H C—H C—H H C73 — H C43 CH3 6-310 C—C1 C—H C—H C—H C—H C73 — H C43 CH3 6-310 C—C1 C—H C—H C—H C74 C—H C74 C—H C74 CH3 6-311 C—C1 C—H C—H C—H C75 — H C43 CH3 6-312 C—C1 C—H C—H C—H C75 — H C43 CH3 6-313 C—C1 C—H C—H C—H C75 — H C43 CH3 6-314 C—C1 C—H C—H C—H C75 — H C43 CH3 6-315 C—C1 C—H C—H C—H C75 — H C43 CH3 6-316 C—C1 C—H C—H C—H C75 — H C43 CH3 6-317 C—C C—H C—H C—H C75 — H C75 — H C75 CH3 6-318 C—C1 C—H C—H C—H C75 — H C75 — H C75 CH3 6-319 C—C1 C—H C—H C—H C75 — H C75 — H C75 CH3 6-318 C—C1 C—H C—H C—H C75 — H C75 — H C75 CH3 6-319 C—C1 C—H C—H C—H C75 — H C75 CH3 6-319 C—C1 C—H C—H C—H C75 — H C75 CH3 6-319 C—C1 C—H C—H C—H C75 — H C75 CH3 6-310 C—C1 C—H C—H C—H C75 — H C75 CH3 6-311 C—C1 C—H C—H C—H C75 — H C75 CH3 6-312 C—C1 C—H C—H C—H C75 — H C75 CH3 6-313 C—C1 C—H C—H C—H C75 — H C75 CH3 6-314 C—C1 C—H C—H C—H C75 — H C75 CH3 6-315 C—C1 C—H C—H C—H C75 — H C75 CH3 6-316 C—C1 C—H C—H C—H C75 — H C75 CH3 6-317 C—C1 C—H C—H C—H C75 — H C75 CH3 6-318 C—C1 C—H C—H C—H C—H C75 — H C75 CH3 6-319 C—C1 C—H C—H C—H C—H C75 — H C75 CH3 6-310 C—C1 C—H C—H C—H C75 — H C75 CH3 6-311 C—C1 C—H C—H C—H C75 — H C75 CH3 6-312 C—C1 C—H C—H C—H C—H C75 — H C75 CH3 6-313 C—C1 C—H C—H C—H C75 — H C75 CH3 6-314 C—C1 C—H C—H C—H C75 — H C75 — H C43 CH3 6-315 C—C1 C—H C—H C—H C75 — H C75 — H C43 CH3 6-316 C—C1 C—H C—H C—H C75 — H C75 — H C43 CH3 6-317 C—C1 C—H C—H C—H C75 — H C43 CH3 6-318 C—C1 C—H C—H C—H C75 — H C75 — H C43 CH3 6-319 C—C1 C—H C—H C—H C75 — H C75 — H C75 CH3 6-310 C—C1 C—H C—			D	- B3	,		Ĺ	/		
6-300								F	1 25 ~ N	R_6
6-301	ExNo.	B^1	B^2	B^3	B^4	X^1	R	\mathbf{W}^1	R ⁵	R^6
6-365 C—Cl C—Cl C—H H CF3 — H CH3SCH2CO	6-300 6-301 6-302 6-303 6-304 6-305 6-306 6-307 6-308 6-309 6-310 6-311 6-312 6-313 6-314 6-315 6-316 6-317 6-318 6-319 6-320 6-321 6-322 6-323 6-324 6-325 6-324 6-325 6-324 6-325 6-324 6-325 6-327 6-328 6-331 6-341 6-342 6-343 6-344 6-345 6-346 6-347 6-346 6-347 6-348 6-349 6-349 6-340 6-341 6-345 6-340 6-341 6-345 6-345 6-346 6-347 6-346 6-347 6-355 6-355 6-355 6-355 6-355 6-355 6-355 6-355 6-355 6-356 6-355 6-355 6-355 6-355 6-355 6-355 6-355 6-355 6-355 6-355 6-356 6-357 6-358 6-359 6-350 6-351 6-352 6-353 6-353 6-353 6-353 6-355 6-356 6-365		C C C C C C C C C C	С—CF3 С—HH С—С—HH С——HH С———————————————————		нниннинниннинниннинниннинниннинниннинни	CF3	CH2	ннннннннннннннннннннннннннннннннннннннн	CF3CH2CO CH3CH2NHCO CH3CO CH3CH2CO n-PrCO cyclo-PrCO cyclo-PrCH2CO CF3CH2CO CH3SCH2CO CH3SCH2CO CH3SCH2CO CH3SCOCH2CO CH3CO CH

TABLE 6-continued

		E H	3 ² B ³	\ -4	1		<u> </u>	, w.	
			B_3			Į.	/	$\stackrel{\iota}{\longrightarrow}$	
							F	₂₅ N.	$\sim_{\mathbb{R}^6}$
ExNo.	B^1	B^2	B^3	B^4	X^1	R	\mathbf{W}^1	R ⁵	R^6
6-366 6-367 6-368 6-369 6-377 6-372 6-373 6-374 6-375 6-376 6-377 6-378 6-380 6-381 6-382 6-383 6-384 6-385 6-386 6-387 6-389 6-390 6-391 6-392 6-393 6-394 6-395 6-399 6-400 6-401 6-402 6-403 6-406 6-407 6-406 6-407 6-410 6-411 6-412 6-413 6-416 6-411 6-415 6-416 6-411 6-412 6-413 6-416 6-417 6-418 6-419 6-420 6-421 6-423 6-424 6-425 6-426 6-427 6-428 6-427 6-428 6-427 6-428 6-427 6-428 6-427 6-428 6-427 6-428 6-429 6-431	C — CI C — CI CI C — CI	C C C Br Br C C C Br Br C C C C C C C C	С — CI — C	C—H C—H	н н н н н н н н н н н н н н н н н н н	CF3		ннниннинниннинниннинниннинниннинниннинн	CH3S(O)CH2CO CH3SO2CH2CO CH3CO CH3CO CH3CO CH3CH2CO n-PrCO cyclo-PrCH2CO CF3CH2CO CH3SCOCH2CO CH3SCOCH2CO CH3CH2NHCO CH3CO CH3CH2CO CH3CO CH3CH2CO CH3CO CH3CH2CO CH3CO CH3CH2CO CH3CO CH3CH2CO CH3CO CH3CH2CO CH3
									•

TABLE 6-continued

	R ₁ N W ₁									
		H		4		\perp				
			B3				/	$\stackrel{\leftarrow}{\longrightarrow}$		
								 	1	
ExNo.	B^1	B^2	B^3	B^4	X^1	R	\mathbf{W}^{1}	R ⁵	R ⁶	
6-432	С—Н	С—Н	C—CF3	С—Н	F	CF3	_	Н	cyclo-PrCH2CO	
6-433 6-434	С—Н С—Н	C—H C—H	C—CF3 C—CF3		F F	CF3 CF3	_	H H	CF3CH2CO CH3SCH2CO	
6-435 6-436	С—Н С—Н	С—Н С—Н	C—CF3 C—CF3	C—H C—H	F F	CF3 CF3	_	H H	CH3S(O)CH2CO CH3SO2CH2CO	
6-437	С—Н	С—Н	C—CF3	С—Н	F	CF3	_	Η	CH3CH2NHCO	
6-438 6-439	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3	C—H C—H	H H	CF3 CF3	_	H H	CH3CO CH3CH2CO	
6-440 6-441	C—Cl C—Cl	C—H C—H	C—CF3 C—CF3	C—H C—H	H H	CF3 CF3	_	H H	n-PrCO cyclo-PrCO	
6-442	C—Cl	С—Н	C—CF3	С—Н	Η	CF3		Η	cyclo-PrCH2CO	
6-443 6-444	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	_	H H	CF3CH2CO CH3OCH2CH2CO	
6-445	C—Cl	С—Н	C—CF3		Н	CF3	_	Н	CH3CH2OCH2CH2CO	
6-446 6-447	C—CI C—CI	С—Н С—Н	C—CF3 C—CF3	С—Н	H H	CF3 CF3		H H	CH3SCH2CO CH3S(O)CH2CO	
6-448 6-449	C—Cl C—Cl	C—H C—H	C—CF3 C—CF3		H H	CF3 CF3	_	H H	CH3SO2CH2CO CH3CH2NHCO	
6-450	C—CF3	С—Н	C—CF3	С—Н	Η	CF3		Η	n-PrCO	
6-451 6-452	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	_	H H	cyclo-PrCH2CO CH3OCH2CH2CO	
6-453	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	_	Н	CH3CH2OCH2CH2CO	
6-454 6-455	C—CF3 C—CF3	C—H C—H	C—CF3 C—CF3		H H	CF3 CF3	_	H H	CH3SCH2CO CH3S(O)CH2CO	
6-456 6-457	C—CF3 C—Cl	C—H C—Cl	C—CF3 C—CF3		H H	CF3 CF3	_	H H	CH3SO2CH2CO n-PrCO	
6-458	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	_	Η	cyclo-PrCH2CO	
6-459 6-460	C—Cl C—Cl	C—Cl	C—CF3 C—CF3	C—H C—H	H H	CF3 CF3	_	H H	CH3SCH2CO CH3S(O)CH2CO	
6-461 6-462	C—Cl C—Cl	C—Cl N	C—CF3 C—H	C—H C—H	H H	CF3 CF3	_	H H	CH3SO2CH2CO CH3CO	
6-463	C—Cl	N	С—Н	С—Н	Η	CF3	_	Η	CH3CH2CO	
6-464 6-465	C—Cl C—Cl	N N	С—Н С—Н	C—H C—H	H H	CF3 CF3	_	H H	n-PrCO cyclo-PrCO	
6-466 6-467	C—Cl C—Cl	N N	C—H C—H	C—H C—H	H H	CF3 CF3	_	H H	cyclo-PrCH2CO CF3CH2CO	
6-468	C—Cl	N	С—Н	С—Н	Η	CF3	_	Η	CH3SCH2CO	
6-469 6-470	C—Cl C—Cl	N N	С—Н С—Н	C—H C—H	H H	CF3 CF3	_	H H	CH3S(O)CH2CO CH3SO2CH2CO	
6-471	C—Cl C—Cl	N N	C—H C—Cl	C—H C—H	H H	CF3	_	H H	CH3CH2NHCO CH3CO	
6-472 6-473	C—CI	N	C—Cl	С—Н	Н	CF3 CF3	_	Н	CF3CH2CO	
6-474 6-475	C—Cl C—Cl	N N	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	_	H H	n-PrCO cyclo-PrCO	
6-476	C—Cl	N	C—Cl	С—Н	Н	CF3	_	Η	cyclo-PrCH2CO	
6-477 6-478	C—CI C—CI	N N	C—Cl C—Cl	C—H	H H	CF3 CF3		H H	CF3CH2CO CH3SCH2CO	
6-479 6-480	C—Cl C—Cl	N N	C—Cl C—Cl	C—H C—H	H H	CF3 CF3	_	H H	CH3S(O)CH2CO CH3SO2CH2CO	
6-481	C—C1	N	C—Cl	С—Н	Η	CF3	_	Η	CH3CH2NHCO	
6-482 6-483	C—CF3 C—CF3	N N	С—Н С—Н	C—H	H H	CF3 CF3		H H	CH3CO CF3CH2CO	
6-484 6-485	C—CF3 C—CF3	N N	С—Н С—Н	C—H C—H	H H	CF3 CF3	_	H H	n-PrCO cyclo-PrCO	
6-486	C—CF3	N	С—Н	С—Н	Η	CF3		Η	cyclo-PrCH2CO	
6-487 6-488	C—CF3 C—CF3	N N	С—Н С—Н	C—H C—H	H H	CF3 CF3	_	H H	CF3CH2CO CH3SCH2CO	
6-489 6-490	C—CF3 C—CF3	N N	C—H C—H	C—H C—H	H H	CF3 CF3	_	H H	CH3S(O)CH2CO CH3SO2CH2CO	
6-491	C—CF3	N	С—Н	С—Н	Η	CF3	_	Η	CH3CH2NHCO	
6-492 6-493	C—CF3 C—CF3	N N	C—CF3 C—CF3	C—H	H H	CF3 CF3	_	H H	CH3CO CF3CH2CO	
6-494 6-495	C—CF3 C—CF3	N	C—CF3 C—CF3	С—Н	H H	CF3	_	H H	n-PrCO cyclo-PrCO	
6-496	C—CF3	N N	C—CF3	С—Н	Η	CF3 CF3	_	Η	cyclo-PrCH2CO	
6-497	C—CF3	N	C—CF3	С—Н	Η	CF3	_	Η	CF3CH2CO	

TABLE 6-continued

\mathbb{R}^2 \mathbb{R}^4	
B_{3}	
R^{5} $\stackrel{1}{\sim}$ R^{6}	
ExNo. B^1 B^2 B^3 B^4 X^1 R W^1 R^5 R^6	
C-498 C-CF3 N C-F3 C-H H CF3 C-H H CH3SOCH2CO	

TABLE 6-continued

		В			 - 	\	<u> </u>	_w.	1
		В	$\frac{1}{2}$ B^3	34		Ĭ			
			\mathbf{B}_{2}				/	\searrow	
								N.	
							R	5	R^6
ExNo.	B^1	B^2	B^3	B^4	X^1	R	\mathbf{W}^{1}	R ⁵	R ⁶
6-564	C—CI	С—Н	С—Н		F	CF3	CH2	Н	n-PrCO
6-565 6-566	C—Cl C—Cl	С—Н С—Н	С—Н С—Н	С—Н С—Н	F F	CF3 CF3	CH2 CH2	H H	cyclo-PrCO cyclo-PrCH2CO
6-567 6-568	C—Cl C—Cl	С—Н С—Н	C—H C—H	С—Н С—Н	F F	CF3 CF3	CH2 CH2	H H	CF3CH2CO CH3SCH2CO
6-569	C—Cl	С—Н	С—Н	С—Н	F	CF3	CH2	Η	CH3S(O)CH2CO
6-570 6-571	C—Cl C—Cl	С—Н С—Н	С—Н С—Н	С—Н С—Н	F F	CF3 CF3	CH2 CH2	H H	CH3SO2CH2CO CH3CH2NHCO
6-572 6-573	С—Н С—Н	С—Н С—Н	C—Cl C—Cl	С—Н С—Н	F F	CF3 CF3	CH2 CH2	H H	CH3CO CF3CH2CO
6-574	С—Н	С—Н	C—Cl	С—Н	F	CF3	CH2	Η	n-PrCO
6-575 6-576	С—Н С—Н	С—Н С—Н	C—Cl C—Cl	С—Н	F F	CF3 CF3	CH2 CH2	H H	cyclo-PrCO cyclo-PrCH2CO
6-577 6-578	С—Н С—Н	С—Н С—Н	C—Cl C—Cl	С—Н С—Н	F F	CF3 CF3	CH2 CH2	H H	CF3CH2CO CH3SCH2CO
6-579	С—Н	С—Н	C—Cl	С—Н	F	CF3	CH2	Η	CH3S(O)CH2CO
6-580 6-581	С—Н С—Н	С—Н С—Н	C—Cl C—Cl	С—Н	F F	CF3 CF3	CH2 CH2	H H	CH3SO2CH2CO CH3CH2NHCO
6-582	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CH2	H	CH3OCH2CH2CO
6-583 6-584	C—Cl C—Cl	С—Н С—Н	C—Cl		H H	CF3 CF3	CH2 CH2	H H	CH3CH2OCH2CH2CO CH3S(O)CH2CO
6-585 6-586	C—C1 C—C1	С—Н С—Н	C—Cl C—Br		H H	CF3 CF3	CH2 CH2	H H	CH3SO2CH2CO CH3CO
6-587	C—Cl	С—Н	C—Br	С—Н	Η	CF3	CH2	Η	CF3CH2CO
6-588 6-589	C—Cl C—Cl	С—Н С—Н	C—Br C—Br		H H	CF3 CF3	CH2 CH2	H H	n-PrCO cyclo-PrCO
6-590 6-591	C—Cl C—Cl	С—Н С—Н	C—Br C—Br		H H	CF3 CF3	CH2 CH2	H H	cyclo-PrCH2CO CF3CH2CO
6-592	C—Cl	С—Н	C—Br	С—Н	Η	CF3	CH2	Η	CH3SCH2CO
6-593 6-594	C—Cl C—Cl	С—Н С—Н	C—Br C—Br		H H	CF3 CF3	CH2 CH2	H H	CH3S(O)CH2CO CH3SO2CH2CO
6-595 6-596	C—Cl C—Br	С—Н С—Н	C—Br C—Br		H H	CF3 CF3	CH2 CH2	H H	CH3CH2NHCO n-PrCO
6-597	C—Br	С—Н	C—Br	С—Н	Η	CF3	CH2	Η	cyclo-PrCH2CO
6-598 6-599	C—Br C—Br	С—Н С—Н	C—Br C—Br		H H	CF3 CF3	CH2 CH2	H H	CH3SCH2CO CH3S(O)CH2CO
6-600 6-601	C—Br C—Cl	C—H C—F	C—Br C—Cl		H H	CF3 CF3	CH2 CH2	H H	CH3SO2CH2CO CH3CO
6-602	C—Cl	C—F	C—Cl	С—Н	Η	CF3	CH2	H	CF3CH2CO
6-603 6-604	C—Cl C—Cl	C—F C—F	C—Cl C—Cl		H H	CF3 CF3	CH2 CH2	H H	n-PrCO cyclo-PrCO
6-605 6-606	C—Cl C—Cl	C—F C—F	C—Cl C—Cl	С—Н	H H	CF3 CF3	CH2	Η	cyclo-PrCH2CO
6-607	C—CI	C—F	C—Cl		Н	CF3	CH2 CH2	H H	CF3CH2CO CH3SCH2CO
6-608 6-609	C—CI C—CI	C—F C—F	C—CI C—CI		H H	CF3 CF3	CH2 CH2	H H	CH3S(O)CH2CO CH3SO2CH2CO
6-610	C—C1	C—F	C—Cl	С—Н	Η	CF3	CH2	Η	CH3CH2NHCO
6-611 6-612	C—C1 C—C1	C—Cl C—Cl	C—Cl		H H	CF3 CF3	CH2 CH2	H H	n-PrCO cyclo-PrCH2CO
6-613 6-614	C—C1 C—C1	C—Cl C—Cl	C—Cl C—Cl		H H	CF3 CF3	CH2 CH2	H H	CH3OCH2CH2CO CH3CH2OCH2CH2CO
6-615	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CH2	Η	CH3SCH2CO
6-616 6-617	C—Cl C—Cl	C—Cl C—Cl	C—Cl C—Cl		H H	CF3 CF3	CH2 CH2	H H	CH3S(O)CH2CO CH3SO2CH2CO
6-618 6-619	C—C1 C—C1	C—Br C—Br	C—Cl C—Cl		H H	CF3 CF3	CH2 CH2	H H	CH3CO CH3CH2CO
6-620	C—Cl	C—Br	C—C1	С—Н	Η	CF3	CH2	Η	n-PrCO
6-621 6-622	C—Cl C—Cl	C—Br C—Br	C—Cl		H H	CF3 CF3	CH2 CH2	H H	cyclo-PrCO cyclo-PrCH2CO
6-623 6-624	C—Cl C—Cl	C—Br C—Br	C—Cl C—Cl	С—Н	H H	CF3 CF3	CH2 CH2	H H	CF3CH2CO CH3SCH2CO
6-625	C—Cl	C—Br	C—Cl	С—Н	Η	CF3	CH2	H	CH3S(O)CH2CO
6-626 6-627	C—Cl C—Cl	C—Br C—Br	C—Cl C—Cl		H H	CF3 CF3	CH2 CH2	H H	CH3SO2CH2CO CH3CH2NHCO
6-628 6-629	C—CI C—CI	C—Cl C—Cl	C—Br C—Br	С—Н	H H	CF3 CF3	CH2 CH2	H H	CH3CO
0-029	C—CI	C—Cı	C—Br	С—п	п	Crs	СП2	п	СН3СН2СО

TABLE 6-continued

		E I		\wedge	1	\ \	<u> </u>	W	7.1
		E	1 2 2 2 2	s ⁴					
			ь					\searrow	
								I N	7-6
								5 - 1	\mathbb{R}^6
ExNo.	B ¹	B ²	B^3	B ⁴	X ¹	R	W^1	R ⁵	R ⁶
6-630 6-631	C—Cl C—Cl	C—Cl	C—Br C—Br	C—H	H H	CF3 CF3	CH2 CH2	H H	n-PrCO cyclo-PrCO
6-632 6-633	C—Cl C—Cl	C—Cl C—Cl	C—Br C—Br	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	cyclo-PrCH2CO CF3CH2CO
6-634 6-635	C—Cl C—Cl	C—Cl C—Cl	C—Br C—Br	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	CH3SCH2CO
6-636	C—Cl	C—Cl	C—Br	С—Н	Η	CF3	CH2	Η	CH3S(O)CH2CO CH3SO2CH2CO
6-637 6-638	C—Cl C—Cl	C—Cl C—F	C—Br C—Cl	C—H	H F	CF3 CF3	CH2 CH2	H H	CH3CH2NHCO CH3CO
6-639 6-640	C—Cl C—Cl	C—F C—F	C—Cl C—Cl	C—H C—H	F F	CF3 CF3	CH2 CH2	H H	CH3CH2CO n-PrCO
6-641 6-642	C—Cl C—Cl	C—F C—F	C—Cl C—Cl	С—Н С—Н	F F	CF3 CF3	CH2 CH2	H H	cyclo-PrCO cyclo-PrCH2CO
6-643	C—Cl	C—F	C—Cl	С—Н	F	CF3	CH2	Η	CF3CH2CO
6-644 6-645	C—C1 C—C1	C—F C—F	C—Cl C—Cl	С—Н С—Н	F F	CF3 CF3	CH2 CH2	H H	CH3SCH2CO CH3S(O)CH2CO
6-646 6-647	C—Cl C—Cl	C—F C—F	C—Cl C—Cl	C—H	F F	CF3 CF3	CH2 CH2	H H	CH3SO2CH2CO CH3CH2NHCO
6-648 6-649	C—CF3 C—CF3	С—Н С—Н	С—Н С—Н	С—Н С—Н	H H	CF3 CF3	CH2 CH2	H H	CH3CO CH3CH2CO
6-650	C—CF3	C—H	С—Н	С—Н	Η	CF3	CH2	Η	n-PrCO
6-651 6-652	C—CF3 C—CF3	С—Н	C—H	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	cyclo-PrCO cyclo-PrCH2CO
6-653 6-654	C—CF3 C—CF3	С—Н С—Н	С—Н С—Н	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	CF3CH2CO CH3SCH2CO
6-655 6-656	C—CF3 C—CF3	C—H	C—H	C—H	H H	CF3 CF3	CH2 CH2	H H	CH3S(O)CH2CO CH3SO2CH2CO
6-657 6-658	C—CF3 C—CF3	C—H C—F	С—Н С—Н	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	CH3CH2NHCO CH3CO
6-659	C—CF3	C—F C—F	С—Н	С—Н	Η	CF3	CH2	Η	CH3CH2CO
6-660 6-661	C—CF3 C—CF3	C-F	С—Н С—Н	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	n-PrCO cyclo-PrCO
6-662 6-663	C—CF3 C—CF3	C—F C—F	С—Н С—Н	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	cyclo-PrCH2CO CF3CH2CO
6-664 6-665	C—CF3 C—CF3	C—F C—F	C—H C—H	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	CH3SCH2CO CH3S(O)CH2CO
6-666 6-667	C—CF3 C—CF3	C—F C—F	С—Н С—Н	С—Н С—Н	H H	CF3 CF3	CH2 CH2	H H	CH3SO2CH2CO CH3CH2NHCO
6-668	C—CF3	С—Н	C—H C—H	С—Н	F	CF3	CH2	Η	CH3CO
6-669 6-670	C—CF3 C—CF3	С—Н	С—Н	C—H C—H	F F	CF3 CF3	CH2 CH2	H H	CH3CH2CO n-PrCO
6-671 6-672	C—CF3 C—CF3	С—Н С—Н	С—Н С—Н	С—Н С—Н	F F	CF3 CF3	CH2 CH2	H H	cyclo-PrCO cyclo-PrCH2CO
6-673 6-674	C—CF3 C—CF3	С—Н С—Н	С—Н С—Н	C—H C—H	F F	CF3 CF3	CH2 CH2	H H	CF3CH2CO CH3SCH2CO
6-675 6-676	C—CF3 C—CF3	С—Н С—Н	C—H C—H	С—Н С—Н	F F	CF3 CF3	CH2 CH2	H H	CH3S(O)CH2CO CH3SO2CH2CO
6-677	C—CF3	C—H C—H	С—Н	C—H C—H	F	CF3	CH2	Η	CH3CH2NHCO CH3CO
6-678 6-679	С—Н	С—Н	C—CF3 C—CF3	С—Н	F F	CF3 CF3	CH2 CH2	H H	CH3CH2CO
6-680 6-681	С—Н С—Н	С—Н С—Н	C—CF3 C—CF3	С—Н	F F	CF3 CF3	CH2 CH2	H H	n-PrCO cyclo-PrCO
6-682 6-683	С—Н С—Н	С—Н С—Н	C—CF3 C—CF3		F F	CF3 CF3	CH2 CH2	H H	cyclo-PrCH2CO CF3CH2CO
6-684 6-685	С—Н С—Н	С—Н С—Н	C—CF3 C—CF3		F F	CF3 CF3	CH2 CH2	H H	CH3SCH2CO CH3S(O)CH2CO
6-686	С—Н	С—Н	C—CF3	С—Н	F	CF3	CH2	Η	CH3SO2CH2CO
6-687 6-688	C—H	С—Н	C—CF3 C—CF3	С—Н	F H	CF3 CF3	CH2 CH2	H H	CH3CH2NHCO CH3CO
6-689 6-690	C—Cl C—Cl	C—H	C—CF3 C—CF3	С—Н	H H	CF3 CF3	CH2 CH2	H H	CH3CH2CO n-PrCO
6-691 6-692	C—Cl C—Cl	C—H	C—CF3 C—CF3		H H	CF3 CF3	CH2 CH2	H H	cyclo-PrCO cyclo-PrCH2CO
6-693 6-694	C—Cl C—Cl	С—Н С—Н	C—CF3 C—CF3	С—Н	H H	CF3 CF3	CH2 CH2	H H	CF3CH2CO CH3OCH2CH2CO
6-695	C—CI	С—Н	C—CF3		Н	CF3	CH2	Н	CH3CH2OCH2CH2CO

TABLE 6-continued

		H		\nearrow	1	N N	<u> </u>	W	V ¹
		H	$\stackrel{\text{II}}{\sim}_{\stackrel{\text{B}^2}{\sim}_{\text{B}^3}} \stackrel{\text{II}}{\sim}_{\stackrel{\text{B}^2}{\sim}}$	s ⁴		Ĭ			
			B^3			Ľ	/		/
								Į	1
							F	₂₅ /1	R^6
ExNo.	B^1	B^2	B^3	B^4	X^1	R	\mathbf{W}^{1}	R^5	R^6
6-696	C—Cl	С—Н	C—CF3	С—Н	Н	CF3	CH2	Н	CH3SCH2CO
6-697 6-698	C—Cl C—Cl	C—H C—H	C—CF3 C—CF3		H H	CF3 CF3	CH2 CH2	H H	CH3S(O)CH2CO CH3SO2CH2CO
6-699	C—CI	С—Н	C—CF3	С—Н	Н	CF3	CH2	Н	CH3CH2NHCO
6-700 6-701	C—CF3 C—CF3	C—H C—H	C—CF3 C—CF3		H H	CF3 CF3	CH2 CH2	H H	n-PrCO cyclo-PrCH2CO
6-702	C—CF3	С—Н	C—CF3		Н	CF3	CH2	Н	CH3OCH2CH2CO
6-703 6-704	C—CF3 C—CF3	C—H C—H	C—CF3 C—CF3		H H	CF3 CF3	CH2 CH2	H H	CH3CH2OCH2CH2CO CH3SCH2CO
6-705	C—CF3	С—Н	C—CF3	С—Н	Н	CF3	CH2	Н	CH3S(O)CH2CO
6-706 6-707	C—CF3 C—Cl	C—H C—Cl	C—CF3 C—CF3		H H	CF3 CF3	CH2 CH2	H H	CH3SO2CH2CO n-PrCO
6-708	C—Cl	C—Cl	C—CF3		Н	CF3	CH2	Н	cyclo-PrCH2CO
6-709 6-710	C—C1 C—C1	C—Cl C—Cl	C—CF3 C—CF3	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	CH3SCH2CO CH3S(O)CH2CO
6-711	C—CI	C—Cl	C—CF3	С—Н	Н	CF3	CH2	Н	CH3SO2CH2CO
6-712	C—CI	N	С—Н	С—Н	H H	CF3	CH2	Н	CH3CO
6-713 6-714	C—C1 C—C1	N N	С—Н С—Н	C—H	Н	CF3 CF3	CH2 CH2	H H	CH3CH2CO n-PrCO
6-715	C—Cl	N	С—Н	С—Н	H H	CF3	CH2	Н	cyclo-PrCO cyclo-PrCH2CO
6-716 6-717	C—Cl C—Cl	N N	С—Н С—Н	C—H	Н	CF3 CF3	CH2 CH2	H H	CF3CH2CO
6-718	C—Cl	N	С—Н	С—Н	Н	CF3	CH2	Н	CH3SCH2CO
6-719 6-720	C—Cl C—Cl	N N	С—Н С—Н	C—H	H H	CF3 CF3	CH2 CH2	H H	CH3S(O)CH2CO CH3SO2CH2CO
6-721	C—Cl	N	С—Н	С—Н	Н	CF3	CH2	Н	CH3CH2NHCO
6-722 6-723	C—Cl C—Cl	N N	C—Cl C—Cl	C—H	H H	CF3 CF3	CH2 CH2	H H	CH3CO CH3CH2CO
6-724	C—Cl	N	C—Cl	С—Н	Н	CF3	CH2	Н	n-PrCO
6-725 6-726	C—Cl C—Cl	N N	C—Cl C—Cl	C—H	H H	CF3 CF3	CH2 CH2	H H	cyclo-PrCO cyclo-PrCH2CO
6-727	C—Cl	N	C—Cl	С—Н	Н	CF3	CH2	Н	CF3CH2CO
6-728 6-729	C—Cl C—Cl	N N	C—Cl C—Cl	C—H	H H	CF3 CF3	CH2 CH2	H H	CH3SCH2CO CH3S(O)CH2CO
6-730	C—Cl	N	C—Cl	С—Н	Η	CF3	CH2	Η	CH3SO2CH2CO
6-731 6-732	C—Cl C—CF3	N N	C—Cl C—H	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	CH3CH2NHCO CH3CO
6-733	C—CF3	N	С—Н	С—Н	Η	CF3	CH2	Η	CH3CH2CO
6-734 6-735	C—CF3 C—CF3	N N	С—Н С—Н	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	n-PrCO cyclo-PrCO
6-736	C—CF3	N	С—Н	С—Н	Η	CF3	CH2	H	cyclo-PrCH2CO
6-737 6-738	C—CF3 C—CF3	N N	С—Н С—Н	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	CF3CH2CO CH3SCH2CO
6-739	C—CF3	N	С—Н	С—Н	Η	CF3	CH2	Η	CH3S(O)CH2CO
6-740 6-741	C—CF3 C—CF3	N N	С—Н С—Н	C—H C—H	H H	CF3 CF3	CH2 CH2	H H	CH3SO2CH2CO CH3CH2NHCO
6-742	C—CF3	N	C—CF3	С—Н	Η	CF3	CH2	Η	CH3CO
6-743 6-744	C—CF3 C—CF3	N N	C—CF3 C—CF3		H H	CF3 CF3	CH2 CH2	H H	CH3CH2CO n-PrCO
6-745	C—CF3	N	C—CF3	С—Н	Н	CF3	CH2	Н	cyclo-PrCO
6-746 6-747	C—CF3 C—CF3	N N	C—CF3 C—CF3		H H	CF3 CF3	CH2 CH2	H H	cyclo-PrCH2CO CF3CH2CO
6-748	C—CF3	N	C—CF3	С—Н	Н	CF3	CH2	Н	CH3SCH2CO
6-749 6-750	C—CF3 C—CF3	N N	C—CF3 C—CF3		H H	CF3 CF3	CH2 CH2	H H	CH3S(O)CH2CO CH3SO2CH2CO
6-751	C—CF3	N	C—CF3		Н	CF3	CH2	Н	CH3CH2NHCO
6-752 6-753	C—CF3 C—CF3	C—H C—H	С—Н С—Н	N N	H H	CF3	CH2 CH2	H H	CH3CO CH3CH2CO
6-754	C—CF3	С—Н	С—Н	N N	Н	CF3 CF3	CH2 CH2	Н	n-PrCO
6-755 6-756	C—CF3 C—CF3	С—Н С—Н	С—Н С—Н	N	Н	CF3	CH2 CH2	Н	cyclo-PrCO cyclo-PrCH2CO
6-757	C—CF3	С—Н	С—Н	N N	H H	CF3 CF3	CH2 CH2	H H	CF3CH2CO
6-758	C—CF3 C—CF3	С—Н	С—Н	N	Н	CF3	CH2	Н	CH3SCH2CO
6-759 6-760	C—CF3	C—H C—H	С—Н С—Н	N N	H H	CF3 CF3	CH2 CH2	H H	CH3S(O)CH2CO CH3SO2CH2CO
6-761	C—CF3	С—Н	С—Н	N	Η	CF3	CH2	Н	CH3CH2NHCO

TABLE 6-continued

		F I F		,4					v ¹
ExNo.	B^1	B^2	B^3	B^4	X^1	R	\mathbf{W}^1	R ⁵	N _ R ⁶ R ⁶
6-762 6-763 6-764 6-765 6-766 6-768 6-769 6-770 6-771 6-772 6-773 6-774 6-775 6-776 6-777 6-780 6-781 6-782 6-783 6-784 6-785 6-786 6-787 6-789 6-790 6-791 6-792 6-793 6-794 6-795 6-796 6-797 6-798 6-799 6-790 6-791 6-792 6-793 6-794 6-795 6-796 6-797 6-798 6-798 6-798 6-798 6-798 6-798 6-799 6-790 6-791 6-792 6-793 6-794 6-795 6-796 6-797 6-798 6-796 6-797 6-798 6-798 6-798 6-798 6-790 6-791 6-792 6-793 6-794 6-795 6-796 6-797 6-798 6-796 6-797 6-798 6-796 6-797 6-798 6-790 6-800	C—H C—H C—H C—H C—H C—H C—H C—H C—H C—GF3 C—CF3	C—H	C—CF3 C—CF3 C—CF3 C—CF3 C—CF3 C—CF3 C—CF3 C—CF3 C—CI C—CI C—CI C—CI C—CI C—CI C—CI C—Br C—Br C—Br C—Br C—Br C—Br C—Br C—Br	ССССС С ССССС С СССССС С СССССССССССС	нниннинниннинниннинниннинниннинниннинни	CF3	CH2	нниннинниннинниннинниннинниннинниннинни	CH3CO CH3CH2CO n-PrCO cyclo-PrCO cyclo-PrCH2CO Cyclo-PrCH2CO CH3SCH2CO CH3SCH2CO CH3SCO2CH2CO CH3SO2CH2CO CH3CO CH
6-806	C—CI	С—Н	C—Cl	С—Н	Н	CF3	_	Н	$F_3C - $
6-807	C—CI	С—Н	C—CI	С—Н	Н	CF3	_	Н	F_3C NHCO
6-808 6-809	C—CI	С—Н	C—Cl		Н	CF3	_	Н	PhCH2HNCO NHCO

TABLE 6-continued

TABLE 7

Table 7- ExNo.	B^1	B^2	B^3	B^4	X^1	R	A^1	A^2	A^3	A^4	R'
7-1	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	СН	СН	C—CF3	СН	CN
7-2	C—CI	С—Н	C—Cl	С—Н	Η	CF3	СН	СН	CH	CH	CN
7-3	C-C1	С—Н	C—Cl	С—Н	Η	CF3	СН	CH	C—Br	CH	CN
7-4	C-Cl	С—Н	C-Cl	С—Н	Η	CF3	СН	CH	C—F	CH	$^{\mathrm{CN}}$
7-5	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CH	CH	С—СНЗ	CH	CN
7-6	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CH	CH	C—SCF3	CH	CN
7-7	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CH	CH	C—S(O)CF3	CH	CN
7-8	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CH	CH	C—S(O)2CF3	CH	CN
7-9	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CH	CH	C—SCH2CF3	CH	$^{\mathrm{CN}}$
7-10	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	CH	CH	C—S(O)CH2CF3	CH	$^{\mathrm{CN}}$
7-11	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	СН	CH	C—S(O)2CH2CF3	CH	CN
7-12	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	$_{\mathrm{CH}}$	СН	C—CF3	CH	$^{\mathrm{CN}}$
7-13	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	$_{\mathrm{CH}}$	СН	C—Cl	CH	$^{\mathrm{CN}}$
7-14	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CH	СН	C—Br	CH	$^{\mathrm{CN}}$
7-15	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CH	СН	C—F	$_{\rm CH}$	$^{\mathrm{CN}}$
7-16	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CH	СН	С—СНЗ	СН	CN
7-17	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CH	СН	C—SCF3	СН	CN
7-18	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	CH	CH	C—S(O)CF3	CH	CN
7-19	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	CH	CH	C—S(O)2CF3	CH	CN
7-20	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	CH	CH	C—SCH2CF3	CH	CN
7-21	C—Cl	C—Cl	C—Cl	C—H	Н	CF3	CH	CH	C—S(O)CH2CF3	CH	CN
7-22	C—Cl	C—Cl	C—CI	С—Н	Н	CF3	CH	CH	C—S(O)2CH2CF3	CH	CN
7-23 7-24	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	CH CH	CH CH	C—CF3 C—Cl	CH CH	CN CN
7-2 4 7-25	C—CF3	С—Н	C—CF3		Н	CF3	CH	CH	C—Ci C—Br	СН	CN
7-23 7-26	C—CF3	С—н	C—CF3		Н	CF3	CH	CH	C—F	СН	CN
7-20	C—CF3	С—Н	C—CF3		Н	CF3	CH	CH	C—CH3	СН	CN
7-27	C—CF3	С—Н	C—CF3		Н	CF3	CH	CH	C—NO2	СН	CN
7-29	C—CF3	C—H	C—CF3		Н	CF3	CH	CH	C—SCF3	CH	CN
7-30	C—CF3	C—H	C—CF3		Н	CF3	CH	CH	C—S(O)CF3	CH	CN
7-31	C—CF3	С—Н	C—CF3		Н	CF3	CH	CH	C—S(O)2CF3	CH	CN
7-32	C—CF3	С—Н	C—CF3		Н	CF3	CH	CH	C—SCH2CF3	CH	CN
7-33	C—CF3	С—Н	C—CF3		Н	CF3	CH	CH	C—S(O)CH2CF3	CH	CN
7-34	C—CF3	С—Н	C—CF3		Н	CF3	CH	CH	C—S(O)2CH2CF3	CH	CN
7-35	C—Cl	C—Cl	C—CF3		Н	CF3	СН	СН	C—CF3	CH	CN
7-36	C—Cl	C—Cl	C—CF3		Н	CF3	CH	CH	C—Cl	СН	CN
7-37	C—Cl	C—Cl	C—CF3		Н	CF3	СН	СН	C—Br	СН	CN
7-38	C—Cl	C—Cl	C—CF3		Н	CF3	СН	СН	C—F	CH	CN
7-39	C—Cl	C—Cl	C—CF3		Н	CF3	СН	СН	С—СНЗ	СН	CN
7-40	C—Cl	C—Cl	C—CF3		Η	CF3	СН	СН	C—SCF3	CH	CN
7-41	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	CH	CH	C—S(O)CF3	CH	CN
7-42	C-Cl	C—Cl	C—CF3	С—Н	Η	CF3	CH	CH	C—S(O)2CF3	CH	$^{\mathrm{CN}}$
7-43	C—Cl	C—Cl	C—CF3	С—Н	Η	CF3	СН	CH	C—SCH2CF3	CH	CN

TABLE 7-continued

$ \begin{array}{c c} & X^1 \\ & R \\ & R \\ & R^1 \\ & R^2 \\ & R^2 \end{array} $ $ \begin{array}{c c} & A^4 \\ & A^3 \\ & A^1 \\ & A^2 \end{array} $ $ \begin{array}{c c} & R^4 \\ & R^4 \end{array} $	
---	--

									A^2 R'		
Table 7-											
ExNo.	B^1	B^2	B^3	B^4	X^1	R	\mathbf{A}^1	A^2	A^3	A^4	R'
7-44	C—Cl	C—Cl	C—CF3		Н	CF3	СН	СН	C—S(O)CH2CF3	СН	CN
7-45 7-46	C—Cl C—Cl	C—Cl C—H	C—CF3 C—Cl	C—H	H H	CF3 CF3	CH CH	CH CH	C—S(O)2CH2CF3 C—SCH3	CH CH	CN CN
7-47	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	СН	СН	C—SCH3	СН	СН2ОН
7-49 7-51	C—Cl C—Cl	С—Н С—Н	C—Cl C—CF3	C—H	H H	CF3 CF3	CH CH	CH CH	C—Br C—Br	N CH	СН2ОН СН2ОН
7-53	C—CI	С—Н	C—Cl	С—Н	Н	CF3	CH	CH	C—Br	CH	CH2OH
7-55 7-57	C—Cl C—Cl	C—H C—Cl	C—Cl C—Cl	C—H	H H	CF3 CF3	CH CH	CH CH	C—I C—Br	CH	СН2ОН СН2ОН
7-59	C—CI	C—H	C—Cl	С—Н	Н	CF3	СН	СН	C—Cl	CH C—F	СН2ОН
7-61	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CH	CH	C—Cl	СН	СН2ОН
7-63 7-65	C—CF3 C—CF3	C—H	C—CF3 C—CF3		H H	CF3 CF3	CH CH	CH CH	C—Cl C—Br	C—F CH	СН2ОН СН2ОН
7-67	C—CF3	С—Н	C—CF3		Η	CF3	СН	СН	C—I	СН	СН2ОН
7-69 7-71	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	CH CH	CH CH	C—F C—F	C—F C—F	CH2OH CN
7-72	C—Cl	C—Cl	C—Cl	С—Н	Η	CF3	$_{\mathrm{CH}}$	СН	C—Cl	C—F	СН2ОН
7-74 7-76	C—CF3 C—Cl	C—H C—Cl	C—CF3 C—Cl	C—H	H H	CF3 CF3	CH CH	CH CH	C—CH3 C—CH3	C—F C—F	СН2ОН СН2ОН
7-78	C—Br	С—Н	C—Br	С—Н	Н	CF3	CH	CH	C—CF3	СН	СН2ОН
7-86 7-87	C—Cl C—Cl	C—H C—Cl	C—Cl C—Cl	C—H	H H	CF3 CF3	CH CH	CH CH	C—Cl C—Cl	N N	CH2OH CO2CH3
7-88	C—CI	C—Cl	C—Cl	С—Н	Н	CF3	CH	СН	C—Cl	N	CO2H
7-89	C—CI	C—Cl	C—CI	С—Н	Н	CF3	CH	CH	C—Cl	N	CH2OH
7-90 7-91	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	CH CH	CH CH	C—Cl C—Cl	N N	CO2CH3 CO2H
7-92	C—CF3	С—Н	C—CF3		Н	CF3	СН	СН	C—Cl	N	СН2ОН
7-93 7-95	C—Cl C—CF3	C—Cl C—H	C—Cl C—CF3	C—H	H H	CF3 CF3	CH CH	CH CH	C—Br C—Br	N N	СН2ОН СН2ОН
7-97	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	С—F	СН	C—Cl	N	CN
7-98 7-99	C—Cl C—CF3	C—Cl C—H	C—Cl C—CF3	C—H	H H	CF3 CF3	C—F C—F	CH CH	C—Cl C—Cl	N N	CN CN
7-100	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	$_{\mathrm{CH}}$	СН	С—ОСНЗ	СН	СН2ОН
7-102 7-103	C—CF3 C—Br	С—Н С—Н	C—CF3 C—Br	C—H	H H	CF3 CF3	CH CH	CH CH	C—OCF3 C—CF3	CH CH	CN CN
7-103	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CH	CH	CH	N	СН2ОН
7-105 7-106	C—Cl C—Cl	C—Cl	C—Cl C—Cl	С—Н	H H	CF3 CF3	N N	CH CH	C—CF3 C—CF3	CH CH	CO2Et CO2H
7-107	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	N	CH	C—CF3	CH	CH2OH
7-108 7-109	C—CF3 C—CF3	C—H C—H	C—CF3 C—CF3		H H	CF3 CF3	N N	CH CH	C—CF3 C—CF3	CH CH	CO2Et CO2H
7-109 7-110	C—CF3	С—Н	C—CF3		Н	CF3	N	СН	C—CF3	СН	СН2ОН
7-111	C—Cl	C—H	C—Cl	С—Н	Н	CF3	CH	CH	C—CF3 C—CF3	N	СН2ОН СН2ОН
7-112 7-113	C—Cl C—Cl	C—Cl C—H	C—Cl C—CF3	C—H	H H	CF3 CF3	CH CH	CH CH	C—CF3 C—CF3	N N	CO2Et
7-114	C—Cl	С—Н	C—CF3		Н	CF3	CH	CH	C—CF3	N	СН2ОН
7-115 7-116	C—CF3 C—CF3	С—Н С—Н	С—Н С—Н	C—H	H H	CF3 CF3	CH CH	CH CH	C—CF3 C—CF3	N N	CO2Et CO2H
7-117	C—CF3	С—Н	С—Н	С—Н	Н	CF3	СН	CH	C—CF3	N	СН2ОН
7-118 7-119	C—CF3 C—CF3	С—Н С—Н	C—CF3 C—CF3		H H	CF3 CF3	CH CH	CH CH	C—CF3 C—CF3	N N	СО2Н СН2ОН
7-120	C—Br	С—Н	C—Br	С—Н	Н	CF3	CH	СН	C—CF3	N	CO2Et
7-121 7-122	C—Br C—Cl	С—Н С—Н	C—Br C—Cl	C—H	H H	CF3 CF3	CH CH	CH CH	C—CF3 C—CF3	N N	CH2OH CO2Et
7-122	C—Cl	С—Н	C—Cl		Н	CF3	CH	CH	C—CF3	N	OO2H
7-124	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CH	CH	C—CF3	N	СН2ОН
7-125 7-126	C—Cl C—Cl	C—H C—H	C—Cl C—Cl	C—H	H H	CF3 CF3	CH CH	CH CH	C-cyclo-Pr C-cyclo-Pr	N N	CO2Et CO2H
7-127	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	CH	СН	C-cyclo-Pr	N	СН2ОН
7-128	C—CF3	С—Н	C—CF3		Н	CF3	CH	CH	C-cyclo-Pr	N	CO2Et
7-129 7-130	C—CF3 C—Cl	С—Н С—Н	C—CF3 C—Cl		H H	CF3 CF3	CH N	CH CH	C-cyclo-Pr CH	N N	CH2OH CO2CH3
7-131	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	N	CH	CH	N	CO2H
7-132 7-133	C—Cl C—Cl	С—Н С—Н	C—Cl C—Cl	С—Н	H H	CF3 CF3	N N	CH CH	C—CF3 C—CF3	N N	CO2Et CO2H
7-133 7-134	C—Cl	С—Н	C—Cl	С—Н	Н	CF3	N	СН	C—CF3	N N	СН2ОН
7-135	C—Cl	C—Cl	C—Cl		Н	CF3	N	СН	C—CF3	N	CO2Et

$$\begin{array}{c|c}
X^1 & R \\
B^1 & A^4 \\
B^2 & B^3 & B^4
\end{array}$$

$$\begin{array}{c|c}
A^4 & A^3 \\
A^1 & A^2 \\
A^2 & R'
\end{array}$$

Table 7- ExNo.	B^1	B^2	B^3	B^4	\mathbf{X}^{1}	R	$\mathbf{A^1}$	A^2	A^3	A^4	R'
7-136	C—Cl	C—Cl	C—Cl	С—Н	Н	CF3	N	СН	C—CF3	N	СО2Н
7-137	C-Cl	C—Cl	C—C1	С—Н	Η	CF3	N	CH	C—CF3	N	СН2ОН
7-138	C—Cl	C—Cl	C-C1	С—Н	Η	CF3	N	CH	C—CF3	N	CH2OSO23CH3
7-139	C—CF3	С—Н	С—Н	С—Н	Η	CF3	N	CH	C—CF3	N	CO2Et
7-140	C—CF3	С—Н	С—Н	С—Н	Η	CF3	N	CH	C—CF3	N	CO2H
7-141	C—CF3	С—Н	С—Н	С—Н	Η	CF3	N	CH	C—CF3	N	СН2ОН
7-142	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	N	CH	C—CF3	N	CO2Et
7-143	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	N	CH	C—CF3	N	CO2H
7-144	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	N	CH	C—CF3	N	СН2ОН
7-145	C—CF3	С—Н	C—CF3	С—Н	Η	CF3	N	CH	C—CF3	N	CH2OSO2CH3
7-146	C—Br	С—Н	C—Br	С—Н	Η	CF3	N	CH	C—CF3	N	CO2Et
7-147	C—Br	С—Н	C—Br	С—Н	Η	CF3	N	CH	C—CF3	N	СН2ОН

TABLE 7a TABLE 7a-continued

R R R B ² B ³ B ⁴	$\bigvee_{S}\bigvee_{Y}$
	\mathbf{R}'

Table 7a- Ex No.	В1	В2	В3	B4	X1	R	Y	R'	
7a-1	C—C1	С—Н	C—Cl	С—Н	Н	CF3	C—Cl	СНО	
7a-2	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—C1	СН2ОН	
7a-3	C-Cl	С—Н	C-Cl	С—Н	Η	CF3	С-СН3	CO2Et	
7a-4	C-C1	С—Н	C—Cl	С—Н	Η	CF3	С-СН3	CO2CH3	
7a-5	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	С-СН3	СН2ОН	
7a-6	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	CO2Et	
7a-7	C-C1	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	CO2H	
7a-8	C—Cl	С—Н	C—Cl	С—Н	Η	CF3	C—CF3	CH2OH	

35	Table 7a- Ex No.	В1	B2	В3	В4	X1	R	Y	R'
40	7a-13		C—Cl C—Cl C—H C—H	C—Cl C—Cl C—Cl C—CF3 C—CF3 C—CF3	C—H C—H C—H	H H H	CF3 CF3 CF3	C—CF3 C—CF3 C—CF3 C—CF3 C—CF3	CO2Et CO2H

TABLE 8

Table 8 - ExNo.	1H-NMR
1-3	1H-NMR (CDCl3) δ: 1.14 (6H, d), 2.30-2.39 (1H, m), 2.53-2.55 (1H, m), 2.82-2.86 (1H, m), 3.45-3.52 (2H, m), 3.74 (1H), 4.02 (1H, d),
	4.42 (2H, d), 5.79 (1H, s), 6.45 (1H, dd), 6.59 (1H, d), 7.25-7.27 (3H, m), 7.39 (1H, t)
1-4	1H-NMR (CDCl3) 8: 0.70-0.74 (2H, m), 0.88-1.00 (2H, m), 1.26-1.32 (1H, m), 2.51-2.55 (1H, m), 2.81-2.84 (1H, m), 3.45-3.52 (2H, m),
	3.74 (1H, d), 4.02 (1H, d), 4.45 (2H, d), 5.98 (1H, s), 6.45 (1H, dd), 6.60 (1H, d), 7.27-7.28 (4H, m), 7.39 (1H, t)
1-7	1H-NMR (CDCl3) 8: 0.92 (6H, d), 2.07-2.18 (3H, m), 2.51-2.54 (1H, m), 2.81-2.89 (1H, m), 3.45-3.52 (2H, m), 3.74 (1H, d), 4.02 (1H, d),
	4.43 (2H, d), 5.75 (1H, s), 6.45 (1H, dd), 6.59 (1H, d), 7.26-7.29 (3H, m), 7.39 (1H, t)
1-8	1H-NMR (CDCl3) δ: 1.83-2.36 (6H, m), 2.53-2.55 (1H, m), 2.80-2.89 (1H, m), 2.97-3.00 (1H, m), 3.47-3.51 (2H, m), 3.74 (1H, d), 4.02
	(1H, d), 4.43 (2H, d), 5.67 (1H, s), 6.45 (1H, dd), 6.59 (1H, d), 7.26-7.27 (3H, m), 7.39 (1H, t)
1-12	1H-NMR (CDCl3) δ: 0.18-0.19 (2H, m), 0.58-0.61 (3H, m), 0.90-0.97 (1H, m), 2.16 (2H, d), 2.53-2.56 (1H, m), 2.81-2.89 (1H, m),
	3.45-3.54 (2H, m), 3.75 (1H, d), 4.03 (1H, d), 4.46 (2H, d), 6.31 (1H, s), 6.46 (1H, dd), 6.60 (1H, d), 7.27-7.29 (3H, m), 7.39 (1H, t)
1-15	1H-NMR (CDCl3) & 2.51-2.56 (1H, m), 2.83-2.84 (1H, m), 3.44-3.55 (2H, m), 3.75 (1H, d), 4.01-4.05 (3H, m), 4.49 (2H, d), 6.46
	(1H, dd), 6.61 (1H, d), 6.93 (1H, br s), 7.28 (2H, s), 7.39 (1H, t).
1-19	1H-NMR (CDCl3) δ: 2.48-2.58 (1H, m), 2.82-2.87 (1H, m), 3.06 (2H, q), 3.48-3.51 (2H, m), 3.75 (1H, d), 4.03 (1H, d), 4.47 (2H, d),
	6.04 (1H, s), 6.46 (1H, dd), 6.60 (1H, d), 7.24-7.26 (3H, m), 7.39 (1H, t)
1-20	1H-NMR (CDCl3) &: 2.53-2.57 (1H, m), 2.86-2.88 (1H, m), 3.47-3.52 (2H, m), 3.73-3.85 (2H, m), 4.04 (1H, d), 4.51 (2H, d), 6.21 (1H, s),
	6.46 (1H, dd), 6.61 (1H, d), 7.22-7.26 (3H, m), 7.39 (1H, t)
1-21	1H-NMR (CDCl3) & 2.51-2.59 (1H, m), 2.82-2.90 (1H, m), 3.44-3.55 (2H, m), 3.75 (1H, d), 4.03 (1H, d), 4.51 (2H, d), 5.89 (1H, t), 6.46
	(1H, dd), 6.61-6.62 (2H, m), 7.26-7.27 (3H, m), 7.39 (1H, s)
	,, , · \ · · \

Table 8 - ExNo.	1H-NMR
1-23	1H-NMR (CDCl3) δ: 0.54-0.56 (2H, m), 1.18-1.21 (2H, m), 1.30 (3H, s), 2.51-2.58 (1H, m), 2.80-2.89 (1H, m), 3.46-3.52 (2H, m), 3.75
1-24	(1H, d), 4.02 (1H, d), 4.44 (2H, d), 6.13 (1H, s), 6.46 (1H, dd), 6.60 (1H, d), 7.26-7.28 (3H, m), 7.39 (1H, t). 1H-NMR (CDCl3) & 1.77-1.81 (1H, m), 2.12-2.14 (1H, m), 2.32-2.36 (1H, m), 2.52-2.54 (1H, m), 2.82-2.87 (1H, m), 3.45-3.52 (2H, m),
1-25	3.74 (1H, d), 4.02 (1H, d), 4.50-4.51 (2H, m), 6.25 (1H, s), 6.46 (1H, dd), 6.60 (1H, d), 7.27-7.30 (3H, m), 7.39 (1H, t) 1H-NMR (CDCl3) & 1.59-1.71 (1H, m), 2.07-2.28 (2H, m), 2.53-2.56 (1H, m), 2.81-2.89 (1H, m), 3.44-3.54 (3H, m), 3.75 (1H, d), 4.02 (1H, d), 4.54-4.5 (1H, d), 4.
1-28	(1H, d), 4.45-4.52 (2H, m), 6.03 (1H, s), 6.46 (1H, dd), 6.60 (1H, d), 7.26-7.27 (3H, m), 7.39 (1H, t) 1H-NMR (CDCl3) & 1.47-1.48 (2H, m), 1.67-1.70 (2H, m), 2.53-2.55 (1H, m), 2.82-2.90 (1H, m), 3.47-3.53 (2H, m), 3.75 (1H, d), 4.04
1-30	(1H, d), 4.48 (2H, d), 6.46 (1H, dd), 6.62 (1H, d), 6.74 (1H, s), 7.23-7.28 (3H, m), 7.39 (1H, t) 1H-NMR (CDCl3) 8: 1.84 (3H, dd), 2.51-2.55 (1H, m), 2.83-2.84 (1H, m), 3.47-3.50 (2H, m), 3.74 (1H, d), 4.02 (1H, d), 4.49 (2H, d), 5.78 (2H, dd), 6.45 (1H, dd), 6.59 (1H, d), 6.85 (1H, dd), 7.27-7.30 (3H, m), 7.39 (1H, t).
1-31	1H-NMR (CDCl3) δ: 1.55 (3H, s), 2.30-2.37 (1H, m), 2.52-2.54 (1H, m), 2.81-2.93 (2H, m), 3.49 (2H, d), 3.74 (1H, d), 4.02 (1H, d), 4.36-4.38 (2H, m), 6.44 (1H, dd), 6.59 (1H, d), 7.16 (1H, d), 7.27-7.28 (2H, m), 7.39 (1H, t).
1-32	1H-NMR (CDCl3) δ: 1.74 (3H, d), 1.83 (3H, s), 2.51-2.55 (1H, m), 2.83-2.87 (1H, m), 3.46-3.52 (2H, m), 3.74 (1H, d), 4.02 (1H, d), 4.49 (2H, d), 6.06 (1H, s), 6.42-6.47 (2H, m), 6.59 (1H, d), 7.27-7.30 (3H, m), 7.39 (1H, t).
1-36	1H-NMR (CDCl3) & 2.51-2.55 (1H, m), 2.82-2.84 (1H, m), 3.01 (2H, d), 3.46-3.52 (2H, m), 3.74 (1H, d), 4.02 (1H, d), 4.43 (2H, d), 5.17-5.24 (2H, m), 5.88-5.97 (2H, m), 6.45 (1H, dd), 6.59 (1H, d), 7.25-7.27 (3H, m), 7.39 (1H, t).
1-39	1H-NMR (CDCl3) 8: 2.54-2.58 (1H, m), 2.84-2.86 (1H, m), 3.36 (2H, s), 3.48-3.51 (2H, m), 3.75 (1H, d), 4.03 (1H, d), 4.47 (2H, d), 6.45-6.47 (2H, m), 6.61 (1H, d), 7.25-7.27 (3H, m), 7.39 (1H, t).
1-40	1H-NMR (CDCl3) & 2.48-2.58 (1H, m), 2.81-2.89 (1H, m), 3.42-3.54 (5H, m), 3.75 (1H, d), 3.90 (2H, s), 4.02 (1H, d), 4.48 (2H, d), 6.46 (1H, dd), 6.60 (1H, d), 6.84 (1H, s), 7.27 (3H, t), 7.39 (1H, dd).
1-42	1H-NMR (CDCl3) & 2.09 (3H, s), 2.51-2.58 (1H, m), 2.81-2.89 (1H, m), 3.22 (2H, s), 3.46-3.52 (2H, m), 3.75 (1H, d), 4.03 (1H, d), 4.47 (2H, d), 6.46 (1H, dd), 6.60 (1H, d), 7.24-7.27 (4H, m), 7.39 (1H, t).
1-50	1H-NMR (CDCl3) & 2.51-2.55 (1H, m), 2.81-2.86 (1H, m), 3.43-3.60 (5H, m), 3.73 (1H, d), 4.00 (1H, d), 4.38 (2H, d), 5.79 (1H, s), 6.42 (1H, dd), 6.55 (1H, d), 7.17-7.40 (8H, m)
1-51	1H-NMR (CDCl3) & 2.52-2.55 (1H, m), 2.80-2.88 (1H, m), 3.45-3.51 (2H, m), 3.74 (1H, d), 4.02 (1H, d), 4.67 (2H, d), 6.46 (1H, dd), 6.62 (1H, d), 7.26-7.27 (2H, m), 7.34-7.43 (3H, m), 7.83 (1H, td), 8.20 (1H, dt), 8.38 (1H, s), 8.53 (1H, dq)
1-52	1H-NMR (CDCl3) & 2.51-2.56 (1H, m), 2.84-2.87 (1H, m), 3.48-3.52 (2H, m), 3.75 (1H, d), 4.03 (1H, d), 4.65 (2H, d), 6.46-6.62 (3H, m), 7.26-7.39 (4H, m), 8.10 (1H, ddd), 8.71 (1H, dd), 8.96 (1H, dd)
1-53	1H-NMR (CDCl3) 8: 2.51-2.56 (1H, m), 2.83-2.87 (1H, m), 3.46-3.53 (2H, m), 3.75 (1H, d), 4.03 (1H, d), 4.63 (2H, d), 6.47 (1H, dd), 6.61-6.62 (2H, m), 7.27 (3H, s), 7.34 (1H, d), 7.39 (1H, t), 7.59 (2H, dd), 8.71 (2H, dd)
1-72	1H-NMR (CDCl3) 8: 2.14 (3H, d), 2.51-2.55 (1H, m), 2.82-2.88 (1H, m), 2.93 (3H, s), 3.46-3.53 (2H, m), 3.74 (1H, d.), 4.03 (1H, dd), 4.58 (2H, d), 6.46-6.49 (1H, m), 6.60 (1H, dd), 7.09 (1H, dd), 7.26-7.28 (2H, m), 7.39 (1H, m).
1-73	1H-NMR (CDCl3) 8: 1.13-1.21 (3H, m), 2.35-2.40 (2H, m), 2.50-2.56 (1H, m), 2.86-2.91 (4H, m), 3.46-3.51 (2H, m), 3.74 (1H, d), 4.01-4.04 (1H, m), 4.59 (2H, d), 6.44-6.50 (1H, m), 6.60 (1H, dd), 7.07 (1H, dd), 7.26-7.28 (3H, m), 7.39 (1H, t).
1-74	1H-NMR (CDCl3) 8: 0.83-0.97 (4H, m), 1.57-1.80 (1H, m), 2.52-2.55 (1H, m), 2.84-2.86 (1H, m), 3.04 (3H, t), 3.46-3.55 (2H, m), 3.76 (1H, d), 4.03 (1H, dd), 4.69 (2H, d), 6.51-6.58 (2H, m), 7.16-7.27 (4H, m).
1-75	1H-NMR (CDCl3) 8: 2.53-2.55 (1H, m), 2.84-2.86 (1H, m), 2.96 (3H, s), 3.27 (2H, q), 3.45-3.53 (2H, m), 3.75 (1H, dd), 4.03 (1H, dd), 4.51 (1H, s), 4.69 (1H, s), 6.49 (1H, dt), 6.61 (1H, dd), 7.08 (1H, dd), 7.28 (2H, s), 7.39-7.40 (1H, m).
1-77	1H-NMR (CDCl3) 8: 1.12 (3H, t), 2.50-2.55 (1H, m), 2.82-2.83 (1H, m), 3.17-3.22 (2H, m), 3.46-3.50 (2H, m), 3.74 (1H, d), 4.01 (1H, d), 4.36 (2H, d), 4.64 (1H, s), 6.46 (1H, dd), 6.58 (1H, d), 7.26-7.31 (3H, m), 7.39 (1H, t).
1-78	1H-NMR (CDCl3) & 2.51-2.55 (1H, m), 2.83-2.86 (1H, m), 3.46-3.51 (2H, m), 3.74 (1H, d), 3.82-3.88 (2H, m), 4.02 (1H, d), 4.38 (2H, d), 4.87 (1H, s), 6.46 (1H, dd), 6.58 (1H, d), 7.23-7.27 (3H, m), 7.39 (1H, t).
1-79	1H-NMR (CDCl3) 8: 0.90 (3H, t), 1.46-1.53 (2H, m), 2.50-2.55 (1H, m), 2.80-2.88 (1H, m), 3.08-3.15 (2H, m), 3.47-3.50 (2H, m), 3.74 (1H, d), 4.01 (1H, d), 4.36 (2H, d), 4.64 (1H, s), 6.46 (1H, dd), 6.58 (1H, d), 7.23-7.31 (3H, m), 7.39 (1H, t).
1-80	1H-NMR (CDCl3) 8: 1.12 (6H, d), 2.52-2.55 (1H, m), 2.80-2.88 (1H, m), 3.45-3.51 (2H, m), 3.75-3.83 (2H, m), 4.01 (1H, d), 4.34 (2H, d), 4.63 (1H, q), 6.45 (1H, dd), 6.57 (1H, d), 7.27-7.29 (3H, m), 7.39 (1H, t).
1-81	1H-NMR (CDCl3) 8: 0.53-0.58 (2H, m), 0.69-0.75 (2H, m), 2.45-2.50 (2H, m), 2.80-2.88 (1H, m), 3.48-3.51 (2H, m), 3.74 (1H, d), 4.02 (1H, d), 4.42 (2H, d), 5.44 (1H, d), 6.46 (1H, dd), 6.60 (1H, d), 7.26-7.32 (3H, m), 7.39 (1H, t).
1-83	1H-NMR (acetone-d6) 5: 1.27 (9H, s), 2.73-2.79 (1H, m), 2.98-3.02 (1H, m), 3.50-3.53 (3H, m), 3.93 (1H, d), 4.22-4.24 (3H, m), 5.57 (1H, s), 6.61 (1H, dd), 6.69 (1H, d), 7.25 (1H, d), 7.54 (1H, t), 7.62 (3H, d).
1-86	1H-NMR (CDCl3) 8: 1.24-1.74 (10H, m), 2.50-2.55 (1H, m), 2.82-2.83 (1H, m), 3.45-3.52 (3H, m), 3.74 (1H, d), 4.01 (1H, d), 4.35 (2H, d), 4.60 (1H, d), 6.46 (1H, dd), 6.58 (1H, d), 7.27-7.28 (3H, m), 7.39 (1H, t).
1-87	1H-NMR (acetone-d6) &: 2.63-2.91 (2H, m), 3.39-3.42 (2H, m), 3.62-3.64 (2H, m), 3.81 (1H, d), 4.10-4.19 (3H, m), 4.86 (1H, d), 5.01 (1H, d), 5.68-5.75 (1H, m), 6.50-6.58 (3H, m), 7.41-7.51 (4H, m).
1-88	1H-NMR (CDCl3) 8: 2.21 (1H, t,), 2.50-2.54 (1H, m), 2.82-2.85 (1H, m), 3.46-3.50 (3H, m), 3.73 (1H, d), 3.96-4.03 (3H, m), 4.36 (2H, d), 4.86 (1H, t), 6.45 (1H, dd), 6.57 (1H, d), 7.27-7.29 (3H, m), 7.39 (1H, t).
1-89	1H-NMR (CDCl3) 8: 0.14-0.17 (2H, m), 0.45-0.49 (2H, m), 0.86-0.96 (1H, m), 2.52-2.55 (1H, m), 2.80-2.88 (1H, m), 3.02 (2H, dd), 3.47-3.50 (2H, m), 3.74 (1H, d), 4.01 (1H, d), 4.36 (2H, d), 4.69 (1H, s), 6.45 (1H, dd), 6.58 (1H, d), 7.25-7.31 (3H, m), 7.39 (1H, t).
1-97	1H-NMR (CDCl3) 8: 2.48-2.58 (1H, m), 2.81-2.89 (1H, m), 3.42-3.54 (5H, m), 3.75 (1H, d), 3.90 (2H, s), 4.02 (1H, d), 4.48 (2H, d), 6.46 (1H, dd), 6.60 (1H, d), 6.84 (1H, s), 7.27 (3H, t), 7.39 (1H, dd).
1-98	1H-NMR (CDCl3) 8: 2.07 (3H, s), 2.52-2.60 (3H, m), 2.81-2.87 (1H, m), 3.38-3.48 (4H, m), 3.72 (1H, d), 4.01 (1H, d), 4.34 (2H, d), 4.94-4.96 (2H, m), 6.44 (1H, dd), 6.56 (1H, d), 7.26-7.29 (3H, m), 7.38 (1H, t).
1-99	1H-NMR (CDCl3) & 0.92-0.96 (1H, m), 1.28-1.42 (1H, m), 2.52-2.56 (1H, m), 2.82-2.85 (2H, m), 3.48-3.51 (2H, m), 3.75 (1H, d), 4.02 (1H, d), 4.39-4.65 (4H, m), 5.29 (1H, t), 6.45 (1H, dd), 6.60 (1H, d), 7.28 (3H, t), 7.39 (1H, t).
1-101	(H, d), 4.28 (H, s), 6.45 (H, d), 6.57 (H, d), 7.27-7.29 (3H, m), 7.39 (H, d), 3.99-4.01 (3H, m), 4.19 (2H, q), 4.37 (2H, d), 4.88 (1H, s), 6.45 (1H, d), 6.57 (1H, d), 7.27-7.29 (3H, m), 7.39 (1H, t).
1-110	1H-NMR (CDCl3) 8: 2.52-2.56 (1H, m), 2.82-2.83 (1H, m), 3.44-3.49 (2H, m), 3.72 (1H, d), 4.00 (1H, d), 4.33-4.36 (4H, m), 4.75
1-113	(2H, br s), 6.42 (1H, dd), 6.55 (1H, d), 7.22-7.33 (8H, m), 7.39 (1H, t). 1H-NMR (CDCl3) & 1.12 (3H, t), 2.52-2.57 (1H, m), 2.78-2.90 (4H, m), 3.24-3.35 (2H, m), 3.48-3.51 (2H, m), 3.75 (1H, d), 4.02
1-115	(1H, d), 4.34 (1H, s), 4.49 (2H, s), 6.48 (1H, dd), 6.59 (1H, d), 7.15 (1H, d), 7.27-7.28 (2H, m), 7.39 (1H, t). 1H-NMR (CDCl3) δ: 1.85-1.90 (4H, m), 2.51-2.53 (1H, m), 2.81-2.85 (1H, m), 3.30-3.33 (4H, m), 3.45-3.51 (2H, m), 3.74 (1H, d), 4.01
1-116	(1H, d), 4.41 (2H, d), 4.64 (1H, t), 6.45 (1H, dd), 6.58 (1H, d), 7.27-7.28 (3H, m), 7.35 (1H, d), 7.38 (1H, t). 1H-NMR (CDCl3) & 1.52-1.55 (6H, m), 2.47-2.57 (1H, m), 2.80-2.88 (1H, m), 3.29-3.31 (4H, m), 3.45-3.51 (2H, m), 3.74 (1H, d),
1-117	4.01 (1H, d), 4.40 (2H, d), 4.85 (1H, t), 6.45 (1H, dd), 6.58 (1H, d), 7.26-7.33 (3H, m), 7.38 (1H, t). 1H-NMR (CDCl3) & 2.50-2.55 (1H, m), 2.81-2.83 (1H, m), 3.33 (4H, t), 3.45-3.51 (2H, m), 3.66 (4H, t), 3.74 (1H, d), 4.02 (1H, d),
	4.41 (2H, d), 4.88 (1H, t), 6.45 (1H, dd), 6.59 (1H, d), 7.26-7.32 (3H, m), 7.39 (1H, t).

1-118	
	1H-NMR (CDCl3) 8: 2.51-2.53 (1H, m), 2.80-2.92 (7H, m), 3.45-3.51 (2H, m), 3.74 (1H, d), 4.01 (1H, d), 4.40 (2H, d), 4.82 (1H, t),
1-123	6.45 (1H, dd), 6.58 (1H, d), 7.27-7.28 (2H, m), 7.33 (1H, d), 7.38 (1H, t). 1H-NMR (CDCl3) 8: 2.53-2.56 (1H, m), 2.81-2.89 (1H, m), 3.46-3.52 (2H, m), 3.75 (1H, d), 4.03 (1H, d), 4.38 (2H, d), 4.45 (2H), 5.30 (1H, d), 6.60 (1
1-128	(1H, s), 6.46 (1H, dd), 6.60 (1H, d), 7.24-7.28 (3H, m), 7.39 (1H, t) 1H-NMR (CDCl3) 8: 1.44 (9H, s), 2.72-2.87 (1H, m), 3.45-3.52 (2H, m), 3.74 (1H, d), 4.02 (1H, d), 4.30 (2H, d), 4.92 (1H, br s), 6.45
1-129	(1H, dd), 6.58 (1H, d), 7.25-7.27 (3H, m), 7.38-7.39 (1H, m). 1H-NMR (CDCl3) & 1.48 (9H, s), 2.53-2.55 (1H, m), 2.83-2.87 (4H, m), 3.43-3.51 (2H, m), 3.75 (1H, d), 4.02 (1H, d), 4.47 (2H, s),
1-141	6.48 (1H, dd), 6.58 (1H, d), 7.12 (1H, s), 7.26-7.28 (3H, m), 7.39 (1H, t). H-NMR (CDCl3) & 2.50-2.60 (1H, m), 2.83-2.91 (1H, m), 3.48-3.61 (2H, m), 3.79 (1H, d), 3.91 (2H, s), 4.06 (1H, d), 6.74 (1H, d),
1-143	6.80 (1H, d), 7.30 (2H, d), 7.40 (2H, dd) 1H-NMR (CDCl3) & 1.15 (3H, t), 2.20 (2H, q), 2.50-2.60 (1H, m), 2.83-2.91 (1H, m), 3.46-3.61 (2H, m), 3.78 (1H, d), 4.06 (1H, d),
1-145	4.50 (2H, d), 5.68 (1H, t), 6.70 (1H, dd), 6.79 (1H, d), 7.29 (2H, d), 7.40 (1H, t), 7.45 (1H, d). 1H-NMR (CDCl3) & 0.92 (6H, d), 2.03-2.17 (1H, m), 2.50-2.60 (1H, m), 2.83-2.91 (1H, m), 3.48-3.60 (2H, m), 3.78 (1H, d), 4.06
1-146	(1H, d), 4.49 (2H, d), 5.65 (1H, bt), 6.67-6.80 (2H, m), 7.28-7.46 (3H, m) 1H-NMR (CDCl3) & 0.72 (2H, dt), 0.97 (2H, dt), 1.28-1.36 (1H, m), 2.50-2.60 (1H, m), 2.83-2.91 (1H, m), 3.45-3.61 (2H, m), 3.78
1-150	(1H, d), 4.06 (1H, d), 4.51 (2H, d), 5.95 (1H, br s), 6.70 (1H, dd), 6.80 (1H, d), 7.29 (2H, d), 7.39 (1H, t), 7.44 (1H, d). 1H-NMR (CDCl3) & 1.86-1.98 (2H, m), 2.10-2.32 (4H, m), 2.50-2.60 (1H, m), 2.83-3.00 (2H, m), 3.48-3.59 (2H, m), 3.78 (1H, d), 4.06
1-151	(1H, d), 4.49 (2H, d), 5.59 (1H, bt), 6.68-6.80 (2H, m), 7.26-7.46 (4H, m) 1H-NMR (CDCl3) & 1.00 (9H, s), 2.04 (2H, s), 2.50-2.60 (1H, m), 2.83-2.91 (1H, m), 3.48-3.60 (2H, m), 3.78 (1H, d), 4.06 (1H, d),
1-154	4.49 (2H, d), 5.60 (1H, bt), 6.67-6.80 (2H, m), 7.28-7.48 (3H, m) 1H-NMR (CDCl3) & 1.93-2.02 (2H, m), 2.43-2.57 (5H, m), 2.82-2.90 (1H, m), 3.45-3.59 (2H, m), 3.78 (1H, d), 4.05 (1H, d), 4.56
1-155	(2H, d), 5.92 (1H, b), 6.51-6.81 (3H, m), 7.29-7.49 (4H, m) 1H-NMR (CDCl3) & 0.14-0.19 (2H, m), 0.55-0.61 (2H, m), 0.88-0.93 (1H, m), 2.16 (2H, d), 2.50-2.60 (1H, m), 2.82-2.90 (1H, m),
1-162	3.46-3.59 (2H, m), 3.78 (1H, d), 4.12 (1H, d), 4.14 (2H, d), 6.21 (1H, b), 6.67-6.81 (2H, m), 7.29-7.48 (4H, m) 1H-NMR (acetone-d6) & 2.72-2.82 (1H, m), 2.99-3.09 (1H, m), 3.28 (2H, q), 3.54-3.66 (2H, m), 4.02 (1H, d), 4.34 (1H, d), 4.48
1-164	(2H, d), 6.92 (1H, dd), 6.96 (1H, d), 7.42 (1H, d), 7.55 (1H, t), 7.63 (2H, d), 7.70 (1H, br s). 1H-NMR (CDCl3) &: 2.50-2.61 (1H, m), 2.84-2.92 (1H, m), 3.50-3.60 (2H, m), 3.78 (1H, d), 4.08 (1H, d), 4.58 (2H, d), 5.89 (1H, t),
1-166	6.51 (1H, b), 6.69-6.83 (3H, m), 7.27-7.44 (3H, m) 1H-NMR (CDCl3) & 1.45-1.70 (2H, m), 1.71-1.80 (3H, m), 1.95-2.05 (4H, m), 2.38-2.42 (1H, m), 2.50-2.60 (1H, m), 3.45-3.59 (2H, m),
1-167	3.78 (1H, d), 4.09 (1H, d), 4.48 (2H, d), 5.84 (1H, d), 6.68-6.80 (2H, m), 7.29-7.42 (4H, m) 1H-NMR (CDCl3) & 0.53-0.58 (2H, m), 1.17-1.21 (2H, m), 1.26 (3H, s), 2.50-2.61 (1H, m), 2.82-2.89 (1H, m), 3.47-3.60 (2H, m), 3.78
1-173	(1H, d), 4.06 (1H, d), 4.51 (2H, d), 6.02 (1H, bt), 6.68-6.81 (2H, m), 7.28-7.45 (4H, m) 1H-NMR (CDCl3) & 2.50-2.60 (1H, m), 2.83-2.89 (1H, m), 3.48-3.60 (2H, m), 3.78 (1H, d), 4.08 (1H, d), 4.58 (2H, d), 5.62-5.67
1-174	(1H, m), 5.82 (1H, bt), 6.01-6.27 (1H, m), 6.26-6.33 (1H, m), 6.70-6.83 (2H, m), 7.28-7.51 (3H, m) 1H-NMR (CDCl3) & 1.84 (3H, dd), 2.50-2.60 (1H, m), 2.82-2.91 (1H, m), 3.47-3.60 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.56 (2H, d),
1-176	1.6.5.65 (1H, bt), 5.73-5.79 (1H, m), 6.68-6.89 (3H, m), 7.28-7.48 (3H, m), 2.83-2.91 (1H, m), 3.49-3.61 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 1.82 (3H, s), 2.50-2.64 (1H, m), 2.83-2.91 (1H, m), 3.49-3.61 (2H, m), 3.78 (1H, d), 4.06 (1H, d),
1-170	111-NMR (CDCl3) 6: 1.50-2.60 (1H, m), 2.83-2.89 (1H, m), 3.00 (2H, d), 3.48-3.60 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.49 (2H, d), 111-NMR (CDCl3) 6: 2.50-2.60 (1H, m), 2.83-2.89 (1H, m), 3.00 (2H, d), 3.48-3.60 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.49 (2H, d),
1-180	111-NNR (CDCl3) 6: 1.92 (3H, s), 2.50-2.60 (1H, m), 2.83-2.93 (1H, m), 3.60 (2H, m), 7.28-7.45 (3H, m) 111-NNR (CDCl3) 6: 1.92 (3H, s), 2.50-2.60 (1H, m), 2.83-2.92 (1H, m), 3.48-3.61 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.52 (2H, d),
1-182	111-NMR (CDCl3) 6: 1.92 (3H, 8), 2.50-2.06 (1H, m), 2.63-2.92 (1H, m), 3.46-3.01 (2H, m), 3.76 (1H, d), 4.00 (1H, d), 4.52 (2H, d), 5.96 (1H, b), 6.68-6.81 (2H, m), 7.29-7.46 (3H, m) (1H, m), 3.36 (2H, s), 3.49-3.61 (2H, m), 3.79 (1H, d), 4.08 (1H, d), 4.54 (2H, d), 11H-NMR (CDCl3) 6: 2.50-2.64 (1H, m), 2.83-2.91 (1H, m), 3.36 (2H, s), 3.49-3.61 (2H, m), 3.79 (1H, d), 4.08 (1H, d), 4.54 (2H, d), 11H-NMR (CDCl3) 6: 2.50-2.64 (1H, m), 2.83-2.91 (1H, m), 3.36 (2H, s), 3.49-3.61 (2H, m), 3.79 (1H, d), 4.08 (1H, d), 4.54 (2H, d), 11H-NMR (CDCl3) 6: 2.50-2.64 (1H, m), 2.83-2.91 (1H, m), 3.36 (2H, s), 3.49-3.61 (2H, m), 3.79 (1H, d), 4.08 (1H, d), 4.54 (2H, d), 11H-NMR (CDCl3) 6: 2.50-2.64 (1H, m), 2.83-2.91 (1H, m), 3.36 (2H, s), 3.49-3.61 (2H, m), 3.79 (1H, d), 4.08 (1H, d), 4.54 (2H, d), 11H-NMR (CDCl3) 6: 2.50-2.64 (1H, m), 2.83-2.91 (1H, m), 3.36 (2H, s), 3.49-3.61 (2H, m), 3.79 (1H, d), 4.08 (1H, d), 4.54 (2H, d), 11H-NMR (CDCl3) 6: 2.50-2.64 (1H, m), 2.83-2.91 (1H, m), 3.36 (2H, s), 3.49-3.61 (2H, m), 3.79 (1H, d), 4.08 (1H, d), 4.54 (2H, d), 11H-NMR (CDCl3) 6: 2.50-2.64 (1H, m), 2.83-2.91 (1H, m), 3.36 (2H, s), 3.49-3.61 (2H, m), 3.79 (1H, d), 4.08 (1H, d), 4.54 (2H, d), 11H-NMR (CDCl3) 6: 2.50-2.64 (1H, m), 2.83-2.91 (1H, m), 3.40-3.61 (2H, m), 3.79 (1H, d), 4.08 (1H, d), 4.54 (2H, d), 11H-NMR (CDCl3) 6: 2.50-2.64 (1H, m), 2.83-2.91 (1H, m), 3.80 (2H, s), 3.49-3.61 (2H, m), 3.79 (1H, d), 4.08 (1H, d), 4.54 (2H, d), 11H-NMR (CDCl3) 6: 2.50-2.64 (1H, d), 4.54 (2H, d), 11H-NMR (CDCl3) 6: 2.50-2.64 (1H, d), 2.50-2.64 (1H, d), 3.50 (2H, d), 3.40-3.64 (2H, d), 3.40-3.
	6.30 (1H, bt), 6.01 (1H, q), 6.68-6.83 (2H, m), 7.28-7.43 (4H, m)
1-185	1H-NMR (CDCl3) & 1.18 (3H, t), 2.50-2.61 (1H, m), 2.83-2.92 (1H, m), 3.50-3.60 (4H, m), 3.78 (1H, d), 3.94 (2H, s), 4.07 (1H, d), 4.55 (2H, d), 6.68-6.89 (3H, m), 7.28-7.45 (3H, m)
1-186	1H-NMR (CDCl3) & 2.06 (3H, s), 2.50-2.61 (1H, m), 2.84-2.92 (1H, m), 3.50-3.62 (2H, m), 3.78 (1H, d), 4.07 (1H, d), 4.54 (2H, d), 6.68-6.82 (2H, m), 7.13 (1H, b), 7.28-7.45 (4H, m)
1-188	1H-NMR (CDCl3) & 2.12 (3H, s), 2.54-2.63 (1H, m), 2.84-2.92 (1H, m), 3.54-3.60 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.56 (4H, m), 6.40 (1H, b), 6.68-6.82 (2H, m), 7.26-7.46 (4H, m)
1-198	1H-NMR (CDCl3) &: 2.50-2.64 (1H, m), 2.83-2.88 (1H, m), 3.36 (2H, s), 3.49-3.60 (2H, m), 3.79 (1H, d), 4.08 (1H, d), 4.70 (2H, d), 6.30 (1H, bt), 6.70-6.83 (2H, m), 7.26-7.51 (5H, m), 8.01-8.71 (2H, m)
1-210	1H-NMR (CDCl3) &: 2.53-2.60 (1H, m), 2.83-2.91 (1H, m), 3.48-3.59 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.68 (2H, d), 6.25 (1H, bt), 6.68-7.07 (3H, m), 7.28-7.55 (6H, m)
1-211	1H-NMR (CDCl3) &: 2.50-2.60 (1H, m), 2.82-2.90 (1H, m), 3.45-3.59 (2H, m), 3.78 (1H, d), 3.95 (3H, s), 4.06 (1H, d), 4.62 (2H, d), 6.04-6.82 (6H, m), 7.29-7.50 (4H, m)
1-216	1H-NMR (CDCl3) & 2.50-2.60 (1H, m), 2.82-2.90 (1H, m), 3.45-3.59 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.63 (2H, d), 5.88 (1H, b), 6.36 (1H, d), 6.69-6.81 (2H, m), 7.29-7.53 (9H, m), 7.64 (1H, d)
1-220	1H-NMR (CDCl3) & 1.11 (3H, t), 2.50-2.60 (1H, m), 2.83-2.91 (1H, m), 3.15-3.24 (2H, m), 3.44-3.58 (3H, m), 3.78 (1H, d), 4.06 (1H, d), 4.52-4.44 (4H, m), 6.71 (1H, d), 6.79 (1H, d), 7.29 (2H, s), 7.39 (1H, t), 7.50 (1H, d).
1-222	1H-NMR (CDCl3) & 0.88 (3H, t), 1.42-1.52 (2H, m), 2.50-2.60 (1H, m), 2.82-2.90 (1H, m), 3.13 (2H, q), 3.46-3.59 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.25 (1H, b), 4.44 (2H, d), 4.57 (1H, b), 6.68-6.78 (2H, m), 7.28-7.51 (4H, m)
1-224	1H-NMR (CDCl3) & 0.50-0.56 (2H, m), 0.67-0.73 (2H, m), 2.37-2.41 (1H, m), 2.50-2.60 (1H, m), 2.82-2.90 (1H, m), 3.46-3.59 (2H, m),
1-227	3.74 (1H, d), 4.50 (1H, d), 4.63 (1H, bs), 5.32 (1H, bt), 6.68-6.81 (2H, m), 7.29-7.51 (4H, m) 1H-NMR (CDCl3) & 1.62-1.82 (4H, m), 2.26-2.31 (3H, m), 2.50-2.60 (1H, m), 2.82-2.90 (1H, m), 3.46-3.59 (2H, m), 3.78 (1H, d), 4.12
1-228	(1H, d), 4.35-4.44 (3H, m), 6.68-6.79 (2H, m), 7.29-7.50 (4H, m) 1H-NMR (CDCl3) & 1.25-1.40 (2H, m), 1.50-1.65 (4H, m), 1.89-2.00 (2H, m), 2.50-2.60 (1H, m), 2.75-2.89 (1H, m), 3.40-3.60 (2H, m),
1-230	3.78 (1H, d), 3.91-3.96 (1H, m), 4.09 (1H, d), 4.23 (1H, b), 4.44 (2H, d), 4.56 (1H, b), 6.68-6.80 (2H, m), 7.29-7.51 (4H, m) 1H-NMR (CDCl3) & 2.50-2.60 (1H, m), 2.82-2.90 (1H, m), 3.46-3.62 (2H, m), 3.76-3.81 (3H, m), 4.08 (1H, d), 4.32 (1H, b), 4.45
1-231	(2H, d), 4.63 (1H, b), 6.68-6.79 (2H, m), 7.28-7.51 (4H, m) 1H-NMR (CDCl3) & 2.21 (1H, t), 2.50-2.60 (1H, m), 2.82-2.90 (1H, m), 3.46-3.58 (2H, m), 3.78 (1H, d), 3.97-4.00 (2H, m), 4.45 (3H, m),
1-232	4.71 (1H, b), 6.68-6.78 (2H, m), 7.28-7.50 (4H, m) 1H-NMR (CDCl3) &: 0.12-0.18 (2H, m), 0.43-0.50 (2H, m), 0.86-0.95 (1H, m), 2.50-2.60 (1H, m), 2.82-2.90 (1H, m), 3.00-3.04 (2H, m),
	3.46-3.59 (2H, m), 3.78 (1H, d), 4.12 (1H, d), 4.36 (1H, t), 4.44 (2H, d), 4.58 (1H, t), 6.68-6.78 (2H, m), 7.29-7.52 (4H, m)
1-238	1H-NMR (CDCl3) &: 2.24-2.40 (2H, m), 2.50-2.60 (1H, m), 2.82-2.90 (1H, m), 3.46-3.57 (4H, m), 3.77 (1H, d), 4.07 (1H, d), 4.41 (2H, d), 4.65 (1H, b), 4.78 (1H, b), 6.68-6.83 (2H, m), 7.29-7.46 (4H, m)

Table 8 - ExNo.	1H-NMR
1-243	1H-NMR (CDCl3) 8: 2.50-2.60 (1H, m), 3.30 (3H, s), 3.30-3.60 (6H, m), 3.78 (1H, d), 4.09 (1H, d), 4.44 (2H, d), 4.60 (1H, b),
1-244	4.84 (1H, b), 6.68-6.80 (2H, m), 7.29-7.51 (4H, m) 1H-NMR (CDCl3) & 2.12 (3H, s), 2.50-2.64 (2H, m), 2.82-2.91 (1H, m), 3.36-3.79 (4H, m), 3.78 (1H, d), 4.08 (1H, d), 4.44 (2H, d), 4.72 (2H, b), 6.68-6.80 (2H, m), 7.29-7.50 (4H, m)
1-253	1H-NMR (CDCl3) 8: 2.50-2.60 (1H, m), 2.82-2.90 (1H, m), 3.46-3.60 (2H, m), 3.76 (1H, d), 4.04 (1H, d), 4.33 (2H, d), 4.43 (2H, d), 4.70 (2H, b), 6.66-6.77 (2H, m), 7.14-7.48 (9H, m)
1-254	1H-NMR (CDCl3) & 2.49-2.59 (1H, m), 2.81-2.90 (1H, m), 3.46-3.57 (2H, m), 3.76 (1H, d), 4.04 (1H, d), 4.47 (4H, d), 5.14 (1H, b), 5.59 (1H, b), 6.66-6.77 (2H, m), 7.14-7.66 (7H, m), 8.45-8.48 (1H, m)
1-255	1H-NMR (CDCl3) 8: 1.85-1.92 (4H, m), 2.50-2.60 (1H, m), 2.82-2.90 (1H, m), 3.32-3.49 (4H, m), 3.50-3.62 (2H, m), 3.78 (1H, d), 4.08 (1H, d), 4.50 (3H, s), 6.71-6.80 (2H, m), 7.29-7.56 (4H, m)
1-257	1H-NMR (CDCl3) 8: 2.50-2.60 (1H, m), 2.82-2.90 (1H, m), 3.31 (4H, t), 3.50-3.62 (2H, m), 3.66 (4H, t), 3.78 (1H, d), 4.08 (1H, d), 4.50 (2H, d), 4.74 (1H, b), 6.68-6.80 (2H, m), 7.28-7.45 (4H, m)
1-258	1H-NMR (CDCl3) 8: 2.50-2.60 (1H, m), 2.83-3.00 (1H, m), 2.86 (6H, s), 3.48-3.58 (2H, m), 3.78 (1H, d), 4.08 (1H, d), 4.48 (2H, d), 4.68 (1H, bt), 6.68-6.80 (2H, m), 7.26-7.46 (4H, m)
1-260	1H-NMR (CDCl3) 8: 0.61-0.80 (4H, m), 2.36-2.42 (1H, m), 2.50-2.60 (1H, m), 2.82-3.00 (1H, m), 2.89 (3H, s), 3.47-3.58 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.50 (2H, d), 5.62 (1H, bt), 6.67-6.80 (2H, m), 7.28-7.62 (4H, m)
1-270	1H-NMR (CDCl3) 8: 1.45 (9H, s), 2.50-2.60 (1H, m), 2.83-2.91 (1H, m), 3.45-3.61 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.38 (2H, d), 4.83 (1H, br s), 6.71 (1H, dd), 6.79 (1H, d), 7.29 (2H, d), 7.39 (1H, t), 7.44 (1H, d).
1-274	1H-NMR (CDCl3) 8: 2.55-2.60 (1H, m), 2.88-2.92 (1H, m), 3.52-3.61 (2H, m), 3.80-3.87 (1H, m), 4.09-4.11 (1H, m), 4.50 (2H, d,), 5.06 (1H, t), 6.73-6.76 (1H, m), 7.30-7.37 (4H, m).
1-275	1H-NMR (CDCl3) 8: 2.55-2.60 (1H, m), 2.87-2.92 (1H, m), 3.51-3.82 (5H, m), 4.12-4.19 (1H, m), 4.42 (2H, d), 4.88 (1H, t), 6.72-6.75 (1H, m), 7.26-7.69 (5H, m).
1-276	1H-NMR (CDCl3) 8: 2.52-2.57 (1H, m), 2.85-2.89 (1H, m), 3.47-3.55 (2H, m), 3.69-3.86 (1H, m), 3.98-4.27 (3H, m), 4.79 (1H, t), 6.61-6.76 (2H, m), 7.20-7.95 (9H, m).
1-285 1-286	1H-NMR (CDCl3) 8: 1.16 (3H, t), 2.22 (2H, q), 2.42-2.53 (1H, m), 2.81-2.89 (1H, m), 3.44-3.56 (2H, m), 3.69-3.76 (1H, m), 4.00-4.04 (1H, m), 4.42-4.44 (2H, m), 5.81 (1H, br s), 6.49-6.51 (1H, m), 6.77-6.78 (1H, m), 7.27-7.29 (3H, m), 7.39-7.39 (1H, m). 1H-NMR (CDCl3) 8: 0.68-0.75 (2H, m), 0.95-1.00 (2H, m), 1.30-1.35 (1H, m), 2.50-2.56 (1H, m), 3.42-3.54 (2H, m), 3.74 (1H, d), 4.02
1-287	(1H, d), 4.44 (2H, d), 5.99 (1H, b), 6.48-7.40 (6H, m) 1H-NMR (CDCl3) & 2.50-2.60 (1H, m), 2.81-2.90 (1H, m), 3.03 (1H, d), 3.00 (1H, d), 3.43-3.54 (1H, m), 3.74 (1H, d), 4.02 (1H, d),
1-291	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
1-295	3.97 (1H, d), 4.29 (2H, d), 5.40 (1H, s), 6.33-6.37 (2H, m), 7.06 (1H, d), 7.24 (2H, d), 7.32 (1H, t). 1H-NMR (CDCl3) & 2.62-2.66 (1H, m), 2.97-3.05 (1H, m), 3.57-3.62 (2H, m), 3.86-3.89 (3H, m), 4.19 (1H, d), 6.77-6.82 (2H, m),
1-296	7.42 (1H, d), 7.85-7.93 (3H, m) 1H-NMR (CDCl3) & 2.58-2.68 (1H, m), 2.97-3.05 (1H, m), 3.24 (2H, q), 3.51-3.68 (2H, m), 3.85 (1H, d), 4.20 (1H, d), 4.55 (2H, d),
1-297	5.99 (1H, t), 6.79 (2H, dd), 7.44 (1H, d), 7.84 (2H, s), 7.93 (1H, s). 1H-NMR (CDCl3) 8: 2.58-2.68 (3H, m), 2.97-3.05 (1H, m), 3.50-3.66 (2H, m), 3.78-3.87 (3H, m), 4.19 (1H, d), 4.53 (2H, d), 5.94
1-298	(1H, t), 6.74 (1H, dd), 6.83 (1H, d), 7.46 (1H, d), 7.85 (2H, s), 7.93 (1H, s). 1H-NMR (CDCl3) & 2.58-2.67 (1H, m), 2.97-3.05 (1H, m), 3.53-3.68 (4H, m), 3.84 (1H, d), 4.19 (1H, d), 4.43 (2H, d), 4.98 (1H, br s),
1-299	6.74 (1H, dd), 6.83 (1H, d), 7.48 (1H, d), 7.84 (2H, s), 7.93 (1H, s) 1H-NMR (CDCl3) & 1.24 (3H, t), 2.58-2.68 (1H, m), 2.97-3.05 (1H, m), 3.50-3.67 (2H, m), 3.85 (1H, d), 4.09-4.21 (3H, m), 4.43
1-300	(2H, d), 4.96 (1H, br s), 6.74 (1H, dd), 6.83 (1H, d), 7.85 (2H, s), 7.93 (1H, s). 1H-NMR (CDCl3) & 1.57 (9H, s), 2.58-2.68 (1H, m), 2.96-3.05 (1H, m), 3.50-3.63 (2H, m), 3.85 (1H, d), 4.19 (1H, d), 4.38 (2H, d),
1-301	4.83 (1H, br s), 6.74 (1H, dd), 6.82 (1H, d), 7.46 (1H, d), 7.84 (2H, s), 7.93 (1H, s). 1H-NMR (CDCl3) 8: 2.57-2.67 (1H, m), 2.74 (3H, d), 2.96-3.04 (1H, m), 3.49-3.65 (2H, m), 3.84 (1H, d), 4.18 (1H, d), 4.44-4.39 (3H, m), 4.75 (1H, t), 6.73 (1H, dd), 6.81 (1H, d), 7.50 (1H, d), 7.84 (2H, s), 7.93 (1H, s).
1-302	(1H, M), 4-75 (1H, b), 5-75 (1H, dd), 5-81 (1H, dd), 5-81 (1H, dd), 5-81 (1H, s), 1-95 (1H, s), 1-15 (1H, s), 1-15 (1H, s), 1-15 (1H, s), 1-15 (1H, dd), 3-14-3-23 (2H, m), 3-49-3-66 (2H, m), 3-84 (1H, d), 4-18 (1H, d), 4-27 (1H, br s), 4-44 (2H, d), 4-63 (1H, t), 6-73 (1H, dd), 6-81 (1H, d), 7-51 (1H, d), 7-84 (2H, s), 7-93 (1H, s).
1-303	(H, d), 3-4 (H, d), 3-4 (H, d), 4-10 (H, d),
1-304	1H-NMR (CDCl3) 6: 1.11 (6H, d), 2.57-2.67 (1H, m), 2.96-3.04 (1H, m), 3.49-3.65 (2H, m), 3.78-3.88 (2H, m), 4.15-4.20 (2H, m), 4.43 (2H, d), 4.60 (1H, t), 6.73 (1H, dd), 6.81 (1H, d), 7.50 (1H, d), 7.84 (2H, s), 7.93 (1H, s).
1-305	1H-NMR (CDCl3) 8: 0.53 (2H, td), 0.70 (2H, td), 2.36-2.43 (1H, m), 2.58-2.68 (1H, m), 2.96-3.05 (1H, m), 3.50-3.67 (2H, m), 3.85 (1H, d), 4.19 (1H, d), 4.51 (2H, d), 4.67 (1H, s), 5.34 (1H, t), 6.74 (1H, dd), 6.83 (1H, d), 7.51 (1H, d), 7.85 (2H, s), 7.93 (1H, s).
1-306	1H-NMR (CDCl3) & 2.59-2.62 (1H, m), 2.96-3.00 (1H, m), 3.46-3.62 (2H, m), 3.82-3.88 (3H, m), 4.10-4.16 (1H, m), 6.49-6.53 (1H, m), 6.64-6.65 (1H, m), 7.21-7.24 (1H, m), 7.85 (2H, s), 7.92 (1H, s)
1-307	1H-NMR (CDCl3) 8: 1.15 (3H, t), 2.21 (2H, q), 2.55-2.65 (1H, m), 2.94-3.02 (1H, m), 3.45-3.62 (2H, m), 3.80 (1H, d), 4.15 (1H, d), 4.44 (2H, d), 5.79 (1H, br s), 6.49 (1H, dd), 6.62 (1H, d), 7.29 (1H, d), 7.83 (2H, s), 7.92 (1H, s).
1-308	1H-NMR (CDCl3) 8: 0.72 (2H, dt), 0.97 (2H, dt), 1.29-1.38 (1H, m), 2.55-2.66 (1H, m), 2.94-3.02 (1H, m), 3.46-3.62 (2H, m), 3.81 (1H, d), 4.15 (2H, d), 4.45 (2H, d), 6.01 (1H, t), 6.49 (1H, dd), 6.63 (1H, d), 7.29 (1H, d), 7.92 (2H, s), 7.88 (1H, s).
1-309	1H-NMR (CDCl3) 8: 2.56-2.66 (1H, m), 2.95-3.11 (3H, m), 3.45-3.62 (2H, m), 3.81 (1H, d), 4.16 (1H, d), 4.46 (2H, d), 6.20 (1H, br s), 6.49 (1H, dd), 6.63 (1H, d), 7.26 (1H, d), 7.83 (2H, s), 7.93 (1H, s).
1-312	1H-NMR (CDCl3) 8: 1.16 (3H, t), 2.21 (3H, q), 2.60-2.63 (1H, m), 2.94-3.02 (1H, m), 3.48-3.59 (2H, m), 3.80 (1H, d), 4.09-4.16 (1H, m), 4.43 (2H, d), 5.81 (1H, br s), 6.52-6.55 (1H, m), 6.81 (1H, d), 7.28-7.30 (1H, m), 7.83-7.92 (3H, m)
1-313	1H-NMR (CDCl3) &: 0.71-0.74 (2H, m), 0.96-0.99 (2H, m), 1.25-1.36 (1H, m), 2.59-2.61 (1H, m), 2.96-3.00 (1H, m), 3.48-3.59 (1H, m), 3.78-3.82 (2H, m), 4.13-4.16 (1H, m), 4.44-4.46 (2H, m), 5.96-5.99 (1H, m), 6.52-6.55 (1H, m), 6.83-6.89 (1H, m), 7.25-7.2
1-314	H-NMR (CDCl3) & 2.57-2.63 (1H, m), 2.95-3.26 (3H, m), 3.52-3.58 (2H, m), 3.80 (1H, d), 4.15 (1H, d), 4.46 (2H, d), 6.24 (1H, br s), 6.52-6.55 (1H, m), 6.81 (1H, d), 7.26-7.27 (1H, m), 7.83-7.93 (3H, m)
1-317	1H-NMR (CDCl3) 6: 1.97 (3H, s), 2.61-2.70 (1H, m), 3.00-3.08 (1H, m), 3.53-3.70 (2H, m), 3.87 (1H, d), 4.23 (1H, d), 4.53 (2H, d), 6.34 (1H, t), 6.83 (1H, dd), 7.23 (1H, d), 7.55 (1H, d), 7.84 (2H, s), 7.94 (1H, s).
1-319	1H-NMR (CDCl3) & 0.72 (2H, dt), 0.95 (2H, dt), 1.30-1.39 (1H, m), 2.59-2.70 (1H, m), 3.00-3.08 (1H, m), 3.53-3.69 (2H, m), 3.86 (1H, d), 4.23 (1H, d), 4.56 (2H, d), 6.49 (1H, t), 6.82 (1H, dd), 7.24 (1H, d), 7.53 (1H, d), 7.84 (2H, s), 7.94 (1H, s).
1-321	(H, d), 4.39 (2H, d), 4.39 (2H, d), 7.49 (1H, d), 7.84 (2H, s), 7.94 (1H, s). 1H-NMR (CDCl3) & 2.59-2.69 (1H, m), 2.88 (3H, s), 2.99-3.07 (1H, m), 3.69-3.51 (2H, m), 3.86 (1H, d), 4.21 (1H, d), 4.39 (2H, d), 4.53 (1H, t), 6.77 (1H, dd), 6.85 (1H, d), 7.49 (1H, d), 7.84 (2H, s), 7.94 (1H, s).
1-322	1H-NMR (CDCl3) 8: 1.33 (3H, t), 2.59-2.69 (1H, m), 2.96-3.07 (3H, m), 3.52-3.69 (2H, m), 3.86 (1H, d), 4.22 (1H, d), 4.37 (2H, d), 4.49 (1H, t), 6.78 (1H, dd), 6.84 (1H, d), 7.50 (1H, d), 7.85 (2H, s), 7.94 (1H, s).

Table 8 - ExNo.	1H-NMR
1-323	1H-NMR (CDCl3) δ: 2.60-2.73 (1H, m), 3.00-3.13 (1H, m), 3.61-3.70 (2H, m), 3.87-3.93 (1H, m), 4.19-4.32 (1H, m), 4.50-4.58 (2H, m),
1-324	5.10 (1H, br s), 6.80-6.84 (2H, m), 7.39-7.48 (1H, m), 7.78-7.94 (3H, m). 1H-NMR (CDCl3) & 2.62-2.67 (1H, m), 3.01-3.05 (1H, m), 3.56-3.88 (5H, m), 4.16-4.21 (1H, m), 4.43-4.50 (2H, m), 4.85 (1H, t),
1-325	6.78-6.84 (2H, m), 7.47 (1H, d), 7.84-7.94 (3H, m). 1H-NMR (CDCl3) & 2.57-2.71 (1H, m), 2.99-3.03 (1H, m), 3.56-3.63 (2H, m), 3.81-3.84 (1H, m), 4.13-4.26 (4H, m), 4.69 (1H, t), 6.68-6.75 (2H, m), 7.28-7.61 (4H, m), 7.87-7.90 (5H, m).
1-327	1H-NMR (CDCl3) 8: 2.49-2.59 (1H, m), 2.83-2.91 (1H, m), 3.05 (2H, q), 3.46-3.62 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.53 (2H, d), 6.04 (1H, br s), 6.70 (1H, dd), 6.80 (1H, d), 7.43-7.40 (3H, m).
1-328	1H-NMR (CDCl3) 8: 0.92 (3H, t), 1.60-1.71 (3H, m), 2.14 (2H, t), 2.49-2.59 (1H, m), 2.82-2.90 (1H, m), 3.47-3.62 (2H, m), 3.77 (1H, d), 4.05 (1H, d), 4.50 (2H, d), 5.70 (1H, t), 6.70 (1H, dd), 6.79 (1H, d), 7.46-7.43 (3H, m).
1-329	1H-NMR (CDCl3) & 1.14 (6H, d), 2.29-2.38 (1H, m), 2.49-2.59 (1H, m), 2.82-2.90 (1H, m), 3.45-3.61 (2H, m), 3.77 (1H, d), 4.05 (1H, d), 4.49 (2H, d), 5.71 (1H, t), 6.70 (1H, dd), 6.79 (1H, d), 7.44-7.42 (3H, m).
1-330	1H-NMR (CDCl3) &: 1.11 (3H, t), 2.49-2.58 (1H, m), 2.82-2.91 (1H, m), 3.18 (2H, q), 3.45-3.60 (2H, m), 3.77 (1H, d), 4.04 (1H, d), 4.23 (1H, br s), 4.44 (2H, d), 4.59 (1H, br s), 6.70 (1H, dd), 6.78 (1H, d), 7.43 (2H, s), 7.50 (1H, d).
1-333	1H-NMR (CDCl3) &: 2.54-2.61 (1H, m), 2.81-2.94 (1H, m), 3.50-3.60 (2H, m), 3.82-3.88 (1H, m), 4.02-4.10 (1H, m), 4.50 (2H, d,), 5.04 (1H, t), 6.73-6.75 (1H, m), 7.30-7.42 (3H, m).
1-334	1H-NMR (CDCl3) &: 2.53-2.60 (1H, m), 2.85-2.91 (1H, m), 3.50-3.80 (5H, m), 4.11-4.18 (1H, m), 4.40 (2H, d), 4.86 (1H, t), 6.72-6.76 (1H, m), 7.21-7.70 (4H, m).
1-335	1H-NMR (CDCl3) &: 2.52-2.58 (1H, m), 2.85-2.90 (1H, m), 3.47-3.60 (2H, m), 3.70-3.87 (1H, m), 3.98-4.29 (3H, m), 4.80 (1H, t), 6.60-6.77 (2H, m), 7.11-7.80 (8H, m).
1-336	1H-NMR (CDCl3) &: 2.46-2.56 (1H, m), 2.79-2.87 (1H, m), 3.48-3.51 (2H, m), 3.74 (1H, d), 3.83 (1H, s), 4.01 (1H, d), 6.47 (1H, dd), 6.60 (1H, d), 7.21 (1H, d), 7.42 (2H, s)
1-337	1H-NMR (CDCl3) &: 1.98 (3H, s), 2.47-2.57 (1H, m), 2.80-2.88 (1H, m), 3.42-3.57 (2H, m), 3.73 (1H, d), 4.01 (1H, d), 4.41 (2H, d), 5.86 (1H, br s), 6.45 (1H, dd,), 6.59 (1H, d), 7.27 (1H, d), 7.41 (2H, s).
1-338	1H-NMR (CDCl3) &: 1.15 (4H, t), 2.47-2.57 (1H, m), 2.80-2.88 (1H, m), 3.40-3.56 (2H, m), 3.73 (1H, d), 4.01 (1H, d), 4.43 (2H, d), 5.81 (1H, s), 6.45 (1H, dd), 6.59 (1H, d), 7.27 (1H, d), 7.42 (2H, s).
1-339	1H-NMR (CDCl3) & 0.72 (2H, dt), 0.97 (2H, dt), 1.29-1.37 (1H, m), 2.46-2.57 (1H, m), 2.79-2.88 (1H, m), 3.41-3.56 (2H, m), 3.74 (1H, d), 4.01 (1H, d), 4.45 (2H, d), 5.99 (1H, br s), 6.45 (1H, dd), 6.59 (1H, d), 7.28 (1H, d), 7.42 (2H, s).
1-340	1H-NMR (CDCl3) &: 2.46-2.56 (1H, m), 2.79-2.88 (1H, m), 3.07 (2H, q), 3.40-3.56 (2H, m), 3.72 (1H, d), 4.01 (1H, d), 4.44 (2H, d), 6.32 (1H, br s), 6.44 (1H, dd), 6.58 (1H, d), 7.23 (1H, d), 7.41 (2H, s).
1-341 1-344	1H-NMR (CDCl3) &: 1.10 (3H, t), 2.45-2.56 (1H, m), 2.79-2.87 (1H, m), 3.13-3.22 (2H, m), 3.39-3.55 (2H, m), 3.72 (1H, d), 3.99 (1H, d), 4.33-4.38 (3H, m), 4.78 (1H, t), 6.44 (1H, dd), 6.57 (1H, d), 7.28 (2H, d), 7.41 (2H, s). 1H-NMR (CDCl3) &: 1.98 (3H, s), 2.45-2.56 (1H, m), 2.80-2.87 (1H, m), 3.40-3.60 (2H, m), 3.73 (1H, d), 4.01 (1H, d), 4.41 (2H, d),
1-344	1H-NMR (CDCl3) 6: 1.16 (3H, t), 2.21 (2H, q), 2.44-2.52 (1H, m), 2.79-2.88 (1H, m), 3.43-3.56 (2H, m), 3.71-3.74 (1H, m), 3.99-4.02
1-346	(1H, m), 4.42-4.44 (2H, m), 5.81 (1H, br s), 6.50 (1H, dd), 6.77 (1H, d), 7.29 (1H, d), 7.40 (2H, s). 1H-NMR (CDCl3) &: 0.69-1.37 (5H, m), 2.46-2.56 (1H, m), 2.79-2.88 (1H, m), 3.43-3.56 (2H, m), 3.72-3.74 (1H, m), 3.99-4.02 (1H, m),
1-347	1.1 H.
1-355	4.46-4.48 (2H, m), 6.12 (1H, br s), 6.50 (1H, dd), 6.78 (1H, d), 7.26-7.30 (1H, m), 7.43 (2H, s) 1H-NMR (CDCl3) δ: 1.98 (3H, s), 2.54-2.64 (1H, m), 2.90-2.98 (1H, m), 3.47-3.64 (2H, m), 3.82 (1H, d), 4.13 (1H, d), 4.49 (2H, d),
1-356	5.75 (1H, br s), 6.72 (1H, dd), 6.81 (1H, d), 7.46 (1H, d), 7.54 (1H, s), 7.59 (1H, s), 7.65 (1H, s). 1H-NMR (CDCl3) & 1.15 (3H, t), 2.20 (2H, q), 2.54-2.64 (1H, m), 2.89-2.98 (1H, m), 3.48-3.64 (2H, m), 3.81 (1H, d), 4.12 (1H, d),
1-357	4.50 (2H, d), 5.71 (1H, br s), 6.72 (1H, dd), 6.81 (1H, d), 7.45 (1H, d), 7.54 (1H, s), 7.59 (1H, s), 7.65 (1H, s). 1H-NMR (CDCl3) 8: 0.70-0.76 (2H, m), 0.96-1.01 (2H, m), 1.27-1.34 (1H, m), 2.54-2.67 (1H, m), 2.90-2.98 (1H, m), 3.48-3.64 (2H, m),
1-377	3.81 (1H, d), 4.12 (1H, d), 4.52 (1H, d), 5.89 (1H, br s), 6.72 (1H, dd), 6.81 (1H, d), 7.46 (1H, d), 7.54 (1H, s), 7.59 (1 1H-NMR (CDCl3) & 2.00 (3H, s), 2.54-2.59 (1H, m), 2.87-2.95 (1H, m), 3.61-3.72 (2H, m), 3.94-3.98 (1H, m), 4.43-4.46 (3H, m), 5.73
1-378	(1H, br s), 6.61 (1H, s), 7.44 (2H, s), 8.37 (1H, s). 1H-NMR (CDCl3) δ: 1.16 (3H, t), 2.22 (2H, q), 2.54-2.59 (1H, m), 2.87-2.95 (1H, m), 3.62-3.68 (2H, m), 3.94-3.98 (1H, m), 4.41-4.66
1-379	(3H, m), 5.70 (1H, br s), 6.57 (1H, s), 7.42 (2H, s), 8.37 (1H, s). 1H-NMR (CDCl3) & 0.71-1.36 (5H, m), 2.51-2.61 (1H, m), 2.87-2.95 (1H, m), 3.60-3.73 (2H, m), 3.94-3.98 (1H, m), 4.42-4.49 (3H, m),
1-380	5.88 (1H, br s), 6.57 (1H, s), 7.44 (2H, s), 8.37 (1H, s). 1H-NMR (CDCl3) & 2.54-2.59 (1H, m), 2.87-2.96 (1H, m), 3.05-3.09 (2H, m), 3.61-3.73 (2H, m), 3.94-3.98 (1H, m), 4.43-4.51 (3H, m),
1-381	5.99 (1H, br s), 6.58 (1H, s), 7.45 (2H, d), 8.36 (1H, s) 1H-NMR (CDCl3) & 1.14 (3H, t), 2.50-2.61 (1H, m), 2.86-2.94 (1H, m), 3.17-3.21 (2H, m), 3.60-3.71 (2H, m), 3.93-3.97 (1H, m),
1-386	4.29-4.30 (1H, m), 4.41-4.43 (3H, m), 4.58-4.60 (1H, m), 6.55 (1H, s), 7.44 (2H, s), 8.40 (1H, s). 1H-NMR (CDCl3) & 2.61-2.69 (1H, m), 3.02-3.12 (3H, m), 3.69-3.72 (2H, m), 4.03-4.07 (1H, m), 4.53-4.61 (3H, m), 5.98 (1H, br s),
1-390	6.61 (1H, s), 7.85 (2H, s), 7.93 (1H, s), 8.38 (1H, s). 1H-NMR (CDCl3) & 1.18 (3H, t), 2.15 (2H, q,), 2.49-2.59 (1H, m), 2.83-2.92 (1H, m), 3.57-3.70 (2H, m), 3.95 (1H, d), 4.38-4.45
1-391	(3H, m), 5.76 (1H, br s), 6.51 (1H, d), 7.30 (2H, s), 7.39 (1H, t), 7.72 (1H, d). 1H-NMR (CDCl3) 8: 0.71-0.82 (2H, m), 0.95-1.05 (2H, m), 1.24-1.40 (1H, m), 2.52-2.57 (1H, m), 2.83-2.92 (1H, m), 3.61-3.64 (2H, m), 2.55 (1H, d), 4.24 (2H, m), 5.55 (1H, br), 6.55 (1H, br), 6.51 (1H, br), 7.72 (1H, d), 2.55 (1H, d), 4.24 (2H, m), 5.55 (1H, br), 6.55
1-398	3.95 (1H, d), 4.38-4.47 (3H, m), 5.95 (1H, br s), 6.51 (1H, d), 7.26-7.39 (3H, m), 7.72 (1H, d). 1H-NMR (CDCl3) & 2.49-2.59 (1H, m), 2.83-2.92 (1H, m), 3.01-3.12 (2H, m), 3.61-3.68 (2H, m), 3.96 (1H, d), 4.38 (1H, d), 4.49-4.51
1-404	(2H, m), 6.08 (1H, br s), 6.52 (1H, d), 7.43 (2H, s), 7.69 (1H, d). 1H-NMR (CDCl3) 8: 2.57-2.67 (1H, m), 3.02-3.07 (3H, m), 3.63-3.70 (2H, m), 4.08-4.10 (1H, m), 4.50-4.51 (3H, m), 6.06 (1H, br s),
1-408	6.55 (1H, dz), 7.71 (1H, d), 7.85 (2H, s), 7.92 (1H, s). 1H-NMR (CDCl3) δ: 1.14 (3H, t), 2.20 (2H, q), 2.50-2.58 (1H, m), 2.81-2.90 (1H, m), 3.42-3.60 (2H, m), 3.76 (1H, d), 4.02 (1H, d), 4.58 (2H, d), 5.73 (1H, b), 6.77 (44 (5H, m))
1-442	4.58 (2H, d), 5.73 (1H, b), 6.67-7.44 (5H, m) 1H-NMR (CDCI3) 8: 1.27 (3H, d), 2.52-2.54 (1H, m), 2.80-2.88 (1H, m), 3.43-3.52 (2H, m), 3.73 (1H, d), 4.01 (1H, d), 4.35 (2H, dd), 4.50 4.54 (2H, m), 4.00 (4H, dd), 6.57 (4H, d), 7.25 7.27 (3H, m), 7.30 (4H, d)
1-443	4.50-4.54 (2H, m), 4.90 (1H, t), 6.44 (1H, dd), 6.57 (1H, d), 7.25-7.27 (3H, m), 7.39 (1H, t) 1H-NMR (CDCl3) 8: 2.51-2.60 (5H, m), 2.80-2.89 (1H, m), 3.47-3.50 (2H, m), 3.66 (4H, dd), 3.74 (1H, d), 4.02 (1H, d), 4.41 (2H, d),
1-444	4.81 (1H, t), 6.46 (1H, dd), 6.59 (1H, d), 7.27-7.31 (3H, m), 7.39 (1H, t). 1H-NMR (CDCl3) & 2.51-2.56 (1H, m), 2.80-2.88 (1H, m), 3.29-3.53 (10H, m), 3.74 (1H, d), 4.01 (1H, d), 4.34-4.36 (3H, m), 4.50
1-445	(1H, t), 4.89 (1H, t), 6.45 (1H, dd), 6.58 (1H, d), 7.27-7.29 (3H, m), 7.39 (1H, t). 1H-NMR (CDCl3) & 1.85-1.93 (4H, m), 2.50-2.55 (1H, m), 2.80-2.88 (1H, m), 3.03-3.12 (1H, m), 3.45-3.50 (3H, m), 3.73-3.81 (4H, m),
	3.91-4.03 (2H, m), 4.36 (2H, d), 4.62 (1H, s), 5.07 (1H, br s), 6.45 (1H, dd), 6.58 (1H, d), 7.28 (3H, t), 7.38-7.39 (1H, m).

Table 8 - ExNo.	1H-NMR
1-446	1H-NMR (CDCl3) δ: 1.55 (3H, d), 2.51-2.53 (1H, m), 2.81-2.85 (1H, m), 3.43-3.48 (2H, m), 3.71 (1H, d), 3.99 (1H, d), 4.34 (2H, d),
1-448	5.28-5.43 (3H, m), 6.41 (1H, d), 6.54 (1H, d), 7.21-7.26 (4H, m), 7.38 (1H, d), 7.64 (1H, d). 1H-NMR (CDCl3) 8: 1.16 (3H, t), 2.20 (2H, d), 2.48-2.57 (1H, m), 2.80-2.88 (1H, m), 3.39-3.55 (2H, m), 3.74 (1H, d), 4.01 (1H, d),
1-457	4.37 (2H, d), 5.77 (1H, s), 6.30 (2H, dd), 7.21 (1H, dd), 7.28 (2H, d), 7.38 (1H, t). 1H-NMR (CDCl3) 8: 2.43-2.55 (3H, m), 2.82-2.83 (1H, m), 3.43-3.54 (2H, m), 3.76 (3H, t), 4.02 (1H, d), 6.47 (1H, dd), 6.60 (1H, d), 7.24-7.39 (4H, m).
1-458	1H-NMR (CDCl3) 8: 1.74 (3H, d), 2.51-2.64 (1H, m), 2.81-2.89 (1H, m), 3.46-3.53 (2H, m), 3.75 (1H, d), 4.03 (1H, d), 4.43-4.47 (3H, m), 6.46 (1H, dd), 6.61 (1H, d), 7.25-7.27 (3H, m), 7.39 (1H, t).
1-461	1H-NMR (CDCl3) 8: 1.23 (3H, t), 2.51-2.53 (3H, m), 2.82-2.86 (1H, m), 3.24 (2H, s), 3.44-3.54 (2H, m), 3.75 (1H, d), 4.03 (1H, d), 4.46 (2H, d), 6.45 (1H, dd), 6.60 (1H, d), 7.26-7.28 (3H, m), 7.39 (1H, t).
1-464	1H-NMR (CDCl3) 6: 1.23 (6H, dd), 2.54-2.57 (1H, m), 2.82-2.89 (2H, m), 3.25 (2H, s), 3.46-3.51 (2H, m), 3.75 (1H, d), 4.03 (1H, d), 4.45 (2H, d), 6.45 (1H, dd), 6.60 (1H, d), 7.26-7.27 (3H, m), 7.39 (1H, t).
1-467	1H-NMR (CDCl3) 8: 2.11 (3H, s), 2.45-2.89 (6H, m), 3.44-3.54 (2H, m), 3.74 (1H, d), 4.02 (1H, d), 4.45 (2H, d), 6.03 (1H, br s), 6.45 (1H, dd), 6.59 (1H, d), 7.26-7.30 (3H, m), 7.39 (1H, t).
1-468	1H-NMR (CDCl3) & 0.66-0.68 (2H, m), 0.78-0.81 (2H, m), 2.49-2.59 (2H, m), 2.84-2.85 (1H, m), 3.47-3.53 (2H, m), 3.75 (1H, d), 4.03 (1H, d), 4.85 (2H, d), 6.25 (1H, s), 6.47 (1H, dd), 6.61 (1H, d), 6.68 (1H, s), 7.28-7.28 (2H, m), 7.39-7.42 (2H, m).
1-469	1H-NMR (CDCl3) & 2.51-2.53 (1H, m), 2.81-2.85 (1H, m), 3.43-3.62 (6H, m), 3.73 (1H, d), 4.01 (1H, d), 4.35 (2H, d), 4.86-4.93 (1H, m), 6.45 (1H, dd), 6.57 (1H, d), 7.26-7.29 (3H, m), 7.39 (1H, t).
1-471	1H-NMR (CDCl3) &: 2.09 (3H, s), 2.48-2.58 (4H, m), 2.79-2.88 (1H, m), 3.26 (2H, s), 3.40-3.57 (2H, m), 3.74 (1H, d), 4.02 (1H, d), 4.46 (2H, d), 6.48-7.40 (7H, m)
1-472	1H-NMR (CDCl3) 8: 2.48-2.60 (1H, m), 2.66 (3H, s), 2.80-2.88 (1H, m), 3.29 (1H, d), 3.40-3.54 (2H, m), 3.66 (1H, d), 3.74 (1H, d), 4.02 (1H, d), 4.47-4.50 (2H, m), 6.47-7.39 (7H, m)
1-473	1H-NMR (CDCl3) &: 2.48-2.60 (1H, m), 2.80-2.88 (1H, m), 3.05 (3H, s), 3.40-3.60 (2H, m), 3.74 (1H, d), 3.86 (2H, s), 4.02 (1H, d) 4.49 (2H, d), 6.48-7.40 (7H, m)
1-474 1-490	1H-NMR (CDCl3) 8: 1.16 (3H, t), 2.22 (2H, q), 2.47-2.57 (1H, m), 2.80-2.88 (1H, m), 3.40-3.56 (2H, m), 3.73 (1H, d), 4.00 (1H, d), 4.40 (2H, d), 5.76 (1H, br s), 6.54 (1H, dd), 7.03 (1H, d), 7.25 (1H, d), 7.28 (2H, d), 7.39 (1H, t). 1H-NMR (CDCl3) 8: 2.48 (3H, s), 2.54-2.64 (1H, m), 2.86-2.92 (1H, m), 3.50-3.58 (2H, m), 3.78 (1H, d), 4.07 (1H, d),
1-491	11-14-14 (CDCl3) & 2.48 (2H, t), 2.50-2.63 (1H, m), 2.80-2.22 (1H, m), 3.30-3.36 (2H, m), 3.76 (1H, d), 4.06 (1H,
1-493	4.50 (2H, d), 6.55 (1H, b), 6.67-6.80 (2H, m), 7.29-7.46 (4H, m) 1H-NMR (CDCl3) & 2.48-2.63 (1H, m), 2.80-2.90 (1H, m), 3.24 (2H, d), 3.47-3.60 (2H, m), 3.58 (1H, d), 4.07 (1H, d), 4.53 (2H, d),
1-494	6.69-6.95 (3H, m), 7.23-7.45 (4H, m) 1H-NMR (CDCl3) &: 2.50-2.63 (1H, m), 2.65 (3H, s), 2.83-2.91 (1H, m), 3.28 (1H, d), 3.51-3.61 (2H, m), 3.65 (1H, d), 3.78 (1H, d),
1-495	4.06 (1H, d), 4.58 (2H, d), 6.67-6.81 (2H, m), 7.11 (1H, b), 7.26-7.47 (4H, m) 1H-NMR (CDCl3) & 2.50-2.63 (1H, m), 2.83-2.91 (1H, m), 3.05 (3H, s), 3.48-3.61 (2H, m), 3.78 (1H, d), 3.85 (2H, s), 4.06 (1H, d),
1-496	4.57 (2H, d), 6.56 (1H, b), 6.69-6.82 (2H, m), 7.26-7.47 (4H, m) 1H-NMR (CDCl3) & 2.50-2.61 (1H, m), 2.83-2.91 (1H, m), 3.49-3.62 (2H, m), 3.59 (2H, s), 3.78 (1H, d), 4.06 (1H, d), 4.54 (2H, d),
1-498	6.58 (1H, b), 6.68-6.81 (2H, m), 7.26-7.42 (4H, m) 1H-NMR (CDCl3) & 2.50-2.61 (1H, m), 2.86-2.91 (1H, m), 3.49-3.65 (2H, m), 3.75-3.80 (3H, m), 4.06 (1H, d), 4.57 (2H, d), 6.46
1-499	(1H, b), 6.68-6.81 (2H, m), 7.26-7.44 (4H, m) 1H-NMR (CDCl3) & 1.20 (3H, t), 2.49 (2H, q), 2.48-2.61 (1H, m), 2.84-2.91 (1H, m), 3.23 (2H, s), 3.49-3.60 (2H, m), 3.79 (1H, d), 4.12 (1H, d), 4.53 (2H, d), 6.68-6.81 (2H, m), 7.15 (1H, b), 7.27-7.44 (4H, m)
1-500	1H-NMR (CDCl3) & 1.24 (3H, t), 2.51-2.61 (1H, m), 2.78-2.90 (3H, m), 3.29 (1H, d), 3.49-3.60 (2H, m), 3.57 (1H, d), 3.78 (1H, d), 4.06 (1H, d), 4.57 (2H, d), 6.67-6.80 (2H, m), 7.11 (1H, b), 7.28-7.46 (4H, m)
1-501	1H-NMR (CDCl3) & 1.26 (3H, t), 2.51-2.61 (1H, m), 2.83-2.92 (1H, m), 3.15 (2H, q), 3.49-3.62 (2H, m), 3.78 (1H, d), 3.83 (2H, s), 4.07 (1H, d), 4.55 (2H, d), 6.68-6.81 (3H, m), 7.28-7.44 (4H, m)
1-502	1H-NMR (CDCl3) 8: 2.38 (3H, s), 2.50-2.60 (1H, m), 2.83-2.92 (1H, m), 3.48-3.58 (2H, m), 3.56 (2H, s), 3.78 (1H, d), 4.06 (1H, d), 4.47 (2H, d), 6.44 (1H, b), 6.67-6.80 (2H, m), 7.28-7.40 (4H, m)
1-503	1H-NMR (CDCl3) 8: 2.50-2.61 (1H, m), 2.83-2.92 (1H, m), 3.07 (2H, d), 3.18 (2H, s), 3.49-3.60 (2H, m), 3.79 (1H, d), 4.07 (1H, d), 4.52 (2H, d), 5.02-5.09 (2H, m), 5.61-5.72 (1H, m), 6.68-6.82 (2H, m), 7.04 (1H, b), 7.28-7.45 (4H, m)
1-504	1H-NMR (CDCl3) 8: 2.50-2.62 (1H, m), 2.83-2.92 (1H, m), 3.33 (1H, d), 3.52-3.63 (5H, m), 3.78 (1H, d), 4.07 (1H, d), 4.56 (2H, d), 5.35-5.47 (2H, m), 5.79-5.86 (1H, m), 6.67-6.80 (2H, m), 7.03 (1H, b), 7.28-7.47 (4H, m)
1-505	1H-NMR (CDCl3) 8: 2.50-2.61 (1H, m), 2.83-2.92 (1H, m), 3.49-3.60 (2H, m), 3.80-3.87 (5H, m), 4.07 (1H, d), 4.55 (2H, d), 5.51-5.57 (2H, m), 6.63 (1H, b), 6.68-6.82 (2H, m), .28-7.45 (4H, m)
1-506	1H-NMR (CDCl3) 8: 1.45 (3H, d), 2.01 (3H, s), 2.50-2.60 (1H, m), 2.83-2.91 (1H, m), 3.32 (1H, q), 3.49-3.59 (2H, m), 3.78 (1H, d), 4.07 (1H, d), 4.51 (2H, d), 6.68-6.82 (2H, m), 6.95 (1H, b), 7.28-7.44 (4H, m)
1-507	1H-NMR (CDCl3) 8: 1.30, 1.60 (3H, d), 2.42-2.57 (3H, s), 2.53-2.63 (1H, m), 2.83-2.91 (1H, m), 3.18, 3.56 (1H, q), 3.48-3.80 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.05 (2H, m), 6.68-6.80 (2H, m), 6.98-7.10 (1H, b), 7.28-7.45 (4H, m)
1-508	1H-NMR (CDCl3) 8: 1.60 (3H, d), 2.50-2.60 (1H, m), 2.83-2.91 (1H, m), 2.90 (3H, s), 3.48-3.80 (4H, m), 3.38 (1H, d), 4.07 (1H, d), 4.56 (2H, d), 6.57 (1H, b), 6.68-6.82 (2H, m), 7.28-7.43 (4H, m)
1-509	1H-NMR (CDCl3) & 2.11 (3H, s), 2.46 (2H, t), 2.50-2.60 (1H, m), 2.80 (2H, t), 2.83-2.91 (1H, m), 3.49-3.59 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.52 (2H, d), 5.90 (1H, b), 6.68-6.80 (2H, m), 7.28-7.47 (4H, m)
1-513	1H-NMR (CDCl3) 8: 2.01 (3H, s), 2.51-2.60 (1H, m), 2.83-2.91 (1H, m), 3.48-3.60 (2H, m), 3.77 (1H, d), 3.90 (2H, d), 4.05 (1H, d), 4.50 (2H, d), 6.40 (2H, b), 6.67-6.80 (2H, m), 7.29-7.40 (4H, m)
1-515	1H-NMR (CDCl3) 8: 0.75-0.80 (2H, m), 0.92-0.97 (2H, m), 1.39-1.44 (1H, m), 2.51-2.60 (1H, m), 2.83-2.91 (1H, m), 3.48-3.60 (2H, m), 3.77 (1H, d), 3.93 (2H, d), 4.06 (1H, d), 4.51 (2H, d), 6.43 (1H, b), 6.60 (1H, b), 6.67-6.80 (2H, m), 7.28-7.41 (4H, m)
1-516	1H-NMR (CDCl3) 8: 2.50-2.60 (1H, m), 2.84-2.91 (1H, m), 3.10 (2H, q), 3.48-3.60 (2H, m), 3.77 (1H, d), 3.95 (2H, d), 4.05 (1H, d), 4.50 (2H, d), 6.66 (1H, b), 6.66-6.80 (2H, m), 6.86 (1H, b), 7.28-7.40 (4H, m)
1-517	1H-NMR (CDCl3) 8: 2.17 (3H, s), 2.50-2.63 (1H, m), 2.83-2.92 (1H, m), 3.20 (2H, s), 3.48-3.60 (2H, m), 3.78 (1H, d), 3.95 (2H, d), 4.06 (1H, d), 4.51 (2H, d), 6.27 (1H, b), 6.67-6.80 (2H, m), 7.28-7.42 (4H, m)
1-520	1H-NMR (CDCl3) 8: 1.45 (9H, s), 2.50-2.60 (1H, m), 2.83-2.92 (1H, m), 3.48-3.60 (2H, m), 3.76-3.79 (3H, m), 4.06 (1H, d), 4.52 (2H, d), 5.02 (1H, b), 6.29 (1H, b), 6.67-6.80 (2H, m), 7.26-7.43 (4H, m)
1-521	1H-NMR (CDCl3) 8: 1.34 (3H, d), 1.98 (3H, s), 2.52-2.57 (1H, m), 2.83-2.91 (1H, m), 3.47-3.60 (2H, m), 3.72-3.77 (1H, m), 4.05-4.07 (1H, m), 4.44-4.51 (3H, m), 6.21-6.24 (1H, m), 6.45-6.47 (1H, m), 6.69-6.77 (2H, m), 7.27-7.28 (1H, m), 7.34-7.38 (2H, m).
1-522	1H-NMR (CDCl3) & 1.11 (3H, t), 1.34 (3H, d), 2.21 (2H, q), 2.47-2.59 (1H, m), 2.84-2.89 (1H, m), 3.47-3.60 (2H, m), 3.74-3.77 (2H, m), 4.03-4.13 (1H, m), 4.46-4.53 (2H, m), 6.30-6.33 (1H, m), 6.69-6.75 (3H, m), 7.27-7.28 (1H, m), 7.34-7.46 (2H, m).

Table 8 - ExNo.	1H-NMR
1-523	1H-NMR (CDCl3) &: 0.69-0.98 (4H, m), 1.23-1.46 (3H, m), 2.49-2.57 (1H, m), 2.82-2.90 (1H, m), 3.46-3.59 (2H, m), 3.75-3.77 (2H, m),
1-525	4.04-4.11 (1H, m), 4.40-4.64 (3H, m), 6.35-6.38 (1H, m), 6.70-6.87 (3H, m), 7.16-7.45 (3H, m), 116-7.45 (3H, m), 116-7.45 (3H, m), 2.81-2.06 (2H, m), 2.81-2.06 (2H, m), 2.81-2.06 (2H, m), 2.83-2.91 (1H, m), 3.14-3.20 (2H, m), 3.49-3.61 (2H, m), 3.77-3.79 (1H, m), 4.04-4.13 (1H, m), 4.41-4.65 (3H, m), 6.36-6.38 (1H, m), 6.69-6.77 (2H, m), 7.29-7.39 (3H, m).
1-528	1H-NMR (CDCl3) & 1.55 (6H, s), 2.07 (3H, s), 2.49-2.60 (1H, m), 2.82-2.90 (1H, m), 3.48-3.61 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.50 (2H, d), 6.17 (1H, b), 6.69-6.80 (3H, m), 7.26-7.43 (4H, m)
1-530	1H-NMR (CDCl3) & 0.68-0.74 (2H, m), 0.88-0.93 (2H, m), 1.32-1.63 (1H, m), 1.55 (6H, s), 2.50-2.60 (1H, m), 2.82-2.90 (1H, m), 3.48-3.61 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.50 (2H, d), 6.19 (1H, s), 6.67-6.83 (3H, m), 7.26-7.41 (4H, m)
1-532	1H-NM (CDCl3) & 1.57 (6H, s), 2.11 (3H, s), 2.50-2.61 (1H, m), 2.82-2.91 (1H, m), 3.55 (2H, s), 3.47-3.59 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.51 (2H, d), 6.64-6.80 (3H, m), 7.26-7.44 (4H, m)
1-543	1H-NMR (CDCl3) &: 2.50-2.63 (1H, m), 2.83-2.91 (1H, m), 3.50-3.61 (2H, m), 3.77 (1H, d), 4.06 (1H, d), 4.47 (2H, d), 4.64 (2H, s), 5.71 (1H, b), 6.65-7.48 (9H, m)
1-544	1H-NMR (CDCl3) & 2.52-2.60 (1H, m), 2.82-2.90 (1H, m), 3.47-3.60 (2H, m), 3.77 (1H, d), 4.05 (1H, d), 4.47 (2H, d), 4.83 (2H, s), 6.31-6.77 (4H, m), 7.26-7.61 (6H, m)
1-547	1H-NMR (CDCl3) &: 2.50-2.63 (1H, m), 2.83-2.91 (1H, m), 3.45-3.78 (2H, m), 3.77 (1H, d), 4.09 (1H, d), 4.48 (2H, d), 4.74 (2H, s), 6.45 (1H, b), 6.65-6.78 (2H, m), 7.26-7.50 (6H, m)
1-553	1H-NMR (CDCl3) & 2.50-2.63 (1H, m), 2.84-2.92 (1H, m), 3.48-3.61 (2H, m), 3.77 (1H, d), 4.06 (1H, d), 4.49 (2H, d), 4.82 (2H, s), 6.40 (1H, b), 6.65-6.79 (2H, m), 7.26-7.95 (6H, m)
1-555	1H-NMR (CDCl3) & 2.50-2.60 (1H, m), 2.84-2.91 (1H, m), 3.45-3.58 (2H, m), 3.77 (1H, d), 4.06 (1H, d), 4.49 (2H, d), 4.84 (2H, s), 6.41 (1H, b), 6.58-6.78 (3H, m), 7.28-7.52 (5H, m)
1-558	1H-NMR (CDCl3) 8: 2.50-2.61 (1H, m), 2.83-2.91 (1H, m), 3.48-3.58 (2H, m), 3.77 (1H, d), 4.06 (1H, d), 4.50 (2H, d), 4.86 (2H, s), 6.54 (1H, b), 6.65-6.78 (2H, m), 7.26-8.15 (6H, m)
1-574	1H-NMR (CDCl3) &: 2.50-2.61 (1H, m), 2.80-2.93 (7H, m), 3.49-3.63 (2H, m), 3.79 (1H, d), 4.08 (1H, d), 4.28 (2H, s), 6.71-6.80 (2H, m), 7.29-7.47 (4H, m)
1-586	1H-NMR (CDCl3) 8: 1.15 (3H, t), 2.19 (2H, q), 2.50-2.56 (4H, m), 2.79-2.88 (1H, m), 3.50-3.57 (1H, m), 3.77 (1H, d), 4.04 (1H, d), 4.45 (2H, d), 5.75 (1H, b), 6.37-6.46 (2H, m), 7.20-7.40 (4H, m)
1-587	1H-NMR (CDCl3) & 0.68-0.75 (2H, m), 0.95-1.00 (2H, m), 1.58-1.61 (1H, m), 2.45-2.55 (4H, m), 2.78-2.90 (1H, m), 3.42-3.60 (2H, m), 3.77 (1H, d), 4.03 (1H, d), 4.46 (2H, d), 5.97 (1H, b), 6.37-6.47 (2H, m), 7.20-7.40 (4H, m)
1-588	1H-NMR (CDCl3) & 2.49-2.60 (4H, m), 2.76-2.91 (1H, m), 2.99-3.10 (2H, m), 3.45-3.55 (2H, m), 3.78 (1H, d), 4.04 (1H, d), 4.48 (2H, d), 6.04 (1H, b), 6.35-647 (2H, m), 7.18-7.40 (4H, m)
1-597	1H-NMR (CDCl3) & 2.60-2.64 (1H, m), 2.85-3.02 (3H, m), 3.14 (3H, s), 3.50-3.61 (2H, m), 3.78 (1H, d), 4.09 (1H, d), 4.61 (2H, d), 6.74-6.78 (2H, m), 7.15-7.54 (5H, m)
1-598	1H-NMR (CDCl3) 5: 1.17 (3H, t), 2.22 (2H, q), 2.49-2.60 (1H, m), 2.83-2.91 (1H, m), 3.42-3.60 (2H, m), 3.77 (1H, d), 4.04 (1H, d), 4.58 (2H, d), 5.74 (1H, b), 6.67-7.43 (6H, m)
1-645	1H-NMR (CDCl3) & 1.14 (3H, t), 2.20 (2H, q), 2.50-2.60 (1H, m), 2.83-2.91 (1H, m), 3.46-3.61 (2H, m), 3.77 (1H, d), 4.06 (1H, d), 4.50 (2H, d), 5.76 (1H, br s), 6.70 (1H, dd), 6.80 (1H, d), 7.48 (2H, d), 7.70 (1H, t).
1-647	1H-NMR (CDCl3) & 0.69-0.75 (2H, m), 0.96-1.00 (2H, m), 1.28-1.35 (1H, m), 2.50-2.60 (1H, m), 2.83-2.91 (1H, m), 3.46-3.61 (3H, m), 3.77 (1H, d), 4.06 (1H, d), 4.52 (2H, d), 5.88 (1H, t), 6.70 (1H, dd), 6.80 (1H, d), 7.45 (1H, d), 7.48 (2H, d), 7.70 (1H, t).
1-650	1H-NMR (CDCl3) &: 2.06 (3H, s), 2.50-2.60 (1H, m), 2.83-2.91 (1H, m), 3.20 (2H, s), 3.46-3.62 (2H, m), 3.77 (1H, d), 4.07 (1H, d), 4.54 (2H, d), 6.70 (1H, dd), 6.81 (1H, d), 7.14 (1H, t), 7.43 (1H, d), 7.48 (2H, d), 7.70 (1H, t).
1-651	1H-NMR (CDCl3) &: 2.50-2.59 (1H, m), 2.65 (3H, s), 2.83-2.91 (1H, m), 3.28 (1H, d), 3.46-3.61 (2H, m), 3.66 (1H, d), 3.75-3.78 (2H, m), 4.06 (1H, d), 4.58 (2H, d), 6.70 (1H, dd), 6.80 (1H, d), 7.11 (1H, t), 7.46 (1H, d), 7.47 (2H, d), 7.70 (1H, t).
1-652	(H, d), 4.36 (2H, d), 6.90-6.92 (2H, m), 7.39 (1H, d), 7.83 (2H, s), 7.92 (1H, s), 8.72 (1H, t).
1-675	1H-NMR (CDCl3) &: 1.14 (3H, t), 2.20 (2H, q), 2.48-2.59 (1H, m), 2.83-2.91 (1H, m), 3.46-3.61 (2H, m), 3.77 (1H, d), 4.06 (1H, d), 4.49 (2H, d), 5.76 (1H, s), 6.70 (1H, dd), 6.79 (1H, d), 7.37 (2H, d), 7.45 (1H, d).
1-694	1H-NMR (CDCl3) & 1.44 (9H, s), 2.47-2.56 (1H, m), 2.79-2.88 (1H, m), 3.41-3.56 (2H, m), 3.73 (1H), 4.01 (1H, d), 4.30 (2H, d), 4.90 (1H, br s), 6.45 (1H, dd), 6.58 (1H, d), 7.26 (2H, d), 7.41 (2H, s).
1-698	1H-NMR (CDCl3) & 2.09 (3H, s), 2.47-2.57 (1H, m), 2.80-2.88 (1H, m), 3.20 (2H, s), 3.42-3.57 (2H, m), 3.74 (1H, d), 4.02 (1H, d), 4.47 (2H, d), 6.46 (1H, dd), 6.60 (1H, d), 7.28 (1H, d), 7.42 (2H, s).
1-699	1H-NMR (acetone-d6) 5: 2.63 (3H, s), 2.70-2.78 (1H, m), 2.95-3.04 (1H, m), 3.49-3.58 (3H, m), 3.70 (1H, d), 3.94 (1H, d), 4.24 (1H, d), 4.40 (2H, dd), 6.59 (1H, dd), 6.71 (1H, d), 7.23 (1H, br s), 7.31 (1H, d), 7.76 (1H, br s), 7.82 (2H, s).
1-700	1H-NMR (acetone-d6) &: 2.69-2.80 (1H, m), 2.97-3.05 (1H, m), 3.10 (3H, s), 3.47-3.59 (2H, m), 3.95 (1H, d), 4.05 (2H, s), 4.25 (1H, d), 4.41 (2H, d), 6.61 (1H, dd), 6.72 (1H, d), 7.31 (1H, d), 7.82 (2H, s), 7.84 (1H, br s).
1-708	1H-NMR (CDCl3) δ: 2.09 (3H, s), 2.46-2.56 (1H, m), 2.80-2.88 (1H, m), 3.20 (2H, s), 3.41-3.57 (2H, m), 3.73 (1H, d), 4.01 (1H, d), 4.46 (2H, d), 6.50 (1H, dd), 6.78 (1H, d), 7.28 (1H, d), 7.41 (2H, s).
1-709	1H-NMR (CDCl3) &: 2.45-2.63 (1H, m), 3.27 (1H, d), 3.40-3.54 (2H, m), 3.64-3.74 (2H, m), 4.01 (1H, d), 4.48-4.51 (2H, m), 6.47-7.41 (6H, m)
1-710	1H-NMR (CDCl3) &: 2.46-2.60 (1H, m), 2.80-2.93 (1H, m), 3.05 (3H, s), 3.40-3.60 (2H, m), 3.76 (1H, d), 3.86 (2H, s), 4.01 (1H, d),
1-723	4.48 (2H, d), 6.48-7.41 (6H, m) 1H-NMR (CDCl3) &: 2.50-2.60 (1H, m), 2.83-2.92 (1H, m), 3.49-3.60 (2H, m), 3.78 (1H, d), 4.04-4.08 (3H, m), 4.55 (2H, d), 6.68-6.82 (3H, m), 7.42-7.45 (3H, m)
1-725	1H-NMR (CDCl3) & 2.44-2.59 (4H, m), 2.85-2.90 (1H, m), 3.34 (3H, s), 3.50-3.63 (4H, m), 3.77 (1H, d), 4.05 (1H, d), 4.51 (2H, d),
1-727	6.57 (1H, b), 6.67-6.80 (2H, m), 7.43-7.48 (3H, m) 1H-NMR (CDCl3) & 2.49-2.60 (1H, m), 2.83-2.91 (1H, m), 3.24 (2H, d), 3.50-3.62 (2H, m), 3.78 (1H, d), 4.06 (1H, d), 4.53 (2H, d),
1-728	6.68-7.05 (4H, m), 7.26-7.45 (3H, m) 1H-NMR (CDCl3) & 2.06 (3H, s), 2.49-2.59 (1H, m), 2.82-2.91 (1H, m), 3.20 (2H, s), 3.50-3.60 (2H, m), 3.78 (1H, d), 4.06 (1H, d),
1-729	4.54 (2H, d), 6.69-6.81 (2H, m), 7.13 (1H, b), 7.42-7.45 (3H, m) 1H-NMR (CDCl3) & 2.49-2.60 (1H, m), 2.65 (3H, s), 2.82-2.91 (1H, m), 3.26, 3.66 (2H, d), 3.49-3.61 (2H, m), 3.77 (1H, d), 4.05
1-730	(1H, d), 4.58 (2H, d), 6.67-6.81 (2H, m), 7.08 (1H, b), 7.42-7.47 (3H, m) 1H-NMR (CDCl3) & 2.49-2.59 (1H, m), 2.83-2.91 (1H, m), 3.04 (3H, s), 3.50-3.60 (2H, m), 3.78 (1H, d), 3.86 (2H, s), 4.06 (1H, d),
1-731	4.56 (2H, d), 6.60 (1H, b), 6.69-6.81 (2H, m), 7.42-7.45 (3H, m) 1H-NMR (CDCl3) & 2.49-2.59 (1H, m), 2.83-2.91 (1H, m), 3.50-3.59 (4H, m), 3.78 (1H, d), 4.06 (1H, d), 4.54 (2H, d), 6.55 (1H, b),
1-732	6.68-6.81 (2H, m), 7.40-7.45 (3H, m) 1H-NMR (CDCl3) & 2.49-2.59 (1H, m), 2.83-2.90 (1H, m), 3.07 (2H, d), 3.18 (2H, s), 3.50-3.60 (2H, m), 3.78 (1H, d), 4.06 (1H, d),
. , 52	4.53 (2H, d), 5.02-5.09 (2H, m), 5.63-5.72 (1H, m), 6.68-6.81 (2H, m), 7.04 (1H, b), 7.42-7.45 (3H, m)

Table 8 - ExNo.	1H-NMR
1-733	1H-NMR (CDCl3) δ: 2.50-2.59 (1H, m), 2.82-2.90 (1H, m), 3.32-3.62 (6H, m), 3.77 (1H, d), 4.05 (1H, d), 4.57 (2H, d), 5.37-5.5.47
1-734	(2H, m), 5.77-5.89-5.72 (1H, m), 6.67-6.81 (2H, m), 7.07 (1H, b), 7.42-7.47 (3H, m) 1H-NMR (CDCl3) & 2.50-2.59 (1H, m), 2.83-2.91 (1H, m), 3.50-3.62 (2H, m), 3.76-3.87 (5H, m), 4.06 (1H, d), 4.55 (2H, d), 5.51-5.57 (2H, m), 5.83-5.97 (1H, m), 6.64-6.81 (3H, m), 7.42-7.45 (3H, m)
1-735	(2H, III), 3.83-3.97 (1H, III), 6.04-6.31 (3H, III), 7.42-7.43 (3H, III) 1H-NMR (CDCl3) & 2.38 (3H, s), 2.50-2.59 (1H, III), 2.83-2.91 (1H, III), 3.50-3.62 (4H, III), 3.77 (1H, III), 4.05 (1H, III), 4.57 (2H, III), 6.68-6.79 (3H, III), 7.38-7.43 (3H, III)
1-856	1H-NMR (CDCl3) 8: 1.14 (3H, t), 2.20 (2H, q), 2.51-2.61 (1H, m), 2.99-3.07 (1H, m), 3.49-3.61 (2H, m), 3.76 (1H, d), 4.25 (1H, dd), 4.50 (2H, d), 5.72 (1H, s), 6.71 (1H, dd), 6.81 (1H, d), 7.32 (1H, dd), 7.45 (1H, d).
1-866	1H-NMR (CDCl3) 8: 1.15 (3H, t), 2.20 (2H, q), 2.57-2.66 (1H, m), 2.91-2.99 (1H, m), 3.46-3.64 (2H, m), 3.85 (1H, d), 4.14 (1H, d), 4.50 (2H, d), 5.67 (1H, s), 6.71 (1H, dd), 6.81 (1H, d), 7.45 (1H, d), 7.52-7.64 (4H, m).
1-907	1H-NMR (CDCl3) 8: 2.46 (2H, t), 2.54-2.64 (1H, m), 2.89-2.98 (1H, m), 3.34 (3H, s), 3.48-3.63 (4H, m), 3.81 (1H, d), 4.12 (1H, d), 4.51 (2H, d), 6.57 (1H, b), 6.69-6.81 (2H, m), 7.44-7.65 (4H, m)
1-912	1H-NMR (CDCl3) 8: 1.99 (3H, s), 2.51-2.62 (1H, m), 2.87-2.96 (1H, m), 3.40-3.58 (2H, m), 3.77 (1H, d), 4.08 (1H, d), 4.42 (2H, d), 5.82 (1H, b), 6.50-6.79 (2H, m), 7.26-7.65 (4H, m)
1-913	1H-NMR (CDCl3) &: 1.15 (3H, t), 2.21 (2H, q), 2.50-2.62 (1H, m), 2.87-2.95 (1H, m), 3.77 (1H, d), 4.08 (1H, d), 4.43 (2H, d), 5.80 (1H, b), 6.50-6.79 (2H, m), 6.27-7.65 (4H, m)
1-915	1H-NMR (CDCl3) &: 0.69-0.75 (2H, m), 0.95-0.98 (2H, m), 1.25-1.35 (1H, m), 2.50-2.60 (1H, m), 2.87-2.94 (1H, m), 3.40-3.57 (2H, m), 3.77 (1H, d), 4.08 (1H, d), 4.45 (2H, d), 5.98 (1H, d), 6.49-7.65 (6H, m)
1-917	1H-NMR (CDCl3) &: 2.50-2.62 (1H, m), 2.87-2.96 (1H, m), 3.03 (1H, d), 3.10 (1H, d), 3.40-3.57 (2H, m), 3.78 (1H, d), 4.09 (1H, d), 4.47 (2H, d), 6.09 (1H, b), 6.50-6.80 (2H, m), 7.26-7.65 (4H, m)
1-918	1H-NMR (CDCl3) &: 2.09 (3H, s), 2.51-2.62 (1H, m), 2.87-2.96 (1H, m), 3.21 (2H, s), 3.40-3.60 (2H, m), 3.78 (1H, d), 4.09 (1H, d), 4.46 (2H, d), 6.50-6.81 (2H, m), 7.26-7.65 (5H, m)
1-924	1H-NMR (CDCl3) δ: 2.07 (3H, s), 2.55-2.64 (1H, m), 2.90-3.00 (1H, m), 3.20 (2H, s), 3.82 (1H, d), 4.13 (1H, d), 4.55 (2H, d), 6.70-7.66 (7H, m)
1-925	1H-NMR (CDCl3) &: 2.54-2.65 (4H, m), 2.90-2.98 (1H, m), 3.27 (1H, d), 3.51-3.69 (3H, m), 3.81 (1H, d), 4.13 (1H, d), 4.59 (2H, d), 6.69-7.66 (7H, m)
1-926	1H-NMR (CDCl3) &: 2.54-2.65 (1H, m), 2.91-3.00 (1H, m), 3.05 (3H, s), 3.50-3.63 (2H, m), 3.81 (1H, d), 3.86 (2H, s), 4.13 (1H, d), 4.57 (2H, d), 6.58-6.83 (3H, m), 7.42-7.66 (4H, m)
1-939	1H-NMR (CDCl3) &: 2.09 (3H, s), 2.56-2.66 (1H, m), 2.95-3.03 (1H, m), 3.20 (1H, s), 3.46-3.63 (2H, m), 3.82 (1H, d), 4.17 (1H, d), 4.47 (2H, d), 6.50 (1H, dd), 6.65 (1H, d), 7.85 (2H, s), 7.93 (1H, s), 7.30-7.23 (1H, m).
1-940	1H-NMR (acetone-d6) & 2.63 (3H, s), 2.79-2.91 (1H, m), 3.13-3.21 (1H, m), 3.54-3.64 (2H, m), 4.06 (1H, d), 4.39-4.45 (3H, m), 6.64 (1H, dd), 6.74 (1H, d), 7.33 (1H, d), 7.72 (1H, br s), 8.13 (1H, s), 8.26 (2H, s).
1-941	1H-NMR (acetone-d6) & 2.66-2.80 (1H, m), 2.98 (3H, s), 3.02-3.10 (1H, m), 3.40-3.52 (2H, m), 3.91-3.96 (3H, m), 4.29-4.33 (3H, m), 6.52 (1H, dd), 6.62 (1H, d), 7.20 (1H, d), 7.72 (1H, br s), 8.00 (1H, s), 8.14 (2H, s).
1-945 1-946	1H-NMR (CDCl3) & 2.10 (3H, s), 2.55-2.67 (1H, m), 2.94-3.03 (1H, m), 3.80 (1H, d), 4.15 (1H, d), 4.47 (2H, d), 6.51-7.92 (7H, m) 1H-NMR (CDCl3) & 2.55-2.66 (4H, m), 2.94-3.02 (1H, m), 3.27 (1H, d), 3.45-3.53 (2H, m), 3.57 (1H, d), 3.63 (1H, d), 3.80 (1H, d), 4.49 (4.51 (3H, m), 6.51 (2H, m), 6.5
1-947	4.48-4.51 (2H, m), 6.51-7.92 (7H, m) 1H-NMR (CDCl3) &: 2.55-2.65 (1H, m), 2.94-3.05 (4H, m), 3.40-3.62 (2H, m), 3.80 (1H, d), 3.86 (2H, s), 4.15 (1H, d), 4.48 (2H, d), 6.51-7.92 (7H, m)
1-963	1H-NMR (CDCl3) 8: 2.25 (3H, s), 2.60-2.68 (1H, m), 2.96-3.05 (1H, m), 3.42 (2H, s), 3.50-3.62 (2H, m), 3.84 (1H, d), 4.19 (1H, d), 4.54 (2H, d), 6.70-6.84 (2H, m), 7.19 (1H, b), 7.27-7.93 (4H, m)
1-966	1H-NMR (CDCl3) & 2.06 (3H, s), 2.60-2.68 (1H, m), 2.96-3.05 (1H, m), 3.20 (2H, s), 3.53-3.63 (2H, m), 3.85 (1H, d), 4.19 (1H, d), 4.55 (2H, d), 6.70-6.85 (2H, m), 7.13 (1H, b), 7.27-7.93 (4H, m)
1-967	1H-NMR (CDCl3) 8: 2.61-2.68 (4H, m), 2.97-3.05 (1H, m), 3.29 (1H, d), 3.50-3.68 (3H, m), 3.84 (1H, d), 4.19 (1H, d), 4.58 (2H, d), 6.71-6.84 (2H, m), 7.16 (1H, b), 7.46-7.93 (4H, m)
1-968	1H-NMR (CDCl3) 8: 2.60-2.68 (1H, m), 2.97-3.05 (4H, m), 3.52-3.65 (2H, m), 3.83-3.86 (3H, m), 4.19 (1H, d), 4.57 (2H, d), 6.61 (1H, b), 6.72-6.85 (2H, m), 7.16 (1H, b), 7.43-7.93 (4H, m)
1-969	1H-NMR (CDCl3) 8: 2.62-2.68 (1H, m), 2.97-3.18 (3H, m), 3.57 (2H, s), 3.53-3.65 (2H, m), 3.85 (1H, d), 4.20 (1H, d), 4.53 (2H, d), 5.02-5.09 (2H, m), 5.61-5.75 (1H, m), 6.72-6.83 (2H, m), 6.75 (1H, b), 7.44-7.93 (4H, m)
1-970	1H-NMR (CDCl3) 8: 2.62-2.68 (1H, m), 2.97-3.18 (1H, m), 3.34 (1H, d), 3.50-3.65 (3H, m), 3.84 (1H, d), 4.19 (1H, d), 4.59 (2H, d), 5.37-5.47 (2H, m), 5.78-5.87 (1H, m), 6.72-6.83 (2H, m), 7.03 (1H, b), 7.46-7.93 (4H, m)
1-971	1H-NMR (CDCl3) 8: 2.63-2.68 (1H, m), 2.97-3.05 (1H, m), 3.52-3.62 (2H, m), 3.83-3.85 (5H, m), 4.20 (1H, d), 4.56 (2H, d), 5.51-5.57 (2H, m), 5.83-5.98 (1H, m), 6.62 (1H, b), 6.72-6.85 (2H, m), 7.44-7.93 (4H, m)
1-996	1H-NMR (CDCl3) 8: 1.15 (3H, t), 2.21 (2H, q), 2.54-2.68 (1H, m), 2.95-3.06 (1H, m), 3.45-3.60 (2H, m), 3.83 (1H, d), 4.16 (1H, d), 4.59 (2H, d), 5.72 (1H, b), 6.71-7.93 (6H, m)
1-1066	1H-NMR (CDCl3) 8: 1.14 (3H, t), 2.20 (3H, q), 2.49-2.61 (1H, m), 2.80-2.92 (1H, m), 3.45-3.59 (2H, m), 3.79 (1H, d), 4.04 (1H, d), 4.50 (2H, d), 5.76 (1H, s), 6.71 (1H, dd), 6.80 (1H, d), 7.32 (2H, s), 7.46 (1H, d).
1-1169	1H-NMR (CDCl3) &: 1.58-1.68 (1H, m), 2.10-2.30 (2H, m), 2.50-2.56 (1H, m), 2.83-2.89 (1H, m), 3.50-3.63 (2H, m), 3.91 (1H, d), 4.36-4.44 (3H, m), 6.14 (1H, b), 6.27 (1H, d), 7.30-7.55 (4H, m)
1-1171	1H-NMR (CDCl3) &: 2.48-2.58 (1H, m), 2.83-2.91 (1H, m), 3.07 (2H, q), 3.53-3.64 (2H, m), 3.92 (1H, d), 4.37-4.43 (3H, m), 6.16 (1H, b), 6.27 (1H, d), 7.29-7.55 (4H, m)
1-1172	1H-NMR (CDCl3) &: 2.09 (3H, s), 2.48-2.58 (1H, m), 2.83-2.90 (1H, m), 3.20 (2H, s), 3.53-3.66 (2H, m), 3.92 (1H, d), 4.37-4.43 (3H, m), 6.27 (1H, d), 7.29-7.56 (5H, m)
1-1174	1H-NMR (CDCl3) &: 2.48-2.58 (1H, m), 2.83-2.92 (1H, m), 3.06 (3H, s), 3.53-3.65 (2H, m), 3.87-3.93 (3H, m), 4.37-4.45 (3H, m), 6.27 (1H, d), 6.82 (1H, b), 7.29-7.61 (4H, m)
1-1179	1H-NMR (CDCl3) &: 0.68-0.77 (2H, m), 0.95-1.00 (2H, m), 1.30-1.35 (1H, m), 2.47-2.58 (1H, m), 2.81-2.92 (1H, m), 3.50-3.66 (2H, m), 3.91 (1H, d), 4.37-4.40 (3H, m), 6.10 (1H, b), 6.25-7.57 (5H, m)
1-1181	1H-NMR (CDCl3) &: 2.48-2.59 (1H, m), 2.84-2.91 (1H, m), 3.03 (1H, d), 3.10 (1H, d), 3.52-3.66 (2H, m), 3.91 (1H, d), 4.40-4.48 (3H, m), 6.26-6.29 (2H, m), 7.29-7.54 (4H, m)
1-1182	1H-NMR (CDCl3) &: 2.10 (3H, s), 2.45-2.60 (1H, m), 2.80-2.90 (1H, m), 3.20 (2H, s), 3.50-3.65 (2H, m), 3.92 (1H, d), 4.37-4.43 (3H, m), 6.27 (1H, d), 7.26-7.57 (5H, m)
1-1183	1H-NMR (CDCl3) &: 2.48-2.58 (1H, m), 2.67 (3H, s), 2.82-2.91 (1H, m), 3.24-3.30 (1H, m), 3.52-3.70 (3H, m), 3.91 (1H, d), 4.41-4.47 (3H, m), 6.25-7.58 (6H, m)
1-1184	1H-NMR (CDCl3) &: 2.48-2.59 (1H, m), 2.83-2.91 (1H, m), 3.06 (3H, s), 3.50-3.66 (2H, m), 3.87-3.92 (3H, m), 4.41-4.65 (3H, m), 6.24-7.61 (6H, m)
1-1192	1H-NMR (CDCl3) δ: 2.08 (3H, s), 2.52-2.58 (1H, m), 2.87-2.94 (1H, m), 3.22 (2H, s), 3.52-3.62 (2H, m), 3.95 (1H, d), 4.49-4.51 (2H, m), 6.52 (1H, d), 7.26-7.34 (4H, m), 7.70 (1H, d).

Table 8 - ExNo.	1H-NMR
1-1196	1H-NMR (CDCl3) δ: 1.16 (3H, t), 2.45-2.77 (7H, m), 3.48-3.51 (1H, m), 3.68-3.75 (1H, m), 4.08 (1H, d), 4.30 (1H, d), 4.38 (2H, d),
1-1198	5.59 (1H, b), 6.67 (1H, d), 7.25-7.39 (4H, m) 1H-NMR (CDCl3) & 2.46-2.55 (1H, m), 2.54 (3H, s), 2.63-2.76 (1H, m), 3.06 (2H, q), 3.45-3.50 (1H, m), 3.68-3.73 (1H, m), 4.07 (1H, d), 4.30 (1H, d), 4.48 (2H, d), 5.93 (1H, b), 6.70 (1H, d), 7.25-7.40 (4H, m)
1-1279	(H, M), 4.30 (H, M), 4.35 (H, M), 5.92 (2H, q), 2.46-2.57 (1H, m), 2.82-2.90 (1H, m), 3.54-3.66 (2H, m), 3.92 (1H, d), 4.35-4.40 (3H, m), 5.92 (1H, b), 6.27 (1H, d), 7.43-7.58 (3H, m)
1-1283	1H-NMR (CDCl3) &: 2.47-2.57 (1H, m), 2.82-2.90 (1H, m), 3.04 (1H, d), 3.11 (1H, d), 3.50-3.67 (2H, m), 3.91 (1H, d), 4.36-4.48 (3H, m), 6.22 (1H, b), 4.47 (1H, d), 7.39-7.55 (3H, m)
1-1284	H-NMR (CDCl3) & 2.13 (3H, s), 2.47-2.57 (1H, m), 2.82-2.90 (1H, m), 3.20 (2H, s), 3.50-3.67 (2H, m), 3.92 (1H, d), 4.36-4.43 (3H, m), 6.27 (1H, d), 7.35-7.57 (4H, m)
1-1289	1H-NMR (CDCl3) & 0.14-0.24 (2H, m), 0.57-0.59 (2H, m), 0.85-0.98 (1H, m), 2.12-2.18 (2H, m), 2.49-2.58 (1H, m), 2.83-2.91 (1H, m), 3.57-3.70 (2H, m), 3.96 (1H, d), 4.37 (1H, d), 4.48-4.50 (2H, m), 6.29 (1H, br s), 6.51 (1H, d), 7.45 (2H, s), 7.74 (1H, d).
1-1290	1H-NMR (CDCl3) & 2.05 (3H, s), 2.49-2.59 (1H, m), 2.83-2.91 (1H, m), 3.19 (2H, s), 3.58-3.71 (2H, m), 3.97 (1H, d), 4.37 (1H, d), 4.50-4.51 (2H, m), 6.51 (1H, d), 7.44 (2H, s), 7.71 (1H, d).
1-1291	1H-NMR (CDCl3) & 2.49-2.61 (1H, m), 2.65 (3H, s), 2.83-2.89 (1H, m), 3.28 (1H, d), 3.57-3.69 (3H, m), 3.96 (1H, d), 4.37 (1H, d), 4.54-4.55 (2H, m), 6.52 (1H, d), 7.23-7.28 (1H, m), 7.48 (2H, s), 7.73 (1H, d).
1-1292	1H-NMR (CDCl3) & 2.51-2.56 (1H, m), 2.83-2.92 (1H, m), 3.08 (3H, s), 3.57-3.70 (2H, m), 3.89-3.96 (3H, m), 4.37 (1H, d), 4.51-4.53 (2H, m), 6.52 (1H, d), 6.84 (1H, br s), 7.43 (2H, s), 7.69 (1H, d). 1H-NMR (CDCl3) & 1.14 (3H, t), 2.10-2.27 (2H, m), 2.54-2.63 (1H, m), 2.91-3.00 (1H, m), 3.55-3.72 (2H, m), 4.05 (1H, d), 4.44-4.47
1-1427 1-1431	(3H, m), 5.79 (1H, br s), 6.56 (1H, d), 7.51-7.78 (5H, m). 1H-NMR (CDCl3) &: 2.59-2.67 (1H, m), 2.92-3.17 (3H, m), 3.54-3.67 (2H, m), 4.04 (1H, d), 4.47-4.54 (3H, m), 6.15 (1H, br s), 6.56
1-1431	(1H, d), 7.52-7.77 (5H, m), 1.59-2.64 (1H, m), 2.92-3.17 (3H, m), 3.54-3.67 (2H, m), 4.64 (1H, d), 4.47-4.54 (3H, m), 6.15 (1H, d) 8, 6.56 (1H, d), 7.52-7.77 (5H, m), 4.05 (1H, d), 4.44-4.52
1-1433	(3H, m), 6.52 (1H, d), 7.23 (1H, br s), 7.56-7.67 (5H, m). 1H-NMR (CDCl3) &: 2.59-2.66 (4H, m), 2.88-2.95 (1H, m), 3.26 (1H, d), 3.65 (3H, m), 4.03 (1H, d), 4.45 (1H, d), 4.54-4.56 (2H, m),
1-1434	11. TARK (CDCl3) &: 2.58-2.64 (1H, m), 2.92-3.00 (1H, m), 3.08 (3H, s), 3.63-3.68 (2H, m), 3.86 (2H, s), 4.02 (1H, d), 4.45-4.52
1-1467	(3H, m), 6.53 (1H, d), 6.71 (1H, br s), 7.52-7.69 (5H, m). 1H-NMR (CDCl3) &: 1.15 (3H, t), 2.22 (2H, q), 2.57-2.66 (1H, m), 2.96-3.05 (1H, m), 3.56-3.68 (2H, m), 3.98 (1H, d), 4.38 (2H, d),
1-1471	4.53 (1H, d), 5.90 (1H, b), 6.29 (1H, d), 7.57-7.91 (4H, m) 1H-NMR (CDCl3) & 2.55-2.66 (1H, m), 2.98-3.13 (3H, m), 3.56-3.68 (2H, m), 3.98 (1H, d), 4.43 (2H, d), 4.54 (1H, d), 6.16 (1H, b),
1-1472	6.30 (1H, d), 7.54-7.92 (4H, m) 1H-NMR (CDCl3) & 2.10 (3H, s), 2.55-2.66 (1H, m), 2.97-3.05 (1H, m), 3.18 (2H, s), 3.55-3.68 (2H, m), 3.98 (1H, d), 4.38 (2H, d),
1-1476	4.53 (1H, d), 6.30 (1H, d), 7.35 (1H, b), 7.56-7.92 (4H, m) 1H-NMR (CDCl3) & 1.99 (3H, s), 2.55-2.66 (1H, m), 2.96-3.05 (1H, m), 3.56-3.68 (2H, m), 3.98 (1H, d), 4.37 (2H, d), 4.53 (1H, d),
1-1477	6.05 (1H, b), 6.29 (1H, d), 6.28-7.85 (4H, m) 1H-NMR (CDCl3) & 1.15 (3H, t), 2.22 (2H, q), 2.55-2.66 (1H, m), 2.96-3.00 (1H, m), 3.56-3.68 (2H, m), 3.98 (1H, d), 4.38 (2H, d),
1-1479	4.53 (1H, d), 6.31 (1H, b), 6.29 (1H, d), 6.28-7.91 (4H, m) 1H-NMR (CDCl3) δ: 0.70-0.77 (2H, m), 0.94-0.99 (2H, m), 1.28-1.38 (1H, m), 2.56-2.71 (1H, m), 2.58-3.05 (1H, m), 3.55-3.68 (2H, m),
1-1481	3.98 (1H, d), 4.40 (2H, d), 4.54 (1H, d), 6.09 (1H, b), 6.29 (1H, d), 7.56-7.92 (4H, m) 1H-NMR (CDCl3) 8: 2.56-2.66 (1H, m), 2.98-3.13 (3H, m), 3.56-3.71 (2H, m), 3.99 (1H, d), 4.43 (2H, d), 4.54 (1H, d), 6.19 (1H, b),
1-1482	6.30 (1H, d), 7.54-7.92 (4H, m) 1H-NMR (CDCl3) & 2.10 (3H, s), 2.58-2.66 (1H, m), 2.97-3.05 (1H, m), 3.20 (2H, s), 3.50-3.68 (2H, m), 3.99 (1H, d), 4.43 (2H, d), 4.54 (1H, d), 6.30 (1H, d), 7.35 (1H, b), 7.40-7.92 (4H, m)
1-1483	1H-NMR (CDCl3) 8: 2.60-2.67 (4H, m), 2.96-3.07 (1H, m), 3.27 (1H, d), 3.50-3.76 (3H, m), 3.98 (1H, d), 4.45-4.56 (3H, m), 6.30 (1H, d), 7.30 (1H, b), 7.57-7.92 (4H, m)
1-1484	1H-NMR (CDCl3) &: 2.55-2.66 (1H, m), 2.97-3.06 (4H, m), 3.55-3.71 (2H, m), 3.88-4.00 (3H, m), 4.44-4.56 (3H, m), 6.21 (1H, d), 6.85 (1H, b), 7.54-7.92 (4H, m)
1-1487	1H-NMR (CDCl3) &: 0.16-0.22 (2H, m), 0.52-0.63 (2H, m), 0.85-0.98 (1H, m), 2.15 (2H, d), 2.59-2.64 (1H, m), 2.97-3.05 (1H, m), 3.60-3.72 (2H, m), 4.07 (1H, d), 4.49-4.51 (3H, m), 6.31 (1H, br s), 6.54 (1H, d), 7.76 (1H, d), 7.85-7.91 (3H, m).
1-1488	H-NMR (CDCl3) & 2.06 (3H, s), 2.57-2.67 (1H, m), 3.01-3.07 (1H, m), 3.20 (2H, s), 3.63-3.73 (2H, m), 4.08 (1H, d), 4.49-4.51 (3H, m), 6.54 (1H, d), 7.24 (1H, br s), 7.73 (1H, d), 7.85 (2H, s), 7.92 (1H, s).
1-1489	H-NMR (CDCl3) & 2.60-2.69 (4H, m), 2.97-3.05 (1H, m), 3.30 (1H, d), 3.58-3.75 (3H, m), 4.04-4.07 (1H, m), 4.50-4.55 (3H, m), 6.55 (1H, d), 7.24 (1H, br s), 7.74 (1H, d), 7.85 (2H, s), 7.92 (1H, s).
1-1490	1H-NMR (CDCl3) 8: 2.59-2.65 (1H, m), 3.00-3.07 (4H, m), 3.58-3.75 (2H, m), 3.88 (2H, s), 4.05-4.13 (1H, m), 4.50-4.53 (3H, m), 6.55 (1H, d), 6.80 (1H, br s), 7.70 (1H, d), 7.85 (2H, s), 7.92 (1H, s).
1-1696	1H-NMR (CDCl3) 8: 2.04 (3H, s), 2.45-2.55 (1H, m), 2.50 (3H, s), 2.63-2.76 (1H, m), 3.15 (2H, s), 3.51-3.59 (1H, m), 3.68-3.75 (1H, m), 4.07 (1H, d), 4.30 (1H, d), 4.49 (2H, d), 6.69 (1H, d), 6.94 (1H, b), 7.25-7.39 (4H, m)
1-1730	1H-NMR (CDCl3) & 1.17-1.23 (3H, m), 2.09-2.22 (2H, m), 2.34-2.59 (4H, m), 2.80-2.89 (1H, m), 3.55-3.63 (2H, m), 3.94 (1H, d), 4.34-4.38 (3H, m), 5.48 (1H, br s), 6.20 (1H, dz), 7.29-7.35 (4H, m).
1-1733	1H-NMR (CDCl3) & 0.19-0.23 (2H, m), 0.51-0.71 (3H, m), 0.88-0.99 (1H, m), 2.18 (2H, d), 2.45-2.60 (4H, m), 2.81-2.89 (1H, m), 3.57-3.62 (2H, m), 3.95 (1H, d), 4.36-4.39 (3H, m), 5.93 (1H, br s), 6.21 (1H, d), 7.26-7.54 (4H, m).
1-1735	1H-NMR (CDCl3) & 2.10 (3H, s), 2.42-2.57 (4H, m), 2.81-2.89 (1H, m), 3.24 (2H, s), 3.53-3.63 (2H, m), 3.95 (1H, d), 4.38-4.40 (3H, m), 6.21 (1H, d), 6.93 (1H, br s), 7.29-7.32 (4H, m).
1-1770	1H-NMR (CDCl3) & 0.88-0.92 (2H, m), 1.13-1.17 (5H, m), 2.00-2.05 (1H, m), 2.21 (2H, q), 2.44-2.54 (1H, m), 2.76-2.85 (1H, m), 3.49-3.63 (2H, m), 3.90 (1H, d), 4.24 (1H, d), 4.46-4.47 (2H, m), 5.53 (1H, br s), 6.11 (1H, d), 7.28-7.36 (4H, m).
1-1772	1H-NMR (CDCl3) 8: 0.70-1.36 (9H, m), 2.00-2.09 (1H, m), 2.44-2.54 (1H, m), 2.76-2.85 (1H, m), 3.49-3.63 (2H, m), 3.90 (1H, d), 4.24 (1H, d), 4.46-4.51 (2H, m), 5.74 (1H, br s), 6.11 (1H, d), 7.38-7.43 (4H, m).
1-1775	1H-NMR (CDCl3) 8: 0.86-0.93 (2H, m), 1.13-1.18 (2H, m), 1.97-2.13 (4H, m), 2.45-2.55 (1H, m), 2.77-2.85 (1H, m), 3.24 (2H, s), 3.47-3.64 (2H, m), 3.91 (1H, d), 4.24 (1H, d), 4.50-4.52 (2H, m), 6.12 (1H, d), 7.08 (1H, br), 7.28-7.33 (4H, m).
1-1800 1-1802	1H-NMR (CDCl3) & 0.88-0.97 (2H, m), 1.07-1.19 (5H, m), 2.02-2.06 (1H, m), 2.22 (2H, q), 2.52-2.61 (1H, m), 2.89-2.97 (1H, m), 3.50-3.67 (2H, m), 4.02 (1H, d), 4.33 (1H, d), 4.47 (2H, d), 5.53 (1H, br s), 6.13 (1H, d), 7.33 (1H, d), 7.84-7.90 (3H, m). 1H-NMR (CDCl3) & 0.72-0.75 (2H, m), 0.92-0.98 (4H, m), 1.19-1.27 (3H, m), 2.01-2.10 (1H, m), 2.56-2.60 (1H, m), 2.89-2.97 (1H, m),
1-1802	111-NMR (CDCl3) 8: 0.72-0.73 (2H, m), 0.92-0.98 (4H, m), 1.19-1.27 (3H, m), 2.01-2.10 (1H, m), 2.30-2.00 (1H, m), 2.89-2.97 (1H, m), 3.55-3.62 (2H, m), 4.02 (1H, d), 4.34 (1H, d), 4.49 (2H, d), 5.69 (1H, br s), 6.14 (1H, d), 7.33 (1H, d), 7.84-7.90 (3H, m). 111-NMR (CDCl3) 8: 0.15-0.20 (2H, m), 0.56-0.58 (2H, m), 0.86-0.99 (3H, m), 1.10-1.19 (2H, m), 2.00-2.09 (1H, m), 2.18
1-1003	(2H, d), 2.52-2.61 (1H, m), 2.89-2.97 (1H, m), 3.54-3.65 (2H, m), 4.03 (1H, d), 4.33 (1H, d), 4.50 (2H, d), 6.00 (1H, br s),

Table 8 - ExNo.	1H-NMR
1-1804	1H-NMR (CDCl3) &: 0.87-0.92 (2H, m), 1.13-1.15 (2H, m), 1.94-2.02 (1H, m), 2.52-2.62 (1H, m), 2.89-2.98 (1H, m), 3.08 (2H, q),
1-1805	3.54-3.65 (2H, m), 4.02 (1H, d), 4.33 (1H, d), 4.51 (2H, d), 5.85 (1H, br s), 6.14 (1H, d), 7.31 (1H, d), 7.84-7.90 (3H, m). 1H-NMR (CDCl3) & 0.88-0.96 (2H, m), 1.10-1.20 (2H, m), 2.00-2.05 (1H, m), 2.24 (2H, s), 2.47-2.70 (1H, m), 2.92-2.98 (1H, m), 3.24
1-1969	(3H, s), 3.55-3.62 (2H, m), 4.03 (1H, d), 4.33 (1H, d), 4.52 (2H, d), 6.14 (1H, d), 7.04 (1H, br s), 7.34 (1H, d), 7.84 (2H, s), 7.90 (1H, s). 1H-NMR (CDCl3) & 1.16 (3H, t), 2.24 (2H, q), 2.42-2.52 (1H, m), 2.73-2.82 (1H, m), 3.50 (1H, br s), 3.61 (1H, dd), 3.93 (1H, d), 4.10
1-1981	(1H, dd), 4.39 (2H, d), 5.90 (1H, s), 6.64 (1H, d), 7.06 (1H, d), 7.28 (2H, s), 7.38 (1H, t). 1H-NMR (CDCl3) & 1.15 (3H, t, J = 7.5 Hz), 2.22 (2H, q, J = 7.6 Hz), 2.43-2.53 (1H, m), 2.73-2.82 (1H, m), 3.51 (1H, br s),
1-1984	3.63 (1H, dd), 3.96 (1H, d), 4.12 (1H, dd), 4.44 (2H, d), 5.80 (1H, s), 6.55 (1H, dd), 7.07 (1H, d), 7.28 (2H, s), 7.38 (1H, t). 1H-NMR (CDCl3) & 2.02 (3H, s), 2.47-2.49 (1H, m), 2.73-2.81 (1H, m), 3.54-3.61 (2H, m), 3.97-4.08 (2H, m), 4.43 (2H, d,
1-1985	J = 5.9 Hz), 5.94 (1H, br s), 6.55 (1H, t, J = 8.5 Hz), 7.07 (1H, dd, J = 8.5, 1.6 Hz), 7.43 (2H, s). 1H-NMR (CDCl3) & 1.15 (3H, t), 2.22 (2H, q), 2.47-2.49 (1H, m), 2.73-2.81 (1H, m), 3.54-3.60 (2H, m), 3.92-3.96 (1H, m), 4.07-4.11
1-1986	(1H, m), 4.44 (2H, d), 5.91 (1H, br s), 6.55 (1H, t), 7.06 (1H, dd), 7.42 (2H, s). 1H-NMR (CDCl3) & 0.63-0.67 (2H, m), 0.88-0.90 (2H, m), 1.25-1.29 (1H, m), 2.39-2.41 (1H, m), 2.65-2.73 (1H, m), 3.47-3.51 (2H, m),
1-1987	3.89-4.00 (2H, m), 4.37 (2H, d), 6.04 (1H, t), 6.47 (1H, t), 6.98 (1H, dd), 7.35 (2H, s). 1H-NMR (CDCl3) 8: 2.47-2.49 (1H, m), 2.73-2.82 (1H, m), 3.07 (2H, q), 3.55-3.61 (2H, m), 4.00-4.08 (2H, m), 4.46 (2H, d), 6.29
1-1988	(1H, br s), 6.55 (1H, t), 7.04 (1H, dd), 7.42 (2H, s). 1H-NMR (CDCl3) & 1.99 (3H, s), 2.51-2.60 (1H, m), 2.87-2.95 (1H, m), 3.51-3.71 (2H, m), 4.03 (1H, d), 4.21 (1H, dd), 4.43 (2H, d),
1-1989	6.08 (1H, s), 6.58 (1H, dd), 7.08 (1H, dd), 7.85 (2H, s), 7.92 (1H, s). 1H-NMR (CDCl3) & 1.16 (3H, t), 2.23 (2H, q), 2.51-2.60 (1H, m), 2.87-2.95 (1H, m), 3.54 (1H, br s), 3.68 (1H, dd), 4.04 (1H, d),
1-1990	4.22 (1H, dd), 4.45 (2H, d), 5.90 (1H, s), 6.59 (1H, dd), 7.08 (1H, dd), 7.85 (2H, s), 7.92 (1H, s). 1H-NMR (CDCl3) & 0.70-0.76 (2H, m), 0.94-0.99 (2H, m), 1.32-1.40 (1H, m), 2.51-2.60 (1H, m), 2.87-2.95 (1H, m), 3.53 (1H, br s),
1-1991	3.67 (1H, dd), 4.04 (1H, d), 4.21 (1H, dd), 4.46 (2H, d), 6.12 (1H, s), 6.59 (1H, dd), 7.08 (1H, dd), 7.85 (2H, s), 7.92 (1H, s). 1H-NMR (CDCl3) & 2.51-2.61 (1H, m), 2.88-2.96 (1H, m), 3.08 (2H, q, J = 10.6 Hz), 3.55 (1H, br s), 3.69 (1H, dd, J = 8.4,
1 1///1	4.2 Hz), 4.04 (1H, d, J = 10.6 Hz), 4.23 (1H, dd, J = 10.8, 2.4 Hz), 4.48 (2H, d, J = 5.9 Hz), 6.27 (1H, s), 6.59 (1H, dd, J = 8.5, 4.3 Hz), 7.06 (1H, dd, J = 8.4, 1.5 Hz), 7.84 (2H, s), 7.92 (1H, s)
1-1992	1H-NMR (CDCl3) & 2.09 (3H, s), 2.48-2.58 (4H, m), 2.79-2.88 (1H, m), 3.20 (3H, s), 3.45-3.55 (2H, m), 3.78 (1H, d), 4.70 (1H, d), 4.48 (2H, d), 6.37-6.48 (2H, m), 7.19-7.45 (4H, m)
1-1993	1H-NM (CDCl3) &: 2.50-2.56 (4H, m), 2.79-2.88 (1H, m), 3.05 (2H, s), 3.45-3.57 (2H, m), 3.77 (1H, d), 4.04 (1H, d), 4.49 (2H, d), 6.36-6.46 (2H, m), 6.71 (1H, b), 7.18-7.40 (4H, m)
1-1995	1H-NMR (CDCl3) 8: 2.50-2.2.63 (1H, m), 2.83-2.91 (1H, m), 3.47-3.60 (2H, m), 3.78 (1H, d), 4.08 (1H, d), 4.54 (2H, d), 4.63 (2H, s), 5.91 (1H, b), 6.67-6.80 (2H, m), 7.26-7.81 (6H, m)
1-1996	3.91 (1H, 0), 0.07-0.80 (2H, III), 7.20-7.61 (0H, III) 1H-NMR (CDCl3) 8: 2.50-2.60 (1H, m), 2.82-2.90 (1H, m), 3.47-3.52 (1H, m), 3.76 (1H, d), 4.04 (1H, d), 4.47 (2H, d), 4.82 (2H, s), 6.31-7.64 (9H, III)
1-1997	0.517.04 (911; m) 1H-NMR (CDCl3) 8: 2.50-2.61 (1H, m), 2.89-2.97 (1H, m), 3.79 (1H, d), 4.11 (1H, d), 4.47 (2H, d), 4.83 (2H, s), 6.31-6.78 (4H, m), 7.34-7.65 (6H, m)
1-1998	1H-NMR (CDCl3) 8: 1.99 (3H, s), 2.50-2.66 (1H, m), 2.94-3.02 (1H, m), 3.45-3.60 (2H, m), 3.80 (1H, d), 4.13 (1H, d), 4.43 (2H, d),
1-1999	5.81 (1H, b), 6.51-6.81 (2H, m), 7.28-7.92 (4H, m) 1H-NMR (CDCl3) 8: 2.54-2.64 (1H, m), 2.93-3.01 (1H, m), 3.44-3.60 (2H, m), 3.78 (1H, d), 4.12 (1H, d), 4.39 (2H, d), 4.83 (2H, s),
1-2000	6.32-6.77 (4H, m), 7.17-7.92 (6H, m) 1H-NMR (CDCl3) 8: 2.47 (2H, t), 2.55-2.65 (1H, m), 2.94-3.02 (1H, m), 3.34 (3H, s), 3.47-3.65 (4H, m), 3.80 (1H, d), 4.14 (1H, d), 4.43 (2H, d), 6.51-7.92 (7H, m)
1-2001	1H-NMR (CDCl3) &: 2.45-2.60 (3H, m), 2.82-2.91 (1H, m), 3.36 (3H, s), 3.52-3.64 (4H, m), 3.91 (1H, d), 4.36-4.40 (3H, m), 6.24-7.60 (6H, m)
1-2002	(6H, m) (1H, M) (CDCl3) &: 2.44-2.60 (3H, m), 2.80-2.90 (1H, m), 3.36 (3H, s), 3.40-3.65 (4H, m), 3.74 (1H, d), 4.02 (1H, d), 4.44 (2H, d), 6.47-7.40 (6H, m)
1-2003	1H-NMR (CDCl3) & 2.50-2.60 (1H, m), 2.85-2.95 (4H, m), 3.60-3.69 (2H, m), 3.97 (1H, d), 4.37-4.39 (3H, m), 6.56 (1H, d), 7.44 (2H, s), 7.74 (1H, d).
1-2004	(21, 3), 7.74 (II, 4), 114-14.57 (II, 4), 114-14.57 (II, m), 2.90-3.16 (II, m), 3.66-3.74 (2H, m), 4.05-4.16 (1H, m), 4.41-4.57 (4H, m), 6.59 (III, dz), 7.76 (III, d), 7.85-7.92 (3H, m),
1-2005	1H-NMR (CDCl3) & 2.56-2.66 (1H, m), 2.96-3.04 (1H, m), 3.64-3.70 (2H, m), 4.05 (1H, d), 4.50 (1H, d), 4.70-4.72 (2H, m), 6.54 (1H, d), 7.41-7.43 (1H, m), 7.82-7.88 (5H, m), 8.18-8.21 (1H, m), 8.39 (1H, br s), 8.53-8.54 (1H, m).
1-2007	1H-NMR (CDCl3) 8: 1.99 (3H, s), 2.55-2.66 (1H, m), 2.94-3.02 (1H, m), 3.44-3.61 (2H, m), 3.79 (1H, d), 4.14 (1H, d), 4.40 (2H, d),
1-2008	5.80 (1H, br s), 6.58 (1H, dd), 7.06 (1H, d), 7.28 (1H, d), 7.83 (2H, s), 7.92 (1H, s). 1H-NMR (CDCl3) 8: 1.16 (3H, t), 2.22 (2H, q), 2.55-2.65 (1H, m), 2.94-3.02 (1H, m), 3.44-3.61 (2H, m), 3.79 (1H, d), 4.14 (1H, d),
1-2009	4.40 (2H, d), 5.78 (1H, br s), 6.58 (1H, dd), 7.06 (1H, d), 7.27 (1H, d), 7.83 (2H, s), 7.92 (1H, s). 1H-NMR (CDCl3) & 0.70-0.78 (2H, m), 0.95-1.01 (2H, m), 1.30-1.38 (1H, m), 2.55-2.65 (1H, m), 2.94-3.02 (1H, m), 3.44-3.61 (2H, m),
1-2010	3.79 (1H, d), 4.14 (1H, d), 4.42 (2H, d), 6.00 (1H, br s), 6.58 (1H, dd), 7.07 (1H, d), 7.27 (1H, d), 7.84 (2H, s), 7.92 (1H, s). 1H-NMR (CDCl3) & 2.55-2.65 (1H, m), 2.95-3.12 (3H, m), 3.44-3.61 (2H, m), 3.79 (1H, d), 4.14 (1H, d), 4.44 (2H, d), 6.13 (1H, br s),
1-2011	6.58 (1H, dd), 7.07 (1H, d), 7.25 (1H, d), 7.83 (2H, s), 7.93 (1H, s). 1H-NMR (CDCl3) & 2.11 (3H, s), 2.55-2.65 (1H, m), 2.95-3.01 (1H, m), 3.21 (2H, s), 3.45-3.62 (2H, m), 3.80 (1H, d), 4.15 (1H, d),
1-2012	4.43 (2H, d), 6.58 (1H, dd), 7.08 (1H, d), 7.27 (2H, d), 7.84 (2H, s), 7.93 (1H, s). 1H-NMR (CDCl3) & 2.54-2.67 (4H, m), 2.94-3.02 (1H, m), 3.28 (1H, d, J = 14.3 Hz), 3.42-3.61 (2H, m), 3.68 (1H, d), 3.79
1-2013	(1H, d), 4.14 (1H, d), 4.48 (2H, d), 6.58 (1H, dd), 7.07 (1H, d), 7.18 (1H, br s), 7.29 (1H, d), 7.83 (2H, s), 7.92 (1H, s). 1H-NMR (acetone-d6) & 2.79-2.91 (1H, m), 3.11 (3H, s), 3.13-3.21 (1H, m), 3.50-3.64 (2H, m), 4.05 (1H, d), 4.07 (1H, d), 4.37
1-2015	(2H, d), 4.43 (1H, d), 6.73 (1H, dd), 7.18 (1H, d), 7.28 (1H, d), 7.84 (1H, br s), 8.12 (1H, s), 8.26 (2H, s). 1H-NMR (CDCl3) & 1.99 (3H, s), 2.50-2.63 (1H, m), 2.87-2.95 (1H, m), 3.55 (1H, br s), 3.64-3.72 (1H, m), 4.03 (1H, d), 4.22
1-2016	(1H, dd), 4.39 (2H, d), 5.86 (1H, br s), 6.45-6.39 (1H, m), 7.02-6.96 (1H, m), 7.85 (2H, s), 7.92 (1H, s). 1H-NMR (CDCl3) & 1.15 (3H, t, J = 7.6 Hz), 2.22 (2H, q, J = 7.6 Hz), 2.50-2.63 (1H, m), 2.85-2.95 (1H, m), 3.55
1-2017	(1H, br s), 3.62-3.72 (1H, m), 4.02 (1H, d), 4.21 (1H, dd), 4.39 (2H, d), 5.85 (1H, br s), 6.36-6.45 (1H, m), 6.95-7.01 (1H, m), 7.85 (2H, s), 7.92 (1H, s). 1H-NMR (CDCl3) 8: 0.71-0.77 (2H, m), 0.95-1.00 (2H, m), 1.30-1.40 (1H, m), 2.51-2.61 (1H, m), 2.87-2.95 (1H, m), 3.56 (1H, br s), 3.64-3.72 (1H, m), 4.03 (1H, d), 4.22 (1H, dd), 4.42 (2H, d), 6.09 (1H, br s), 6.46-6.39 (1H, m), 6.96-7.02 (1H, m), 7.85 (2H, s),
1-2018	7.92 (1H, s). 1H-NMR (CDCl3) &: 2.51-2.60 (1H, m), 2.87-2.96 (1H, m), 3.06-3.10 (2H, m), 3.57 (1H, br s), 3.65-3.74 (1H, m), 4.03 (1H, d), 4.23
1-2019	(H, dd), 4.46 (2H, d), 6.03 (1H, br s), 6.46-6.40 (1H, m), 6.94-7.00 (1H, m), 7.84 (2H, s), 7.92 (1H, s). 1H-NMR (CDCl3) & 2.10 (3H, s), 2.50-2.63 (1H, m), 2.87-2.95 (1H, m), 3.21 (2H, s), 3.56 (1H, br s), 3.65-3.75 (1H, m), 4.03 (1H, d),
1-2019	4.23 (1H, dd), 4.46 (2H, d), 6.39-6.46 (1H, m), 6.96-7.02 (1H, m), 7.17 (1H, br s), 7.84 (2H, s), 7.92 (1H, s).

HINMR (CDC) 8: 250: 260 (Hin. 9), 286 (Mil. 4), 287-287 (Hin. 9), 286 (Hil. 4), 347 (Hil. 4), 347 (Hil. 4), 347 (Hil. 4), 347 (Hil. 5), 348 (Hil. 4), 347 (Hil. 5), 348 (Hil. 4), 347 (Hil. 5), 348 (Hil. 4), 347 (Hil. 6), 347 (Hil. 5), 348 (Hil. 4), 347 (Hil. 6), 348 (Hil. 6), 347 (Hil. 6), 348	Table 8 - ExNo.	1H-NMR
HENORR (CDCI3) 8-2.50-2.60 (H. m.) 287-296 (H. m.) 3.06 (H. s.) 3.57 (H. m.) 3.66 (3.17 (H. m.) 3.81 (2.11 d.) 4.07 (H. m.) 4.06 (3.11 d.) 4.17 (H. m.) 4.06 (3.11 d.) 4.17 (H. m.) 4.05 (1.11 d.) 4.17 (H. m.) 4.06 (1.11 d.) 4.17 (H. m.) 4.07 (H. m.) 4.06 (H. m.) 4.07 (H. m.) 4.06 (H. m.) 4.07 (1-2020	1H-NMR (CDCl3) &: 2.50-2.60 (1H, m), 2.66 (3H, s), 2.87-2.95 (1H, m), 3.26 (1H, d), 3.56 (1H, br s), 3.64-3.76 (1H, m), 3.69 (1H, d),
HENDRIK (CDIG) 8: 144 (PH. s), 250-260 (H. m.), 286-294 (H. m.), 355 (H. s), 368 (H. d.), 420 (H. d.), 421 (H. d.), 411 (H. d.), 421 (H. d.), 424 (H. d.), 421	1-2021	1H-NMR (CDCl3) &: 2.50-2.60 (1H, m), 2.87-2.96 (1H, m), 3.06 (3H, s), 3.57 (1H, br s), 3.66-3.76 (1H, m), 3.88 (2H, d), 4.02 (1H, d),
HENNIK (CDCI3) ib 2:09 (3H, a), 284-232 (H, m), 274-282 (H, m), 3.53-34.6 (H, m), 3.69-347 (H, m), 4.90-4.13 (H, m), 4.49 (H, d), 556 (H, 9.7), 58 (H, d), 7.43 (H, d), 7.43 (H, d), 3.53-3.6 (H, m), 3.67-3.70 (H, m), 3.89 (2H, s), 4.01-4.05 (H, m), 2.41-28 (H, m), 2.50 (H, d), 7.43 (H, d), 7.44 (H, d), 7.44 (H, m), 7.40 (H, d), 7.44 (H, d), 7.45 (H, d),	1-2022	1H-NMR (CDCl3) 8: 1.44 (9H, s), 2.50-2.60 (1H, m), 2.86-2.94 (1H, m), 3.55 (1H, br s), 3.68 (1H, dd), 4.02 (1H, d), 4.21 (1H, dd),
12-024	1-2023	1H-NMR (CDCl3) 8: 2.09 (3H, s), 2.45-2.52 (1H, m), 2.74-2.82 (1H, m), 3.21 (2H, s), 3.54-3.63 (2H, m), 3.94-3.97 (1H, m), 4.09-4.13
12025 IR-MMR (CDCD) & 2.52-2.57 (H, m), 246-416, H), m, 556 (Hb, 7), 77 (Hb, 4), 757 (Hb, 4), 736 (Hb, 7), 780 (Hb, 8), 181-2102 IR-MMR (CDCD) & 2.09 (Hb, 1), 245-2.52 (H, m), 274-2.82 (H, m), 3.27 (Hb, 1), 736 (Hb, 7), 780 (Hb, 1), 78	1-2024	1H-NMR (CDCl3) 8: 2.50-2.60 (1H, m), 2.87-2.96 (1H, m), 3.06 (3H, s), 3.53-3.56 (1H, m), 3.67-3.70 (1H, m), 3.89 (2H, s), 4.01-4.05
11-2026 1H-SMR (CDCI) & 2.09 (BH, s), 2.45-2.52 (HI, m), 2.74-2.82 (HI, m), 3.21 (2H, s), 3.34-3.63 (2H, m), 3.97 (HI, m), 4.99 (HI, d), 5.65 (HII, m), 7.88 (HI, m), 3.81 (2H, s), 3.89 (HI, m), 3.81 (2H, s), 3.99 (HI, c), 7.90 (HI, d), 7.87 (HI, m), 2.81-2.87 (HI, m), 3.51-3.62 (HI, m), 3.39 (2H, s), 3.99 (HI, c), 7.90 (HI, d), 7.70 (HI, d), 7.87 (HI, d), 7.81 (HI, m), 3.85 (HI, m), 3.56 (HI, m), 3.93 (HI, s), 3.90 (HI, c), 7.91 (HI, m), 3.91 (HI, s), 7.91 (HI, m), 3.95 (HI	1-2025	1H-NMR (CDCl3) &: 2.52-2.57 (1H, m), 2.64 (3H, s), 2.84-2.92 (1H, m), 3.37 (1H, d), 3.49-3.52 (1H, m), 3.62-3.67 (2H, m), 3.98-4.01
(H.), 7.00 (H.), 6.787 (2H.), 7.99 (H.), 3. 1-2039 (H.), 7.00 (H.), 6.787 (2H.), 7.99 (H.), 6.55 (H.), 6.93 (H.), 6.787 (2H.), 8.787 (H.), 8.781 (H.), 8.782 (H.), 8.781 (H.), 8.781 (H.), 8.782 (H.), 8.782 (H.), 9.784 (H.), 8.782 (H.), 9.784 (H.), 8.782 (H.), 9.784 (H.)	1-2026	1H-NMR (CDCl3) δ: 2.09 (3H, s), 2.45-2.52 (1H, m), 2.74-2.82 (1H, m), 3.21 (2H, s), 3.54-3.63 (2H, m), 3.94-3.97 (1H, m), 4.09-4.13
(2H, d), \$5.0 (1H, br.s), 6.55 (1H, br.s), 6.55 (1H, d), 7.87 (2H, s), 7.91 (1H, s). 1-2031 [H-NMR (CDC3) & 1-0, 109 (3H, d), 12-0, 12-18 (5H, m), 2.44-2.48 (H, m), 2.78-2.80 (H, m), 3.44-3.53 (2H, m), 3.96-4.05 (2H, m), 4.29 (2H, d), 5.47 (1H, s), 6.48 (1H, d), 6.85 (1H, d), 7.80 (2H, s), 7.83 (1H, s). 1-2032 [H-NMR (CDC3) & 6.20-6.07 (2H, m), 0.90-4.92 (2H, m), 1.18-1.29 (1H, m), 2.15-2.16 (3H, m), 2.41-2.51 (1H, m), 2.76-2.84 (1H, m), 3.47-3.51 (2H, m), 3.94-4.08 (2H, m), 4.30 (2H, d), 5.40 (2H, d), 7.80 (2H,	1-2029	
(CH, 4), \$47 (H, 8), \$48 (H, 1), 6.85 (H, 1), 9.09-09 (2H, 11), 118-129 (H, 11), 2.15-2.16 (3H, 11), 2.41-2.51 (H, 11), 2.76-2.84 (HI, 11), 347-3.51 (2H, 11), 394-408 (2H, 11), 390 (2H, 4), 5.67 (H, 1), 5.67 (H, 1), 5.68 (H, 1), 6.87 (H, 1), 7.80 (CH, 3), 7.83 (H, 8), 4.10 (CH, 4), 5.92 (H, 11), 2.49-2.59 (H, 11), 3.04 (CH, 41), 3.51-3.67 (CH, 11), 4.01-4.17 (2H, 11), 4.19 (CH, 4), 5.92 (H, 11), 6.95 (H,	1-2030	
3.47-3.51 (21, m), 3.94-4.08 (21), m), 4.30 (214, d), 5.67 (111, br.)s, 6.48 (111, 0), 6.87 (111, d), 7.80 (211, s), 7.83 (111, s). 1-2033 H.NMR (CDC1)s 6.2 2.12-2.43 (111, d), 2.49-2.59 (111, m), 3.04 (211, q), 3.51-3.67 (211, m), 4.01-417 (211, m), 4.39 (211, d), 5.92 (111, d), 6.57 (111, 0), 6.95 (111, 0), 7.87 (211, s), 7.91 (111, s). 1-2034 H.NMR (CDC1)s 6.2 2.14-2.25 (111, 0), 2.22-2.43 (111, m), 2.22-2.57 (111, m), 2.87-2.90 (111, m), 3.22 (211, s), 3.55-3.62 (211, m), 4.04-4.15 (211, m), 4.05 (111, 0), 6.55 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 6.57 (111, 0), 7.46 (211, 0), 7.45 (211, 0),	1-2031	
(2H, d), 592 (1H, b), 635 (1H, d), 691 (1H, d), 787 (2H, s), 791 (1H, s). 1-2034 II-MMR (CDC13) 5.21 (13H, s), 223-224 (3H, m), 287-290 (1H, m), 3.22 (2H, s), 3.55-3.62 (2H, m), 4.05-4.15 (2H, m), 4.41 (2H, d), 6.57 (1H, d), 695 (2H, d), 7.88 (2H, s), 7.91 (1H, s). 1-2037 II-MMR (CDC13) 6.2 (2+2).25 (3H, m), 249-2.24 (1H, m), 2.79-2.79 (1H, m), 3.79 (2H, s), 3.93-4.01 (2H, m), 6.55 (1H, d), 6.96 (1H, d), 7.46 (2H, s). 1-2038 II-MMR (CDC13) 6.19 (91H, s), 2.21-2.22 (3H, m), 2.40-2.50 (1H, m), 2.70-2.79 (1H, m), 3.44-3.61 (2H, m), 3.95-4.02 (2H, m), 4.34 (2H, d), 5.52 (1H, br.s), 6.51 (1H, d), 6.91 (1H, d), 7.45 (2H, s). 1-2049 II-MMR (CDC13) 6.06-9-076 (2H, m), 0.97-1.00 (2H, m), 1.30-1.35 (1H, m), 2.70-2.79 (1H, m), 3.47-3.59 (2H, m), 3.94-4.03 (2H, m), 4.36 (2H, d), 5.52 (1H, br.s), 6.51 (1H, d), 6.91 (1H, d), 7.45 (2H, s). 1-2041 II-MMR (CDC13) 6.06-9-076 (2H, m), 0.97-1.00 (2H, m), 1.30-1.35 (1H, m), 2.21-2.22 (3H, m), 2.40-2.50 (1H, m), 2.70-2.79 (1H, m), 3.47-3.58 (2H, m), 3.95-4.03 (2H, m), 4.36 (2H, d), 5.77 (1H, br.s), 6.51 (1H, d), 6.93 (1H, d), 7.47 (2H, s). 1-2041 II-MMR (CDC13) 6.21-2.13 (3H, m), 2.37-2.29 (1H, m), 2.65-2.27 (1H, m), 2.20 (2H, m), 2.40-2.50 (1H, m), 3.87-3.96 (2H, m), 4.30 (2H, d), 5.82 (1H, b), 6.82 (1H, d), 7.37 (2H, s). 1-2042 II-MMR (CDC13) 6.21 (13H, s), 2.22-2.23 (3H, m), 2.45-2.47 (1H, m), 2.71-2.79 (1H, m), 3.22 (2H, s), 3.49-3.59 (2H, m), 3.93-3.00 (2H, m), 4.38 (2H, d), 6.50 (1H, d), 6.92 (6D) (2H, m), 7.45 (2H, s). 1-2043 II-MMR (CDC13) 6.22-2.23 (3H, m), 2.45-2.48 (1H, m), 2.67-2.47 (1H, m), 3.27-2.27 (1H, m), 3.34 (1H, d), 3.46-3.57 (1H, m), 3.60 (1H, d), 3.34 (2H, d), 5.50 (1H, m), 4.38 (2H, d), 6.50 (1H, d), 7.30 (1H, br.s), 7.45 (2H, s). 1-2044 II-MMR (CDC13) 6.11 (3H, d), 2.17 (2H, d), 7.30 (2H, d), 7.30 (1H, br.s), 7.45 (2H, s). 1-2045 II-MMR (CDC13) 6.11 (3H, d), 7.41 (2H, d), 7.30 (1H, br.s), 7.45 (2H, s). 1-2046 II-MMR (CDC13) 6.11 (3H, d), 7.41 (2H, d), 7.30 (1H, br.s), 7.45 (2H, s). 1-2047 II-MMR (CDC13) 6.11 (3H, d), 7.41 (2H, d), 7.30 (2H, d), 7.	1-2032	
(2H, m), 441 (2H, d), 6.57 (H, f), 6.95 (2H, d), 7.88 (2H, s), 7.91 (1H, s). 1-2037 [H, MM, (CDCI3) 6, 2.24-2.25 (H, m), 2.40-2.46 (1H, m), 2.72-2.74 (H, m), 3.59-3.56 (2H, m), 3.79 (2H, s), 3.93-4.01 (2H, m), 6.55 (1H, d), 6.96 (1H, d), 7.46 (2H, s). 1-2038 [H, MM, (CDCI3) 6, 1.99 (3H, s), 2.21-2.22 (3H, m), 2.40-2.59 (H, m), 2.40-2.59 (H, m), 3.44-3.61 (2H, m), 3.95-4.02 (2H, m), 4.34 (2H, d), 5.82 (1H, b) s), 6.51 (1H, d), 6.91 (HI, d), 7.45 (2H, s). 1-2039 [H, MM, (CDCI3) 6, 1.17 (3H, d), 2.20-2.26 (5H, m), 2.41-2.59 (1H, m), 2.70-2.79 (H, m), 3.47-3.59 (2H, m), 3.94-4.03 (2H, m), 4.36 (2H, d), 5.52 (1H, b) s), 6.51 (1H, d), 6.91 (HI, d), 7.45 (2H, s). 1-2040 [H, MM, (CDCI3) 6, 6.90-40 (2H, m), 0.97-1.00 (2H, m), 1.30-1.35 (H, m), 2.21-2.22 (3H, m), 2.40-2.50 (H, m), 3.70-2.79 (H, m), 3.47-3.58 (2H, m), 3.95-4.00 (2H, m), 4.36 (2H, d), 5.37 (1H, s) s, 6.51 (1H, d), 6.93 (1H, d), 7.48 (2H, s). 1-2041 [H, MM, (CDCI3) 6, 2.11 (2H, s), 2.22-23 (3H, m), 2.47-2.47 (H, m), 2.71-2.79 (H, m), 2.34-2.38 (2H, m), 3.87-3.96 (2H, m), 4.30 (2H, d), 5.82 (1H, b), 6.82 (1H, d), 7.37 (2H, s). 1-2042 [H, MM, (CDCI3) 6, 2.11 (2H, s), 2.22-23 (3H, m), 2.45-2.47 (H, m), 2.71-2.79 (H, m), 3.32 (2H, s), 3.49-3.59 (2H, m), 3.92-3.96 (1H, m), 4.30-4.07 (1H, m), 4.40 (2H, d), 6.53 (1H, d), 6.92-6.95 (2H, m), 7.45 (2H, s). 1-2043 [H, MM, (CDCI3) 6, 2.17 (2H, b), 2.12-2.23 (3H, m), 2.45-2.47 (H, m), 2.71-2.79 (H, m), 3.32 (1H, d), 3.46-3.57 (H, m), 3.62 (1H, d), 3.39-3.40 (2H, m), 3.83 (2H, d), 6.50 (1H, d), 6.95 (1H, d), 7.30 (1H, b), 3.72-2.78 (1H, m), 3.34 (1H, d), 3.46-3.57 (H, m), 3.62 (1H, d), 3.35 (1H, d), 5.51 (1H, d), 4.20 (1H, d), 4.	1-2033	
(III., I), 6.96 (III., d), 7.46 (EII., s). 1-2038 IR-MMR (CDC3) 8. 1.99 (3H. s), 2.21-2.22 (3H. m), 2.40-2.59 (1H. m), 2.70-2.79 (1H. m), 3.44-3.61 (2H. m), 3.95-4.02 (2H. m), 4.36 (2H. d), 5.62 (1H. br.s), 6.51 (1H. I), 6.91 (1H. d), 7.45 (2H. s). IR-MMR (CDC3) 8. 1.17 (3H. J), 2.20-2.26 (5H. m), 2.41-2.50 (1H. m), 7.70-2.79 (1H. m), 3.47-3.59 (2H. m), 3.94-4.03 (2H. m), 4.36 (2H. d), 5.52 (1H. br.s), 6.51 (1H. I), 6.91 (1H. d), 7.45 (2H. s). IR-MMR (CDC3) 8. 0.89-0.76 (2H. m), 0.97-1.00 (2H. m), 1.30-1.35 (1H. m), 2.21-2.22 (3H. m), 2.40-2.50 (1H. m), 2.70-2.79 (1H. m), 347-3.58 (2H. m), 3.95-4.03 (2H. m), 4.36 (2H. d), 5.77 (1H. br.s), 6.51 (1H. I), 6.93 (1H. d), 7.45 (2H. s). IR-MMR (CDC3) 8. 2.11 (2H. s), 2.22-2.23 (3H. m), 2.21-2.22 (1H. m), 2.98 (2H. q), 3.45-3.48 (2H. m), 3.87-3.96 (2H. m), 4.30 (2H. d), 5.82 (1H. br.s), 6.43 (1H. l), 6.82 (1H. d), 7.37 (2H. s). IR-MMR (CDC3) 8. 2.21-2.23 (3H. m), 2.45-2.47 (1H. m), 2.71-2.79 (1H. m), 3.32-2 (2H. s), 3.49-3.59 (2H. m), 3.92-3.96 (1H. m), 4.03-4.07 (1H. m), 4.40 (2H. d), 6.53 (1H. l), 6.95 (1H. m), 7.45 (2H. s). IR-MMR (CDC3) 8. 2.17 (3H. s), 6.21 (3H. s), 2.19-2.25 (3H. m), 2.59-2.52 (1H. m), 2.78-2.78 (1H. m), 3.34 (1H. d), 3.46-3.57 (1H. m), 3.62 (1H. d), 3.94-4.02 (2H. m), 4.38 (2H. d), 6.50 (1H. l), 6.95 (1H. d), 7.30 (1H. br.s), 7.45 (2H. s). IR-MMR (CDC3) 8. 1.18 (3H. s), 2.17-2.26 (2H. m), 2.59-2.52 (1H. m), 2.78-2.78 (1H. m), 3.45-3.55 (2H. m), 3.76 (1H. d), 4.01 (1H. d), 4.34 (2H. d), 5.61 (1H. br.s), 6.50 (2H. d), 7.20 (2H. d), 7.45 (2H. s). IR-MMR (CDC3) 8. 1.18 (3H. s), 2.17-2.26 (2H. m), 2.60-2.60 (1H. m), 2.20 (2H. m), 2.79-2.28 (1H. m), 3.79 (1H. s). IR-MMR (CDC3) 8. 1.10 (1H. s), 6.60 (2H. d), 7.12 (2H. d), 7.85 (2H. s), 7.91 (1H. s). IR-MMR (CDC3) 8. 1.13 (3H. s), 1.12 (2H. d), 7.10 (2H. m), 2.79-2.28 (1H. m), 3.70 (1H. s). IR-MMR (CDC3) 8. 1.13 (3H. s), 1.12 (2H. d), 7.12 (2H. d), 7.85 (2H. s), 7.91 (1H. s). IR-MMR (CDC3) 8. 1.13 (3H. s), 1.24 (2H. s), 7.29 (2H. m), 2.27-2.28 (1H. m), 2.79-2.86 (1H. m), 3.46-3.52 (4H. m),	1-2034	
(2H, d), 5.62 (1H, br.s), 6.51 (1H, t), 6.91 (1H, d), 7.48 (2H, s). 1-2039 1-2040 1-2040 1-2040 1-2041 1-2041 1-2041 1-2041 1-2041 1-2041 1-2041 1-2041 1-2041 1-2041 1-2041 1-2041 1-2041 1-2041 1-2042 1-2041 1-2041 1-2041 1-2041 1-2041 1-2042 1-2042 1-2042 1-2041 1-2041 1-2042 1-2041 1-2041 1-2041 1-2041 1-2042 1-2042 1-2042 1-2042 1-2043 1-2043 1-2044 1-2044 1-2044 1-2045 1-2045 1-2041 1-2045 1-2046 1-2046 1-2046 1-2047 1-2041 1-2041 1-2042 1-2041 1-2042 1-2041 1-2042 1-2042 1-2042 1-2042 1-2043 1-2043 1-2044 1-2044 1-2045 1-2044 1-2046 1-2046 1-2047 1-2047 1-2048 1-2049 1	1-2037	
(2H, d), 5.52 (1H, br.s), 6.51 (1H, d), 6.91 (1H, d), 7.45 (2H, s), 1-2040 1-1-NMR (CDC13) & 0.690-76 (2H, m), 0.971-00 (2H, m), 1.301-1.35 (1H, m), 2.21-2.22 (3H, m), 2.40-2.50 (1H, m), 2.70-2.79 (1H, m), 3.47-3.58 (2H, m), 3.95-4.03 (2H, m), 4.36 (2H, d), 5.77 (1H, br.s), 6.51 (1H, d), 6.93 (1H, d), 7.45 (2H, s), 1-2041 1-1-NMR (CDC13) & 2.11 (2H, s), 4.14 (1H, d), 6.82 (1H, d), 7.37 (2H, s), 1-2042 1-2042 1-2043 1-2043 1-2045 1-2046 1-2046 1-2047 1-2048 1-2049 1-2		(2H, d), 5.62 (1H, br s), 6.51 (1H, t), 6.91 (1H, d), 7.45 (2H, s).
3.47-3.58 (2H, m), 3.95-4.03 (2H, m), 4.36 (2H, d), 5.77 (1H, br s), 6.51 (1H, d), 6.93 (1H, d), 7.45 (2H, s). 1.2041 [IH-NMR (CDCI3) & 2.12-2.13 (3H, m), 2.37-2.39 (1H, m), 2.56 2.27 (1H, m), 2.98 (2H, q), 3.45-3.48 (2H, m), 3.87-3.96 (2H, m), 4.30 (2H, d), 5.82 (1H, br s), 6.43 (1H, t), 6.82 (1H, d), 7.37 (2H, s). 1.2042 [IH-NMR (CDCI3) & 2.11 (3H, s), 2.22-2.23 (3H, m), 2.45-2.47 (1H, m), 2.07-1.279 (1H, m), 3.22 (2H, s), 3.49-3.59 (2H, m), 3.92-3.96 (1H, m), 4.03-4.07 (1H, m), 4.01 (2H, d), 6.59 (2H, m), 6.59 (2H, m), 7.45 (2H, s). 1.2043 [IH-NMR (CDCI3) & 2.22-2.33 (3H, m), 2.43-2.46 (1H, m), 2.04 (3H, s), 2.72-2.75 (1H, m), 3.34 (1H, d), 3.46-3.57 (1H, m), 3.62 (1H, d), 3.93-4.02 (2H, m), 4.38 (2H, d), 6.50 (1H, d), 6.95 (1H, d), 7.30 (1H, br s), 7.45 (2H, s). 1.2044 [IH-NMR (CDCI3) & 1.17 (3H, t), 2.18-2.23 (2H, m), 2.50-2.52 (1H, m), 2.78-2.87 (1H, m), 3.45-3.55 (2H, m), 3.76 (1H, d), 4.01 (1H, d), 4.34 (2H, d), 5.61 (1H, br), 6.65 (2H, d), 7.20 (2H, d), 7.45 (2H, s). 1.2048 [IH-NMR (CDCI3) & 1.18 (3H, t), 2.17-2.26 (2H, m), 2.60-2.63 (1H, m), 2.93-3.01 (1H, m), 3.52-3.58 (2H, m), 3.83 (1H, d), 4.15 (1H, d), 4.35 (1H, br), 5.65 (2H, d), 7.09 (2H, d), 7.30 (7-2.88 (3H, m)). 1.2049 [IH-NMR (CDCI3) & 1.10-1.15 (3H, m), 2.12-2.19 (2H, m), 2.52-2.54 (1H, m), 2.70-2.87 (3H, m), 3.46-3.52 (4H, m), 3.76 (1H, d), 4.01 (1H, d), 5.47 (1H, br s), 6.56 (2H, d), 7.09 (2H, d), 7.30 (2H, d), 3.46 (3H, d), 3.4		(2H, d), 5.52 (1H, br s), 6.51 (1H, t), 6.91 (1H, d), 7.45 (2H, s).
(2H, d), 8.82 (1H, br.s), 6.43 (1H, d), 7.37 (2H, s) 1-2042 1H-NMR (CDC13) & 2.11 (3H, s), 2.22-2.23 (3H, m), 2.45-2.47 (H, m), 2.71-2.79 (1H, m), 3.22 (2H, s), 3.49-3.59 (2H, m), 3.92-3.96 (1H, m), 4.03-4.07 (1H, m), 4.40 (2H, d), 6.53 (1H, t), 6.92-6.95 (2H, m), 7.45 (2H, s). 1-2043 1H-NMR (CDC13) & 2.22-2.23 (3H, m), 2.45-2.46 (1H, m), 2.64 (3H, s), 2.72-2.75 (1H, m), 3.34 (1H, d), 3.46-3.57 (1H, m), 3.62 (1H, d), 5.93 (1H, d), 5.03 (1H, d), 7.30 (1H, br.s), 7.45 (2H, s). 1-2046 1H-NMR (CDC13) & 1.17 (3H, t), 2.18-2.23 (2H, m), 2.50-2.52 (1H, m), 2.78-2.87 (1H, m), 3.45-3.55 (2H, m), 3.76 (1H, d), 4.01 (1H, d), 4.36 (1H, b), 5.61 (1H, d), 7.20 (2H, d), 7.45 (2H, s). 1-2047 1H-NMR (CDC13) & 1.18 (3H, t), 2.17-2.26 (2H, m), 2.60-2.63 (1H, m), 2.93-3.01 (1H, m), 3.52-3.58 (2H, m), 3.83 (1H, d), 4.15 (1H, d), 4.35 (2H, d), 5.57 (1H, br.s), 6.65 (2H, d), 7.20 (2H, d), 7.82 (2H, s), 7.91 (1H, s). 1-2048 1H-NMR (CDC13) & 1.13 (3H, t), 2.14-2.17 (2H, m), 2.52-2.54 (1H, m), 2.70-2.87 (3H, m), 3.46-3.52 (4H, m), 3.77 (1H, d), 4.02 (1H, d), 5.47 (1H, br.s), 6.56 (2H, d), 7.09 (2H, d), 7.30-7.38 (3H, m). 1-2049 1H-NMR (CDC13) & 1.13 (3H, t), 2.14-2.17 (2H, m), 2.57-2.62 (1H, m), 2.70-2.86 (3H, m), 3.46-3.52 (4H, m), 3.76 (1H, d), 4.01 (1H, d), 5.47 (1H, br.s), 6.56 (2H, d), 7.09 (2H, d), 7.44 (2H, s). 1-2051 1H-NMR (CDC13) & 1.13 (3H, t), 2.14-2.17 (2H, m), 2.57-2.62 (1H, m), 2.79-2.86 (3H, m), 3.46-3.52 (4H, m), 3.88 (3H, s), 4.03 (1H, d), 4.14 (1H, d), 5.40 (1H, br.s), 6.66 (2H, d), 7.10 (2H, m), 2.57-2.62 (1H, m), 2.59-2.75 (2H, m), 2.94-2.96 (1H, m), 3.48-3.57 (4H, m), 3.89 (1H, d), 4.14 (1H, d), 5.40 (1H, br.s), 6.66 (2H, d), 7.10 (2H, m), 7.19-7.90 (2H, m), 7.19 (1H, s). 1-2051 1-2051 1-2051 1-2052 1-2054 1-2054 1-2054 1-2055 1-2055 1-2054 1-2055 1-2055 1-2056 1-2056 1-2056 1-2056 1-2056 1-2057 1-2057 1-2057 1-2058		3.47-3.58 (2H, m), 3.95-4.03 (2H, m), 4.36 (2H, d), 5.77 (1H, br s), 6.51 (1H, t), 6.93 (1H, d), 7.45 (2H, s).
(IH, m), 4.03-4.07 (IH, m), 4.40 (ZH, d), 6.53 (IH, f), 6.92-6.95 (ZH, m), 7.45 (ZH, s). 1-2043		(2H, d), 5.82 (1H, br s), 6.43 (1H, t), 6.82 (1H, d), 7.37 (2H, s).
(II. d.), 3,93-4,02 (2R, m), 4.38 (2H, d), 6.50 (1H, b), 6.95 (1H, d), 7,30 (1H, br.s), 7.45 (2H, s). 1-2046		(1H, m), 4.03-4.07 (1H, m), 4.40 (2H, d), 6.53 (1H, t), 6.92-6.95 (2H, m), 7.45 (2H, s).
(I.H., d), 4.34 (2H, d), 5.61 (IH, 5r s), 6.57 (2H, d), 7.20 (2H, d), 7.45 (2H, s), 11-2047		(1H, d), 3.93-4.02 (2H, m), 4.38 (2H, d), 6.50 (1H, t), 6.95 (1H, d), 7.30 (1H, br s), 7.45 (2H, s).
(I.H., d), 4.35 (2H, d), 5.57 (IH, 5r s), 6.60 (2H, d), 7.21 (2H, d), 7.85 (2H, s), 7.91 (1H, s), 1-2048 (IH-NMR (CDCI3) 8: 1.10-1.15 (3H, m), 2.12-2.19 (2H, m), 2.52-2.54 (1H, m), 2.70-2.87 (3H, m), 3.46-3.52 (4H, m), 3.77 (1H, d), 4.02 (1H, d), 5.47 (1H, br s), 6.56 (2H, d), 7.09 (2H, d), 7.30-7.38 (3H, m), 1-2049 (IH, d), 5.47 (IH, 5r s), 6.56 (2H, d), 7.09 (2H, d), 7.34 (2H, m), 2.70-2.86 (3H, m), 3.46-3.52 (4H, m), 3.76 (1H, d), 4.01 (1H, d), 5.47 (1H, br s), 6.56 (2H, d), 7.09 (2H, d), 7.44 (2H, s). 1-2050 IH-NMR (CDCI3) 8: 1.13 (3H, t), 2.14-2.17 (2H, m), 2.49-2.52 (1H, m), 2.73-2.75 (2H, m), 2.94-2.96 (1H, m), 3.48-3.57 (4H, m), 3.83 (1H, d), 4.14 (1H, d), 5.40 (1H, br s), 6.60 (2H, d), 7.11 (2H, d), 7.85 (2H, s), 7.91 (1H, s). 1-2051 IH-NMR (CDCI3) 8: 1.14 (3H, t), 2.18 (2H, d), 2.46-2.56 (1H, m), 2.79-2.88 (1H, m), 3.45-3.56 (2H, m), 3.77 (1H, d), 3.88 (3H, s), 4.03 (1H, d), 4.35 (2H, d), 5.82 (1H, b), 6.08-6.16 (2H, m), 7.14-7.39 (4H, m) 1-2052 IH-NMR (CDCI3) 8: 2.07 (3H, s), 2.48-2.58 (1H, m), 2.79-2.88 (1H, m), 3.18 (2H, s), 3.45-3.60 (2H, m), 3.77 (1H, d), 3.89 (3H, s), 4.04 (1H, d), 6.09-6.16 (2H, m), 7.13-7.39 (5H, m) 1-2053 IH-NMR (CDCI3) 8: 2.51-2.66 (4H, m), 2.88-2.95 (1H, m), 3.27 (1H, d), 3.29-3.59 (2H, m), 3.66 (1H, d), 3.77 (1H, d), 4.84-4.56 (2H, m), 6.49-6.80 (2H, m), 7.19 (1H, b), 7.29-7.65 (4H, m) 1-2054 IH-NMR (CDCI3) 8: 2.57-2.59 (1H, m), 2.80-2.94 (1H, m), 3.05 (3H, s), 3.40-3.57 (2H, m), 3.77 (1H, d), 3.79 (2H, s), 4.09 (1H, d), 4.49 (2H, d), 6.49 (4H, d), 6.62 (2H, d), 7.28 (1H, d), 7.84 (2H, s), 7.92 (1H, s). 1-2058 IH-NMR (CDCI3) 8: 2.47 (2H, t), 2.52-2.66 (1H, m), 2.94-3.02 (1H, m), 3.36 (3H, s), 3.65-3.46 (4H, m), 3.81 (1H, d), 4.15 (1H, d), 4.44 (2H, d), 6.48 (1H, dd), 6.62 (2H, d), 7.28 (1H, d), 7.84 (2H, s), 7.92 (1H, s). 1-2069 IH-NMR (CDCI3) 8: 0.74-0.78 (2H, m), 0.82-1.00 (2H, m), 1.28-1.32 (1H, m), 2.53-2.63 (1H, m), 2.91-2.96 (1H, m), 3.61-3.70 (2H, m), 4.00 (1H, d), 4.44-4.47 (3H, m), 5.95 (1H, br), 6.52 (1H, d), 7.55-7.62 (3H, m), 7.73 (1H, d). 1-2070 IH-N		(1H, d), 4.34 (2H, d), 5.61 (1H, br s), 6.57 (2H, d), 7.20 (2H, d), 7.45 (2H, s).
(1H, d), 5.47 (1H, br s), 6.56 (2H, d), 7.09 (2H, d), 7.30-7.38 (3H, m) 1-2049		(1H, d), 4.35 (2H, d), 5.57 (1H, br s), 6.60 (2H, d), 7.21 (2H, d), 7.85 (2H, s), 7.91 (1H, s).
(1H, d), 5.47 (1H, br s), 6.56 (2H, d), 7.09 (2H, d), 7.44 (2H, s). 1-2050		(1H, d), 5.47 (1H, br s), 6.56 (2H, d), 7.09 (2H, d), 7.30-7.38 (3H, m).
(IH, d), 4.14 (IH, d), 5.40 (IH, br s), 6.60 (2H, d), 7.11 (2H, d), 7.85 (2H, s), 7.91 (IH, s). 1-2051 IH-NMR (CDCl3) & 1.14 (3H, t), 2.18 (2H, q), 2.46-2.56 (IH, m), 2.79-2.88 (IH, m), 3.45-3.56 (2H, m), 3.77 (IH, d), 3.88 (3H, s), 4.03 (IH, d), 4.35 (2H, b), 5.82 (IH, b), 6.08-6.16 (2H, m), 7.14-7.39 (4H, m) 1-2052 IH-NMR (CDCl3) & 2.07 (3H, s), 2.48-2.58 (IH, m), 2.79-2.88 (IH, m), 3.18 (2H, s), 3.45-3.60 (2H, m), 3.77 (IH, d), 3.89 (3H, s), 4.04 (IH, d), 6.09-6.16 (2H, m), 7.13-7.39 (5H, m) 1-2053 IH-NMR (CDCl3) & 2.51-2.66 (4H, m), 2.88-2.95 (IH, m), 3.27 (IH, d), 3.29-3.59 (2H, m), 3.66 (IH, d), 3.77 (IH, d), 4.48-4.56 (2H, m), 6.49-6.80 (2H, m), 7.19 (IH, b), 7.29-7.65 (4H, m) 1-2054 IH-NMR (CDCl3) & 2.50-2.59 (IH, m), 2.80-2.94 (IH, m), 3.05 (3H, s), 3.40-3.57 (2H, m), 3.77 (IH.d), 3.79 (2H, s), 4.09 (IH, d), 4.49 (2H, d), 6.50-6.80 (3H, m), 7.26-7.65 (4H, m) 1-2058 IH-NMR (CDCl3) & 2.47 (2H, t), 2.54-2.65 (IH, m), 2.94-3.02 (IH, m), 3.36 (3H, s), 3.65-3.46 (4H, m), 3.81 (IH, d), 4.15 (IH, d), 4.44 (2H, d), 6.48 (IH, dd), 6.62 (2H, d), 7.28 (IH, d), 7.84 (2H, s), 7.92 (IH, s). 1-2067 IH-NMR (CDCl3) & 2.47 (2H, t), 2.52-2.66 (IH, m), 2.96-3.05 (IH, m), 3.36 (3H, s), 3.54-3.70 (4H, m), 3.98 (IH, d), 4.37 (2H, d), 4.53 (IH, d), 6.25-7.85 (6H, m) 1-2068 IH-NMR (CDCl3) & 2.115 (3H, t), 2.14 (2H, q), 2.56-2.61 (IH, m), 2.90-2.98 (IH, m), 3.56-3.72 (2H, m), 4.00 (IH, d), 4.44-4.47 (3H, m), 5.95 (IH, br s), 6.52 (IH, d), 7.56-7.62 (3H, m), 7.74 (IH, d). 1-2070 IH-NMR (CDCl3) & 0.74-0.78 (2H, m), 0.82-1.00 (2H, m), 1.28-1.32 (IH, m), 2.53-2.63 (IH, m), 2.91-2.96 (IH, m), 3.61-3.70 (2H, m), 3.62-3.70 (2H, m), 4.01 (IH, d), 4.44-4.48 (3H, m), 6.31 (IH, br s), 6.53 (IH, d), 7.48-7.64 (3H, m), 7.74 (IH, d). 1-2071 IH-NMR (CDCl3) & 0.15-0.18 (2H, m), 0.56-0.60 (2H, m), 0.87-0.93 (IH, m), 2.16 (2H, d), 2.56-2.61 (IH, m), 2.90-2.98 (IH, m), 3.62-3.70 (2H, m), 4.01 (IH, d), 4.44-4.48 (3H, m), 6.31 (IH, br s), 6.53 (IH, d), 7.48-7.64 (3H, m), 7.74 (IH, d). 1-2071 IH-NMR (CDCl3) & 0.15-0.18 (2H, m), 0.59-0.74 (2		(1H, d), 5.47 (1H, br s), 6.56 (2H, d), 7.09 (2H, d), 7.44 (2H, s).
 4.03 (1H, d), 4.35 (2H, d), 5.82 (1H, b), 6.08-6.16 (2H, m), 7.14-7.39 (4H, m) 1-2052 1H-NMR (CDCl3) δ: 2.07 (3H, s), 2.48-2.58 (1H, m), 2.79-2.88 (1H, m), 3.18 (2H, s), 3.45-3.60 (2H, m), 3.77 (1H, d), 3.89 (3H, s), 4.04 (1H, d), 6.09-6.16 (2H, m), 7.13-7.39 (5H, m) 1-2053 1H-NMR (CDCl3) δ: 2.51-2.66 (4H, m), 2.88-2.95 (1H, m), 3.27 (1H, d), 3.29-3.59 (2H, m), 3.66 (1H, d), 3.77 (1H, d), 4.48-4.56 (2H, m), 6.49-6.80 (2H, m), 7.19 (1H, b), 7.29-7.65 (4H, m) 1-2054 1H-NMR (CDCl3) δ: 2.50-2.59 (1H, m), 2.80-2.94 (1H, m), 3.05 (3H, s), 3.40-3.57 (2H, m), 3.77 (1H.d), 3.79 (2H, s), 4.09 (1H, d), 4.49 (2H, d), 6.50-6.80 (3H, m), 7.26-7.65 (4H, m) 1-2058 1H-NMR (CDCl3) δ: 2.47 (2H, t), 2.54-2.65 (1H, m), 2.94-3.02 (1H, m), 3.36 (3H, s), 3.65-3.46 (4H, m), 3.81 (1H, d), 4.15 (1H, d), 4.44 (2H, d), 6.48 (1H, dd), 6.62 (2H, d), 7.28 (1H, d), 7.84 (2H, s), 7.92 (1H, s). 1-2067 1H-NMR (CDCl3) δ: 2.47 (2H, t), 2.52-2.66 (1H, m), 2.96-3.05 (1H, m), 3.36 (3H, s), 3.54-3.70 (4H, m), 3.98 (1H, d), 4.37 (2H, d), 4.53 (1H, d), 6.25-7.85 (6H, m) 1-2068 1H-NMR (CDCl3) δ: 1.15 (3H, t), 2.14 (2H, q), 2.56-2.61 (1H, m), 2.90-2.98 (1H, m), 3.56-3.72 (2H, m), 4.00 (1H, d), 4.44-4.46 (3H, m), 5.78 (1H, br s), 6.52 (1H, d), 7.56-7.62 (3H, m), 7.74 (1H, d). 1-2070 1H-NMR (CDCl3) δ: 0.74-0.78 (2H, m), 0.82-1.00 (2H, m), 1.28-1.32 (1H, m), 2.53-2.63 (1H, m), 2.91-2.96 (1H, m), 3.61-3.70 (2H, m), 3.62-3.70 (2H, m), 4.00 (1H, d), 4.44-4.47 (3H, m), 5.95 (1H, br s), 6.52 (1H, d), 7.52-7.62 (3H, m), 7.73 (1H, d). 1-2070 1H-NMR (CDCl3) δ: 0.15-0.18 (2H, m), 0.56-0.60 (2H, m), 0.87-0.93 (1H, m), 2.16 (2H, d), 2.56-2.61 (1H, m), 2.90-2.98 (1H, m), 3.62-3.70 (2H, m), 4.01 (1H, d), 4.44-4.48 (3H, m), 6.31 (1H, br s), 6.53 (1H, d), 7.48-7.64 (3H, m), 7.74 (1H, d). 1-2071 1H-NMR (CDCl3) δ: 0.15-0.18 (2H, m), 0.56-0.60 (2H, m), 0.87-0.93 (1H, m), 3.16 (2H, d), 2.56-2.61 (1H, m), 2.90-2.98 (1H, m), 3.62-3.70 (2H, m), 4.01 (1H, d), 4.48-4.45 (3H, m), 6.53 (1H, d),		(1H, d), 4.14 (1H, d), 5.40 (1H, br s), 6.60 (2H, d), 7.11 (2H, d), 7.85 (2H, s), 7.91 (1H, s).
1-2053 1H-NMR (CDCl3) &: 2.51-2.66 (4H, m), 7.13-7.39 (5H, m) 1-2054 1H-NMR (CDCl3) &: 2.50-2.59 (1H, m), 2.80-2.94 (1H, m), 3.27 (1H, d), 3.29-3.59 (2H, m), 3.66 (1H, d), 3.77 (1H, d), 4.48-4.56 (2H, m), 6.49-6.80 (2H, m), 7.19 (1H, b), 7.29-7.65 (4H, m) 1-2054 1H-NMR (CDCl3) &: 2.50-2.59 (1H, m), 2.80-2.94 (1H, m), 3.05 (3H, s), 3.40-3.57 (2H, m), 3.77 (1H.d), 3.79 (2H, s), 4.09 (1H, d), 4.49 (2H, d), 6.50-6.80 (3H, m), 7.26-7.65 (4H, m) 1-2058 1H-NMR (CDCl3) &: 2.47 (2H, t), 2.54-2.65 (1H, m), 2.94-3.02 (1H, m), 3.36 (3H, s), 3.65-3.46 (4H, m), 3.81 (1H, d), 4.15 (1H, d), 4.44 (2H, d), 6.48 (1H, dd), 6.62 (2H, d), 7.28 (1H, d), 7.84 (2H, s), 7.92 (1H, s). 1-2067 1H-NMR (CDCl3) &: 2.47 (2H, t), 2.52-2.66 (1H, m), 2.96-3.05 (1H, m), 3.36 (3H, s), 3.54-3.70 (4H, m), 3.98 (1H, d), 4.37 (2H, d), 4.53 (1H, d), 6.25-7.85 (6H, m) 1-2068 1H-NMR (CDCl3) &: 1.15 (3H, t), 2.14 (2H, q), 2.56-2.61 (1H, m), 2.90-2.98 (1H, m), 3.56-3.72 (2H, m), 4.00 (1H, d), 4.44-4.46 (3H, m), 5.78 (1H, br s), 6.52 (1H, d), 7.56-7.62 (3H, m), 7.74 (1H, d). 1-2069 1H-NMR (CDCl3) &: 0.74-0.78 (2H, m), 0.82-1.00 (2H, m), 1.28-1.32 (1H, m), 2.53-2.63 (1H, m), 2.91-2.96 (1H, m), 3.61-3.70 (2H, m), 4.00 (1H, d), 4.44-4.47 (3H, m), 5.95 (1H, br s), 6.52 (1H, d), 7.52-7.62 (3H, m), 7.73 (1H, d). 1-2070 1H-NMR (CDCl3) &: 0.15-0.18 (2H, m), 0.56-0.60 (2H, m), 0.87-0.93 (1H, m), 2.16 (2H, d), 2.56-2.61 (1H, m), 2.90-2.98 (1H, m), 3.62-3.70 (2H, m), 4.01 (1H, d), 4.44-4.48 (3H, m), 6.31 (1H, br s), 6.53 (1H, d), 7.26 (1H, br s), 6.53 (1H, d), 7.26 (1H, br s), 6.53 (1H, d), 7.26 (1H, br s), 6.51 (1H, br s), 6.59 (1H, m), 2.83-2.91 (1H, m), 3.58-3.70 (2H, m), 4.01 (1H, d), 4.48-4.50 (3H, m), 6.75 (1H, br s), 6.51 (1H, b		4.03 (1H, d), 4.35 (2H, d), 5.82 (1H, b), 6.08-6.16 (2H, m), 7.14-7.39 (4H, m)
(2H, m), 6.49-6.80 (2H, m), 7.19 (1H, b), 7.29-7.65 (4H, m) 1-2054		4.04 (1H, d), 6.09-6.16 (2H, m), 7.13-7.39 (5H, m)
4.49 (2H, d), 6.50-6.80 (3H, m), 7.26-7.65 (4H, m) 1-2058 1H-NMR (CDCl3) & 2.47 (2H, t), 2.54-2.65 (1H, m), 2.94-3.02 (1H, m), 3.36 (3H, s), 3.65-3.46 (4H, m), 3.81 (1H, d), 4.15 (1H, d), 4.44 (2H, d), 6.48 (1H, dd), 6.62 (2H, d), 7.28 (1H, d), 7.84 (2H, s), 7.92 (1H, s). 1-2067 1H-NMR (CDCl3) & 2.47 (2H, t), 2.52-2.66 (1H, m), 2.96-3.05 (1H, m), 3.36 (3H, s), 3.54-3.70 (4H, m), 3.98 (1H, d), 4.37 (2H, d), 4.53 (1H, d), 6.25-7.85 (6H, m) 1-2068 1H-NMR (CDCl3) & 1.15 (3H, t), 2.14 (2H, q), 2.56-2.61 (1H, m), 2.90-2.98 (1H, m), 3.56-3.72 (2H, m), 4.00 (1H, d), 4.44-4.46 (3H, m), 5.78 (1H, br s), 6.52 (1H, d), 7.56-7.62 (3H, m), 7.74 (1H, d). 1-2069 1H-NMR (CDCl3) & 0.74-0.78 (2H, m), 0.82-1.00 (2H, m), 1.28-1.32 (1H, m), 2.53-2.63 (1H, m), 2.91-2.96 (1H, m), 3.61-3.70 (2H, m), 4.00 (1H, d), 4.44-4.47 (3H, m), 5.95 (1H, br s), 6.52 (1H, d), 7.52-7.62 (3H, m), 7.73 (1H, d). 1-2070 1H-NMR (CDCl3) & 0.15-0.18 (2H, m), 0.56-0.60 (2H, m), 0.87-0.93 (1H, m), 2.16 (2H, d), 2.56-2.61 (1H, m), 2.90-2.98 (1H, m), 3.62-3.70 (2H, m), 4.01 (1H, d), 4.44-4.48 (3H, m), 6.31 (1H, br s), 6.53 (1H, d), 7.48-7.64 (3H, m), 7.74 (1H, d). 1-2071 1H-NMR (CDCl3) & 2.05 (3H, s), 2.47-2.64 (1H, m), 2.91-2.97 (1H, m), 3.22 (2H, s), 3.63-3.71 (2H, m), 4.01 (1H, d), 4.45-4.50 (3H, m), 6.53 (1H, d), 7.26 (1H, br s), 7.49-7.73 (4H, m). 1-2074 1H-NMR (CDCl3) & 1.15 (3H, t), 2.20 (2H, q), 2.48-2.59 (1H, m), 2.83-2.91 (1H, m), 3.58-3.70 (2H, m), 3.93 (1H, d), 4.38-4.45 (3H, m), 5.75 (1H, br s), 6.51 (1H, d), 7.48 (2H, s), 7.69-7.74 (2H, m). 1-2075 1H-NMR (CDCl3) & 0.71-0.82 (2H, m), 0.92-0.97 (2H, m), 1.24-1.36 (1H, m), 2.49-2.59 (1H, m), 2.83-2.91 (1H, m), 3.59-3.65 (2H, m), 3.93 (1H, d), 4.38-4.47 (3H, m), 5.94 (1H, br s), 6.51 (1H, d), 7.45 (2H, s), 7.69-7.73 (2H, m). 1-2076 1H-NMR (CDCl3) & 0.01-0.02 (2H, m), 0.91-0.97 (2H, m), 1.24-1.36 (1H, m), 2.49-2.59 (1H, m), 2.83-2.91 (1H, m), 2.83-2.91 (1H, m), 3.93 (1H, d), 4.38-4.47 (3H, m), 5.94 (1H, br s), 6.51 (1H, d), 7.45 (2H, s), 7.69-7.73 (2H, m).		(2H, m), 6.49-6.80 (2H, m), 7.19 (1H, b), 7.29-7.65 (4H, m)
4.44 (2H, d), 6.48 (1H, dd), 6.62 (2H, d), 7.28 (1H, d), 7.84 (2H, s), 7.92 (1H, s). 1-2067 1H-NMR (CDCl3) & 2.47 (2H, t), 2.52-2.66 (1H, m), 2.96-3.05 (1H, m), 3.36 (3H, s), 3.54-3.70 (4H, m), 3.98 (1H, d), 4.37 (2H, d), 4.53 (1H, d), 6.25-7.85 (6H, m) 1-2068 1H-NMR (CDCl3) & 1.15 (3H, t), 2.14 (2H, q), 2.56-2.61 (1H, m), 2.90-2.98 (1H, m), 3.56-3.72 (2H, m), 4.00 (1H, d), 4.44-4.46 (3H, m), 5.78 (1H, br s), 6.52 (1H, d), 7.56-7.62 (3H, m), 7.74 (1H, d). 1-2069 1H-NMR (CDCl3) & 0.74-0.78 (2H, m), 0.82-1.00 (2H, m), 1.28-1.32 (1H, m), 2.53-2.63 (1H, m), 2.91-2.96 (1H, m), 3.61-3.70 (2H, m), 4.00 (1H, d), 4.44-4.47 (3H, m), 5.95 (1H, br s), 6.52 (1H, d), 7.52-7.62 (3H, m), 7.73 (1H, d). 1-2070 1H-NMR (CDCl3) & 0.15-0.18 (2H, m), 0.56-0.60 (2H, m), 0.87-0.93 (1H, m), 2.16 (2H, d), 2.56-2.61 (1H, m), 2.90-2.98 (1H, m), 3.62-3.70 (2H, m), 4.01 (1H, d), 4.44-4.48 (3H, m), 6.31 (1H, br s), 6.53 (1H, d), 7.48-7.64 (3H, m), 7.74 (1H, d). 1-2071 1H-NMR (CDCl3) & 2.05 (3H, s), 2.47-2.64 (1H, m), 2.91-2.97 (1H, m), 3.22 (2H, s), 3.63-3.71 (2H, m), 4.01 (1H, d), 4.45-4.50 (3H, m), 6.53 (1H, d), 7.26 (1H, br s), 7.49-7.73 (4H, m). 1-2074 1H-NMR (CDCl3) & 1.15 (3H, t), 2.20 (2H, q), 2.48-2.59 (1H, m), 2.83-2.91 (1H, m), 3.58-3.70 (2H, m), 3.93 (1H, d), 4.38-4.45 (3H, m), 5.75 (1H, br s), 6.51 (1H, d), 7.48 (2H, s), 7.69-7.74 (2H, m). 1-2075 1H-NMR (CDCl3) & 0.71-0.82 (2H, m), 0.92-0.97 (2H, m), 1.24-1.36 (1H, m), 2.49-2.59 (1H, m), 2.83-2.91 (1H, m), 3.59-3.65 (2H, m), 3.93 (1H, d), 4.38-4.47 (3H, m), 5.94 (1H, br s), 6.51 (1H, d), 7.45 (2H, s), 7.69-7.73 (2H, m). 1-2076 1H-NMR (CDCl3) & 0.12-0.20 (2H, m), 0.51-0.67 (2H, m), 0.90-0.99 (1H, m), 2.15 (2H, d), 2.51-2.56 (1H, m), 2.83-2.91 (1H, m),		4.49 (2H, d), 6.50-6.80 (3H, m), 7.26-7.65 (4H, m)
4.53 (1H, d), 6.25-7.85 (6H, m) 1-2068 1H-NMR (CDCl3) &: 1.15 (3H, t), 2.14 (2H, q), 2.56-2.61 (1H, m), 2.90-2.98 (1H, m), 3.56-3.72 (2H, m), 4.00 (1H, d), 4.44-4.46 (3H, m), 5.78 (1H, br s), 6.52 (1H, d), 7.56-7.62 (3H, m), 7.74 (1H, d). 1-2069 1H-NMR (CDCl3) &: 0.74-0.78 (2H, m), 0.82-1.00 (2H, m), 1.28-1.32 (1H, m), 2.53-2.63 (1H, m), 2.91-2.96 (1H, m), 3.61-3.70 (2H, m), 4.00 (1H, d), 4.44-4.47 (3H, m), 5.95 (1H, br s), 6.52 (1H, d), 7.52-7.62 (3H, m), 7.73 (1H, d). 1-2070 1H-NMR (CDCl3) &: 0.15-0.18 (2H, m), 0.56-0.60 (2H, m), 0.87-0.93 (1H, m), 2.16 (2H, d), 2.56-2.61 (1H, m), 2.90-2.98 (1H, m), 3.62-3.70 (2H, m), 4.01 (1H, d), 4.44-4.48 (3H, m), 6.31 (1H, br s), 6.53 (1H, d), 7.48-7.64 (3H, m), 7.74 (1H, d). 1-2071 1H-NMR (CDCl3) &: 2.05 (3H, s), 2.47-2.64 (1H, m), 2.91-2.97 (1H, m), 3.22 (2H, s), 3.63-3.71 (2H, m), 4.01 (1H, d), 4.45-4.50 (3H, m), 6.53 (1H, d), 7.26 (1H, br s), 7.49-7.73 (4H, m). 1-2074 1H-NMR (CDCl3) &: 1.15 (3H, t), 2.20 (2H, q), 2.48-2.59 (1H, m), 2.83-2.91 (1H, m), 3.58-3.70 (2H, m), 3.93 (1H, d), 4.38-4.45 (3H, m), 5.75 (1H, br s), 6.51 (1H, d), 7.48 (2H, s), 7.69-7.74 (2H, m). 1-2075 1H-NMR (CDCl3) &: 0.71-0.82 (2H, m), 0.92-0.97 (2H, m), 1.24-1.36 (1H, m), 2.49-2.59 (1H, m), 2.83-2.91 (1H, m), 3.59-3.65 (2H, m), 3.93 (1H, d), 4.38-4.47 (3H, m), 5.94 (1H, br s), 6.51 (1H, d), 7.45 (2H, s), 7.69-7.73 (2H, m). 1-2076 1H-NMR (CDCl3) &: 0.12-0.20 (2H, m), 0.51-0.67 (2H, m), 0.90-0.99 (1H, m), 2.15 (2H, d), 2.51-2.56 (1H, m), 2.83-2.91 (1H, m),		4.44 (2H, d), 6.48 (1H, dd), 6.62 (2H, d), 7.28 (1H, d), 7.84 (2H, s), 7.92 (1H, s).
(3H, m), 5.78 (1H, br s), 6.52 (1H, d), 7.56-7.62 (3H, m), 7.74 (1H, d). 1-2069 1H-NMR (CDCl3) & 0.74-0.78 (2H, m), 0.82-1.00 (2H, m), 1.28-1.32 (1H, m), 2.53-2.63 (1H, m), 2.91-2.96 (1H, m), 3.61-3.70 (2H, m), 4.00 (1H, d), 4.44-4.47 (3H, m), 5.95 (1H, br s), 6.52 (1H, d), 7.52-7.62 (3H, m), 7.73 (1H, d). 1-2070 1H-NMR (CDCl3) & 0.15-0.18 (2H, m), 0.56-0.60 (2H, m), 0.87-0.93 (1H, m), 2.16 (2H, d), 2.56-2.61 (1H, m), 2.90-2.98 (1H, m), 3.62-3.70 (2H, m), 4.01 (1H, d), 4.44-4.48 (3H, m), 6.31 (1H, br s), 6.53 (1H, d), 7.48-7.64 (3H, m), 7.74 (1H, d). 1-2071 1H-NMR (CDCl3) & 2.05 (3H, s), 2.47-2.64 (1H, m), 2.91-2.97 (1H, m), 3.22 (2H, s), 3.63-3.71 (2H, m), 4.01 (1H, d), 4.45-4.50 (3H, m), 6.53 (1H, d), 7.26 (1H, br s), 7.49-7.73 (4H, m). 1-2074 1H-NMR (CDCl3) & 1.15 (3H, t), 2.20 (2H, q), 2.48-2.59 (1H, m), 2.83-2.91 (1H, m), 3.58-3.70 (2H, m), 3.93 (1H, d), 4.38-4.45 (3H, m), 5.75 (1H, br s), 6.51 (1H, d), 7.48 (2H, s), 7.69-7.74 (2H, m). 1-2075 1H-NMR (CDCl3) & 0.71-0.82 (2H, m), 0.92-0.97 (2H, m), 1.24-1.36 (1H, m), 2.49-2.59 (1H, m), 2.83-2.91 (1H, m), 3.59-3.65 (2H, m), 3.93 (1H, d), 4.38-4.47 (3H, m), 5.94 (1H, br s), 6.51 (1H, d), 7.45 (2H, s), 7.69-7.73 (2H, m). 1-2076 1H-NMR (CDCl3) & 0.12-0.20 (2H, m), 0.51-0.67 (2H, m), 0.90-0.99 (1H, m), 2.15 (2H, d), 2.51-2.56 (1H, m), 2.83-2.91 (1H, m),		4.53 (1H, d), 6.25-7.85 (6H, m)
4.00 (1H, d), 4.44-4.47 (3H, m), 5.95 (1H, br s), 6.52 (1H, d), 7.52-7.62 (3H, m), 7.73 (1H, d). 1-2070 1H-NMR (CDCl3) & 0.15-0.18 (2H, m), 0.56-0.60 (2H, m), 0.87-0.93 (1H, m), 2.16 (2H, d), 2.56-2.61 (1H, m), 2.90-2.98 (1H, m), 3.62-3.70 (2H, m), 4.01 (1H, d), 4.44-4.48 (3H, m), 6.31 (1H, br s), 6.53 (1H, d), 7.48-7.64 (3H, m), 7.74 (1H, d). 1-2071 1H-NMR (CDCl3) & 2.05 (3H, s), 2.47-2.64 (1H, m), 2.91-2.97 (1H, m), 3.22 (2H, s), 3.63-3.71 (2H, m), 4.01 (1H, d), 4.45-4.50 (3H, m), 6.53 (1H, d), 7.26 (1H, br s), 7.49-7.73 (4H, m). 1-2074 1H-NMR (CDCl3) & 1.15 (3H, t), 2.20 (2H, q), 2.48-2.59 (1H, m), 2.83-2.91 (1H, m), 3.58-3.70 (2H, m), 3.93 (1H, d), 4.38-4.45 (3H, m), 5.75 (1H, br s), 6.51 (1H, d), 7.48 (2H, s), 7.69-7.74 (2H, m). 1-2075 1H-NMR (CDCl3) & 0.71-0.82 (2H, m), 0.92-0.97 (2H, m), 1.24-1.36 (1H, m), 2.49-2.59 (1H, m), 2.83-2.91 (1H, m), 3.59-3.65 (2H, m), 3.93 (1H, d), 4.38-4.47 (3H, m), 5.94 (1H, br s), 6.51 (1H, d), 7.45 (2H, s), 7.69-7.73 (2H, m). 1-2076 1H-NMR (CDCl3) & 0.12-0.20 (2H, m), 0.51-0.67 (2H, m), 0.90-0.99 (1H, m), 2.15 (2H, d), 2.51-2.56 (1H, m), 2.83-2.91 (1H, m),	1-2068	
1-2070 1H-NMR (CDCl3) &: 0.15-0.18 (2H, m), 0.56-0.60 (2H, m), 0.87-0.93 (1H, m), 2.16 (2H, d), 2.56-2.61 (1H, m), 2.90-2.98 (1H, m), 3.62-3.70 (2H, m), 4.01 (1H, d), 4.44-4.48 (3H, m), 6.31 (1H, br s), 6.53 (1H, d), 7.48-7.64 (3H, m), 7.74 (1H, d). 1-2071 1H-NMR (CDCl3) &: 2.05 (3H, s), 2.47-2.64 (1H, m), 2.91-2.97 (1H, m), 3.22 (2H, s), 3.63-3.71 (2H, m), 4.01 (1H, d), 4.45-4.50 (3H, m), 6.53 (1H, d), 7.26 (1H, br s), 7.49-7.73 (4H, m). 1-2074 1H-NMR (CDCl3) &: 1.15 (3H, t), 2.20 (2H, q), 2.48-2.59 (1H, m), 2.83-2.91 (1H, m), 3.58-3.70 (2H, m), 3.93 (1H, d), 4.38-4.45 (3H, m), 5.75 (1H, br s), 6.51 (1H, d), 7.48 (2H, s), 7.69-7.74 (2H, m). 1-2075 1H-NMR (CDCl3) &: 0.71-0.82 (2H, m), 0.92-0.97 (2H, m), 1.24-1.36 (1H, m), 2.49-2.59 (1H, m), 2.83-2.91 (1H, m), 3.59-3.65 (2H, m), 3.93 (1H, d), 4.38-4.47 (3H, m), 5.94 (1H, br s), 6.51 (1H, d), 7.45 (2H, s), 7.69-7.73 (2H, m). 1-2076 1H-NMR (CDCl3) &: 0.12-0.20 (2H, m), 0.51-0.67 (2H, m), 0.90-0.99 (1H, m), 2.15 (2H, d), 2.51-2.56 (1H, m), 2.83-2.91 (1H, m),	1-2069	
1-2071 1H-NMR (CDCl3) & 2.05 (3H, s), 2.47-2.64 (1H, m), 2.91-2.97 (1H, m), 3.22 (2H, s), 3.63-3.71 (2H, m), 4.01 (1H, d), 4.45-4.50 (3H, m), 6.53 (1H, d), 7.26 (1H, br s), 7.49-7.73 (4H, m). 1-2074 1H-NMR (CDCl3) & 1.15 (3H, t), 2.20 (2H, q), 2.48-2.59 (1H, m), 2.83-2.91 (1H, m), 3.58-3.70 (2H, m), 3.93 (1H, d), 4.38-4.45 (3H, m), 5.75 (1H, br s), 6.51 (1H, d), 7.48 (2H, s), 7.69-7.74 (2H, m). 1-2075 1H-NMR (CDCl3) & 0.71-0.82 (2H, m), 0.92-0.97 (2H, m), 1.24-1.36 (1H, m), 2.49-2.59 (1H, m), 2.83-2.91 (1H, m), 3.59-3.65 (2H, m), 3.93 (1H, d), 4.38-4.47 (3H, m), 5.94 (1H, br s), 6.51 (1H, d), 7.45 (2H, s), 7.69-7.73 (2H, m). 1-2076 1H-NMR (CDCl3) & 0.12-0.20 (2H, m), 0.51-0.67 (2H, m), 0.90-0.99 (1H, m), 2.15 (2H, d), 2.51-2.56 (1H, m), 2.83-2.91 (1H, m),	1-2070	1H-NMR (CDCl3) 8: 0.15-0.18 (2H, m), 0.56-0.60 (2H, m), 0.87-0.93 (1H, m), 2.16 (2H, d), 2.56-2.61 (1H, m), 2.90-2.98 (1H, m),
1-2074 IH-NMR (CDCl3) δ: 1.15 (3H, t), 2.20 (2H, q), 2.48-2.59 (1H, m), 2.83-2.91 (1H, m), 3.58-3.70 (2H, m), 3.93 (1H, d), 4.38-4.45 (3H, m), 5.75 (1H, br s), 6.51 (1H, d), 7.48 (2H, s), 7.69-7.74 (2H, m). 1-2075 IH-NMR (CDCl3) δ: 0.71-0.82 (2H, m), 0.92-0.97 (2H, m), 1.24-1.36 (1H, m), 2.49-2.59 (1H, m), 2.83-2.91 (1H, m), 3.59-3.65 (2H, m), 3.93 (1H, d), 4.38-4.47 (3H, m), 5.94 (1H, br s), 6.51 (1H, d), 7.45 (2H, s), 7.69-7.73 (2H, m). 1-2076 IH-NMR (CDCl3) δ: 0.12-0.20 (2H, m), 0.51-0.67 (2H, m), 0.90-0.99 (1H, m), 2.15 (2H, d), 2.51-2.56 (1H, m), 2.83-2.91 (1H, m),	1-2071	1H-NMR (CDCl3) δ: 2.05 (3H, s), 2.47-2.64 (1H, m), 2.91-2.97 (1H, m), 3.22 (2H, s), 3.63-3.71 (2H, m), 4.01 (1H, d), 4.45-4.50
1-2075 IH-NMR (CDCl3) δ: 0.71-0.82 (2H, m), 0.92-0.97 (2H, m), 1.24-1.36 (1H, m), 2.49-2.59 (1H, m), 2.83-2.91 (1H, m), 3.59-3.65 (2H, m), 3.93 (1H, d), 4.38-4.47 (3H, m), 5.94 (1H, br s), 6.51 (1H, d), 7.45 (2H, s), 7.69-7.73 (2H, m). 1-2076 IH-NMR (CDCl3) δ: 0.12-0.20 (2H, m), 0.51-0.67 (2H, m), 0.90-0.99 (1H, m), 2.15 (2H, d), 2.51-2.56 (1H, m), 2.83-2.91 (1H, m),	1-2074	1H-NMR (CDCl3) &: 1.15 (3H, t), 2.20 (2H, q), 2.48-2.59 (1H, m), 2.83-2.91 (1H, m), 3.58-3.70 (2H, m), 3.93 (1H, d), 4.38-4.45
1-2076 1H-NMR (CDCl3) δ: 0.12-0.20 (2H, m), 0.51-0.67 (2H, m), 0.90-0.99 (1H, m), 2.15 (2H, d), 2.51-2.56 (1H, m), 2.83-2.91 (1H, m),	1-2075	1H-NMR (CDCl3) &: 0.71-0.82 (2H, m), 0.92-0.97 (2H, m), 1.24-1.36 (1H, m), 2.49-2.59 (1H, m), 2.83-2.91 (1H, m), 3.59-3.65 (2H, m),
4 3 14 5 1 1 1 1 m) 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1-2076	

Table 8 - ExNo.	1H-NMR
1-2077	1H-NMR (CDCl3) δ: 2.05 (3H, s), 2.52-2.57 (1H, m), 2.87-2.93 (1H, m), 3.22 (2H, s), 3.59-3.71 (2H, m), 3.94 (1H, d), 4.39 (1H, d),
1-2082	4.50-4.51 (2H, m), 6.52 (1H, d), 7.24 (1H, br s), 7.48-7.49 (2H, m), 7.69-7.71 (2H, m). 1H-NMR (CDCl3) & 0.74-0.79 (2H, m), 0.96-1.06 (2H, m), 1.23-1.37 (1H, m), 2.51-2.57 (1H, m), 2.85-2.90 (1H, m), 3.56-3.67 (2H, m), 3.94 (1H, d), 4.35-4.39 (3H, m), 5.88 (1H, br s), 6.38 (1H, d), 7.27-7.50 (4H, m), 8.10 (1H, d).
1-2089	1H-NMR (CDCl3) 8: 1.53 (2H, b), 2.42-2.53 (1H, m), 2.75-2.84 (1H, m), 3.75-3.95 (4H, m), 3.79 (1H, d), 4.42 (1H, d), 7.22-7.88 (5H, m)
1-2091	(1H, N)MR (CDCl3) 8: 1.17 (3H, t), 2.23 (2H, q), 2.42-2.53 (1H, m), 2.75-2.84 (1H, m), 3.75-3.93 (2H, m), 4.06 (1H, d), 3.30 (2H, d), 4.42 (1H, d), 5.67 (1H, b), 7.19-7.86 (5H, m)
1-2094	1H-NMR (CDCl3) δ: 2.11 (3H, s), 2.43-2.53 (1H, m), 2.76-2.85 (1H, m), 3.24 (2H, s), 3.75-3.95 (2H, m), 4.07 (1H, d), 4.37 (2H, d), 4.43 (1H, d), 7.15-7.89 (6H, m)
1-2107	1H-NMR (CDCl3) 8: 1.69 (2H, b), 2.50-2.61 (1H, m), 2.88-2.96 (1H, m), 3.75-3.98 (4H, m), 4.13 (1H, d), 4.54 (1H, d), 7.24-7.30 (1H, m), 7.88-7.91 (4H, m)
1-2109	(H, m), 7.66-7.7 (4H, m) 1H-NMR (CDCl3) 8: 1.17 (3H, t), 2.24 (2H, q), 2.50-2.60 (1H, m), 2.89-2.97 (1H, m), 3.78-3.98 (2H, m), 4.11 (1H, d), 4.33 (2H, d), 4.55 (1H, d), 5.71 (1H, b), 7.21-7.91 (5H, m)
1-2116	1H-NMR (CDCl3) &: 1.53 (2H, b), 2.42-2.53 (1H, m), 2.75-2.84 (1H, m), 3.75-3.90 (4H, m), 4.05 (1H, d), 4.42 (1H, d), 7.29-7.39 (4H, m)
1-2118	(H-NMR (CDCl3) &: 1.16 (3H, t), 2.23 (2H, q), 2.39-2.52 (1H, m), 2.74-2.83 (1H, m), 3.75-3.92 (2H, m), 4.03 (1H, d), 4.34 (2H, d), 4.31 (1H, d), 5.96 (1H, b), 7.30-7.39 (4H, m)
1-2119	1H-NMR (CDCl3) & 0.72-0.79 (2H, m), 0.95-0.99 (2H, m), 1.31-1.38 (1H, m), 2.45-2.52 (1H, m), 2.74-2.83 (1H, m), 3.75-3.95 (2H, m), 4.04 (1H, d), 4.36 (2H, d), 4.41 (1H, d), 6.13 (1H, b), 7.30-7.39 (4H, m)
1-2120	1H-NMR (CDCl3) 8: 2.42-2.53 (1H, m), 2.75-2.84 (1H, m), 3.05 (1H, d), 3.12 (1H, d), 3.75-3.93 (2H, m), 4.04 (1H, d), 4.37-4.45 (3H, m), 6.28 (1H, b), 7.28-7.40 (4H, m)
1-2121	(31, m), 0.28 (11, 0), 7.28 (14, m) 1H-NMR (CDCl3) & 2.11 (3H, s), 2.42 (2.50 (1H, m), 2.52 (2.84 (1H, m), 3.21 (2H, s), 3.75 (2H, m), 4.04 (1H, d), 4.37 (4.45 (3H, m), 7.30 (7.39 (5H, m))
1-2122	(3H, m), 730-732 (3H, m) 1H-NMR (CDCl3) & 2.42-2.50 (1H, m), 2.68 (3H, s), 2.75-2.84 (1H, m), 3.28 (1H, d), 3.70 (1H, d), 3.70-3.94 (2H, m), 4.04 (1H, d), 4.41-4.44 (3H, m), 7.26-7.40 (5H, m)
1-2123	1H-NMR (CDCl3) 8: 2.42-2.52 (!H, m), 2.75-2.84 (1H, m), 3.07 (3H, s), 3.78-3.95 (4H, m), 4.04 (1H, d), 4.40-4.45 (3H, m), 6.91 (1H, b), 7.29-7.40 (4H, m)
1-2125	(H, M), 7.25-7.40 (H, M) 1H-NMR (CDCl3) & 1.51 (2H, b), 2.40-2.50 (1H, m), 2.75-2.85 (1H, m), 3.75-3.93 (4H, m), 4.04 (1H, d), 4.39 (1H, d), 7.30-7.45 (3H, m)
1-2127	1H-NMR (CDCl3) 8: 1.16 (3H, t), 2.23 (2H, q), 2.41-2.51 (1H, m), 2.74-2.83 (1H, m), 3.75-3.95 (2H, m), 4.03 (1H, d), 4.33-4.41 (3H, m),
1-2128	5.93 (1H, b), 7.32-7.44 (3H, m) 1H-NMR (CDCl3) &: 0.72-0.79 (2H, m), 0.95-0.99 (2H, m), 1.30-1.40 (1H, m), 2.40-2.51 (1H, m), 2.74-2.83 (1H, m), 3.75-3.90 (2H, m),
1-2129	4.04 (1H, d), 4.35-4.41 (3H, m), 6.10 (1H, b), 7.31-7.44 (3H, m) 1H-NMR (CDCl3) &: 2.41-2.52 (1H, m), 2.75-2.84 (1H, m), 3.05 (1H, d), 3.12 (1H, d), 3.75-3.94 (2H, m), 4.04 (1H, d), 4.37-4.43
1-2130	(3H, m), 6.25 (1H, b), 7.29-7.44 (3H, m) 1H-NMR (CDCl3) 8: 2.11 (3H, s), 2.41-2.49 (1H, m), 2.75-2.83 (1H, m), 3.21 (2H, s), 3.75-3.90 (2H, m), 4.07 (1H, d), 4.37-4.42
1-2131	(2H, m), 7.31-7.50 (4H, m) 1H-NMR (CDCl3) 8: 2.41-2.52 (1H, m), 2.68 (3H, s), 2.74-2.83 (1H, m), 3.27 (1H, d), 3.67-3.93 (3H, m), 4.04 (1H, d), 4.37-4.43
1-2132	(3H, m), 7.30-7.44 (4H, m) 1H-NMR (CDCl3) 8: 2.41-2.52 (1H, m), 2.74-2.84 (1H, m), 3.07 (3H, s), 3.75-3.95 (4H, m), 4.03 (1H, d), 4.38-4.42 (3H, m), 6.92
1-2136	(1H, b), 7.31-7.44 (3H, m) 1H-NMR (CDCl3) δ: 1.16 (3H, t), 2.23 (2H, q), 2.52-2.60 (1H, m), 2.88-2.97 (1H, m), 3.75-3.96 (2H, m), 4.11 (1H, d), 4.35 (2H, d),
1-2137	4.54 (1H, d), 5.91 (1H, b), 7.34-7.92 (4H, m) 1H-NMR (CDCl3) &: 0.73-0.79 (2H, m), 0.95-1.01 (2H, m), 1.32-1.40 (1H, m), 2.49-2.60 (1H, m), 2.88-2.97 (1H, m), 3.76-4.00 (2H, m),
1-2138	4.11 (1H, d), 4.37 (2H, d), 4.54 (1H, d), 6.12 (1H, b), 7.32-7.92 (4H, m) 1H-NMR (CDCl3) 8: 2.49-2.60 (1H, m), 2.88-2.98 (1H, m), 3.06 (1H, d), 3.12 (1H, d), 3.76-4.00 (2H, m), 4.12 (1H, d), 4.39 (2H, d),
1-2139	1.55 (1H, d), 6.22 (1H, b), 7.31-7.92 (4H, m) 1H-NMR (CDCl3) &: 2.11 (3H, s), 2.50-2.60 (1H, m), 2.89-2.97 (1H, m), 3.21 (2H, s), 3.76-4.00 (2H, m), 4.12 (1H, d), 4.39 (2H, d),
1-2140	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
1-2141	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
	11. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
1-2145 1-2151	1H-NMR (CDCl3) 6: 1.82 (1H, t), 2.53-2.65 (1H, m), 2.90-3.05 (1H, m), 3.55-3.70 (2H, m), 4.00 (1H, d), 4.55 (1H, d), 4.67 (2H, d), 6.34 (1H, d), 7.57-7.91 (4H, m) 1H-NMR (CDCl3) 6: 1.45 (9H, s), 2.42-2.52 (1H, m), 2.74-2.83 (1H, m), 3.75-3.95 (2H, m), 4.04 (1H, d), 4.22 (2H, d), 4.42 (1H, d),
1-2151	1H-NMR (CDCl3) 6: 1.45 (9H, 8), 2.42-2.52 (1H, m), 2.74-2.85 (1H, m), 3.75-3.95 (2H, m), 4.04 (1H, d), 4.22 (2H, d), 4.42 (1H, d), 5.01 (1H, b), 7.21-7.39 (4H, m) 1H-NMR (CDCl3) 6: 1.45 (9H, s), 2.40-2.52 (1H, m), 2.74-2.83 (1H, m), 3.70-3.95 (2H, m), 4.04 (1H, d), 4.22 (2H, d), 4.39 (1H, d),
	4.99 (1H, b), 7.28-7.44 (3H, m)
1-2153	1H-NMR (CDCl3) &: 1.45 (9H, s), 2.49-2.60 (1H, m), 2.88-3.00 (1H, m), 3.77-4.00 (2H, m), 4.13 (1H, d), 4.23 (2H, d), 4.54 (1H, d), 7.30-7.92 (4H, m)
1-2154	1H-NMR (CDCl3) & 1.46 (9H, s), 2.43-2.53 (1H, m), 2.75-2.83 (1H, m), 3.75-3.95 (2H, m), 4.06 (1H, d), 4.17 (2H, d), 4.42 (1H, d), 4.75 (1H, b), 7.18-7.86 (5H, m)
1-2156	1H-NMR (CDCl3) &: 1.46 (9H, s), 2.50-2.60 (1H, m), 2.85-2.97 (1H, m), 3.77-4.00 (2H, m), 4.13 (2H, d), 4.18 (1H, d), 4.54 (1H, d), 7.21-7.90 (6H, m)
1-2168	1H-NMR (CDCl3) &: 2.38-2.51 (4H, m), 2.74-2.79 (1H, m), 3.51-3.66 (2H, m), 3.90-3.94 (3H, m), 4.08-4.13 (1H, m), 6.57 (1H, t), 7.04 (1H, dd), 7.40 (2H, s).
1-2170	1H-NMR (CDCl3) & 1.18 (3H, t), 2.22 (2H, q), 2.48-2.58 (1H, m), 2.83-2.91 (1H, m), 3.57-3.61 (2H, m), 3.95 (1H, d), 4.34-4.43 (3H, m), 5.62 (1H, br s), 6.38 (1H, d), 7.44-7.49 (3H, m), 8.09 (1H, d).
1-2171	1H-NMR (CDCl3) &: 1.15 (3H, t), 2.23 (2H, q), 2.62-2.67 (1H, m), 3.02-3.06 (1H, m), 3.59-3.68 (2H, m), 4.01 (1H, d), 4.35 (2H, d), 4.56 (1H, d), 5.67 (1H, br s), 6.41 (1H, d), 7.50 (1H, dd), 7.87-7.91 (3H, m), 8.11 (1H, d).
2-8	1H-NMR (CDCl3) &: 2.46-2.52 (1H, m), 2.80-2.88 (1H, m), 3.78-3.79 (2H, m), 3.93-4.08 (3H, m), 4.46-4.50 (1H, m), 6.02 (1H, br s), 7.22 (2H, s), 7.34 (1H, s), 8.58 (1H, s).
2-34	1H-NMR (CDCl3) &: 2.45-2.55 (1H, m), 2.84-2.86 (1H, m), 3.75-3.80 (2H, m), 3.91-4.05 (3H, m), 4.46-4.55 (1H, m), 5.98 (1H, br s), 7.89 (3H, m), 8.56 (1H, s).

Table 8 - ExNo.	1H-NMR
2-35	1H-NMR (CDCl3) & 2.54-2.58 (1H, m), 2.89-2.92 (1H, m), 3.84-3.87 (2H, m), 4.02-4.06 (1H, m), 4.53-4.57 (1H, m), 4.74 (2H, d),
2-55	7.25-7.36 (5H, m), 7.69-7.72 (1H, m), 8.52-8.53 (1H, m), 8.70 (1H, s). 1H-NMR (CDCl3) & 2.52-2.57 (1H, m), 2.85-2.93 (1H, m), 3.82-3.85 (2H, m), 4.03-4.08 (1H, m), 4.53-4.57 (1H, m), 4.74 (2H, d), 7.21-7.73 (7H, m), 8.56 (1H, d), 8.85 (2H, s).
2-69	1.21-7.73 (7.11, m), 8.35 (11, d), 8.63 (21, s). 1H-NMR (CDCl3) & 2.47-2.57 (1H, m), 2.85-2.90 (1H, m), 3.80-3.83 (2H, m), 4.04-4.11 (3H, m), 4.50-4.54 (1H, m), 5.98 (1H, br s), 7.26-7.39 (3H, m), 8.42 (1H, s).
2-613	1H-NMR (CDCl3) & 1.49 (9H, s), 2.59-2.66 (1H, m), 3.00-3.08 (1H, m), 3.87-3.91 (2H, m), 4.08-4.10 (3H, m), 4.66-4.70 (1H, m), 6.35 (1H, br s), 7.85 (2H, s), 7.93 (1H, s).
3-15	1H-NMR (CDCl3) &: 0.16-0.20 (2H, m), 0.58-0.64 (2H, m), 0.88-0.93 (1H, m), 2.16 (2H, d), 2.47-2.58 (1H, m), 2.83-2.91 (1H, m), 3.81-3.86 (2H, m), 4.00 (1H, d), 4.46-4.50 (3H, m), 6.32 (1H, br s), 7.27-7.39 (3H, m), 8.64 (1H, s).
3-45	1H-NMR (CDCl3) &: 2.08 (3H, s), 2.47-2.58 (1H, m), 2.85-2.89 (1H, m), 3.19 (2H, s), 3.80-3.83 (2H, m), 4.00 (1H, d), 4.47-4.50 (3H, m), 7.26 (2H, d), 7.41 (1H, t), 8.62 (1H, s).
3-140	1H-NMR (CDCl3) & 1.65 (2H, br s), 2.49-2.54 (1H, m), 2.82-2.91 (1H, m), 3.68-4.16 (6H, m), 4.46-4.50 (1H, m), 7.44 (2H, s), 8.58 (1H, s).
3-141	1H-NMR (CDCl3) & 1.98 (3H, s), 2.48-2.54 (1H, m), 2.86-2.93 (1H, m), 3.80-3.86 (2H, m), 3.98-4.02 (1H, m), 4.41-4.48 (3H, m), 5.82 (1H, br s), 7.43 (2H, s), 8.63 (1H, s).
3-142	1H-NMR (CDCl3) &: 1.16 (3H, t), 2.21 (2H, q), 2.46-2.56 (1H, m), 2.82-2.90 (1H, m), 3.80-3.83 (2H, m), 3.98-4.02 (1H, m), 4.42-4.47 (3H, m), 5.75-5.78 (1H, m), 7.43 (2H, s), 8.63 (1H, s).
3-143	1H-NMR (CDCl3) &: 0.72-1.43 (5H, m), 2.46-2.56 (1H, m), 2.95-3.08 (1H, m), 3.81-3.86 (2H, m), 3.98-4.02 (1H, m), 4.45-4.48 (3H, m), 6.00 (1H, br s), 7.46 (2H, s), 8.62 (1H, s).
3-144	1H-NMR (CDCl3) &: 2.46-2.57 (1H, m), 2.84-2.89 (1H, m), 3.07 (2H, q), 3.79-4.02 (3H, m), 4.46-4.49 (3H, m), 6.07 (1H, br s), 7.43 (2H, s), 8.61 (1H, s).
3-145	(2H, s), 8.67 (1H, s). 1H-NMR (CDCl3) & 1.15 (3H, t), 2.45-2.55 (1H, m), 2.81-2.90 (1H, m), 3.18 (2H, q), 3.75-3.82 (2H, m), 3.98-4.64 (6H, m), 7.43 (2H, s), 8.67 (1H, s).
3-146	1H-NMR (CDCl3) &: 2.55-2.65 (1H, m), 2.97-3.05 (1H, m), 3.73-3.85 (3H, m), 4.07-4.16 (2H, m), 4.61-4.65 (1H, m), 7.86-7.92 (3H, m), 8.61 (1H, s).
3-148	1H-NMR (CDCl3) &: 0.72-1.37 (5H, m), 2.56-2.62 (1H, m), 2.96-3.04 (1H, m), 3.84-3.90 (2H, m), 4.06-4.16 (1H, m), 4.44-4.46 (2H, m), 4.60-4.64 (1H, m), 5.63 (1H, t), 7.85 (2H, s), 7.92 (1H, s), 8.64 (1H, s).
3-149	1H-NMR (CDCl3) &: 1.13 (3H, t), 2.20 (2H, q), 2.59 (1H, m), 2.96-3.04 (1H, m), 3.84-3.90 (2H, m), 4.07-4.14 (1H, m), 4.41-4.43 (2H, m), 4.60-4.64 (1H, m), 5.78 (1H, br s), 7.81 (2H, s), 7.92 (1H, s), 8.65 (1H, s).
3-150	1H-NMR (CDCl3) &: 2.55-2.65 (1H, m), 3.04-3.11 (3H, m), 3.85-3.91 (2H, m), 4.08-4.12 (1H, m), 4.46-4.48 (2H, m), 4.61-4.64 (1H, m), 6.10 (1H, br s), 7.84 (2H, s), 7.92 (1H, s), 8.63 (1H, s).
3-151	1H-NMR (CDCl3) & 1.14 (3H, t), 2.55-2.62 (1H, m), 2.95-3.04 (1H, m), 3.11-3.33 (2H, m), 3.73-4.40 (6H, m), 4.61-4.63 (2H, m), 7.85 (2H, s), 7.92 (1H, s), 8.69 (1H, s).
3-157	1H-NMR (CDCl3) & 1.98 (3H, s), 2.49-2.54 (1H, m), 2.83-2.91 (1H, m), 3.79-3.85 (2H, m), 3.98 (1H, d), 4.41-4.50 (3H, m), 5.86 (1H, br s), 7.54 (2H, d), 7.67 (1H, t), 8.63 (1H, s).
3-158	1H-NMR (CDCl3) &: 1.15 (3H, t), 2.20 (2H, q), 2.44-2.57 (1H, m), 2.84-2.89 (1H, m), 3.79-3.85 (2H, m), 3.98 (1H, d), 4.42-4.50 (3H, m), 5.81 (1H, br s), 7.48 (2H, s), 7.69 (1H, t), 8.63 (1H, s).
3-159	1H-NMR (CDCl3) &: 0.72-0.80 (2H, m), 0.83-0.99 (2H, m), 1.23-1.38 (1H, m), 2.49-2.54 (1H, m), 2.84-2.89 (1H, m), 3.79-3.85 (2H, m), 3.98 (1H, d), 4.44-4.50 (3H, m), 6.02 (1H, br s), 7.45 (2H, s), 7.66 (1H, t), 8.59 (1H, s).
3-160	1H-NMR (CDCl3) & 2.47-2.57 (1H, m), 2.83-2.91 (1H, m), 3.10 (2H, q), 3.81-3.85 (2H, m), 3.98 (1H, d), 4.47-4.51 (3H, m), 6.15 (1H, br s), 7.48 (2H, d), 7.70 (1H, t), 8.60 (1H, s).
3-310	1H-NMR (CDCl3) & 2.43-2.58 (1H, m), 2.66 (3H, s), 2.83-2.91 (1H, m), 3.28 (1H, d), 3.67 (1H, dz), 3.80-3.86 (2H, m), 4.00 (1H, d), 4.48-4.50 (3H, m), 7.28 (2H, d), 7.39 (2H, br s), 8.63 (1H, s).
3-311	1H-NMR (CDCl3) & 2.50-2.55 (1H, m), 2.85-2.90 (1H, m), 3.05 (3H, s), 3.79-3.82 (2H, m), 3.89 (2H, s), 3.99 (1H, d), 4.48-4.51 (3H, m), 7.03 (1H, br s), 7.28 (2H, d), 7.39 (1H, t), 8.60 (1H, s).
3-322	1H-NMR (CDCl3) & 2.12 (3H, s), 2.47-2.57 (1H, m), 2.85-2.90 (1H, m), 3.22 (2H, s), 3.79-3.81 (2H, m), 3.98 (1H, d), 4.47-4.50 (3H, m), 7.48 (2H, s), 7.69 (1H, t), 8.62 (1H, s).
3-335	1H-NMR (CDCl3) & 0.15-0.28 (2H, m), 0.61-0.65 (2H, m), 0.88-1.01 (1H, m), 2.21 (2H, s), 2.52-2.57 (1H, m), 2.85-2.94 (1H, m), 3.84-3.90 (2H, m), 4.01-4.06 (1H, m), 4.48-4.51 (3H, m), 6.36 (1H, t), 7.46 (2H, s), 8.67 (1H, s).
3-336	1H-NMR (CDCl3) δ: 1.00 (9H, s), 2.04 (2H, s), 2.48-2.54 (1H, m), 2.82-2.90 (1H, m), 3.80-3.86 (2H, m), 3.98-4.03 (1H, m), 4.41-4.48 (3H, m), 5.68 (1H, br s), 7.42 (2H, s), 8.65 (1H, s).
3-339	1H-NMR (CDCl3) δ: 2.08 (3H, s), 2.49-2.54 (1H, m), 2.82-2.91 (1H, m), 3.19 (2H, s), 3.81-3.83 (2H, m), 3.98-4.02 (1H, m), 4.46-4.49 (3H, m), 7.43 (2H, s), 8.62 (1H, s).
3-389	1H-NMR (CDCl3) & 2.55-2.65 (1H, m), 2.97-3.05 (4H, m), 3.84-3.88 (4H, m), 4.05-4.16 (1H, m), 4.50-4.62 (3H, m), 6.81 (1H, br s), 7.84 (2H, s), 7.92 (1H, s), 8.63 (1H, s).
3-340	1H-NMR (CDCl3) & 2.49-2.54 (1H, m), 2.66 (3H, s), 2.82-2.91 (1H, m), 3.26 (1H, d), 3.67 (1H, d), 3.81-3.87 (2H, m), 3.98-4.02 (1H, m), 4.47-4.50 (3H, m), 7.30-7.34 (1H, m), 7.45 (2H, s), 8.64 (1H, s).
3-341	1H-NMR (CDCl3) & 2.47-2.57 (1H, m), 2.83-2.91 (1H, m), 3.06 (3H, s), 3.83-3.98 (5H, m), 4.47-4.49 (3H, m), 6.87-6.89 (1H, m), 7.40 (2H, s), 8.61 (1H, s).
3-342	1H-NMR (CDCl3) &: 1.30-1.35 (3H, m), 1.92 (3H, s), 2.04-2.10 (1H, m), 2.48-2.53 (1H, m), 2.82-2.90 (1H, m), 3.80-3.85 (2H, m), 3.97-4.01 (1H, m), 4.34-4.56 (3H, m), 6.29-6.31 (1H, m), 7.14-7.15 (1H, m), 7.42 (2H, s), 8.56 (1H, s).
3-387	1H-NMR (CDCl3) &: 2.08 (3H, s), 2.56-2.64 (1H, m), 2.98-3.03 (1H, m), 3.20 (2H, s), 3.85-3.87 (2H, m), 4.06-4.16 (1H, m), 4.54 (3H, s), 7.85 (2H, s), 7.92 (1H, s), 8.64 (1H, s).
3-388	1H-NMR (CDCl3) &: 2.55-2.66 (4H, m), 2.97-3.05 (1H, m), 3.24 (1H, d), 3.67 (1H, d), 3.85-3.87 (2H, m), 4.05-4.16 (1H, m), 4.52-4.63 (3H, m), 7.31 (1H m), 7.84 (2H, s), 7.92 (1H, s), 8.65 (1H, s).
3-433	4.52-4.60 (3H, m), 7.31 (1H m), 7.34 (2H, s), 7.32 (1H, s), 8.03 (1H, s), 8.03 (1H, s), 8.03 (1H, m), 2.19 (2H, d), 2.60-2.66 (1H, m), 3.00-3.08 (1H, m), 3.88-3.94 (2H, m), 4.09-4.19 (1H, m), 4.52-4.60 (3H, m), 6.36-6.38 (1H, m), 7.88 (2H, s), 7.95 (1H, s), 8.69 (1H, s).
3-434	1H-NMR (CDCl3) 8: 1.00 (9H, s), 2.05 (2H, s), 2.57-2.62 (1H, m), 2.96-3.05 (1H, m), 3.85-3.91 (2H, m), 4.06-4.16 (1H, m), 4.41-4.43
3-435	(2H, m), 4.59-4.63 (1H, m), 5.72 (1H, br s), 7.85 (2H, s), 7.92 (1H, s), 8.67 (1H, s). 1H-NMR (CDCl3) & 2.48-2.58 (1H, m), 2.72-3.01 (4H, m), 3.82-3.85 (2H, m), 3.99-4.03 (1H, m), 4.33-4.35 (2H, m), 4.47-4.58 (2H, m),
3-436	7.40 (2H, s), 8.61 (1H, s). 1H-NMR (CDCl3) & 2.56-2.66 (1H, m), 2.91-3.18 (4H, m), 3.86-3.92 (2H, m), 4.09-4.11 (1H, m), 4.33-4.35 (2H, m), 4.60-4.72 (2H, m),
3-437	7.85 (2H, s), 7.93 (1H, s), 8.63 (1H, s). 1H-NMR (CDCl3) δ: 1.57 (3H, s), 2.57-2.65 (1H, m), 2.98-3.06 (1H, m), 3.85-3.87 (2H, m), 4.10 (1H, d), 4.54-4.68 (3H, m), 6.69
	(1H, br s), 7.84 (2H, d), 7.93 (1H, t), 8.60 (1H, s).

Table 8 - ExNo.	1H-NMR
3-438	1H-NMR (CDCl3) & 2.44-2.64 (3H, m), 2.96-3.22 (3H, m), 3.84-3.87 (2H, m), 4.05-4.09 (1H, m), 4.40-4.42 (2H, m), 4.60-4.63 (1H, m),
3-439	5.90 (1H, br s), 7.17-7.34 (5H, m), 7.84 (2H, s), 7.92 (1H, s), 8.65 (1H, s). 1H-NMR (CDCl3) & 1.04-1.17 (3H, m), 2.15-2.24 (2H, m), 2.56-2.61 (1H, m), 2.91-2.99 (1H, m), 3.82-3.88 (2H, m), 4.05-4.16 (1H, m),
3-440	4.41-4.43 (2H, m), 4.55-4.59 (1H, m), 5.78 (1H, br s), 7.54-7.63 (4H, m), 8.59 (1H, s). 1H-NMR (CDCl3) & 0.10-0.23 (2H, m), 0.53-0.64 (2H, m), 0.85-0.98 (1H, m), 2.56-2.61 (1H, m), 2.91-2.99 (1H, m),
3-441	3.82-3.88 (2H, m), 4.08 (1H, d), 4.44-4.46 (2H, m), 4.60 (1H, d), 6.32 (1H, br s), 7.54-7.63 (4H, m), 8.63 (1H, s). 1H-NMR (CDCl3) δ: 2.08 (3H, s), 2.55-2.62 (1H, m), 2.91-3.00 (1H, m), 3.20 (2H, s), 3.82-3.85 (2H, m), 4.10 (1H, d), 4.47-4.58 (3H, m), 7.25 (1H, br s), 7.52-7.64 (4H, m), 8.62 (1H, s).
3-442	(3H, m), 7.25 (1H, br s), 7.32-7.04 (4H, m), 8.02 (1H, s). 1H-NMR (CDCl3) & 2.54-2.77 (4H, m), 2.92-2.97 (1H, m), 3.29 (1H, d), 3.67 (1H, d), 3.82-3.88 (2H, m), 4.09 (1H, d), 4.50-4.58 (3H, m), 7.47 (1H, br s), 7.52-7.76 (4H, m), 8.64 (1H, s).
3-443	(1H, m), 7-47 (1H, d) 8; 2.56-2.62 (1H, m), 8.04 (1H, s). 1H-NMR (CDCl3) 8: 2.56-2.62 (1H, m), 2.92-3.00 (1H, m), 3.07 (3H, s), 3.82-3.87 (4H, m), 4.09 (1H, d), 4.49-4.58 (3H, m), 6.92 (1H, br s), 7.55-7.64 (4H, m), 8.62 (1H, s).
3-444	1H-NMR (CDCl3) 8: 0.15-0.23 (2H, m), 0.58-0.61 (2H, m), 0.85-0.98 (1H, m), 2.18 (2H, d), 2.49-2.54 (1H, m), 2.83-2.91 (1H, m), 3.80-3.82 (2H, m), 3.98 (1H, d), 4.48-4.61 (3H, m), 6.33 (1H, br s), 7.48 (2H, s), 7.69 (1H, t), 8.64 (1H, s).
4-1	1H-NMR (CDCl3) 8: 2.53-2.70 (m, 1H), 2.88-3.01 (m, 1H), 3.51-3.75 (m, 2H), 3.97 (d, 1H), 4.43 (d, 1H), 5.93 (bs, 1H), 7.25 (d, 2H), 7.41 (t, 1H)
4-2	1H-NMR (CDCl3) 8: 2.52-2.70 (m, 1H), 2.86-3.07 (m, 4H), 3.50-3.74 (m, 2H), 3.95 (d, 1H), 4.41 (d, 1H), 6.12 (bs, 1H), 7.18-7.25 (m, 2H), 7.39-7.42 (m, 1H)
4-3	1H-NMR (CDCl3) 8: 1.22 (t, 3H), 2.52-2.68 (m, 1H), 2.83-3.00 (m, 1H), 3.35-3.50 (m, 2H), 3.51-3.72 (m, 2H), 3.95 (d, 1H), 4.40 (d, 1H), 6.09 (bs, 1H), 7.21-7.28 (m, 2H), 7.37-7.43 (m, 1H)
4-5	1H-NMR (CDCl3) 8: 0.55-0.64 (m, 2H), 0.80-0.91 (m, 2H), 2.53-2.68 (m, 1H), 2.77-3.00 (m, 2H), 3.51-3.72 (m, 2H), 3.95 (d, 1H), 4.40 (d, 1H), 6.22 (bs, 1H), 7.20-7.29 (m, 2H), 7.38-7.43 (m, 1H)
4-8	1H-NMR (CDCl3) 8: 2.60-2.65 (1H, m), 2.93-2.98 (1H, m), 3.59-3.72 (2H, m), 3.86-4.23 (3H, m), 4.41-4.45 (1H, m), 6.36 (1H, br s), 7.25-7.53 (3H, m), (CDCl3) 8: 2.50 2.64 (1H, m), 2.02 2.06 (1H, m), 2.50 2.68 (2H, m), 2.02 2.07 (1H, m), 4.38 4.43 (1H, m), 4.67 4.75 (2H, m), 2.10 2.10 (1H, m), 2.02 2.06 (1H, m), 2.50 2.68 (2H, m), 2.02 2.07 (1H, m), 4.38 4.43 (1H, m), 4.67 4.75 (2H, m), 2.02 2.07 (1H, m), 2.02 2.08 (1H, m), 2.02 2.08 (1H, m), 2.03
4-9	1H-NMR (CDCl3) 8: 2.59-2.64 (1H, m), 2.92-2.96 (1H, m), 3.59-3.68 (2H, m), 3.92-3.97 (1H, m), 4.38-4.42 (1H, m), 4.67-4.75 (2H, m), 6.98-7.74 (7H, m), 8.52-8.55 (1H, m).
4-21	1H-NMR (CDCl3) 8: 2.59-2.64 (1H, m), 2.97-3.00 (1H, m), 3.60-3.72 (2H, m), 3.95-4.16 (3H, m), 4.41-4.45 (1H, m), 6.37 (1H, br s), 7.40 (2H, s).
4-22	1H-NMR (CDCl3) 8: 2.58-2.63 (1H, m), 2.91-2.96 (1H, m), 3.59-3.72 (2H, m), 3.99-4.12 (1H, m), 4.40-4.44 (1H, m), 4.70-4.72 (2H, m), 7.20-7.72 (6H, m), 8.56-8.57 (1H, m).
4-34	1H-NMR (CDCl3) & 2.67-2.73 (1H, m), 3.08-3.12 (1H, m), 3.66-3.74 (2H, m), 4.01-4.16 (3H, m), 4.56-4.60 (1H, m), 6.38 (1H, br s), 7.80 (2H, s), 7.95 (1H, s).
4-35	1H-NMR (CDCl3) 8: 2.67-2.73 (1H, m), 3.07-3.11 (1H, m), 3.61-3.77 (2H, m), 4.06-4.13 (1H, m), 4.66-4.84 (3H, m), 7.35-7.80 (7H, m), 8.56-8.57 (1H, m).
4-38	1H-NMR (CDCl3) 8: 2.64-2.75 (1H, m), 3.07-3.11 (1H, m), 3.62-3.77 (5H, m), 4.04-4.07 (1H, m), 4.17-4.22 (2H, m), 4.56-4.60 (1H, m), 6.69-6.72 (1H, m), 7.80 (2H, s), 7.94 (1H, s).
4-128	1H-NMR (acetone-d6) δ: 2.72-2.96 (m, 1H), 3.07-3.20 (m, 1H), 3.65-3.77 (m, 2H), 3.93-4.15 (m, 5H), 4.50 (d, 1H), 7.54-7.68 (m, 4H), 7.86 (bs, 1H)
4-286	1H-NMR (CDCl3) & 1.29 (t, 3H), 2.57-2.70 (m, 1H), 2.91-3.02 (m, 1H), 3.55-3.77 (m, 2H), 3.98 (d, 1H), 4.16 (q, 2H), 4.45 (d, 1H), 7.21-7.28 (m, 2H), 4.40-4.48 (m, 1H), 7.68 (d, 1H), 8.99-9.11 (m, 1H)
4-613	1H-NMR (CDCl3) & 2.55-2.70 (m, 1H), 2.88-3.01 (m, 1H), 3.53-3.75 (m, 2H), 3.98 (d, 1H), 4.43 (d, 1H), 4.85 (d, 1H), 7.20-7.30 (m, 3H), 7.37-7.42 (m, 1H), 7.65 (bs, 1H), 8.74 (d, 2H)
4-614	1H-NMR (acetone-d6) δ: 2.75-2.96 (m, 1H), 3.07-3.20 (m, 1H), 3.64-3.78 (m, 2H), 4.05-4.15 (m, 3H), 4.44-4.59 (m, 3H), 7.18-7.25 (m, 1H), 7.36 (d, 1H), 7.52-7.78 (m, 5H), 7.88 (bs, 1H), 8.49 (d, 1H)
4-615 4-616	1H-NMR (acetone-d6) &: 2.78-2.96 (m, 1H), 3.07-3.20 (m, 1H), 3.48-3.78 (m, 6H), 3.97-4.14 (m, 3H), 4.50 (d, 1H), 7.51-7.67 (m, 3H) 1H-NMR (CDCl3) &: 2.55-2.70 (m, 1H), 2.88-3.02 (m, 1H), 3.52-3.75 (m, 2H), 3.84 (s, 3H), 3.97 (d, 1H), 4.43 (d, 1H), 4.85 (d, 1H), 7.21-7.28 (m, 2H), 7.38-7.44 (m, 1H), 8.02 (bs, 1H)
4-617	1H-NMR (CDCl3) &: 2.55-2.70 (m, 1H), 2.88-3.02 (m, 1H), 3.15 (s, 3H), 3.17 (s, 3H), 3.52-3.75 (m, 2H), 3.97 (d, 1H), 4.43 (d, 1H), 4.85 (d, 1H), 5.12 (s, 1H), 7.21-7.28 (m, 2H), 7.38-7.44 (m, 1H)
4-618	1H-NMR (CDCl3) 8: 2.30 (t, 1H), 2.54-2.69 (m, 1H), 2.87-3.01 (m, 1H), 3.52-3.74 (m, 2H), 3.96 (d, 1H), 4.15-4.24 (m, 2H), 4.42 (d, 1H), 6.29 (bs, 1H), 7.21-7.28 (m, 2H), 7.38-7.43 (m, 1H)
5-4	1H-NMR (CDCl3) 8: 1.18 (3H, t), 2.21 (2H, q), 2.54-2.59 (1H, m), 2.85-2.93 (1H, m), 3.57-3.63 (2H, m), 3.90-3.94 (1H, m), 4.33-4.37 (1H, m), 4.55-4.57 (2H, m), 5.91 (1H, br s), 7.27 (2H, s), 7.40 (1H, s).
5-7	1H-NMR (CDCl3) &: 0.75-0.84 (2H, m), 0.99-1.09 (2H, m), 1.31-1.40 (1H, m), 2.53-2.59 (1H, m), 2.87-2.91 (1H, m), 3.57-3.63 (2H, m), 3.91 (1H, d), 4.35 (1H, d), 4.56-4.58 (2H, m), 6.10 (1H, br s), 7.26 (2H, d), 7.39 (1H, t).
5-15	1H-NMR (CDCl3) &: 0.11-0.18 (2H, m), 0.58-0.62 (2H, m), 0.86-1.06 (1H, m), 2.18 (2H, d), 2.54-2.59 (1H, m), 2.87-2.92 (1H, m), 3.55-3.64 (2H, m), 3.92 (1H, d), 4.35 (1H, d), 4.58-4.60 (2H, m), 6.38 (1H, br s), 7.26 (2H, d), 7.40 (1H, t).
5-22	1H-NMR (CDCl3) & 2.54-2.60 (1H, m), 2.88-2.93 (1H, m), 3.10 (2H, q), 3.50-3.67 (2H, m), 3.90-3.94 (1H, m), 4.34-4.38 (1H, m), 4.59-4.70 (2H, m), 6.32 (1H, t), 7.27 (2H, s), 7.41 (1H, s)
5-45	1H-NMR (CDCl3) &: 2.08 (3H, s), 2.47-2.62 (1H, m), 2.91-2.95 (1H, m), 3.25 (2H, s), 3.52-3.63 (2H, m), 3.92 (1H, d), 4.36 (1H, d), 4.61-4.63 (2H, m), 7.26 (2H, d), 7.36-7.39 (2H, m)
5-140	1H-NMR (CDCl3) &: 1.64 (2H, br s), 2.51-2.61 (1H, m), 2.88-2.92 (1H, m), 3.56-3.65 (2H, m), 3.92-3.96 (1H, m), 4.02-4.16 (2H, m), 4.16-4.38 (1H, m), 7.41 (2H, s).
5-142	1H-NMR (CDCl3) 8: 1.14 (3H, t), 2.25 (2H, q), 2.52-2.58 (1H, m), 2.87-2.91 (1H, m), 3.55-3.64 (2H, m), 3.91 (1H, m), 4.34 (1H, m), 4.55-4.57 (2H, m), 5.91-5.93 (1H, m), 7.39 (2H, s).
5-143	1H-NMR (CDCl3) &: 0.72-1.39 (5H, m), 2.52-2.57 (1H, m), 2.84-2.93 (1H, m), 3.48-3.67 (2H, m), 3.89-3.93 (1H, m), 4.32-4.36 (1H, m), 4.56-4.58 (2H, m), 6.09 (1H, t), 7.39 (2H, s).
5-144	1H-NMR (CDCl3) &: 2.53-2.59 (1H, m), 2.88-2.92 (1H, m), 3.12 (2H, q), 3.55-3.67 (2H, m), 3.90-3.94 (1H, m), 4.34-4.37 (1H, m), 4.60-4.62 (2H, m), 6.22 (1H, br s), 7.39 (2H, s).
5-148	1H-NMR (CDCl3) &: 1.16 (3H, t), 2.21 (2H, q), 2.61-2.66 (1H, m), 3.02-3.06 (1H, m), 3.55-3.72 (2H, m), 3.97-4.01 (1H, m), 4.50-4.56 (3H, m), 5.94 (1H, t), 7.80 (2H, s), 7.93 (1H, s).
5-150	1H-NMR (CDCl3) &: 2.62-2.67 (1H, m), 3.04-3.12 (3H, m), 3.58-3.68 (2H, m), 3.98-4.02 (1H, m), 4.52-4.60 (3H, m), 6.33 (1H, t), 7.80 (2H, s), 7.93 (1H, s).
5-151	1H-NMR (CDCl3) &: 1.16 (3H, t), 2.59-2.67 (1H, m), 3.01-3.05 (1H, m), 3.18-3.33 (2H, m), 3.60-3.71 (2H, m), 3.97-4.01 (1H, m), 4.35-4.37 (1H, m), 4.47-4.57 (3H, m), 4.78-4.81 (1H, m), 7.80 (2H, s), 7.93 (1H, s).
5-178	1H-NMR (CDCl3) &: 1.13 (3H, t), 2.19-2.28 (5H, m), 2.49-2.68 (1H, m), 2.84-2.87 (1H, m), 3.52-3.62 (2H, m), 3.90 (1H, d), 4.35-4.49 (3H, m), 5.78 (1H, br s), 7.22 (2H, d), 7.38 (1H, t).

Table 8 - ExNo.	1H-NMR
5-179	1H-NMR (CDCl3) &: 0.77-0.85 (2H, m), 0.95-0.99 (2H, m), 1.28-1.33 (2H, m), 2.22 (3H, s), 2.52-2.57 (1H, m), 2.85-2.89 (1H, m),
5-193	3.53-3.62 (2H, m), 3.91 (1H, d), 4.33 (1H, d), 4.41-4.42 (2H, m), 5.87 (1H, br s), 7.26 (2H, d), 7.38 (1H, t). 1H-NMR (CDCl3) & 1.14 (3H, t), 2.23 (2H, q), 2.53-2.59 (1H, m), 2.87-2.92 (1H, m), 3.54-3.60 (2H, m), 3.90 (1H, d), 4.32-4.49 (3H, m), 5.92 (1H, br s), 7.25 (2H, d), 7.39 (1H, t).
5-194	1H-NMR (CDCl3) &: 0.72-0.85 (2H, m), 0.88-1.11 (2H, m), 1.31-1.39 (1H, m), 2.53-2.58 (1H, m), 2.87-2.91 (1H, m), 3.50-3.58 (2H, m), 3.89 (1H, d), 4.34 (1H, d), 4.42-4.44 (2H, m), 6.11 (1H, br s), 7.28 (2H, d), 7.39 (1H, t).
5-228	1H-NMR (CDCl3) &: 0.17-0.27 (2H, m), 0.59-0.65 (2H, m), 0.29-0.99 (1H, m), 2.16 (2H, d), 2.31 (3H, s), 2.52-2.61 (1H, m), 2.85-2.90 (1H, m), 3.54-3.63 (2H, m), 3.91 (1H, d), 4.35 (1H, d), 4.45-4.49 (2H, m), 6.11 (1H, br s), 7.26 (2H, d), 7.38 (1H, t).
5-248	(11, m), 5.57 - 3.06 (21, m), 5.57 (11, d), 7.57 (21, m), 6.61 (11), (11, d), 7.58 (11
5-336	1H-NMR (CDCl3) & 0.18-0.21 (2H, m), 0.55-0.65 (2H, m), 0.88-1.01 (1H, m), 2.18 (2H, d), 2.52-2.58 (1H, m), 2.85-2.93 (1H, m), 3.55-3.68 (2H, m), 3.90-3.94 (1H, m), 4.33-4.36 (1H, m), 4.59 (2H, d), 6.35 (1H, t), 7.37 (2H, s).
5-337	1H-NMR (CDCl3) & 1.00 (9H, s), 2.07 (2H, s), 2.52-2.58 (1H, m), 2.86-2.91 (1H, m), 3.51-3.67 (2H, m), 3.90-3.94 (1H, m), 4.36-4.42 (1H, m), 4.53 (2H, d), 5.85 (1H, t), 7.38 (2H, s).
5-340	1H-NMR (CDCl3) & 2.11 (3H, s), 2.53-2.58 (1H, m), 2.85-2.93 (1H, m), 3.23 (2H, s), 3.55-3.64 (2H, m), 3.90-3.94 (1H, m), 4.33-4.37 (1H, m), 4.61 (2H, d), 7.34-7.37 (3H, m).
5-387	1H-NMR (CDCl3) & 2.13 (3H, s), 2.62-2.67 (1H, m), 3.02-3.06 (1H, m), 3.23 (2H, s), 3.53-3.65 (2H, m), 3.98-4.02 (1H, m), 4.47-4.51 (1H, m), 4.61-4.63 (2H, m), 7.35 (1H, br s), 7.81 (2H, s), 7.93 (1H, s).
5-389	1H-NMR (CDCl3) & 2.55-2.65 (1H, m), 2.97-3.05 (4H, m), 3.84-3.88 (4H, m), 4.05-4.16 (1H, m), 4.50-4.62 (3H, m), 6.81 (1H, br s), 7.84 (2H, s), 7.92 (1H, s), 8.63 (1H, s).
5-433	1H-NMR (CDCl3) &: 0.15-0.28 (2H, m), 0.55-0.69 (2H, m), 0.89-1.05 (1H, m), 2.20 (2H, d), 2.62-2.68 (1H, m), 3.03-3.07 (1H, m), 3.56-3.73 (2H, m), 3.99-4.03 (1H, m), 4.52-4.59 (3H, m), 6.41 (1H, t), 7.81 (2H, s), 7.94 (1H, s).
5-434	1H-NMR (CDCl3) &: 0.99 (9H, s), 2.07 (2H, s), 2.61-2.66 (1H, m), 3.01-3.06 (1H, m), 3.55-3.71 (2H, m), 3.98-4.02 (1H, m), 4.50-4.54 (3H, m), 5.86 (1H, tz), 7.80 (2H, s), 7.93 (1H, s).
5-435	1H-NMR (CDCl3) &: 2.32 (3H, s), 2.47-2.52 (1H, m), 2.81-2.85 (1H, m), 3.48-3.54 (2H, m), 3.83 (1H, d), 4.28 (1H, d), 4.39-4.41 (2H, m), 5.68 (1H, br s), 7.18 (2H, d), 7.32 (1H, t).
5-436	1H-NMR (CDCl3) &: 2.24 (3H, s), 2.41 (3H, s), 2.49-2.60 (1H, m), 2.83-2.91 (1H, m), 3.53-3.62 (2H, m), 3.91 (1H, d), 4.33 (1H, d), 4.43-4.45 (2H, m), 5.62 (1H, br s), 7.26 (2H, d), 7.38 (1H, t).
5-437	1H-NMR (CDCl3) & 2.40 (3H, s), 2.54-2.59 (1H, m), 2.87-2.92 (1H, m), 3.56-3.65 (2H, m), 3.92 (1H, d), 4.35 (1H, d), 4.59-4.61 (2H, m), 5.84 (1H, br s), 7.23 (2H, d), 7.40 (1H, t)
6-4	1H-NMR (CDCl3) & 1.18 (3H, t), 1.77-1.86 (1H, m), 2.22 (2H, q), 2.50-2.64 (2H, m), 2.78-3.01 (3H, m), 3.45-3.58 (2H, m), 3.77 (1H, d), 4.03 (1H, d), 5.41 (1H, dd), 5.56 (1H, d), 6.48 (1H, d), 6.49 (1H, s), 7.18 (1H, d), 7.30 (1H, s), 7.38 (1H, t).
6-122	1H-NMR (CDCl3) & 1.48 (9H, s), 1.74-1.86 (1H, m), 2.48-2.60 (2H, m), 2.74-2.99 (3H, m), 3.41-3.57 (2H, m), 3.77 (1H, d), 4.02 (1H, d), 4.68 (1H, d), 5.10 (1H, d), 6.47-6.45 (2H, m), 7.22 (1H, d), 7.29 (2H, s), 7.37 (1H, t).
6-267	(11, d), 5.08 (11, d), 5.17 (11, d), 6.47-6.45 (21, m), 7.22 (11, d), 7.25 (21, 8), 7.57 (111, t). 1H-NMR (acetone-d6) &: 1.73-1.82 (1H, m), 1.89 (3H, s), 2.34-2.49 (2H, m), 2.69-3.02 (3H, m), 3.44-3.57 (2H, m), 3.94 (1H, d), 4.19 (1H, d), 5.26 (1H, dd), 6.55-6.52 (2H, m), 7.08 (1H, d), 7.82 (2H, s).
6-268	(H, d), 7.26 (H, dd), 6.35 (3.2 (H, m), 7.66 (H, m), 7.67 (2H, s). H-NMR (CDCl3) & 1.19 (3H, t), 1.74-1.86 (1H, m), 2.23 (2H, q), 2.46-2.65 (2H, m), 2.78-3.01 (3H, m), 3.45-3.58 (2H, m), 3.77 (1H, d), 4.02 (1H, d), 5.38-5.61 (2H, m), 6.46-6.49 (2H, m), 7.18 (1H, d), 7.43 (2H, s).
6-273	(1H, 0), 4.02 (1H, 0), 5.38-5.51 (2H, m), 6.40-6.9 (2H, m), 7.18 (1H, 0), 7.19 (2H, m), 2.79-3.02 (3H, m), 3.47-3.64 (2H, m), 3.84 (1H, 0), 4.15 (1H, 0), 5.38-5.57 (2H, m), 6.52-6.49 (2H, m), 7.20 (1H, 0), 7.85 (2H, s), 7.91 (1H, s).
6-293	1H-NMR (CDCl3) & 1.18 (3H, t), 1.76-1.87 (3H, m), 1.95-2.04 (1H, m), 2.22 (2H, q), 2.54-2.86 (3H, m), 2.91-3.00 (1H, m), 3.45-3.62 (2H, m), 3.82 (1H, d), 4.14 (1H, d), 5.16-5.09 (1H, m), 5.58 (1H, d), 6.33 (1H, d), 6.50 (1H, dd), 7.18 (1H, d), 7.85 (2H, s), 7.91 (1H, s).
6-802	1H-NMR (CDCl3) & 1.48 (9H, s), 1.74-1.86 (1H, m), 2.45-2.60 (2H, m), 2.75-2.99 (3H, m), 3.45-3.57 (2H, m), 3.76 (1H, d), 4.01 (1H, d), 4.67 (1H, d), 5.11 (1H, d), 6.48-6.46 (2H, m), 7.22 (1H, d), 7.43 (2H, s).
7-1	1H-NMR (CDCl3) & 2.56-2.66 (1H, m), 2.91-2.99 (1H, m), 3.55-3.71 (2H, m), 3.84 (1H, d), 4.16 (1H, d), 6.72 (1H, dd), 6.86 (1H, d), 7.27 (2H, d), 7.42 (1H, t), 7.65 (1H, d).
7-2	1H-NMR (CDCl3) & 2.57-2.64 (1H, m), 2.90-2.95 (1H, m), 3.53-3.61 (2H, m), 3.81 (1H, d), 4.13 (1H, d), 6.50 (1H, dd), 6.64 (1H, d), 7.27 (2H, br s), 7.43 (1H, t), 7.50 (1H, d).
7-3	1H-NMR (CDCl3) 8: 2.55-2.60 (1H, m), 2.89-2.93 (1H, m), 3.49-3.65 (2H, m), 3.74-3.79 (1H, m), 4.10-4.12 (1H, m), 6.52-6.54 (1H, m), 6.81-6.83 (1H, m), 7.24 (2H, s), 7.40-7.46 (2H, m).
7-4	1H-NMR (CDCl3) &: 2.53-2.63 (1H, m), 3.48-3.65 (1H, m), 3.52-3.62 (2H, m), 3.79 (1H, d), 4.11 (1H, d), 6.29-6.40 (2H, m), 7.26 (2H, s), 7.40-7.43 (2H, m).
7-5	1H-NMR (CDCl3) &: 2.49 (1H, s), 2.53-2.60 (4H, m), 2.84-2.92 (1H, m), 3.48-3.64 (2H, m), 3.79 (1H, d), 4.10 (1H, d), 6.40-6.43 (2H, m), 7.27 (2H, d), 7.40 (1H, t), 7.45 (1H, d).
7-12	1H-NMR (CDCl3) &: 2.55-2.65 (1H, m), 2.90-2.98 (1H, m), 3.55-3.73 (2H, m), 3.83 (1H, d), 4.16 (1H, d), 6.72 (1H, dd), 6.86 (1H, d), 7.42 (2H, s), 7.65 (1H, d).
7-13	1H-NMR (CDCl3) &: 2.52-2.62 (1H, m), 2.87-2.95 (1H, m), 3.49-3.66 (2H, m), 3.79 (1H, d), 4.11 (1H, d), 6.49 (1H, dd), 6.63 (1H, d), 7.40 (2H, s), 7.47 (1H, d).
7-14	1H-NMR (CDCl3) &: 2.51-2.61 (1H, m), 2.91-2.99 (1H, m), 3.54-3.63 (2H, m), 3.76-3.80 (1H, m), 4.09-4.12 (1H, m), 6.53 (1H, dd), 6.81
7-23	(1H, d), 7.40 (2H, s), 7.47 (1H, d). 1H-NMR (CDCl3) & 2.63-2.74 (1H, m), 3.14-3.05 (1H, m), 3.77-3.61 (2H, m), 3.90 (1H, d), 4.31 (1H, d), 6.76 (1H, dd), 6.89 (1H, d),
7-24	7.66 (1H, d), 7.83 (2H, s), 7.96 (1H, s). 1H-NMR (CDCl3) & 2.60-2.71 (1H, m), 3.02-3.10 (1H, m), 3.71-3.54 (2H, m), 3.85 (1H, d), 4.25 (1H, d), 6.53 (1H, dd), 6.67 (1H, d),
7-25	7.50 (1H, d), 7.82 (2H, s), 7.95 (1H, s). 1H-NMR (CDCl3) & 2.60-2.70 (1H, m), 3.10-3.01 (1H, m), 3.54-3.71 (2H, m), 3.85 (1H, d), 4.25 (1H, d), 6.57 (1H, dd), 6.84 (1H, d),
7-28	7.48 (1H, d), 7.82 (2H, s), 7.95 (1H, s). 1H-NMR (CDCl3) & 2.66-2.77 (1H, m), 3.08-3.17 (1H, m), 3.65-3.81 (2H, m), 3.93 (1H, d), 4.35 (1H, d), 6.88 (1H, dd), 7.44 (1H, d),
7-35	7.71 (1H, d), 7.83 (2H, s), 7.94 (1H, d). 1H-NMR (acetone-d6) &: 2.84-2.95 (1H, m), 3.17-3.28 (1H, m), 3.74-3.80 (2H, m), 4.21 (1H, d), 4.62 (1H, d), 7.04 (1H, dd), 7.14
7-46	(1H, d), 7.77 (1H, d), 7.85 (1H, s), 7.98 (1H, s), 7.98 (1H, s), 1.98 (1H, m), 3.53-3.67 (2H, m), 3.80 (1H, d), 4.11 (1H, d), 1.11 (1H, d), 1.12 (1H, d), 1.13 (1H, d), 1.14 (1H, d), 1.15 (1H, d), 1.
7-40	111-NMR (CDCl3) &: 1.76 (1H, t), 2.43-2.77 (5H, m), 3.65-4.00 (2H, m), 4.21 (1H, d), 4.40 (1H, d), 4.59-4.62 (2H, m), 6.62 (1H, d),
	7.29-7.38 (4H, m)
7-49	1H-NMR (CDCl3) 8: 1.83 (1H, b), 2.48-2.59 (1H, m), 2.83-2.91 (1H, m), 3.53-3.67 (2H, m), 3.93 (1H, d), 4.40 (1H, d), 4.65 (2H, s), 6.30 (1H, d), 7.26-7.58 (4H, m)

Table 8 - ExNo.	1H-NMR
7-51	1H-NMR (CDCl3) δ: 1.84 (1H, b), 2.52-2.62 (1H, m), 2.88-2.96 (1H, m), 3.45-3.58 (2H, m), 3.79 (1H, d), 4.00 (1H, d), 4.67 (2H, s),
7-53	6.53-7.65 (6H, m) 1H-NMR (CDCl3) 8: 1.84 (1H, t), 2.48-2.58 (1H, m), 2.81-2.89 (1H, m), 3.42-3.58 (2H, m), 3.76 (1H, d), 4.03 (1H, d), 4.66 (2H, d), 6.53 (1H, dd), 6.79 (1H, d), 7.28 (2H, s), 7.29 (1H, d), 7.39 (1H, t).
7-55	1H-NMR (CDCl3) 8: 1.82 (1H, t), 2.48-2.58 (1H, m), 2.80-2.89 (1H, m), 3.41-3.57 (2H, m), 3.74 (1H, d), 4.02 (1H, d), 4.62 (2H, d), 6.58 (1H, dd), 7.05 (1H, d), 7.28-7.26 (3H, m), 7.39 (1H, t).
7-57	1H-NMR (CDCl3) 8: 1.84 (1H, t, J = 6.3 Hz), 2.47-2.57 (1H, m), 2.80-2.88 (1H, m), 3.58-3.42 (2H, m), 3.75 (1H, d), 4.02 (1H, d), 4.66 (2H, d), 6.53 (1H, dd), 6.79 (1H, d), 7.30 (1H, d), 7.42 (2H, s).
7-63	1H-NMR (CDCl3) 8: 1.85 (1H, dd), 7.85 (2H, s), 7.92 (1H, m), 3.53-3.74 (1H, m), 3.56-3.74 (2H, m), 4.05 (1H, d), 4.23 (1H, dd), 4.71 (2H, d), 6.63 (1H, dd), 7.13 (1H, dd), 7.85 (2H, s), 7.92 (1H, s).
7-67	1H-NMR (CDCl3) 6: 2.55-2.66 (1H, m), 2.95-3.03 (1H, m), 3.46-3.63 (2H, m), 3.81 (1H, d), 4.15 (1H, d), 4.62 (2H, d), 6.62 (1H, dd), 7.09 (1H, d), 7.29 (1H, d), 7.84 (2H, s), 7.93 (1H, s).
7-69	1H-NMR (CDCl3) & 2.50-2.63 (1H, m), 2.88-2.96 (1H, m), 3.57 (1H, br s), 3.64-3.76 (1H, m), 4.04 (1H, d), 4.23 (1H, dd), 4.68 (2H, s), 6.49-6.43 (1H, m), 6.99-7.05 (1H, m), 7.85 (2H, s), 7.92 (1H, s).
7-71	1H-NMR (CDCl3) & 2.52-2.62 (1H, m), 2.90-2.99 (1H, m), 3.81-3.90 (1H, m), 4.13-4.22 (1H, m), 4.33 (1H, dd), 4.51 (1H, dd), 6.70-6.78 (1H, m), 7.31-7.25 (1H, m), 7.84 (2H, s), 7.94 (1H, s).
7-72	1H-NMR (CDCl3) & 2.10-2.16 (1H, m), 2.33-2.43 (1H, m), 2.67-2.74 (1H, m), 3.44-3.59 (2H, m), 3.85-3.88 (1H, m), 3.99-4.04 (1H, m), 4.59 (2H, s), 6.49 (1H, t), 6.92-7.11 (1H, m), 7.37 (2H, s).
7-76	1H-NMR (CDCl3) 8: 2.09-2.17 (3H, m), 2.33-2.36 (1H, m), 2.61-2.66 (1H, m), 3.41-3.46 (2H, m), 3.82-3.97 (2H, m), 4.49 (2H, s), 6.42
7-78	(1H, t), 6.87 (1H, d), 7.35 (2H, s). 1H-NMR (CDCl3) & 1.67 (1H, t), 2.50-2.60 (1H, m), 2.84-2.92 (1H, m), 3.48-3.63 (2H, m), 3.79 (1H, d), 4.08 (1H, d), 4.75 (2H, d), 6.75
7-86	(1H, dd), 6.82 (1H, d), 7.48 (2H, d), 7.50 (1H, d), 7.70 (1H, t). 1H-NMR (CDCl3) 8: 1.56 (1H, b), 2.49-2.59 (1H, m), 2.83-2.92 (1H, m), 3.55-3.70 (2H, m), 3.93 (1H, d), 4.40 (2H, d), 4.65 (2H, s), 6.31
7-92	(1H, d), 7.30-7.61 (4H, m) 1H-NMR (CDCl3) 8: 1.83 (2H, b), 2.53-2.66 (1H, m), 2.97-3.04 (1H, m), 3.55-3.68 (2H, m), 3.85 (2H, s), 3.99 (1H, d), 4.54 (1H, d),
7-93	6.30-7.91 (5H, m) 1H-NMR (CDCl3) 8: 1.86 (1H, t), 2.47-2.58 (1H, m), 2.82-2.91 (1H, m), 3.55-3.68 (2H, m), 3.93 (1H, d), 4.40 (1H, d), 4.66 (2H, d), 6.31
7-95	(1H, d), 7.44-7.59 (3H, m) 1H-NMR (CDCl3) 8: 2.56-2.67 (1H, m), 2.97-3.06 (1H, m), 3.55-3.70 (2H, m), 4.00 (1H, d), 4.55 (1H, d), 4.67 (2H, d), 6.34 (1H, d),
7-97	7.57-7.91 (4H, m) 1H-NMR (CDCl3) 8: 2.47-2.58 (1H, m), 2.82-2.91 (1H, m), 3.90-4.11 (4H, m), 4.54 (1H, d), 7.27-7.42 (4H, m)
7-98	1H-NMR (CDCl3) 8: 2.46-2.57 (1H, m), 2.82-2.90 (1H, m), 3.90-4.11 (3H, m), 4.53 (1H, d), 7.36-7.41 (3H, m)
7-99	1H-NMR (CDCl3) & 2.54-2.65 (1H, m), 2.97-3.05 (1H, m), 3.90-4.70 (3H, m), 4.68 (1H, d), 7.40 (1H, d), 7.83-7.95 (3H, m)
7-100	1H-NMR (CDCl3) 8: 2.48-2.58 (1H, m), 2.79-2.88 (1H, m), 3.40-3.55 (2H, m), 3.78 (1H, d), 3.93 (3H, s), 4.04 (1H, d), 4.59 (2H, b), 6.10-6.17 (2H, m), 7.12-7.39 (4H, m)
7-102	1H-NMR (CDCl3) 8: 2.61-2.72 (1H, m), 3.03-3.11 (1H, m), 3.54-3.73 (2H, m), 3.86 (1H, d), 4.25 (1H, d), 6.49-6.58 (2H, m), 7.26-7.96 (4H, m)
7-103	1H-NMR (CDCl3) 8: 2.55-2.65 (1H, m), 2.90-2.98 (1H, m), 3.55-3.71 (2H, m), 3.82 (1H, d), 4.16 (1H, d), 6.72 (1H, dd), 6.86 (1H, d), 7.46 (2H, d), 7.65 (1H, d), 7.73 (1H, t).
7-105	1H-NMR (CDCl3) 8: 1.37 (3H, t), 2.54-2.64 (1H, m), 2.90-2.99 (1H, m), 3.71-3.74 (2H, m), 4.02 (1H, d), 4.36 (2H, q), 4.51 (1H, d), 6.65 (1H, s), 7.43 (2H, s), 8.84 (1H, s).
7-107	1H-NMR (CDCl3) 8: 2.55-2.64 (1H, m), 2.88-2.97 (1H, m), 3.71-3.75 (2H, m), 4.01 (1H, d), 4.49 (1H, d), 4.70 (2H, d), 6.61 (1H, s), 7.44 (2H, s), 8.42 (1H, s).
7-108	1H-NMR (CDCl3) 8: 1.38 (3H, t), 2.62-2.73 (1H, m), 3.06-3.14 (1H, m), 3.76-3.79 (2H, m), 4.08 (1H, d), 4.37 (2H, q), 4.68 (1H, d), 6.68 (1H, s), 7.85 (2H, s), 7.94 (1H, s), 8.86 (1H, s).
7-110	1H-NMR (CDCl3) 8: 2.63-2.69 (1H, m), 3.05-3.09 (1H, m), 3.66-3.75 (2H, m), 4.04 (1H, d), 4.62 (1H, d), 4.73 (2H, d), 6.62 (1H, s), 7.86 (2H, s), 7.93 (1H, s), 8.41 (1H, s).
7-111	1H-NMR (CDCl3) &: 2.49-2.59 (1H, m), 2.83-2.92 (1H, m), 3.57-3.70 (2H, m), 3.95 (1H, d), 4.42 (1H, d), 4.76 (2H, s), 6.59 (1H, d), 7.30 (2H, s), 7.38 (1H, s), 7.76 (1H, d).
7-112	1H-NMR (CDCl3) & 2.53-2.64 (1H, m), 2.90-3.00 (1H, m), 3.69-3.74 (2H, m), 4.01 (1H, d), 4.50 (1H, d), 4.75 (2H, s), 6.59 (1H, d), 7.44 (2H, s), 7.75 (1H, d).
7-113	1H-NM (CDCl3) & 1.37 (3H, t), 2.54-2.60 (1H, m), 2.90-2.99 (1H, m), 3.57-3.75 (2H, m), 4.01 (1H, d), 4.35 (2H, q), 4.45 (1H, d), 6.55 (1H, d), 7.56-7.61 (3H, m), 8.02 (1H, d).
7-114	11. 30. 7.51 (11, d), 13.67.61 (31, ii), 6.02 (11, d). 11. 11. 11. 11. 11. 11. 11. 12. 12. 12
7-115	1H-NMR (CDCl3) 8: 1.36 (3H, t), 2.53-2.63 (1H, m), 2.89-3.01 (1H, m), 3.55-3.74 (2H, m), 4.03 (1H, d), 4.30-4.52 (3H, m), 6.56
7-117	(1H, d), 7.51-7.80 (4H, m), 8.03 (1H, d). 1H-NMR (CDCl3) 8: 2.53-2.61 (1H, m), 2.88-3.01 (1H, m), 3.53-3.71 (2H, m), 4.00 (1H, d), 4.42 (1H, d), 4.75 (2H, s), 6.57 (1H, d), 7.42-7.79 (4H, m), 7.78 (1H, d).
7-119	1H-NMR (CDCl3) 8: 2.64-2.74 (1H, m), 3.05-3.14 (1H, m), 3.75-3.81 (2H, m), 4.06 (1H, d), 4.65-4.80 (3H, m), 6.59 (1H, s), 7.69-7.96 (4H, m)
7-120	(H., m), 3.56-3.70 (2H, m), 3.94 (1H, d), 4.34-4.45 (3H, m), 6.54 (1H, d), 7.48 (2H, s), 7.69 (1H, t), 8.01 (1H, d).
7-121	(H, d), 7-46 (2H, s), 7-69 (H, t), 8-01 (H, d). H-NMR (CDCl3) & 2.46-2.59 (H, m), 2.83-2.94 (H, m), 3.52-3.72 (2H, m), 3.93 (H, d), 4.39 (H, d), 4.75 (2H, s), 6.59 (H, d), 7.47 (2H, s), 7.68-7.80 (2H, m).
7-122	1H-NMR (CDCl3) & 1.38 (3H, t), 2.53-2.55 (1H, m), 2.75 (3H, s), 2.85-2.90 (1H, m), 3.64-3.67 (2H, m), 4.00 (1H, d), 4.31 (2H, q), 4.47 (1H, d), 6.22 (1H, dz), 7.31 (2H, s), 7.39 (1H, t), 8.06 (1H, d).
7-124	1H-NMR (CDCl3) 8: 2.49-2.52 (4H, m), 2.80-2.89 (1H, m), 3.57-3.62 (2H, m), 3.96 (1H, d), 4.39 (1H, d), 4.60 (2H, d), 6.21 (1H, d), 7.35-7.40 (4H, m).
7-125	7.55-7.40 (4n, m). 1H-NMR (CDCl3) & 0.95-0.97 (2H, m), 1.13-1.18 (2H, m), 1.39 (3H, t), 2.46-2.56 (1H, m), 2.79-2.87 (1H, m), 3.25-3.28 (1H, m), 3.57-3.69 (2H, m), 3.94 (1H, d), 4.31-4.39 (3H, m), 6.14 (1H, d), 7.27-7.38 (3H, m), 8.01 (1H, d).
7-127	3.57-3.69 (2H, m), 3.54 (1H, d), 4.51-4.59 (3H, m), 0.14 (1H, d), 7.27-7.86 (3H, m), 0.01 (1H, d). 1H-NMR (CDCl3) 8: 0.90-0.95 (2H, m), 1.13-1.17 (2H, m), 2.12-2.26 (1H, m), 2.45-2.58 (1H, m), 2.79-2.90 (1H, m), 3.51-3.70 (2H, m), 3.94 (1H, d), 4.30 (1H, d), 4.75 (2H, d), 6.15 (1H, d), 7.27-7.40 (4H, m).
7-128	1H-NMR (CDCl3) 8: 0.94-0.99 (2H, m), 1.14-1.19 (2H, m), 1.41 (3H, t), 2.50-2.65 (1H, m), 2.91-2.97 (1H, m), 3.25-3.30 (1H, m),
7-129	3.45-3.65 (2H, m), 4.02 (1H, d), 4.29-4.40 (3H, m), 6.14 (1H, d), 7.84-8.05 (4H, m). 1H-NMR (CDCl3) & 0.92-0.95 (2H, m), 1.13-1.19 (2H, m), 2.15-2.25 (1H, m), 2.50-2.64 (1H, m), 2.90-2.99 (1H, m), 3.45-3.66 (2H, m),
	4.03 (1H, d), 4.34 (1H, d), 4.73 (2H, d), 6.14 (1H, d), 7.38 (1H, d), 7.84-7.90 (3H, m).

TABLE 8-continued

324

Table 8 - ExNo.	1H-NMR
7-130	1H-NMR (CDCl3) 8: 2.49-2.60 (1H, m), 2.86-2.94 (1H, m), 3.85-3.88 (5H, m), 4.05 (1H, d), 4.57 (1H, d,), 7.30 (2H, d), 7.39 (1H, d),
7-132	8.90 (2H, s). 1H-NMR (CDCl3) & 1.38 (3H, t), 2.52-2.59 (1H, m), 2.89-2.93 (1H, m), 3.87-3.90 (2H, m), 4.09 (1H, d), 4.41 (2H, q), 4.57 (1H, d),
7-132	111-150 (CDC) 0. 1.36 (31, t), 2.32-2.39 (11, iii), 2.69-2.93 (11, iii), 3.87-3.90 (21, iii), 4.09 (11, u), 4.41 (21, q), 4.37 (11, u), 7.29 (21, iii), 4.37 (11, u), 4.37
7-134	1H-NMR (CDCl3) 8: 2.51-2.60 (1H, m), 2.86-2.93 (1H, m), 3.82-3.91 (2H, m), 4.07 (1H, d), 4.57 (1H, d), 4.75 (2H, d), 7.29 (2H, s),
- 40-	7.41 (1H, s), 8.65 (1H, s).
7-135	1H-NMR (CDCl3) 8: 1.40 (3H, t), 2.50-2.60 (1H, m), 2.89-2.93 (1H, m), 3.87-3.89 (2H, m), 4.06 (1H, d), 4.37 (2H, q), 4.54 (1H, d), 7.45 (2H, s), 8.95 (1H, s).
7-137	7.43 (2H, s), 6.93 (1H, s). 1H-NMR (CDCl3) 8: 2.50-2.55 (1H, m), 2.83-2.92 (1H, m), 3.82-3.88 (2H, m), 4.02 (1H, d), 4.49 (1H, d), 4.73 (2H, d), 7.44 (2H, s), 8.63 (1H, s).
7-139	1H-NMR (CDCl3) 8: 1.41 (3H, t), 2.55-2.61 (1H, m), 2.91-2.97 (1H, m), 3.82-3.90 (2H, m), 4.03-4.15 (1H, m), 4.35 (2H, q), 4.60
	(1H, d), 7.50-7.67 (4H, m), 8.96 (1H, s).
7-141	1H-NMR (CDCl3) 8: 2.54-2.61 (1H, m), 2.92-3.01 (1H, m), 3.80-3.88 (2H, m), 4.01-4.16 (1H, m), 4.57 (1H, d), 4.74 (2H, d), 7.54-7.64 (4H, m), 8.64 (1H, s).
7-142	(H, M), (CDCl3) & 1.38 (3H, t), 2.63-2.66 (1H, m), 3.01-3.09 (1H, m), 3.91-3.93 (2H, m), 4.11 (1H, d), 4.38 (2H, q), 4.71 (1H, d),
	7.84 (2H, s), 7.94 (1H, s), 8.96 (1H, d).
7-144	1H-NMR (CDCl3) 8: 2.56-2.66 (1H, m), 2.98-3.06 (1H, m), 3.86-3.92 (2H, m), 4.09 (1H, d), 4.64-4.73 (3H, m), 7.85 (2H, s), 7.92
	(1H, s), 8.65 (1H, s).
7-147	1H-NMR (CDCl3) 8: 2.48-2.58 (1H, m), 2.84-2.92 (1H, m), 3.80-3.83 (2H, m), 4.00 (1H, d), 4.52 (1H, d), 4.73 (2H, d), 7.49 (2H, s), 7.69 (1H, s), 8.63 (1H, s).
7a-1	1H-NMR (CDCl3) & 2.50-2.65 (1H, m), 2.92-2.99 (1H, m), 3.65-3.85 (2H, m), 4.10 (1H, d), 4.52 (1H, d), 7.25 (3H, m), 9.80 (1H, s).
7a-3	1H-NMR (CDCl3) δ: 1.39 (3H, t), 2.52-2.67 (4H, m), 2.88-2.96 (1H, m), 3.59-3.68 (2H, m), 4.03 (1H, d), 4.23-4.30 (2H, q), 4.38-4.43
	(1H, d), 7.26 (2H, d), 7.40 (1H, t).
7a-5	1H-NMR (CDCl3) &: 2.24 (3H, s), 2.47-2.61 (1H, m), 2.86-2.90 (1H, m), 3.51-3.67 (2H, m), 3.93 (1H, d), 4.35 (1H, d), 4.65 (2H, br s),
	7.26 (2H, d), 7.39 (1H, t).
7a-6	1H-NMR (CDCl3) & 1.35 (3H, t), 2.57-2.68 (1H, m), 2.92-3.00 (1H, m), 3.64-3.67 (2H, m), 3.98 (1H, d), 4.32 (2H, q), 4.44 (1H, d),
7a-8	7.30 (2H, s), 7.42 (1H, t). 1H-NMR (CDCl3) & 2.55-2.68 (1H, m), 2.91-2.99 (1H, m), 3.60-3.67 (2H, m), 3.97 (1H, d), 4.44 (1H, d), 4.84-4.87 (2H, m), 7.26 (2H, s),
/a-o	7.42 (1H. t).
7a-9	1H-NMR (CDCl3) δ: 1.30 (3H, t), 2.59-2.64 (1H, m), 2.93-2.97 (1H, m), 3.61-3.73 (2H, m), 3.98 (1H, d), 4.32 (2H, q), 4.44 (1H, d), 7.41
	(2H, s).
7a-11	1H-NMR (CDCl3) 8: 2.57-2.61 (1H, m), 2.87-2.95 (1H, m), 3.56-3.70 (2H, m), 3.95 (1H, d), 4.38 (1H, d), 4.86 (2H, d), 7.40 (2H, s).
7a-12	1H-NMR (CDCl3) 8: 1.35 (3H, t), 2.65-2.75 (1H, m), 3.09-3.13 (1H, m), 3.65-3.75 (2H, m), 4.05 (1H, d), 4.33 (2H, q), 4.59 (1H, d), 7.80 (2H, s), 7.95 (1H, s).
7a-14	1H-NMR (CDCl3) 8: 2.63-2.69 (1H, m), 3.03-3.07 (1H, m), 3.57-3.74 (2H, m), 4.03 (1H, d), 4.53 (1H, d), 4.85-4.87 (2H, m), 7.81 (2H, s), 7.93 (1H, s).

If not mentioned otherwise, all sample solutions were prepared as described in Biological Test Example 1 and diluted to the appropriate (predetermined) concentrations.

BIOLOGICAL TEST EXAMPLE 1

Test for Larvae of Spodotera litura

Sample Solution Preparation:

Solvent: 3 parts by weight of dimethylformamide Emulsifier: 1 part by weight of polyoxyethylene alkyl phe-

nyl ether

To prepare a suitable composition comprising the active compound, 1 part by weight of the active compound was above amount of the emulsifier, and the resulting mixture was diluted with water to predetermined concentrations.

Leaves of a sweet potato were immersed in the sample solution diluted with water to predetermined concentrations, and after the solution was air-dried, the resultant leaves were 55 put in a petri dish of 9 cm in diameter, into which 10 of the 3rd-instar larvae of Spodoptera litura were then released. The dish was put in a temperature controlled room at 25° C., followed by addition of leaves of a sweet potato to the dish on the second day and fourth day and the number of dead insects 60 after 7 days was determined to calculate the insecticidal rate. The results were the averages of two petri dishes per group in this test.

In the above biological test example 1 the following compounds, as representative examples, showed a pest-control- 65 ling effect with 100% insectidical rate at 100 ppm of the active ingredient concentration after 7 days:

Compound Nos. 1-3, 1-4, 1-7, 1-12, 1-19, 1-21, 1-25, 1-30, 1-39, 1-42, 1-72, 1-74, 1-75, 1-77, 1-78, 1-79, 1-80, 1-81, 1-87, 1-88, 1-97, 1-99, 1-113, 1-118, 1-141, 1-143, 1-145, 1-146, 1-150, 1-155, 1-162, 1-164, 1-173, 1-174, 1-180, 1-182, 1-183, 1-185, 1-186, 1-188, 1-220, 1-222, 1-224, 1-227, 1-230, 1-231, 1-232, 1-238, 1-243, 1-254, 1-255, 1-258, 1-260, 1-270, 1-274, 1-275, 1-285, 1-295, 1-296, 1-297, 1-298, 1-299, 1-301, 1-302, 1-303, 1-304, 1-305, 45 1-306, 1-307, 1-308, 1-309, 1-312, 1-313, 1-314, 1-317, 1-319, 1-321, 1-322, 1-324, 1-327, 1-328, 1-329, 1-330, 1-334, 1-336, 1-338, 1-339, 1-340, 1-341, 1-345, 1-346, 1-347, 1-355, 1-356, 1-357, 1-380, 1-381, -386, 1-404, 1-444, 1-446, 1-461, 1-467, 1-468, 1-469, 1-494, 1-495, 1-496, mixed with the above amount of the solvent containing the 50 1-498, 1-499, 1-500, 1-501, 1-504, 1-505, 1-506, 1-507, 1-508, 1-509, 1-513, 1-516, 1-520, 1-521, 1-522, 1-523, 1-525, 1-558, 1-574, 1-728, 1-729, 1-730, 1-731, 1-732, 1-733, 1-734, 1-963, 1-966, 1-967, 1-968, 1-969, 1-970, 1-971, 1-1169, 1-1171, 1-1174, 1-1467, 1-1471, 1-1472, 2-8, 2-34, 2-35, 3-140, 3-141, 3-142, 3-143, 3-144, 3-145, 3-146, 3-148, 3-149, 3-150, 3-151, 3-335, 3-339, 3-342, 4-8, 4-21, 4-22, 4-34, 5-4, 5-22, 5-142, 5-143, 5-144, 5-148, 5-150, 5-336, 5-340, 6-4, 6-267, 6-268, 6-273, 6-802, 7-12, 7-13 and 7-14.

BIOLOGICAL TEST EXAMPLE 2

Test for Tetranychus urticae (Spray Test)

Test method: 50 to 100 of adult Tetranychus urticae were inoculated to leaves at 2-leaf stage of kidney bean planted in pots of 6 cm in diameter, to which, 1 day later, the sample

solution which was diluted with water to the desired concentration was sufficiently sprayed with a spray gun. After the compounds were sprayed, the pots were left in a greenhouse and the acaricidal rate was calculated seven days later.

Test result: As representative examples, the following compounds showed a pest-controlling efficacy with 100% acaricidal rate at a concentration of 100 ppm after 7 days:

Compound Nos. 1-3, 1-4, 1-7, 1-8, 1-12, 1-15, 1-19, 1-21, 1-24, 1-25, 1-30, 1-32, 1-36, 1-39, 1-40, 1-42, 1-52, 1-72, 1-75, 1-77, 1-78, 1-79, 1-80, 1-81, 1-87, 1-88, 1-97, 1-99, 1-115, 1-117, 1-118, 1-123, 1-143, 1-145, 1-146, 1-150, 1-151, 1-155, 1-162, 1-164, 1-173, 1-174, 1-180, 1-185, 1-186, 1-198, 1-210, 1-220, 1-222, 1-224, 1-227, 1-230, 1-231, 1-232, 1-243, 1-244, 1-254, 1-257, 1-258, 1-285, ₁₅ 1-296, 1-297, 1-299, 1-302, 1-303, 1-304, 1-305, 1-307, 1-308, 1-309, 1-312, 1-313, 1-314, 1-319, 1-321, 1-322, 1-327, 1-328, 1-329, 1-330, 1-334, 1-338, 1-339, 1-340, 1-341, 1-345, 1-346, 1-347, 1-355, 1-356, 1-357, 1-380, 1-381, 1-404, 1-442, 1-443, 1-444, 1-458, 1-461, 1-464, 20 1-467, 1-468, 1-469, 1-494, 1-495, 1-496, 1-498, 1-499, 1-500, 1-501, 1-503, 1-504, 1-505, 1-506, 1-507, 1-508, 1-509, 1-513, 1-517, 1-521, 1-523, 1-558, 1-694, 1-723, 1-728, 1-729, 1-730, 1-731, 1-732, 1-733, 1-734, 1-735, 1-963, 1-966, 1-967, 1-968, 1-969, 1-970, 1-971, 1-1169, 25 1-1171, 1-1172, 1-1174, 1-1467, 1-1471, 1-1472, 3-141, 3-142, 3-143, 3-144, 3-145, 3-148, 3-149, 3-150, 3-151, 3-335, 3-336, 3-339, 3-342, 5-22, 5-340, 6-4, 6-267, 6-268 and 6-273.

BIOLOGICAL TEST EXAMPLE 3

Test for Aulacophora femoralis (Spray Test)

Leaves of cucumbers were immersed in the water-diluted solution containing the active compound at the predetermined concentration which was prepared above and, after the solution was air-dried, the leaves were put onto sterilized black soil in a plastic cup, into which five of the 2nd-instar larvae of *Aulacophora femoralis* were then released. Seven days later, the number of dead insects was counted to calculate the insecticidal rate.

The following compounds showed a pest-controlling efficay of 100% insecticidal rate at 100 ppm of the active ingredient concentration after 7 days:

Compound Nos. 1-3, 1-4, 1-8, 1-12, 1-19, 1-21, 1-24, 1-25, 1-30, 1-36, 1-40, 1-42, 1-73, 1-74, 1-75, 1-77, 1-78, 1-79, 1-80, 1-81, 1-88, 1-97, 1-98, 1-99, 1-113, 1-115, 1-117, 1-118, 1-123, 1-143, 1-145, 1-146, 1-150, 1-154, 1-155, 50 1-162, 1-164, 1-166, 1-173, 1-174, 1-180, 1-183, 1-186, 1-198, 1-220, 1-224, 1-227, 1-228, 1-231, 1-238, 1-243, 1-244, 1-254, 1-257, 1-258, 1-260, 1-270, 1-285, 1-295, 1-296, 1-297, 1-298, 1-299, 1-300, 1-301, 1-302, 1-303, 1-304, 1-305, 1-307, 1-308, 1-309, 1-312, 1-313, 1-314, 1-317, 1-319, 1-321, 1-322, 1-327, 1-328, 1-329, 1-330, 1-338, 1-339, 1-340, 1-341, 1-345, 1-346, 1-347, 1-355, 1-356, 1-357, 1-380, 1-381, 1-386, 1-404, 1-442, 1-443, 1-446, 1-458, 1-461, 1-464, 1-467, 1-493, 1-494, 1-495, 1-496, 1-498, 1-499, 1-500, 1-501, 1-502, 1-503, 1-504, 1-505, 1-506, 1-507, 1-508, 1-509, 1-513, 1-521, 1-522, 1-523, 1-525, 1-558, 1-727, 1-728, 1-729, 1-730, 1-731, 1-732, 1-733, 1-734, 1-735, 1-963, 1-966, 1-967, 1-968, 1-969, 1-970, 1-971, 1-1169, 1-1171, 1-1172, 1-1174, 65 1-1467, 1-1471, 1-1472, 2-8, 2-34, 3-141, 3-142, 3-143, 3-144, 3-145, 3-148, 3-149, 3-150, 3-151, 3-335, 3-339,

326

3-342, 4-8, 4-34, 4-35, 5-4, 5-22, 5-143, 5-144, 5-150, 5-151, 5-340, 6-4, 6-267, 6-268, 6-273, 6-802.

BIOLOGICAL TEST EXAMPLE 4

Test for Organic Phosphorus Agent- and Carbamate Agent-Resistant *Myzus persicae*

About 30 to 50 of grown organic phosphorus agent- and carbamate agent-resistant *Myzus persicae* per seedling were inoculated to leaves at 2-leaf stage of eggplants grown in a pot of 6 cm in diameter, to which, after 1 day from the inoculation, the above prepared water-diluted solution of above active compound of the predetermined concentration was sufficiently sprayed with a spray gun. After the spraying, the pot was left in a greenhouse at room temperature for 7 days, followed by the pest-controlling rate calculated. The test was repeated twice.

Compound Nos. 1-143, 1-309, 1-314, 1-328, 1-356 and 3-142 showed a pest-controlling efficacy with 100% insecticidal rate at 100 ppm of an active ingredient concentration.

BIOLOGICAL TEST EXAMPLE 5

Amblyomma hebraeum—Test (AMBYHE)

Solvent: dimethyl sulfoxide

To produce a suitable preparation of active compound, 10 mg of active compound are dissolved in 0.5 ml solvent, and the concentrate is diluted with water to the desired concentration. Nymphs of the tick *Amblyomma hebraeum* are placed in perforated plastic beakers and immersed in aqueous compound solution for one minute. Ticks are transferred to a filter paper in a Petri dish and incubated in a climate chamber for 42 days.

After 42 days mortality in % is determined, 100% means that all the ticks have been killed; 0% means that none of the ticks have been killed.

In this test for example, the following compounds from the preparation examples showed good activity of 80% at application rate of 100 ppm: Compound Nos. 1-230, 1-307 and 1-340.

In this test for example, the following compounds from the preparation examples showed good activity of 85% at application rate of 100 ppm: Compound Nos. 1-238 and 1-404.

In this test for example, the following compounds from the preparation examples showed good activity of 90% at application rate of 100 ppm: Compound Nos. 1-118, 1-297, 1-305, 1-347, 1-467, 1-509 and 1-734.

In this test for example, the following compound from the preparation examples showed good activity of 95% at application rate of 100 ppm: Compound No. 1-313.

In this test for example, the following compounds from the preparation examples showed good activity of 100% at application rate of 100 ppm: Compound Nos. 1-3, 1-4, 1-8, 1-12, 1-19, 1-30, 1-36, 1-42, 1-81, 1-88, 1-143, 1-146, 1-150, 1-155, 1-162, 1-164, 1-186, 1-224, 1-231, 1-25, 1-258, 1-260, 1-285, 1-296, 1-297, 1-305, 1-307, 1-309, 1-312, 1-314, 1-319, 1-327, 1-329, 1-330, 1-338, 1-339, 1-340, 1-341, 1-345, 1-346, 1-347, 1-357, 1-380, 1-404, 1-499, 1-501, 1-729, 1-732, 1-733, 5-144 and 6-267.

BIOLOGICAL TEST EXAMPLE 6

Lucillia cuprina—Test

Solvent: dimethyl sulfoxide

To produce a suitable preparation of active compound, 10 mg of active compound are dissolved in 0.5 ml solvent, and the concentrate is diluted with water to the desired concentration. Approximately 20-30 (Lucilia cuprina larvae) are transferred into a test tube containing 1 cm³ of minced horse 10 meat and 0.5 ml aqueous dilution of test compound. After 2 days mortality in % is determined, 100% means that all the larvae have been killed; 0% means that none of the larvae have been killed.

In this test for example, the following compounds from the 15 preparation examples showed good activity of 80% at application rate of 100 ppm: Compound Nos. 1-87, 1-244, 1-694 and 4-9.

In this test for example, the following compounds from the preparation examples showed good activity of 90% at appli- 20 cation rate of 100 ppm: Compound Nos. 1-74, 1-79, 1-97, 1-306, 1-334, 1-336 and 2-69.

In this test for example, the following compounds from the preparation examples showed good activity of 95% at application rate of 100 ppm: Compound Nos. 1-243 and 1-257.

In this test for example, the following compounds from the preparation examples showed good activity of 100% at application rate of 100 ppm: Compound Nos. 1-3, 1-4, 1-8, 1-12, 1-19, 1-21, 1-24, 1-25, 1-30, 1-39, 1-40, 1-75, 1-77, 1-78, 1-81, 1-88, 1-99, 1-113, 1-118, 1-143, 1-145, 1-146, 1-150, 30 1-155, 1-162, 1-164, 1-173, 1-174, 1-180, 1-183, 1-186, 1-188, 1-198, 1-220, 1-222, 1-224, 1-227, 1-230, 1-231, 1-232, 1-238, 1-258, 1-260, 1-285, 1-295, 1-296, 1-297, 1-298, 1-299, 1-300, 1-301, 1-302, 1-303, 1-304, 1-305, 1-307, 1-308, 1-309, 1-312, 1-313, 1-314, 1-317, 1-319, 35 1-327, 1-329, 1-330, 1-338, 1-339, 1-340, 1-341, 1-345, 1-346, 1-347, 1-357, 1-36, 1-380, 1-381, 1-386, 1-404, 1-42, 1-458, 1-467, 1-468, 1-494, 1-495, 1-499, 1-500, 1-501, 1-503, 1-504, 1-505, 1-509, 1-558, 1-728, 1-729, 1-730, 1-732, 1-733, 1-734, 1-963, 1-966, 1-967, 1-968, 1-969, 40 1-970, 1-971, 2-34, 2-35, 3-141, 3-142, 3-143, 3-144, 3-145, 3-148, 3-149, 3-150, 3-151, 4-8, 4-21, 4-22, 4-34, 4-35, 5-142, 5-143, -5-144, 5-150, 5-22, 5-4, 6-267, 6-4 and 6-802.

BIOLOGICAL TEST EXAMPLE 7

Ctenocephalides felis—Test (CTECFE)

Solvent: dimethyl sulfoxide

To produce a suitable preparation of active compound, 10 50 mg of active compound are dissolved in 0.5 ml solvent, and the concentrate is diluted with cattle blood to the desired concentration. Approximately 10 to 15 adult unfed (Ctenocephalides felis) are placed in flea chambers. The blood chamber, are sealed with parafilm on the bottom are filled 55 cation rate of 100 ppm: Compound Nos. 1-231, 5-150 and with cattle blood supplied with compound solution and placed on top of the flea chamber, so that the fleas are able to suck the blood. The blood chamber is heated to 37° C. whereas the flea chamber is kept at room temperature. After 2 days mortality in % is determined. 100% means that all the 60 fleas have been killed; 0% means that none of the fleas have been killed.

In this test for example, the following compounds from the preparation examples showed good activity of 80% at application rate of 100 ppm: Compound Nos. 1-12, 1-19, 1-74, 65 1-118, 1-141, 1-145, 1-146, 1-150, 1-186, 1-503, 1-558, 1-734, 3-148, 4-22, 5-22 and 5-4.

328

In this test for example, the following compounds from the preparation examples showed good activity of 90% at application rate of 100 ppm: Compound Nos. 1-21, 1-79, 1-87, 1-113, 1-143, 1-155, 1-174, 1-198, 1-230, 1-232, 1-260, 1-458, 1-505, 1-509, 1-732 and 4-35.

In this test for example, the following compounds from the preparation examples showed good activity of 95% at application rate of 100 ppm: Compound Nos. 1-78, 1-99, 1-164, 1-173, 1-180, 1-188, 1-222, 1-224, 1-254, 1-298, 1-380, 1-499, 1-504, 1-969, 1-971, 3-145, 3-149, 3-151, 4-34, 4-8 and 5-143.

In this test for example, the following compounds from the preparation examples showed good activity of 100% at application rate of 100 ppm: Compound Nos. 1-3, 1-4, 1-7, 1-8, 1-30, 1-36, 1-40, 1-42, 1-81, 1-88, 1-77, 1-162, 1-183, 1-220, 1-227, 1-231, 1-238, 1-243, 1-244, 1-25, 1-257, 1-258, 1-285, 1-296, 1-297, 1-299, 1-301, 1-302, 1-303, 1-304, 1-305, 1-307, 1-308, 1-309, 1-312, 1-313, 1-314, 1-317, 1-319, 1-327, 1-329, 1-330, 1-338, 1-339, 1-340, 1-341, 1-345, 1-346, 1-347, 1-357, 1-381, 1-386, 1-393, 1-404, 1-467, 1-494, 1-495, 1-500, 1-501, 1-728, 1-729, 1-730, 1-733, 1-963, 1-966, 1-967, 1-968, 1-970, 2-34, 2-35, 3-141, 3-142, 3-143, 3-144, 4-21, 5-142, 5-144, 6-4 and 6-267.

BIOLOGICAL TEST EXAMPLE 8

Musca domestica—Test

Solvent: dimethyl sulfoxide

To produce a suitable preparation of active compound, 10 mg of active compound are dissolved in 0.5 ml solvent, and the concentrate is diluted with water to the desired concentration. Prior to the assay, a piece or kitchen sponge is soaked with a mixture of sugar and compound solution and placed into a container. 10 adults (Musca domestica) are placed into the container and closed with a perforated lid. After 2 days mortality in % is determined. 100% means that all the flies have beer killed; 0% means that none of the flies have been killed.

In this test for example, the following compounds from the preparation examples showed good activity of 80% at application rate of 100 ppm: Compound Nos. 1-8, 1-78, 1-304, 1-340, 1-504, 1-970, 2-69, 3-151 and 6-4.

In this test for example, the following compound from the preparation examples showed good activity of 85% at application rate of 100 ppm: Compound No. 5-4.

In this test for example, the following compounds from the preparation examples showed good activity of 90% at application rate of 100 ppm: Compound Nos. 1-39, 1-220, 1-238, 1-499 and 4-21.

In this test for example, the following compounds from the preparation examples showed good activity of 95% at appli-5-22.

In this test for example, the following compounds from the preparation examples showed good activity of 100% at application rate of 100 ppm: Compound Nos. 1-4, 1-42, 1-81, 1-88, 1-99, 1-118, 1-143, 1-146, 1-150, 1-155, 1-162, 1-183, 1-186, 1-224, 1-258, 1-285, 1-296, 1-297, 1-301, 1-302, 1-305, 1-307, 1-308, 1-309, 1-312, 1-313, 1-314, 1-319, 1-327, 1-329, 1-330, 1-338, 1-339, 1-341, 1-345, 1-346, 1-347, 1-357, 1-380, 1-381, 1-386, 1-404, 1-467, 1-494, 1-495, 1-500, 1-501, 1-509, 1-728, 1-729, 1-730, 1-963, 1-966, 1-967, 1-968, 2-34, 3-141, 3-142, 3-143, 3-144, 3-148, 3-149, 3-150, 4-8, 5-142, 5-143, 5-144 and 6-267.

BIOLOGICAL TEST EXAMPLE 9

Boophilus microplus (dip)

Solvent: dimethyl sulfoxide

To produce a suitable preparation of active compound, 10 mg of active compound are dissolved in 0.5 ml solvent, and the concentrate is diluted with water to the desired concentration. Eight to ten adult engorged female *Boophilus microplus* ticks are placed in perforated plastic beakers and 10 immersed in aqueous compound solution for one minute. Ticks are transferred to a filter paper in a plastic tray. Egg deposition of fertile eggs is monitored after. After 7 days mortality in % is determined. 100% means that all the ticks have been killed; 0% means that none of the ticks have been 15 killed.

In this test for example, the following compounds from the preparation examples showed good activity of 80% at application rate of 100 ppm: Compound Nos. 1-7, 1-77, 1-78, 1-174, 1-301, 1-305 and 1-558.

In this test for example, the following compounds from the preparation examples showed good activity of 90% at application rate of 100 ppm: Compound Nos. 1-302 and 1-467.

In this test for example, the following compounds from the preparation examples showed good activity of 95% at application rate of 100 ppm: Compound Nos. 1-162 and 1-164.

In this test for example, the following compounds from the preparation examples showed good activity of 100% at application rate of 100 ppm: Compound Nos. 1-3, 1-4, 1-12, 1-19, 1-25, 1-30, 1-36, 1-42, 1-74, 1-75, 1-81, 1-88, 1-118, 1-143, 30 1-145, 1-146, 1-150, 1-155, 1-173, 1-180, 1-186, 1-220, 1-224, 1-231, 1-258, 1-260, 1-285, 1-296, 1-297, 1-307, 1-309, 1-312, 1-314, 1-319, 1-327, 1-329, 1-330, 1-338, 1-339, 1-340, 1-341, 1-345, 1-346, 1-347, 1-357, 1-380, 1-461, 1-499, 1-500, 1-501, 1-728, 1-729, 1-730, 1-732, 35 1-963, 3-142, 3-143, 3-144, 3-149, 5-143 and 6-267.

BIOLOGICAL TEST EXAMPLE 10

Boophilus microplus—Test (Injection)

Solvent: dimethyl sulfoxide

To produce a suitable preparation of active compound, 10 mg of active compound are dissolved in 0.5 ml solvent, and the concentrate is diluted with solvent to the desired concentration. Five adult engorged female ticks (*Boophilus microplus*) are injected with compound solution into the abdomen. Ticks are transferred into replica plates and incubated in a climate chamber for a period of time. Egg deposition of fertile eggs is monitored. After 7 days mortality in % 50 is determined. 100% means that all eggs are infertile; 0% means that all eggs are fertile.

In this test for example, the following compounds from the preparation examples showed good activity of 100% at application rate of 20 µg/animal: Compound Nos. 1-3, 1-4, 1-7, 55 1-8, 1-12, 1-19, 1-24, 1-25, 1-30, 1-39, 1-40, 1-42, 1-74, 1-75, 1-77, 1-78, 1-79, 1-81, 1-87, 1-88, 1-97, 1-99, 1-113, 1-118, 1-141, 1-143, 1-145, 1-146, 1-150, 1-155, 1-162, 1-164, 1-173, 1-174, 1-180, 1-183, 1-186, 1-188, 1-198, 1-21, 1-220, 1-222, 1-224, 1-227, 1-230, 1-231, 1-232, 1-238, 1-243, 60 1-244, 1-254, 1-257, 1-258, 1-260, 1-270, 1-285, 1-295, 1-296, 1-297, 1-298, 1-299, 1-300, 1-301, 1-302, 1-303, 1-304, 1-305, 1-307, 1-308, 1-309, 1-312, 1-313, 1-314, 1-317, 1-319, 1-327, 1-329, 1-330, 1-334, 1-336, 1-338, 1-339, 1-340, 1-341, 1-345, 1-346, 1-347, 1-357, 1-36, 1-380, 65 1-381, 1-386, 1-404, 1-442, 1-446, 1-458, 1-467, 1-468, 1-494, 1-495, 1-499, 1-500, 1-501, 1-503, 1-504, 1-505,

330

1-509, 1-558, 1-694, 1-728, 1-729, 1-730, 1-732, 1-733, 1-734, 1-963, 1-966, 1-967, 1-968, 1-969, 1-970, 1-971, 2-34, 2-35, 2-69, 3-141, 3-142, 3-143, 3-144, 3-145, 3-146, 3-148, 3-149, 3-150, 3-151, 4-21, 4-22, 4-34, 4-35, 4-8, 5-142, 5-143, 5-144, 5-150, 5-22, 5-4, 6-267, 6-4, 6-802, 7-12 and 7-13

Comparison of the Biological Activity of Compounds According to the Invention and Compounds Described in WO2008/128711

Compound No. 1-143 and the following compound which in WO2008/128711 is listed as compound No. 3-5 are tested in the *Amblyomma hebraeum*—test (AMBYHE) under the conditions described above.

Compound Nor. 3-5 according to WO2008/128711

The results are as follows

Compound No.	Activity at 4 ppm	Activity at 0.8 ppm
No. 1-143 (accord. to the invention	100%	100%
No. 3-5 according to WO2008/128711	70%	10%

PREPARATION EXAMPLE 1

Granules

To a mixture containing 10 parts of the compound of the present invention (No. 1-3), 30 parts of bentonite (montmorillonite), 58 parts of talc and 2 parts of lignin sulfonate was added 25 parts of water, and the mixture was well kneaded and granulated with 10 to 40 meshes by an extruding granulator and dried at 40 to 50° C. to obtain granules.

PREPARATON EXAMPLE 2

Granules

95 parts of clay mineral granules having particle diameter distribution within the range of 0.2 to 2 mm were put into a rotary mixer, and then wetted evenly by spraying of 5 parts of the compound of the present invention (No. 1-3) together with a liquid diluent under rotating condition and dried at 40 to 50° C. to obtain granules.

PREPARATION EXAMPLE 3

Emulsion

30 parts of the compound of the present invention (No. 1-3), 55 parts of xylene, 8 parts of polyoxyethylene alkyl phenyl ether and 7 parts of calcium alkylbenzenesulfonate were mixed together to obtain the emulsion.

25

35

PREPARATION EXAMPLE 4

Wettable Agent

15 parts of the compound of the present invention (No. 5 1-3), 80 parts of a mixture of white carbon (hydrated amorphous silicon oxide fine powder) and powdered clay (1:5), formalin condensate of 2 parts of sodium alkylbenzenesulfonate and 3 parts of sodium alkylnaphthalenesulfonate were mixed together and the mixture was crushed to obtain a 10 wettable agent.

PREPARATION EXAMPLE 5

Wettable Granules

20 parts of the active compound of the present invention (No. 1-3), 30 parts of lignin sodium sulfonate, 15 parts of bentonite and 35 parts of calcined diatomaceous earth powder were well mixed, and after addition of water, the mixture was 20 then extruded with a screen of 0.3 mm and dried to obtain wettable granules.

The invention claimed is:

1. An arylpyrrolidine compound having the formula

$$X^{2-1}$$
 X^{2-1}
 X^{2

or salts thereof,

wherein

A¹ represents C— Y^{2-4} or nitrogen; X¹, X²⁻¹, X²⁻², X²⁻³ and X²⁻⁴ each independently repre- 40 sents hydrogen, halogen, nitro, cyano, hydroxy, mercapto, amino, alkyl, haloalkyl, alkoxy, haloalkoxy, alkylsulfanyl, alkylsulfinyl, alkylsulfonyl, haloalkylsulfanyl, haloalkylsulfinyl, haloalkylsulfonyl, acylamino, alkoxycarbonylamino, haloalkoxycarbonylamino, 45 alkoxyimino, haloalkoxyimino, alkylsulfonylamino, or pentafluorosulfur;

 Y^{2-1} , Y^{2-3} , and Y^{2-4} each independently represents hydrogen, halogen, nitro, cyano, hydroxy, mercapto, amino, alkyl, haloalkyl, cycloalkyl, cyclohaloalkyl, alkenyl, 50 alkynyl, alkoxy, haloalkoxy, alkylsulfanyl, alkylsulfinyl, alkylsulfonyl, haloalkylsulfanyl, haloalkylsulfinyl, haloalkylsulfonyl, alkylsulfonyloxy, haloalkylsulfonyloxy, alkylaminosulfonyl, haloalkylaminosulfonyl, dialkylaminosulfonyl, di(haloalkyl)aminosulfonyl, 55 alkylamino, dialkylamino, acylamino, alkoxycarbonylamino, haloalkoxycarbonylamino, alkylsulfonylamino, haloalkylsulfonylamino, trialkylsilyl, alkoxyimino, haloalkoxyimino, alkoxyiminoalkyl, haloalkoxyiminoalkyl, alkylsulfinylimino, alkylsulfinyliminoalkyl, alkylsulfinyliminoalkylcarbonyl, alkylsulfoxyimino, alkylsulfoxyiminoalkyl, alkoxycarbonyl, alkylcarbonyl, aminocarbonyl, alkylaminocarbonyl, aminothiocarbonyl, alkylaminothiocarbonyl, dialkylaminocarbonyl, or dialkylaminothiocarbonyl;

R³ and R⁴ each independently represents hydrogen, cyano, alkyl, alkenyl, alkynyl, cycloalkyl or alkoxycarbonyl;

332

R⁵⁻¹ represents hydrogen, amino, hydroxy, cyano, alkyl, haloalkyl, cycloalkyl, alkenyl, alkynyl, alkoxy, aminocarbonylalkyl, iminoalkyl, alkylcarbonyl, alkylcarbonylamino, alkylimino, aryl, aralkyl, a heterocycle, a heterocyclic ring substituted alkyl, R⁷—C(=O)—, or R^{7} —C(=S)—;

 $\begin{array}{l} R^{6\text{--}1} \ \text{represents} \ C_{3\text{--}6} \text{cycloalkyl}(C_{1\text{--}4}) \text{alkylcarbonyl}, \ C_{1\text{--}4} \text{alkoxy}(C_{1\text{--}4}) \text{alkylcarbonyl}, \ C_{1\text{--}4} \text{alkyl-S}(C_{1\text{--}4}) \text{alkylcarbonyl}, \end{array}$ bonyl, C₁₋₄alkyl-SO(C₁₋₄)alkylcarbonyl, C₁₋₄ alkyl-SO₂(C₁₋₄)alkylcarbonyl,

R⁷ represents phenyl or a saturated or unsaturated heterocyclic ring.

2. The arylpyrrolidine compound of claim 1, wherein X^1 , X^{2-1} , X^{2-2} , X^{2-3} and X^2-4 each independently represents hydrogen, halogen or haloalkyl;

Y²⁻¹, Y²⁻³, and Y²⁻⁴ each independently represents hydrogen, halogen, alkyl, haloalkyl, alkoxy, cycloalkyl, haloalkoxy, alkylsulfonyl, or haloalkylsulfinyl;

R³, R⁴ each independently represents hydrogen or alkyl; R⁵⁻¹ represents hydrogen, alkyl, or haloalkyl; and

represents C_{3-6} cycloalkyl (C_{1-4}) alkylcarbonyl, C_{1-4} alkoxy (C_{1-4}) alkylcarbonyl, C_{1-4} alkyl- $S(C_{1-4})$ alkylcarbonyl, C_{1-4} alkyl-SO(C_{1-4})alkylcarbonyl, C_{1-4} alkyl-SO₂(C₁₋₄)alkylcarbonyl,

3. The arylpyrrolidine compound of claim 1, wherein

X¹, Y²⁻¹, Y²⁻², Y²⁻³ and X²⁻⁴ each independently represents hydrogen, halogen or C₁₋₄-haloalkyl; Y²⁻¹, Y²⁻³, and Y²⁻⁴ each independently represents hydrogen, halogen, C₁₋₄-alkyl, C₁₋₄-alkoxy, C₁₋₄-haloalkoxy, C₃₋₆-cycloalkyl, C₁₋₄-haloalkyl, C₁₋₄-alkylsulfanyl, or C₁₋₄-haloalkylsulfanyl;

R³ or R⁴ independently of each other represents hydrogen; $R^{5\text{--}1}$ represents hydrogen, $C_{1\text{--}4}$ alkyl or $C_{1\text{--}4}$ -haloalkyl; and R⁶⁻¹ is selected from the group consisting of

4. The arylpyrrolidine compound of claim **2**, wherein at least one of X^1 , X^{2-1} , X^{2-2} , X^{2-3} and X^{2-4} is hydrogen.

5. The arylpyrrolidine compound of claim **2**, wherein at least one of X^1 , X^{2-2} , and X^{2-4} is hydrogen.

6. The arylpyrrolidine compound of claim **2**, wherein X^1 and X^{2-4} are hydrogen, and X^{2-1} , X^{2-2} , and X^{2-3} each independently is selected from the group consisting of CF₃, F, Cl, 25 and Br.

7. An arylpyrrolidine compound having the formula

(C-III) 30

$$X^{2-1}$$
 X^{2-1}
 X^{2

or salts thereof, wherein

X¹, X²⁻¹, X²⁻², X²⁻³ and X²⁻⁴ each independently represents hydrogen, halogen, nitro, cyano, hydroxy, mercapto, amino, alkyl, haloalkyl, alkoxy, haloalkoxy, ⁴⁵ alkylsulfanyl, alkylsulfinyl, alkylsulfonyl, haloalkylsulfanyl, haloalkylsulfinyl, haloalkylsulfonyl, acylamino, alkoxycarbonylamino, haloalkoxycarbonylamino, or pentafluorosulfur;

Y²⁻³ and Y²⁻⁴ each independently represents hydrogen, halogen, nitro, cyano, hydroxy, mercapto, amino, alkyl, haloalkyl, cycloalkyl, cyclohaloalkyl, alkenyl, alkynyl, alkoxy, haloalkoxy, alkylsulfanyl, alkylsulfinyl, alkylhaloalkylsulfanyl, sulfonyl, haloalkylsulfinyl, haloalkylsulfonyl, alkylsulfonyloxy, haloalkylsulfonyloxy, alkylaminosulfonyl, haloalkylaminosulfonyl, dialkylaminosulfonyl, di(haloalkyl)aminosulfonyl, alkylamino, dialkylamino, acylamino, alkoxycarbonylamino, haloalkoxycarbonylamino, alkylsulfonylamino, haloalkylsulfonylamino, trialkylsilyl, alkoxyimino, haloalkoxyimino, alkoxyiminoalkyl, haloalkoxyiminoalkyl, alkylsulfinylimino, alkylsulfinyliminoalkyl, alkylsulfinyliminoalkylcarbonyl, alkylsulfoxyimino, 65 alkylsulfoxyiminoalkyl, alkoxycarbonyl, alkylcarbonyl, aminocarbonyl, alkylaminocarbonyl, aminothiocarbonyl, alkylaminothiocarbonyl, dialkylaminocarbonyl, or dialkylaminothiocarbonyl;

R³ and R⁴ each independently represents hydrogen, cyano, alkyl, alkenyl, alkynyl, cycloalkyl or alkoxycarbonyl;

R⁵⁻¹ represents hydrogen, amino, hydroxy, cyano, alkyl, haloalkyl, cycloalkyl, alkenyl, alkynyl, alkoxy, aminocarbonylalkyl, iminoalkyl, alkylcarbonyl, alkylcarbonylamino, alkylimino, aryl, aralkyl, a heterocycle, a heterocyclic ring substituted alkyl, R⁷—C(=O)—, or R⁷—C(=S)—;

 $R^{6\text{-}1}$ represents $C_{3\text{-}6}$ cycloalkyl $(C_{1\text{-}4})$ alkylcarbonyl, $C_{1\text{-}4}$ alkoxy $(C_{1\text{-}4})$ alkylcarbonyl, $C_{1\text{-}4}$ alkyl-S $(C_{1\text{-}4})$ alkylcarbonyl, $C_{1\text{-}4}$ alkyl-SO $(C_{1\text{-}4})$ alkylcarbonyl, $C_{1\text{-}4}$ alkyl-SO $(C_{1\text{-}4})$ alkylcarbonyl, $C_{1\text{-}4}$ alkylcarbonyl,

R⁷ represents phenyl or a saturated or unsaturated heterocyclic ring.

8. The arylpyrrolidine compound of claim **7**, wherein $X_1, X^{2-1}, X^{2-2}, X^{2-3}$ and X^{2-4} each independently repre-

X₁, X²⁻¹, X²⁻², X²⁻³ and X²⁻⁴ each independently represents hydrogen, halogen or haloalkyl;

Y²⁻³ and Y²⁻⁴ each independently represents hydrogen, halogen, alkyl, haloalkyl, alkoxy, cycloalkyl, haloalkoxy, alkylsulfonyl, or haloalkylsulfinyl;

R³ and R⁴ each independently represents hydrogen or alkyl;

R⁵⁻¹ represents hydrogen, alkyl, or haloalkyl; and

 $R^{6\text{-}1}$ represents $C_{3\text{-}6} \text{cycloalkyl}(C_{1\text{-}4}) \text{alkylcarbonyl}, \\ C_{1\text{-}4} \text{alkoxy}(C_{1\text{-}4}) \text{alkylcarbonyl}, \\ C_{1\text{-}4} \text{alkyl-SO}(C_{1\text{-}4}) \text{alkylcarbonyl}, \\ C_{1\text{-}4} \text{alkyl-SO}(C_{1\text{-}4}) \text{alkylcarbonyl}, \\ C_{1\text{-}4} \text{alkyl-sonyl}, \\ C_{1\text{-}4} \text{alkylcarbonyl}, \\ C_{1$

9. The arylpyrrolidine compound of claim 7, wherein $X^1, X^{2-1}, X^{2-2}, X^{2-3}$ and X^{2-4} each independently represents hydrogen, halogen or C_{1-4} -haloalkyl;

Y²⁻³ and Y²⁻⁴ each independently represents hydrogen, halogen, C_{1-4} -alkyl, C_{1-4} -alkoxy, C_{1-4} -haloalkoxy, C_{3-6} -cycloalkyl, C_{1-4} -haloalkyl, C_{1-4} -haloalkylsulfanyl, or C_{1-4} -haloalkylsulfanyl;

R³ and R⁴ independently of each other represents hydrogen:

 R^{5-1} represents hydrogen, C_{1-4} alkyl or C_{1-4} haloalkyl; and R^{6-1} is selected from the group consisting of

- 10. The arylpyrrolidine compound of claim 7, wherein at 20 least one of X^1 , X^{2-1} , X^{2-2} , X^{2-3} and A^{2-4} is hydrogen.
- 11. The arylpyrrolidine compound of claim 7, wherein at least one of X^1 , X^{2-2} , and X^{2-4} is hydrogen.
- 12. The arylpyrrolidine compound of claim 7, wherein X^1 and X^{2-4} are hydrogen, and X^{2-1} , X^{2-2} , and X^{2-3} each independently is selected from the group consisting of CF_3 , F, CI, and Br
- 13. A composition comprising one or more compounds selected from the compounds according to claim 1 and one or $_{30}$ more diluents, emulsifiers, or a combination thereof.
- 14. A composition comprising one or more compounds selected from the compounds according to claim 3 and one or more diluents, emulsifiers, or a combination thereof.
- **15**. A composition comprising one or more compounds ³⁵ selected from the compounds according to claim **7** and one or more diluents, emulsifiers, or a combination thereof.
- 16. A composition comprising one or more compounds selected from the compounds according to claim 9 and one or more diluents, emulsifiers, or a combination thereof.
- 17. A method for controlling plant damaging animal pests comprising applying the composition according to claim 13 or 14 to said pests, their habitat, or a combination thereof.
- **18**. The method of claim **17**, wherein the composition 45 according to claim **14** is applied to said pests, their habitat, or a combination thereof.
- 19. A method for controlling parasites in or on an animal comprising administering the composition according to claim 15 or 16 to said animal.
- 20. The method of claim 19, wherein the composition according to claim 16 is applied to said animal.
- 21. A method for treating seeds of conventional or transgenic plants comprising administering the composition 55 according to claim 13 or 14 to said seeds.
- 22. The method of claim 21, wherein the composition according to claim 14 is applied to said seeds.
- 23. The arylpyrrolidine compound of claim 1, wherein the compound is

$$CI$$
 F_3C
 N
 N
 $OMe.$
 CF_3

 ${\bf 24}.$ The arylpyrrolidine compound of claim 1, wherein the compound is

25. The arylpyrrolidine compound of claim 1, wherein the compound is

$$CI$$
 F_3C
 N
 N
 SCH_3 .

26. The arylpyrrolidine compound of claim 1, wherein the compound is

27. A composition comprising any of the compounds according to any of claims 23-26 and one or more diluents, emulsifiers, or a combination thereof.

* * * * *