

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2004286780 B2**

(54) Title
Improved detergent composition with benefit agents

(51) International Patent Classification(s)
A61K 8/06 (2006.01) **A61Q 15/00** (2006.01)
A61Q 5/00 (2006.01) **A61Q 19/10** (2006.01)

(21) Application No: **2004286780** (22) Date of Filing: **2004.10.22**

(87) WIPO No: **WO05/044212**

(30) Priority Data

(31) Number	(32) Date	(33) Country
1166/MUM/2003	2003.11.06	IN

(43) Publication Date: **2005.05.19**

(44) Accepted Journal Date: **2007.11.15**

(71) Applicant(s)
Unilever PLC

(72) Inventor(s)
Krishnan, Venkateswaran;Sivakumar, Ananthasubramanian;Shah, Pankaj Chadrakant

(74) Agent / Attorney
Davies Collison Cave, 255 Elizabeth Street, Sydney, NSW, 2000

(56) Related Art
US 4,252,796 (Ruey J. Yu et al)
WO 01/07001 A1 (Fischer Pharmaceuticals Ltd.)
US 6,241,976 B1 (I.C. Esser et al)

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
19 May 2005 (19.05.2005)

PCT

(10) International Publication Number
WO 2005/044212 A1

(51) International Patent Classification⁷: **A61K 7/32**

(21) International Application Number:
PCT/EP2004/012091

(22) International Filing Date: 22 October 2004 (22.10.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
1166/MUM/2003 6 November 2003 (06.11.2003) IN

(71) Applicant (for AE, AG, AU, BB, BW, BZ, CA, CY, EG, GB, GD, GH, GM, IE, IL, KE, LC, LK, LS, MN, MW, NA, NZ, OM, PG, SC, SD, SG, SL, SZ, TT, TZ, UG, VC, ZA, ZM, ZW only): **UNILEVER PLC** [GB/GB]; Unilever House, Blackfriars, London Greater, London EC4P 4BQ (GB).

(71) Applicant (for AL, AM, AT, AZ, BA, BE, BF, BG, BJ, BR, BY, CF, CG, CH, CI, CM, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, FR, GA, GE, GN, GQ, GR, GW, HR, HU, ID, IS, IT, JP, KG, KP, KR, KZ, LR, LT, LU, LV, MA, MC, MD, MG, MK, ML, MR, MX, MZ, NE, NI, NL, NO, PH, PL, PT, RO, RU, SE, SI, SK, SN, SY, TD, TG, TJ, TM, TN, TR, UA, UZ, VN, YU only): **UNILEVER NV** [NL/NL]; Weena 455, NL-3013 AT, Rotterdam (NL).

(71) Applicant (for IN only): **HINDUSTAN LEVER LIMITED** [IN/IN]; Hindustan Lever House, 165/166 Backbay Reclamation, Maharashtra, Mumbai 400 020 (IN).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **KRISHNAN, Venkateswaran** [IN/IN]; Hindustan Lever Ltd, Research

Centre, 64 Main Road, Whitefield P.O., Bangalore 560 066 (IN). **SHAH, Pankaj, Chadrakant** [IN/IN]; Hindustan Lever Ltd, Research Centre, Chakala, Andheri (East), Mumbai 400 099 (IN). **SIVAKUMAR, Ananthasubramanian** [US/IN]; Hindustan Lever Ltd, Research Centre, Chakala, Andheri (East), Mumbai 400 099 (IN).

(74) Agent: **MULDER, Cornelis, Willem, Reinier**; Unilever Intellectual Property Group, Patent Department, Colworth House, Sharnbrook, Bedford Bedfordshire MK44 1LQ (GB).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: IMPROVED DETERGENT COMPOSITION WITH BENEFIT AGENTS

(57) Abstract: A water-in-oil emulsion system as a storage stable carrier of high pH sensitivity benefit agents or actives comprising i) an aqueous phase including at least one water soluble and/or dispersible benefit agent; ii) a hydrophobic protective carrier phase for the aqueous phase containing the benefit agent; and iii) an emulsifier or a dispersant. Also provided is a rinse off non-liquid cleansing composition comprising the water-in-oil emulsion system and a second phase which is a continuous alkaline phase.



WO 2005/044212 A1

- 1 -

IMPROVED DETERGENT COMPOSITION WITH BENEFIT AGENTS

The present invention relates to a non liquid (e.g. solid or
5 bar) rinse-off cleansing composition, especially surfactant
based high pH compositions having at least one pH sensitive
benefit agent dispersed in a hydrophobic phase as a solid
and/or as an aqueous solution/dispersion.

10 The invention thus provides for effective incorporation of
pH sensitive benefit agents in various high pH cosmetics
and/or detergent formulations, especially in high pH
formulations which degrade and/or affect the benefit
characteristics of the benefit agent when in direct contact
15 with such high alkaline pH of the base formulation. The
invention also relates to cosmetic/detergent formulations
comprising protective pH sensitive benefit agents
incorporated, so as to favour wider effective
use/application of the benefit agents even in environments
20 which are not usually compatible with respect to the basic
constitution and character of the benefit agent.

It is well known that the cosmetic/detergent base
formulations can determine the extent of efficacy of the
25 formulation in imparting desired consumer attributes, in
terms of the product form and usage benefits.

WO 02/087516 A2 discloses an antiperspirant stick
formulation in which a particulate antiperspirant salt is
30 suspended in a water immiscible carrier oil of which the
major fraction is a hydrocarbon oil, the carrier oil is

- 2 -

being solidified by a mixture of C14-C22 linear aliphatic monohydric alcohols, of which mixtures the C14-C16 alcohols represent from 15-65% by wt. Importantly, this patent is directed to a selective antiperspirant formulation to

5 address problems of antiperspirant stick unevenness usually found in alcohol structured antiperspirant sticks, by providing a wax based stick employing a selective hydrocarbon oil as the main carrier fluid.

10 US 2003/0152539 A1 discloses an antiperspirant composition which is formulated based on the surprising finding that antiperspirant compositions containing petrolatum, a material that was previously known for inhibiting product wash-off and antiperspirant efficacy, can be formulated to

15 deliver consumer perceived improvement in product wash-off and antiperspirant efficacy, provided that the petrolatum is formulated at relatively low concentrations of from about 0.05 % to about 0.95 %.

20 The above go to show the need for improving consumer attributes in various product formulations, both in terms of product form, as well as the efficacy in use/application. It is, however, experienced that whilst benefit agents and their incorporation in cosmetic/detergent base formulations

25 is useful to impart consumer perceivable end use benefits and add value to the product, it is important to ascertain the compatibility of the benefit agent desired to be incorporated in the base formulation, as otherwise the presence of the benefit agent can degrade the product during

30 storage, and/or affect the usual properties of the benefit agent.

- 3 -

US 6,306,806 discloses aqueous liquid cleansing and moisturising compositions, wherein the problem of interaction of the benefit agent with the base formulation is taken care of in providing a dual chamber dispenser, wherein a surfactant/base containing stripe is provided in one chamber, and a water-in-oil emulsion containing benefit stripe is provided in the other chamber, whereby only during use two separate stripes of the liquids in the respective chambers come out. Thus, the beneficial use of the benefit agent is achieved without allowing any direct interaction of the surfactant base and the benefit agent until use, to achieve enhanced deposition of the benefit agent.

It would be further apparent from the above US'806 reference that to maintain desired efficacy in terms of the deposition of the benefit agent during use, it is essential to keep the base liquid formulation and the benefit agent in physically separated chambers. Otherwise, when the water-in-oil emulsion containing the benefit agent is directly dispersed in the water based basic formulation, due to interaction of the base with the water-in-oil incorporated active benefit agent, there is clear loss of efficacy in deposition of active. This goes to show that even providing the active in a water-in-oil system is not sufficient for achieving desired deposition in use, and direct contact of the active in the water-in-oil emulsion is essentially to be avoided.

The above problems of non-compatibility of benefit agents when in direct contact with cosmetic and detergent formulations would be further evident from the fact that very often various product forms, apart from loss in

- 4 -

efficacy in deposition of the active benefit agent, also show problems of instability/degradation in the product appearance. This can not only lead to loss of consumer appeal of the product, but can even render the product form
5 not suitable for use.

It is thus well known that one needs to carefully select the benefit agent in the basic cosmetic/detergent formulation, in which the same is required to be incorporated and also
10 the manner in which the benefit agent is to be incorporated in the base formulation, keeping in view also the product form and use.

Thus antiperspirant compositions which are usually low pH
15 /mild formulations and can involve direct incorporation of various forms of antiperspirant agents such as aluminum containing and/or zirconium containing salts, or materials such as aluminum halides, aluminum chlorohydrate, aluminum hydroxyhalides, zirconyl oxyhalides, zirconyl hydroxyhalides
20 and mixtures thereof, for controlling or inhibiting underarm perspiration, wetness and odor.

It is found that when such antiperspirant actives are directly incorporated in alkaline high pH base formulations
25 such as is usually in case of detergent base formulations, the antiperspirant active usually react and lose their identity in the product form. In particular, it is found that direct incorporation of Aluminum Chlorohydrate (ACH) solution, a well known antiperspirant active, in high pH
30 detergent formulations was not possible because the same

- 5 -

immediately reacted with the base formulation, and in the process resulted in precipitation of ACH.

Therefore, whilst such antiperspirants have their benefit
5 characteristics which could well advantageously be
introduced into detergent formulations, due to problems of
incompatibility of the antiperspirant active with the
alkaline detergent base the use of antiperspirant actives
has been limited to only leave-on compositions. This
10 necessarily is a clear limitation in the advantageous use of
antiperspirant actives as benefit agents in detergent
formulations.

Similar problems of incompatibility of benefit agents with
15 certain cosmetic/detergent formulations leading to
degradation of product are also noticed in direct
incorporation of niacinamide, a skin whitening active, in
soaps again with a high pH formulation. It is found that
niacinamide when incorporated in soap at levels beyond 0.1 %
20 interacts with the soap base, resulting in unwanted
coloration of the product. This is again a major problem,
since while use of niacinamide in soap could add value to
the product, the coloration resulting from incorporation of
niacinamide makes the soap bar aesthetically unacceptable.
25 Importantly, since for effective use of niacinamide in such
formulations, the same needs to be incorporated at levels
beyond 0.1 %, it's presence in soap formulations is avoided
due to the above mentioned discoloration and degradation of
the product.

30

- 6 -

Also the incorporation of benefit agents such as high levels of inorganic salts in high pH soap formulations is found to lead to problems of efflorescence. Therefore, whilst such inorganic salts and their incorporation are supposed to
5 serve a beneficial purpose and add value to the soap product, such problems of efflorescence limit their use and application in soap based formulations.

Also, in some end use applications of such inorganic salts
10 such as low water usage products, the salts are preferably required to be released into water from the soap bar at a later stage to produce the desired effect, and add value and purpose in the incorporation of such benefit agents in the soap product. Therefore, not only is there problem in
15 direct incorporation of such salts in high pH soap formulations, moreover their purpose may require delayed release of the active during use, which adds to the complexities of incorporating such actives in the soap product.

20

It would be clearly apparent from the above that whilst actives and their incorporation in soap formulations are advantageous and required to add value to the product, it is difficult to formulate high pH soap with direct
25 incorporation of various benefit agents/actives which are not compatible with the soap base formulation, and lead to either degradation of the product and/or loss of benefit actives/characteristics of the benefit agent, making their incorporation of no use.

30

Thus the present invention seeks to be able to provide for incorporation of pH sensitive benefit agents which may not be compatible for direct incorporation in non-liquid high pH base formulations such as alkaline soap base formulations.

5 On the one hand this helps avoid problems of incompatibility and product degradation in use of such benefit agents experienced in the art as discussed above, and on the other hand also helps ensure that the efficacy of the benefit agent in the product form is maintained during storage and

10 in subsequent use/application.

The present invention also seeks to be able to provide for a simple and selective protective carrier for incorporating pH sensitive benefit agents/actives in high pH non-liquid soap

15 formulations. On the one hand this would avoid any unwanted product degradation by interaction of the benefit agent with the soap base formulation until use of the formulation, and on the other hand this would also help ensure that the efficacy of the benefit agent in the product form is

20 maintained during storage and in subsequent use/application.

Furthermore the present invention seeks to be able to provide for formulations such as non-liquid soap/detergent formulations having high pH sensitive benefit

25 agents/actives, whereby the soap composition can not only incorporate such pH sensitive incompatible benefit agents/actives, but would also be adapted to release such benefit agent only when required during use/application of the soap formulation, thereby maintaining desired efficacy.

In addition the present invention seeks to be able to provide for high detergent active based rinse-off non-liquid cleaning compositions incorporating incompatible benefit actives which may be selected from antiperspirant agents, skin lightening agents, perfuming agents, water softening agents, easy rinse-off agents and malodor controlling benefit agents, which would enable storage-stable incorporation of such actives and maintain desired efficacy in subsequent use/application of the product.

10

Thus according to a first aspect of the present invention, there is provided a rinse-off non-liquid cleansing composition comprising a continuous alkaline phase of one or more surfactants and a dispersed phase comprising one or more hydrophobic materials, wherein at least one high pH sensitive water-soluble/dispersible benefit agent is dispersed in the hydrophobic phase. This will have the effect of maintaining the same storage stable and provide desired benefit action during use.

20

In accordance with a preferred aspect, there is provided a rinse-off cleansing composition comprising a continuous alkaline phase of one or more surfactants and a dispersed phase comprising one or more hydrophobic materials, wherein at least one high pH sensitive water-soluble/dispersible benefit agent is dispersed in the hydrophobic phase as a solid and/or as an aqueous solution/dispersion so as to maintain the same storage stable and desired benefit action during use.

30

- 9 -

According to further preferred aspect of the present invention, there is provided a water-in-oil emulsion system as a storage stable carrier of high pH sensitive benefit agents/actives comprising:

- 5 i) an aqueous phase including at least one water-soluble and/or dispersible benefit agent;
- ii) a hydrophobic protective carrier for the aqueous phase containing the benefit agent; and
- iii) an emulsifier/dispersant.

10

In accordance with a further preferred aspect of the invention, there is provided a water-in-oil emulsion system for storage stable carrier of benefit agents/actives in high pH formulations comprising:

- 15 a) a water-in-oil emulsion comprising:
- i) an aqueous phase including at least one water soluble and/or dispersible high pH sensitive benefit agent;
- ii) a hydrophobic protective carrier for said aqueous phase containing the benefit agent;
- 20 iii) an emulsifier; and
- b) a high pH base formulation.

In the above disclosed water-in-oil emulsion of the invention the active typically comprises 1 % to 70 % by wt. including at least one high pH sensitive water soluble and/or dispersible benefit agent; the hydrophobic protective carrier typically comprises 20 % to 95 % by wt.; and the emulsifier/dispersant typically comprises in amount of 0.5 % to 5 % by wt. Importantly, if the benefit agent is water-

25

30 soluble and incorporated in the selective water-in-oil

- 10 -

emulsion, then the actives can be added up to the solubility limit.

It is found that by way of the above invention that if the
5 pH sensitive benefit agent is provided dispersed in the hydrophobic phase so as to maintain the same storage stability and desired benefit action during use, including the selective water-in-emulsion system, the same can be effectively stored free of any interaction, in combination
10 with any high pH reactive base media, until the system is purposively subjected to any interactive actions, whereby the active is released from the system for the effective use/application.

15 The invention therefore not only favours the incorporation of the pH sensitive benefit agent in high pH formulations, but essentially serves the dual purpose of maintaining desired non-reactive storage of the high pH base and the pH sensitive benefit agent, as well as the desired efficacy
20 during use, even in such adverse high pH environments.

In accordance with another aspect of the present invention, there is provided a rinse-off soap/detergent based cleansing composition comprising:

- 25 - 5 % to 80% detergent active comprising a continuous alkaline phase; and
- a dispersed phase comprising one or more hydrophobic materials, wherein at least one high pH sensitive water-soluble/dispersible benefit agent is
30 dispersed in the hydrophobic phase so as to maintain the

- 11 -

same storage stability and desired benefit action during use.

In accordance with another aspect of the present invention,
5 there is provided a soap/detergent based composition comprising:

- 5 % to 80 % detergent active comprising a continuous alkaline phase;
- the dispersed phase comprising one or more
10 hydrophobic materials including a water-in-oil emulsion system as a storage stable carrier of benefit agents/actives comprising (i) an aqueous phase including at least one water soluble and/or dispersible benefit agent, (ii) a hydrophobic protective carrier for the aqueous phase containing benefit
15 agent/active, and (iii) an emulsifier/dispersant

In accordance with yet another preferred aspect of the present invention, there is provided a soap/detergent based composition comprising:

- 20 - 5 % to 80% detergent active comprising a continuous alkaline phase;
- the dispersed phase comprising one or more hydrophobic materials including a water-in-oil emulsion system as a storage stable carrier of benefit agents/actives
25 comprising (i) an aqueous phase including at least one water soluble and/or dispersible benefit agent (ii) a hydrophobic protective carrier, preferably oil based, with or without oil soluble additives for the aqueous phase containing benefit agent/active, and (iii) an emulsifier/dispersant.

30

- 11A -

As now claimed according to one aspect the present invention provides a rinse off non-liquid cleansing composition comprising a) a dispersed phase of a water-in-oil emulsion system as a storage stable carrier of high pH sensitivity benefit agents or actives comprising i) an aqueous phase including at least one water soluble and/or dispersible benefit agent; ii) a hydrophobic protective carrier phase for the aqueous phase containing the benefit agent; and iii) an emulsifier or a dispersant; and b) a continuous alkaline phase.

- 12 -

In the above dispersed phase comprising the benefit agent carrier of the invention, the benefit agent can range from any conventional available benefit agents such as antiperspirants, skin whitening agents, perfuming agents,
5 water softening agents, rinse-off agents and malodor controlling benefit agents and other conventional benefit actives.

In accordance with some preferred aspects of the invention,
10 the benefit agent can be selectively high pH sensitive ACH as an antiperspirant which, when incorporated in the dispersed phase comprising one or more hydrophobic materials and incorporated in a soap formulation, would avoid the problems of ACH precipitation usually encountered upon
15 direct incorporation of ACH in alkaline soap formulations. Thus, the formulation of the invention would serve as a protective carrier for the active in the soap base involving incorporation of such antiperspirant in soap formulations to add consumer attributes to the soap product.

20 Likewise, using the above dispersed phase comprising one or more hydrophobic materials, it is possible to incorporate other usually non-compatible pH sensitive benefit agents in soap formulations such as Niacinamide (a skin whitening
25 aid), PO_4 (a water softening benefit agent) water-soluble inorganic salts such as Ca and Mg (as an easy to rinse benefit aid) and protein based actives (such as e.g. malodor preventing agents).

30 Depending upon the purpose and the selected base formulation used, the active is selectively provided in amounts such as

- 13 -

to be maintained in storage stable state solubilized and/or dispersed in the oil phase.

In accordance with another aspect of the present invention,
5 there is provided a process for manufacture of a rinse-off non-liquid cleansing composition comprising:

i) providing a continuous alkaline phase of one or more surfactants; and

ii) a dispersed phase comprising one or more
10 hydrophobic materials, wherein at least one high pH sensitive water- soluble/dispersible benefit agent is dispersed in the hydrophobic phase so as to maintain the same storage stability and desired benefit efficacy during use.

15

The above process of manufacture involving the continuous alkaline phase and the dispersed phase including the benefit agent can be obtained following conventional non-liquid soap/detergent manufacture processes such as cast route,
20 plodding and the like.

In accordance with another aspect of the present invention there is provided a process for manufacture of the a dispersed phase comprising:

25 i) providing a selective hydrophobic carrier, preferably oil based in the liquid state (under the conditions of emulsification/dispersion) and an emulsifier/dispersant, and mixing the same in the temperature range of 20-95°C;

30 ii) adding the benefit agent/active ingredient as a solution and/or a dispersion in oil phase;

- 14 -

iii) mixing the hydrophobic carrier and emulsifier mix with aqueous phase or powder to form a protective carrier for the benefit agent/active; and optionally providing the above carrier mix of (iii) in a base
5 formulation.

In accordance with further aspect of the present invention, there is provided a process for the manufacture of non-liquid soap/detergent composition comprising:

- 10 i) providing the selective hydrophobic carrier, preferably oil based in the liquid state (under conditions of emulsification) with or without additional oil soluble actives and the emulsifier, and mixing the same in the temperature range of 20-95°C;
- 15 ii) adding the pH sensitive benefit agent/active ingredient as a solution and/or a dispersion in oil;
- iii) mixing the hydrophobic carrier and emulsifier mix with the aqueous phase or powder to form the protective carrier for the benefit agent/active; and
- 20 iv) mixing the above protective carrier with the alkaline base detergent formulation.

The present invention thus provides for a rinse-off non-liquid cleansing composition comprising a continuous
25 alkaline phase of one or more surfactants, and a dispersed phase comprising one or more hydrophobic materials, wherein at least one high pH sensitive water-soluble/dispersible benefit agent is dispersed in the hydrophobic phase so as to maintain the same storage stability and desired benefit
30 efficacy during use.

- 15 -

It is found by way of the present invention that the problems of compatibility of some benefit agents, especially with the alkaline soap based formulations experienced in the art leading to instability of the product form in direct
5 incorporation of pH sensitive actives, can be avoided if the benefit agent is provided in the protective carrier system such as being dispersed in a selective hydrophobic phase so as to maintain the same storage stability and desired benefit efficacy during use.

10

Importantly, the dispersed phase having the benefit agent can be a water-in-oil emulsion system in accordance with the present invention such that the active benefit agent containing aqueous solution is maintained emulsified in oil,
15 or the active is dispersed in the oil. Thus, on the one hand the interaction of the active with the surroundings/soap base during storage is minimized, as there is an oil barrier between the active and the base formulation, and on the other hand desired efficacy of the
20 benefit agent during use is maintained. It is only when in use that the oil barrier is selectively disturbed such that the active benefit agent is supposed to leach out of its protective form, and serve the purpose of the benefit agent in the formulation.

25

Advantageously, in the formulation of the invention the amount of the active in the dispersed phase having the benefit agent should be selectively provided, based on the selected benefit agent and the required end use/application.

30

Importantly, in situations where the benefit agent is required to be released at a later point of time, the

- 16 -

dispersed phase is such that it would facilitate maintaining the active in it's protected form within the hydrophobic carrier until it is desired to be exposed for the benefit application.

5

The basic system in terms of the aqueous composition, emulsifier level and oil concentration will typically be same for all variants of benefit agents desired to be included in the system. However, the amount of the active
10 i.e. the benefit agent in the aqueous phase of the water-in-oil emulsion can be varied depending upon the extent of solubility or effective dispersibility of the active.

The soap/detergent base formulation can be any conventional
15 soap/detergent formulation.

The dispersed phase would therefore essentially involve the hydrophobic carrier, which can be preferably selected from variety of oils including mineral oils, vegetable oils,
20 silicone oils and synthetic oils.

The oil/hydrophobic carrier may be volatile or non-volatile.

A volatile oil may comprise a volatile hydrocarbon oil which
25 evaporates during the process of drying skin or hair, and thereby releases the internal aqueous phase, which includes the first topically active compound to contact the skin or hair.

30 In one embodiment, the oil may comprise a combination of a volatile oil and a non-volatile oil. In this embodiment, an

- 17 -

oil can be selectively provided to evaporate at a pre-selected temperature, and provide a controlled release of the first topically active compound at the pre-selected temperature. Pre-selected temperatures are those
5 encountered during normal hair drying, provided for example by a hair dryer, or provided by a curling iron.

As previously stated, the oil also can include a water insoluble topically active compound in a sufficient amount
10 to impart a particular functional or esthetic effect (e.g., emolliency), as long as the topically active compound does not adversely affect the emulsion composition (e.g. does not impart emulsion instability).

15 As previously stated, the oil also can be a non-volatile oil. The non-volatile oil can comprise a non-volatile silicone compound, a non-volatile hydrocarbon, or a mixture thereof. Preferably, the non-volatile oil comprises compounds which contain less than 50 % unsaturation. The
20 nonvolatile oil does not evaporate from the skin or hair. The first topically active compound therefore is released by rubbing the skin or hair to rupture the primary water-in-oil emulsion. A non-volatile oil phase has a boiling point at atmospheric pressure of greater than about 250°C.

25 Exemplary non-volatile silicone compounds include a polyalkyl siloxane, a polyaryl siloxane or a polyalkylaryl siloxane. Mixes of these non-volatile silicone compounds also are useful.

30

- 18 -

The non-volatile oil also can comprise a non-volatile hydrocarbon compound, such as mineral oil, petrolatum, sunflower seed oil, canola oil or mixtures thereof. Other exemplary non-volatile hydrocarbon compounds that can be
5 incorporated into the oil phase include, but are not limited to, a branched 1-decene oligomer, like 1-decene dimer or a polydecene.

The oil can also optionally comprise (1) an oil, such as
10 jojoba oil, wheat germ oil or purcellin oil; or (2) a water insoluble emollient, such as, for example, an ester having at least about 10 carbon atoms, and preferably about 10 to about 32 carbon atoms.

15 Suitable esters include those comprising an aliphatic alcohol having about eight to about twenty carbon atoms, and an aliphatic or aromatic carboxylic acid including from two to about twelve carbon atoms, or conversely, an aliphatic alcohol having two to about twelve carbon atoms with an
20 aliphatic or aromatic carboxylic acid including about eight to about twenty carbon atoms. The ester may be either straight chained or branched. Preferably, the ester has a molecular weight of less than about 500. Suitable esters therefore include, for example, but are not limited to:

- 25 (a) aliphatic monohydric alcohol esters (e.g., isopropyl isostearate, cetyl acetate, cetyl stearate); myristyl propionate, isopropyl myristate, isopropyl palmitate, cetyl acetate, cetyl propionate, cetyl stearate;
- (b) aliphatic di- and tri-esters of polycarboxylic
30 acids, (e.g. diisopropyl adipate);

- 19 -

(c) aliphatic polyhydric alcohol esters (e.g. propylene glycol dipelargonate); and

(d) aliphatic esters of aromatic acids, (e.g., C₁₂ -C₁₅ alcohol esters of benzoic acid).

5

Most preferably petrolatum can serve as an effective hydrophobic carrier in the emulsion system.

The emulsifier used in the water-in-oil emulsion can
10 preferably be selected from low HLB emulsifier that may comprise a silicon-free surfactant, or a blend of silicon-free surfactants having an HLB value of about 10 or less (i.e. an HLB value of about 0.1 to about 10), an oil-soluble silicon-based surfactant, an oil-soluble polymeric
15 surfactant, or mixtures thereof. Preferably, the silicon-free surfactant or surfactant blend has an HLB value of about 1 to about 7. To achieve the full advantage of the present invention, the silicon-free surfactant or surfactant blend preferably has an HLB value of about 3 to about 6.
20 The term "oil-soluble" as used herein means a compound having a solubility of at least 0.1 g per 100 ml of oil phase to form a true solution.

The particularly preferred emulsifiers used in the water-in-
25 oil emulsion are selected from polysorbate esters (e.g. sorbitan monooleate, sorbitan monostearate etc.), soya sterol, ethoxylated soya sterol, triglycerol diisostearate, oleic acid monoglyceride, mixture of high molecular weight fatty acids and fatty acid salts and mixed esters consisting
30 of pentaerythritol and fatty alcohol.

- 20 -

The actives benefit agents as mentioned above can be any conventional benefit agents presently available in the art. This can be selected from antiperspirants such as ACH, niacinamide (a skin lightening aid), water soluble inorganic salts (easy rinse-off, water-softening benefit etc.) and protein based actives (as malodor preventing agent). The amount of actives can range up to 70 % of the system and in case of emulsion system, the water soluble actives in the aqueous phase are up to their solubility limits.

10

EXAMPLES

The details of the invention its objects and advantages are explained hereunder in greater detail in relation to non-limiting exemplary illustrations hereunder:

15

Example 1

To demonstrate the pH dependant instability and precipitation of the antiperspirant active ACH in alkaline media which is usually the case when ACH is directly introduced in soap bases, the following experimentation was carried out.

20

25 A 1 % solution of ACH having initial pH of 4.6 was subjected to varying alkalinity by using sodium hydroxide solution, and the turbidity of the solution was measured at varying pH levels using a nephelometric turbidimeter. The results were noted for the varying pH level of the solution as detailed hereunder in Table I:

30

- 21 -

TABLE I

pH	Turbidity, NTU
4.6	1.3
5.7	2.6
7.5	504
9.6	522
10.6	884

5 It would be clearly apparent from the above that the active
ACH solution was found to be unstable in alkaline
conditions, and that ACH readily precipitates leading to
higher turbidity at higher alkalinity. The above confirmed
the reasons for preparation of ACH in soap base which are
10 usually alkaline in nature.

EXAMPLE 2

This illustration is directed to demonstrate the selective
15 and advantageous application of the water-in-emulsion of the
invention as a protective carrier for the ACH as an
antiperspirant active in alkaline soap formulations, thereby
facilitating the benefit use/applications of ACH in soaps.
The following exemplary formulations were obtained:-

20

Example 2a - Preparation of Soap Solution

A 1 % soap solution was prepared by dissolving the soap in
distilled water at 70°C, and then cooling the solution to

- 22 -

ambient temperature. The formulation of the soap used is given below:

Soap Bar composition (% weight)	
Soap	40
Polyol	30
NSD	7
Perfume	1
Other	4
Water	18

5

Example 2b - Preparation of 100 mg ACH incorporated water-in-oil emulsion system in accordance with the invention

The dispersion or emulsification of ACH in petrolatum was prepared in the following way:

1. Dissolve ACH in distilled water to form a 60% solution.
2. Heat the petrolatum to 75°C and when melted, dissolve the emulsifier (sorbitan monooleate) in it at the desired concentration (2.5 %).
3. While stirring the petrolatum, the 60% ACH solution was added at the desired amount. In the case of a dispersion, ACH powder at the desired amount was slowly added.

- 23 -

4. After addition of the active, mixing was continued for 10 minutes, and then the emulsion/dispersion was cooled to ambient temperature whilst stirring.

- 5 To ascertain the stability of the ACH incorporated in the dispersed phase such as the water-in-oil emulsion in accordance with the invention prepared under Example 2b, the soap solution obtained under Example 2a was used, and the effect of direct addition of ACH and the ACH in the water-in-oil emulsion (Example 2b) of the invention was studied.

For the purpose of the above study, two separate batches of the same soap solution of Example 2a was taken. In one batch 60 mg ACH was directly added, and in the other batch 100 mg ACH was added through the water-in-oil emulsion system as per Example 2b above. The pH levels and the turbidity of the respective solutions containing the active ACH directly introduced (Control) and the active ACH in the water-in-oil emulsion (Example 2b) were measured, and the results are reproduced hereunder in Table II.

TABLE II

Sample	pH	Turbidity
Soap solution	10.14	205
Soap + 60 mg ACH (Control)	9.89	950
Soap + 100 mg ACH through emulsion (Example 2b)	10.13	185

- 24 -

It would be clearly apparent from the results in Table II above that when the ACH as the benefit agent is introduced in the soap solution through the water-in-oil emulsion of the invention, the problem of precipitation of ACH in the alkaline phase is clearly avoided, since the solution maintained a desired lower turbidity level.

On the other hand, as revealing from Table I and confirmed by Table II, the introduction of the active ACH directly into the soap solution resulted in precipitation of ACH in the alkaline phase of the soap solution, and the high turbidity levels confirm the same. The above therefore clearly suggest the advantageous incorporation of active benefit agents in a protective form through a water-in-oil emulsion, which takes care of the required protection of the benefit agent in alkaline pH environments, so that effective use of such actives under varying pH conditions can be achieved.

Additional proof of the stability of ACH in our system is demonstrated in the example below.

EXAMPLE 3

Under this example, 2.5 g of emulsion containing the ACH were immersed in 100 g of water or 100 gm of a 5 % soap solution. In one case, there was no mixing, and in the other case the water was stirred using a magnetic stirrer/overhead impeller. Water was drawn at desired time period, and analyzed for aluminum concentration using ICP. The results obtained are detailed hereunder in Table III

- 25 -

TABLE III

Sample	Time, hours	ACH in water, %
Water - static	2	0.45
	4	0.44
	6	0.45
	22	0.49
Water - mixing	2	0.51
	4	0.53
	6	0.64
	22	0.65
Soap - mixing	2	0.85
	4	0.88
	6	0.96
	22	1.19

- 5 The data clearly shows that even under agitation, the amount of ACH leached into water from the emulsion is less than 2 %.

Further studies were carried out to ascertain the efficacy of ACH incorporated in water-in-oil formulation carrier in
10 soap formulation. For the purpose, a control soap base was used having the contents as in Table IV.

- 26 -

Table IV

Control Soap Bar composition (% weight)	
Soap	64
Talc	17
NSD	4
Perfume	1
Other	2
Water	12

In the same soap formulation of Table IV above ACH in water-in-oil emulsion was incorporated at a level of 4 %. The composition of the ACH in water-in-oil emulsion incorporated soap is detailed in Table V hereunder:

TABLE V

ACH Soap Bar composition (% weight)	
Soap	59
Talc	14
NSD	4
Perfume	1
ACH	4
Petrolatum	2.5
Sorbitan monooleate	0.25
Other	2
Water	13.25

- 27 -

Both the control soap of Table IV and present soap having ACH in a water-in-oil emulsion of Table V were applied in 9 volunteers and the malodor on application of the two varieties of soaps were noticed. The rating was based on a scale of 0-5 with 0 signifying no modular and 5 being the worst. The results are noted in Table VI hereunder:

TABLE - VI

Volunteer	Control Soap	Present Soap	Observations
1	4	2	Dry feeling for additional 2-3 hours; 50% body odour (BO) reduction
2	3.5	1	Dry for about 5-6 hrs; 50-60% BO reduction
3	4	1.5	Dry for at least 6 hours; 30-50% reduction in BO for 6 hours.
4	4	2	Dry for 6 hours; 60% reduction in BO
5	4	1	Dry for 1 hour; 95% reduction in BO for about 10 hours
6	4	2	No perspiration and BO for 4-5 hours after bath
7	5	3	Dry for 3 hours; 70% reduction in BO over 3-4 hours
8	4	2	Dry for 3-4 hours; 80% BO reduction for 7 hours
9	5	1	Dry for 1.5 hours; 80% BO reduction for 4-5 hours.

- 28 -

As would be apparent from the above results, the soap contains the ACH in emulsion form accordance with the invention showed superior antiperspirant characteristics.

5 **EXAMPLE 4**

Clinical Study

The study was conducted with 37 volunteers, which is number
10 required to analyse the results statistically. The control
soap formulation as described in Table IV and the
experimental soap formulation as described in Table V were
used in the study. The products were completely randomized
and had the same shape and perfume. The study was conducted
15 for two weeks and the odour assessment was started on the
third day after use of the soap.

The volunteers used the soap in the natural context of
bathing, and then came to the assessment centre where expert
20 assessors, who are trained to rate the malodour on a scale
of 0-5, with 0 being no malodour, rated their underarm odour
at 2, 4 and 8 hours post bath. The results of the study are
summarized below in Table VII.

25 Table VII

Duration	Control Soap	Experimental Soap	Significance
2 hour	1.0	0.7	****
4 hour	1.8	1.5	***
8 hour	1.9	1.7	****

(*** - 99% and **** - 99.9%)

- 29 -

It is apparent from the above results that the soap containing the ACH in emulsion form accordance with the invention showed significant reduction in generation malodour in their underarm.

5

EXAMPLE 5

Stability of ACH in a bar

10 Certain benefit agents are highly pH sensitive for e.g. ACH, an antiperspirant which when incorporated in a soap formulation would cause the precipitation of ACH if it was incorporated directly in the alkaline soap. According to the present invention it has been found that dispersion of
15 the high pH sensitive benefit agents in a hydrophobic phase ensures that the benefit agent is stable on storage in the soap base.

To demonstrate that the benefit agent for e.g. ACH was
20 present unaffected in the alkaline environment of the soap, Solid State ²⁷Al NMR was used to characterize the bars containing ACH. The spectra of the bar containing ACH in the emulsion (Figure 1b) is compared with that of neat ACH powder (Figure 1a). As seen from the spectra, the ACH
25 remains as is in the bar. The same spectrum was obtained for bars that had been used by consumers for 3 weeks. Thus, the data clearly shows that even during use, as moisture seeps into the bar, there is no reaction of ACH with the soap and that the structured emulsion system protects it.

30

- 30 -

It is thus possible by way of the present invention to provide a rinse-off non liquid cleansing composition involving a continuous high pH alkaline phase and pH sensitive benefit agents as a dispersed phase comprising one
5 or more hydrophobic materials. Importantly, the present invention is directed to the advantageous use of at least one high pH sensitive water-soluble/dispersible benefit agent dispersed in a selective hydrophobic carrier phase, which surprisingly not only maintain the same storage
10 stable, but also of desired benefit efficacy during use. The invention would thus avoid the limitations of incorporating pH sensitive benefit agents in high pH alkaline soap/detergent formulations.

15 The invention would thus enable high pH alkaline soap base formulations to incorporate even pH sensitive benefit agents, avoiding problems of incompatibility and product degradation in the use of such benefit agents experienced in the art as discussed above. Importantly, also the soap
20 composition according to the invention and the selective dispersed phase of the active/benefit agent would enable incorporation of even incompatible pH sensitive benefit agents/actives, which can be released only when required during use/application of the soap formulation, and
25 maintained them storage stable when not in use.

Throughout this specification and the claims which follow, unless the context requires otherwise, the word "comprise", and variations such as "comprises" or "comprising", will be understood to imply the inclusion of a stated integer or step or group of integers or steps but not the exclusion of any other integer or step or group of integers or steps.

The reference in this specification to any prior publication (or information derived from it), or to any matter which is known, is not, and should not be taken as an acknowledgment or admission or any form of suggestion that that prior publication (or information derived from it) or known matter forms part of the common general knowledge in the field of endeavour to which this specification relates.

The claims defining the invention are as follows:

1. A rinse off non-liquid cleansing composition comprising:
 - 5 A) a dispersed phase of a water-in-oil emulsion system as a storage stable carrier of high pH sensitivity benefit agents or actives comprising:
 - i) an aqueous phase including at least one water soluble and/or dispersible benefit agent;
 - 10 ii) a hydrophobic protective carrier phase for the aqueous phase containing the benefit agent; and
 - iii) an emulsifier or a dispersant; and
 - 15 B) a continuous alkaline phase.
2. A composition according to claim 1 wherein the benefit agent is dispersed in the hydrophobic phase as a solid and/or as an aqueous solution/dispersion.
- 20 3. A composition according to claim 1 or claim 2 wherein the benefit agent is present in the range 1% to 70% by wt.
- 25 4. A composition according to any one of the preceding claims wherein the hydrophobic protective carrier is present in the range 20% to 95% by wt.
- 30 5. A composition according to any one of the preceding claims wherein the emulsifier/dispersant is present in the range 0.5% to 5% by wt.

6. A composition according to any one of the preceding claims wherein the benefit agent is present up to the solubility limit of that agent.
- 5 7. A composition according to claim 6 wherein the benefit agent is water soluble.
8. A composition according to any one of the preceding claims wherein the emulsifier is a polysorbate ester,
10 soya sterol, ethoxylated soya sterol, triglycerol diisostearate, oleic acid glyceride, or a mixture of high molecular weight fatty acids and fatty acid salts and mixed esters comprising pentaerythritol and a fatty alcohol, and mixtures thereof.
- 15 9. A composition according to any one of the preceding claims wherein the emulsifier has an HLB value of less than 10.
- 20 10. A composition according to any one of the preceding claims wherein the emulsifier has an HLB value of 3 to 6.
11. A composition according to any one of the preceding
25 claims wherein the continuous alkaline phase comprises one or more surfactants.
12. A composition according to any one of the preceding
30 claims wherein the continuous alkaline phase comprises 5% to 80% detergent active comprising a continuous alkaline phase.

13. A composition according to any one of the preceding claims wherein the dispersed phase comprises a volatile and/or a non-volatile oil, which may be a mineral oil, a vegetable oil, a silicone oil or a synthetic oil, or mixtures thereof.
14. A composition according to any one of the preceding claims wherein the dispersed phase comprises a non-volatile hydrocarbon which is a branched 1-decene oligomer and may be selected from 1-decene dimer and polydecene, or a water soluble emollient which may be an ester having at least 8 carbon atoms.
15. A composition according to claim 13 or claim 14 wherein the non-volatile oil comprises compounds which contain less than 50% saturation.
16. A composition according to claims 13 or 14 wherein the non-volatile oil phase has a boiling point at atmospheric pressure of greater than 250°C.
17. A composition according to any one of the preceding claims wherein the hydrophobic phase comprises petrolatum.
18. A composition according to any one of the preceding claims wherein the benefit agent is selected from antiperspirants, skin whitening agents, perfuming agents, water softening agents, rinse-off agents, malodour controlling benefit agents and protein based actives.

19. The composition of claim 18 wherein the benefit agent is a high pH sensitive ACH antiperspirant salt, niacinamide, PO_4 , or a calcium or magnesium salt.
- 5 20. The composition according to any preceding claim wherein the carrier phase is selected to evaporate at a pre-selected temperature and provide controlled release/deposition of a topically active compound at a pre-selected temperature.
- 10 21. The process of providing an emulsion system of composition according to any one of the preceding claims, wherein the dispersed phase is prepared by the steps of:
- 15 i) providing of selective hydrophobic carrier preferably oil based in the liquid state (under the conditions of emulsification/dispersion) and an emulsifier/dispersant and mixing same in the temperature range of 20-95°C;
- 20 ii) adding the benefit agent/active ingredient as a solution and/or a dispersion in oil phase;
- iii) mixing the hydrophobic carrier and emulsifier mix with aqueous phase or powder to form the protective carrier for the benefit agent/active and optionally; and
- 25 iv) providing the above carrier mix of (iii) in a base formulation.
- 30 22. The process of claim 21 wherein additional oil soluble actives are present.

23. The process of claim 21 or claim 22 wherein the emulsion system is mixed into an alkaline base detergent formulation.
- 5 24. The process of claim 23 wherein the emulsion system is mixed into an alkaline base detergent formulation by either casting or plodding.
- 10 25. A rinse off non-liquid cleansing composition substantially as hereinbefore described with reference to the examples.
- 15 26. A process of providing an emulsion system substantially as hereinbefore described with reference to the examples.

Fig.1a.




Fig.1b.

