



US00D932142S

(12) **United States Design Patent**
Soldatov

(10) **Patent No.:** **US D932,142 S**

(45) **Date of Patent:** **** Oct. 5, 2021**

- (54) **COMBINED CAP AND SHIELD ASSEMBLY**
- (71) Applicant: **Andrei Soldatov**, Brooksville, FL (US)
- (72) Inventor: **Andrei Soldatov**, Brooksville, FL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/652,260**
- (22) Filed: **Jun. 30, 2020**
- (51) **LOC (13) Cl.** **02-03**
- (52) **U.S. Cl.**
USPC **D2/866; D29/105**
- (58) **Field of Classification Search**
USPC D2/865, 866, 867, 868, 869, 870, 872,
D2/873, 875, 876, 878, 879, 881, 882,
D2/883, 891, 894, 895; D29/105, 109,
D29/110
CPC A42B 1/00; A42B 1/004; A42B 1/006;
A42B 1/008; A42B 1/012; A42B 1/014;
A42B 1/018; A42B 1/0181; A42B
1/0182; A42B 1/0184; A42B 1/0186;
A42B 1/0187; A42B 1/0195; A42B 1/02;
A42B 1/04; A42B 1/06; A42B 1/205;
A42B 1/22; A42B 1/24; A42B 1/248;
A42B 3/00; A42B 3/04; A42B 3/0406;
A42B 3/18; A42B 3/20; A42B 3/225;
A42B 5/00; A61F 9/04; A61F 9/045;
A61F 9/06
See application file for complete search history.

D404,846	S *	1/1999	Day	D29/106
D459,573	S *	7/2002	Schechter	D2/866
6,584,614	B2 *	7/2003	Hogg	A42B 1/247 2/10
D592,834	S *	5/2009	Keiser	D2/884
D633,694	S *	3/2011	Korper	D2/866
D636,975	S *	5/2011	Fountain	D2/876
D662,693	S *	7/2012	Becker	D2/882
D668,435	S *	10/2012	Smith	D2/866
D684,753	S *	6/2013	Arenson	D2/866
D692,186	S *	10/2013	Phillips	D29/108
D721,224	S *	1/2015	Arenson	D2/886
9,380,822	B2 *	7/2016	Foster	A42B 1/18
D779,168	S *	2/2017	Arenson	D2/866
D783,238	S *	4/2017	Bene	D2/876
10,299,526	B2 *	5/2019	DuCasse	A42B 1/0187
D907,299	S *	1/2021	Brown, II	D29/110

(Continued)

Primary Examiner — Jasmine Mlinarcik
(74) *Attorney, Agent, or Firm* — Dunlap Bennett & Ludwig, PLLC

(57) **CLAIM**

The ornamental design for a combined cap and shield assembly, as shown and described.


DESCRIPTION

FIG. 1 is a front perspective view of the combined cap and shield assembly, showing my new design;
FIG. 2 is a front elevation view of the combined cap and shield assembly;
FIG. 3 is a rear elevation view of the combined cap and shield assembly;
FIG. 4 is a left side elevation view of the combined cap and shield assembly;
FIG. 5 is a right side elevation view of the combined cap and shield assembly;
FIG. 6 is a top plan view of the combined cap and shield assembly; and,
FIG. 7 is a bottom plan view of the combined cap and shield assembly.

1 Claim, 6 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

D199,931	S *	12/1964	Kline	D29/110
4,701,965	A *	10/1987	Landis	A61F 9/02 2/428
4,864,653	A *	9/1989	Landis	A42B 1/0181 2/9
D337,645	S *	7/1993	Guziejka	2/172
D402,791	S *	12/1998	Mishal	D2/879



(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0164168 A1* 6/2015 Polifroni A42B 1/247
2/209.13
2019/0174855 A1* 6/2019 D'ambrosio A42B 1/0185
2020/0281301 A1* 9/2020 Wynalda, Jr. A42B 1/0181

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7