

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
20 November 2008 (20.11.2008)

PCT

(10) International Publication Number
WO 2008/141222 A1

(51) International Patent Classification:
G06K 19/00 (2006.01)

(74) Agents: **GIBBY, Darin, J.** et al.; Townsend and Townsend and Crew LLP, 1200 17th Street, Suite 2700, Denver, Colorado 80202 (US).

(21) International Application Number:
PCT/US2008/063298

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(22) International Filing Date: 9 May 2008 (09.05.2008)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
11/746,521 9 May 2007 (09.05.2007) US

(71) Applicants (for all designated States except US): **FIRST DATA CORPORATION** [US/US]; 6200 S. Quebec St., Suite 270, Greenwood Village, Colorado 80111 (US). **NARLINGER, Brett, S.** [US/US]; 5410 Songbird Way, Parker, Colorado 80134 (US).

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **CAMERON, Jennifer** [US/US]; 4875 DTC Blvd., #12-102, Denver, Colorado 80237 (US). **MARTINEZ, Larry A.** [US/US]; 20815 Buckskin Trail, Elkhorn, Nebraska 68022 (US).

Published:
— with international search report

[Continued on next page]

(54) Title: PRESENTATION INSTRUMENT WITH USER-CREATED PIN AND METHODS FOR ACTIVATING




FIG. 3

(57) Abstract: In one embodiment, the invention provides a method for activating a presentation instrument using a computerized network. The method utilizes a presentation instrument package that comprises a greeting card and a presentation instrument. A package identifier on the greeting card is read and transmitted to a host computer system to indicate that the presentation instrument has been purchased. After being purchased, the package identifier may be detached from the greeting card and the presentation instrument may be removed from the greeting card. To activate the presentation instrument, an access code and a presentation instrument identifier obtained from the presentation instrument may be provided to the host computer system. Furthermore, the recipient may select a personal identifier to associate with the presentation instrument. The personal identifier may be transmitted to the host computer system for storage.

WO 2008/141222 A1



-
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

PRESENTATION INSTRUMENT WITH USER-CREATED PIN AND METHODS FOR ACTIVATING

PRIORITY CLAIM

5 This application incorporates by reference and is a continuation-in-part of U.S. Patent Application No. 11/353,565, filed on February 13, 2006, entitled "PRESENTATION INSTRUMENT WITH USER-CREATED PIN", of which priority is claimed thereof. This application also incorporates by reference and is a continuation-in-part of U.S. Patent Application No. 11/353,265, filed on February 13, 2006, entitled "PRESENTATION
10 INSTRUMENT PACKAGE ARRANGEMENT", of which priority is claimed thereof.

BACKGROUND OF THE INVENTION

[0001] The present invention generally relates to financial presentation instruments. More particularly, the present invention relates to methods and systems for producing, activating
15 and redeeming financial presentation instruments, preferably stored value cards, gift cards, or other pre-paid debit cards.

[0002] Stored value cards, gift cards, or other pre-paid debit cards are well-known for providing access to goods and services. For example, stored value or gift cards may be purchased from various merchants such as Target®, Wal-Mart®, Starbucks®, Sears®,
20 Blockbuster®, Macy's®, Banana Republic®, and the like. Pre-paid debit cards are also frequently purchased for telephone services. The purchase and usage of financial presentation instruments has continued to increase in recent years to the point that the sale of stored value cards, gift cards, and pre-paid debit cards today is a multi-billion dollar industry.

[0003] Initially, stored value cards, gift cards, and pre-paid debit cards were often printed
25 and issued with a predetermined balance and typically then sold as a retail item. An example of such a card is a pre-paid gift card which provides an individual with a set dollar amount for the purchase of goods from a particular merchant. The account is accessed and debited by using an account identification number provided on the gift card. A problem experienced in the sale of such pre-paid gift cards is that merchants buying these cards are subsequently
30 more exposed to loss through shrinkage and theft.

[0004] More recently, merchants have begun to display non-activated stored value cards, gift cards, and debit cards. In this way, the merchant can readily provide unfettered access of such cards to prospective customers since theft is much less of a concern. This is because the

non-activated debit cards have no intrinsic value. Further, merchants no longer carry a large initial expenditure since the merchant activates the debit card with a balance representing an amount a customer wishes to attribute to the debit card at the time the debit card is actually purchased by the customer.

5 [0005] Typically, such non-activated stored value cards, gift cards, and debit cards are activated by a provider at a merchant location or retail store at the time of purchase. However, such cards may still be susceptible to certain types of fraud. Hence, for these and other reasons, there is a need for alternative methods and systems that provide for activation of financial presentation instruments, particularly stored value cards, gift cards, or other pre-
10 paid debit cards.

BRIEF SUMMARY OF THE INVENTION

[0006] In one embodiment, the invention provides a method for activating a presentation instrument using a computerized network. The method utilizes a presentation instrument package that comprises a presentation instrument that is coupled to a carrier. A package
15 identifier on the presentation instrument package is read and transmitted to a host computer system to indicate that the presentation instrument has been purchased. After being purchased, the presentation instrument may be removed from the carrier. To activate the presentation instrument, an access code and a presentation instrument identifier obtained from the presentation instrument may be provided to the host computer system. Also, the
20 recipient may select a personal identifier to associate with the presentation instrument. The personal identifier may be transmitted to the host computer system for storage.

[0007] In another embodiment, the invention provides a method for activating a presentation instrument using a computerized network. The method utilizes a presentation instrument package that comprises a greeting card and a presentation instrument. A package
25 identifier attached to the greeting card is read and transmitted to a host computer system to indicate that the presentation instrument has been purchased. After being purchased, the package identifier may be detached from the greeting card, and the presentation instrument may be removed from the greeting card. For example, the package identifier may be stored on a magnetic stripe that is coupled to the greeting card by a score line. After the magnetic
30 stripe has been swiped through a reader and the identifier sent to a host system, the magnetic stripe may be torn from the greeting card. To activate the presentation instrument, an access code and a presentation instrument identifier obtained from the presentation instrument may be provided to the host computer system. Also, the recipient may select a personal identifier

to associate with the presentation instrument. The personal identifier may be transmitted to the host computer system for storage.

5 [0008] Optionally, the access code may be replaced by the personal identifier. In this way, the recipient may use the personal identifier when making purchases or when accessing account data at the host computer system.

[0009] In one aspect, the package identifier may comprise a UPC symbol and an account identifier. The UPC symbol may contain information such as a dollar amount for the presentation instrument, a fee associated with the presentation instrument and a type of presentation instrument. The package identifier may also include an account identifier that is associated with the presentation instrument identifier.

10 [0010] The host computer system may include a status indicator that is associated with the presentation instrument identifier. This status indicator may be set at pre-sold when the presentation instrument is produced, and then changed to sold when the host computer system receives the package identifier. However, the presentation instrument remains inactive and cannot be used to make purchases. After receiving the access code and the presentation instrument identifier from the card, the status may be changed from sold to active.

15 [0011] In one particular option, the merchant may be required to confirm receipt of payment prior to transmitting the identifier to the host computer system. In this way, the presentation instrument cannot be changed to the sold status until payment is received by the merchant.

20 [0012] In another option, the host computer system may be provided with information on a payment vehicle used to purchase the presentation instrument package. This information may be evaluated for fraudulent behavior. For example, the fraudulent behavior may be based on a number of times the payment vehicle was used during a certain time period or a number of presentation instrument packages purchased with the payment vehicle over a certain time.

25 [0013] One particular security feature is that the presentation instrument may be completely enclosed in the carrier. In this way, the presentation instrument identifier is not visible so that the presentation instrument must be removed from the carrier to obtain the presentation instrument identifier before being activated.

30

[0014] The method may also utilize an interactive voice response (IVR) system. This permits a recipient to activate the presentation instrument by providing information such as the access code, the presentation instrument identifier and the personal identifier to the IVR system.

5 [0015] To make a purchase with an activated presentation instrument, the presentation instrument may be presented at a point of sale (POS) device which reads the presentation instrument identifier. Also, the user may enter the personal identifier. The presentation instrument identifier received from the POS device may be evaluated to determine a status and decline the transaction if not yet purchased. Also, an expiration date associated with the
10 presentation instrument may be evaluated at the host. A decline message may be sent if the expiration date is less than a certain time.

[0016] In another embodiment, the invention provides a computerized presentation instrument activation and processing system. The system includes a host computer system having at least one processor and at least one database having a record of presentation
15 instrument identifiers and a status of each of the presentation instrument identifiers. The host computer system is configured to receive a package identifier indicating that a presentation instrument has been purchased and to flag the presentation instrument as sold. The host computer system is further configured to receive an access code, a presentation instrument identifier from a presentation instrument that has been purchased and a personal identifier.
20 This information may be recorded in the database which may flag the presentation instrument as active.

[0017] The database may also include a record of UPC symbols containing information such as a dollar amount for the presentation instrument, a fee associated with the presentation instrument and a type of presentation instrument. In one aspect, the host computer system
25 may further include an interactive voice response (IVR) unit that is configured to receive presentation instrument identifiers, access codes and personal identifiers.

[0018] In one particular aspect, the host computer system may be configured to receive information on a payment vehicle used to purchase a presentation instrument and to flag fraudulent behavior based on a number of times the payment vehicle was used during a
30 certain time period or a number of presentation instrument packages purchased with the payment vehicle over a certain time.

[0019] In still a further embodiment, the invention provides a presentation instrument package that comprises a carrier having a package identifier that comprises UPC symbol and an account identifier. The package further includes a presentation instrument comprising a presentation instrument body and a human readable presentation instrument identifier on the body. The presentation instrument is coupled to the carrier so as to hide the presentation instrument identifier from human view.

[0020] The UPC symbol may contain information such as a dollar amount for the presentation instrument, a fee associated with the presentation instrument and a type of presentation instrument. The presentation instrument may further include a machine readable medium on the card body which includes the presentation instrument identifier.

BRIEF DESCRIPTION OF THE DRAWINGS

[0021] Fig. 1 is a front view of a presentation instrument package according to one embodiment of the invention.

[0022] Fig. 2 is a rear view of the package of Fig. 1.

[0023] Fig. 3 illustrates the package of Fig. 2 with a panel opened to expose a presentation instrument.

[0024] Fig. 4 is a front view of the presentation instrument embodied in the package of Fig. 1.

[0025] Fig. 5 is a rear view of the presentation instrument of Fig. 4.

[0026] Fig. 6 is a schematic view of a presentation instrument activation and processing system according to the invention.

[0027] Fig. 7 is a flow chart of one method for activating a presentation instrument according to the invention.

[0028] Fig. 8 is a flow chart of one method for the on-line purchasing and activating a presentation instrument according to the invention.

[0029] Fig. 9 is a flow chart of one method for activating a presentation instrument according to the invention.

[0030] Fig. 10 is a flow chart of one method for activating a presentation instrument according to the invention.

[0031] Fig. 11 is an outside view of a greeting card according to one embodiment of the invention.

5 [0032] Fig. 12 is an inside view of the greeting card of Fig. 10.

DETAILED DESCRIPTION OF THE INVENTION

[0033] In one embodiment, the invention encompasses pre-paid, PIN-debit general use presentation instruments, such as gift cards, accepted for goods and services at
10 merchant/retail locations that have PIN-debit enabled POS devices. Cash withdrawals are also possible through conventional ATM's. Although primarily useful with PIN debits, such presentation instruments could also be used without a PIN. Further, in some cases, the presentation instruments may be non-reloadable, but in other cases could be configured to be reloadable. One particular advantage of such presentation instruments is that they may be
15 marketed to consumers through existing retail locations as well as through various web sites.

[0034] The presentation instruments will generally comprise a stored value, gift, or other pre-paid debit card. This may include conventional debit cards and credit cards, e.g., ATM cards, bank cards, including those associated with VISA®, Mastercard®, American Express®, etc. In one embodiment, the presentation instruments may comprise a stored value
20 card or a gift card that has an initial zero balance or a promotional value when mailed or provided to a merchant. In the case of the latter, it is important to note that even if the card is initially set to a promotional value, the card remains non-active. For example, the gift card may have a \$5 initial promotional value that is activated upon loading of the card. The presentation instruments may be initialized to any desired amount a customer wishes to load
25 or attribute onto the card. For example, the cards may be activated to a denomination of \$5, \$10, \$15, \$20, \$50, \$100, or any other desired denomination. The payment instrument may likewise comprise a debit card or credit card, similar to examples noted above, or alternatively an Automated Clearing House (ACH) authorization from a banking account, e.g., savings, checking, money market, etc.

30 [0035] The presentation instruments generally comprise a data card having an information storage medium. The information storage medium will generally comprise a magnetic stripe or barcode that is adapted to store a unique identifier so that the debit account may be

properly accessed, activated, and/or debited. The information storage medium could also comprise radio frequency identification, computer chips, or other magnetic, radio frequency, or electronic storage media that may be readable by existing card reader technology, such as conventional point of sale (POS) terminals.

5 [0036] In some cases, the cards will have a card number and may be tracked through a separate account number at a host computer system. This scenario permits multiple cards to be tied to the same account. However, it will be appreciated that the card number and the account number could be the same number.

[0037] In one particular arrangement, the card number and the account number may be
10 different and contain 16 characters so as to have the same format as traditional credit/debit cards. Also, in some cases, the card may have an expiration date, such as a two-year expiration date, that will expire the card but not necessarily the value associated with the card. If desired, the cards can also be set-up with a monthly maintenance fee that may optionally be waved for a certain time.

15 [0038] Communications between the host computer system and the various retailers may be accomplished through ISO, API or other electronic transaction processes, which can be customized for each retailer. When a consumer is ready to purchase a card, the consumer provides the card package at a check out station where the package is scanned using a point of sale device. After making payment, the resulting electronic issuance transaction is
20 transmitted to a host computer system which will update the card status from pre-sold to pre-active (or sold) allowing the card to be subsequently activated through an IVR unit. In one particular aspect, the electronic issuance transaction will not be routed to the host computer system until the payment has been authorized/approved. In this way, the host computer system will not change the status of the card to pre-active until payment is actually received.
25 As such, those incline to fraud will be unable to steal a card from a retail location and attempt to activate it without making payment.

[0039] Once the card is flagged as sold, the card still remains inactive until the consumer calls the IVR unit. This allows the user of the card to set his or her own PIN during the subsequent activation process.

30 [0040] One particular feature of the card package is that the package may include a barcode (or other machine readable code) that contains a SKU, an amount/indicator, and an account number that is tied to the card number. This permits the merchant to transmit to the host

computer system information on a specific card package that was purchased, an amount of the card, a fee associated with the card and the account number.

5 [0041] Hence, the package may include a SKU to identify the product and an account number to associate the package with card included in the package. In one aspect, the SKU may be assigned for each denomination of the card, such as \$25, \$50, and \$100. However, additional denominations could be included. Once the SKU is transmitted to the host computer system, IVR activation of the card will be enabled.

10 [0042] In one particular aspect, the information transmitted to the host computer system at the time of sale may include a payment indicator and payment card number field. This information is used to identify the payment vehicle used to purchase the gift card. In this way, various fraud parameters may be evaluated to test whether the purchase is for fraudulent purposes. For example, a query may be performed to determine if the payment vehicle has been used a maximum number of times, or if a dollar amount per payment source has been exceeded for a certain period. In this way, a fraud check may be performed to mitigate
15 excessive activity and any risk associated with excessive use of a payment source. Other fraud protection measures include activation of card only after payment is received, use of a PIN in connection with the card, with the PIN being selected at the time of activation, and a J-hook package arrangement that securely encloses the card prior to purchase to hide the card number. In one aspect, the card may have the card number thermally printed instead of being
20 embossed. This helps to prevent the possibility for retailers to use “knuckle buster” machines for processing unauthorized sales.

[0043] Another feature of such cards is that they may also be used in ATM machines, with functionalities like ATM withdrawals, ATM declines, ATM balance inquiry and the like.

25 [0044] In some cases, the cards may be provided with expiration dates. These dates may begin upon production of the card when the card is placed in the pre-sold status. In cases where significant time passes between the pre-sold status and the sold status, a check can be performed to ensure sufficient time remains on the card after purchase. For example, if the card is set to expire 24-month from the creation date, a check may be formed to make sure it still has 12 months left at the time of purchase. If not, the purchase may be declined and a
30 new card may be purchased.

[0045] Upon production of the cards, various information is supplied to the database in the host computer system. This information may include the card number, the associated account

number and a pre-sold status. As such, the card is inactive and can not be activated via the IVR until the package has been scanned through the POS at the time of purchase. When the card is purchased, it may be scanned through the POS and information is transmitted to the host computer system. If approved, the card status is updated to pre-active and may then be activated via the IVR. In one specific example, when the card is scanned, the POS system reads the barcode from the package and routes the electronic issuance transaction to the host computer system for an authorization response. The electronic issuance transaction message may be populated with the account number and a load amount that is translated from the UPC and the account number contained in the barcode. The transaction message may also be populated with a payment identifier, the payment source card number and a unique transaction identifier related specifically to the purchase. In the event the POS does not receive a response from the host computer system in a retailer-designated period of time, the POS may automatically re-send the issuance transaction. The transaction identifier may be checked to see if it has already been applied. If it has, the host computer system may return an authorization message to the POS. If the transaction has not been applied, a check of the card number is performed to see if the status is pre-sold. If it is not equal to pre-sold, an error message is returned to the POS indicating the card is not available for purchase. If the card is available for purchase, the funding is applied, the status is changed to from pre-sold to pre-active, and an authorization message is sent back to the POS to complete the transaction.

[0046] The expiration date may also be validated to ensure that the card does not expire in less than twelve months, or another specified time, from the date of purchase. In the event that the card being sold expiration date is less than twelve months from the purchase date, a decline message may be sent requiring that a new card be issued.

[0047] The authorization message may also include an approval code and may concatenate the account number, providing the last six digits included on the barcode. The card status is changed to pre-active so that it may be activated via the IVR. In some cases, a decline transaction may be sent in instances where the card is already active/sold (duplicate card production issues) or if the card is not related to the program.

[0048] To activate the card, the recipient may call the IVR unit where a PIN may be selected. The recipient may be required to provide the card number and an access code. The new PIN may replace the initial account access code. Upon activation, the account balance will be provided to the recipient. The IVR unit may provide returning users with account

balance, transaction history, FAQ's, a list of retailers where the card can be used and access to customer service for lost and stolen card replacement and charge back service. Hence, when the caller enters the IVR system and successfully enters the PIN they created, the balance may immediately be provided.

5 [0049] The card system provides retailers with a number of advantages. For example, retailers have the ability to track sales results by channel, API (or other electronic transaction process) - instant issuance, web based purchases, and bulk orders. It also provides the ability to track sales by location.

[0050] The host computer system may also be used when producing the cards for the
10 retailer. Processes involved in producing cards include embossing, thermal printing, encoding, packaging and distribution. Once cards have been produced, data that may be stored includes card numbers on the card, associated account numbers, expiration dates and barcode data on the package. The barcode data may include an 11 digit UPC and a 16-19
15 digit account number, with leading zeroes being used to keep the total digits at 19. The 11 digit UPC may include a product identifier and an amount indicator. The UPC may also be used to identify the service fee associated with the card denomination sold. The account number is tied to the card number included in the package.

[0051] Referring now to Figs. 1 and 2, one embodiment of a presentation instrument
20 package 10 will be described. Package 10 comprises a carrier 12 and a presentation instrument 14 (see Fig. 3) enclosed within the carrier 12. Carrier 12 may be constructed of a wide variety of materials, such as card stock, paper, plastic and the like and includes an external surface where various materials can be printed. For example, such information may include a denomination 16 a picture 18 of a presentation instrument, a logo 20 as well as other advertising information, terms and conditions and the like. As shown in Fig. 2, the
25 other side may include various instructions 22 or other terms and conditions. Also, carrier 12 includes a barcode 24 that is used to identify package 10 at a time of purchase. Information included in barcode 24 may include a SKU number, an activation amount for the presentation instrument, a fee charged at the point of purchase and the type of presentation instrument. Barcode 24 may also include an account identifier associated with an account tied to the
30 presentation instrument. Use of barcode 24 permits a wide variety of information to be transmitted to a host at the time of purchase.

[0052] Carrier 12 may also include an aperture 26 that allows package 10 to be displayed in a hanging position, such as from a J-hook. Carrier 12 may also include score lines 28 that permit a flap 30 (see Fig. 3) to be pulled off and folded open. As best illustrated in Fig. 3, carrier 12 may be constructed of a piece of material that is folded over on itself (or between two separate pieces of material) so as to fully enclose presentation instrument 14. When flap 30 is opened, a window 32 is created to reveal and provide access to presentation instrument 14. In one embodiment, presentation instrument 14 is fully enclosed in carrier 12 to prevent any visual access until flap 30 is opened. In this way, any identifying information on presentation instrument 12 is not accessible until package 10 is purchased. If flap 30 is opened prior to sale, the merchant may be instructed not to sell it.

[0053] In one particular orientation, presentation instrument 14 may be placed in carrier 12 so that front side 36 faces the user when flap 30 is opened. The rear side 40 (see Fig. 5) is against carrier 12 and cannot be viewed until presentation instrument 14 is removed. Also, when opened, a booklet 42 of terms and conditions attached to flap 30 is exposed. Booklet 42 may be opened and/or removed from flap 30.

[0054] After presentation instrument 14 is exposed (after being purchased), it may be pulled from carrier 12 out through window 32 and activated. In order to activate presentation instrument 14, various information provided on presentation instrument 14 must be provided to an activation system. Also, before activation can occur, package 10 must be purchased, with purchase information from package 10 being sent to a host. Hence, even if package 10 is stolen, it cannot be activated without proof that payment was received. Further, once activated, the user can create his or her own PIN so that presentation instrument 14 cannot be used without the PIN.

[0055] As best shown in Fig. 4, front side 36 of presentation instrument 14 may include a merchant logo 44 or other identifying advertising information, such as where presentation instrument 14 may be used. A sticker 46 may also be placed on presentation instrument 14 with instructions for activating presentation instrument 14 following purchase. Sticker 46 may be peeled off prior to using presentation instrument 14.

[0056] Fig. 5 illustrates rear side 40 of presentation instrument 14 which may be constructed of generally rigid material, such as plastic, card stock, or the like. Disposed across presentation instrument 14 is a magnetic stripe 50 which may have recorded thereon various information, such as a presentation instrument identifier, sometimes referred to as a

card number. A human readable card number 52 may also be printed onto presentation instrument 14. Also provided on presentation instrument 14 is a barcode 54 that may also have the presentation instrument identifier. In some cases, presentation instrument 14 may include only magnetic stripe 50, only barcode 54 or sometimes both. Presentation instrument 5 14 may also include an access code which could be the last 6 digits of the card number. The access code may be used to ensure the user properly input the card number during activation. Presentation instrument 14 can also include various terms and conditions 56.

[0057] Referring now to Fig. 6, one embodiment of a presentation instrument activation and processing system 60 will be described. Central to system 60 is a host computer system 10 62 which includes a database 64 which stores and processes various information, such as account numbers, card numbers, SKU numbers, activation amounts, existing balances, fees, merchant location identifiers and the like. Host system 62 also includes various inputs and outputs that permit host system 62 to communicate with various other systems over a variety of networks which may use different protocols. For example, host system 62 may include a 15 server computer 66 that permits an ordering computer 68 to order cards over a network, such as the Internet, a private network or the like. These cards may be ordered by individual purchasers or in bulk by retailers, an example of which is described in copending U.S. Patent Application No. 10/789,455, filed February 26, 2004, incorporated herein by reference. Once cards have been ordered, they may be produced and packaged at a card production facility 70, 20 then sent to individual recipients or to merchant locations, such as at retailer 72. As shown, retailer 72 includes multiple presentation instrument packages 10 which are displayed at a point of sale.

[0058] As is known in the art, retail locations include POS devices 74 that accept payment instruments, examples of which are described in U.S. Patent No. 6,886,742, incorporated by 25 reference. POS devices 74 are used to transmit data from payment vehicles over a credit/debit network 76 to a financial processor 78 which authorizes and facilitates credit/debit payments with various financial institutions.

[0059] When purchasing a presentation instrument 10, the purchaser provides payment by cash, check, credit or debit card. If needed, POS device 74 reads the payment vehicle which 30 transmits the data to financial processor 78 for authorization. If payment is approved, the package identifier on package 10 is read by POS device and transmitted to host 62 which uses database 64 to ensure the card is valid and records the purchase in database 64, changing the

status of the card from pre-sold to pre-active. A transmission is sent back to POS device for printing a receipt. In some cases, it will be appreciated that processor 78 and host 62 could be the same system. Host 62 may also be used to perform various fraud checks to ensure a stolen card is not being used to purchase package 10.

5 [0060] Once purchased, package 10 may be opened and presentation instrument 14 removed. To activate presentation instrument 14, the user contacts an IVR system 75 using a phone 77 over a telecommunications network 79. IVR system 75 asks the user to key in or speak the card number and an access code (which could be the last few digits of the card number). If entered correctly, host 62 places the presentation instrument 14 in an active state.
10 Also, the user is given the opportunity to create a PIN that may be used in future purchases, when accessing IVR system 75 for account information or over the Internet when obtaining account information. As one specific example, a card holder may have the ability to access a web site, login and obtain account balance information, account activity and similar information. To do so, the presentation instrument may also include a three digit security
15 code, which may conveniently be the last three digits of the account number on the bar code. This three digit number could be printed on the presentation instrument and used as a security code. When the card holder accesses the web site, the card holder may be asked to enter the card number as well as the security code.

[0061] A user may then visit a retailer 80 to make a purchase, using presentation instrument
20 14 for payment. POS device 74 may be used to read the card number off the magnetic stripe or car code. Also, the user may enter a PIN. This data is transmitted over network 76 to host 62 which processes the card number and PIN and debits the account by the purchase price. A confirmation is sent back to POS device 74 to print a receipt which may include the account balance.

25 [0062] Presentation instrument 14 can also be used to perform transactions using an ATM machine 82 as is known in the art. The PIN may be used as a measure of security. The transaction may be processed by host 62 in a manner similar to a purchase.

[0063] Referring now to Fig. 7, one method for purchasing a presentation instrument will be described. Initially the purchaser selects a presentation instrument for purchase.
30 Conveniently, the presentation instrument may be in various denominations and the buyer may select a particular denomination (step 90). The presentation instrument may be displayed on a J-hook near a point of purchase. At this point, the presentation instrument is

in an inactive state and flagged as pre-sold. At the check-out counter, a POS device is used to read a barcode on the package (step 92). In step 94, payment is tendered by the buyer and the payment transaction is processed. In some cases, payment from the buyer will need to be confirmed before the information scanned from the barcode is transmitted to a host computer.

5 Payment may be by cash, credit card, debit card or the like. By receiving payment first, the status of the presentation instrument cannot be changed at the host until receipt of payment is acknowledged. In this way, the presentation instrument may not be stolen and then activated.

[0064] If a payment vehicle is used to purchase the presentation instrument, information on the payment vehicle may be transmitted to the host computer to see if this payment vehicle
10 has been used too many times or too often when purchasing other presentation instruments. Such conditions may be indicative of fraud.

[0065] Authorization of the transaction occurs at step 96. Included in the barcode read from the package can include information such as a SKU number, the account number associated with the presentation instrument, an associated denomination, a fee and the like.
15 This information is transmitted to the host which processes the data. If all is in order, the status of the presentation instrument may be changed from a pre-sold status to a sold status. However, the presentation instrument still is not active.

[0066] A confirmation of the purchase is transmitted back to the POS device, permitting the retailer to print a receipt (step 100). The buyer may then present the presentation
20 instrument to a recipient (step 102) who may subsequently activate the presentation instrument.

[0067] The techniques of the invention may also be used when purchasing presentation instruments over the Internet. As illustrated in Fig. 8, the buyer accesses a website home page as illustrated in step 100. The buyer may be shown various presentation instruments with different denominations. The buyer selects one for purchase as shown in step 102. The
25 buyer may also provide information on himself and recipient information as well as a shipping address (step 104). The buyer may select a shipping option (step 106), such as regular mail, overnight mail or the like. As shown in step 108, the buyer enters payment information including a payment vehicle. In step 110, the buyer submits the order. Various
30 fraud checks may be performed as with other embodiments. If the order is confirmed, a confirmation is presented on the buyer's computer screen (step 112). The presentation instrument is then shipped to the recipient as shown in step 114.

[0068] Fig. 9 illustrates one method for activating a presentation instrument, as purchased at a retail location (step 116) or on-line (step 118). When purchased in-store as described in Fig. 7, the buyer provides the presentation instrument to the recipient as shown in step 120. If purchased on-line, the presentation instrument is shipped directly to the recipient as shown in step 122.

[0069] Once the recipient has the presentation instrument, it is removed from the carrier and the presentation instrument identifier is located. The recipient calls an IVR unit using any type of phone as shown in step 124. Conveniently, the presentation instrument may include a removable sticker with the phone number and calling/activation instructions. The recipient is asked by the IVR unit to enter the presentation instrument identifier and the access code which may be found on the back of the card as set forth in step 126. In some cases, the access code can be the last several digits of the presentation instrument identifier to ensure it is entered correctly.

[0070] In step 128, the recipient is guided through a process for creating a PIN. This PIN may replace the access code and be used when making PIN debits as well as accessing the IVR unit or website to obtain account information as shown in step 130.

[0071] Turning now to Fig. 10 which illustrates one method for activating a presentation instrument. At process block 132, information is read from a package identifier that removably attached to a greeting card. The information may include a unique identifier associated with a presentation instrument included inside of the greeting card, or the information may include activation data needed to activate the presentation instrument (e.g. an identifier, pin number, etc.).

[0072] At process block 134, the identifier obtained from the package identifier is transmitted to a host computer system (i.e. host computer system 62). After the identifier is transmitted, the package identifier may be detached from the greeting card (process block 136). At process block 138, the presentation instrument may be removed from the greeting card, and the recipient may select a personal identifier and transmit the personal identifier to the host computer system (process block 140).

[0073] According to one aspect of the invention a greeting card may be used to hold the presentation instrument. The greeting card may be used to conceal the presentation instrument until it has been purchased and/or activated. The greeting card may be temporarily sealed in order to further conceal the presentation instrument. By concealing the

presentation instrument within the greeting card, sensitive information (e.g. numeric information, rechargeable credit card number, etc.) may be protected, thus increasing security and reducing fraud. Furthermore, by concealing the presentation instrument within the greeting card, the greeting card serves as a gift in addition to a greeting message.

5 [0074] The greeting cards may be in a variety of forms (e.g. bi-fold, tri-fold, pop-up, etc.) and may be designated for a various occasions (e.g. birthdays, holidays, graduations, etc.). For example, the greeting cards may be those sold by Hallmark, Inc.TM. Nonetheless, the invention is not constrained by the type of card used to conceal the presentation instrument.

10 [0075] The presentation instrument may be attached to the greeting card with an adhesive (e.g. glue, tape, etc.). Additionally, the presentation instrument may be attached to the greeting card by sliding it into a pouch or a sleeve attached to the inside of the greeting card. However, other attachment methods may be used.

15 [0076] The presentation instrument may be in various forms. For example, the presentation instrument may be in the form of a gift card. The gift card may have a magnetic stripe, bar code, etc. Alternatively, the presentation instrument may be a pre-paid debit or credit card. Furthermore, the presentation instrument may include a pin or login information and a web address or telephone number used to access the funds. Nonetheless, other forms of presentation instruments may be used.

20 [0077] According to another embodiment of the invention a package identifier may be removably attached to the greeting card. Various methods may be used to attach the package identifier to the greeting card. For example, the package identifier may be attached by score lines and may be removed from the greeting card by tearing the package identifier off at the score lines (e.g. a tear-off tab). Alternatively, the package identifier may be attached by a sticker which may be peeled off of the greeting card. Furthermore, the package identifier
25 may be removed from a holder and/or pouch attached to the greeting card. Additionally, other attachment methods may be employed.

[0078] The package identifier may include a magnetic stripe to store various activation information. The package identifier may also store the information on a bar code, radio frequency (RF) chip, with a unique pin number, etc. Nonetheless, other storage methods may
30 be included on the package identifier.

[0079] Referring now to Fig. 11, illustrating an outside view of a greeting card 300, according to one embodiment of the invention. Greeting card 100 includes a package identifier 310 and a presentation instrument 320. Presentation instrument 320 may be partially viewable from the back side of greeting card 300. Furthermore, greeting card 300 includes an external surface where various materials and/or information may be printed. For example, the information may include logo 20, instructions 22, barcode 24 and denomination 16. The materials may include a greeting message 340 (e.g. a holiday message, a birthday message, etc.), and a picture 345 which may be used for ascetic and/or design purposes.

[0080] According to one embodiment, greeting card 300 may include a temporary seal 330. Temporary seal 330 is configured to prevent greeting card 300 from transitioning from a closed position to an open position until delivery to the recipient is completed. Further, temporary seal 330 helps ensure that greeting card 100 is not tampered with or that presentation instrument 320 has not been removed prior to being purchased.

[0081] In one embodiment, package identifier 110 may be attached to greeting card 300 by a score line 315. Score line 315 is configured to allow presentation identifier 310 to be detached from greeting card 300. Presentation identifier 315 may be detached after presentation instrument 320 has been purchased. Furthermore, as discussed above, other attachment methods may be used.

[0082] In a further embodiment, presentation identifier 310 may include a magnetic stripe 317. Magnetic stripe 317 may be swiped at a POS device (e.g. POS device 74) or other card reader to transmit an indication to the host computer system that presentation instrument 320 has been purchased. Magnetic stripe 317 may include an access code and a presentation instrument identifier used during the activation process of the presentation instrument, as described above (see Figs. 6-10).

[0083] Turning now to Fig. 12, which illustrates an inside view of greeting card 300. A portion of presentation instrument 320 is attached to the inside of greeting card 300. However, presentation instrument 320 may be attached to greeting card 300 by other method described above. The remaining portion of presentation instrument 320 is attached to the outside of greeting card 300 (see Fig. 10). Additionally, the front side of package identifier 310 is shown. In one embodiment, package identifier 310 includes denomination 16 as well as additional instructions 22.

[0084] The invention has now been described in detail for purposes of clarity and understanding. However, it will be appreciated that certain changes and modifications may be practiced within the scope of the appended claims.

WHAT IS CLAIMED IS:

1 1. A presentation instrument package comprising:
2 a greeting card;
3 a presentation instrument removably attached to the greeting card, the
4 presentation instrument including an access code and a presentation instrument identifier,
5 wherein upon removal of the presentation instrument from the greeting card, the access code
6 and the presentation instrument identifier are readable to permit them to be transmitted to a
7 host computer system in order to activate the presentation instrument; and
8 a package identifier removably attached to the greeting card, wherein the
9 package identifier is configured to be read while attached to the greeting card and to be
10 transmitted to the host computer system to indicate that the presentation instrument has been
11 purchased, and wherein the package identifier is configured to be detached from the greeting
12 card after transmission to the host computer system.

1 2. A presentation instrument package as in claim 1, wherein the
2 presentation instrument is attached to the greeting card with an adhesive.

1 3. A presentation instrument package as in claim 1, wherein the package
2 identifier further comprises a magnetic stripe to store the access code and the presentation
3 instrument identifier.

1 4. A presentation instrument package as in claim 1, wherein the package
2 identifier is attached to the greeting card by a score line, wherein the score line is configured
3 to allow the package identifier to be detached from the greeting card.

1 5. A presentation instrument package as in claim 1, wherein the package
2 identifier is attached to the greeting card by a peel-off sticker.

1 6. A method for activating a presentation instrument using a
2 computerized network, the method comprising:
3 providing a presentation instrument package comprising a greeting card and a
4 presentation instrument;
5 reading a package identifier coupled to the greeting card and transmitting an
6 identifier to a host computer system to indicate that the presentation instrument has been
7 purchased;
8 detaching the package identifier from the greeting card;

9. removing the presentation instrument from the greeting card;
10. transmitting an access code and a presentation instrument identifier obtained
11. from the presentation instrument to the host computer system to activate the presentation
12. instrument;
13. selecting a personal identifier; and
14. transmitting the personal identifier to the host computer system.

1. 7. A method as in claim 6, wherein the package identifier comprises a
2. magnetic stripe removably attached to the greeting card.

1. 8. A method as in claim 7, further comprising:
2. swiping the magnetic stripe through a point-of-service (POS) device; and
3. detaching the magnetic stripe from the package identifier, wherein the
4. magnetic stripe is detached from the greeting card by tearing a score line.

1. 9. A method as in claim 6, wherein the greeting card is sealed in a closed
2. position with a temporary seal.

1. 10. A method as in claim 6, wherein the greeting card includes a message.

1. 11. A method as in claim 6, further comprising replacing the access code
2. with the personal identifier at the host computer system.

1. 12. A method as in claim 6, wherein the package identifier comprises a
2. UPC symbol and an account identifier, and wherein the UPC symbol contains information
3. selected from a dollar amount for the presentation instrument, a fee associated with the
4. presentation instrument, and a type of presentation instrument.

1. 13. A method as in claim 6, wherein the package identifier further
2. comprises an account identifier associated with the presentation instrument identifier.

1. 14. A method as in claim 6, wherein the host computer system includes a
2. status associated with the presentation instrument identifier, and further comprising changing
3. the status to sold when the host computer system receives the package identifier.

1. 15. A method as in claim 14, further comprising changing the status from
2. sold to active when receiving the access code and the presentation instrument identifier.

1 16. A method as in claim 6, further comprising a merchant confirming
2 receipt of payment prior to transmitting the identifier to the host computer system.

1 17. A method as in claim 6, further comprising:
2 transmitting to the host computer system information on a payment vehicle
3 used to purchase the greeting card; and
4 evaluating the information on the payment vehicle for fraudulent behavior.

1 18. A method as in claim 17, wherein the fraudulent behavior is based on a
2 number of times the payment vehicle was used during a certain time period or a number of
3 presentation instrument packages purchased with the payment vehicle over a certain time.

1 19. A method as in claim 6, further comprising accessing an interactive
2 voice response (IVR) system, and wherein the access code, the presentation instrument
3 identifier and the personal identifier are provided to the IVR system.

1 20. A method as in claim 6, further comprising:
2 evaluating an expiration date associated with the presentation instrument at a
3 time of sale of the presentation instrument; and
4 transmitting from the host computer system a decline message if the expiration
5 date is less than a certain time.




FIG. 1




FIG. 2




FIG. 3

3/10




FIG. 4




FIG. 5

4/10




FIG. 6

5/10




FIG. 7




FIG. 8

7/10





FIG. 9

8/10

**FIG. 10**




FIG. 11




FIG. 12

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 08/63298

A. CLASSIFICATION OF SUBJECT MATTER
 IPC(8) - G06K 19/00 (2008.04)
 USPC - 235/487
 According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
 IPC(8)- G06K 19/00 (2008.04)
 USPC- 235/487

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
 IPC(8)- G06K 19/00 (2008.04)
 USPC- 235/487, 490; 40/360

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
 PubWEST(USPT,PGPB,EPAB,JPAB); DialogPRO(Engineering); Google Scholar
 Search Terms: gift card, greeting, purchase, host, computer, transaction, code, pin, upc, authenticat\$, adhesive, seal, magnet\$

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X --- Y	US 7,063,255 B2 (Algiene) 20 June 2006 (20.06.2006), Figures 1, 2, and 4; columns 4 and 5	1-5 ----- 7-9
X --- Y	US 2004/0114766 A1 (Hileman et al.) 17 June 2004 (17.06.2004), Paragraphs 21, 28, 33, 38, 39, 40; figures 2 and 3	6, 10-17 ----- 7-9, 18-20
Y	US 2006/0213979 A1 (Geller et al.) 28 September 2006 (28.09.2006), Paragraphs 45, 62, 63, 77, 82	18-20

Further documents are listed in the continuation of Box C.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier application or patent but published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search 27 August 2008 (27.08.2008)	Date of mailing of the international search report 10 SEP 2008
--	--

Name and mailing address of the ISA/US Mail Stop PCT, Attn: ISA/US, Commissioner for Patents P.O. Box 1450, Alexandria, Virginia 22313-1450 Facsimile No. 571-273-3201	Authorized officer: Lee W. Young PCT Helpdesk: 571-272-4300 PCT OSP: 571-272-7774
---	--