

19



LE GOUVERNEMENT
DU GRAND-DUCHÉ DE LUXEMBOURG
Ministère de l'Économie

11

N° de publication :

LU503064

12

BREVET D'INVENTION

B1

21

N° de dépôt: LU503064

51

Int. Cl.:

C11D 1/72, C23G 1/00, B08B 1/00

22

Date de dépôt: 15/11/2022

30

Priorité:

72

Inventeur(s):

WU Yanpeng - Chine, YUAN Weijie - Chine

43

Date de mise à disposition du public: 15/05/2023

74

Mandataire(s):

Biopatents IP Consultancy - 5691NW Son (Pays-Bas)

47

Date de délivrance: 15/05/2023

73

Titulaire(s):

HUNAN FIRST NORMAL UNIVERSITY - 410205
Changsha, Hunan (Chine)

54

COMPUTER SCREEN CLEANING LIQUID.

57

The invention relates to a computer screen cleaning liquid, which consists of 6-12 parts of benzene triazole, 8-14 parts of hydroxyethyl ethylenediamine, 10-16 parts of fatty alcohol polyoxyethylene ether, 8-10 parts of disodium edetate, 6-8 parts of n-amyl alcohol, 8-14 parts of triethanolamine, 6-12 parts of methylbenzene triazole, 8-14 parts of coconut oil fatty acid diethanolamide, 10-14 parts of laurel oil, 6-12 parts of polyethylene glycol nonylphenol ether and 4-8 parts of sodium peroxyphosphate. The product of the invention has extremely strong cleaning and sterilization functions, which is a natural and green cleaning agent, and belongs to an environment-friendly product. This product can thoroughly clean the stains on the surface of the computer display screen, and there is no watermark on the surface of the cleaned display screen. The formula has a large degree of freedom, which can meet the cleaning needs of computer display screen and has a good cleaning effect on particles, grease and stains. Strong decontamination ability, no harm to computer display screen.

COMPUTER SCREEN CLEANING LIQUID

TECHNICAL FIELD

The invention relates to the technical field of computers, in particular to a
5 computer screen cleaning liquid.

BACKGROUND

Computer display screen is also commonly called computer monitor or computer
screen. It is in addition to CPU, motherboard, memory, power supply, keyboard,
10 mouse outside the most important part of a computer. As an important part of
computer, computer display screen often needs to be cleaned in order to keep it in a
proper state of use, which is convenient to use according to needs. However, most of
the general cleaning methods are wiped. In the process of using, there is a
phenomenon of unclean cleaning, which needs to be improved.

15

SUMMARY

The purpose is to provide a computer screen cleaning liquid, so as to better clean
the computer display screen, so as to improve the use state of the computer display
screen and facilitate better use according to needs.

20 In order to achieve the above purpose, the technical program of the invention is
as follows.

The invention discloses a computer screen cleaning liquid, which is consists of
6-12 parts of benzene triazole, 8-14 parts of hydroxyethyl ethylenediamine, 10-16
parts of fatty alcohol polyoxyethylene ether, 8-10 parts of disodium edetate, 6-8 parts
25 of n-amyl alcohol, 8-14 parts of triethanolamine, 6-12 parts of methylbenzene triazole,
8-14 parts of coconut oil fatty acid diethanolamide, 10-14 parts of laurel oil, 6-12
parts of polyethylene glycol nonylphenol ether and 4-8 parts of sodium
peroxyphosphate.

The computer screen cleaning liquid consists of 6 parts of benzene triazole, 8
30 parts of hydroxyethyl ethylenediamine, 10 parts of fatty alcohol polyoxyethylene

ether, 8 parts of disodium edetate, 6 parts of n-amyl alcohol, 8 parts of triethanolamine, 6 parts of methylbenzene triazole, 8 parts of coconut oil fatty acid diethanolamide, 10 parts of laurel oil, 6 parts of polyethylene glycol nonylphenol ether and 4 parts of sodium peroxyphosphate.

5 The computer screen cleaning liquid consists of 9 parts of benzene triazole, 12 parts of hydroxyethyl ethylenediamine, 13 parts of fatty alcohol polyoxyethylene ether, 9 parts of disodium edetate, 7 parts of n-amyl alcohol, 12 parts of triethanolamine, 9 parts of methylbenzene triazole, 10 parts of coconut oil fatty acid diethanolamide, 12 parts of laurel oil, 8 parts of polyethylene glycol nonylphenol
10 ether and 6 parts of sodium peroxyphosphate.

The computer screen cleaning liquid consists of 12 parts of benzene triazole, 14 parts of hydroxyethyl ethylenediamine, 16 parts of fatty alcohol polyoxyethylene ether, 10 parts of disodium edetate, 8 parts of n-amyl alcohol, 14 parts of triethanolamine, 12 parts of methylbenzene triazole, 14 parts of coconut oil fatty acid
15 diethanolamide, 14 parts of laurel oil, 12 parts of polyethylene glycol nonylphenol ether and 8 parts of sodium peroxyphosphate.

When the cleaning liquid is prepared, the substances of the mass components are uniformly mixed at room temperature to obtain the product.

The utility model has the advantages that the product of the invention has strong
20 cleaning and sterilization functions, which is a natural and green cleaning agent, and belongs to an environment-friendly product. This product can thoroughly clean the stains on the surface of the computer display screen, and there is no watermark on the surface of the cleaned display screen. The formula has a large degree of freedom, which can meet the cleaning needs of computer display screen and has a good
25 cleaning effect on particles, grease and stains. Strong decontamination ability, no harm to computer display screen.

DESCRIPTION OF THE INVENTION

Specific embodiments of the invention are described below in connection with
30 embodiments in order to better understand the invention.

EXAMPLE 1

The computer screen cleaning liquid consists of 6 parts of benzene triazole, 8 parts of hydroxyethyl ethylenediamine, 10 parts of fatty alcohol polyoxyethylene ether, 8 parts of disodium edetate, 6 parts of n-amyl alcohol, 8 parts of triethanolamine, 6 parts of methylbenzene triazole, 8 parts of coconut oil fatty acid diethanolamide, 10 parts of laurel oil, 6 parts of polyethylene glycol nonylphenol ether and 4 parts of sodium peroxyphosphate. When the cleaning liquid is prepared, the substances of the mass components are uniformly mixed at room temperature to obtain the product.

10

EXAMPLE 2

The computer screen cleaning liquid consists of 9 parts of benzene triazole, 12 parts of hydroxyethyl ethylenediamine, 13 parts of fatty alcohol polyoxyethylene ether, 9 parts of disodium edetate, 7 parts of n-amyl alcohol, 12 parts of triethanolamine, 9 parts of methylbenzene triazole, 10 parts of coconut oil fatty acid diethanolamide, 12 parts of laurel oil, 8 parts of polyethylene glycol nonylphenol ether and 6 parts of sodium peroxyphosphate. When the cleaning liquid is prepared, the substances of the mass components are uniformly mixed at room temperature to obtain the product.

20

EXAMPLE 3

The computer screen cleaning liquid consists of 12 parts of benzene triazole, 14 parts of hydroxyethyl ethylenediamine, 16 parts of fatty alcohol polyoxyethylene ether, 10 parts of disodium edetate, 8 parts of n-amyl alcohol, 14 parts of triethanolamine, 12 parts of methylbenzene triazole, 14 parts of coconut oil fatty acid diethanolamide, 14 parts of laurel oil, 12 parts of polyethylene glycol nonylphenol ether and 8 parts of sodium peroxyphosphate. When the cleaning liquid is prepared, the substances of the mass components are uniformly mixed at room temperature to obtain the product.

The foregoing is a preferred embodiment of the present invention, and it should be noted that, to those of ordinary skill in the art, a number of modifications and retouches may be made without departing from the principles of the present invention, and these modifications and retouches are also considered to be within the scope of

5 the present invention.

CLAIMS

1. A computer screen cleaning liquid, characterized by comprising 6-12 parts of benzene triazole, 8-14 parts of hydroxyethyl ethylenediamine, 10-16 parts of fatty alcohol polyoxyethylene ether, 8-10 parts of disodium edetate, 6-8 parts of n-amyl alcohol, 8-14 parts of triethanolamine, 6-12 parts of methylbenzene triazole, 8-14 parts of coconut oil fatty acid diethanolamide, 10-14 parts of laurel oil, 6-12 parts of polyethylene glycol nonylphenol ether and 4-8 parts of sodium peroxyphosphate.
2. The computer screen cleaning liquid according to claim 1, characterized in that the computer screen cleaning liquid comprises 6 parts of benzene triazole, 8 parts of hydroxyethyl ethylenediamine, 10 parts of fatty alcohol polyoxyethylene ether, 8 parts of disodium edetate, 6 parts of n-amyl alcohol, 8 parts of triethanolamine, 6 parts of methylbenzene triazole, 8 parts of coconut oil fatty acid diethanolamide, 10 parts of laurel oil, 6 parts of polyethylene glycol nonylphenol ether and 4 parts of sodium peroxyphosphate.
3. The computer screen cleaning liquid according to claim 1, characterized in that the computer screen cleaning liquid comprises 9 parts of benzene triazole, 12 parts of hydroxyethyl ethylenediamine, 13 parts of fatty alcohol polyoxyethylene ether, 9 parts of disodium edetate, 7 parts of n-amyl alcohol, 12 parts of triethanolamine, 9 parts of methylbenzene triazole, 10 parts of coconut oil fatty acid diethanolamide, 12 parts of laurel oil, 8 parts of polyethylene glycol nonylphenol ether and 6 parts of sodium peroxyphosphate.
4. The computer screen cleaning liquid according to claim 1, characterized in that the computer screen cleaning liquid comprises 12 parts of benzene triazole, 14 parts of hydroxyethyl ethylenediamine, 16 parts of fatty alcohol polyoxyethylene ether, 10 parts of disodium edetate, 8 parts of n-amyl alcohol, 14 parts of triethanolamine, 12 parts of methylbenzene triazole, 14 parts of coconut oil fatty

acid diethanolamide, 14 parts of laurel oil, 12 parts of polyethylene glycol
nonylphenol ether and 8 parts of sodium peroxyphosphate.

PATENTANSPRÜCHE

1. Eine Reinigungsflüssigkeit für Computerbildschirm, dadurch gekennzeichnet, dass die 6-12 Teile Benzotriazol, 8-14 Teile Hydroxyethyl-Ethylendiamin, 10-16 Teile Fettalkohol-Polyoxyethylenether, 8-10 Teile Dinatriumedetat, 6-8 Teile
5 n-Amylalkohol, 8-14 Teile Triethanolamin, 6-12 Teile Methylbenzotriazol, 8-14 Teile Kokosnussöl-Fettsäure-Diethanolamid, 10-14 Teile Lorbeeröl, 6-12 Teile Polyethylenglycol-Nonylphenolether und 4-8 Teile Natriumperoxyphosphat umfasst.

- 10 2. Die Reinigungsflüssigkeit für Computerbildschirm nach Anspruch 1, dadurch gekennzeichnet, dass die Reinigungsflüssigkeit für Computerbildschirm 6 Teile Benzotriazol, 8 Teile Hydroxyethyl-Ethylendiamin, 10 Teile Fettalkohol-Polyoxyethylenether, 8 Teile Dinatriumedetat, 6 Teile n-Amylalkohol,
8 Teile Triethanolamin, 6 Teile Methylbenzotriazol, 8 Teile
15 Kokosnussöl-Fettsäure-Diethanolamid, 10 Teile Lorbeeröl, 6 Teile Polyethylenglycol-Nonylphenolether und 4 Teile Natriumperoxyphosphat umfasst.

- 20 3. Die Reinigungsflüssigkeit für Computerbildschirm nach Anspruch 1, dadurch gekennzeichnet, dass die Reinigungsflüssigkeit für Computerbildschirm 9 Teile Benzotriazol, 12 Teile Hydroxyethyl-Ethylendiamin, 13 Teile Fettalkohol-Polyoxyethylenether, 9 Teile Dinatriumedetat, 7 Teile n-Amylalkohol,
12 Teile Triethanolamin, 9 Teile Methylbenzotriazol, 10 Teile
25 Kokosnussöl-Fettsäure-Diethanolamid, 12 Teile Lorbeeröl, 8 Teile Polyethylenglycol-Nonylphenolether und 6 Teile Natriumperoxyphosphat umfasst.

- 30 4. Die Reinigungsflüssigkeit für Computerbildschirm nach Anspruch 1, dadurch gekennzeichnet, dass die Reinigungsflüssigkeit für Computerbildschirm 12 Teile Benzotriazol, 14 Teile Hydroxyethyl-Ethylendiamin, 16 Teile

Fettalkohol-Polyoxyethylenether, 10 Teile Dinatriumedetat, 8 Teile
n-Amylalkohol, 14 Teile Triethanolamin, 12 Teile Methylbenzotriazol, 14 Teile
Kokosnussöl-Fettsäure-Diethanolamid, 14 Teile Lorbeeröl, 12 Teile
Polyethylenglycol-Nonylphenoether und 8 Teile Natriumperoxyphosphat
umfasst.