



US00D720312S

(12) **United States Design Patent**
Shiroyama et al.

(10) **Patent No.:** **US D720,312 S**
(45) **Date of Patent:** **** Dec. 30, 2014**

(54) **COAXIAL WAVEGUIDE CONVERTER
SUBSTRATE WITH FILTERING FUNCTION**

(71) Applicants: **NEC Engineering, Ltd.**, Shinagawa-ku,
Tokyo (JP); **NEC Corporation**,
Minato-ku, Tokyo (JP)

(72) Inventors: **Norihisa Shiroyama**, Shinagawa-ku
(JP); **Kiyotake Sasaki**, Shinagawa-ku
(JP); **Sumio Ueda**, Shinagawa-ku (JP);
Takahiro Miyamoto, Minato-ku (JP)

(73) Assignees: **NEC Engineering, Ltd.**, Tokyo (JP);
NEC Corporation, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/488,062**

(22) Filed: **Apr. 15, 2014**

(30) **Foreign Application Priority Data**

Oct. 17, 2013 (JP) 2013-024222

(51) **LOC (10) CL.** **13-03**

(52) **U.S. Cl.**
USPC **D13/182**

(58) **Field of Classification Search**

USPC D13/110, 123, 133, 182; D10/46, 75;
29/825, 828, 829, 830, 831, 832, 846;
174/68.1, 250–261, 268, 71 C, 75 C,
174/88 C; 216/13; 428/901; 361/718, 736,
361/741, 748, 752, 756, 760, 764, 783,
361/820; 333/1, 21 R, 24 R, 25, 26, 157,
333/160, 202, 204, 206, 208, 239, 248

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,737,812 A * 6/1973 Gaudio et al. 333/32

4,458,222 A * 7/1984 Herstein et al. 333/26
4,602,271 A * 7/1986 Dougherty et al. 257/700
4,652,839 A * 3/1987 Tadachi et al. 333/26
D319,045 S * 8/1991 Hasegawa et al. D13/182
D319,629 S * 9/1991 Hasegawa et al. D13/182
D319,814 S * 9/1991 Hasegawa et al. D13/182
5,326,284 A * 7/1994 Bohbot et al. 439/676
D397,093 S * 8/1998 Kim D13/182
D429,704 S * 8/2000 Kang D13/182
D440,209 S * 4/2001 Kang D13/182
D442,149 S * 5/2001 Kang D13/182
D442,150 S * 5/2001 Kang D13/182
6,232,562 B1 * 5/2001 Kikuchi et al. 174/260
D457,146 S * 5/2002 Yamamoto et al. D13/182
D466,093 S * 11/2002 Ebihara et al. D13/182
D471,167 S * 3/2003 Ebihara et al. D13/182
D485,536 S * 1/2004 Dang et al. D13/182
6,788,171 B2 * 9/2004 Ammar et al. 333/247
D505,925 S * 6/2005 Koo D13/182
D524,763 S * 7/2006 Nakano et al. D13/182
D552,048 S * 10/2007 He D13/182
7,612,632 B2 * 11/2009 Tanaka et al. 333/26
D639,756 S * 6/2011 Greene, Jr. D13/182

(Continued)

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Keating & Bennett, LLP



(57) **CLAIM**

The ornamental design for a coaxial waveguide converter substrate with filtering function, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a coaxial waveguide converter substrate with filtering function showing our new design;
FIG. 2 a bottom plan view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a front elevation view thereof;
FIG. 6 is a rear elevation view thereof; and,
FIG. 7 is a perspective view thereof.

1 Claim, 7 Drawing Sheets



US D720,312 S

Page 2

(56)

References Cited

2003/0081393 A1 * 5/2003 Yokoyama 361/767
2003/0231078 A1 * 12/2003 Koriyama et al. 333/26

U.S. PATENT DOCUMENTS

D642,546 S * 8/2011 Greene, Jr. D13/182 * cited by examiner

FIG.1




FIG.2




FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7

