

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
29 December 2005 (29.12.2005)

PCT

(10) International Publication Number
WO 2005/123722 A1

(51) International Patent Classification⁷: **C07D 403/12**,
409/12, 333/20, 231/14, 231/40, A01N 43/56

(74) Common Representative: **SYNGENTA PARTICI-
PATIONS AG**; Intellectual Property, P.O. BoxBasel,
CH-4002 Basel (CH).

(21) International Application Number:
PCT/EP2005/006688

(81) Designated States (*unless otherwise indicated, for every
kind of national protection available*): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA,
MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ,
OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL,
SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC,
VN, YU, ZA, ZM, ZW.

(22) International Filing Date: 21 June 2005 (21.06.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0413970.5 22 June 2004 (22.06.2004) GB

(84) Designated States (*unless otherwise indicated, for every
kind of regional protection available*): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO,
SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN,
GQ, GW, ML, MR, NE, SN, TD, TG).

(71) Applicant (*for all designated States except US*): **SYN-
GENTA PARTICIPATIONS AG** [CH/CH]; Schwarzwald-
dallee 215, CH-4058 Basel (CH).

(72) Inventors; and


(75) Inventors/Applicants (*for US only*): **LAMBERTH,
Clemens** [DE/CH]; Syngenta Crop Protection AG,
Schwarzwaldallee 215, CH-4058 Basel (CH). **CORSI,
Camilla** [IT/CH]; Syngenta Crop Protection AG,
Schwarzwaldallee 215, CH-4058 Basel (CH). **EHREN-
FREUND, Josef** [AT/CH]; Syngenta Crop Protection
AG, Schwarzwaldallee 215, CH-4058 Basel (CH). **TO-
BLER, Hans** [CH/CH]; Syngenta Crop Protection AG,
Schwarzwaldallee 215, CH-4058 Basel (CH). **WAL-
TER, Harald** [DE/CH]; Syngenta Crop Protection AG,
Schwarzwaldallee 215, CH-4058 Basel (CH).

Published:

- with international search report
- before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

(54) Title: HETEROCYCLIC CARBOXAMIDES WITH MICROBIOCIDAL ACTIVITY




(57) Abstract: Compounds of the formula (I), in which the substituents are
as defined in claim 1 are suitable for use as microbiocides.

HETEROCYCLIC CARBOXAMIDES WITH MICROBIOCIDAL ACTIVITY

The present invention relates to novel carboxamide derivatives as active ingredients which have microbiocidal activity, in particular fungicidal activity. The invention also relates to preparation of these active ingredients, to novel heterocyclic derivatives used as intermediates in the preparation of these active ingredients, to preparation of these novel intermediates, to agrochemical compositions which comprise at least one of the novel active ingredients, to preparation of these compositions and to use of the active ingredients or compositions in agriculture or horticulture for controlling or preventing infestation of plants by phytopathogenic microorganisms, preferably fungi.

Fungicidally active carboxamide derivatives are disclosed for example in JP2001302605.

The present invention provides a compound of formula (I):



where Het¹ and Het² are each, independently, a 5- or 6-membered heterocyclic ring containing one to three heteroatoms, each independently selected from oxygen, nitrogen and sulphur; Het¹ being substituted by one, two or three groups R^{y1} and Het² being substituted by R⁶ and being optionally substituted by one, two or three groups R^{y2}; R¹ is hydrogen, formyl, CO-C₁₋₄ alkyl, COO-C₁₋₄ alkyl, C₁₋₄ alkoxy(C₁₋₄)alkylene, CO-C₁₋₄ alkylenoxy(C₁₋₄)alkyl, propargyl or allenyl; R², R³, R⁴ and R⁵ are each, independently, hydrogen, halogen, methyl or CF₃; R⁶ is (Z)_mC≡C(Y¹), (Z)_mC(Y¹)=C(Y²)(Y³) or tri(C₁₋₄)alkylsilyl; each R^{y1} or each R^{y2} is, independently, halogen, C₁₋₃ alkyl, C₁₋₃ haloalkyl, C₁₋₃ alkoxy(C₁₋₃)alkylene or cyano; X is O or S; Y¹, Y² and Y³ are each, independently, hydrogen, halogen, C₁₋₆ alkyl [optionally substituted by one or more substituents each independently selected from halogen, hydroxy, C₁₋₄ alkoxy, C₁₋₄ haloalkoxy, C₁₋₄ alkylthio, C₁₋₄ haloalkylthio, C₁₋₄ alkylamino,

di(C₁₋₄)alkylamino, C₁₋₄ alkoxy carbonyl, C₁₋₄ alkyl carbonyloxy and tri(C₁₋₄)alkylsilyl], C₂₋₄ alkenyl [optionally substituted by one or more substituents each independently selected from halogen], C₂₋₄ alkynyl [optionally substituted by one or more substituents each independently selected from halogen], C₃₋₇ cycloalkyl [optionally substituted by one or more substituents each independently selected from halogen, C₁₋₄ alkyl and C₁₋₄ haloalkyl] or tri(C₁₋₄)alkylsilyl; Z is C₁₋₄ alkylene [optionally substituted by one or more substituents each independently selected from hydroxy, cyano, C₁₋₄ alkoxy, halogen, C₁₋₄ haloalkyl, C₁₋₄ haloalkoxy, C₁₋₄ alkylthio, COOH and COO-C₁₋₄ alkyl]; and m is 0 or 1.

In one particular aspect, the present invention provides a compound of formula (I) as defined above where R⁶ is (Z)_mC≡C(Y¹) or (Z)_mC(Y¹)=C(Y²)(Y³); and Y¹, Y² and Y³ are each, independently, hydrogen, halogen, C₁₋₄ alkyl [optionally substituted by one or more substituents each independently selected from halogen, hydroxy, C₁₋₄ alkoxy, C₁₋₄ haloalkoxy, C₁₋₄ alkylthio, C₁₋₄ haloalkylthio, C₁₋₄ alkylamino, di(C₁₋₄)alkylamino, C₁₋₄ alkoxy carbonyl and tri(C₁₋₄)alkylsilyl], C₂₋₄ alkenyl [optionally substituted by one or more substituents each independently selected from halogen], C₂₋₄ alkynyl [optionally substituted by one or more substituents each independently selected from halogen], C₃₋₇ cycloalkyl [optionally substituted by one or more substituents each independently selected from halogen, C₁₋₄ alkyl and C₁₋₄ haloalkyl] or tri(C₁₋₄)alkylsilyl.

In one aspect, the present invention provides a compound of formula (I) as defined above where R⁶ is (Z)_mC≡C(Y¹) or (Z)_mC(Y¹)=C(Y²)(Y³); and Z is C₁₋₄ alkylene [optionally substituted by one or more substituents each independently selected from hydroxy, cyano, C₁₋₄ alkoxy, C₁₋₄ haloalkoxy, C₁₋₄ alkylthio, COOH and COO-C₁₋₄ alkyl].

Halogen is fluorine, chlorine, bromine or iodine [preferably fluorine, chlorine or bromine].

Each alkyl moiety is a straight or branched chain and is, for example, methyl, ethyl, n-propyl, n-butyl, iso-propyl, n-butyl, sec-butyl, iso-butyl or tert-butyl. Likewise, each alkylene moiety is a straight or branched chain.

Haloalkyl moieties are alkyl moieties which are substituted by one or more of the same or different halogen atoms and are, for example, CF_3 , CF_2Cl , CHF_2 , CH_2F , CCl_3 , CF_3CH_2 , CHF_2CH_2 , CH_2FCH_2 , CH_3CHF or CH_3CF_2 .

Alkenyl and alkynyl moieties can be in the form of straight or branched chains. The
5 alkenyl moieties, where appropriate, can be of either the (E)- or (Z)-configuration. Examples are vinyl, allyl, ethynyl and propargyl.

Cycloalkyl includes cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl and cycloheptyl.

In tri(C_{1-4})alkylsilyl and in di(C_{1-4})alkylamino, each alkyl moiety is selected independently.

10 Throughout this description, Me stands for methyl and Et stands for ethyl.

It is preferred that Het^1 is pyrazole, pyrrole, thiophene, furane, thiazole, isothiazole, oxazole, isoxazole, pyridine, pyrazine, pyrimidine, pyridazine, 5,6-dihydropyran or
15 5,6-dihydro-1,4-oxathiine [more preferably pyrazole, pyrrole, thiophene, furane, thiazole, oxazole, pyridine, pyrimidine, pyridazine or 5,6-dihydropyran; yet more preferably pyrazole, pyrrole, thiophene, thiazole or pyridine; and even more preferably pyrazole, pyrrole thiazole or pyridine].

It is preferred that Het^2 is pyrazole, pyrrole, thiophene, furane, thiazole, isothiazole,
20 oxazole, isoxazole, pyridine, pyrazine, pyrimidine, pyridazine, triazine, oxadiazole, thiadiazole or imidazole. Within this embodiment it is even more preferred that Het^2 is pyrazole, pyrrole or thiophene. In another preferred aspect of this embodiment it is preferred that Het^2 is pyrazole, thiophene or furane.

25 Preferably R^1 is hydrogen, propargyl, allenyl, formyl, COMe, COEt or COCH_2OMe .
More preferably R^1 is hydrogen, propargyl, allenyl or COMe.
Even more preferably R^1 is hydrogen.

Preferably R^2 is hydrogen.

30 Preferably R^3 is hydrogen.

Preferably R^4 is hydrogen.

Preferably R^5 is hydrogen or halogen.

More preferably R^5 is hydrogen or fluorine.

Even more preferably R^5 is hydrogen.

5 In a preferred embodiment of the invention R^6 is $(Z)_mC\equiv C(Y^1)$ or $(Z)_mC(Y^1)=C(Y^2)(Y^3)$.

In another preferred embodiment of the invention R^6 is $(Z)_mC\equiv C(Y^1)$.

In yet another preferred embodiment of the invention R^6 is $(Z)_mC(Y^1)=C(Y^2)(Y^3)$.

In yet another preferred embodiment of the invention R^6 is $\text{tri}(C_{1-4})\text{alkylsilyl}$;

10 Preferably Y^1 , Y^2 and Y^3 are, independently, hydrogen, halogen, C_{1-6} alkyl, C_{1-3} haloalkyl, $C_{1-4}(\text{haloalkoxy})C_{1-4}\text{alkyl}$, $C_{1-4}(\text{haloalkylthio})C_{1-4}\text{alkyl}$, trimethylsilyl, C_{2-4} alkenyl, C_{2-4} haloalkenyl or C_{3-6} cycloalkyl (optionally substituted by one or more substituents each independently selected from halogen and C_{1-2} alkyl).

15 Preferably Z is C_{1-2} alkylene [which may be optionally substituted by one or more substituents each independently selected from halogen, C_{1-4} haloalkyl and C_{1-4} haloalkoxy].

20 Preferably R^6 is vinyl [optionally substituted by one to three substituents each independently selected from halogen, C_{1-4} alkyl, C_{1-3} haloalkyl, C_{3-6} cycloalkyl (optionally substituted by one to five substituents each independently selected from halogen, CH_3 and C_{1-2} haloalkyl) and trimethylsilyl], ethynyl [optionally substituted by one substituent selected from cyclopropyl, cyclopentyl and cyclohexyl (each optionally substituted by one to five substituents each independently selected from halogen, CH_3 and C_{1-2} haloalkyl), halogen, C_{1-6} alkyl, C_{1-4} haloalkyl, C_{2-4} alkenyl, C_{2-4} haloalkenyl and $\text{tri}(C_{1-4})\text{alkylsilyl}$], allyl [optionally substituted by one to three substituents each independently selected from halogen, CH_3 , C_{1-2} haloalkyl and trimethylsilyl], propargyl [optionally substituted by one to three substituents each independently selected from halogen, C_{1-4} alkyl, C_{1-2} haloalkyl and trimethylsilyl] or $\text{tri}(C_{1-4})\text{alkylsilyl}$.

30 Also preferably R^6 is vinyl [optionally substituted by one to three substituents each independently selected from halogen, C_{1-4} alkyl, C_{1-3} haloalkyl, C_{3-6} cycloalkyl (optionally

substituted by one to five substituents each independently selected from halogen, CH₃ and C₁₋₂ haloalkyl) and trimethylsilyl], ethynyl [optionally substituted by one substituent selected from cyclopropyl, cyclopentyl and cyclohexyl (each optionally substituted by one to five substituents each independently selected from halogen, CH₃ and C₁₋₂ haloalkyl), halogen, C₁₋₆ alkyl, C₁₋₄ haloalkyl, C₂₋₄ alkenyl, C₂₋₄ haloalkenyl and tri(C₁₋₄)alkylsilyl], allyl [optionally substituted by one to three substituents each independently selected from halogen, CH₃, C₁₋₂ haloalkyl and trimethylsilyl] or propargyl [optionally substituted by one to three substituents each independently selected from halogen, C₁₋₄ alkyl, C₁₋₂ haloalkyl and trimethylsilyl].

- 10 More preferably R⁶ is CH=CH₂, CH=CH(CH₃), CH=CHSiMe₃, CH=CF₂, CH=CCl₂, C(CH₃)=CCl₂, CH=CBr₂, C(CH₃)=CBr₂, C(CH₃)=CF₂, CH=CFCl, CH=CFBr, C(CH₃)=CFCl, C(CH₃)=CFBr, CH=CFMe, CH=CBrMe, CH=CClMe, CH=CHBr, CH=CHF, CH=CHCl, CF=CF₂, CCl=CF₂, CCl=CH₂, CBr=CH₂, CF=CH₂, C(CF₃)=CFBr, C(CF₃)=CFCl, C(CF₃)=CBr₂, C(CF₃)=CCl₂, C(CF₃)=CF₂, C(CF₃)=CH₂, CF=CHF, CH=CHCF₃,
 15 CH=CFCF₂Cl, CH=CClCF₂Cl, CH=CBrCF₂Cl, CH=C(CF₃)₂, CH=CHC₂F₅, CH=CHCF(CF₃)₂, C(CH₃)=CHCF₃, C(CH₃)=CFCF₃, C(CH₃)=CClCF₃, C(CH₃)=CBrCF₃, CH=CClCF₃, CH=CClC₂F₅, CH=CBrCF₃, CH=CFC₂F₅, CH=CFCF₃, CH₂CH=CH₂, CH₂CH=CF₂, CH₂CH=CCl₂, CH₂CH=CBr₂, CH₂CH=CFBr, CH₂CH=CFCl, CH₂CH=CClCF₃, CH₂CH=CHSiMe₃, C≡CH, C≡CSiMe₃, C≡CSiEt₃, C≡CSiMe₂C(CH₃)₃,
 20 C≡CCl, C≡CBr, C≡CF, C≡CCF₃, C≡CCF₂H, C≡CCF₂Cl, C≡CCF₂Me, C≡CCF₂Et, C≡CCHFCl, C≡CCF₂Br, C≡CC₂F₅, C≡CCF(CF₃)₂, C≡CCHF(CF₃), C≡CCH₂F, C≡CCH(Me)F, C≡CCH(Et)F, C≡CMe, C≡CCH₂Me, C≡CCHMe₂, C≡CCH₂CHMe₂, C≡CCMe₃, C≡CCH₂CMe₃, C≡CCH₂SiMe₃, C≡CCMe₂Cl, C≡CCMe₂F, C≡CCH₂OMe, C≡CCH₂CF₃, C≡CCMe₂OMe, C≡CCMe₂OH, C≡CCMe₂OCOMe, C≡CC(Me)=CH₂,
 25 C≡CCF=CF₂, C≡C(cyclopropyl), C≡C(cyclopentyl), C≡C(1-F-cyclopentyl), CH₂C≡CH, CF₂C≡CH, CHF₂C≡CH, CH(CF₃)C≡CH, SiMe₃, CH₂C≡CCMe₃ or CH₂C≡CSiMe₃.

- Within this embodiment of the invention R⁶ is preferably CH=CH₂, CH=CH(CH₃), CH=CHSiMe₃, CH=CF₂, CH=CCl₂, C(CH₃)=CCl₂, CH=CBr₂, C(CH₃)=CBr₂, C(CH₃)=CF₂, CH=CFCl, CH=CFBr, C(CH₃)=CFCl, C(CH₃)=CFBr, CH=CFMe, CH=CBrMe,
 30 CH=CClMe, CH=CHBr, CH=CHF, CH=CHCl, CF=CF₂, CCl=CF₂, CCl=CH₂, CBr=CH₂,

- $\text{CF}=\text{CH}_2$, $\text{C}(\text{CF}_3)=\text{CFBr}$, $\text{C}(\text{CF}_3)=\text{CFCl}$, $\text{C}(\text{CF}_3)=\text{CBr}_2$, $\text{C}(\text{CF}_3)=\text{CCl}_2$, $\text{C}(\text{CF}_3)=\text{CF}_2$,
 $\text{C}(\text{CF}_3)=\text{CH}_2$, $\text{CF}=\text{CHF}$, $\text{CH}=\text{CHCF}_3$, $\text{CH}=\text{CFCF}_2\text{Cl}$, $\text{CH}=\text{CClCF}_2\text{Cl}$, $\text{CH}=\text{CBrCF}_2\text{Cl}$,
 $\text{CH}=\text{C}(\text{CF}_3)_2$, $\text{CH}=\text{CHC}_2\text{F}_5$, $\text{CH}=\text{CHCF}(\text{CF}_3)_2$, $\text{C}(\text{CH}_3)=\text{CHCF}_3$, $\text{C}(\text{CH}_3)=\text{FCCF}_3$,
 $\text{C}(\text{CH}_3)=\text{CClCF}_3$, $\text{C}(\text{CH}_3)=\text{CBrCF}_3$, $\text{CH}=\text{CClCF}_3$, $\text{CH}=\text{CClC}_2\text{F}_5$, $\text{CH}=\text{CBrCF}_3$, $\text{CH}=\text{FCC}_2\text{F}_5$,
5 $\text{CH}=\text{FCCF}_3$, $\text{CH}_2\text{CH}=\text{CH}_2$, $\text{CH}_2\text{CH}=\text{CF}_2$, $\text{CH}_2\text{CH}=\text{CCl}_2$, $\text{CH}_2\text{CH}=\text{CBr}_2$, $\text{CH}_2\text{CH}=\text{CFBr}$,
 $\text{CH}_2\text{CH}=\text{CFCl}$, $\text{CH}_2\text{CH}=\text{CClCF}_3$, $\text{CH}_2\text{CH}=\text{CHSiMe}_3$, $\text{C}\equiv\text{CH}$, $\text{C}\equiv\text{CSiMe}_3$, $\text{C}\equiv\text{CSiEt}_3$,
 $\text{C}\equiv\text{CSiMe}_2\text{C}(\text{CH}_3)_3$, $\text{C}\equiv\text{CCl}$, $\text{C}\equiv\text{CBr}$, $\text{C}\equiv\text{CF}$, $\text{C}\equiv\text{CCF}_3$, $\text{C}\equiv\text{CCF}_2\text{H}$, $\text{C}\equiv\text{CCF}_2\text{Cl}$, $\text{C}\equiv\text{CCF}_2\text{Me}$,
 $\text{C}\equiv\text{CCF}_2\text{Et}$, $\text{C}\equiv\text{CCHFCl}$, $\text{C}\equiv\text{CCF}_2\text{Br}$, $\text{C}\equiv\text{CC}_2\text{F}_5$, $\text{C}\equiv\text{CCF}(\text{CF}_3)_2$, $\text{C}\equiv\text{CCHF}(\text{CF}_3)$, $\text{C}\equiv\text{CCH}_2\text{F}$,
 $\text{C}\equiv\text{CCH}(\text{Me})\text{F}$, $\text{C}\equiv\text{CCH}(\text{Et})\text{F}$, $\text{C}\equiv\text{CMe}$, $\text{C}\equiv\text{CCH}_2\text{Me}$, $\text{C}\equiv\text{CCHMe}_2$, $\text{C}\equiv\text{CCH}_2\text{CHMe}_2$,
10 $\text{C}\equiv\text{CCMe}_3$, $\text{C}\equiv\text{CCH}_2\text{CMe}_3$, $\text{C}\equiv\text{CCH}_2\text{SiMe}_3$, $\text{C}\equiv\text{CCMe}_2\text{Cl}$, $\text{C}\equiv\text{CCMe}_2\text{F}$, $\text{C}\equiv\text{CCH}_2\text{OMe}$,
 $\text{C}\equiv\text{CCH}_2\text{CF}_3$, $\text{C}\equiv\text{CCMe}_2\text{OMe}$, $\text{C}\equiv\text{CCMe}_2\text{OH}$, $\text{C}\equiv\text{CCMe}_2\text{OCOMe}$, $\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$,
 $\text{C}\equiv\text{CCF}=\text{CF}_2$, $\text{C}\equiv\text{C}(\text{cyclopropyl})$, $\text{C}\equiv\text{C}(\text{cyclopentyl})$, $\text{C}\equiv\text{C}(1\text{-F-cyclopentyl})$, $\text{CH}_2\text{C}\equiv\text{CH}$,
 $\text{CF}_2\text{C}\equiv\text{CH}$, $\text{CHFC}\equiv\text{CH}$, $\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$, $\text{CH}_2\text{C}\equiv\text{CCMe}_3$ or $\text{CH}_2\text{C}\equiv\text{CSiMe}_3$.

- Even more preferably R^6 is $\text{CH}=\text{CF}_2$, $\text{CH}=\text{CCl}_2$, $\text{C}(\text{CH}_3)=\text{CCl}_2$, $\text{CH}=\text{CBr}_2$,
 15 $\text{C}(\text{CH}_3)=\text{CBr}_2$, $\text{C}(\text{CH}_3)=\text{CF}_2$, $\text{CH}=\text{CFCl}$, $\text{CH}=\text{CFBr}$, $\text{C}(\text{CH}_3)=\text{CFCl}$, $\text{C}(\text{CH}_3)=\text{CFBr}$,
 $\text{CH}=\text{CHBr}$, $\text{CH}=\text{CHF}$, $\text{CH}=\text{CHCl}$, $\text{CCl}=\text{CH}_2$, $\text{CH}=\text{CHCF}_3$, $\text{CH}=\text{FCCF}_2\text{Cl}$, $\text{CH}=\text{CClCF}_2\text{Cl}$,
 $\text{CH}=\text{CBrCF}_2\text{Cl}$, $\text{CH}=\text{C}(\text{CF}_3)_2$, $\text{CH}=\text{CHC}_2\text{F}_5$, $\text{CH}=\text{CHCF}(\text{CF}_3)_2$, $\text{C}(\text{CH}_3)=\text{CHCF}_3$,
 $\text{CH}=\text{CClCF}_3$, $\text{CH}=\text{CClC}_2\text{F}_5$, $\text{CH}=\text{FCC}_2\text{F}_5$, $\text{CH}=\text{CBrCF}_3$, $\text{CH}=\text{FCCF}_3$, $\text{CH}_2\text{CH}=\text{CClCF}_3$,
 $\text{CH}_2\text{CH}=\text{CCl}_2$, $\text{CH}_2\text{CH}=\text{CBr}_2$, $\text{C}\equiv\text{CH}$, $\text{C}\equiv\text{CSiMe}_3$, $\text{C}\equiv\text{CSiEt}_3$, $\text{C}\equiv\text{CSiMe}_2\text{C}(\text{CH}_3)_3$, $\text{C}\equiv\text{CCl}$,
 20 $\text{C}\equiv\text{CCF}_3$, $\text{C}\equiv\text{CCF}_2\text{H}$, $\text{C}\equiv\text{CCF}_2\text{Cl}$, $\text{C}\equiv\text{CCHFCl}$, $\text{C}\equiv\text{CCF}_2\text{Me}$, $\text{C}\equiv\text{CCF}_2\text{Et}$, $\text{C}\equiv\text{CCHFEt}$,
 $\text{C}\equiv\text{CCF}_2\text{Br}$, $\text{C}\equiv\text{CCF}(\text{CF}_3)_2$, $\text{C}\equiv\text{CCF}_2\text{CF}_3$, $\text{C}\equiv\text{CCHF}(\text{CF}_3)$, $\text{C}\equiv\text{CCH}_2\text{F}$, $\text{C}\equiv\text{CCH}(\text{Me})\text{F}$, $\text{C}\equiv\text{CMe}$,
 $\text{C}\equiv\text{CCHMe}_2$, $\text{C}\equiv\text{CCH}_2\text{Me}$, $\text{C}\equiv\text{CCH}_2\text{CHMe}_2$, $\text{C}\equiv\text{CCMe}_3$, $\text{C}\equiv\text{CCH}_2\text{CMe}_3$, $\text{C}\equiv\text{CCMe}_2\text{F}$,
 $\text{C}\equiv\text{CCH}_2\text{CF}_3$, $\text{C}\equiv\text{C}(\text{cyclopropyl})$, $\text{C}\equiv\text{C}(\text{cyclopentyl})$, $\text{C}\equiv\text{C}(1\text{-F-cyclopentyl})$, $\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$,
 $\text{C}\equiv\text{CCF}=\text{CF}_2$, $\text{C}\equiv\text{CCH}_2\text{SiMe}_3$, $\text{CH}_2\text{C}\equiv\text{CH}$, $\text{CF}_2\text{C}\equiv\text{CH}$ or $\text{CHFC}\equiv\text{CH}$.

- Yet more preferably R^6 is $\text{CH}=\text{CF}_2$, $\text{CH}=\text{CCl}_2$, $\text{CH}=\text{CBr}_2$, $\text{CH}=\text{CFCl}$, $\text{CH}=\text{CFBr}$,
 25 $\text{CH}=\text{CHBr}$, $\text{CH}=\text{CHF}$, $\text{CH}=\text{CHCl}$, $\text{CCl}=\text{CH}_2$, $\text{CH}=\text{CHCF}_3$, $\text{CH}=\text{FCCF}_2\text{Cl}$, $\text{CH}=\text{CClCF}_2\text{Cl}$,
 $\text{CH}=\text{CBrCF}_2\text{Cl}$, $\text{CH}=\text{C}(\text{CF}_3)_2$, $\text{CH}=\text{CHC}_2\text{F}_5$, $\text{CH}=\text{CClCF}_3$, $\text{CH}=\text{CBrCF}_3$, $\text{CH}=\text{FCCF}_3$, $\text{C}\equiv\text{CH}$,
 $\text{C}\equiv\text{CSiMe}_3$, $\text{C}\equiv\text{CCl}$, $\text{C}\equiv\text{CCF}_3$, $\text{C}\equiv\text{CCF}_2\text{H}$, $\text{C}\equiv\text{CCHFCl}$, $\text{C}\equiv\text{CCHF}(\text{CF}_3)$, $\text{C}\equiv\text{CCF}_2\text{Cl}$,
 $\text{C}\equiv\text{CCF}_2\text{Me}$, $\text{C}\equiv\text{CCF}_2\text{Br}$, $\text{C}\equiv\text{CCF}_2\text{CF}_3$, $\text{C}\equiv\text{CCH}_2\text{F}$, $\text{C}\equiv\text{CCH}(\text{Me})\text{F}$, $\text{C}\equiv\text{CMe}$, $\text{C}\equiv\text{CCHMe}_2$,

$C\equiv CCH_2CHMe_2$, $C\equiv CCMe_3$, $C\equiv CCCH_2CMe_3$, $C\equiv CCMe_2F$, $C\equiv CCH_2CF_3$, $C\equiv C(\text{cyclopropyl})$, $C\equiv C(\text{cyclopentyl})$, $C\equiv C(1\text{-F-cyclopentyl})$, $CH_2C\equiv CH$, $CF_2C\equiv CH$, $CHFC\equiv CH$ or $C\equiv CCH_2Me$.

Most preferably R^6 is $C\equiv CCMe_3$.

- 5 Preferably nitrogen atoms in Het^1 are, independently, either unsubstituted or substituted by R^{y1} .

When R^{y1} is a substituent on a nitrogen atom it is preferably C_{1-3} alkyl, C_{1-3} haloalkyl or methoxymethylene; more preferably C_{1-2} alkyl, CF_3 , CF_2Cl , CHF_2 , CH_2F or methoxymethylene; even more preferably methyl, CHF_2 or methoxymethylene; yet more
10 preferably methyl or methoxymethylene; and most preferably methyl.

Preferably carbon atoms in Het^1 which are not bonded to the atom substituted by $CXNR^1$ are, independently, either unsubstituted or substituted by R^{y1} .

- When R^{y1} is a substituent on a carbon atom which is not bonded to the atom substituted by $CXNR^1$ it is preferably halogen, C_{1-3} alkyl, C_{1-3} haloalkyl or methoxymethylene; more
15 preferably chloro, methoxymethylene, CH_3 , CHF_2 or CF_3 ; yet more preferably chloro, CH_3 , CHF_2 or CF_3 ; and even more preferably CH_3 or CF_3 .

There may be one or two carbon atoms in the Het^1 ring bonded to the atom substituted by $CXNR^1$; preferably such carbon atoms are, independently, either unsubstituted or substituted by R^{y1} .

- 20 When R^{y1} is a substituent on a carbon atom bonded in the Het^1 ring to the atom substituted by $CXNR^1$ it is preferably halogen, C_{1-3} alkyl or C_{1-3} haloalkyl; more preferably chloro, fluoro, bromo, C_{1-2} alkyl, CF_3 , CF_2Cl , CHF_2 , CH_2F ; and even more preferably chloro, fluoro, bromo, methyl, CF_3 , CHF_2 or CH_2F .

- More preferably, when there is only one carbon atom in Het^1 bonded to the atom
25 substituted by $CXNR^1$ that carbon atom is substituted by R^{y1} .

More preferably, when there are two carbon atoms in Het^1 bonded to the atom substituted by $CXNR^1$ one such carbon atom is substituted by R^{y1} and the other carbon atom is either unsubstituted or is substituted by fluoro, chloro or methyl.


Preferably carbon atoms and heteroatoms in Het² which are not bound to R⁶ are, independently, either unsubstituted or are substituted by R^{y2}. When a carbon atom or a heteroatom in Het² is substituted by R^{y2}, R^{y2} is preferably halogen, C₁₋₃ alkyl, C₁₋₃ haloalkyl or cyano; more preferably fluoro, chloro, CH₃ or CF₃; and even more preferably chloro or CF₃.

- 5 In a preferred embodiment of the invention Het² is only substituted by R⁶ and not further substituted by any R^{y2}.

Preferably m is 0.

- 10 Preferably X is O.

Compounds of formula (II):




- 15 where R¹, R², R³, R⁴, R⁵ and Het² are as defined above for a compound of formula (I), are also novel and are useful as intermediates in the preparation of compounds of formula (I).

Therefore, in another aspect the present invention provides a compound of formula (II), where R¹, R², R³, R⁴, R⁵ and Het² are as defined above for a compound of formula (I).

- 20 The preferred values for R¹, R², R³, R⁴, R⁵ and Het² for a compound of formula (II) are as defined above for a compound of formula (I).

Compounds of formula (III):




where R^2 , R^3 , R^4 , R^5 and Het^2 are as defined above for a compound of formula (I) are also novel and are useful as intermediates in the preparation of compounds of formula (II).

Therefore, in another aspect the present invention provides a compound of formula (III), where R^2 , R^3 , R^4 , R^5 and Het^2 are as defined above for a compound of formula (I).

5 The preferred values for R^2 , R^3 , R^4 , R^5 and Het^2 for a compound of formula (III) are as defined above for a compound of formula (I).

Compounds of formula (IV):



10 where R^2 , R^3 , R^4 , R^5 and Het^2 are as defined above for a compound of formula (I) and Hal is bromo, chloro or iodo are also novel and are useful as intermediates in the preparation of compounds of formula (I).

Therefore, in another aspect the present invention provides a compound of formula (IV), where R^2 , R^3 , R^4 , R^5 and Het^2 are as defined above for a compound of formula (I) and Hal is
15 bromo, chloro or iodo.

The preferred values for R^2 , R^3 , R^4 , R^5 and Het^2 for a compound of formula (IV) are as defined above for a compound of formula (I).

The compounds of formulae (I), (II), (III) and (IV) may exist as different geometric or
20 optical isomers or in different tautomeric forms. For each formula, this invention covers all such isomers and tautomers and mixtures thereof in all proportions as well as isotopic forms such as deuterated compounds.

The compounds in Tables 1 to 7 below illustrate compounds of the invention.

25

Table 1X represents Table 1aa (when X is aa), represents Table 1ab (when X is ab), represents Table 1ac (when X is ac), represents Table 1ad (when X is ad), represents Table 1ae (when X is ae), represents Table 1af (when X is af), represents Table 1ag (when X is ag),

represents Table 1ah (when X is ah), represents Table 1ai (when X is ai), represents Table 1aj (when X is aj), represents Table 1ak (when X is ak), represents Table 1al (when X is al), represents Table 1am (when X is am), represents Table 1an (when X is an), represents Table 1ao (when X is ao), represents Table 1ap (when X is ap), represents Table 1aq (when X is aq),
 5 represents Table 1ar (when X is ar), represents Table 1as (when X is as), represents Table 1at (when X is at), represents Table 1au (when X is au), represents Table 1av (when X is av), represents Table 1aw (when X is aw) and represents Table 1ax (when X is ax).

Table 1X

Compound No.	R ¹	R ⁶	R ⁷	R ⁸	R ⁹	X
1X.001	H	C≡CH	H	Me	CF ₃	O
1X.002	H	C≡CH	H	Me	CF ₂ H	O
1X.003	H	C≡CH	F	Me	Me	O
1X.004	H	C≡CH	H	Me	CF ₃	S
1X.005	H	C≡CH	H	Me	CF ₂ H	S
1X.006	propargyl	C≡CH	H	Me	CF ₃	O
1X.007	allenyl	C≡CH	H	Me	CF ₃	O
1X.008	COMe	C≡CH	H	Me	CF ₃	O
1X.009	H	C≡CF	H	Me	CF ₃	O
1X.010	H	C≡CF	H	Me	CF ₂ H	O
1X.011	H	C≡CF	F	Me	Me	O
1X.012	H	C≡CCl	H	Me	CF ₃	O
1X.013	H	C≡CCl	H	Me	CF ₂ H	O
1X.014	H	C≡CCl	F	Me	Me	O
1X.015	H	C≡CBr	H	Me	CF ₃	O
1X.016	H	C≡CBr	H	Me	CF ₂ H	O
1X.017	H	C≡CBr	F	Me	Me	O
1X.018	H	C≡CMe	H	Me	CF ₃	O

1X.019	H	$C\equiv CMe$	H	Me	CF_2H	O
1X.020	H	$C\equiv CMe$	F	Me	Me	O
1X.021	H	$C\equiv CCH_2OMe$	H	Me	CF_3	O
1X.022	H	$C\equiv CCH_2OMe$	H	Me	CF_2H	O
1X.023	H	$C\equiv CCH_2OMe$	F	Me	Me	O
1X.024	H	$C\equiv CCH_2F$	H	Me	CF_3	O
1X.025	H	$C\equiv CCH_2F$	H	Me	CF_2H	O
1X.026	H	$C\equiv CCH_2F$	F	Me	Me	O
1X.027	H	$C\equiv CCF_2H$	H	Me	CF_3	O
1X.028	H	$C\equiv CCF_2H$	H	Me	CF_2H	O
1X.029	H	$C\equiv CCF_2H$	F	Me	Me	O
1X.030	H	$C\equiv CCHFCl$	H	Me	CF_3	O
1X.031	H	$C\equiv CCHFCl$	H	Me	CF_2H	O
1X.032	H	$C\equiv CCHFCl$	F	Me	Me	O
1X.033	H	$C\equiv CCF_2Cl$	H	Me	CF_3	O
1X.034	H	$C\equiv CCF_2Cl$	H	Me	CF_2H	O
1X.035	H	$C\equiv CCF_2Cl$	F	Me	Me	O
1X.036	H	$C\equiv CCF_2Br$	H	Me	CF_3	O
1X.037	H	$C\equiv CCF_2Br$	H	Me	CF_2H	O
1X.038	H	$C\equiv CCF_2Br$	F	Me	Me	O
1X.039	H	$C\equiv CCF_3$	H	Me	CF_3	O
1X.040	H	$C\equiv CCF_3$	H	Me	CF_2H	O
1X.041	H	$C\equiv CCF_3$	F	Me	Me	O
1X.042	H	$C\equiv CCF_3$	H	Me	CF_3	S
1X.043	H	$C\equiv CCF_3$	H	Me	CF_2H	S
1X.044	propargyl	$C\equiv CCF_3$	H	Me	CF_3	O
1X.045	allenyl	$C\equiv CCF_3$	H	Me	CF_3	O

1X.046	COMe	$C\equiv CCF_3$	H	Me	CF_3	O
1X.047	H	$C\equiv CCH_2CH_3$	H	Me	CF_3	O
1X.048	H	$C\equiv CCH_2CH_3$	H	Me	CF_2H	O
1X.049	H	$C\equiv CCH_2CH_3$	F	Me	Me	O
1X.050	H	$C\equiv CCH(Me)F$	H	Me	CF_3	O
1X.051	H	$C\equiv CCH(Me)F$	H	Me	CF_2H	O
1X.052	H	$C\equiv CCH(Me)F$	F	Me	Me	O
1X.053	H	$C\equiv CCF_2Me$	H	Me	CF_3	O
1X.054	H	$C\equiv CCF_2Me$	H	Me	CF_2H	O
1X.055	H	$C\equiv CCF_2Me$	F	Me	Me	O
1X.056	H	$C\equiv CCH_2CF_3$	H	Me	CF_3	O
1X.057	H	$C\equiv CCH_2CF_3$	H	Me	CF_2H	O
1X.058	H	$C\equiv CCH_2CF_3$	F	Me	Me	O
1X.059	H	$C\equiv CC_2F_5$	H	Me	CF_3	O
1X.060	H	$C\equiv CC_2F_5$	H	Me	CF_2H	O
1X.061	H	$C\equiv CC_2F_5$	F	Me	Me	O
1X.062	H	$C\equiv CCF=CF_2$	H	Me	CF_3	O
1X.063	H	$C\equiv CCF=CF_2$	H	Me	CF_2H	O
1X.064	H	$C\equiv CCF=CF_2$	F	Me	Me	O
1X.065	H	$C\equiv CCH_2CH_2CH_3$	H	Me	CF_3	O
1X.066	H	$C\equiv CCH_2CH_2CH_3$	H	Me	CF_2H	O
1X.067	H	$C\equiv CCH_2CH_2CH_3$	F	Me	Me	O
1X.068	H	$C\equiv CCHFCH_2CH_3$	H	Me	CF_3	O
1X.069	H	$C\equiv CCHFCH_2CH_3$	H	Me	CF_2H	O
1X.070	H	$C\equiv CCHFCH_2CH_3$	F	Me	Me	O
1X.071	H	$C\equiv CCF_2CH_2CH_3$	H	Me	CF_3	O
1X.072	H	$C\equiv CCF_2CH_2CH_3$	H	Me	CF_2H	O

1X.073	H	$\text{C}\equiv\text{CCF}_2\text{CH}_2\text{CH}_3$	F	Me	Me	O
1X.074	H	$\text{C}\equiv\text{CCH}(\text{Me})_2$	H	Me	CF_3	O
1X.075	H	$\text{C}\equiv\text{CCH}(\text{Me})_2$	H	Me	CF_2H	O
1X.076	H	$\text{C}\equiv\text{CCH}(\text{Me})_2$	F	Me	Me	O
1X.077	H	$\text{C}\equiv\text{CCMe}_2\text{OMe}$	H	Me	CF_3	O
1X.078	H	$\text{C}\equiv\text{CCMe}_2\text{OMe}$	H	Me	CF_2H	O
1X.079	H	$\text{C}\equiv\text{CCMe}_2\text{OMe}$	F	Me	Me	O
1X.080	H	$\text{C}\equiv\text{CC}(\text{Me})_2\text{F}$	H	Me	CF_3	O
1X.081	H	$\text{C}\equiv\text{CC}(\text{Me})_2\text{F}$	H	Me	CF_2H	O
1X.082	H	$\text{C}\equiv\text{CC}(\text{Me})_2\text{F}$	F	Me	Me	O
1X.083	H	$\text{C}\equiv\text{CCF}(\text{CF}_3)_2$	H	Me	CF_3	O
1X.084	H	$\text{C}\equiv\text{CCF}(\text{CF}_3)_2$	H	Me	CF_2H	O
1X.085	H	$\text{C}\equiv\text{CCF}(\text{CF}_3)_2$	F	Me	Me	O
1X.086	H	$\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$	H	Me	CF_3	O
1X.087	H	$\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$	H	Me	CF_2H	O
1X.088	H	$\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$	F	Me	Me	O
1X.089	H	$\text{C}\equiv\text{C}(\text{cyclopropyl})$	H	Me	CF_3	O
1X.090	H	$\text{C}\equiv\text{C}(\text{cyclopropyl})$	H	Me	CHF_2	O
1X.091	H	$\text{C}\equiv\text{C}(\text{cyclopropyl})$	F	Me	Me	O
1X.092	H	$\text{C}\equiv\text{CCH}_2\text{CH}(\text{Me})_2$	H	Me	CF_3	O
1X.093	H	$\text{C}\equiv\text{CCH}_2\text{CH}(\text{Me})_2$	H	Me	CF_2H	O
1X.094	H	$\text{C}\equiv\text{CCH}_2\text{CH}(\text{Me})_2$	F	Me	Me	O
1X.095	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{CH}_2\text{CH}_3$	H	Me	CF_3	O
1X.096	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{CH}_2\text{CH}_3$	H	Me	CF_2H	O
1X.097	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{CH}_2\text{CH}_3$	F	Me	Me	O
1X.098	H	$\text{C}\equiv\text{CCMe}_3$	H	Me	CF_3	O
1X.099	H	$\text{C}\equiv\text{CCMe}_3$	H	Me	CF_2H	O

1X.100	H	$\text{C}\equiv\text{CCMe}_3$	F	Me	Me	O
1X.101	H	$\text{C}\equiv\text{CCMe}_3$	H	Me	CF_3	S
1X.102	H	$\text{C}\equiv\text{CCMe}_3$	H	Me	CF_2H	S
1X.103	propargyl	$\text{C}\equiv\text{CCMe}_3$	H	Me	CF_3	O
1X.104	allenyl	$\text{C}\equiv\text{CCMe}_3$	H	Me	CF_3	O
1X.105	COMe	$\text{C}\equiv\text{CCMe}_3$	H	Me	CF_3	O
1X.106	H	$\text{C}\equiv\text{CSiMe}_3$	H	Me	CF_3	O
1X.107	H	$\text{C}\equiv\text{CSiMe}_3$	H	Me	CF_2H	O
1X.108	H	$\text{C}\equiv\text{CSiMe}_3$	F	Me	Me	O
1X.109	H	$\text{C}\equiv\text{CCH}_2\text{C}(\text{Me})_3$	H	Me	CF_3	O
1X.110	H	$\text{C}\equiv\text{CCH}_2\text{C}(\text{Me})_3$	H	Me	CF_2H	O
1X.111	H	$\text{C}\equiv\text{CCH}_2\text{C}(\text{Me})_3$	F	Me	Me	O
1X.112	H	$\text{C}\equiv\text{CCH}_2\text{SiMe}_3$	H	Me	CF_3	O
1X.113	H	$\text{C}\equiv\text{CCH}_2\text{SiMe}_3$	H	Me	CF_2H	O
1X.114	H	$\text{C}\equiv\text{CCH}_2\text{SiMe}_3$	F	Me	Me	O
1X.115	H	$\text{C}\equiv\text{C}$ (1-F-cyclopentyl)	H	Me	CF_3	O
1X.116	H	$\text{C}\equiv\text{C}$ (1-F-cyclopentyl)	H	Me	CHF_2	O
1X.117	H	$\text{C}\equiv\text{C}$ (1-F-cyclopentyl)	F	Me	Me	O
1X.118	H	$\text{C}\equiv\text{CSi}(\text{Me}_2)\text{CMe}_3$	H	Me	CF_3	O
1X.119	H	$\text{C}\equiv\text{CSi}(\text{Me}_2)\text{CMe}_3$	H	Me	CF_2H	O
1X.120	H	$\text{C}\equiv\text{CSi}(\text{Me}_2)\text{CMe}_3$	F	Me	Me	O
1X.121	H	$\text{CH}_2\text{C}\equiv\text{CH}$	H	Me	CF_3	O
1X.122	H	$\text{CH}_2\text{C}\equiv\text{CH}$	H	Me	CF_2H	O
1X.123	H	$\text{CH}_2\text{C}\equiv\text{CH}$	F	Me	Me	O
1X.124	H	$\text{CHFC}\equiv\text{CH}$	H	Me	CF_3	O
1X.125	H	$\text{CHFC}\equiv\text{CH}$	H	Me	CF_2H	O
1X.126	H	$\text{CHFC}\equiv\text{CH}$	F	Me	Me	O

1X.127	H	$\text{CF}_2\text{C}\equiv\text{CH}$	H	Me	CF_3	O
1X.128	H	$\text{CF}_2\text{C}\equiv\text{CH}$	H	Me	CF_2H	O
1X.129	H	$\text{CF}_2\text{C}\equiv\text{CH}$	F	Me	Me	O
1X.130	H	$\text{CHMeC}\equiv\text{CH}$	H	Me	CF_3	O
1X.131	H	$\text{CHMeC}\equiv\text{CH}$	H	Me	CF_2H	O
1X.132	H	$\text{CHMeC}\equiv\text{CH}$	F	Me	Me	O
1X.133	H	$\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$	H	Me	CF_3	O
1X.134	H	$\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$	H	Me	CF_2H	O
1X.135	H	$\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$	F	Me	Me	O
1X.136	H	$\text{CMe}_2\text{C}\equiv\text{CH}$	H	Me	CF_3	O
1X.137	H	$\text{CMe}_2\text{C}\equiv\text{CH}$	H	Me	CF_2H	O
1X.138	H	$\text{CMe}_2\text{C}\equiv\text{CH}$	F	Me	Me	O
1X.139	H	$\text{CH}_2\text{C}\equiv\text{CMe}$	H	Me	CF_3	O
1X.140	H	$\text{CH}_2\text{C}\equiv\text{CMe}$	H	Me	CF_2H	O
1X.141	H	$\text{CH}_2\text{C}\equiv\text{CMe}$	F	Me	Me	O
1X.142	H	$\text{CF}_2\text{C}\equiv\text{CMe}$	H	Me	CF_3	O
1X.143	H	$\text{CF}_2\text{C}\equiv\text{CMe}$	H	Me	CF_2H	O
1X.144	H	$\text{CF}_2\text{C}\equiv\text{CMe}$	F	Me	Me	O
1X.145	H	$\text{CH}_2\text{C}\equiv\text{CCF}_3$	H	Me	CF_3	O
1X.146	H	$\text{CH}_2\text{C}\equiv\text{CCF}_3$	H	Me	CF_2H	O
1X.147	H	$\text{CH}_2\text{C}\equiv\text{CCF}_3$	F	Me	Me	O
1X.148	H	$\text{CF}_2\text{C}\equiv\text{CCF}_3$	H	Me	CF_3	O
1X.149	H	$\text{CF}_2\text{C}\equiv\text{CCF}_3$	H	Me	CF_2H	O
1X.150	H	$\text{CF}_2\text{C}\equiv\text{CCF}_3$	F	Me	Me	O
1X.151	H	$\text{CH}_2\text{C}\equiv\text{CCMe}_3$	H	Me	CF_3	O
1X.152	H	$\text{CH}_2\text{C}\equiv\text{CCMe}_3$	H	Me	CF_2H	O
1X.153	H	$\text{CH}_2\text{C}\equiv\text{CCMe}_3$	F	Me	Me	O

1X.154	H	$\text{CF}_2\text{C}\equiv\text{CCMe}_3$	H	Me	CF_3	O
1X.155	H	$\text{CF}_2\text{C}\equiv\text{CCMe}_3$	H	Me	CF_2H	O
1X.156	H	$\text{CF}_2\text{C}\equiv\text{CCMe}_3$	F	Me	Me	O
1X.157	H	$\text{CH}_2\text{C}\equiv\text{CSiMe}_3$	H	Me	CF_3	O
1X.158	H	$\text{CH}_2\text{C}\equiv\text{CSiMe}_3$	H	Me	CF_2H	O
1X.159	H	$\text{CH}_2\text{C}\equiv\text{CSiMe}_3$	F	Me	Me	O
1X.160	H	$\text{CF}_2\text{C}\equiv\text{CSiMe}_3$	H	Me	CF_3	O
1X.161	H	$\text{CF}_2\text{C}\equiv\text{CSiMe}_3$	H	Me	CF_2H	O
1X.162	H	$\text{CF}_2\text{C}\equiv\text{CSiMe}_3$	F	Me	Me	O
1X.163	H	$\text{CH}=\text{CH}_2$	H	Me	CF_3	O
1X.164	H	$\text{CH}=\text{CH}_2$	H	Me	CF_2H	O
1X.165	H	$\text{CH}=\text{CH}_2$	F	Me	Me	O
1X.166	H	$\text{CH}=\text{CH}_2$	H	Me	CF_3	S
1X.167	H	$\text{CH}=\text{CH}_2$	H	Me	CF_2H	S
1X.168	propargyl	$\text{CH}=\text{CH}_2$	H	Me	CF_3	O
1X.169	allenyl	$\text{CH}=\text{CH}_2$	H	Me	CF_3	O
1X.170	COMe	$\text{CH}=\text{CH}_2$	H	Me	CF_3	O
1X.171	H	$\text{CH}=\text{CHF}$	H	Me	CF_3	O
1X.172	H	$\text{CH}=\text{CHF}$	H	Me	CF_2H	O
1X.173	H	$\text{CH}=\text{CHF}$	F	Me	Me	O
1X.174	H	$\text{CH}=\text{CHCl}$	H	Me	CF_3	O
1X.175	H	$\text{CH}=\text{CHCl}$	H	Me	CF_2H	O
1X.176	H	$\text{CH}=\text{CHCl}$	F	Me	Me	O
1X.177	H	$\text{CH}=\text{CHBr}$	H	Me	CF_3	O
1X.178	H	$\text{CH}=\text{CHBr}$	H	Me	CF_2H	O
1X.179	H	$\text{CH}=\text{CHBr}$	F	Me	Me	O
1X.180	H	$\text{CH}=\text{CF}_2$	H	Me	CF_3	O
1X.181	H	$\text{CH}=\text{CF}_2$	H	Me	CF_2H	O
1X.182	H	$\text{CH}=\text{CF}_2$	F	Me	Me	O

1X.183	H	CH=CFCI	H	Me	CF ₃	O
1X.184	H	CH=CFCI	H	Me	CF ₂ H	O
1X.185	H	CH=CFCI	F	Me	Me	O
1X.186	H	CH=CFBr	H	Me	CF ₃	O
1X.187	H	CH=CFBr	H	Me	CF ₂ H	O
1X.188	H	CH=CFBr	F	Me	Me	O
1X.189	H	CH=CCl ₂	H	Me	CF ₃	O
1X.190	H	CH=CCl ₂	H	Me	CF ₂ H	O
1X.191	H	CH=CCl ₂	F	Me	Me	O
1X.192	H	CH=CB _r ₂	H	Me	CF ₃	O
1X.193	H	CH=CB _r ₂	H	Me	CF ₂ H	O
1X.194	H	CH=CB _r ₂	F	Me	Me	O
1X.195	H	CF=CH ₂	H	Me	CF ₃	O
1X.196	H	CF=CH ₂	H	Me	CF ₂ H	O
1X.197	H	CF=CH ₂	F	Me	Me	O
1X.198	H	CF=CHF	H	Me	CF ₃	O
1X.199	H	CF=CHF	H	Me	CF ₂ H	O
1X.200	H	CF=CHF	F	Me	Me	O
1X.201	H	CF=CF ₂	H	Me	CF ₃	O
1X.202	H	CF=CF ₂	H	Me	CF ₂ H	O
1X.203	H	CF=CF ₂	F	Me	Me	O
1X.204	H	CF=CFCI	H	Me	CF ₃	O
1X.205	H	CF=CFCI	H	Me	CF ₂ H	O
1X.206	H	CF=CFCI	F	Me	Me	O
1X.207	H	CF=CFBr	H	Me	CF ₃	O
1X.208	H	CF=CFBr	H	Me	CF ₂ H	O
1X.209	H	CF=CFBr	F	Me	Me	O
1X.210	H	CF=CCl ₂	H	Me	CF ₃	O
1X.211	H	CF=CCl ₂	H	Me	CF ₂ H	O
1X.212	H	CF=CCl ₂	F	Me	Me	O


1X.213	H	$\text{CCl}=\text{CH}_2$	H	Me	CF_3	O
1X.214	H	$\text{CCl}=\text{CH}_2$	H	Me	CF_2H	O
1X.215	H	$\text{CCl}=\text{CH}_2$	F	Me	Me	O
1X.216	H	$\text{CCl}=\text{CF}_2$	H	Me	CF_3	O
1X.217	H	$\text{CCl}=\text{CF}_2$	H	Me	CF_2H	O
1X.218	H	$\text{CCl}=\text{CF}_2$	F	Me	Me	O
1X.219	H	$\text{CBr}=\text{CH}_2$	H	Me	CF_3	O
1X.220	H	$\text{CBr}=\text{CH}_2$	H	Me	CF_2H	O
1X.221	H	$\text{CBr}=\text{CH}_2$	F	Me	Me	O
1X.222	H	$\text{CBr}=\text{CF}_2$	H	Me	CF_3	O
1X.223	H	$\text{CBr}=\text{CF}_2$	H	Me	CF_2H	O
1X.224	H	$\text{CBr}=\text{CF}_2$	F	Me	Me	O
1X.225	H	$\text{CH}=\text{CHCF}_3$	H	Me	CF_3	O
1X.226	H	$\text{CH}=\text{CHCF}_3$	H	Me	CF_2H	O
1X.227	H	$\text{CH}=\text{CHCF}_3$	F	Me	Me	O
1X.228	H	$\text{CH}=\text{CFCF}_3$	H	Me	CF_3	O
1X.229	H	$\text{CH}=\text{CFCF}_3$	H	Me	CF_2H	O
1X.230	H	$\text{CH}=\text{CFCF}_3$	F	Me	Me	O
1X.231	H	$\text{CH}=\text{CClCF}_3$	H	Me	CF_3	O
1X.232	H	$\text{CH}=\text{CClCF}_3$	H	Me	CF_2H	O
1X.233	H	$\text{CH}=\text{CClCF}_3$	F	Me	Me	O
1X.234	H	$\text{CH}=\text{CBrCF}_3$	H	Me	CF_3	O
1X.235	H	$\text{CH}=\text{CBrCF}_3$	H	Me	CF_2H	O
1X.236	H	$\text{CH}=\text{CBrCF}_3$	F	Me	Me	O
1X.237	H	$\text{CH}=\text{CFCF}_2\text{Cl}$	H	Me	CF_3	O
1X.238	H	$\text{CH}=\text{CFCF}_2\text{Cl}$	H	Me	CF_2H	O
1X.239	H	$\text{CH}=\text{CFCF}_2\text{Cl}$	F	Me	Me	O
1X.240	H	$\text{CH}=\text{CClCF}_2\text{Cl}$	H	Me	CF_3	O
1X.241	H	$\text{CH}=\text{CClCF}_2\text{Cl}$	H	Me	CF_2H	O
1X.242	H	$\text{CH}=\text{CClCF}_2\text{Cl}$	F	Me	Me	O

1X.243	H	CF=CHCF ₃	H	Me	CF ₃	O
1X.244	H	CF=CHCF ₃	H	Me	CF ₂ H	O
1X.245	H	CF=CHCF ₃	F	Me	Me	O
1X.246	H	CF=CFCF ₃	H	Me	CF ₃	O
1X.247	H	CF=CFCF ₃	H	Me	CF ₂ H	O
1X.248	H	CF=CFCF ₃	F	Me	Me	O
1X.249	H	CH=CHC ₂ F ₅	H	Me	CF ₃	O
1X.250	H	CH=CHC ₂ F ₅	H	Me	CF ₂ H	O
1X.251	H	CH=CHC ₂ F ₅	F	Me	Me	O
1X.252	H	CH=CFC ₂ F ₅	H	Me	CF ₃	O
1X.253	H	CH=CFC ₂ F ₅	H	Me	CF ₂ H	O
1X.254	H	CH=CFC ₂ F ₅	F	Me	Me	O
1X.255	H	CH=CClC ₂ F ₅	H	Me	CF ₃	O
1X.256	H	CH=CClC ₂ F ₅	H	Me	CF ₂ H	O
1X.257	H	CH=CClC ₂ F ₅	F	Me	Me	O
1X.258	H	CH=C(CF ₃) ₂	H	Me	CF ₃	O
1X.259	H	CH=C(CF ₃) ₂	H	Me	CF ₂ H	O
1X.260	H	CH=C(CF ₃) ₂	F	Me	Me	O
1X.261	H	CF=C(CF ₃) ₂	H	Me	CF ₃	O
1X.262	H	CF=C(CF ₃) ₂	H	Me	CF ₂ H	O
1X.263	H	CF=C(CF ₃) ₂	F	Me	Me	O
1X.264	H	CH=CHSiMe ₃	H	Me	CF ₃	O
1X.265	H	CH=CHSiMe ₃	H	Me	CF ₂ H	O
1X.266	H	CH=CHSiMe ₃	F	Me	Me	O
1X.267	H	CMe=CF ₂	H	Me	CF ₃	O
1X.268	H	CMe=CF ₂	H	Me	CF ₂ H	O
1X.269	H	CMe=CF ₂	F	Me	Me	O
1X.270	H	CMe=CFCl	H	Me	CF ₃	O
1X.271	H	CMe=CFCl	H	Me	CF ₂ H	O
1X.272	H	CMe=CFCl	F	Me	Me	O

1X.273	H	CMe=CFBr	H	Me	CF ₃	O
1X.274	H	CMe=CFBr	H	Me	CF ₂ H	O
1X.275	H	CMe=CFBr	F	Me	Me	O
1X.276	H	CMe=CCl ₂	H	Me	CF ₃	O
1X.277	H	CMe=CCl ₂	H	Me	CF ₂ H	O
1X.278	H	CMe=CCl ₂	F	Me	Me	O
1X.279	H	CMe=CBr ₂	H	Me	CF ₃	O
1X.280	H	CMe=CBr ₂	H	Me	CF ₂ H	O
1X.281	H	CMe=CBr ₂	F	Me	Me	O
1X.282	H	CMe=CHCF ₃	H	Me	CF ₃	O
1X.283	H	CMe=CHCF ₃	H	Me	CF ₂ H	O
1X.284	H	CMe=CHCF ₃	F	Me	Me	O
1X.285	H	CMe=CFCF ₃	H	Me	CF ₃	O
1X.286	H	CMe=CFCF ₃	H	Me	CF ₂ H	O
1X.287	H	CMe=CFCF ₃	F	Me	Me	O
1X.288	H	CMe=CClCF ₃	H	Me	CF ₃	O
1X.289	H	CMe=CClCF ₃	H	Me	CF ₂ H	O
1X.290	H	CMe=CClCF ₃	F	Me	Me	O
1X.291	H	CCF ₃ =CH ₂	H	Me	CF ₃	O
1X.292	H	CCF ₃ =CH ₂	H	Me	CF ₂ H	O
1X.293	H	CCF ₃ =CH ₂	F	Me	Me	O
1X.294	H	CCF ₃ =CHF	H	Me	CF ₃	O
1X.295	H	CCF ₃ =CHF	H	Me	CF ₂ H	O
1X.296	H	CCF ₃ =CHF	F	Me	Me	O
1X.297	H	CCF ₃ =CHCl	H	Me	CF ₃	O
1X.298	H	CCF ₃ =CHCl	H	Me	CF ₂ H	O
1X.299	H	CCF ₃ =CHCl	F	Me	Me	O
1X.300	H	CCF ₃ =CF ₂	H	Me	CF ₃	O
1X.301	H	CCF ₃ =CF ₂	H	Me	CF ₂ H	O
1X.302	H	CCF ₃ =CF ₂	F	Me	Me	O

1X.303	H	$\text{CCF}_3=\text{CCl}_2$	H	Me	CF_3	O
1X.304	H	$\text{CCF}_3=\text{CCl}_2$	H	Me	CF_2H	O
1X.305	H	$\text{CCF}_3=\text{CCl}_2$	F	Me	Me	O
1X.306	H	$\text{CCF}_3=\text{CBr}_2$	H	Me	CF_3	O
1X.307	H	$\text{CCF}_3=\text{CBr}_2$	H	Me	CF_2H	O
1X.308	H	$\text{CCF}_3=\text{CBr}_2$	F	Me	Me	O
1X.309	H	$\text{CH}_2\text{CH}=\text{CF}_2$	H	Me	CF_3	O
1X.310	H	$\text{CH}_2\text{CH}=\text{CF}_2$	H	Me	CF_2H	O
1X.311	H	$\text{CH}_2\text{CH}=\text{CF}_2$	F	Me	Me	O
1X.312	H	$\text{CH}_2\text{CH}=\text{CCl}_2$	H	Me	CF_3	O
1X.313	H	$\text{CH}_2\text{CH}=\text{CCl}_2$	H	Me	CF_2H	O
1X.314	H	$\text{CH}_2\text{CH}=\text{CCl}_2$	F	Me	Me	O
1X.315	H	$\text{CH}_2\text{CF}=\text{CF}_2$	H	Me	CF_3	O
1X.316	H	$\text{CH}_2\text{CF}=\text{CF}_2$	H	Me	CF_2H	O
1X.317	H	$\text{CH}_2\text{CF}=\text{CF}_2$	F	Me	Me	O
1X.318	H	$\text{CH}_2\text{CF}=\text{CCl}_2$	H	Me	CF_3	O
1X.319	H	$\text{CH}_2\text{CF}=\text{CCl}_2$	H	Me	CF_2H	O
1X.320	H	$\text{CH}_2\text{CF}=\text{CCl}_2$	F	Me	Me	O

Table 1aa provides 320 compounds of formula (I.aa):



wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1aa. An example for a compound

5 disclosed in table 1aa is compound 1aa.001, which is has the following structure:






Table 1ab provides 320 compounds of formula (I.ab):




5 wherein R¹, R⁶, R⁷, R⁸, R⁹ and X are as defined in Table 1ab.

Table 1ac provides 320 compounds of formula (I.ac)



wherein R¹, R⁶, R⁷, R⁸, R⁹ and X are as defined in Table 1ac.


Table 1ad provides 320 compounds of formula (I.ad)



10


wherein R¹, R⁶, R⁷, R⁸, R⁹ and X are as defined in Table 1ad.

Table 1ae provides 320 compounds of formula (I.ae)




wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1ae.

Table 1af provides 320 compounds of formula (I.af)




5 wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1af.

Table 1ag provides 320 compounds of formula (I.ag)



wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1ag.


Table 1ah provides 320 compounds of formula (I.ah)



10


wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1ah.

Table 1ai provides 320 compounds of formula (I.ai)




wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1ai.

Table 1aj provides 320 compounds of formula (I.aj)




5 wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1aj.

Table 1ak provides 320 compounds of formula (I.ak)



wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1ak.

Table 1al provides 320 compounds of formula (I.al)




10

wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1al.


Table 1am provides 320 compounds of formula (I.am)

- 25 -




wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1am.

Table 1an provides 320 compounds of formula (I.an)




5 wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1an.

Table 1ao provides 320 compounds of formula (I.ao)



wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1ao.

Table 1ap provides 320 compounds of formula (I.ap)




10

wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1ap.


Table 1aq provides 320 compounds of formula (I.aq)

- 26 -




wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1aq.

Table 1ar provides 320 compounds of formula (I.ar)




5 wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1ar.

Table 1as provides 320 compounds of formula (I.as)



wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1as.

Table 1at provides 320 compounds of formula (I.at)




10

wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1at.


Table 1au provides 320 compounds of formula (I.au)

- 27 -




wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1au.

Table 1av provides 320 compounds of formula (I.av)




5 wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1av.

Table 1aw provides 320 compounds of formula (I.aw)



wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1aw.

Table 1ax provides 320 compounds of formula (I.ax)



10

wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 1ax.

Table 2X represents Table 2ba (when X is ba), represents Table 2bb (when X is bb), represents Table 2bc (when X is bc), represents Table 2bd (when X is bd), represents Table 2be (when X is be), represents Table 2bf (when X is bf), represents Table 2bg (when X is bg), represents Table 2bh (when X is bh), represents Table 2bi (when X is bi), represents Table 2bj (when X is bj), represents Table 2bk (when X is bk), represents Table 2bl (when X is bl), represents Table 2bm (when X is bm), represents Table 2bn (when X is bn), represents Table 2bo (when X is bo), represents Table 2bp (when X is bp), represents Table 2bq (when X is bq), represents Table 2br (when X is br), represents Table 2bs (when X is bs), represents Table 2bt (when X is bt), represents Table 2bu (when X is bu), represents Table 2bv (when X is bv), represents Table 2bw (when X is bw) and represents Table 2bx (when X is bx).

Table 2X

Compound No.	R ¹	R ⁶	R ⁷	R ⁸	R ⁹	X
2X.001	H	C≡CH	H	Me	CF ₃	O
2X.002	H	C≡CH	H	Me	CF ₂ H	O
2X.003	H	C≡CH	F	Me	Me	O
2X.004	H	C≡CH	H	Me	CF ₃	S
2X.005	H	C≡CH	H	Me	CF ₂ H	S
2X.006	propargyl	C≡CH	H	Me	CF ₃	O
2X.007	allenyl	C≡CH	H	Me	CF ₃	O
2X.008	COMe	C≡CH	H	Me	CF ₃	O
2X.009	H	C≡CF	H	Me	CF ₃	O
2X.010	H	C≡CF	H	Me	CF ₂ H	O
2X.011	H	C≡CF	F	Me	Me	O
2X.012	H	C≡CCl	H	Me	CF ₃	O
2X.013	H	C≡CCl	H	Me	CF ₂ H	O
2X.014	H	C≡CCl	F	Me	Me	O
2X.015	H	C≡CBr	H	Me	CF ₃	O
2X.016	H	C≡CBr	H	Me	CF ₂ H	O

2X.017	H	$\text{C}\equiv\text{CBr}$	F	Me	Me	O
2X.018	H	$\text{C}\equiv\text{CMe}$	H	Me	CF_3	O
2X.019	H	$\text{C}\equiv\text{CMe}$	H	Me	CF_2H	O
2X.020	H	$\text{C}\equiv\text{CMe}$	F	Me	Me	O
2X.021	H	$\text{C}\equiv\text{CCH}_2\text{OMe}$	H	Me	CF_3	O
2X.022	H	$\text{C}\equiv\text{CCH}_2\text{OMe}$	H	Me	CF_2H	O
2X.023	H	$\text{C}\equiv\text{CCH}_2\text{OMe}$	F	Me	Me	O
2X.024	H	$\text{C}\equiv\text{CCH}_2\text{F}$	H	Me	CF_3	O
2X.025	H	$\text{C}\equiv\text{CCH}_2\text{F}$	H	Me	CF_2H	O
2X.026	H	$\text{C}\equiv\text{CCH}_2\text{F}$	F	Me	Me	O
2X.027	H	$\text{C}\equiv\text{CCF}_2\text{H}$	H	Me	CF_3	O
2X.028	H	$\text{C}\equiv\text{CCF}_2\text{H}$	H	Me	CF_2H	O
2X.029	H	$\text{C}\equiv\text{CCF}_2\text{H}$	F	Me	Me	O
2X.030	H	$\text{C}\equiv\text{CCHFCl}$	H	Me	CF_3	O
2X.031	H	$\text{C}\equiv\text{CCHFCl}$	H	Me	CF_2H	O
2X.032	H	$\text{C}\equiv\text{CCHFCl}$	F	Me	Me	O
2X.033	H	$\text{C}\equiv\text{CCF}_2\text{Cl}$	H	Me	CF_3	O
2X.034	H	$\text{C}\equiv\text{CCF}_2\text{Cl}$	H	Me	CF_2H	O
2X.035	H	$\text{C}\equiv\text{CCF}_2\text{Cl}$	F	Me	Me	O
2X.036	H	$\text{C}\equiv\text{CCF}_2\text{Br}$	H	Me	CF_3	O
2X.037	H	$\text{C}\equiv\text{CCF}_2\text{Br}$	H	Me	CF_2H	O
2X.038	H	$\text{C}\equiv\text{CCF}_2\text{Br}$	F	Me	Me	O
2X.039	H	$\text{C}\equiv\text{CCF}_3$	H	Me	CF_3	O
2X.040	H	$\text{C}\equiv\text{CCF}_3$	H	Me	CF_2H	O
2X.041	H	$\text{C}\equiv\text{CCF}_3$	F	Me	Me	O
2X.042	H	$\text{C}\equiv\text{CCF}_3$	H	Me	CF_3	S
2X.043	H	$\text{C}\equiv\text{CCF}_3$	H	Me	CF_2H	S

2X.044	propargyl	$C\equiv CCF_3$	H	Me	CF_3	O
2X.045	allenyl	$C\equiv CCF_3$	H	Me	CF_3	O
2X.046	COMe	$C\equiv CCF_3$	H	Me	CF_3	O
2X.047	H	$C\equiv CCH_2CH_3$	H	Me	CF_3	O
2X.048	H	$C\equiv CCH_2CH_3$	H	Me	CF_2H	O
2X.049	H	$C\equiv CCH_2CH_3$	F	Me	Me	O
2X.050	H	$C\equiv CCH(Me)F$	H	Me	CF_3	O
2X.051	H	$C\equiv CCH(Me)F$	H	Me	CF_2H	O
2X.052	H	$C\equiv CCH(Me)F$	F	Me	Me	O
2X.053	H	$C\equiv CCF_2Me$	H	Me	CF_3	O
2X.054	H	$C\equiv CCF_2Me$	H	Me	CF_2H	O
2X.055	H	$C\equiv CCF_2Me$	F	Me	Me	O
2X.056	H	$C\equiv CCH_2CF_3$	H	Me	CF_3	O
2X.057	H	$C\equiv CCH_2CF_3$	H	Me	CF_2H	O
2X.058	H	$C\equiv CCH_2CF_3$	F	Me	Me	O
2X.059	H	$C\equiv CC_2F_5$	H	Me	CF_3	O
2X.060	H	$C\equiv CC_2F_5$	H	Me	CF_2H	O
2X.061	H	$C\equiv CC_2F_5$	F	Me	Me	O
2X.062	H	$C\equiv CCF=CF_2$	H	Me	CF_3	O
2X.063	H	$C\equiv CCF=CF_2$	H	Me	CF_2H	O
2X.064	H	$C\equiv CCF=CF_2$	F	Me	Me	O
2X.065	H	$C\equiv CCH_2CH_2CH_3$	H	Me	CF_3	O
2X.066	H	$C\equiv CCH_2CH_2CH_3$	H	Me	CF_2H	O
2X.067	H	$C\equiv CCH_2CH_2CH_3$	F	Me	Me	O
2X.068	H	$C\equiv CCHFCH_2CH_3$	H	Me	CF_3	O
2X.069	H	$C\equiv CCHFCH_2CH_3$	H	Me	CF_2H	O
2X.070	H	$C\equiv CCHFCH_2CH_3$	F	Me	Me	O

2X.071	H	$\text{C}\equiv\text{CCF}_2\text{CH}_2\text{CH}_3$	H	Me	CF_3	O
2X.072	H	$\text{C}\equiv\text{CCF}_2\text{CH}_2\text{CH}_3$	H	Me	CF_2H	O
2X.073	H	$\text{C}\equiv\text{CCF}_2\text{CH}_2\text{CH}_3$	F	Me	Me	O
2X.074	H	$\text{C}\equiv\text{CCH}(\text{Me})_2$	H	Me	CF_3	O
2X.075	H	$\text{C}\equiv\text{CCH}(\text{Me})_2$	H	Me	CF_2H	O
2X.076	H	$\text{C}\equiv\text{CCH}(\text{Me})_2$	F	Me	Me	O
2X.077	H	$\text{C}\equiv\text{CCMe}_2\text{OMe}$	H	Me	CF_3	O
2X.078	H	$\text{C}\equiv\text{CCMe}_2\text{OMe}$	H	Me	CF_2H	O
2X.079	H	$\text{C}\equiv\text{CCMe}_2\text{OMe}$	F	Me	Me	O
2X.080	H	$\text{C}\equiv\text{CC}(\text{Me})_2\text{F}$	H	Me	CF_3	O
2X.081	H	$\text{C}\equiv\text{CC}(\text{Me})_2\text{F}$	H	Me	CF_2H	O
2X.082	H	$\text{C}\equiv\text{CC}(\text{Me})_2\text{F}$	F	Me	Me	O
2X.083	H	$\text{C}\equiv\text{CCF}(\text{CF}_3)_2$	H	Me	CF_3	O
2X.084	H	$\text{C}\equiv\text{CCF}(\text{CF}_3)_2$	H	Me	CF_2H	O
2X.085	H	$\text{C}\equiv\text{CCF}(\text{CF}_3)_2$	F	Me	Me	O
2X.086	H	$\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$	H	Me	CF_3	O
2X.087	H	$\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$	H	Me	CF_2H	O
2X.088	H	$\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$	F	Me	Me	O
2X.089	H	$\text{C}\equiv\text{C}(\text{cyclopropyl})$	H	Me	CF_3	O
2X.090	H	$\text{C}\equiv\text{C}(\text{cyclopropyl})$	H	Me	CHF_2	O
2X.091	H	$\text{C}\equiv\text{C}(\text{cyclopropyl})$	F	Me	Me	O
2X.092	H	$\text{C}\equiv\text{CCH}_2\text{CH}(\text{Me})_2$	H	Me	CF_3	O
2X.093	H	$\text{C}\equiv\text{CCH}_2\text{CH}(\text{Me})_2$	H	Me	CF_2H	O
2X.094	H	$\text{C}\equiv\text{CCH}_2\text{CH}(\text{Me})_2$	F	Me	Me	O
2X.095	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{CH}_2\text{CH}_3$	H	Me	CF_3	O
2X.096	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{CH}_2\text{CH}_3$	H	Me	CF_2H	O
2X.097	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{CH}_2\text{CH}_3$	F	Me	Me	O

2X.098	H	$\text{C}\equiv\text{CCMe}_3$	H	Me	CF_3	O
2X.099	H	$\text{C}\equiv\text{CCMe}_3$	H	Me	CF_2H	O
2X.100	H	$\text{C}\equiv\text{CCMe}_3$	F	Me	Me	O
2X.101	H	$\text{C}\equiv\text{CCMe}_3$	H	Me	CF_3	S
2X.102	H	$\text{C}\equiv\text{CCMe}_3$	H	Me	CF_2H	S
2X.103	propargyl	$\text{C}\equiv\text{CCMe}_3$	H	Me	CF_3	O
2X.104	allenyl	$\text{C}\equiv\text{CCMe}_3$	H	Me	CF_3	O
2X.105	COMe	$\text{C}\equiv\text{CCMe}_3$	H	Me	CF_3	O
2X.106	H	$\text{C}\equiv\text{CSiMe}_3$	H	Me	CF_3	O
2X.107	H	$\text{C}\equiv\text{CSiMe}_3$	H	Me	CF_2H	O
2X.108	H	$\text{C}\equiv\text{CSiMe}_3$	F	Me	Me	O
2X.109	H	$\text{C}\equiv\text{CCH}_2\text{C}(\text{Me})_3$	H	Me	CF_3	O
2X.110	H	$\text{C}\equiv\text{CCH}_2\text{C}(\text{Me})_3$	H	Me	CF_2H	O
2X.111	H	$\text{C}\equiv\text{CCH}_2\text{C}(\text{Me})_3$	F	Me	Me	O
2X.112	H	$\text{C}\equiv\text{CCH}_2\text{SiMe}_3$	H	Me	CF_3	O
2X.113	H	$\text{C}\equiv\text{CCH}_2\text{SiMe}_3$	H	Me	CF_2H	O
2X.114	H	$\text{C}\equiv\text{CCH}_2\text{SiMe}_3$	F	Me	Me	O
2X.115	H	$\text{C}\equiv\text{C}$ (1-F-cyclopentyl)	H	Me	CF_3	O
2X.116	H	$\text{C}\equiv\text{C}$ (1-F-cyclopentyl)	H	Me	CHF_2	O
2X.117	H	$\text{C}\equiv\text{C}$ (1-F-cyclopentyl)	F	Me	Me	O
2X.118	H	$\text{C}\equiv\text{CSi}(\text{Me}_2)\text{CMe}_3$	H	Me	CF_3	O
2X.119	H	$\text{C}\equiv\text{CSi}(\text{Me}_2)\text{CMe}_3$	H	Me	CF_2H	O
2X.120	H	$\text{C}\equiv\text{CSi}(\text{Me}_2)\text{CMe}_3$	F	Me	Me	O
2X.121	H	$\text{CH}_2\text{C}\equiv\text{CH}$	H	Me	CF_3	O
2X.122	H	$\text{CH}_2\text{C}\equiv\text{CH}$	H	Me	CF_2H	O
2X.123	H	$\text{CH}_2\text{C}\equiv\text{CH}$	F	Me	Me	O
2X.124	H	$\text{CHFC}\equiv\text{CH}$	H	Me	CF_3	O

2X.125	H	$\text{CHFC}\equiv\text{CH}$	H	Me	CF_2H	O
2X.126	H	$\text{CHFC}\equiv\text{CH}$	F	Me	Me	O
2X.127	H	$\text{CF}_2\text{C}\equiv\text{CH}$	H	Me	CF_3	O
2X.128	H	$\text{CF}_2\text{C}\equiv\text{CH}$	H	Me	CF_2H	O
2X.129	H	$\text{CF}_2\text{C}\equiv\text{CH}$	F	Me	Me	O
2X.130	H	$\text{CHMeC}\equiv\text{CH}$	H	Me	CF_3	O
2X.131	H	$\text{CHMeC}\equiv\text{CH}$	H	Me	CF_2H	O
2X.132	H	$\text{CHMeC}\equiv\text{CH}$	F	Me	Me	O
2X.133	H	$\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$	H	Me	CF_3	O
2X.134	H	$\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$	H	Me	CF_2H	O
2X.135	H	$\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$	F	Me	Me	O
2X.136	H	$\text{CMe}_2\text{C}\equiv\text{CH}$	H	Me	CF_3	O
2X.137	H	$\text{CMe}_2\text{C}\equiv\text{CH}$	H	Me	CF_2H	O
2X.138	H	$\text{CMe}_2\text{C}\equiv\text{CH}$	F	Me	Me	O
2X.139	H	$\text{CH}_2\text{C}\equiv\text{CMe}$	H	Me	CF_3	O
2X.140	H	$\text{CH}_2\text{C}\equiv\text{CMe}$	H	Me	CF_2H	O
2X.141	H	$\text{CH}_2\text{C}\equiv\text{CMe}$	F	Me	Me	O
2X.142	H	$\text{CF}_2\text{C}\equiv\text{CMe}$	H	Me	CF_3	O
2X.143	H	$\text{CF}_2\text{C}\equiv\text{CMe}$	H	Me	CF_2H	O
2X.144	H	$\text{CF}_2\text{C}\equiv\text{CMe}$	F	Me	Me	O
2X.145	H	$\text{CH}_2\text{C}\equiv\text{CCF}_3$	H	Me	CF_3	O
2X.146	H	$\text{CH}_2\text{C}\equiv\text{CCF}_3$	H	Me	CF_2H	O
2X.147	H	$\text{CH}_2\text{C}\equiv\text{CCF}_3$	F	Me	Me	O
2X.148	H	$\text{CF}_2\text{C}\equiv\text{CCF}_3$	H	Me	CF_3	O
2X.149	H	$\text{CF}_2\text{C}\equiv\text{CCF}_3$	H	Me	CF_2H	O
2X.150	H	$\text{CF}_2\text{C}\equiv\text{CCF}_3$	F	Me	Me	O
2X.151	H	$\text{CH}_2\text{C}\equiv\text{CCMe}_3$	H	Me	CF_3	O

2X.152	H	$\text{CH}_2\text{C}\equiv\text{CCMe}_3$	H	Me	CF_2H	O
2X.153	H	$\text{CH}_2\text{C}\equiv\text{CCMe}_3$	F	Me	Me	O
2X.154	H	$\text{CF}_2\text{C}\equiv\text{CCMe}_3$	H	Me	CF_3	O
2X.155	H	$\text{CF}_2\text{C}\equiv\text{CCMe}_3$	H	Me	CF_2H	O
2X.156	H	$\text{CF}_2\text{C}\equiv\text{CCMe}_3$	F	Me	Me	O
2X.157	H	$\text{CH}_2\text{C}\equiv\text{CSiMe}_3$	H	Me	CF_3	O
2X.158	H	$\text{CH}_2\text{C}\equiv\text{CSiMe}_3$	H	Me	CF_2H	O
2X.159	H	$\text{CH}_2\text{C}\equiv\text{CSiMe}_3$	F	Me	Me	O
2X.160	H	$\text{CF}_2\text{C}\equiv\text{CSiMe}_3$	H	Me	CF_3	O
2X.161	H	$\text{CF}_2\text{C}\equiv\text{CSiMe}_3$	H	Me	CF_2H	O
2X.162	H	$\text{CF}_2\text{C}\equiv\text{CSiMe}_3$	F	Me	Me	O
2X.163	H	$\text{CH}=\text{CH}_2$	H	Me	CF_3	O
2X.164	H	$\text{CH}=\text{CH}_2$	H	Me	CF_2H	O
2X.165	H	$\text{CH}=\text{CH}_2$	F	Me	Me	O
2X.166	H	$\text{CH}=\text{CH}_2$	H	Me	CF_3	S
2X.167	H	$\text{CH}=\text{CH}_2$	H	Me	CF_2H	S
2X.168	propargyl	$\text{CH}=\text{CH}_2$	H	Me	CF_3	O
2X.169	allenyl	$\text{CH}=\text{CH}_2$	H	Me	CF_3	O
2X.170	COMe	$\text{CH}=\text{CH}_2$	H	Me	CF_3	O
2X.171	H	$\text{CH}=\text{CHF}$	H	Me	CF_3	O
2X.172	H	$\text{CH}=\text{CHF}$	H	Me	CF_2H	O
2X.173	H	$\text{CH}=\text{CHF}$	F	Me	Me	O
2X.174	H	$\text{CH}=\text{CHCl}$	H	Me	CF_3	O
2X.175	H	$\text{CH}=\text{CHCl}$	H	Me	CF_2H	O
2X.176	H	$\text{CH}=\text{CHCl}$	F	Me	Me	O
2X.177	H	$\text{CH}=\text{CHBr}$	H	Me	CF_3	O
2X.178	H	$\text{CH}=\text{CHBr}$	H	Me	CF_2H	O
2X.179	H	$\text{CH}=\text{CHBr}$	F	Me	Me	O
2X.180	H	$\text{CH}=\text{CF}_2$	H	Me	CF_3	O

2X.181	H	CH=CF ₂	H	Me	CF ₂ H	O
2X.182	H	CH=CF ₂	F	Me	Me	O
2X.183	H	CH=CFCI	H	Me	CF ₃	O
2X.184	H	CH=CFCI	H	Me	CF ₂ H	O
2X.185	H	CH=CFCI	F	Me	Me	O
2X.186	H	CH=CFBr	H	Me	CF ₃	O
2X.187	H	CH=CFBr	H	Me	CF ₂ H	O
2X.188	H	CH=CFBr	F	Me	Me	O
2X.189	H	CH=CCl ₂	H	Me	CF ₃	O
2X.190	H	CH=CCl ₂	H	Me	CF ₂ H	O
2X.191	H	CH=CCl ₂	F	Me	Me	O
2X.192	H	CH=CBr ₂	H	Me	CF ₃	O
2X.193	H	CH=CBr ₂	H	Me	CF ₂ H	O
2X.194	H	CH=CBr ₂	F	Me	Me	O
2X.195	H	CF=CH ₂	H	Me	CF ₃	O
2X.196	H	CF=CH ₂	H	Me	CF ₂ H	O
2X.197	H	CF=CH ₂	F	Me	Me	O
2X.198	H	CF=CHF	H	Me	CF ₃	O
2X.199	H	CF=CHF	H	Me	CF ₂ H	O
2X.200	H	CF=CHF	F	Me	Me	O
2X.201	H	CF=CF ₂	H	Me	CF ₃	O
2X.202	H	CF=CF ₂	H	Me	CF ₂ H	O
2X.203	H	CF=CF ₂	F	Me	Me	O
2X.204	H	CF=CFCI	H	Me	CF ₃	O
2X.205	H	CF=CFCI	H	Me	CF ₂ H	O
2X.206	H	CF=CFCI	F	Me	Me	O
2X.207	H	CF=CFBr	H	Me	CF ₃	O
2X.208	H	CF=CFBr	H	Me	CF ₂ H	O
2X.209	H	CF=CFBr	F	Me	Me	O
2X.210	H	CF=CCl ₂	H	Me	CF ₃	O

2X.211	H	CF=CCl ₂	H	Me	CF ₂ H	O
2X.212	H	CF=CCl ₂	F	Me	Me	O
2X.213	H	CCl=CH ₂	H	Me	CF ₃	O
2X.214	H	CCl=CH ₂	H	Me	CF ₂ H	O
2X.215	H	CCl=CH ₂	F	Me	Me	O
2X.216	H	CCl=CF ₂	H	Me	CF ₃	O
2X.217	H	CCl=CF ₂	H	Me	CF ₂ H	O
2X.218	H	CCl=CF ₂	F	Me	Me	O
2X.219	H	CBr=CH ₂	H	Me	CF ₃	O
2X.220	H	CBr=CH ₂	H	Me	CF ₂ H	O
2X.221	H	CBr=CH ₂	F	Me	Me	O
2X.222	H	CBr=CF ₂	H	Me	CF ₃	O
2X.223	H	CBr=CF ₂	H	Me	CF ₂ H	O
2X.224	H	CBr=CF ₂	F	Me	Me	O
2X.225	H	CH=CHCF ₃	H	Me	CF ₃	O
2X.226	H	CH=CHCF ₃	H	Me	CF ₂ H	O
2X.227	H	CH=CHCF ₃	F	Me	Me	O
2X.228	H	CH=CFCF ₃	H	Me	CF ₃	O
2X.229	H	CH=CFCF ₃	H	Me	CF ₂ H	O
2X.230	H	CH=CFCF ₃	F	Me	Me	O
2X.231	H	CH=CClCF ₃	H	Me	CF ₃	O
2X.232	H	CH=CClCF ₃	H	Me	CF ₂ H	O
2X.233	H	CH=CClCF ₃	F	Me	Me	O
2X.234	H	CH=CBrCF ₃	H	Me	CF ₃	O
2X.235	H	CH=CBrCF ₃	H	Me	CF ₂ H	O
2X.236	H	CH=CBrCF ₃	F	Me	Me	O
2X.237	H	CH=CFCF ₂ Cl	H	Me	CF ₃	O
2X.238	H	CH=CFCF ₂ Cl	H	Me	CF ₂ H	O
2X.239	H	CH=CFCF ₂ Cl	F	Me	Me	O
2X.240	H	CH=CClCF ₂ Cl	H	Me	CF ₃	O


2X.241	H	CH=CClCF ₂ Cl	H	Me	CF ₂ H	O
2X.242	H	CH=CClCF ₂ Cl	F	Me	Me	O
2X.243	H	CF=CHCF ₃	H	Me	CF ₃	O
2X.244	H	CF=CHCF ₃	H	Me	CF ₂ H	O
2X.245	H	CF=CHCF ₃	F	Me	Me	O
2X.246	H	CF=CFCF ₃	H	Me	CF ₃	O
2X.247	H	CF=CFCF ₃	H	Me	CF ₂ H	O
2X.248	H	CF=CFCF ₃	F	Me	Me	O
2X.249	H	CH=CHC ₂ F ₅	H	Me	CF ₃	O
2X.250	H	CH=CHC ₂ F ₅	H	Me	CF ₂ H	O
2X.251	H	CH=CHC ₂ F ₅	F	Me	Me	O
2X.252	H	CH=CFC ₂ F ₅	H	Me	CF ₃	O
2X.253	H	CH=CFC ₂ F ₅	H	Me	CF ₂ H	O
2X.254	H	CH=CFC ₂ F ₅	F	Me	Me	O
2X.255	H	CH=CClC ₂ F ₅	H	Me	CF ₃	O
2X.256	H	CH=CClC ₂ F ₅	H	Me	CF ₂ H	O
2X.257	H	CH=CClC ₂ F ₅	F	Me	Me	O
2X.258	H	CH=C(CF ₃) ₂	H	Me	CF ₃	O
2X.259	H	CH=C(CF ₃) ₂	H	Me	CF ₂ H	O
2X.260	H	CH=C(CF ₃) ₂	F	Me	Me	O
2X.261	H	CF=C(CF ₃) ₂	H	Me	CF ₃	O
2X.262	H	CF=C(CF ₃) ₂	H	Me	CF ₂ H	O
2X.263	H	CF=C(CF ₃) ₂	F	Me	Me	O
2X.264	H	CH=CHSiMe ₃	H	Me	CF ₃	O
2X.265	H	CH=CHSiMe ₃	H	Me	CF ₂ H	O
2X.266	H	CH=CHSiMe ₃	F	Me	Me	O
2X.267	H	CMe=CF ₂	H	Me	CF ₃	O
2X.268	H	CMe=CF ₂	H	Me	CF ₂ H	O
2X.269	H	CMe=CF ₂	F	Me	Me	O
2X.270	H	CMe=CFCI	H	Me	CF ₃	O

2X.271	H	CMe=CFCI	H	Me	CF ₂ H	O
2X.272	H	CMe=CFCI	F	Me	Me	O
2X.273	H	CMe=CFBr	H	Me	CF ₃	O
2X.274	H	CMe=CFBr	H	Me	CF ₂ H	O
2X.275	H	CMe=CFBr	F	Me	Me	O
2X.276	H	CMe=CCl ₂	H	Me	CF ₃	O
2X.277	H	CMe=CCl ₂	H	Me	CF ₂ H	O
2X.278	H	CMe=CCl ₂	F	Me	Me	O
2X.279	H	CMe=CBr ₂	H	Me	CF ₃	O
2X.280	H	CMe=CBr ₂	H	Me	CF ₂ H	O
2X.281	H	CMe=CBr ₂	F	Me	Me	O
2X.282	H	CMe=CHCF ₃	H	Me	CF ₃	O
2X.283	H	CMe=CHCF ₃	H	Me	CF ₂ H	O
2X.284	H	CMe=CHCF ₃	F	Me	Me	O
2X.285	H	CMe=CFCF ₃	H	Me	CF ₃	O
2X.286	H	CMe=CFCF ₃	H	Me	CF ₂ H	O
2X.287	H	CMe=CFCF ₃	F	Me	Me	O
2X.288	H	CMe=CClCF ₃	H	Me	CF ₃	O
2X.289	H	CMe=CClCF ₃	H	Me	CF ₂ H	O
2X.290	H	CMe=CClCF ₃	F	Me	Me	O
2X.291	H	CCF ₃ =CH ₂	H	Me	CF ₃	O
2X.292	H	CCF ₃ =CH ₂	H	Me	CF ₂ H	O
2X.293	H	CCF ₃ =CH ₂	F	Me	Me	O
2X.294	H	CCF ₃ =CHF	H	Me	CF ₃	O
2X.295	H	CCF ₃ =CHF	H	Me	CF ₂ H	O
2X.296	H	CCF ₃ =CHF	F	Me	Me	O
2X.297	H	CCF ₃ =CHCl	H	Me	CF ₃	O
2X.298	H	CCF ₃ =CHCl	H	Me	CF ₂ H	O
2X.299	H	CCF ₃ =CHCl	F	Me	Me	O
2X.300	H	CCF ₃ =CF ₂	H	Me	CF ₃	O

- 39 -

2X.301	H	$\text{CCF}_3=\text{CF}_2$	H	Me	CF_2H	O
2X.302	H	$\text{CCF}_3=\text{CF}_2$	F	Me	Me	O
2X.303	H	$\text{CCF}_3=\text{CCl}_2$	H	Me	CF_3	O
2X.304	H	$\text{CCF}_3=\text{CCl}_2$	H	Me	CF_2H	O
2X.305	H	$\text{CCF}_3=\text{CCl}_2$	F	Me	Me	O
2X.306	H	$\text{CCF}_3=\text{CBr}_2$	H	Me	CF_3	O
2X.307	H	$\text{CCF}_3=\text{CBr}_2$	H	Me	CF_2H	O
2X.308	H	$\text{CCF}_3=\text{CBr}_2$	F	Me	Me	O
2X.309	H	$\text{CH}_2\text{CH}=\text{CF}_2$	H	Me	CF_3	O
2X.310	H	$\text{CH}_2\text{CH}=\text{CF}_2$	H	Me	CF_2H	O
2X.311	H	$\text{CH}_2\text{CH}=\text{CF}_2$	F	Me	Me	O
2X.312	H	$\text{CH}_2\text{CH}=\text{CCl}_2$	H	Me	CF_3	O
2X.313	H	$\text{CH}_2\text{CH}=\text{CCl}_2$	H	Me	CF_2H	O
2X.314	H	$\text{CH}_2\text{CH}=\text{CCl}_2$	F	Me	Me	O
2X.315	H	$\text{CH}_2\text{CF}=\text{CF}_2$	H	Me	CF_3	O
2X.316	H	$\text{CH}_2\text{CF}=\text{CF}_2$	H	Me	CF_2H	O
2X.317	H	$\text{CH}_2\text{CF}=\text{CF}_2$	F	Me	Me	O
2X.318	H	$\text{CH}_2\text{CF}=\text{CCl}_2$	H	Me	CF_3	O
2X.319	H	$\text{CH}_2\text{CF}=\text{CCl}_2$	H	Me	CF_2H	O
2X.320	H	$\text{CH}_2\text{CF}=\text{CCl}_2$	F	Me	Me	O

Table 2ba provides 320 compounds of formula (I.ba):




wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2ba.

5


Table 2bb provides 320 compounds of formula (I.bb):

- 40 -




wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2bb.

Table 2bc provides 320 compounds of formula (I.bc)




5 wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2bc.

Table 2bd provides 320 compounds of formula (I.bd)



wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2bd.


Table 2be provides 320 compounds of formula (I.be)



10


wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2be.

Table 2bf provides 320 compounds of formula (I.bf)




wherein R¹, R⁶, R⁷, R⁸, R⁹ and X are as defined in Table 2bf.

Table 2bg provides 320 compounds of formula (I.bg)




5 wherein R¹, R⁶, R⁷, R⁸, R⁹ and X are as defined in Table 2bg.

Table 2bh provides 320 compounds of formula (I.bh)



wherein R¹, R⁶, R⁷, R⁸, R⁹ and X are as defined in Table 2bh.

Table 2bi provides 320 compounds of formula (I.bi)




10

wherein R¹, R⁶, R⁷, R⁸, R⁹ and X are as defined in Table 2bi.


Table 2bj provides 320 compounds of formula (I.bj)

- 42 -




wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2bj.

Table 2bk provides 320 compounds of formula (I.bk)




5 wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2bk.

Table 2bl provides 320 compounds of formula (I.bl)



wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2bl.


Table 2bm provides 320 compounds of formula (I.bm)



10


wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2bm.

Table 2bn provides 320 compounds of formula (I.bn)




wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2bn.

Table 2bo provides 320 compounds of formula (I.bo)




5 wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2bo.

Table 2bp provides 320 compounds of formula (I.bp)



wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2bp.

Table 2bq provides 320 compounds of formula (I.bq)




10

wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2bq.


Table 2br provides 320 compounds of formula (I.br)

- 44 -




wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2br.

Table 2bs provides 320 compounds of formula (I.bs)




5 wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2bs.

Table 2bt provides 320 compounds of formula (I.bt)



wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2bt.


Table 2bu provides 320 compounds of formula (I.bu)



10


wherein R^1 , R^6 , R^7 , R^8 , R^9 and X are as defined in Table 2bu.

Table 2bv provides 320 compounds of formula (I.bv)




wherein R¹, R⁶, R⁷, R⁸, R⁹ and X are as defined in Table 2bv.

Table 2bw provides 320 compounds of formula (I.bw)



5 wherein R¹, R⁶, R⁷, R⁸, R⁹ and X are as defined in Table 2bw.

Table 2bx provides 320 compounds of formula (I.bx)



wherein R¹, R⁶, R⁷, R⁸, R⁹ and X are as defined in Table 2bx.

- 10 Table 3X represents Table 3ca (when X is ca), represents Table 3cb (when X is cb), represents Table 3cc (when X is cc), represents Table 3cd (when X is cd), represents Table 3ce (when X is ce), represents Table 3cf (when X is cf), represents Table 3cg (when X is cg), represents Table 3ch (when X is ch), represents Table 3ci (when X is ci), represents Table 3cj (when X is cj), represents Table 3ck (when X is ck), represents Table 3cl (when X is cl),
- 15 represents Table 3cm (when X is cm), represents Table 3cn (when X is cn), represents Table 3co (when X is co), represents Table 3cp (when X is cp), represents Table 3cq (when X is cq), represents Table 3cr (when X is cr), represents Table 3cs (when X is cs), represents Table 3ct

(when X is ct), represents Table 3cu (when X is cu), represents Table 3cv (when X is cv), represents Table 3cw (when X is cw) and represents Table 3cx (when X is cx).

Table 3

Compound No.	R ¹	R ⁶	R ⁸	R ⁹	X
3X.001	H	C≡CH	Me	CF ₃	O
3X.002	H	C≡CH	Me	CF ₂ H	O
3X.003	H	C≡CH	Me	Me	O
3X.004	H	C≡CH	Me	CF ₃	S
3X.005	H	C≡CH	Me	CF ₂ H	S
3X.006	propargyl	C≡CH	Me	CF ₃	O
3X.007	allenyl	C≡CH	Me	CF ₃	O
3X.008	COMe	C≡CH	Me	CF ₃	O
3X.009	H	C≡CF	Me	CF ₃	O
3X.010	H	C≡CF	Me	CF ₂ H	O
3X.011	H	C≡CF	Me	Me	O
3X.012	H	C≡CCl	Me	CF ₃	O
3X.013	H	C≡CCl	Me	CF ₂ H	O
3X.014	H	C≡CCl	Me	Me	O
3X.015	H	C≡CBr	Me	CF ₃	O
3X.016	H	C≡CBr	Me	CF ₂ H	O
3X.017	H	C≡CBr	Me	Me	O
3X.018	H	C≡CMe	Me	CF ₃	O
3X.019	H	C≡CMe	Me	CF ₂ H	O
3X.020	H	C≡CMe	Me	Me	O
3X.021	H	C≡CCH ₂ OMe	Me	CF ₃	O
3X.022	H	C≡CCH ₂ OMe	Me	CF ₂ H	O
3X.023	H	C≡CCH ₂ OMe	Me	Me	O

3X.024	H	$\text{C}\equiv\text{CCH}_2\text{F}$	Me	CF_3	O
3X.025	H	$\text{C}\equiv\text{CCH}_2\text{F}$	Me	CF_2H	O
3X.026	H	$\text{C}\equiv\text{CCH}_2\text{F}$	Me	Me	O
3X.027	H	$\text{C}\equiv\text{CCF}_2\text{H}$	Me	CF_3	O
3X.028	H	$\text{C}\equiv\text{CCF}_2\text{H}$	Me	CF_2H	O
3X.029	H	$\text{C}\equiv\text{CCF}_2\text{H}$	Me	Me	O
3X.030	H	$\text{C}\equiv\text{CCHFCl}$	Me	CF_3	O
3X.031	H	$\text{C}\equiv\text{CCHFCl}$	Me	CF_2H	O
3X.032	H	$\text{C}\equiv\text{CCHFCl}$	Me	Me	O
3X.033	H	$\text{C}\equiv\text{CCF}_2\text{Cl}$	Me	CF_3	O
3X.034	H	$\text{C}\equiv\text{CCF}_2\text{Cl}$	Me	CF_2H	O
3X.035	H	$\text{C}\equiv\text{CCF}_2\text{Cl}$	Me	Me	O
3X.036	H	$\text{C}\equiv\text{CCF}_2\text{Br}$	Me	CF_3	O
3X.037	H	$\text{C}\equiv\text{CCF}_2\text{Br}$	Me	CF_2H	O
3X.038	H	$\text{C}\equiv\text{CCF}_2\text{Br}$	Me	Me	O
3X.039	H	$\text{C}\equiv\text{CCF}_3$	Me	CF_3	O
3X.040	H	$\text{C}\equiv\text{CCF}_3$	Me	CF_2H	O
3X.041	H	$\text{C}\equiv\text{CCF}_3$	Me	Me	O
3X.042	H	$\text{C}\equiv\text{CCF}_3$	Me	CF_3	S
3X.043	H	$\text{C}\equiv\text{CCF}_3$	Me	CF_2H	S
3X.044	propargyl	$\text{C}\equiv\text{CCF}_3$	Me	CF_3	O
3X.045	allenyl	$\text{C}\equiv\text{CCF}_3$	Me	CF_3	O
3X.046	COMe	$\text{C}\equiv\text{CCF}_3$	Me	CF_3	O
3X.047	H	$\text{C}\equiv\text{CCH}_2\text{CH}_3$	Me	CF_3	O
3X.048	H	$\text{C}\equiv\text{CCH}_2\text{CH}_3$	Me	CF_2H	O
3X.049	H	$\text{C}\equiv\text{CCH}_2\text{CH}_3$	Me	Me	O
3X.050	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{F}$	Me	CF_3	O

3X.051	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{F}$	Me	CF_2H	O
3X.052	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{F}$	Me	Me	O
3X.053	H	$\text{C}\equiv\text{CCF}_2\text{Me}$	Me	CF_3	O
3X.054	H	$\text{C}\equiv\text{CCF}_2\text{Me}$	Me	CF_2H	O
3X.055	H	$\text{C}\equiv\text{CCF}_2\text{Me}$	Me	Me	O
3X.056	H	$\text{C}\equiv\text{CCH}_2\text{CF}_3$	Me	CF_3	O
3X.057	H	$\text{C}\equiv\text{CCH}_2\text{CF}_3$	Me	CF_2H	O
3X.058	H	$\text{C}\equiv\text{CCH}_2\text{CF}_3$	Me	Me	O
3X.059	H	$\text{C}\equiv\text{CC}_2\text{F}_5$	Me	CF_3	O
3X.060	H	$\text{C}\equiv\text{CC}_2\text{F}_5$	Me	CF_2H	O
3X.061	H	$\text{C}\equiv\text{CC}_2\text{F}_5$	Me	Me	O
3X.062	H	$\text{C}\equiv\text{CCF}=\text{CF}_2$	Me	CF_3	O
3X.063	H	$\text{C}\equiv\text{CCF}=\text{CF}_2$	Me	CF_2H	O
3X.064	H	$\text{C}\equiv\text{CCF}=\text{CF}_2$	Me	Me	O
3X.065	H	$\text{C}\equiv\text{CCH}_2\text{CH}_2\text{CH}_3$	Me	CF_3	O
3X.066	H	$\text{C}\equiv\text{CCH}_2\text{CH}_2\text{CH}_3$	Me	CF_2H	O
3X.067	H	$\text{C}\equiv\text{CCH}_2\text{CH}_2\text{CH}_3$	Me	Me	O
3X.068	H	$\text{C}\equiv\text{CCHFCH}_2\text{CH}_3$	Me	CF_3	O
3X.069	H	$\text{C}\equiv\text{CCHFCH}_2\text{CH}_3$	Me	CF_2H	O
3X.070	H	$\text{C}\equiv\text{CCHFCH}_2\text{CH}_3$	Me	Me	O
3X.071	H	$\text{C}\equiv\text{CCF}_2\text{CH}_2\text{CH}_3$	Me	CF_3	O
3X.072	H	$\text{C}\equiv\text{CCF}_2\text{CH}_2\text{CH}_3$	Me	CF_2H	O
3X.073	H	$\text{C}\equiv\text{CCF}_2\text{CH}_2\text{CH}_3$	Me	Me	O
3X.074	H	$\text{C}\equiv\text{CCH}(\text{Me})_2$	Me	CF_3	O
3X.075	H	$\text{C}\equiv\text{CCH}(\text{Me})_2$	Me	CF_2H	O
3X.076	H	$\text{C}\equiv\text{CCH}(\text{Me})_2$	Me	Me	O
3X.077	H	$\text{C}\equiv\text{CCMe}_2\text{OMe}$	Me	CF_3	O

3X.078	H	$\text{C}\equiv\text{CCMe}_2\text{OMe}$	Me	CF_2H	O
3X.079	H	$\text{C}\equiv\text{CCMe}_2\text{OMe}$	Me	Me	O
3X.080	H	$\text{C}\equiv\text{CC}(\text{Me})_2\text{F}$	Me	CF_3	O
3X.081	H	$\text{C}\equiv\text{CC}(\text{Me})_2\text{F}$	Me	CF_2H	O
3X.082	H	$\text{C}\equiv\text{CC}(\text{Me})_2\text{F}$	Me	Me	O
3X.083	H	$\text{C}\equiv\text{CCF}(\text{CF}_3)_2$	Me	CF_3	O
3X.084	H	$\text{C}\equiv\text{CCF}(\text{CF}_3)_2$	Me	CF_2H	O
3X.085	H	$\text{C}\equiv\text{CCF}(\text{CF}_3)_2$	Me	Me	O
3X.086	H	$\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$	Me	CF_3	O
3X.087	H	$\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$	Me	CF_2H	O
3X.088	H	$\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$	Me	Me	O
3X.089	H	$\text{C}\equiv\text{C}(\text{cyclopropyl})$	Me	CF_3	O
3X.090	H	$\text{C}\equiv\text{C}(\text{cyclopropyl})$	Me	CHF_2	O
3X.091	H	$\text{C}\equiv\text{C}(\text{cyclopropyl})$	Me	Me	O
3X.092	H	$\text{C}\equiv\text{CCH}_2\text{CH}(\text{Me})_2$	Me	CF_3	O
3X.093	H	$\text{C}\equiv\text{CCH}_2\text{CH}(\text{Me})_2$	Me	CF_2H	O
3X.094	H	$\text{C}\equiv\text{CCH}_2\text{CH}(\text{Me})_2$	Me	Me	O
3X.095	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{CH}_2\text{CH}_3$	Me	CF_3	O
3X.096	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{CH}_2\text{CH}_3$	Me	CF_2H	O
3X.097	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{CH}_2\text{CH}_3$	Me	Me	O
3X.098	H	$\text{C}\equiv\text{CCMe}_3$	Me	CF_3	O
3X.099	H	$\text{C}\equiv\text{CCMe}_3$	Me	CF_2H	O
3X.100	H	$\text{C}\equiv\text{CCMe}_3$	Me	Me	O
3X.101	H	$\text{C}\equiv\text{CCMe}_3$	Me	CF_3	S
3X.102	H	$\text{C}\equiv\text{CCMe}_3$	Me	CF_2H	S
3X.103	propargyl	$\text{C}\equiv\text{CCMe}_3$	Me	CF_3	O
3X.104	allenyl	$\text{C}\equiv\text{CCMe}_3$	Me	CF_3	O

3X.105	COMe	$C\equiv CMe_3$	Me	CF ₃	O
3X.106	H	$C\equiv CSiMe_3$	Me	CF ₃	O
3X.107	H	$C\equiv CSiMe_3$	Me	CF ₂ H	O
3X.108	H	$C\equiv CSiMe_3$	Me	Me	O
3X.109	H	$C\equiv CCH_2C(Me)_3$	Me	CF ₃	O
3X.110	H	$C\equiv CCH_2C(Me)_3$	Me	CF ₂ H	O
3X.111	H	$C\equiv CCH_2C(Me)_3$	Me	Me	O
3X.112	H	$C\equiv CCH_2SiMe_3$	Me	CF ₃	O
3X.113	H	$C\equiv CCH_2SiMe_3$	Me	CF ₂ H	O
3X.114	H	$C\equiv CCH_2SiMe_3$	Me	Me	O
3X.115	H	$C\equiv C$ (1-F-cyclopentyl)	Me	CF ₃	O
3X.116	H	$C\equiv C$ (1-F-cyclopentyl)	Me	CHF ₂	O
3X.117	H	$C\equiv C$ (1-F-cyclopentyl)	Me	Me	O
3X.118	H	$C\equiv CSi(Me)_2CMe_3$	Me	CF ₃	O
3X.119	H	$C\equiv CSi(Me)_2CMe_3$	Me	CF ₂ H	O
3X.120	H	$C\equiv CSi(Me)_2CMe_3$	Me	Me	O
3X.121	H	$CH_2C\equiv CH$	Me	CF ₃	O
3X.122	H	$CH_2C\equiv CH$	Me	CF ₂ H	O
3X.123	H	$CH_2C\equiv CH$	Me	Me	O
3X.124	H	$CHFC\equiv CH$	Me	CF ₃	O
3X.125	H	$CHFC\equiv CH$	Me	CF ₂ H	O
3X.126	H	$CHFC\equiv CH$	Me	Me	O
3X.127	H	$CF_2C\equiv CH$	Me	CF ₃	O
3X.128	H	$CF_2C\equiv CH$	Me	CF ₂ H	O
3X.129	H	$CF_2C\equiv CH$	Me	Me	O
3X.130	H	$CHMeC\equiv CH$	Me	CF ₃	O
3X.131	H	$CHMeC\equiv CH$	Me	CF ₂ H	O

3X.132	H	$\text{CHMeC}\equiv\text{CH}$	Me	Me	O
3X.133	H	$\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$	Me	CF_3	O
3X.134	H	$\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$	Me	CF_2H	O
3X.135	H	$\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$	Me	Me	O
3X.136	H	$\text{CMe}_2\text{C}\equiv\text{CH}$	Me	CF_3	O
3X.137	H	$\text{CMe}_2\text{C}\equiv\text{CH}$	Me	CF_2H	O
3X.138	H	$\text{CMe}_2\text{C}\equiv\text{CH}$	Me	Me	O
3X.139	H	$\text{CH}_2\text{C}\equiv\text{CMe}$	Me	CF_3	O
3X.140	H	$\text{CH}_2\text{C}\equiv\text{CMe}$	Me	CF_2H	O
3X.141	H	$\text{CH}_2\text{C}\equiv\text{CMe}$	Me	Me	O
3X.142	H	$\text{CF}_2\text{C}\equiv\text{CMe}$	Me	CF_3	O
3X.143	H	$\text{CF}_2\text{C}\equiv\text{CMe}$	Me	CF_2H	O
3X.144	H	$\text{CF}_2\text{C}\equiv\text{CMe}$	Me	Me	O
3X.145	H	$\text{CH}_2\text{C}\equiv\text{CCF}_3$	Me	CF_3	O
3X.146	H	$\text{CH}_2\text{C}\equiv\text{CCF}_3$	Me	CF_2H	O
3X.147	H	$\text{CH}_2\text{C}\equiv\text{CCF}_3$	Me	Me	O
3X.148	H	$\text{CF}_2\text{C}\equiv\text{CCF}_3$	Me	CF_3	O
3X.149	H	$\text{CF}_2\text{C}\equiv\text{CCF}_3$	Me	CF_2H	O
3X.150	H	$\text{CF}_2\text{C}\equiv\text{CCF}_3$	Me	Me	O
3X.151	H	$\text{CH}_2\text{C}\equiv\text{CCMe}_3$	Me	CF_3	O
3X.152	H	$\text{CH}_2\text{C}\equiv\text{CCMe}_3$	Me	CF_2H	O
3X.153	H	$\text{CH}_2\text{C}\equiv\text{CCMe}_3$	Me	Me	O
3X.154	H	$\text{CF}_2\text{C}\equiv\text{CCMe}_3$	Me	CF_3	O
3X.155	H	$\text{CF}_2\text{C}\equiv\text{CCMe}_3$	Me	CF_2H	O
3X.156	H	$\text{CF}_2\text{C}\equiv\text{CCMe}_3$	Me	Me	O
3X.157	H	$\text{CH}_2\text{C}\equiv\text{CSiMe}_3$	Me	CF_3	O
3X.158	H	$\text{CH}_2\text{C}\equiv\text{CSiMe}_3$	Me	CF_2H	O

3X.159	H	$\text{CH}_2\text{C}\equiv\text{CSiMe}_3$	Me	Me	O
3X.160	H	$\text{CF}_2\text{C}\equiv\text{CSiMe}_3$	Me	CF_3	O
3X.161	H	$\text{CF}_2\text{C}\equiv\text{CSiMe}_3$	Me	CF_2H	O
3X.162	H	$\text{CF}_2\text{C}\equiv\text{CSiMe}_3$	Me	Me	O
3X.163	H	$\text{CH}=\text{CH}_2$	Me	CF_3	O
3X.164	H	$\text{CH}=\text{CH}_2$	Me	CF_2H	O
3X.165	H	$\text{CH}=\text{CH}_2$	Me	Me	O
3X.166	H	$\text{CH}=\text{CH}_2$	Me	CF_3	S
3X.167	H	$\text{CH}=\text{CH}_2$	Me	CF_2H	S
3X.168	propargyl	$\text{CH}=\text{CH}_2$	Me	CF_3	O
3X.169	allenyl	$\text{CH}=\text{CH}_2$	Me	CF_3	O
3X.170	COMe	$\text{CH}=\text{CH}_2$	Me	CF_3	O
3X.171	H	$\text{CH}=\text{CHF}$	Me	CF_3	O
3X.172	H	$\text{CH}=\text{CHF}$	Me	CF_2H	O
3X.173	H	$\text{CH}=\text{CHF}$	Me	Me	O
3X.174	H	$\text{CH}=\text{CHCl}$	Me	CF_3	O
3X.175	H	$\text{CH}=\text{CHCl}$	Me	CF_2H	O
3X.176	H	$\text{CH}=\text{CHCl}$	Me	Me	O
3X.177	H	$\text{CH}=\text{CHBr}$	Me	CF_3	O
3X.178	H	$\text{CH}=\text{CHBr}$	Me	CF_2H	O
3X.179	H	$\text{CH}=\text{CHBr}$	Me	Me	O
3X.180	H	$\text{CH}=\text{CF}_2$	Me	CF_3	O
3X.181	H	$\text{CH}=\text{CF}_2$	Me	CF_2H	O
3X.182	H	$\text{CH}=\text{CF}_2$	Me	Me	O
3X.183	H	$\text{CH}=\text{CFCl}$	Me	CF_3	O
3X.184	H	$\text{CH}=\text{CFCl}$	Me	CF_2H	O
3X.185	H	$\text{CH}=\text{CFCl}$	Me	Me	O
3X.186	H	$\text{CH}=\text{CFBr}$	Me	CF_3	O
3X.187	H	$\text{CH}=\text{CFBr}$	Me	CF_2H	O

3X.188	H	CH=CFBr	Me	Me	O
3X.189	H	CH=CCl ₂	Me	CF ₃	O
3X.190	H	CH=CCl ₂	Me	CF ₂ H	O
3X.191	H	CH=CCl ₂	Me	Me	O
3X.192	H	CH=CBr ₂	Me	CF ₃	O
3X.193	H	CH=CBr ₂	Me	CF ₂ H	O
3X.194	H	CH=CBr ₂	Me	Me	O
3X.195	H	CF=CH ₂	Me	CF ₃	O
3X.196	H	CF=CH ₂	Me	CF ₂ H	O
3X.197	H	CF=CH ₂	Me	Me	O
3X.198	H	CF=CHF	Me	CF ₃	O
3X.199	H	CF=CHF	Me	CF ₂ H	O
3X.200	H	CF=CHF	Me	Me	O
3X.201	H	CF=CF ₂	Me	CF ₃	O
3X.202	H	CF=CF ₂	Me	CF ₂ H	O
3X.203	H	CF=CF ₂	Me	Me	O
3X.204	H	CF=CFCl	Me	CF ₃	O
3X.205	H	CF=CFCl	Me	CF ₂ H	O
3X.206	H	CF=CFCl	Me	Me	O
3X.207	H	CF=CFBr	Me	CF ₃	O
3X.208	H	CF=CFBr	Me	CF ₂ H	O
3X.209	H	CF=CFBr	Me	Me	O
3X.210	H	CF=CCl ₂	Me	CF ₃	O
3X.211	H	CF=CCl ₂	Me	CF ₂ H	O
3X.212	H	CF=CCl ₂	Me	Me	O
3X.213	H	CCl=CH ₂	Me	CF ₃	O
3X.214	H	CCl=CH ₂	Me	CF ₂ H	O
3X.215	H	CCl=CH ₂	Me	Me	O
3X.216	H	CCl=CF ₂	Me	CF ₃	O
3X.217	H	CCl=CF ₂	Me	CF ₂ H	O


3X.218	H	$\text{CCl}=\text{CF}_2$	Me	Me	O
3X.219	H	$\text{CBr}=\text{CH}_2$	Me	CF_3	O
3X.220	H	$\text{CBr}=\text{CH}_2$	Me	CF_2H	O
3X.221	H	$\text{CBr}=\text{CH}_2$	Me	Me	O
3X.222	H	$\text{CBr}=\text{CF}_2$	Me	CF_3	O
3X.223	H	$\text{CBr}=\text{CF}_2$	Me	CF_2H	O
3X.224	H	$\text{CBr}=\text{CF}_2$	Me	Me	O
3X.225	H	$\text{CH}=\text{CHCF}_3$	Me	CF_3	O
3X.226	H	$\text{CH}=\text{CHCF}_3$	Me	CF_2H	O
3X.227	H	$\text{CH}=\text{CHCF}_3$	Me	Me	O
3X.228	H	$\text{CH}=\text{CFCF}_3$	Me	CF_3	O
3X.229	H	$\text{CH}=\text{CFCF}_3$	Me	CF_2H	O
3X.230	H	$\text{CH}=\text{CFCF}_3$	Me	Me	O
3X.231	H	$\text{CH}=\text{CClCF}_3$	Me	CF_3	O
3X.232	H	$\text{CH}=\text{CClCF}_3$	Me	CF_2H	O
3X.233	H	$\text{CH}=\text{CClCF}_3$	Me	Me	O
3X.234	H	$\text{CH}=\text{CBrCF}_3$	Me	CF_3	O
3X.235	H	$\text{CH}=\text{CBrCF}_3$	Me	CF_2H	O
3X.236	H	$\text{CH}=\text{CBrCF}_3$	Me	Me	O
3X.237	H	$\text{CH}=\text{CFCF}_2\text{Cl}$	Me	CF_3	O
3X.238	H	$\text{CH}=\text{CFCF}_2\text{Cl}$	Me	CF_2H	O
3X.239	H	$\text{CH}=\text{CFCF}_2\text{Cl}$	Me	Me	O
3X.240	H	$\text{CH}=\text{CClCF}_2\text{Cl}$	Me	CF_3	O
3X.241	H	$\text{CH}=\text{CClCF}_2\text{Cl}$	Me	CF_2H	O
3X.242	H	$\text{CH}=\text{CClCF}_2\text{Cl}$	Me	Me	O
3X.243	H	$\text{CF}=\text{CHCF}_3$	Me	CF_3	O
3X.244	H	$\text{CF}=\text{CHCF}_3$	Me	CF_2H	O
3X.245	H	$\text{CF}=\text{CHCF}_3$	Me	Me	O
3X.246	H	$\text{CF}=\text{CFCF}_3$	Me	CF_3	O
3X.247	H	$\text{CF}=\text{CFCF}_3$	Me	CF_2H	O

3X.248	H	$\text{CF}=\text{CFCF}_3$	Me	Me	O
3X.249	H	$\text{CH}=\text{CHC}_2\text{F}_5$	Me	CF_3	O
3X.250	H	$\text{CH}=\text{CHC}_2\text{F}_5$	Me	CF_2H	O
3X.251	H	$\text{CH}=\text{CHC}_2\text{F}_5$	Me	Me	O
3X.252	H	$\text{CH}=\text{CFC}_2\text{F}_5$	Me	CF_3	O
3X.253	H	$\text{CH}=\text{CFC}_2\text{F}_5$	Me	CF_2H	O
3X.254	H	$\text{CH}=\text{CFC}_2\text{F}_5$	Me	Me	O
3X.255	H	$\text{CH}=\text{CClC}_2\text{F}_5$	Me	CF_3	O
3X.256	H	$\text{CH}=\text{CClC}_2\text{F}_5$	Me	CF_2H	O
3X.257	H	$\text{CH}=\text{CClC}_2\text{F}_5$	Me	Me	O
3X.258	H	$\text{CH}=\text{C}(\text{CF}_3)_2$	Me	CF_3	O
3X.259	H	$\text{CH}=\text{C}(\text{CF}_3)_2$	Me	CF_2H	O
3X.260	H	$\text{CH}=\text{C}(\text{CF}_3)_2$	Me	Me	O
3X.261	H	$\text{CF}=\text{C}(\text{CF}_3)_2$	Me	CF_3	O
3X.262	H	$\text{CF}=\text{C}(\text{CF}_3)_2$	Me	CF_2H	O
3X.263	H	$\text{CF}=\text{C}(\text{CF}_3)_2$	Me	Me	O
3X.264	H	$\text{CH}=\text{CHSiMe}_3$	Me	CF_3	O
3X.265	H	$\text{CH}=\text{CHSiMe}_3$	Me	CF_2H	O
3X.266	H	$\text{CH}=\text{CHSiMe}_3$	Me	Me	O
3X.267	H	$\text{CMe}=\text{CF}_2$	Me	CF_3	O
3X.268	H	$\text{CMe}=\text{CF}_2$	Me	CF_2H	O
3X.269	H	$\text{CMe}=\text{CF}_2$	Me	Me	O
3X.270	H	$\text{CMe}=\text{CFCl}$	Me	CF_3	O
3X.271	H	$\text{CMe}=\text{CFCl}$	Me	CF_2H	O
3X.272	H	$\text{CMe}=\text{CFCl}$	Me	Me	O
3X.273	H	$\text{CMe}=\text{CFBr}$	Me	CF_3	O
3X.274	H	$\text{CMe}=\text{CFBr}$	Me	CF_2H	O
3X.275	H	$\text{CMe}=\text{CFBr}$	Me	Me	O
3X.276	H	$\text{CMe}=\text{CCl}_2$	Me	CF_3	O
3X.277	H	$\text{CMe}=\text{CCl}_2$	Me	CF_2H	O

3X.278	H	CMe=CCl ₂	Me	Me	O
3X.279	H	CMe=CBr ₂	Me	CF ₃	O
3X.280	H	CMe=CBr ₂	Me	CF ₂ H	O
3X.281	H	CMe=CBr ₂	Me	Me	O
3X.282	H	CMe=CHCF ₃	Me	CF ₃	O
3X.283	H	CMe=CHCF ₃	Me	CF ₂ H	O
3X.284	H	CMe=CHCF ₃	Me	Me	O
3X.285	H	CMe=CFCF ₃	Me	CF ₃	O
3X.286	H	CMe=CFCF ₃	Me	CF ₂ H	O
3X.287	H	CMe=CFCF ₃	Me	Me	O
3X.288	H	CMe=CClCF ₃	Me	CF ₃	O
3X.289	H	CMe=CClCF ₃	Me	CF ₂ H	O
3X.290	H	CMe=CClCF ₃	Me	Me	O
3X.291	H	CCF ₃ =CH ₂	Me	CF ₃	O
3X.292	H	CCF ₃ =CH ₂	Me	CF ₂ H	O
3X.293	H	CCF ₃ =CH ₂	Me	Me	O
3X.294	H	CCF ₃ =CHF	Me	CF ₃	O
3X.295	H	CCF ₃ =CHF	Me	CF ₂ H	O
3X.296	H	CCF ₃ =CHF	Me	Me	O
3X.297	H	CCF ₃ =CHCl	Me	CF ₃	O
3X.298	H	CCF ₃ =CHCl	Me	CF ₂ H	O
3X.299	H	CCF ₃ =CHCl	Me	Me	O
3X.300	H	CCF ₃ =CF ₂	Me	CF ₃	O
3X.301	H	CCF ₃ =CF ₂	Me	CF ₂ H	O
3X.302	H	CCF ₃ =CF ₂	Me	Me	O
3X.303	H	CCF ₃ =CCl ₂	Me	CF ₃	O
3X.304	H	CCF ₃ =CCl ₂	Me	CF ₂ H	O
3X.305	H	CCF ₃ =CCl ₂	Me	Me	O
3X.306	H	CCF ₃ =CBr ₂	Me	CF ₃	O
3X.307	H	CCF ₃ =CBr ₂	Me	CF ₂ H	O

3X.308	H	$\text{CCF}_3=\text{CBr}_2$	Me	Me	O
3X.309	H	$\text{CH}_2\text{CH}=\text{CF}_2$	Me	CF_3	O
3X.310	H	$\text{CH}_2\text{CH}=\text{CF}_2$	Me	CF_2H	O
3X.311	H	$\text{CH}_2\text{CH}=\text{CF}_2$	Me	Me	O
3X.312	H	$\text{CH}_2\text{CH}=\text{CCl}_2$	Me	CF_3	O
3X.313	H	$\text{CH}_2\text{CH}=\text{CCl}_2$	Me	CF_2H	O
3X.314	H	$\text{CH}_2\text{CH}=\text{CCl}_2$	Me	Me	O
3X.315	H	$\text{CH}_2\text{CF}=\text{CF}_2$	Me	CF_3	O
3X.316	H	$\text{CH}_2\text{CF}=\text{CF}_2$	Me	CF_2H	O
3X.317	H	$\text{CH}_2\text{CF}=\text{CF}_2$	Me	Me	O
3X.318	H	$\text{CH}_2\text{CF}=\text{CCl}_2$	Me	CF_3	O
3X.319	H	$\text{CH}_2\text{CF}=\text{CCl}_2$	Me	CF_2H	O
3X.320	H	$\text{CH}_2\text{CF}=\text{CCl}_2$	Me	Me	O


Table 3ca provides 320 compounds of formula (I.ca):



wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3ca.

5


Table 3cb provides 320 compounds of formula (I.cb):



wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3cb.


Table 3cc provides 320 compounds of formula (I.cc)

- 58 -




wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3cc.

Table 3cd provides 320 compounds of formula (I.cd)




5 wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3cd.

Table 3ce provides 320 compounds of formula (I.ce)



wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3ce.


Table 3cf provides 320 compounds of formula (I.cf)



10


wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3cf.

Table 3cg provides 320 compounds of formula (I.cg)




wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3cg.

Table 3ch provides 320 compounds of formula (I.ch)




5 wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3ch.

Table 3ci provides 320 compounds of formula (I.ci)



wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3ci.

Table 3cj provides 320 compounds of formula (I.cj)




10

wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3cj.


Table 3ck provides 320 compounds of formula (I.ck)

- 60 -




wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3ck.

Table 3cl provides 320 compounds of formula (I.cl)




5 wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3cl.

Table 3cm provides 320 compounds of formula (I.cm)



wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3cm.

Table 3cn provides 320 compounds of formula (I.cn)




10

wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3cn.


Table 3co provides 320 compounds of formula (I.co)

- 61 -




wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3co.

Table 3cp provides 320 compounds of formula (I.cp)




5 wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3cp.

Table 3cq provides 320 compounds of formula (I.cq)



wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3cq.

Table 3cr provides 320 compounds of formula (I.cr)




10

wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3cr.


Table 3cs provides 320 compounds of formula (I.cs)

- 62 -




wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3cs.

Table 3ct provides 320 compounds of formula (I.ct)




5 wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3ct.

Table 3cu provides 320 compounds of formula (I.cu)



wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3cu.


Table 3cv provides 320 compounds of formula (I.cv)



10


wherein R^1 , R^6 , R^8 , R^9 and X are as defined in Table 3cv.

Table 3cw provides 320 compounds of formula (I.cw)



wherein R¹, R⁶, R⁸, R⁹ and X are as defined in Table 3cw.

Table 3cx provides 320 compounds of formula (I.cx)



5 wherein R¹, R⁶, R⁸, R⁹ and X are as defined in Table 3cx.

Table 4X represents Table 4da (when X is da), represents Table 4db (when X is db), represents Table 4dc (when X is dc), represents Table 4dd (when X is dd), represents Table 4de (when X is de), represents Table 4df (when X is df), represents Table 4dg (when X is dg),
 10 represents Table 4dh (when X is dh), represents Table 4di (when X is di), represents Table 4dj (when X is dj), represents Table 4dk (when X is dk), represents Table 4dl (when X is dl), represents Table 4dm (when X is dm), represents Table 4dn (when X is dn), represents Table 4do (when X is do), represents Table 4dp (when X is dp), represents Table 4dq (when X is dq), represents Table 4dr (when X is dr), represents Table 4ds (when X is ds), represents
 15 Table 4dt (when X is dt), represents Table 4du (when X is du), represents Table 4dv (when X is dv), represents Table 4dw (when X is dw) and represents Table 4dx (when X is dx).

Table 4

Compound No.	R ¹	R ⁶	R ⁸	X
4X.001	H	C≡CH	Cl	O
4X.002	H	C≡CH	Br	O

4X.003	H	$\text{C}\equiv\text{CH}$	CF_3	O
4X.004	H	$\text{C}\equiv\text{CH}$	Cl	S
4X.005	H	$\text{C}\equiv\text{CH}$	Br	S
4X.006	propargyl	$\text{C}\equiv\text{CH}$	Cl	O
4X.007	allenyl	$\text{C}\equiv\text{CH}$	Cl	O
4X.008	COMe	$\text{C}\equiv\text{CH}$	Cl	O
4X.009	H	$\text{C}\equiv\text{CF}$	Cl	O
4X.010	H	$\text{C}\equiv\text{CF}$	Br	O
4X.011	H	$\text{C}\equiv\text{CF}$	CF_3	O
4X.012	H	$\text{C}\equiv\text{CCl}$	Cl	O
4X.013	H	$\text{C}\equiv\text{CCl}$	Br	O
4X.014	H	$\text{C}\equiv\text{CCl}$	CF_3	O
4X.015	H	$\text{C}\equiv\text{CBr}$	Cl	O
4X.016	H	$\text{C}\equiv\text{CBr}$	Br	O
4X.017	H	$\text{C}\equiv\text{CBr}$	CF_3	O
4X.018	H	$\text{C}\equiv\text{CMe}$	Cl	O
4X.019	H	$\text{C}\equiv\text{CMe}$	Br	O
4X.020	H	$\text{C}\equiv\text{CMe}$	CF_3	O
4X.021	H	$\text{C}\equiv\text{CCH}_2\text{OMe}$	Cl	O
4X.022	H	$\text{C}\equiv\text{CCH}_2\text{OMe}$	Br	O
4X.023	H	$\text{C}\equiv\text{CCH}_2\text{OMe}$	CF_3	O
4X.024	H	$\text{C}\equiv\text{CCH}_2\text{F}$	Cl	O
4X.025	H	$\text{C}\equiv\text{CCH}_2\text{F}$	Br	O
4X.026	H	$\text{C}\equiv\text{CCH}_2\text{F}$	CF_3	O
4X.027	H	$\text{C}\equiv\text{CCF}_2\text{H}$	Cl	O
4X.028	H	$\text{C}\equiv\text{CCF}_2\text{H}$	Br	O
4X.029	H	$\text{C}\equiv\text{CCF}_2\text{H}$	CF_3	O

4X.030	H	$C\equiv CCHFCl$	Cl	O
4X.031	H	$C\equiv CCHFCl$	Br	O
4X.032	H	$C\equiv CCHFCl$	CF_3	O
4X.033	H	$C\equiv CCF_2Cl$	Cl	O
4X.034	H	$C\equiv CCF_2Cl$	Br	O
4X.035	H	$C\equiv CCF_2Cl$	CF_3	O
4X.036	H	$C\equiv CCF_2Br$	Cl	O
4X.037	H	$C\equiv CCF_2Br$	Br	O
4X.038	H	$C\equiv CCF_2Br$	CF_3	O
4X.039	H	$C\equiv CCF_3$	Cl	O
4X.040	H	$C\equiv CCF_3$	Br	O
4X.041	H	$C\equiv CCF_3$	CF_3	O
4X.042	H	$C\equiv CCF_3$	Cl	S
4X.043	H	$C\equiv CCF_3$	Br	S
4X.044	propargyl	$C\equiv CCF_3$	Cl	O
4X.045	allenyl	$C\equiv CCF_3$	Cl	O
4X.046	COMe	$C\equiv CCF_3$	Cl	O
4X.047	H	$C\equiv CCH_2CH_3$	Cl	O
4X.048	H	$C\equiv CCH_2CH_3$	Br	O
4X.049	H	$C\equiv CCH_2CH_3$	CF_3	O
4X.050	H	$C\equiv CCH(Me)F$	Cl	O
4X.051	H	$C\equiv CCH(Me)F$	Br	O
4X.052	H	$C\equiv CCH(Me)F$	CF_3	O
4X.053	H	$C\equiv CCF_2Me$	Cl	O
4X.054	H	$C\equiv CCF_2Me$	Br	O
4X.055	H	$C\equiv CCF_2Me$	CF_3	O
4X.056	H	$C\equiv CCH_2CF_3$	Cl	O

4X.057	H	$\text{C}\equiv\text{CCH}_2\text{CF}_3$	Br	O
4X.058	H	$\text{C}\equiv\text{CCH}_2\text{CF}_3$	CF_3	O
4X.059	H	$\text{C}\equiv\text{CC}_2\text{F}_5$	Cl	O
4X.060	H	$\text{C}\equiv\text{CC}_2\text{F}_5$	Br	O
4X.061	H	$\text{C}\equiv\text{CC}_2\text{F}_5$	CF_3	O
4X.062	H	$\text{C}\equiv\text{CCF}=\text{CF}_2$	Cl	O
4X.063	H	$\text{C}\equiv\text{CCF}=\text{CF}_2$	Br	O
4X.064	H	$\text{C}\equiv\text{CCF}=\text{CF}_2$	CF_3	O
4X.065	H	$\text{C}\equiv\text{CCH}_2\text{CH}_2\text{CH}_3$	Cl	O
4X.066	H	$\text{C}\equiv\text{CCH}_2\text{CH}_2\text{CH}_3$	Br	O
4X.067	H	$\text{C}\equiv\text{CCH}_2\text{CH}_2\text{CH}_3$	CF_3	O
4X.068	H	$\text{C}\equiv\text{CCHFCH}_2\text{CH}_3$	Cl	O
4X.069	H	$\text{C}\equiv\text{CCHFCH}_2\text{CH}_3$	Br	O
4X.070	H	$\text{C}\equiv\text{CCHFCH}_2\text{CH}_3$	CF_3	O
4X.071	H	$\text{C}\equiv\text{CCF}_2\text{CH}_2\text{CH}_3$	Cl	O
4X.072	H	$\text{C}\equiv\text{CCF}_2\text{CH}_2\text{CH}_3$	Br	O
4X.073	H	$\text{C}\equiv\text{CCF}_2\text{CH}_2\text{CH}_3$	CF_3	O
4X.074	H	$\text{C}\equiv\text{CCH}(\text{Me})_2$	Cl	O
4X.075	H	$\text{C}\equiv\text{CCH}(\text{Me})_2$	Br	O
4X.076	H	$\text{C}\equiv\text{CCH}(\text{Me})_2$	CF_3	O
4X.077	H	$\text{C}\equiv\text{CCMe}_2\text{OMe}$	Cl	O
4X.078	H	$\text{C}\equiv\text{CCMe}_2\text{OMe}$	Br	O
4X.079	H	$\text{C}\equiv\text{CCMe}_2\text{OMe}$	CF_3	O
4X.080	H	$\text{C}\equiv\text{CC}(\text{Me})_2\text{F}$	Cl	O
4X.081	H	$\text{C}\equiv\text{CC}(\text{Me})_2\text{F}$	Br	O
4X.082	H	$\text{C}\equiv\text{CC}(\text{Me})_2\text{F}$	CF_3	O
4X.083	H	$\text{C}\equiv\text{CCF}(\text{CF}_3)_2$	Cl	O

4X.084	H	$\text{C}\equiv\text{CCF}(\text{CF}_3)_2$	Br	O
4X.085	H	$\text{C}\equiv\text{CCF}(\text{CF}_3)_2$	CF_3	O
4X.086	H	$\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$	Cl	O
4X.087	H	$\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$	Br	O
4X.088	H	$\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$	CF_3	O
4X.089	H	$\text{C}\equiv\text{C}(\text{cyclopropyl})$	Cl	O
4X.090	H	$\text{C}\equiv\text{C}(\text{cyclopropyl})$	Br	O
4X.091	H	$\text{C}\equiv\text{C}(\text{cyclopropyl})$	CF_3	O
4X.092	H	$\text{C}\equiv\text{CCH}_2\text{CH}(\text{Me})_2$	Cl	O
4X.093	H	$\text{C}\equiv\text{CCH}_2\text{CH}(\text{Me})_2$	Br	O
4X.094	H	$\text{C}\equiv\text{CCH}_2\text{CH}(\text{Me})_2$	CF_3	O
4X.095	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{CH}_2\text{CH}_3$	Cl	O
4X.096	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{CH}_2\text{CH}_3$	Br	O
4X.097	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{CH}_2\text{CH}_3$	CF_3	O
4X.098	H	$\text{C}\equiv\text{CCMe}_3$	Cl	O
4X.099	H	$\text{C}\equiv\text{CCMe}_3$	Br	O
4X.100	H	$\text{C}\equiv\text{CCMe}_3$	CF_3	O
4X.101	H	$\text{C}\equiv\text{CCMe}_3$	Cl	S
4X.102	H	$\text{C}\equiv\text{CCMe}_3$	Br	S
4X.103	propargyl	$\text{C}\equiv\text{CCMe}_3$	Cl	O
4X.104	allenyl	$\text{C}\equiv\text{CCMe}_3$	Cl	O
4X.105	COMe	$\text{C}\equiv\text{CCMe}_3$	Cl	O
4X.106	H	$\text{C}\equiv\text{CSiMe}_3$	Cl	O
4X.107	H	$\text{C}\equiv\text{CSiMe}_3$	Br	O
4X.108	H	$\text{C}\equiv\text{CSiMe}_3$	CF_3	O
4X.109	H	$\text{C}\equiv\text{CCH}_2\text{C}(\text{Me})_3$	Cl	O
4X.110	H	$\text{C}\equiv\text{CCH}_2\text{C}(\text{Me})_3$	Br	O

4X.111	H	$\text{C}\equiv\text{CCH}_2\text{C}(\text{Me})_3$	CF_3	O
4X.112	H	$\text{C}\equiv\text{CCH}_2\text{SiMe}_3$	Cl	O
4X.113	H	$\text{C}\equiv\text{CCH}_2\text{SiMe}_3$	Br	O
4X.114	H	$\text{C}\equiv\text{CCH}_2\text{SiMe}_3$	CF_3	O
4X.115	H	$\text{C}\equiv\text{C}$ (1-F-cyclopentyl)	Cl	O
4X.116	H	$\text{C}\equiv\text{C}$ (1-F-cyclopentyl)	Br	O
4X.117	H	$\text{C}\equiv\text{C}$ (1-F-cyclopentyl)	CF_3	O
4X.118	H	$\text{C}\equiv\text{CSi}(\text{Me}_2)\text{CMe}_3$	Cl	O
4X.119	H	$\text{C}\equiv\text{CSi}(\text{Me}_2)\text{CMe}_3$	Br	O
4X.120	H	$\text{C}\equiv\text{CSi}(\text{Me}_2)\text{CMe}_3$	CF_3	O
4X.121	H	$\text{CH}_2\text{C}\equiv\text{CH}$	Cl	O
4X.122	H	$\text{CH}_2\text{C}\equiv\text{CH}$	Br	O
4X.123	H	$\text{CH}_2\text{C}\equiv\text{CH}$	CF_3	O
4X.124	H	$\text{CHF}\text{C}\equiv\text{CH}$	Cl	O
4X.125	H	$\text{CHF}\text{C}\equiv\text{CH}$	Br	O
4X.126	H	$\text{CHF}\text{C}\equiv\text{CH}$	CF_3	O
4X.127	H	$\text{CF}_2\text{C}\equiv\text{CH}$	Cl	O
4X.128	H	$\text{CF}_2\text{C}\equiv\text{CH}$	Br	O
4X.129	H	$\text{CF}_2\text{C}\equiv\text{CH}$	CF_3	O
4X.130	H	$\text{CHMeC}\equiv\text{CH}$	Cl	O
4X.131	H	$\text{CHMeC}\equiv\text{CH}$	Br	O
4X.132	H	$\text{CHMeC}\equiv\text{CH}$	CF_3	O
4X.133	H	$\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$	Cl	O
4X.134	H	$\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$	Br	O
4X.135	H	$\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$	CF_3	O
4X.136	H	$\text{CMe}_2\text{C}\equiv\text{CH}$	Cl	O
4X.137	H	$\text{CMe}_2\text{C}\equiv\text{CH}$	Br	O

4X.138	H	$\text{CMe}_2\text{C}\equiv\text{CH}$	CF_3	O
4X.139	H	$\text{CH}_2\text{C}\equiv\text{CMe}$	Cl	O
4X.140	H	$\text{CH}_2\text{C}\equiv\text{CMe}$	Br	O
4X.141	H	$\text{CH}_2\text{C}\equiv\text{CMe}$	CF_3	O
4X.142	H	$\text{CF}_2\text{C}\equiv\text{CMe}$	Cl	O
4X.143	H	$\text{CF}_2\text{C}\equiv\text{CMe}$	Br	O
4X.144	H	$\text{CF}_2\text{C}\equiv\text{CMe}$	CF_3	O
4X.145	H	$\text{CH}_2\text{C}\equiv\text{CCF}_3$	Cl	O
4X.146	H	$\text{CH}_2\text{C}\equiv\text{CCF}_3$	Br	O
4X.147	H	$\text{CH}_2\text{C}\equiv\text{CCF}_3$	CF_3	O
4X.148	H	$\text{CF}_2\text{C}\equiv\text{CCF}_3$	Cl	O
4X.149	H	$\text{CF}_2\text{C}\equiv\text{CCF}_3$	Br	O
4X.150	H	$\text{CF}_2\text{C}\equiv\text{CCF}_3$	CF_3	O
4X.151	H	$\text{CH}_2\text{C}\equiv\text{CCMe}_3$	Cl	O
4X.152	H	$\text{CH}_2\text{C}\equiv\text{CCMe}_3$	Br	O
4X.153	H	$\text{CH}_2\text{C}\equiv\text{CCMe}_3$	CF_3	O
4X.154	H	$\text{CF}_2\text{C}\equiv\text{CCMe}_3$	Cl	O
4X.155	H	$\text{CF}_2\text{C}\equiv\text{CCMe}_3$	Br	O
4X.156	H	$\text{CF}_2\text{C}\equiv\text{CCMe}_3$	CF_3	O
4X.157	H	$\text{CH}_2\text{C}\equiv\text{CSiMe}_3$	Cl	O
4X.158	H	$\text{CH}_2\text{C}\equiv\text{CSiMe}_3$	Br	O
4X.159	H	$\text{CH}_2\text{C}\equiv\text{CSiMe}_3$	CF_3	O
4X.160	H	$\text{CF}_2\text{C}\equiv\text{CSiMe}_3$	Cl	O
4X.161	H	$\text{CF}_2\text{C}\equiv\text{CSiMe}_3$	Br	O
4X.162	H	$\text{CF}_2\text{C}\equiv\text{CSiMe}_3$	CF_3	O
4X.163	H	$\text{CH}=\text{CH}_2$	Cl	O
4X.164	H	$\text{CH}=\text{CH}_2$	Br	O

4X.165	H	CH=CH ₂	CF ₃	O
4X.166	H	CH=CH ₂	Cl	S
4X.167	H	CH=CH ₂	Br	S
4X.168	propargyl	CH=CH ₂	Cl	O
4X.169	allenyl	CH=CH ₂	Cl	O
4X.170	COMe	CH=CH ₂	Cl	O
4X.171	H	CH=CHF	Cl	O
4X.172	H	CH=CHF	Br	O
4X.173	H	CH=CHF	CF ₃	O
4X.174	H	CH=CHCl	Cl	O
4X.175	H	CH=CHCl	Br	O
4X.176	H	CH=CHCl	CF ₃	O
4X.177	H	CH=CHBr	Cl	O
4X.178	H	CH=CHBr	Br	O
4X.179	H	CH=CHBr	CF ₃	O
4X.180	H	CH=CF ₂	Cl	O
4X.181	H	CH=CF ₂	Br	O
4X.182	H	CH=CF ₂	CF ₃	O
4X.183	H	CH=CFCl	Cl	O
4X.184	H	CH=CFCl	Br	O
4X.185	H	CH=CFCl	CF ₃	O
4X.186	H	CH=CFBr	Cl	O
4X.187	H	CH=CFBr	Br	O
4X.188	H	CH=CFBr	CF ₃	O
4X.189	H	CH=CCl ₂	Cl	O
4X.190	H	CH=CCl ₂	Br	O
4X.191	H	CH=CCl ₂	CF ₃	O
4X.192	H	CH=CBr ₂	Cl	O
4X.193	H	CH=CBr ₂	Br	O
4X.194	H	CH=CBr ₂	CF ₃	O

4X.195	H	$\text{CF}=\text{CH}_2$	Cl	O
4X.196	H	$\text{CF}=\text{CH}_2$	Br	O
4X.197	H	$\text{CF}=\text{CH}_2$	CF_3	O
4X.198	H	$\text{CF}=\text{CHF}$	Cl	O
4X.199	H	$\text{CF}=\text{CHF}$	Br	O
4X.200	H	$\text{CF}=\text{CHF}$	CF_3	O
4X.201	H	$\text{CF}=\text{CF}_2$	Cl	O
4X.202	H	$\text{CF}=\text{CF}_2$	Br	O
4X.203	H	$\text{CF}=\text{CF}_2$	CF_3	O
4X.204	H	$\text{CF}=\text{CFCl}$	Cl	O
4X.205	H	$\text{CF}=\text{CFCl}$	Br	O
4X.206	H	$\text{CF}=\text{CFCl}$	CF_3	O
4X.207	H	$\text{CF}=\text{CFBr}$	Cl	O
4X.208	H	$\text{CF}=\text{CFBr}$	Br	O
4X.209	H	$\text{CF}=\text{CFBr}$	CF_3	O
4X.210	H	$\text{CF}=\text{CCl}_2$	Cl	O
4X.211	H	$\text{CF}=\text{CCl}_2$	Br	O
4X.212	H	$\text{CF}=\text{CCl}_2$	CF_3	O
4X.213	H	$\text{CCl}=\text{CH}_2$	Cl	O
4X.214	H	$\text{CCl}=\text{CH}_2$	Br	O
4X.215	H	$\text{CCl}=\text{CH}_2$	CF_3	O
4X.216	H	$\text{CCl}=\text{CF}_2$	Cl	O
4X.217	H	$\text{CCl}=\text{CF}_2$	Br	O
4X.218	H	$\text{CCl}=\text{CF}_2$	CF_3	O
4X.219	H	$\text{CBr}=\text{CH}_2$	Cl	O
4X.220	H	$\text{CBr}=\text{CH}_2$	Br	O
4X.221	H	$\text{CBr}=\text{CH}_2$	CF_3	O
4X.222	H	$\text{CBr}=\text{CF}_2$	Cl	O
4X.223	H	$\text{CBr}=\text{CF}_2$	Br	O
4X.224	H	$\text{CBr}=\text{CF}_2$	CF_3	O


4X.225	H	CH=CHCF ₃	Cl	O
4X.226	H	CH=CHCF ₃	Br	O
4X.227	H	CH=CHCF ₃	CF ₃	O
4X.228	H	CH=CF CF ₃	Cl	O
4X.229	H	CH=CF CF ₃	Br	O
4X.230	H	CH=CF CF ₃	CF ₃	O
4X.231	H	CH=CClCF ₃	Cl	O
4X.232	H	CH=CClCF ₃	Br	O
4X.233	H	CH=CClCF ₃	CF ₃	O
4X.234	H	CH=CBrCF ₃	Cl	O
4X.235	H	CH=CBrCF ₃	Br	O
4X.236	H	CH=CBrCF ₃	CF ₃	O
4X.237	H	CH=CF CF ₂ Cl	Cl	O
4X.238	H	CH=CF CF ₂ Cl	Br	O
4X.239	H	CH=CF CF ₂ Cl	CF ₃	O
4X.240	H	CH=CClCF ₂ Cl	Cl	O
4X.241	H	CH=CClCF ₂ Cl	Br	O
4X.242	H	CH=CClCF ₂ Cl	CF ₃	O
4X.243	H	CF=CHCF ₃	Cl	O
4X.244	H	CF=CHCF ₃	Br	O
4X.245	H	CF=CHCF ₃	CF ₃	O
4X.246	H	CF=CF CF ₃	Cl	O
4X.247	H	CF=CF CF ₃	Br	O
4X.248	H	CF=CF CF ₃	CF ₃	O
4X.249	H	CH=CHC ₂ F ₅	Cl	O
4X.250	H	CH=CHC ₂ F ₅	Br	O
4X.251	H	CH=CHC ₂ F ₅	CF ₃	O
4X.252	H	CH=CFC ₂ F ₅	Cl	O
4X.253	H	CH=CFC ₂ F ₅	Br	O
4X.254	H	CH=CFC ₂ F ₅	CF ₃	O

4X.255	H	$\text{CH}=\text{CClC}_2\text{F}_5$	Cl	O
4X.256	H	$\text{CH}=\text{CClC}_2\text{F}_5$	Br	O
4X.257	H	$\text{CH}=\text{CClC}_2\text{F}_5$	CF_3	O
4X.258	H	$\text{CH}=\text{C}(\text{CF}_3)_2$	Cl	O
4X.259	H	$\text{CH}=\text{C}(\text{CF}_3)_2$	Br	O
4X.260	H	$\text{CH}=\text{C}(\text{CF}_3)_2$	CF_3	O
4X.261	H	$\text{CF}=\text{C}(\text{CF}_3)_2$	Cl	O
4X.262	H	$\text{CF}=\text{C}(\text{CF}_3)_2$	Br	O
4X.263	H	$\text{CF}=\text{C}(\text{CF}_3)_2$	CF_3	O
4X.264	H	$\text{CH}=\text{CHSiMe}_3$	Cl	O
4X.265	H	$\text{CH}=\text{CHSiMe}_3$	Br	O
4X.266	H	$\text{CH}=\text{CHSiMe}_3$	CF_3	O
4X.267	H	$\text{CMe}=\text{CF}_2$	Cl	O
4X.268	H	$\text{CMe}=\text{CF}_2$	Br	O
4X.269	H	$\text{CMe}=\text{CF}_2$	CF_3	O
4X.270	H	$\text{CMe}=\text{CFCl}$	Cl	O
4X.271	H	$\text{CMe}=\text{CFCl}$	Br	O
4X.272	H	$\text{CMe}=\text{CFCl}$	CF_3	O
4X.273	H	$\text{CMe}=\text{CFBr}$	Cl	O
4X.274	H	$\text{CMe}=\text{CFBr}$	Br	O
4X.275	H	$\text{CMe}=\text{CFBr}$	CF_3	O
4X.276	H	$\text{CMe}=\text{CCl}_2$	Cl	O
4X.277	H	$\text{CMe}=\text{CCl}_2$	Br	O
4X.278	H	$\text{CMe}=\text{CCl}_2$	CF_3	O
4X.279	H	$\text{CMe}=\text{CBr}_2$	Cl	O
4X.280	H	$\text{CMe}=\text{CBr}_2$	Br	O
4X.281	H	$\text{CMe}=\text{CBr}_2$	CF_3	O
4X.282	H	$\text{CMe}=\text{CHCF}_3$	Cl	O
4X.283	H	$\text{CMe}=\text{CHCF}_3$	Br	O
4X.284	H	$\text{CMe}=\text{CHCF}_3$	CF_3	O

4X.285	H	CMe=CFCF ₃	Cl	O
4X.286	H	CMe=CFCF ₃	Br	O
4X.287	H	CMe=CFCF ₃	CF ₃	O
4X.288	H	CMe=CClCF ₃	Cl	O
4X.289	H	CMe=CClCF ₃	Br	O
4X.290	H	CMe=CClCF ₃	CF ₃	O
4X.291	H	CCF ₃ =CH ₂	Cl	O
4X.292	H	CCF ₃ =CH ₂	Br	O
4X.293	H	CCF ₃ =CH ₂	CF ₃	O
4X.294	H	CCF ₃ =CHF	Cl	O
4X.295	H	CCF ₃ =CHF	Br	O
4X.296	H	CCF ₃ =CHF	CF ₃	O
4X.297	H	CCF ₃ =CHCl	Cl	O
4X.298	H	CCF ₃ =CHCl	Br	O
4X.299	H	CCF ₃ =CHCl	CF ₃	O
4X.300	H	CCF ₃ =CF ₂	Cl	O
4X.301	H	CCF ₃ =CF ₂	Br	O
4X.302	H	CCF ₃ =CF ₂	CF ₃	O
4X.303	H	CCF ₃ =CCl ₂	Cl	O
4X.304	H	CCF ₃ =CCl ₂	Br	O
4X.305	H	CCF ₃ =CCl ₂	CF ₃	O
4X.306	H	CCF ₃ =CBr ₂	Cl	O
4X.307	H	CCF ₃ =CBr ₂	Br	O
4X.308	H	CCF ₃ =CBr ₂	CF ₃	O
4X.309	H	CH ₂ CH=CF ₂	Cl	O
4X.310	H	CH ₂ CH=CF ₂	Br	O
4X.311	H	CH ₂ CH=CF ₂	CF ₃	O
4X.312	H	CH ₂ CH=CCl ₂	Cl	O
4X.313	H	CH ₂ CH=CCl ₂	Br	O
4X.314	H	CH ₂ CH=CCl ₂	CF ₃	O


4X.315	H	$\text{CH}_2\text{CF}=\text{CF}_2$	Cl	O
4X.316	H	$\text{CH}_2\text{CF}=\text{CF}_2$	Br	O
4X.317	H	$\text{CH}_2\text{CF}=\text{CF}_2$	CF_3	O
4X.318	H	$\text{CH}_2\text{CF}=\text{CCl}_2$	Cl	O
4X.319	H	$\text{CH}_2\text{CF}=\text{CCl}_2$	Br	O
4X.320	H	$\text{CH}_2\text{CF}=\text{CCl}_2$	CF_3	O

Table 4da provides 320 compounds of formula (I.da):




wherein R^1 , R^6 , R^8 and X are as defined in Table 4da.

5 Table 4db provides 320 compounds of formula (I.db):



wherein R^1 , R^6 , R^8 and X are as defined in Table 4db.


Table 4dc provides 320 compounds of formula (I.dc)



10 wherein R^1 , R^6 , R^8 and X are as defined in Table 4dc.


Table 4dd provides 320 compounds of formula (I.dd)

- 76 -




wherein R¹, R⁶, R⁸ and X are as defined in Table 4dd.

Table 4de provides 320 compounds of formula (I.de)




5 wherein R¹, R⁶, R⁸ and X are as defined in Table 4de.

Table 4df provides 320 compounds of formula (I.df)



wherein R¹, R⁶, R⁸ and X are as defined in Table 4df.

Table 4dg provides 320 compounds of formula (I.dg)




10

wherein R¹, R⁶, R⁸ and X are as defined in Table 4dg.


Table 4dh provides 320 compounds of formula (I.dh)

- 77 -




wherein R^1 , R^6 , R^8 and X are as defined in Table 4dh.

Table 4di provides 320 compounds of formula (I.di)




5 wherein R^1 , R^6 , R^8 and X are as defined in Table 4di.

Table 4dj provides 320 compounds of formula (I.dj)



wherein R^1 , R^6 , R^8 and X are as defined in Table 4dj.

Table 4dk provides 320 compounds of formula (I.dk)




10

wherein R^1 , R^6 , R^8 and X are as defined in Table 4dk.


Table 4dl provides 320 compounds of formula (I.dl)

- 78 -




wherein R^1 , R^6 , R^8 and X are as defined in Table 4dl.

Table 4dm provides 320 compounds of formula (I.dm)




5 wherein R^1 , R^6 , R^8 and X are as defined in Table 4dm.

Table 4dn provides 320 compounds of formula (I.dn)



wherein R^1 , R^6 , R^8 and X are as defined in Table 4dn.

Table 4do provides 320 compounds of formula (I.do)




10

wherein R^1 , R^6 , R^8 and X are as defined in Table 4do.


Table 4dp provides 320 compounds of formula (I.dp)

- 79 -




wherein R¹, R⁶, R⁸ and X are as defined in Table 4dp.

Table 4dq provides 320 compounds of formula (I.dq)




5 wherein R¹, R⁶, R⁸ and X are as defined in Table 4dq.

Table 4dr provides 320 compounds of formula (I.dr)



wherein R¹, R⁶, R⁸ and X are as defined in Table 4dr.

Table 4ds provides 320 compounds of formula (I.ds)




10

wherein R¹, R⁶, R⁸ and X are as defined in Table 4ds.


Table 4dt provides 320 compounds of formula (I.dt)

- 80 -




wherein R^1 , R^6 , R^8 and X are as defined in Table 4dt.

Table 4du provides 287 compounds of formula (I.du)




5 wherein R^1 , R^6 , R^8 and X are as defined in Table 4du.

Table 4dv provides 320 compounds of formula (I.dv)



wherein R^1 , R^6 , R^8 and X are as defined in Table 4dv.


Table 4dw provides 320 compounds of formula (I.dw)



10

wherein R^1 , R^6 , R^8 and X are as defined in Table 4dw.

Table 4dx provides 320 compounds of formula (I.dx)



wherein R^1 , R^6 , R^8 and X are as defined in Table 4dx.

- Table 5X represents Table 5a (when X is a), represents Table 5b (when X is b),
 5 represents Table 5c (when X is c), represents Table 5d (when X is d), represents Table 5e
 (when X is e), represents Table 5f (when X is f), represents Table 5g (when X is g), represents
 Table 5h (when X is h), represents Table 5i (when X is i), represents Table 5j (when X is j),
 represents Table 5k (when X is k), represents Table 5l (when X is l), represents Table 5m
 (when X is m), represents Table 5n (when X is n), represents Table 5o (when X is o),
 10 represents Table 5p (when X is p), represents Table 5q (when X is q), represents Table 5r
 (when X is r), represents Table 5s (when X is s), represents Table 5t (when X is t), represents
 Table 5u (when X is u), represents Table 5v (when X is v), represents Table 5w (when X is w)
 and represents Table 5x (when X is x).

Table 5

Compound No.	R^1	R^6
5X.001	H	$C\equiv CH$
5X.002	H	$C\equiv CF$
5X.003	H	$C\equiv CCl$
5X.004	H	$C\equiv CBr$
5X.005	H	$C\equiv CMe$
5X.006	H	$C\equiv CCH_2OMe$
5X.007	H	$C\equiv CCH_2F$
5X.008	H	$C\equiv CCF_2H$
5X.009	H	$C\equiv CCHFCl$

- 82 -


5X.010	H	$\text{C}\equiv\text{CCF}_2\text{Cl}$
5X.011	H	$\text{C}\equiv\text{CCF}_2\text{Br}$
5X.012	H	$\text{C}\equiv\text{CCF}_3$
5X.013	H	$\text{C}\equiv\text{CCH}_2\text{CH}_3$
5X.014	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{F}$
5X.015	H	$\text{C}\equiv\text{CCF}_2\text{Me}$
5X.016	H	$\text{C}\equiv\text{CCH}_2\text{CF}_3$
5X.017	H	$\text{C}\equiv\text{CC}_2\text{F}_5$
5X.018	H	$\text{C}\equiv\text{CCF}=\text{CF}_2$
5X.019	H	$\text{C}\equiv\text{CCH}_2\text{CH}_2\text{CH}_3$
5X.020	H	$\text{C}\equiv\text{CCHFCH}_2\text{CH}_3$
5X.021	H	$\text{C}\equiv\text{CCF}_2\text{CH}_2\text{CH}_3$
5X.022	H	$\text{C}\equiv\text{CCH}(\text{Me})_2$
5X.023	H	$\text{C}\equiv\text{CCMe}_2\text{OMe}$
5X.024	H	$\text{C}\equiv\text{CC}(\text{Me})_2\text{F}$
5X.025	H	$\text{C}\equiv\text{CCF}(\text{CF}_3)_2$
5X.026	H	$\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$
5X.027	H	$\text{C}\equiv\text{C}(\text{cyclopropyl})$
5X.028	H	$\text{C}\equiv\text{CCH}_2\text{CH}(\text{Me})_2$
5X.029	H	$\text{C}\equiv\text{CCH}(\text{Me})\text{CH}_2\text{CH}_3$
5X.030	H	$\text{C}\equiv\text{CCMe}_3$
5X.031	H	$\text{C}\equiv\text{CSiMe}_3$
5X.032	H	$\text{C}\equiv\text{CCH}_2\text{C}(\text{Me})_3$
5X.033	H	$\text{C}\equiv\text{CCH}_2\text{SiMe}_3$
5X.034	H	$\text{C}\equiv\text{C}(1\text{-F-cyclopentyl})$
5X.035	H	$\text{C}\equiv\text{CSi}(\text{Me}_2)\text{CMe}_3$
5X.036	H	$\text{CH}_2\text{C}\equiv\text{CH}$

5X.037	H	$\text{CHFC}\equiv\text{CH}$
5X.038	H	$\text{CF}_2\text{C}\equiv\text{CH}$
5X.039	H	$\text{CHMeC}\equiv\text{CH}$
5X.040	H	$\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$
5X.041	H	$\text{CMe}_2\text{C}\equiv\text{CH}$
5X.042	H	$\text{CH}_2\text{C}\equiv\text{CMe}$
5X.043	H	$\text{CF}_2\text{C}\equiv\text{CMe}$
5X.044	H	$\text{CH}_2\text{C}\equiv\text{CCF}_3$
5X.045	H	$\text{CF}_2\text{C}\equiv\text{CCF}_3$
5X.046	H	$\text{CH}_2\text{C}\equiv\text{CCMe}_3$
5X.047	H	$\text{CF}_2\text{C}\equiv\text{CCMe}_3$
5X.048	H	$\text{CH}_2\text{C}\equiv\text{CSiMe}_3$
5X.049	H	$\text{CF}_2\text{C}\equiv\text{CSiMe}_3$
5X.050	H	$\text{CH}=\text{CH}_2$
5X.051	H	$\text{CH}=\text{CHF}$
5X.052	H	$\text{CH}=\text{CHCl}$
5X.053	H	$\text{CH}=\text{CHBr}$
5X.054	H	$\text{CH}=\text{CF}_2$
5X.055	H	$\text{CH}=\text{CFCl}$
5X.056	H	$\text{CH}=\text{CFBr}$
5X.057	H	$\text{CH}=\text{CCl}_2$
5X.058	H	$\text{CH}=\text{CBr}_2$
5X.059	H	$\text{CF}=\text{CH}_2$
5X.060	H	$\text{CF}=\text{CHF}$
5X.061	H	$\text{CF}=\text{CF}_2$
5X.062	H	$\text{CF}=\text{CFCl}$
5X.063	H	$\text{CF}=\text{CFBr}$
5X.064	H	$\text{CF}=\text{CCl}_2$

5X.065	H	$\text{CCl}=\text{CH}_2$
5X.066	H	$\text{CCl}=\text{CF}_2$
5X.067	H	$\text{CBr}=\text{CH}_2$
5X.068	H	$\text{CBr}=\text{CF}_2$
5X.069	H	$\text{CH}=\text{CHCF}_3$
5X.070	H	$\text{CH}=\text{CFCF}_3$
5X.071	H	$\text{CH}=\text{CClCF}_3$
5X.072	H	$\text{CH}=\text{CBrCF}_3$
5X.073	H	$\text{CH}=\text{CFCF}_2\text{Cl}$
5X.074	H	$\text{CH}=\text{CClCF}_2\text{Cl}$
5X.075	H	$\text{CF}=\text{CHCF}_3$
5X.076	H	$\text{CF}=\text{CFCF}_3$
5X.077	H	$\text{CH}=\text{CHC}_2\text{F}_5$
5X.078	H	$\text{CH}=\text{CFC}_2\text{F}_5$
5X.079	H	$\text{CH}=\text{CClC}_2\text{F}_5$
5X.080	H	$\text{CH}=\text{C}(\text{CF}_3)_2$
5X.081	H	$\text{CF}=\text{C}(\text{CF}_3)_2$
5X.082	H	$\text{CH}=\text{CHSiMe}_3$
5X.083	H	$\text{CMe}=\text{CF}_2$
5X.084	H	$\text{CMe}=\text{CFCl}$
5X.085	H	$\text{CMe}=\text{CFBr}$
5X.086	H	$\text{CMe}=\text{CCl}_2$
5X.087	H	$\text{CMe}=\text{CBr}_2$
5X.088	H	$\text{CMe}=\text{CHCF}_3$
5X.089	H	$\text{CMe}=\text{CFCF}_3$
5X.090	H	$\text{CMe}=\text{CClCF}_3$
5X.091	H	$\text{CCF}_3=\text{CH}_2$
5X.092	H	$\text{CCF}_3=\text{CHF}$
5X.093	H	$\text{CCF}_3=\text{CHCl}$
5X.094	H	$\text{CCF}_3=\text{CF}_2$


5X.095	H	$\text{CCF}_3=\text{CCl}_2$
5X.096	H	$\text{CCF}_3=\text{CBr}_2$
5X.097	H	$\text{CH}_2\text{CH}=\text{CF}_2$
5X.098	H	$\text{CH}_2\text{CH}=\text{CCl}_2$
5X.099	H	$\text{CH}_2\text{CF}=\text{CF}_2$
5X.100	H	$\text{CH}_2\text{CF}=\text{CCl}_2$

Table 5a provides 100 compounds of formula (II.a):




wherein R^1 and R^6 are as defined in Table 5a.

5 Table 5b provides 100 compounds of formula (II.b):



wherein R^1 and R^6 are as defined in Table 5b.


Table 5c provides 100 compounds of formula (II.c)



10 wherein R^1 and R^6 are as defined in Table 5c.


Table 5d provides 100 compounds of formula (II.d)

- 86 -




wherein R¹ and R⁶ are as defined in Table 5d.

Table 5e provides 100 compounds of formula (II.e)




5 wherein R¹ and R⁶ are as defined in Table 5e.

Table 5f provides 100 compounds of formula (II.f)



wherein R¹ and R⁶ are as defined in Table 5f.


Table 5g provides 100 compounds of formula (II.g)



10


wherein R¹ and R⁶ are as defined in Table 5g.

Table 5h provides 100 compounds of formula (II.h)




wherein R¹ and R⁶ are as defined in Table 5h.

Table 5i provides 100 compounds of formula (II.i)




5 wherein R¹ and R⁶ are as defined in Table 5i.

Table 5j provides 100 compounds of formula (II.j)



wherein R¹ and R⁶ are as defined in Table 5j.


Table 5k provides 100 compounds of formula (II.k)



10


wherein R¹ and R⁶ are as defined in Table 5k.

Table 5l provides 100 compounds of formula (II.l)




wherein R¹ and R⁶ are as defined in Table 5l.

Table 5m provides 100 compounds of formula (II.m)




wherein R¹ and R⁶ are as defined in Table 5m.

Table 5n provides 100 compounds of formula (II.n)




wherein R¹ and R⁶ are as defined in Table 5n.

Table 5o provides 100 compounds of formula (II.o)




wherein R¹ and R⁶ are as defined in Table 5o.

Table 5p provides 100 compounds of formula (II.p)




wherein R¹ and R⁶ are as defined in Table 5p.

Table 5q provides 100 compounds of formula (II.q)




wherein R¹ and R⁶ are as defined in Table 5q.

Table 5r provides 100 compounds of formula (II.r)




wherein R¹ and R⁶ are as defined in Table 5r.

Table 5s provides 100 compounds of formula (II.s)




wherein R¹ and R⁶ are as defined in Table 5s.

Table 5t provides 100 compounds of formula (II.t)




wherein R¹ and R⁶ are as defined in Table 5t.

Table 5u provides 100 compounds of formula (II.u)




wherein R¹ and R⁶ are as defined in Table 5u.

Table 5v provides 100 compounds of formula (II.v)




wherein R¹ and R⁶ are as defined in Table 5v.

Table 5w provides 100 compounds of formula (II.w)



wherein R^1 and R^6 are as defined in Table 5w.

Table 5x provides 100 compounds of formula (II.x)



5

wherein R^1 and R^6 are as defined in Table 5x.

Table 6X represents Table 6a (when X is a), represents Table 6b (when X is b),
 represents Table 6c (when X is c), represents Table 6d (when X is d), represents Table 6e
 10 (when X is e), represents Table 6f (when X is f), represents Table 6g (when X is g), represents
 Table 6h (when X is h), represents Table 6i (when X is i), represents Table 6j (when X is j),
 represents Table 6k (when X is k), represents Table 6l (when X is l), represents Table 6m
 (when X is m), represents Table 6n (when X is n), represents Table 6o (when X is o),
 represents Table 6p (when X is p), represents Table 6q (when X is q), represents Table 6r
 15 (when X is r), represents Table 6s (when X is s), represents Table 6t (when X is t), represents
 Table 6u (when X is u), represents Table 6v (when X is v), represents Table 6w (when X is w)
 and represents Table 6x (when X is x).

Table 6

Compound No.	R^6
6X.001	$C\equiv CH$
6X.002	$C\equiv CF$
6X.003	$C\equiv CCl$
6X.004	$C\equiv CBr$


6X.005	$\text{C}\equiv\text{CMe}$
6X.006	$\text{C}\equiv\text{CCH}_2\text{OMe}$
6X.007	$\text{C}\equiv\text{CCH}_2\text{F}$
6X.008	$\text{C}\equiv\text{CCF}_2\text{H}$
6X.009	$\text{C}\equiv\text{CCHFCl}$
6X.010	$\text{C}\equiv\text{CCF}_2\text{Cl}$
6X.011	$\text{C}\equiv\text{CCF}_2\text{Br}$
6X.012	$\text{C}\equiv\text{CCF}_3$
6X.013	$\text{C}\equiv\text{CCH}_2\text{CH}_3$
6X.014	$\text{C}\equiv\text{CCH}(\text{Me})\text{F}$
6X.015	$\text{C}\equiv\text{CCF}_2\text{Me}$
6X.016	$\text{C}\equiv\text{CCH}_2\text{CF}_3$
6X.017	$\text{C}\equiv\text{CC}_2\text{F}_5$
6X.018	$\text{C}\equiv\text{CCF}=\text{CF}_2$
6X.019	$\text{C}\equiv\text{CCH}_2\text{CH}_2\text{CH}_3$
6X.020	$\text{C}\equiv\text{CCHFCH}_2\text{CH}_3$
6X.021	$\text{C}\equiv\text{CCF}_2\text{CH}_2\text{CH}_3$
6X.022	$\text{C}\equiv\text{CCH}(\text{Me})_2$
6X.023	$\text{C}\equiv\text{CCMe}_2\text{OMe}$
6X.024	$\text{C}\equiv\text{CC}(\text{Me})_2\text{F}$
6X.025	$\text{C}\equiv\text{CCF}(\text{CF}_3)_2$
6X.026	$\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$
6X.027	$\text{C}\equiv\text{C}(\text{cyclopropyl})$
6X.028	$\text{C}\equiv\text{CCH}_2\text{CH}(\text{Me})_2$
6X.029	$\text{C}\equiv\text{CCH}(\text{Me})\text{CH}_2\text{CH}_3$
6X.030	$\text{C}\equiv\text{CCMe}_3$
6X.031	$\text{C}\equiv\text{CSiMe}_3$

6X.032	$\text{C}\equiv\text{CCH}_2\text{C}(\text{Me})_3$
6X.033	$\text{C}\equiv\text{CCH}_2\text{SiMe}_3$
6X.034	$\text{C}\equiv\text{C}(1\text{-F-cyclopentyl})$
6X.035	$\text{C}\equiv\text{CSi}(\text{Me}_2)\text{CMe}_3$
6X.036	$\text{CH}_2\text{C}\equiv\text{CH}$
6X.037	$\text{CHFC}\equiv\text{CH}$
6X.038	$\text{CF}_2\text{C}\equiv\text{CH}$
6X.039	$\text{CHMeC}\equiv\text{CH}$
6X.040	$\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$
6X.041	$\text{CMe}_2\text{C}\equiv\text{CH}$
6X.042	$\text{CH}_2\text{C}\equiv\text{CMe}$
6X.043	$\text{CF}_2\text{C}\equiv\text{CMe}$
6X.044	$\text{CH}_2\text{C}\equiv\text{CCF}_3$
6X.045	$\text{CF}_2\text{C}\equiv\text{CCF}_3$
6X.046	$\text{CH}_2\text{C}\equiv\text{CCMe}_3$
6X.047	$\text{CF}_2\text{C}\equiv\text{CCMe}_3$
6X.048	$\text{CH}_2\text{C}\equiv\text{CSiMe}_3$
6X.049	$\text{CF}_2\text{C}\equiv\text{CSiMe}_3$
6X.050	$\text{CH}=\text{CH}_2$
6X.051	$\text{CH}=\text{CHF}$
6X.052	$\text{CH}=\text{CHCl}$
6X.053	$\text{CH}=\text{CHBr}$
6X.054	$\text{CH}=\text{CF}_2$
6X.055	$\text{CH}=\text{CFCl}$
6X.056	$\text{CH}=\text{CFBr}$
6X.057	$\text{CH}=\text{CCl}_2$
6X.058	$\text{CH}=\text{CBr}_2$
6X.059	$\text{CF}=\text{CH}_2$

6X.060	$\text{CF}=\text{CHF}$
6X.061	$\text{CF}=\text{CF}_2$
6X.062	$\text{CF}=\text{CFCl}$
6X.063	$\text{CF}=\text{CFBr}$
6X.064	$\text{CF}=\text{CCl}_2$
6X.065	$\text{CCl}=\text{CH}_2$
6X.066	$\text{CCl}=\text{CF}_2$
6X.067	$\text{CBr}=\text{CH}_2$
6X.068	$\text{CBr}=\text{CF}_2$
6X.069	$\text{CH}=\text{CHCF}_3$
6X.070	$\text{CH}=\text{CFCF}_3$
6X.071	$\text{CH}=\text{CClCF}_3$
6X.072	$\text{CH}=\text{CBrCF}_3$
6X.073	$\text{CH}=\text{CFCF}_2\text{Cl}$
6X.074	$\text{CH}=\text{CClCF}_2\text{Cl}$
6X.075	$\text{CF}=\text{CHCF}_3$
6X.076	$\text{CF}=\text{CFCF}_3$
6X.077	$\text{CH}=\text{CHC}_2\text{F}_5$
6X.078	$\text{CH}=\text{CFC}_2\text{F}_5$
6X.079	$\text{CH}=\text{CClC}_2\text{F}_5$
6X.080	$\text{CH}=\text{C}(\text{CF}_3)_2$
6X.081	$\text{CF}=\text{C}(\text{CF}_3)_2$
6X.082	$\text{CH}=\text{CHSiMe}_3$
6X.083	$\text{CMe}=\text{CF}_2$
6X.084	$\text{CMe}=\text{CFCl}$
6X.085	$\text{CMe}=\text{CFBr}$
6X.086	$\text{CMe}=\text{CCl}_2$
6X.087	$\text{CMe}=\text{CBr}_2$
6X.088	$\text{CMe}=\text{CHCF}_3$
6X.089	$\text{CMe}=\text{CFCF}_3$


6X.090	CMe=CClCF_3
6X.091	$\text{CCF}_3=\text{CH}_2$
6X.092	$\text{CCF}_3=\text{CHF}$
6X.093	$\text{CCF}_3=\text{CHCl}$
6X.094	$\text{CCF}_3=\text{CF}_2$
6X.095	$\text{CCF}_3=\text{CCl}_2$
6X.096	$\text{CCF}_3=\text{CBr}_2$
6X.097	$\text{CH}_2\text{CH}=\text{CF}_2$
6X.098	$\text{CH}_2\text{CH}=\text{CCl}_2$
6X.099	$\text{CH}_2\text{CF}=\text{CF}_2$
6X.100	$\text{CH}_2\text{CF}=\text{CCl}_2$

Table 6a provides 100 compounds of formula (III.a):



wherein R^6 is as defined in Table 6a.


5 Table 6b provides 100 compounds of formula (III.b):



wherein R^6 is as defined in Table 6b.


Table 6c provides 100 compounds of formula (III.c)

- 95 -




wherein R⁶ is as defined in Table 6c.

Table 6d provides 100 compounds of formula (III.d)




5 wherein R⁶ is as defined in Table 6d.

Table 6e provides 100 compounds of formula (III.e)



wherein R⁶ is as defined in Table 6e.

Table 6f provides 100 compounds of formula (III.f)




10

wherein R⁶ is as defined in Table 6f.


Table 6g provides 100 compounds of formula (III.g)

- 96 -




wherein R⁶ is as defined in Table 6g.

Table 6h provides 100 compounds of formula (III.h)




5 wherein R⁶ is as defined in Table 6h.

Table 6i provides 100 compounds of formula (III.i)



wherein R⁶ is as defined in Table 6i.


Table 6j provides 100 compounds of formula (III.j)



10


wherein R⁶ is as defined in Table 6j.

Table 6k provides 100 compounds of formula (III.k)




wherein R⁶ is as defined in Table 6k.

Table 6l provides 100 compounds of formula (III.l)



wherein R⁶ is as defined in Table 6l.


Table 6m provides 100 compounds of formula (III.m)



5

wherein R⁶ is as defined in Table 6m.


Table 6n provides 100 compounds of formula (III.n)



wherein R⁶ is as defined in Table 6n.


10

Table 6o provides 100 compounds of formula (III.o)



wherein R⁶ is as defined in Table 6o.


Table 6p provides 100 compounds of formula (III.p)



15


wherein R⁶ is as defined in Table 6p.

Table 6q provides 100 compounds of formula (III.q)



wherein R⁶ is as defined in Table 6q.


Table 6r provides 100 compounds of formula (III.r)



5

wherein R⁶ is as defined in Table 6r.


Table 6s provides 100 compounds of formula (III.s)



wherein R⁶ is as defined in Table 6s.


10

Table 6t provides 100 compounds of formula (III.t)



wherein R⁶ is as defined in Table 6t.


Table 6u provides 100 compounds of formula (III.u)



15


wherein R⁶ is as defined in Table 6u.

Table 6v provides 100 compounds of formula (III.v)




wherein R⁶ is as defined in Table 6v.

Table 6w provides 100 compounds of formula (III.w)



wherein R⁶ is as defined in Table 6w.

Table 6x provides 100 compounds of formula (III.x)



wherein R⁶ is as defined in Table 6x.

Table 7X represents Table 7a (when X is a), represents Table 7b (when X is b), represents Table 7c (when X is c), represents Table 7d (when X is d), represents Table 7e (when X is e), represents Table 7f (when X is f), represents Table 7g (when X is g), represents Table 7h (when X is h), represents Table 7i (when X is i), represents Table 7j (when X is j), represents Table 7k (when X is k), represents Table 7l (when X is l), represents Table 7m (when X is m), represents Table 7n (when X is n), represents Table 7o (when X is o), represents Table 7p (when X is p), represents Table 7q (when X is q), represents Table 7r (when X is r), represents Table 7s (when X is s), represents Table 7t (when X is t), represents Table 7u (when X is u), represents Table 7v (when X is v), represents Table 7w (when X is w) and represents Table 7x (when X is x).

Table 7

- 100 -


Compound Set No.	R ⁶
7X.001	C≡CH
7X.002	C≡CF
7X.003	C≡CCl
7X.004	C≡CBr
7X.005	C≡CMe
7X.006	C≡CCH ₂ OMe
7X.007	C≡CCH ₂ F
7X.008	C≡CCF ₂ H
7X.009	C≡CCHFCl
7X.010	C≡CCF ₂ Cl
7X.011	C≡CCF ₂ Br
7X.012	C≡CCF ₃
7X.013	C≡CCH ₂ CH ₃
7X.014	C≡CCH(Me)F
7X.015	C≡CCF ₂ Me
7X.016	C≡CCH ₂ CF ₃
7X.017	C≡CC ₂ F ₅
7X.018	C≡CCF=CF ₂
7X.019	C≡CCH ₂ CH ₂ CH ₃
7X.020	C≡CCHFCH ₂ CH ₃
7X.021	C≡CCF ₂ CH ₂ CH ₃
7X.022	C≡CCH(Me) ₂
7X.023	C≡CCMe ₂ OMe
7X.024	C≡CC(Me) ₂ F
7X.025	C≡CCF(CF ₃) ₂

7X.026	$\text{C}\equiv\text{CC}(\text{Me})=\text{CH}_2$
7X.027	$\text{C}\equiv\text{C}(\text{cyclopropyl})$
7X.028	$\text{C}\equiv\text{CCH}_2\text{CH}(\text{Me})_2$
7X.029	$\text{C}\equiv\text{CCH}(\text{Me})\text{CH}_2\text{CH}_3$
7X.030	$\text{C}\equiv\text{CCMe}_3$
7X.031	$\text{C}\equiv\text{CSiMe}_3$
7X.032	$\text{C}\equiv\text{CCH}_2\text{C}(\text{Me})_3$
7X.033	$\text{C}\equiv\text{CCH}_2\text{SiMe}_3$
7X.034	$\text{C}\equiv\text{C}(\text{1-F-cyclopentyl})$
7X.035	$\text{C}\equiv\text{CSi}(\text{Me}_2)\text{CMe}_3$
7X.036	$\text{CH}_2\text{C}\equiv\text{CH}$
7X.037	$\text{CHFC}\equiv\text{CH}$
7X.038	$\text{CF}_2\text{C}\equiv\text{CH}$
7X.039	$\text{CHMeC}\equiv\text{CH}$
7X.040	$\text{CH}(\text{CF}_3)\text{C}\equiv\text{CH}$
7X.041	$\text{CMe}_2\text{C}\equiv\text{CH}$
7X.042	$\text{CH}_2\text{C}\equiv\text{CMe}$
7X.043	$\text{CF}_2\text{C}\equiv\text{CMe}$
7X.044	$\text{CH}_2\text{C}\equiv\text{CCF}_3$
7X.045	$\text{CF}_2\text{C}\equiv\text{CCF}_3$
7X.046	$\text{CH}_2\text{C}\equiv\text{CCMe}_3$
7X.047	$\text{CF}_2\text{C}\equiv\text{CCMe}_3$
7X.048	$\text{CH}_2\text{C}\equiv\text{CSiMe}_3$
7X.049	$\text{CF}_2\text{C}\equiv\text{CSiMe}_3$
7X.050	$\text{CH}=\text{CH}_2$
7X.051	$\text{CH}=\text{CHF}$
7X.052	$\text{CH}=\text{CHCl}$

7X.053	$\text{CH}=\text{CHBr}$
7X.054	$\text{CH}=\text{CF}_2$
7X.055	$\text{CH}=\text{CFCl}$
7X.056	$\text{CH}=\text{CFBr}$
7X.057	$\text{CH}=\text{CCl}_2$
7X.058	$\text{CH}=\text{CBr}_2$
7X.059	$\text{CF}=\text{CH}_2$
7X.060	$\text{CF}=\text{CHF}$
7X.061	$\text{CF}=\text{CF}_2$
7X.062	$\text{CF}=\text{CFCl}$
7X.063	$\text{CF}=\text{CFBr}$
7X.064	$\text{CF}=\text{CCl}_2$
7X.065	$\text{CCl}=\text{CH}_2$
7X.066	$\text{CCl}=\text{CF}_2$
7X.067	$\text{CBr}=\text{CH}_2$
7X.068	$\text{CBr}=\text{CF}_2$
7X.069	$\text{CH}=\text{CHCF}_3$
7X.070	$\text{CH}=\text{CFCF}_3$
7X.071	$\text{CH}=\text{CClCF}_3$
7X.072	$\text{CH}=\text{CBrCF}_3$
7X.073	$\text{CH}=\text{CFCF}_2\text{Cl}$
7X.074	$\text{CH}=\text{CClCF}_2\text{Cl}$
7X.075	$\text{CF}=\text{CHCF}_3$
7X.076	$\text{CF}=\text{CFCF}_3$
7X.077	$\text{CH}=\text{CHC}_2\text{F}_5$
7X.078	$\text{CH}=\text{CFC}_2\text{F}_5$
7X.079	$\text{CH}=\text{CClC}_2\text{F}_5$
7X.080	$\text{CH}=\text{C}(\text{CF}_3)_2$
7X.081	$\text{CF}=\text{C}(\text{CF}_3)_2$
7X.082	$\text{CH}=\text{CHSiMe}_3$

7X.083	CMe=CF ₂
7X.084	CMe=CFCl
7X.085	CMe=CFBr
7X.086	CMe=CCl ₂
7X.087	CMe=CBr ₂
7X.088	CMe=CHCF ₃
7X.089	CMe=CFCF ₃
7X.090	CMe=CClCF ₃
7X.091	CCF ₃ =CH ₂
7X.092	CCF ₃ =CHF
7X.093	CCF ₃ =CHCl
7X.094	CCF ₃ =CF ₂
7X.095	CCF ₃ =CCl ₂
7X.096	CCF ₃ =CBr ₂
7X.097	CH ₂ CH=CF ₂
7X.098	CH ₂ CH=CCl ₂
7X.099	CH ₂ CF=CF ₂
7X.100	CH ₂ CF=CCl ₂

Table 7a provides 300 compounds of formula (IV.a):



wherein R⁶ is as defined in Table 7a and Hal is bromo, chloro or iodo. For example, table 7a

5 discloses as compound set no. 7a.001 the following set of three compounds:






Table 7b provides 300 compounds of formula (IV.b):




5 wherein R^6 is as defined in Table 7b and Hal is bromo, chloro or iodo.

Table 7c provides 300 compounds of formula (IV.c)



wherein R^6 is as defined in Table 7c and Hal is bromo, chloro or iodo.


Table 7d provides 300 compounds of formula (IV.d)



10 wherein R^6 is as defined in Table 7d and Hal is bromo, chloro or iodo.


Table 7e provides 300 compounds of formula (IV.e)

- 105 -




wherein R⁶ is as defined in Table 7e and Hal is bromo, chloro or iodo.

Table 7f provides 300 compounds of formula (IV.f)




5 wherein R⁶ is as defined in Table 7f and Hal is bromo, chloro or iodo.

Table 7g provides 300 compounds of formula (IV.g)



wherein R⁶ is as defined in Table 7g and Hal is bromo, chloro or iodo.


Table 7h provides 300 compounds of formula (IV.h)



10


wherein R⁶ is as defined in Table 7h and Hal is bromo, chloro or iodo.

Table 7i provides 300 compounds of formula (IV.i)




wherein R^6 is as defined in Table 7i and Hal is bromo, chloro or iodo.

Table 7j provides 300 compounds of formula (IV.j)




5 wherein R^6 is as defined in Table 7j and Hal is bromo, chloro or iodo.

Table 7k provides 300 compounds of formula (IV.k)



wherein R^6 is as defined in Table 7k and Hal is bromo, chloro or iodo.


Table 7l provides 300 compounds of formula (IV.l)



10

wherein R^6 is as defined in Table 7l and Hal is bromo, chloro or iodo.


Table 7m provides 300 compounds of formula (IV.m)



wherein R^6 is as defined in Table 7m and Hal is bromo, chloro or iodo.


15

Table 7n provides 300 compounds of formula (IV.n)




wherein R^6 is as defined in Table 7n and Hal is bromo, chloro or iodo.

Table 7o provides 300 compounds of formula (IV.o)




5 wherein R^6 is as defined in Table 7o and Hal is bromo, chloro or iodo.

Table 7p provides 300 compounds of formula (IV.p)



wherein R^6 is as defined in Table 7p and Hal is bromo, chloro or iodo.


Table 7q provides 300 compounds of formula (IV.q)



10

wherein R^6 is as defined in Table 7q and Hal is bromo, chloro or iodo.


Table 7r provides 300 compounds of formula (IV.r)



wherein R^6 is as defined in Table 7r and Hal is bromo, chloro or iodo.


15

Table 7s provides 300 compounds of formula (IV.s)




wherein R⁶ is as defined in Table 7s and Hal is bromo, chloro or iodo.

Table 7t provides 300 compounds of formula (IV.t)




5 wherein R⁶ is as defined in Table 7t and Hal is bromo, chloro or iodo.

Table 7u provides 300 compounds of formula (IV.u)



wherein R⁶ is as defined in Table 7u and Hal is bromo, chloro or iodo.


Table 7v provides 300 compounds of formula (IV.v)



10

wherein R⁶ is as defined in Table 7v and Hal is bromo, chloro or iodo.


Table 7w provides 300 compounds of formula (IV.w)



wherein R⁶ is as defined in Table 7w and Hal is bromo, chloro or iodo.

15

Table 7x provides 300 compounds of formula (IV.x)



wherein R⁶ is as defined in Table 7x and Hal is bromo, chloro or iodo.

Throughout this description, temperatures are given in degrees Celsius; "NMR" means
 5 nuclear magnetic resonance spectrum; and "%" is percent by weight, unless corresponding concentrations are indicated in other units.

The following abbreviations are used throughout this description:

m.p. = melting point	b.p.= boiling point.
s = singlet	br = broad
d = doublet	dd = doublet of doublets
t = triplet	q = quartet
m = multiplet	ppm = parts per million

Table 8 shows selected melting point and selected NMR data, all with CDCl₃ as the
 10 solvent (unless otherwise stated, no attempt is made to list all characterising data in all cases) for compounds of Tables 1aa to 1ax, Tables 2aa to 2ax, Tables 3aa to 3ax, Tables 4aa to 4ax, Tables 5a to 5x, Tables 6a to 6x and Tables 7a to 7x. Unless otherwise stated, the data relate to a cis/trans mixture of each compound.

Table 8

Compound Number	¹ H-NMR data (ppm/multiplicity/number of Hs)	m.p. (°C)
1aa.098		203-205
1aa.099		204-206
1ab.098		161-162
1ab.099		195-197
1ai.077		158-164
1ai.078		134-137

1ai.080		63-66
1ai.081		150-162
1ai.098		122-125
1al.098		102-106
1ai.099		138-141
1aj.099		135-139
1al.099		164-165
1ar.099		145-148
2bi.098		160-161
2br.098	1.24(s,9H), 3.66(s,3H), 6.89 – 7.32(m,5H), 7.76(d,2H), 8.49(d,1H).	
3cb.098		185-186
3ci.098	1.26(s,9H), 2X.67(s,3H), 6.84(d,1H), 7.05(d,1H), 7.12-7.49(m,4H)	
3cr.098	1.24(s,9H), 2.71(s,3H), 7.13–7.82(m,6H)	
4da.098		210-212
4db.098		151-152
4di.098	1.28(s,9H), 6.89(d,1H), 7.03(d,1H), 7.14–7.40(m,4H), 8.10(d,1H), 8.36–8.43(m,2H)	
4dr.098		160-163
5i.030	1.27(s,9H), 3.95(br.s,2H), 6.67–7.18(m,6H)	
5j.030	1.38(s,9H), 3.96(br.s,2H), 6.88–7.57(m,6H)	
5l.030	1.27(s,9H), 4.30(br.s,2H), 6.44(d,1H), 6.51(d,1H), 6.63–7.39(m,4H)	
5r.030	1.28(s,9H), 4.56(br.s,2H), 6.68–7.11(m,4H), 7.69(d,2H)	
6i.030	1.25(s,9H), 6.83(d,1H), 6.98(d,1H), 7.33–7.67(m,4H)	
6j.030	1.42(s,9H), 7.22(d,1H), 7.33–8.22(m,5H)	
6l.030	1.34(s,9H), 6.54(d,1H), 6.60(d,1H), 7.36–7.80(m,4H)	
6r.030	1.26(s,9H), 7.42–7.81(m,6H)	

The compounds according to the present invention may be prepared according to the following reaction schemes, in which, unless otherwise stated, the definition of each variable is as defined above for a compound of formula (I).

5 There are a number of alternative methods for preparing a compound of formula (I).

Method A

A compound of formula (I) may be prepared by reacting a compound of formula (II) with a compound of formula $\text{Het}^1\text{-C(=O)OR}'$ [where R' is C_{1-5} alkyl] in the presence of a strong base [for example NaH or sodium hexamethyldisilazane], in a dry polar solvent
10 [preferably THF] and at a temperature between -10°C and the boiling point of the solvent [preferably at ambient temperature]. The article by J.Wang et al, Synlett 2001,1485 provides details of analogous preparations.

Method B

A compound of formula (I) may be prepared by reacting a compound of formula (II) with a compound of formula $\text{Het}^1\text{-C(=O)R}''$ [where R'' is OH or a leaving group, such as Cl, Br, F or OC(=O)C_{1-4} alkyl] in an inert organic solvent [such as ethylacetate, dichloromethane, dioxane or DMF] and at a temperature between -10°C and the boiling point of the solvent [preferably at ambient temperature]. If R'' is OH, the reaction is carried out in the presence of an activating agent [for example BOP-Cl] and two equivalents of a base [such as a tertiary
20 amine, an inorganic carbonate or a hydrogen carbonate]. Alternatively, if R'' is a leaving group, the reaction is carried out in the presence of at least one equivalent of base [such as pyridine, a tertiary amine, an inorganic carbonate or a hydrogen carbonate].

Method C

A compound of formula (I) [where R^1 is as defined above but is not hydrogen] may be
25 prepared by reacting a compound of formula (I) [where R^1 is hydrogen] with a compound of formula $\text{R}^1\text{-L}^1$ [where R^1 is as defined above but is not hydrogen; and L^1 is a leaving group such as Cl, Br, I, a sulfonate (for example a mesylate or a tosylate) or OC(O)C_{1-4} alkyl] in a solvent [such as a halogenated solvent (for example dichloromethane), an ether, ethylacetate, DMF or even water (as a biphasic mixture, optionally in the presence of a phase transfer


catalyst such as tetrabutylammonium hydrogensulfate)] and in the presence of a base [such as a tertiary amine, an alkali carbonate, an alkali bicarbonate, an alkali hydroxide or NaH; though if L¹ is O(CO) C₁₋₄ alkyl then simply heating without base is possible].

Method D

- 5 A compound of formula (I) may be prepared by reacting a compound of formula (IV) [where Hal is preferably bromo or iodo] with a compound of formula Het¹-C(=O)NH₂ in the presence of a Cu(I) compound and an aprotic solvent [such as a cyclic ether, for example dioxane] at an elevated temperature and preferably at reflux. The preferred conditions are CuI used at 2% to 100% mole/mole, relative to the compound of formula (IV), in the presence of a
10 1,2-diamine as a ligand-forming substance (such as 1,2-diamino cyclohexane or ethylene diamine) and at least 1 equivalent of a base (such as an alkali carbonate or an alkali phosphate. The article by A.Klapars et al. J.Am.Chem.Soc. 123,7727 (2001) provides details of analogous preparations.

Method E

- 15 A compound of formula (I) may be prepared by conversion of a compound of formula (V)



[where FG is a functional group which is convertible to R⁶ in one or more synthetic steps]. Functional group interconversions are standard procedures for a person skilled in the art.

- 20 There are many methods described in the literature, which can be used as such or with modifications according to the functionalities present; Table A gives literature references (some of which also cite further appropriate references) which are specifically relevant to the preparation of a compound of formula (I) by the interconversion of FG to R⁶. It is apparent to the person skilled in the art that the literature examples given in Table A are not necessarily

limited to the preparation of the specifically mentioned R^6 but can be also applied by analogy to the preparation of other structurally related R^6 .

Table A


Reference	FG	R^6
Synthesis 2001, 2081 Tetrahedron 58, 1491 (2002)	CHO	CH=CBr ₂ CH=CHBr C≡CBr
Russ.Chem. Bull. 50 (6), 1047 (2001)	CHO	CH=CCl ₂
Tetrahedron 57, 7519 (2001)	CHO	CH=CClCF ₃ CH=CFCF ₂ Cl
Bull.Chem.Soc.Jpn. 73, 1691 (2000) Bull.Chem.Soc.Jpn. 71, 2903 (1998-)	CHO	CF=CBrF
J. Chem.Soc.Perkin 1 2002, 883	COCH ₃	C(CH ₃)=CHBr C(CH ₃)=CCl ₂
J.Fluorine Chem. 1, 381 (1972) J.Fluorine Chem. 23, 339 (1983)	COCH ₃ COCF ₃	C(CH ₃)=CBr ₂ C(CH ₃)=CFBr C(CH ₃)=CFCl C(CF ₃)=CFBr C(CF ₃)=CFCl C(CF ₃)=CF ₂
Tetrahedron Letters 41, 8045 (2000) J.Org.Chem. 62, 9217 (1997)	Hal	CF=CHF
Tetrahedron Letters 37,8799 (1996)	Hal	CH=CF ₂
JP 09278688 J.Fluorine Chem. 31, 115 (1986)	Hal	CF=CF ₂
Zh.Org.Khim. 25, 1451 (1989)	Hal	CF=CFCl
J.Org.Chem. 53, 2714 (1988)	Hal	CF=CFCF ₃
J.Org.Chem. 56, 7336 (1991) Tetrahedron Letters 42, 4083 (2001)	Hal	C(CF ₃)=CH ₂
Ukr.Khim.Zh. 32, 996 (1966)	CHBrCH ₂ CF ₃	CH=CHCF ₃

Bull.Chem.Soc.Jap. 62,1352	CH=CClCF ₃ CH=CFCF ₂ Cl	C≡CCF ₃ C≡CCF ₂ Cl
J.Org.Chem. 54, 5856 (1989) J.Am.Chem.Soc. 109,2138 (1987) Tetrahedron 45,6511 (1989) J.Orgmet.Chem.549,127 (1997) Tetrahedron 56, 10075 (2000) Tetrahedron Asymmetry 6, 245 (1995)	Hal or triflate	C≡CH C≡CSiMe ₃ C≡CCH ₃ C≡CCMe ₃ C≡CCH ₂ OH C≡CCHMeOH C≡CCMe ₂ OH C≡CCHO C≡CC(O)Me
J.Org.Chem. 32, 1674 (1967)	C≡CCH ₃	CH ₂ C≡CH
Synth.Comm.1989,561	CHO CH ₂ CHO	C≡CH CH ₂ C≡CH
WO 01 092563	CHO	CH=CH ₂
J.Am.Chem.Soc. 123,4155 (2001) Org.Lett. 2,3703 (2000) J.Org.Chem. 57,3558 (1992) Synthesis 2001,893	Hal or triflate	CH=CH ₂
GB 2 183 639	C≡CH	CH=CH ₂
Synthesis 1996, 1494 J.Org.Chem.49, 294 (1984)	CHO	C≡CCl C≡CH C≡CBr
US 6 159956	CH ₂ Br	CH ₂ CF=CF ₂
Liebigs Ann.Chem. 1995, 2027	CH ₂ Br	CH=C(CF ₃) ₂
J.Am.Chem.Soc. 123,4155 (2001)	CH ₂ Br	CH ₂ C≡CSiMe ₃
Inorg.Chim.Acta 296, 37 (1999)	Hal	CH ₂ C≡CMe ₃
J.Fluorine Chem.111, 185 (2001)	CH=CHBr	CH=CHCF ₃

J.Chem.Soc. Perkin I 1988, 921	CH=CFBr CH=CBBr ₂	CH=CFCF ₃ CH=C(CF ₃) ₂
DE 4417441 US3976691 J. Org. Chem. 64, 7048 (1999)	C≡CCH ₂ OH C≡CCHMeOH C≡CCMe ₂ OH C≡CCHO C≡CC(O)Me	C≡CCH ₂ F C≡CCHMeF C≡CCMe ₂ F C≡CCHF ₂ C≡CCF ₂ Me
J.Chem.Soc. Perkin I 1994, 725	C≡CCH ₂ OH	C≡CCH ₂ CF ₃
Synthesis 1997, 1489 Angew.Chem.Int.Ed. 39, 2481 (2000) J.Org.Chem. 47, 2255 (1982) J.Fluorine.Chem.113, 55 (2002)	C≡CH	C≡CCF ₂ CF ₃ CH=CHCF ₂ CF ₃
J.Fluorine.Chem.64, 61 (1993) J.Am.Chem.Soc. 109, 3492 (1987)	C≡CH	C≡CCHFCl C≡CCF ₂ Br
J.Am.Chem.Soc. 107, 5186 (1985)	CH=CHBr	CH=CHCF ₂ CF ₃

There are a number of alternative methods for preparing a compound of formula (II), (III) or (IV).

Method F – preparation of a compound of formula (II), (III) or (IV).



A compound of formula (II), (III), (IV) or (VII) may be prepared, by functional group interconversion, from a compound of formula (VI) [where FG is as defined above for a


compound of formula (V) and T is either halogen, nitro, amino, NHR^1 or a protected amino group T' (for example a carbamate, an amide, a cyclic imide, an N-alkyl-, N-alkenyl-, N-benzyl-, N-diphenylmethyl- or N-trityl-derivative, an imine derivative or an N-silyl- or N-disilyl-derivative). Starting from a compound of formula (VI) the functional group FG may be converted to R^6 by applying a method analogous to method E above. This conversion leads directly to a compound of formula (II) [when T is NHR^1], to a compound of formula (III) [when T is nitro], to a compound of formula (IV) [when T is halogen (preferably chloro, bromo or iodo)] or to a compound of formula (VII) [when T is T'].

In a second step a compound of formula (II) [when R¹ is other than H], (III) or (VII) can
10 be converted to a compound of formula (II) [where R¹ is H] by applying the methods as
generically described above.

Examples of versatile values for T' plus methods for deprotection are given in T.W.Green and P.Wuts, *Protective Groups in Organic Synthesis*, 3rd edition (John Wiley & Sons 1999), Chapter 7.

15 Compilations of useful values for T'' plus literature to convert T'' into NH₂, T' or
NHR¹ can be found in M.B. Smith, Compendium of Organic Synthetic Methods, Vols. 1-10,
Chapter 7 (Wiley, Vol .10: 2002).

Method G



A compound of formula (II), (III), (IV) or (VII) may be prepared by a coupling reaction between a compound of formula (VIII) and a compound of formula (IX) [where Ra and Ra' are each, independently, halogen (preferably Cl, Br or I), triflate or a metal-containing

functionality containing, for example, B, Sn, Mg, Zn or Cu as the metal; examples are $B(OH)_2$, esters of boronic acid (preferably esters derived from 1,2- or 1,3-diols), trialkyltin (preferably $Sn(CH_3)_3$ or $Sn(nBu)_3$), a halogen salt of Mg, a halogen salt of Zn or Cu. If either Ra or Ra' is a metal containing functionality, the other substituent must be halogen or triflate.

5 Such coupling reactions are widely known in the literature. Especially suitable are the Pd(0), Ni(0), or copper catalysed couplings which are well known to the person skilled in the art as Stille coupling, Suzuki coupling, Negishi coupling or Ullmann reaction.

Comprehensive reviews of these reactions can be found in Metal-Catalysed Cross-Coupling Reactions; F.Diederich and P.Stang (eds.); Wiley-VCH; Weinheim 1998 and in Handb.

10 Organopalladium Chem. Org. Synth (2002).

In a second step a compound of formula (II) [when R^1 is other than H], (III) or (VII) can be converted to a compound of formula (II) [where R^1 is H] by either applying the methods as generically described above.

15 Surprisingly, it has now been found that the novel compounds of formula (I) have, for practical purposes, a very advantageous spectrum of activities for protecting plants against diseases that are caused by fungi as well as by bacteria and viruses.

20 The compounds of formula (I) can be used in the agricultural sector and related fields of use as active ingredients for controlling plant pests. The novel compounds are distinguished by excellent activity at low rates of application, by being well tolerated by plants and by being environmentally safe. They have very useful curative, preventive and systemic properties and are used for protecting numerous cultivated plants. The compounds of formula I can be used to inhibit or destroy the pests that occur on plants or parts of plants (fruit, blossoms, leaves,
25 stems, tubers, roots) of different crops of useful plants, while at the same time protecting also those parts of the plants that grow later e.g. from phytopathogenic microorganisms.

30 Therefore the invention relates also to a method of controlling or preventing infestation of useful plants by phytopathogenic microorganisms, wherein a compound of formula I is applied as active ingredient to the plants, to parts thereof or the locus thereof.

It is also possible to use compounds of formula (I) as dressing agents for the treatment of plant propagation material, in particular of seeds (fruit, tubers, grains) and plant cuttings (for example rice), for the protection against fungal infections as well as against phytopathogenic fungi occurring in the soil.

5

Furthermore the compounds according to present invention may be used for controlling fungi in related areas, for example in the protection of technical materials, including wood and wood related technical products, in food storage, in hygiene management, etc.

10

The compounds of formula (I) are, for example, effective against the phytopathogenic fungi of the following classes: Fungi imperfecti (e.g. Botrytis, Pyricularia, Helminthosporium, Fusarium, Septoria, Cercospora and Alternaria) and Basidiomycetes (e.g. Rhizoctonia, Hemileia, Puccinia). Additionally, they are also effective against the Ascomycetes classes (e.g. Venturia and Erysiphe, Podosphaera, Monilinia, Uncinula) and of the Oomycetes classes (e.g. Phytophthora, Pythium, Plasmopara). Outstanding activity has been observed against powdery mildew (Erysiphe spp.) and rust (Puccinia spp.). Furthermore, the novel compounds of formula I are effective against phytopathogenic bacteria and viruses (e.g. against Xanthomonas spp, Pseudomonas spp, Erwinia amylovora as well as against the tobacco mosaic virus).

15

20

Within the scope of the invention, useful plants to be protected typically comprise the following species of plants: cereal (wheat, barley, rye, oat, rice, maize, sorghum and related species); beet (sugar beet and fodder beet); pomes, drupes and soft fruit (apples, pears, plums, peaches, almonds, cherries, strawberries, raspberries and blackberries); leguminous plants (beans, lentils, peas, soybeans); oil plants (rape, mustard, poppy, olives, sunflowers, coconut, castor oil plants, cocoa beans, groundnuts); cucumber plants (pumpkins, cucumbers, melons); fibre plants (cotton, flax, hemp, jute); citrus fruit (oranges, lemons, grapefruit, mandarins); vegetables (spinach, lettuce, asparagus, cabbages, carrots, onions, tomatoes, potatoes, paprika); lauraceae (avocado, cinnamomum, camphor) or plants such as tobacco, nuts, coffee, eggplants, sugar cane, tea, pepper, vines, hops, bananas and natural rubber plants, as well as

25

30

ornamentals.

The term "useful plants" is to be understood as including also useful plants that have been rendered tolerant to herbicides like bromoxynil or classes of herbicides (such as, for example, HPPD inhibitors, ALS inhibitors, for example primisulfuron, prosulfuron and trifloxysulfuron, EPSPS (5-enol-pyrovyl-shikimate-3-phosphate-synthase) inhibitors, GS (glutamine synthetase) inhibitors) as a result of conventional methods of breeding or genetic engineering. An example of a crop that has been rendered tolerant to imidazolinones, e.g. imazamox, by conventional methods of breeding (mutagenesis) is Clearfield® summer rape (Canola). Examples of crops that have been rendered tolerant to herbicides or classes of herbicides by genetic engineering methods include glyphosate- and glufosinate-resistant maize varieties commercially available under the trade names RoundupReady®, Herculex I® and LibertyLink®.

The term "useful plants" is to be understood as including also useful plants which have been so transformed by the use of recombinant DNA techniques that they are capable of synthesising one or more selectively acting toxins, such as are known, for example, from toxin-producing bacteria, especially those of the genus *Bacillus*.

Toxins that can be expressed by such transgenic plants include, for example, insecticidal proteins, for example insecticidal proteins from *Bacillus cereus* or *Bacillus popilliae*; or insecticidal proteins from *Bacillus thuringiensis*, such as δ -endotoxins, e.g. CryIA(b), CryIA(c), CryIF, CryIF(a2), CryIIA(b), CryIIIA, CryIIIB(b1) or Cry9c, or vegetative insecticidal proteins (VIP), e.g. VIP1, VIP2, VIP3 or VIP3A; or insecticidal proteins of bacteria colonising nematodes, for example *Photorhabdus* spp. or *Xenorhabdus* spp., such as *Photorhabdus luminescens*, *Xenorhabdus nematophilus*; toxins produced by animals, such as scorpion toxins, arachnid toxins, wasp toxins and other insect-specific neurotoxins; toxins produced by fungi, such as *Streptomyces* toxins, plant lectins, such as pea lectins, barley lectins or snowdrop lectins; agglutinins; proteinase inhibitors, such as trypsin inhibitors, serine protease inhibitors, patatin, cystatin, papain inhibitors; ribosome-inactivating proteins (RIP), such as ricin, maize-RIP, abrin, luffin, saporin or bryodin; steroid metabolism enzymes, such as 3-hydroxysteroidoxidase, ecdysteroid-UDP-glycosyl-transferase, cholesterol oxidases,

ecdysone inhibitors, HMG-COA-reductase, ion channel blockers, such as blockers of sodium or calcium channels, juvenile hormone esterase, diuretic hormone receptors, stilbene synthase, bibenzyl synthase, chitinases and glucanases.

5 In the context of the present invention there are to be understood by δ -endotoxins, for example CryIA(b), CryIA(c), CryIF, CryIF(a2), CryIIA(b), CryIIIA, CryIIIB(b1) or Cry9c, or vegetative insecticidal proteins (VIP), for example VIP1, VIP2, VIP3 or VIP3A, expressly also hybrid toxins, truncated toxins and modified toxins. Hybrid toxins are produced recombinantly by a new combination of different domains of those proteins (see, for example,
10 WO 02/15701). An example for a truncated toxin is a truncated CryIA(b), which is expressed in the Bt11 maize from Syngenta Seed SAS, as described below. In the case of modified toxins, one or more amino acids of the naturally occurring toxin are replaced. In such amino acid replacements, preferably non-naturally present protease recognition sequences are inserted into the toxin, such as, for example, in the case of CryIIIA055, a cathepsin-D-
15 recognition sequence is inserted into a CryIIIA toxin (see WO 03/018810)

Examples of such toxins or transgenic plants capable of synthesising such toxins are disclosed, for example, in EP-A-0 374 753, WO 93/07278, WO 95/34656, EP-A-0 427 529, EP-A-451 878 and WO 03/052073.

20

The processes for the preparation of such transgenic plants are generally known to the person skilled in the art and are described, for example, in the publications mentioned above. CryI-type deoxyribonucleic acids and their preparation are known, for example, from WO 95/34656, EP-A-0 367 474, EP-A-0 401 979 and WO 90/13651.

25

The toxin contained in the transgenic plants imparts to the plants tolerance to harmful insects. Such insects can occur in any taxonomic group of insects, but are especially commonly found in the beetles (Coleoptera), two-winged insects (Diptera) and butterflies (Lepidoptera).

30

Transgenic plants containing one or more genes that code for an insecticidal resistance and express one or more toxins are known and some of them are commercially available. Examples of such plants are: YieldGard® (maize variety that expresses a CryIA(b) toxin); YieldGard Rootworm® (maize variety that expresses a CryIIIB(b1) toxin); YieldGard Plus®
5 (maize variety that expresses a CryIA(b) and a CryIIIB(b1) toxin); Starlink® (maize variety that expresses a Cry9(c) toxin); Herculex I® (maize variety that expresses a CryIF(a2) toxin and the enzyme phosphinothricine N-acetyltransferase (PAT) to achieve tolerance to the herbicide glufosinate ammonium); NuCOTN 33B® (cotton variety that expresses a CryIA(c) toxin); Bollgard I® (cotton variety that expresses a CryIA(c) toxin); Bollgard II® (cotton
10 variety that expresses a CryIA(c) and a CryIIA(b) toxin); VIPCOT® (cotton variety that expresses a VIP toxin); NewLeaf® (potato variety that expresses a CryIIIA toxin); NatureGard® and Protecta®.

Further examples of such transgenic crops are:

15 1. Bt11 Maize from Syngenta Seeds SAS, Chemin de l'Hobit 27, F-31 790 St. Sauveur, France, registration number C/FR/96/05/10. Genetically modified *Zea mays* which has been rendered resistant to attack by the European corn borer (*Ostrinia nubilalis* and *Sesamia nonagrioides*) by transgenic expression of a truncated CryIA(b) toxin. Bt11 maize also transgenically expresses the enzyme PAT to achieve tolerance to the herbicide glufosinate
20 ammonium.

2. Bt176 Maize from Syngenta Seeds SAS, Chemin de l'Hobit 27, F-31 790 St. Sauveur, France, registration number C/FR/96/05/10. Genetically modified *Zea mays* which has been rendered resistant to attack by the European corn borer (*Ostrinia nubilalis* and *Sesamia nonagrioides*) by transgenic expression of a CryIA(b) toxin. Bt176 maize also transgenically
25 expresses the enzyme PAT to achieve tolerance to the herbicide glufosinate ammonium.

3. MIR604 Maize from Syngenta Seeds SAS, Chemin de l'Hobit 27, F-31 790 St. Sauveur, France, registration number C/FR/96/05/10. Maize which has been rendered insect-resistant by transgenic expression of a modified CryIIIA toxin. This toxin is Cry3A055 modified by insertion of a cathepsin-D-protease recognition sequence. The preparation of such
30 transgenic maize plants is described in WO 03/018810.

4. MON 863 Maize from Monsanto Europe S.A. 270-272 Avenue de Tervuren, B-1150 Brussels, Belgium, registration number C/DE/02/9. MON 863 expresses a CryIII^B(b1) toxin and has resistance to certain Coleoptera insects.

5. IPC 531 Cotton from Monsanto Europe S.A. 270-272 Avenue de Tervuren, B-1150 Brussels, Belgium, registration number C/ES/96/02.

6. 1507 Maize from Pioneer Overseas Corporation, Avenue Tedesco, 7 B-1160 Brussels, Belgium, registration number C/NL/00/10. Genetically modified maize for the expression of the protein Cry1F for achieving resistance to certain Lepidoptera insects and of the PAT protein for achieving tolerance to the herbicide glufosinate ammonium.

10 7. NK603 × MON 810 Maize from Monsanto Europe S.A. 270-272 Avenue de Tervuren, B-1150 Brussels, Belgium, registration number C/GB/02/M3/03. Consists of conventionally bred hybrid maize varieties by crossing the genetically modified varieties NK603 and MON 810. NK603 × MON 810 Maize transgenically expresses the protein CP4 EPSPS, obtained from *Agrobacterium* sp. strain CP4, which imparts tolerance to the herbicide Roundup® (contains glyphosate), and also a CryIA(b) toxin obtained from *Bacillus thuringiensis* subsp. *kurstaki* which brings about tolerance to certain Lepidoptera, include the European corn borer.

15 Transgenic crops of insect-resistant plants are also described in BATS (Zentrum für Biosicherheit und Nachhaltigkeit, Zentrum BATS, Clarastrasse 13, 4058 Basel, Switzerland) Report 2003, (<http://bats.ch>).

25 The term "useful plants" is to be understood as including also useful plants which have been so transformed by the use of recombinant DNA techniques that they are capable of synthesising antipathogenic substances having a selective action, such as, for example, the so-called "pathogenesis-related proteins" (PRPs, see e.g. EP-A-0 392 225). Examples of such antipathogenic substances and transgenic plants capable of synthesising such antipathogenic substances are known, for example, from EP-A-0 392 225, WO 95/33818, and EP-A-0 353 191. The methods of producing such transgenic plants are generally known to the person skilled in the art and are described, for example, in the publications mentioned above.

Antipathogenic substances which can be expressed by such transgenic plants include, for example, ion channel blockers, such as blockers for sodium and calcium channels, for example the viral KP1, KP4 or KP6 toxins; stilbene synthases; bibenzyl synthases; chitinases; glucanases; the so-called "pathogenesis-related proteins" (PRPs; see e.g. EP-A-0 392 225);

5 antipathogenic substances produced by microorganisms, for example peptide antibiotics or heterocyclic antibiotics (see e.g. WO 95/33818) or protein or polypeptide factors involved in plant pathogen defence (so-called "plant disease resistance genes", as described in WO 03/000906).

10 The term "locus" of a useful plant as used herein is intended to embrace the place on which the useful plants are growing, where the plant propagation materials of the useful plants are sown or where the plant propagation materials of the useful plants will be placed into the soil. An example for such a locus is a field, on which crop plants are growing.

15 The term "plant propagation material" is understood to denote generative parts of the plant, such as seeds, which can be used for the multiplication of the latter, and vegetative material, such as cuttings or tubers, for example potatoes. There may be mentioned for example seeds (in the strict sense), roots, fruits, tubers, bulbs, rhizomes and parts of plants. Germinated plants and young plants which are to be transplanted after germination or after

20 emergence from the soil, may also be mentioned. These young plants may be protected before transplantation by a total or partial treatment by immersion. Preferably "plant propagation material" is understood to denote seeds.

The compounds of formula (I) are used in unmodified form or, preferably, together with

25 the adjuvants conventionally employed in the art of formulation.

Therefore the invention also relates to compositions for controlling and protecting against phytopathogenic microorganisms, comprising a compound of formula I and an inert carrier, and to a method of controlling or preventing infestation of useful plants by

30 phytopathogenic microorganisms, wherein a composition, comprising a compound of formula

I as active ingredient and an inert carrier, is applied to the plants, to parts thereof or the locus thereof.

To this end they are conveniently formulated in known manner to emulsifiable concentrates, coatable pastes, directly sprayable or dilutable solutions, dilute emulsions, wettable powders, soluble powders, dusts, granulates, and also encapsulations e.g. in polymeric substances. As with the type of the compositions, the methods of application, such as spraying, atomising, dusting, scattering, coating or pouring, are chosen in accordance with the intended objectives and the prevailing circumstances. The compositions may also contain further adjuvants such as stabilizers, antifoams, viscosity regulators, binders or tackifiers as well as fertilizers, micronutrient donors or other formulations for obtaining special effects.

Suitable carriers and adjuvants can be solid or liquid and are substances useful in formulation technology, e.g. natural or regenerated mineral substances, solvents, dispersants, wetting agents, tackifiers, thickeners, binders or fertilizers. Such carriers are for example described in WO 97/33890.

The compounds of formula (I) are normally used in the form of compositions and can be applied to the crop area or plant to be treated, simultaneously or in succession with further compounds. These further compounds can be e.g. fertilizers or micronutrient donors or other preparations which influence the growth of plants. They can also be selective herbicides as well as insecticides, fungicides, bactericides, nematocides, molluscicides or mixtures of several of these preparations, if desired together with further carriers, surfactants or application promoting adjuvants customarily employed in the art of formulation.

A preferred method of applying a compound of formula (I), or an agrochemical composition which contains at least one of said compounds, is foliar application. The frequency of application and the rate of application will depend on the risk of infestation by the corresponding pathogen. However, the compounds of formula I can also penetrate the plant through the roots via the soil (systemic action) by drenching the locus of the plant with a liquid formulation, or by applying the compounds in solid form to the soil, e.g. in granular

form (soil application). In crops of water rice such granulates can be applied to the flooded rice field. The compounds of formula I may also be applied to seeds (coating) by impregnating the seeds or tubers either with a liquid formulation of the fungicide or coating them with a solid formulation.

5

A formulation [that is, a composition containing the compound of formula (I)] and, if desired, a solid or liquid adjuvant, is prepared in a known manner, typically by intimately mixing and/or grinding the compound with extenders, for example solvents, solid carriers and, optionally, surface active compounds (surfactants).

10

The agrochemical formulations will usually contain from 0.1 to 99% by weight, preferably from 0.1 to 95% by weight, of the compound of formula I, 99.9 to 1% by weight, preferably 99.8 to 5% by weight, of a solid or liquid adjuvant, and from 0 to 25% by weight, preferably from 0.1 to 25% by weight, of a surfactant.

15

Advantageous rates of application are normally from 5g to 2kg of active ingredient (a.i.) per hectare (ha), preferably from 10g to 1kg a.i./ha, most preferably from 20g to 600g a.i./ha.

When used as seed drenching agent, convenient dosages are from 10mg to 1g of active substance per kg of seeds.

20

The rate of application for the desired action can be determined by experiments. It depends for example on the type of action, the developmental stage of the useful plant, and on the the application (location, timing, application method) and can, owing to these parameters, vary within wide limits.

25

Whereas it is preferred to formulate commercial products as concentrates, the end user will normally use dilute formulations.

Surprisingly, it has now been found that the compounds of formula I, or a pharmaceutical salt thereof, described above have also an advantageous spectrum of activity for the treatment and/or prevention of microbial infection in an animal.

5 “Animal” can be any animal, for example, insect, mammal, reptile, fish, amphibian, preferably mammal, most preferably human. “Treatment” means the use on an animal which has microbial infection in order to reduce or slow or stop the increase or spread of the infection, or to reduce the infection or to cure the infection. “Prevention” means the use on an animal which has no apparent signs of microbial infection in order to prevent any future
10 infection, or to reduce or slow the increase or spread of any future infection.

According to the present invention there is provided the use of a compound of formula I in the manufacture of a medicament for use in the treatment and/or prevention of microbial infection in an animal. There is also provided the use of a compound of formula I as a
15 pharmaceutical agent. There is also provided the use of a compound of formula I as an antimicrobial agent in the treatment of an animal. According to the present invention there is also provided a pharmaceutical composition comprising as an active ingredient a compound of formula I, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable diluent or carrier. This composition can be used for the treatment and/or prevention of
20 antimicrobial infection in an animal. This pharmaceutical composition can be in a form suitable for oral administration, such as tablet, lozenges, hard capsules, aqueous suspensions, oily suspensions, emulsions dispersible powders, dispersible granules, syrups and elixirs. Alternatively this pharmaceutical composition can be in a form suitable for topical application, such as a spray, a cream or lotion. Alternatively this pharmaceutical composition
25 can be in a form suitable for parenteral administration, for example injection. Alternatively this pharmaceutical composition can be in inhalable form, such as an aerosol spray.

The compounds of formula I are effective against various microbial species able to cause a microbial infection in an animal. Examples of such microbial species are those
30 causing Aspergillosis such as *Aspergillus fumigatus*, *A. flavus*, *A. terreus*, *A. nidulans* and *A. niger*; those causing Blastomycosis such as *Blastomyces dermatitidis*; those causing

Candidiasis such as *Candida albicans*, *C. glabrata*, *C. tropicalis*, *C. parapsilosis*, *C. krusei* and *C. lusitanae*; those causing Coccidioidomycosis such as *Coccidioides immitis*; those causing Cryptococcosis such as *Cryptococcus neoformans*; those causing Histoplasmosis such as *Histoplasma capsulatum* and those causing Zygomycosis such as *Absidia corymbifera*,
5 *Rhizomucor pusillus* and *Rhizopus arrizus*. Further examples are *Fusarium* Spp such as *Fusarium oxysporum* and *Fusarium solani* and *Scedosporium* Spp such as *Scedosporium apiospermum* and *Scedosporium prolificans*. Still further examples are *Microsporum* Spp, *Trichophyton* Spp, *Epidermophyton* Spp, *Mucor* Spp, *Sporothrix* Spp, *Phialophora* Spp, *Cladosporium* Spp, *Petriellidium* spp, *Paracoccidioides* Spp and *Histoplasma* Spp.

10

The following non-limiting Examples illustrate the above-described invention in more detail.

EXAMPLE 1

This Example illustrates the preparation of 1-methyl-3-trifluoromethyl-1H-pyrazole-4-
15 carboxylic acid {2-[5-(3,3-dimethyl-but-1-ynyl)-thiophen-2-yl]-phenyl}-amide (Compound No. 1ai.098).

a) Preparation of 2-(2-nitro-phenyl)-thiophene.

Bis(triphenylphosphine)palladium(II) chloride (350 mg) and 2-(tributylstannyl)thiophene (57 g, 0.15 mol) were added to a solution of 1-iodo-2-nitrobenzene (35 g, 0.14 mol) in 500 ml
20 of N,N-dimethylformamide. This mixture was heated for 16 h to 100 °C. After concentration in vacuo, the residue was taken up in diethyl ether, washed with water and brine, dried over magnesium sulfate and evaporated. The remaining oil was purified by silica gel chromatography using ethyl acetate and hexane as eluents, yielding 23 g of 2-(2-nitro-phenyl)-thiophene.

25 b) Preparation of 2-iodo-5-(2-nitro-phenyl)-thiophene.

2-(2-nitro-phenyl)-thiophene (23g, 0.11mol) and N-iodosuccinimide (37g, 0.165mol) were dissolved in 110ml of methanol. To this solution, acetic acid (10g, 0.165mol) was added. After stirring the reaction mixture for 4hours at room temperature, the solvent was evaporated. The remainder was taken up in a mixture of ice and water and extracted with ethyl acetate.
30 The combined organic layer was washed with saturated aqueous sodium hydrogencarbonate

solution and brine, dried over magnesium sulfate and evaporated, delivering 2-iodo-5-(2-nitro-phenyl)-thiophene (28g).

c) Preparation of 2-(3,3-dimethyl-but-1-ynyl)-5-(2-nitro-phenyl)-thiophene (Compound No. 6i.030).

5 To a solution of 2-iodo-5-(2-nitro-phenyl)-thiophene (28g, 84mmol) in piperidine (235ml) were added successively copper(I) iodide (0.8g, 4.2mmol), bis(triphenylphosphine)palladium(II) chloride (2.9g, 4.2mmol) and 3,3-dimethyl-1-butyne (14g, 0.17mol). This mixture was stirred for 16hours at room temperature. Subsequently, it was poured into 1litre of water, stirred for 15minutes and extracted with tert-butyl methyl
10 ether. The combined organic layer was washed with brine, dried over magnesium sulfate and evaporated. The remaining oil was purified by silica gel chromatography using ethyl acetate and hexane as eluents, giving Compound No.6.030.i (22g).

d) Preparation of 2-[5-(3,3-dimethyl-but-1-ynyl)-thiophen-2-yl]-phenylamine (Compound No. 5i.030).

15 A mixture of 2-(3,3-dimethyl-but-1-ynyl)-5-(2-nitro-phenyl)-thiophene (22g, 76mmol), tetrahydrofuran (100ml) and acetic acid (425ml of a 5% aqueous solution) was heated to 80°C. Iron powder (66g, 1.2mol) was added in small portions at this temperature. The reaction mixture was heated for 5hours to reflux. After cooling, it was poured on ice and extracted with ethyl acetate. The combined organic layer was washed with brine, dried over
20 magnesium sulfate and evaporated, delivering Compound No.5.030.i (20g).

e) 1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid (2.5g, 13mmol) was dissolved in dichloromethane (25ml) containing 5 drops of N,N-dimethylformamide. A solution of oxalyl chloride (1.8g, 14mmol) in dichloromethane (5ml) was added dropwise at room temperature. This mixture was stirred for 2hours at the same temperature and was
25 subsequently slowly added to a mixture of 2-[5-(3,3-dimethyl-but-1-ynyl)-thiophen-2-yl]-phenylamine (3.3g, 13mmol) and triethylamine (2.0g, 20mmol) in dichloromethane (30ml). After stirring the reaction mixture for 8hours at room temperature, it was poured on ice and extracted with dichloromethane. The combined organic layer was washed with brine, dried over magnesium sulfate and evaporated. The remaining oil was purified by silica gel
30 chromatography using ethyl acetate and hexane as eluents, giving Compound No. 1ai.098 (1.2g).

EXAMPLE 2

This Example illustrates the preparation of 3-difluoromethyl-1-methyl-1H-pyrazole-4-carboxylic acid {2-[4-(3,3-dimethyl-but-1-ynyl)-pyrazol-1-yl]-phenyl}-amide (Compound No. 1ar.099).

5 a) Preparation of 4-iodo-1-(2-nitro-phenyl)-1H-pyrazole.

A mixture of 1-fluoro-2-nitrobenzene (14.5g, 0.1mol), 4-iodopyrazole (20g, 0.1mol), potassium carbonate anhydrous (14g, 0.1mol) and catalytical amounts of copper(II) oxide in pyridine (35ml) was heated to reflux for 16hours. After cooling, the mixture was diluted with dichloromethane (1litre). Activated charcoal (12g) was then added and the mixture was
10 heated to reflux for 1hour. After cooling, it was filtered through celite. The filtrate was evaporated and the remaining oil was purified by silica gel chromatography using ethyl acetate and hexane as eluents, giving 4-iodo-1-(2-nitro-phenyl)-1H-pyrazole (24g).

b) Preparation of 4-(3,3-dimethyl-but-1-ynyl)-1-(2-nitro-phenyl)-1H-pyrazole (Compound No.6r.030).

15 To a solution of 4-iodo-1-(2-nitro-phenyl)-1H-pyrazole (24g, 76mmol) in piperidine (215ml) were added successively copper(I) iodide (0.7g, 3.8mmol), bis(triphenylphosphine)palladium(II) chloride (2.7g, 3.8mmol) and 3,3-dimethyl-1-butyne (12.5g, 0.15mol). This mixture was stirred for 16hours at room temperature. Subsequently, it was poured into 1litre of water, stirred for 15minutes and extracted with tert-butyl methyl
20 ether. The combined organic layer was washed with brine, dried over magnesium sulfate and evaporated. The remaining oil was purified by silica gel chromatography using ethyl acetate and hexane as eluents, giving Compound No.6.030.r (20g).

c) Preparation of 2-[4-(3,3-dimethyl-but-1-ynyl)-pyrazol-1-yl]-phenylamine (Compound No.5r.030).

25 A mixture of 4-(3,3-dimethyl-but-1-ynyl)-1-(2-nitro-phenyl)-1H-pyrazole (20g, 74mmol), tetrahydrofurane (100ml) and acetic acid (425ml of a 5% aqueous solution) was heated to 80°C. Iron powder (66g, 1.2mol) was added in small portions at this temperature. The reaction mixture was heated for 5hours to reflux. After cooling, it was poured onto ice and extracted with ethyl acetate. The combined organic layer was washed with brine, dried
30 over magnesium sulfate and evaporated, delivering Compound No.5.030.r (20g).

d) 3-difluoromethyl-1-methyl-1H-pyrazole-4-carboxylic acid (2.4g, 14mmol) was dissolved in dichloromethane (25ml) containing 5 drops of N,N-dimethylformamide. A solution of oxalyl chloride (1.9g, 15mmol) in dichloromethane (5ml) was added dropwise at room temperature. This mixture was stirred for 2hours at the same temperature and was subsequently slowly added to a mixture of Compound No.5.030.r (3.3g, 14mmol) and triethylamine (2.0g, 20mmol) in dichloromethane (30ml). After stirring the reaction mixture for 8hours at room temperature, it was poured on ice and extracted with dichloromethane. The combined organic layer was washed with brine, dried over magnesium sulfate and evaporated. The remaining oil was purified by silica gel chromatography using ethyl acetate and hexane as eluents, giving Compound No. 1ar.099 (2.8g).

FORMULATION EXAMPLES FOR COMPOUNDS OF FORMULA (I)

In the following formulation examples compounds of Tables 1aa to 1ax, of Tables 2ba to 2bx, of Tables 3ca to 3cx and of Tables 4da to 4dx are referred to as "active ingredient".

Example F-1.1 to F-1.3: Emulsifiable concentrates

Components	F-1.1	F-1.2	F-1.3
active ingredient	25%	40%	50%
calcium dodecylbenzenesulfonate	5%	8%	6%
castor oil polyethylene glycol ether (36 mol ethylenoxy units)	5%	-	-
tributylphenolpolyethylene glycol ether (30 mol ethylenoxy units)	-	12%	4%
cyclohexanone	-	15%	20%
xylene mixture	65%	25%	20%

Emulsions of any desired concentration can be prepared by diluting such concentrates with water.

Example F-2: Emulsifiable concentrate

Components	F-2
5 active ingredient	10%
octylphenolpolyethylene glycol ether (4 to 5 mol ethylenoxy units)	3%
calcium dodecylbenzenesulfonate	3%
castor oil polyglycol ether	
10 (36 mol ethylenoxy units)	4%
cyclohexanone	30%
xylene mixture	50%

Emulsions of any desired concentration can be prepared by diluting such concentrates with
 15 water.

Examples F-3.1 to F-3.4: Solutions

Components	F-3.1	F-3.2	F-3.3	F-3.4
20 active ingredient	80%	10%	5%	95%
propylene glycol monomethyl ether	20%	-	-	-
polyethylene glycol (relative molecular mass: 400 atomic mass units)	-	70%	-	-
25 N-methylpyrrolid-2-one	-	20%	-	-
epoxidised coconut oil	-	-	1%	5%
benzin (boiling range: 160-190°)	-	-	94%	-

The solutions are suitable for use in the form of microdrops.

30

Examples F-4.1 to F-4.4: Granulates

- 132 -

Components	F-4.1	F-4.2	F-4.3	F-4.4
active ingredient	5%	10%	8%	21%
5 kaolin	94%	-	79%	54%
highly dispersed silicic acid	1%	-	13%	7%
attapulgit	-	90%	-	18%

10 The active ingredient is dissolved in dichloromethane, the solution is sprayed onto the carrier and the solvent is then removed by distillation under vacuum.

Examples F-5.1 and F-5.2: Dusts

Components	F-5.1	F-5.2
15 active ingredient	2%	5%
highly dispersed silicic acid	1%	5%
talcum	97%	-
20 kaolin	-	90%

Ready for use dusts are obtained by intimately mixing all components.

Examples F-6.1 to F-6.3: Wettable powders

Components	F-6.1	F-6.2	F-6.3
25 active ingredient	25%	50%	75%
sodium lignin sulfonate	5%	5%	-
sodium lauryl sulfate	3%	-	5%
30 sodium diisobutyl naphthalene sulfonate	-	6%	10%
octylphenolpolyethylene glycol ether			

- 133 -

(7 to 8 mol ethylenoxy units)	-	2%	-
highly dispersed silicic acid	5%	10%	10%
kaolin	62%	27%	-

-
- 5 All components are mixed and the mixture is thoroughly ground in a suitable mill to give wettable powders which can be diluted with water to suspensions of any desired concentration.

Example F7: Flowable concentrate for seed treatment

active ingredient	40 %
propylene glycol	5 %
copolymer butanol PO/EO	2 %
tristyrenephenole with 10-20 moles EO	2 %
1,2-benzisothiazolin-3-one (in the form of a 20% solution in water)	0.5 %
monoazo-pigment calcium salt	5 %
Silicone oil (in the form of a 75 % emulsion in water)	0.2 %
Water	45.3 %

- 10 The finely ground active ingredient is intimately mixed with the adjuvants, giving a suspension concentrate from which suspensions of any desired dilution can be obtained by dilution with water. Using such dilutions, living plants as well as plant propagation material can be treated and protected against infestation by microorganisms, by spraying, pouring or immersion.

15

BIOLOGICAL EXAMPLES: FUNGICIDAL ACTIONS

Example B-1: Action against Puccinia recondita / wheat (Brown rust on wheat)

- 1 week old wheat plants cv. Arina are treated with the formulated test compound (0.02% active ingredient) in a spray chamber. One day after application, the wheat plants are
- 20 inoculated by spraying a spore suspension (1×10^5 uredospores/ml) on the test plants. After an incubation period of 2 days at 20°C and 95%r.h. the plants are kept in a greenhouse for 8 days at 20°C and 60%r.h. The disease incidence is assessed 10 days after inoculation.

Infestation is prevented virtually completely (0-5% infestation) with each of compounds 1aa.098, 1aa.099, 1ab.098, 1ab.099, 1ai.078, 1ai.081, 1ai.098, 1ai.099, 1ar.099, 3ci.098, 4di.098 and 4dr.098.

5 Example B-2: Action against Podosphaera leucotricha / apple (Powdery mildew on apple)

5 week old apple seedlings cv. McIntosh are treated with the formulated test compound (0.02% active ingredient) in a spray chamber. One day after, the application apple plants are inoculated by shaking plants infected with apple powdery mildew above the test plants. After an incubation period of 12 days at 22°C and 60%r.h. under a light regime of 14/10 hours

10 (light/dark) the disease incidence is assessed.

Infestation is prevented virtually completely (0-5% infestation) with each of compounds 1ab.099, 1ai.77, 1ai.098, 1ai.099, 1ar.099, 2br.098, 3ci.098, 3cr.098, 4di.098 and 4dr.098.

Example B-3: Action against Venturia inaequalis / apple (Scab on apple)

15 4 week old apple seedlings cv. McIntosh are treated with the formulated test compound (0.02% active ingredient) in a spray chamber. One day after application, the apple plants are inoculated by spraying a spore suspension (4×10^5 conidia/ml) on the test plants. After an incubation period of 4 days at 21°C and 95%r.h. the plants are placed for 4 days at 21°C and 60%r.h. in a greenhouse. After another 4 day incubation period at 21°C and 95%r.h. the

20 disease incidence is assessed.

Infestation is prevented virtually completely (0-5% infestation) with each of compounds 1aa.099, 1ai.078, 1ai.099 and 3ci.098.

Example B-4: Action against Erysiphe graminis / barley (Powdery mildew on barley)

25 1 week old barley plants cv. Regina are treated with the formulated test compound (0.02% active ingredient) in a spray chamber. One day after application, the barley plants are inoculated by shaking powdery mildew infected plants above the test plants. After an incubation period of 6 days at 20°C / 18°C (day/night) and 60%r.h. in a greenhouse the disease incidence is assessed.

30 Infestation is prevented virtually completely (0-5% infestation) with each of compounds 1.aa.099, 1ab.099, 1ai.078, 1ai.098, 1ar.099, 2br.098 and 3cr.098.

Example B-5: Action against Botrytis cinerea / grape (Botrytis on grapes)

5 week old grape seedlings cv. Gutedel are treated with the formulated test compound (0.02% active ingredient) in a spray chamber. Two days after application, the grape plants are inoculated by spraying a spore suspension (1×10^6 conidia/ml) on the test plants. After an incubation period of 4 days at 21°C and 95%r.h. in a greenhouse the disease incidence is assessed.

Infestation is prevented virtually completely (0-5% infestation) with each of compounds 1aa.098, 1aa.099, 1ab.098, 1ab.099, 1ai.078, 1ai.081, 1ai.099, 1ar.099, 3ci.098, 4di.098 and 4dr.098.

Example B-6: Action against Botrytis cinerea / tomato (Botrytis on tomatoes)

4 week old tomato plants cv. Roter Gnom are treated with the formulated test compound (0.02% active ingredient) in a spray chamber. Two days after application, the tomato plants are inoculated by spraying a spore suspension (1×10^5 conidia/ml) on the test plants. After an incubation period of 4 days at 20°C and 95%r.h. in a growth chamber the disease incidence is assessed.

Infestation is prevented virtually completely (0-5% infestation) with each of compounds 1aa.098, 1aa.099, 1ab.098, 1ab.099, 1ai.078, 1ai.081, 1ai.099, 1ar.099, 3ci.098, 4di.098 and 4dr.098.

Example B-7: Action against Septoria nodorum / wheat (Septoria leaf spot on wheat)

1 week old wheat plants cv. Arina are treated with the formulated test compound (0.02% active ingredient) in a spray chamber. One day after application, the wheat plants are inoculated by spraying a spore suspension (5×10^5 conidia/ml) on the test plants. After an incubation period of 1 day at 20°C and 95%r.h. the plants are kept for 10 days at 20°C and 60%r.h. in a greenhouse. The disease incidence is assessed 11 days after inoculation.

Infestation is prevented virtually completely (0-5% infestation) with each of compounds 1ai.078, 1ai.098 and 1ar.099.

Example B-8: Action against Helminthosporium teres / barley (Net blotch on barley)

1 week old barley plants cv. Regina are treated with the formulated test compound (0.02% active ingredient) in a spray chamber. Two days after application, the barley plants are inoculated by spraying a spore suspension (3×10^4 conidia/ml) on the test plants. After an incubation period of 4 days at 20°C and 95%r.h. in a greenhouse the disease incidence is assessed.

Infestation is prevented virtually completely (0-5% infestation) with each of compounds 1aa.098, 1aa.099, 1ab.098, 1ab.099, 1ai.078, 1ai.081, 1ai.098, 1ai.099, 1ar.099, 2bi.098, 2br.098, 3ci.098, 3cr.098, 4di.098 and 4dr.098.

Example B-9: Action against Alternaria solani / tomato (Early blight on tomatoes)

4 week old tomato plants cv. Roter Gnom are treated with the formulated test compound (0.02% active ingredient) in a spray chamber. Two days after application, the tomato plants are inoculated by spraying a spore suspension (2×10^5 conidia/ml) on the test plants. After an incubation period of 3 days at 20°C and 95%r.h. in a growth chamber the disease incidence is assessed.

Infestation is prevented virtually completely (0-5% infestation) with each of compounds 1aa.098, 1aa.099, 1ab.098, 1ab.099, 1ai.078, 1ai.081, 1ai.098, 1ai.099, 1ar.099, 2br.098, 3ci.098, 3cr.098, 4di.098 and 4dr.098.

Example B-10: Action against Uncinula necator / grape (Powdery mildew on grapes)

5 week old grape seedlings cv. Gutedel are treated with the formulated test compound (0.02% active ingredient) in a spray chamber. One day after application, the grape plants are inoculated by shaking plants infected with grape powdery mildew above the test plants. After an incubation period of 7 days at 26°C and 60%r.h. under a light regime of 14/10hours (light/dark) the disease incidence is assessed.

Infestation is prevented virtually completely (0-5% infestation) with each of compounds 1aa.099, 1ai.078, 1ai.098, 1ai.099, 1ar.099, 2br.098, 3ci.098, 3cr.098, 4di.098 and 4dr.098.

Example B-11: Action against Septoria tritici / wheat (Septoria leaf spot on wheat)

2 week old wheat plants cv. Riband are treated with the formulated test compound (0.2% active ingredient) in a spray chamber. One day after application, wheat plants are

- 137 -


inoculated by spraying a spore suspension (10×10^5 conidia/ml) on the test plants. After an incubation period of 1 day at 23°C and 95% r.h., the plants are kept for 16 days at 23°C and 60% r.h. in a greenhouse. The disease incidence is assessed 18 days after inoculation.

Compounds 1ai.078, 1ai.098, 1ai.099 and 1ar.099 each show good activity in this test (<20% disease incidence).

5

CLAIMS

1. A compound of formula (I):




- 5 where Het¹ and Het² are each, independently, a 5- or 6-membered heterocyclic ring containing one to three heteroatoms, each independently selected from oxygen, nitrogen and sulphur; Het¹ being substituted by one, two or three groups R^y and Het² being substituted by R⁶ and being optionally substituted by one, two or three groups R^y; R¹ is hydrogen, formyl, CO-C₁₋₄ alkyl, COO-C₁₋₄ alkyl, C₁₋₄ alkoxy(C₁₋₄)alkylene, CO-C₁₋₄ alkylenoxy(C₁₋₄)alkyl, propargyl or allenyl; R², R³, R⁴ and R⁵ are each, independently, hydrogen, halogen, methyl or CF₃; R⁶ is (Z)_mC≡C(Y¹), (Z)_mC(Y¹)=C(Y²)(Y³) or tri(C₁₋₄)alkylsilyl; each R^y is, independently, halogen, C₁₋₃ alkyl, C₁₋₃ haloalkyl, C₁₋₃ alkoxy(C₁₋₃)alkylene or cyano; X is O or S; Y¹, Y² and Y³ are each, independently, hydrogen, halogen, C₁₋₆ alkyl [optionally substituted by one or more substituents each independently selected from halogen, hydroxy, C₁₋₄ alkoxy, C₁₋₄ haloalkoxy, C₁₋₄ alkylthio, C₁₋₄ haloalkylthio, C₁₋₄ alkylamino, di(C₁₋₄)alkylamino, C₁₋₄ alkoxycarbonyl, C₁₋₄ alkylcarbonyloxy and tri(C₁₋₄)alkylsilyl], C₂₋₄ alkenyl [optionally substituted by one or more substituents each independently selected from halogen], C₂₋₄ alkynyl [optionally substituted by one or more substituents each independently selected from halogen], C₃₋₇ cycloalkyl [optionally substituted by one or more substituents each independently selected from halogen, C₁₋₄ alkyl and C₁₋₄ haloalkyl] or tri(C₁₋₄)alkylsilyl; Z is C₁₋₄ alkylene [optionally substituted by one or more substituents each independently selected from hydroxy, cyano, C₁₋₄ alkoxy, halogen, C₁₋₄ haloalkyl, C₁₋₄ haloalkoxy, C₁₋₄ alkylthio, COOH and COO-C₁₋₄ alkyl]; and m is 0 or 1.
- 25 2. A method of controlling or preventing infestation of useful plants by phytopathogenic microorganisms, wherein a compound of formula I according to claim 1 or a composition,

comprising this compound as active ingredient, is applied to the plants, to parts thereof or the locus thereof.

3. A composition for controlling and protecting against phytopathogenic microorganisms,

5 comprising a compound of formula I according to claim 1 and an inert carrier.


4. A compound of the formula II



in which R^1 , R^2 , R^3 , R^4 , R^5 and Het^2 are as defined under formula I.


10

5. A compound of the formula III



in which R^1 , R^2 , R^3 , R^4 , R^5 and Het^2 are as defined under formula I.

15 6. A compound of the formula VI



in which R^1 , R^2 , R^3 , R^4 , R^5 and Het^2 are as defined under formula I and Hal is bromo, chloro or iodo.

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP2005/006688

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C07D403/12 C07D409/12 C07D333/20 C07D231/14 C07D231/40
A01N43/56

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C07D A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, BEILSTEIN Data, CHEM ABS Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	WO 2005/028485 A (SYNGENTA PARTICIPATIONS AG; EHRENFREUND, JOSEF; LAMBERTH, CLEMENS; TOB) 31 March 2005 (2005-03-31) page 9 - page 10; claims 1,8,9; compounds A.88-A.93A pages 12,18,19 pages 24,29,30 page 35 - page 37	1-4
X	WO 01/53259 A (SYNGENTA PARTICIPATIONS AG; WALTER, HARALD; SCHNEIDER, HERMANN) 26 July 2001 (2001-07-26) page 13; claims 1-4,10-13; table 1 page 23 - page 24 ----- -/--	1-4

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

° Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

5 October 2005

Date of mailing of the international search report

26/10/2005

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Härtinger, S

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP2005/006688

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 2004/018438 A (SYNGENTA PARTICIPATIONS AG; EHRENFREUND, JOSEF; TOBLER, HANS; WALTER,) 4 March 2004 (2004-03-04) page 3, line 25 - page 4, line 3; claims 1,2,8,9; table X	1-3
A	EP 0 776 894 A (NIPPON SODA CO., LTD) 4 June 1997 (1997-06-04) claims 1,5; table 3; compounds 3-197,3-206	1-3
A	PATENT ABSTRACTS OF JAPAN vol. 2002, no. 02, 2 April 2002 (2002-04-02) -& JP 2001 302605 A (SUMITOMO CHEM CO LTD), 31 October 2001 (2001-10-31) cited in the application '0012!-'0015! abstract	1-6
X	DATABASE CA 'Online! CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; REBSTOCK, ANNE-SOPHIE ET AL: "Synthesis and deprotonation of 2-(pyridyl)phenols and 2-(pyridyl)anilines" XP002347738 retrieved from STN Database accession no. 2003:669328 RN: 634591-08-5 abstract & ORGANIC & BIOMOLECULAR CHEMISTRY , 1(17), 3064-3068 CODEN: OBCRAK; ISSN: 1477-0520, 2003,	4
X	DATABASE CA 'Online! CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; ARZEL, ERWAN ET AL: "A new synthesis of .alpha.-substituted .delta.-carbolines" XP002347739 retrieved from STN Database accession no. 1997:644490 RN: 197177-66-5 abstract & JOURNAL OF HETEROCYCLIC CHEMISTRY , 34(4), 1205-1210 CODEN: JHTCAD; ISSN: 0022-152X, 1997,	4

-/--

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP2005/006688

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE CA 'Online! CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; ROCCA, P. ET AL: "A new convergent synthesis of substituted .beta.-carbolines" XP002347740 retrieved from STN Database accession no. 1993:472900 RN: 148639-21-8 abstract & TETRAHEDRON , 49(16), 3325-42 CODEN: TETRAB; ISSN: 0040-4020, 1993,	4
X	PASQUINET, ERIC ET AL: "First Total Synthesis of Phenylpyridine Analogues of the Antimitotic Rhazinilam" JOURNAL OF ORGANIC CHEMISTRY , 66(8), 2654-2661 CODEN: JOCEAH; ISSN: 0022-3263, 2001, XP002345239 compounds 13A,13B	4
X	ARZEL E ET AL: "A new synthesis of .alpha.-substituted .delta.-carbolines" JOURNAL OF HETEROCYCLIC CHEMISTRY, HETEROCORPORATION. PROVO, US, vol. 34, no. 4, 1997, pages 1205-1210, XP002311557 ISSN: 0022-152X table 1; compound 4I	4
X	DATABASE CA 'Online! CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; ALAZARD, JEAN-PIERRE ET AL: "Compounds interacting with tubulin. Part II. Synthesis of tricyclic lactams with a phenylpyrrole framework, structural analogs of rhazinilam" XP002347741 retrieved from STN Database accession no. 1996:421015 RN: 139984-62-6 abstract & BULLETIN DE LA SOCIETE CHIMIQUE DE FRANCE , 133(3), 251-266 CODEN: BSCFAS; ISSN: 0037-8968, 1996,	5

-/--

INTERNATIONAL SEARCH REPORT

 International Application No
 PCT/EP2005/006688

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	FRANK, KRISTINE E. ET AL: "Cyclizations of Substituted Benzyldiene-3-alkenylamines: Synthesis of the Tricyclic Core of the Martinellines" JOURNAL OF ORGANIC CHEMISTRY , 65(3), 655-666 CODEN: JOCEAH; ISSN: 0022-3263, 2000, XP002345240 compounds 47,48	4,5
P,X	QAZI, NAVEED A. ET AL: "Domino addition of allylzinc bromide to nitrile oxides. Synthesis of 5-butenylisoxazolines" TETRAHEDRON LETTERS , 46(25), 4391-4393 CODEN: TELEAY; ISSN: 0040-4039, 20 May 2005 (2005-05-20), XP002345241 table 1; compound 4F	5
X	EP 0 609 459 A (KUMIAI CHEMICAL INDUSTRY CO., LTD; IHARA CHEMICAL INDUSTRY CO., LTD) 10 August 1994 (1994-08-10) claim 1; tables 1,2; compounds 1,12,18	5,6
X	DATABASE CA 'Online! CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; DOLMAN, SARAH J. ET AL: "Efficient Catalytic Enantioselective Synthesis of Unsaturated Amines: Preparation of Small- and Medium-Ring Cyclic Amines through Mo-Catalyzed Asymmetric Ring-Closing Metathesis in the Absence of Solvent" XP002347742 retrieved from STN Database accession no. 2002:378094 RN: 44375-85-6 abstract & JOURNAL OF THE AMERICAN CHEMICAL SOCIETY , 124(24), 6991-6997 CODEN: JACSAT; ISSN: 0002-7863, 2002,	6
X	DATABASE CA 'Online! CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; LI, LAISHENG ET AL: "Synthesis of pyrazoles from 1,1,5-trichloropent-1-en-3-one. I" XP002347743 retrieved from STN Database accession no. 1997:692843 RN: 198194-98-8 abstract & HUAXUE SHIJI , 19(4), 196-199 CODEN: HUSHDR; ISSN: 0258-3283, 1997,	6
	----- -/--	

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP2005/006688

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE CA 'Online! CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; BALSAMO, A. ET AL: "Conformationally restrained .beta.-blocking oxime ethers. 2. Synthesis and .beta.-adrenergic properties of diastereoisomeric anti and syn 2-(5'-(3'-aryl-substituted)isoxazolidiny1) -N- alkylethanolamines" XP002347744 retrieved from STN Database accession no. 1995:319158 RN: 161064-08-0 abstract & EUROPEAN JOURNAL OF MEDICINAL CHEMISTRY , 29(11), 855-67 CODEN: EJMCA5; ISSN: 0223-5234, 1994,	6
X	DATABASE CA 'Online! CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; KIM, JAE NYOUNG ET AL: "Regioselectivity and stereoselectivity in nitrile oxide cycloaddition to 1,5-hexadien-3-ol. The study on the hydrogen bonding effect and magnesium chelation effect in nitrile oxide cycloaddition" XP002347745 retrieved from STN Database accession no. 1994:76710 RN: 151244-69-8, 152511-72-3, 152511-78-9, 152511-79-0 abstract & SYNTHETIC COMMUNICATIONS , 23(12), 1673-82 CODEN: SYNCAV; ISSN: 0039-7911, 1993,	6
X	DATABASE CA 'Online! CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; EBENS, RIJKO ET AL: "1-Aryl-2,2-dimethyl-1,3-propanediols as chiral auxiliaries. Acetal formation with .alpha.,.beta.-unsaturated aldehydes and analysis of the stereochemistry of cyclopropanation" XP002347746 retrieved from STN Database accession no. 1991:184829 RN: 133124-13-7, 133124-18-2 abstract & RECUEIL DES TRAVAUX CHIMIQUES DES PAYS-BAS , 109(11), 552-60 CODEN: RTCPA3; ISSN: 0165-0513, 1990,	6

-/--

INTERNATIONAL SEARCH REPORT

 International Application No
 PCT/EP2005/006688

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE CA 'Online! CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; KVITA, VRATISLAV: "A new synthesis of 5-vinylpyrimidines" XP002347747 retrieved from STN Database accession no. 1987:213887 RN: 108444-60-6 abstract & SYNTHESIS , (9), 786-8 CODEN: SYNTBF; ISSN: 0039-7881, 1986,	6
X	DATABASE CA 'Online! CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; TULYAGANOV, S. R. ET AL: "Synthesis of some aromatic aminoalcohols and their oxazolidine derivatives" XP002347748 retrieved from STN Database accession no. 1967:10870 RN: 13238-54-5 abstract & UZBEKSKII KHIMICHESKII ZHURNAL , 10(4), 32-5 CODEN: UZKZAC, 1966,	6
X	DATABASE CA 'Online! CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; BRUECKNER, SEBASTIEN ET AL: "Cascade Cyclization: An Easy Access to Highly Unsaturated Polycyclic Ring Systems through a Tandem Stille/'4 + 2! Reaction under Mild Conditions" XP002347749 retrieved from STN Database accession no. 2002:675498 RN: 474713-90-1 abstract & ORGANIC LETTERS , 4(20), 3391-3393 CODEN: ORLEF7; ISSN: 1523-7060, 2002,	6
X	EP 0 234 119 A (MAY & BAKER LIMITED; RHONE-POULENC AGROCHIMIE) 2 September 1987 (1987-09-02) page 7; claim 1; compound 98	6
X	EP 0 350 237 A (SCHERING AGROCHEMICALS LIMITED) 10 January 1990 (1990-01-10) page 11; claim 1; examples 24,30ad	6
X	US 6 001 829 A (KRAEMER ET AL) 14 December 1999 (1999-12-14) claim 1; examples 3,5	6
	-/--	

INTERNATIONAL SEARCH REPORT

 International Application No
 PCT/EP2005/006688

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 01/40195 A (AVENTIS CROPS SCIENCE S.A) 7 June 2001 (2001-06-07) claim 1; table 8; compounds 6-11	6
X	WO 98/04530 A (PFIZER LIMITED; PFIZER INC; BANKS, BERNARD, JOSEPH) 5 February 1998 (1998-02-05) page 5 page 8; claim 1; example A17	6
X	EP 0 846 686 A (PFIZER LIMITED; PFIZER INC) 10 June 1998 (1998-06-10) page 6, line 21 - page 7, line 30; claim 1; example b5	6
X	US 4 567 197 A (BREWSTER ET AL) 28 January 1986 (1986-01-28) column 21; example 10 formula VII column 7 - column 8	6
X	US 6 255 333 B1 (BANKS BERNARD JOSEPH) 3 July 2001 (2001-07-03) column 1, line 20 - column 3, line 55; example d5	6
X	DD 283 916 A5 (SCHERING AGROCHEMICALS LIMITED, GB) 31 October 1990 (1990-10-31) example 30ad	6
X	DATABASE BEILSTEIN BEILSTEIN CROSSFIRE INSTITUT ZUR FOERDERUNG DER CHEMISCHEN WISSENSCHAFTEN, DE; BRN 9203038 2003, XP002347750 abstract	6
X	DATABASE BEILSTEIN BEILSTEIN CROSSFIRE INSTITUT ZUR FOERDERUNG DER CHEMISCHEN WISSENSCHAFTEN, DE; BRN 6371788 1994, XP002347751 abstract	6
X	DATABASE BEILSTEIN BEILSTEIN CROSSFIRE INSTITUT ZUR FOERDERUNG DER CHEMISCHEN WISSENSCHAFTEN, DE; BRN 6870548 1994, XP002347752 abstract	6
	-/--	

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP2005/006688

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE BEILSTEIN BEILSTEIN CROSSFIRE INSTITUT ZUR FOERDERUNG DER CHEMISCHEN WISSENSCHAFTEN, DE; BRN 7129334 1995, XP002347753 abstract	6
X	----- DATABASE BEILSTEIN BEILSTEIN CROSSFIRE INSTITUT ZUR FOERDERUNG DER CHEMISCHEN WISSENSCHAFTEN, DE; BRN 6335945 1994, XP002347754 abstract	6
X	----- DATABASE BEILSTEIN BEILSTEIN CROSSFIRE INSTITUT ZUR FOERDERUNG DER CHEMISCHEN WISSENSCHAFTEN, DE; BRN 4257117 1992, XP002347755 abstract	6
X	----- DATABASE BEILSTEIN BEILSTEIN CROSSFIRE INSTITUT ZUR FOERDERUNG DER CHEMISCHEN WISSENSCHAFTEN, DE; BRN 4401758 1994, XP002347756 abstract	6
X	----- DATABASE BEILSTEIN BEILSTEIN CROSSFIRE INSTITUT ZUR FOERDERUNG DER CHEMISCHEN WISSENSCHAFTEN, DE; BRN 987732 1988, XP002347757 abstract	6
X	----- DATABASE BEILSTEIN BEILSTEIN CROSSFIRE INSTITUT ZUR FOERDERUNG DER CHEMISCHEN WISSENSCHAFTEN, DE; BRN 552656 1988, XP002347758 abstract	6
X	----- DATABASE BEILSTEIN BEILSTEIN CROSSFIRE INSTITUT ZUR FOERDERUNG DER CHEMISCHEN WISSENSCHAFTEN, DE; BRN4003570 1991, XP002347759 abstract -----	6

INTERNATIONAL SEARCH REPORT

 International Application No
 PCT/EP2005/006688

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 2005028485 A	31-03-2005	NONE	
WO 0153259 A	26-07-2001	AU 772635 B2 AU 3543301 A BR 0107738 A CA 2397008 A1 CN 1427823 A CZ 20022496 A3 EP 1252140 A1 HU 0203960 A2 JP 2003520269 T MX PA02007138 A PL 357312 A1 US 2004049035 A1 ZA 200205641 A	06-05-2004 31-07-2001 22-10-2002 26-07-2001 02-07-2003 16-10-2002 30-10-2002 28-03-2003 02-07-2003 26-02-2004 26-07-2004 11-03-2004 03-11-2003
WO 2004018438 A	04-03-2004	AU 2003253417 A1 BR 0313686 A CA 2494263 A1 EP 1539717 A2	11-03-2004 21-06-2005 04-03-2004 15-06-2005
EP 0776894 A	04-06-1997	AU 3087195 A WO 9604278 A1 US 6107251 A US 5962685 A	04-03-1996 15-02-1996 22-08-2000 05-10-1999
JP 2001302605 A	31-10-2001	NONE	
EP 0609459 A	10-08-1994	ES 2095657 T3 WO 9402471 A1 US 5466705 A	16-02-1997 03-02-1994 14-11-1995
EP 0234119 A	02-09-1987	AT 110226 T AT 134476 T AU 587676 B2 AU 6673386 A BR 8607230 A CA 1311242 C CN 86108643 A DD 265318 A5 DE 3650042 D1 DE 3650490 D1 DK 613986 A ES 2058063 T3 ES 2084430 T3 FI 865195 A WO 8703781 A1 HK 98697 A HU 45022 A2 IE 66829 B1 IL 81025 A JP 2042505 C JP 7062000 B JP 62228065 A KR 9502156 B1 LU 88663 A9 NL 960018 I1 NZ 218670 A	15-09-1994 15-03-1996 24-08-1989 25-06-1987 06-12-1988 08-12-1992 29-07-1987 01-03-1989 29-09-1994 04-04-1996 21-06-1987 01-11-1994 01-05-1996 21-06-1987 02-07-1987 08-08-1997 30-05-1988 07-02-1996 10-03-1991 09-04-1996 05-07-1995 06-10-1987 14-03-1995 01-02-1996 01-10-1996 26-07-1990

INTERNATIONAL SEARCH REPORT

 International Application No
 PCT/EP2005/006688

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0234119	A		OA 8451 A	30-06-1988
			PL 263083 A1	27-10-1988
			PL 273280 A1	16-05-1989
			PT 83971 A	30-12-1987
			RU 2106783 C1	20-03-1998
			RU 2035452 C1	20-05-1995
			RU 2080789 C1	10-06-1997
			RU 2087470 C1	20-08-1997
			TR 23653 A	29-05-1990
			ZA 8609526 A	27-07-1988
EP 0350237	A	10-01-1990	AU 611576 B2	13-06-1991
			AU 3790289 A	15-02-1990
			BR 8903358 A	13-02-1990
			CN 1039345 A	07-02-1990
			DK 337389 A	09-01-1990
			FI 893318 A	09-01-1990
			HU 50589 A2	28-03-1990
			JP 2085264 A	26-03-1990
			OA 9122 A	31-10-1991
			TR 24674 A	10-01-1992
			US 5064844 A	12-11-1991
US 6001829	A	14-12-1999	AU 7493496 A	29-05-1997
			BR 9611384 A	26-01-1999
			DE 19541261 A1	07-05-1997
			WO 9717335 A1	15-05-1997
			EP 0859767 A1	26-08-1998
			ES 2152569 T3	01-02-2001
			JP 11514657 T	14-12-1999
WO 0140195	A	07-06-2001	AU 2839301 A	12-06-2001
			BR 0015945 A	12-11-2002
			CA 2393197 A1	07-06-2001
			CN 1402713 A	12-03-2003
			CZ 20021898 A3	16-04-2003
			EP 1237873 A2	11-09-2002
			HU 0300357 A2	28-07-2003
			JP 2003516941 T	20-05-2003
			PL 364874 A1	27-12-2004
			ZA 200204336 A	20-03-2003
WO 9804530	A	05-02-1998	AT 260260 T	15-03-2004
			AU 3552497 A	20-02-1998
			BR 9710563 A	17-08-1999
			CA 2260914 A1	05-02-1998
			DE 69727812 D1	01-04-2004
			DE 69727812 T2	05-08-2004
			DK 918756 T3	28-06-2004
			EP 0918756 A1	02-06-1999
			ES 2215231 T3	01-10-2004
			HR 970418 A1	31-08-1998
			ID 17666 A	15-01-1998
			JP 11514014 T	30-11-1999
			JP 3432522 B2	04-08-2003
			PT 918756 T	30-06-2004
			US 6028096 A	22-02-2000

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP2005/006688

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
EP 0846686	A	10-06-1998	AT	211735 T	15-01-2002
			CA	2223237 A1	30-05-1998
			DE	69709532 D1	14-02-2002
			DE	69709532 T2	31-10-2002
			DK	846686 T3	25-03-2002
			ES	2166954 T3	01-05-2002
			JP	3083278 B2	04-09-2000
			JP	10182614 A	07-07-1998
			PT	846686 T	31-05-2002
US 4567197	A	28-01-1986	AR	240817 A1	28-02-1991
			AU	562056 B2	28-05-1987
			AU	1422383 A	17-11-1983
			CA	1258464 A1	15-08-1989
			CS	8303336 A2	17-09-1985
			CS	8307257 A2	17-09-1985
			CY	1453 A	21-07-1989
			DD	212515 A5	15-08-1984
			DD	219769 A5	13-03-1985
			DE	3372483 D1	20-08-1987
			DK	211883 A	13-11-1983
			EP	0094239 A2	16-11-1983
			ES	8407038 A1	16-11-1984
			ES	8700249 A1	01-01-1987
			ES	8700250 A1	01-01-1987
			ES	8608507 A1	01-12-1986
			FI	831664 A	13-11-1983
			GR	78138 A1	26-09-1984
			HK	17889 A	10-03-1989
			HU	198705 B	28-11-1989
			IE	55114 B1	06-06-1990
			JP	1709692 C	11-11-1992
			JP	3078389 B	13-12-1991
			JP	58222081 A	23-12-1983
			MW	1583 A1	13-02-1985
			NO	831679 A	14-11-1983
			NZ	204202 A	09-05-1986
			PH	21691 A	13-01-1988
			PL	241920 A1	26-03-1985
			PL	250098 A1	02-07-1985
			PL	250099 A1	02-07-1985
			PT	76684 A	01-06-1983
			SG	57088 G	27-01-1989
			SU	1277893 A3	15-12-1986
			US	4745198 A	17-05-1988
			ZA	8303179 A	25-04-1984
			ZW	10083 A1	28-11-1984
US 6255333	B1	03-07-2001	AT	208762 T	15-11-2001
			AU	710736 B2	30-09-1999
			AU	6871296 A	12-03-1997
			BR	9610608 A	17-02-1999
			CA	2229173 A1	27-02-1997
			CN	1192735 A	09-09-1998
			CZ	9800392 A3	13-01-1999
			DE	69617041 D1	20-12-2001
			DE	69617041 T2	28-03-2002
			DK	871617 T3	25-03-2002

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP2005/006688

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 6255333	B1	WO 9707102 A1	27-02-1997
		EP 0871617 A1	21-10-1998
		ES 2165520 T3	16-03-2002
		HU 9802865 A2	29-03-1999
		IL 122281 A	10-11-2002
		JP 10510551 T	13-10-1998
		JP 3154413 B2	09-04-2001
		NO 980570 A	31-03-1998
		NZ 316473 A	29-04-1999
		PL 324995 A1	06-07-1998
		PT 871617 T	28-02-2002
		RU 2151766 C1	27-06-2000
		TW 381082 B	01-02-2000
DD 283916	A5	31-10-1990	AP 103 A
			ZA 8905177 A
			25-10-1990
			26-09-1990