



US00RE43531E

(19) **United States**  
(12) **Reissued Patent**  
**Hendrickson et al.**

(10) **Patent Number:** **US RE43,531 E**  
(45) **Date of Reissued Patent:** **\*Jul. 24, 2012**

(54) **BELLY COVERING GARMENT**  
(75) Inventors: **Lisa A. Hendrickson**, Mount Laurel, NJ (US); **James H. Gardner, III**, Ambler, PA (US); **Richard Adelman**, Greensboro, NC (US)

5,946,730 A *	9/1999	Blair	2/227
6,311,333 B1 *	11/2001	Batra	2/237
7,814,575 B2 *	10/2010	Hendrickson et al.	2/227
7,900,276 B2 *	3/2011	Hendrickson et al.	2/237
2004/0210987 A1 *	10/2004	Carney	2/236
2006/0010571 A1 *	1/2006	Oakley	2/227

(73) Assignee: **Destination Maternity Corporation**, Philadelphia, PA (US)

(\* ) Notice: This patent is subject to a terminal disclaimer.

(21) Appl. No.: **13/161,138**

(22) Filed: **Jun. 15, 2011**

**Related U.S. Patent Documents**

Reissue of:

(64) Patent No.: **7,814,575**  
Issued: **Oct. 19, 2010**  
Appl. No.: **11/756,242**  
Filed: **May 31, 2007**

**OTHER PUBLICATIONS**

“BOM Spring 2006”—Sketch and measurements of Gap Full Panel Long and Lean pant, Style # 376586, Gap Maternity Denim, Spring 2006.  
“BOM Fall 2003”—Sketch and measurements of Old Navy Bootcut Jean w/Panel Non-Stretch pant, Style # 200963-00, Old Navy Women’s Maternity, Fall 2003.  
“BOM Fall 2005”—Sketch and measurements of Gap Roll Panel Modern Chino pant, Style # 313773, Gap Maternity Wovens, Fall 2005.  
“Garment Diagrams”—Sketches and measurements of various Gap and Old Navy garments, Style Nos. 324282, 256229, 281008, 205224Su05, Fall 2004-Summer 2005.  
“Poplin Pant” et al.—Maternity Print Str. Crisp Ctn. Poplin pant, Style # MBT414A (Ultra Clean Ankle Overbelly), Aug. 9, 2002.  
“Jean Pant” et al. GAP Women’s Full Panel Bootcut Jean, Style # 207095, Apr. 30, 2003.

(Continued)

(51) **Int. Cl.**  
**A41D 9/00** (2006.01)  
**A41D 13/00** (2006.01)

*Primary Examiner* — Gloria Hale  
(74) *Attorney, Agent, or Firm* — DLA Piper LLP (US)

(52) **U.S. Cl.** ..... 2/227; 450/155  
(58) **Field of Classification Search** ..... 2/69, 227, 2/228, 236–238, 211, 212, 214, 243.1; 450/155, 450/96–100

(57) **ABSTRACT**

See application file for complete search history.


The present invention relates to a garment worn during different stages of pregnancy and different stages of postpartum body changes. A garment upper portion has a belly panel that is expansible to cover and fit over a growing abdomen during different stages of pregnancy, and a garment lower portion having a first torso encircling circumference that recedes downward to make way for expansion of the belly panel. The garment upper portion has a second torso encircling circumference to hold the garment up and in place over the torso.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,045,676 A *	7/1962	Slaten	606/159
3,045,678 A	7/1962	Geimer	
4,280,229 A *	7/1981	Stein	2/221
4,506,390 A *	3/1985	Stern	2/221

**29 Claims, 8 Drawing Sheets**



OTHER PUBLICATIONS

“Artifact color”—*Selected pages from the JCPenney Catalog Maternity Collection*, published IQ 2004, front and back cover pages, and pp. 4, 22, 30, and 32; and Selected pages from the *JCPenney Catalog Maternity Collection*, dated Fall/Winter 2005, front and back cover pages, and pp. 14, 15, and 28.

1 in the Oven’s InvisiBelly™ Jeans, Trade Literature, Feb. 26, 2008,

[http://www.1intheoven.com/index.php?p=product&id=88&parent=26&is\\_print\\_version=true](http://www.1intheoven.com/index.php?p=product&id=88&parent=26&is_print_version=true).

International Search Report and Written Opinion dated Aug. 18, 2008 in PCT/US2008/061739.

Cody, Diablo, *Juno*, DVD, Fox Searchlight Pictures screenplay, Feb. 2, 2008, Newmarket Press, Newmarket Publishing and Communications company, New York, NY.

\* cited by examiner




FIG. 1




FIG. 1A




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

1

**BELLY COVERING GARMENT**

**Matter enclosed in heavy brackets [ ] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue.**

## FIELD OF THE INVENTION

The present invention relates to a garment worn during different stages of pregnancy and different stages of postpartum body changes.

## BACKGROUND OF THE INVENTION

Garments intended to cover a wearer's body below the abdomen or belly during various stages of pregnancy have been manufactured as knits or woven fabrics. Some of the knits or woven fabric garments are constructed with an elastic belt or waist band which caused discomfort when tightened about the body. Some of the garments have stretchable fabric panels sewn into place with sewn seams. Such garments cause discomfort due to the presence of the sewn seams, urged by elastic stretching of the panels pressing against the torso. Moreover, women have complained that such garments are difficult to keep in place, as they gradually slip downward while they are being worn.

Denim jeans or trousers have been recycled by removing the waistband at the front of the jeans and replacing the same with an elastic band that cradles a growing abdomen. Alternatively, denim jeans or trousers are manufactured without a waistband at the front so that a separate band can be attached at the front.

Accordingly, a need exists for a garment that covers and fits a growing abdomen during different stages of pregnancy. Such a garment is required to stay up, and desirably would fit comfortably while being worn. Moreover, such a garment would stay up when worn over different body types.

## SUMMARY OF THE INVENTION

A purpose of the invention is to provide a garment that adapts to cover and fit a growing abdomen during pregnancy, wherein the garment stays up when worn.

A garment comprises a garment upper portion and a garment lower portion. The garment upper portion has a belly panel that is expansible to cover and fit over a growing abdomen during different stages of pregnancy. The garment lower portion has a first torso encircling circumference that recedes downward to make way for expansion of the belly panel. The garment upper portion has a second torso encircling circumference to hold the garment up and in place over the torso.

An embodiment of the garment is adjustable to encircle different body types. Another embodiment of the invention provides a garment that fits comfortably while being worn.

An embodiment of the garment comprises an adjustable torso encircling circumference that is adjustable in girth to encircle different body types.

An embodiment of the upper portion of the garment comprises a seamless tubular elastic fabric to stretch elastically and fit different body types.

An embodiment of the abdomen covering area comprises an elastic fabric.

An embodiment of the abdomen covering area comprises an elastic fabric that is contractible elastically to cover an abdomen during different stages of post partum body changes.

2

According to an embodiment of the invention, an expansible tubular upper portion of the garment is seamless to fit comfortably while being worn.

## BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a front view of a garment according to the present invention.

FIG. 1A is a view similar to FIG. 1, and discloses a body panel covering a growing abdomen.

FIG. 2 is a view of a backside portion of the garment disclosed by FIG. 1.

FIG. 3 is view of a front portion of another embodiment of a garment.

FIG. 4 is view of a backside portion of another embodiment of a garment.

FIG. 5 is a view of a backside portion of yet another embodiment of a garment.

FIG. 6 is front view of a portion of another embodiment of a garment.

FIG. 7 is front view of a portion of yet another embodiment of a garment.

## DETAILED DESCRIPTION OF THE INVENTION

FIG. 1 discloses a garment **100** for encircling a lower torso portion of a wearer of the garment **100**. The garment **100** comprises a garment upper portion **102** and a garment lower portion **104**. A lower end perimeter **106** of the garment upper portion **102** is attached to a corresponding upper end perimeter **108** of the garment lower portion **104**. The garment lower portion **104** comprises, for example, a pair of trousers, such as, denim jeans. Alternatively, the garment lower portion **104** comprises a skirt depicted in FIG. 1 in phantom outline.

With reference to FIGS. 1 and 2, each leg of the pair of trousers is constructed with sewn seams. Outer side seams **110**, **112** extend continuously from top to bottom of the trousers, or garment lower portion **104**. Further, each leg is constructed with inner side seams **114**, **116** joining a front center seam **118** of the trousers and a back side, curved center seam **200**, FIG. 2, of the trousers. For example, the front center seam **106** defines a sewn "zipper less" fly front. The back side of the trousers, FIG. 2, is sewn with a back side perimeter seam **202** extending horizontally across the back side of the trousers from the outer side seams **110**, **112** to the back side center seam **200**. If pockets are desired, the legs of the trousers are constructed, for example, with a front pockets **120**, **122** and back pockets **204**, **206**.

FIG. 2 discloses an embodiment of the trousers, or garment lower portion **104**, having a partial waistband **208** joining and extending from the side seams **110**, **112** of the trousers and extending across a back side of the trousers or garment lower portion **104**. The waistband **208** is sewn onto the perimeter seam **202** on the back side. The waistband **208** tapers toward the side seams **110**, **112** and widens across the back side, and has a center seam **210** to shape the waistband **208** with a curvature above a wearer's pelvis, and for torso coverage especially when sitting or bending.

In FIG. 1, the garment upper portion **102** has a belly panel **124** to provide an abdomen covering area. The belly panel **124** is expansible, for example, when made of a stretchable fabric, to cover and fit over a growing abdomen during different stages of pregnancy, FIG. 1A. The belly panel **124** has a bottom portion **128** that projects downward with a parabolic shape, especially when covering a growing abdomen, FIG. 1A. The perimeter **108** of the garment lower portion **104** provides a first torso encircling circumference **126** that

recedes downward with a parabolic shape adjacent to and below the bottom portion **128** of the belly panel **124** to make way for expansion of the belly panel **124** when covering a growing abdomen during various stages of pregnancy. The parabolic shape includes a shallow curvature, or, alternatively includes a more pronounced curvature. The belly panel **124** extends at least partially under the abdomen of the garment wearer to meet and join the bottom portion **128** of the belly panel **124** with the parabolic receding circumference **126** of the garment lower portion **104**.

According to an embodiment of the invention, at least the belly panel **124** comprises a stretchable fabric that is woven or knitted with elastic, stretchable strands. The stretchable fabric is expansible by stretching elastically to cover and fit over the growing abdomen, FIG. 1A. Further, the stretchable fabric is contractible elastically to cover a shrinking abdomen during different stages of post partum body changes. The belly panel **124** also has foreseeable alternative functions, for example, to cover an abdomen during different stages of torso weight gains and losses, or to fit over respective torsos of different body types.

In FIGS. 1 and 2, the garment upper portion has a top tubular perimeter hem **130** made by folding over a top edge margin of the stretchable fabric, and either tubular knitting or sewing the folded fabric to the inside surface of the fabric, and to create a top perimeter knitted hem stitch **132** as disclosed in FIG. 1. The perimeter of the garment upper portion **102** has a torso encircling circumference **134** to hold the garment **100** up and in place over the torso. Advantageously, the entire garment **100** is held up and in place. An embodiment of the garment upper portion **102** comprises stretchable fabric to adjust the girth of the second torso encircling circumference **134** in conformance with different body types. According to an embodiment of the invention, the torso encircling circumference **134** extends along the upper end of the belly panel **124**. In FIG. 1A, the belly panel **124** extends at least somewhat above the maximum girth of the abdomen, even during a later stage of pregnancy, such that the belly panel **124** positions the torso encircling circumference **134** at least somewhat above the location of maximum girth to resist slipping down over the abdomen.

An embodiment of the garment upper portion **102** comprises a tubular structure to encircle a torso of a wearer of the garment **100**. The tubular structure comprises a stretchable fabric woven or knitted with elastic, stretchable strands. The belly panel **124** comprises a portion of the stretchable fabric. The tubular structure is adaptable to cover and fit different body types by being elastically expansible and contractible. Different body types have different muscle mass distributions and spinal columns of different curvatures, which make the tubular structure conform to the different body types by expanding and contracting in different locations and amounts when worn by the different body types. The tubular structure is elastically expansible to widen the tubular girth at selected locations and amounts where needed to fit a body type, and is elastically contractible to narrow the tubular girth at selected locations and amounts where needed to fit the body type.

In FIGS. 1 and 2, the tubular structure is shaped and formed as a one-sheet hyperboloid cylinder to fit a body type having a tapered torso that tapers approximately from shoulder to waist. The perimeter profile of the one-sheet hyperboloid cylinder has hyperbolic shaped sides. Alternatively, the tubular structure is shaped and formed as a straight-sided cylinder, for example, as disclosed in FIG. 6. The perimeter profile of the straight sided cylinder has substantially straight sides.

Preferably, the stretchable fabric is woven or knitted to form a continuous, seamless tubular structure, such that the

garment **100** is comfortable to wear due to the absence of seams that would tend to press against the torso.

FIG. 3 discloses an alternative embodiment in which the garment upper portion **102** is provided with belly cradling support in the form of a series of sewn stitches or knitted tension at **300, 302, 304, 306, 308, 310, 312,** and **314** in the belly panel **124**. The knitted tension or stitches extend along multiple stitch paths grouped in an elliptical pattern that curves so as to cradle a curved growing abdomen, FIG. 1A, during various stages of pregnancy.

FIG. 4 discloses an alternative embodiment in which the backside of the garment upper portion **102** is provided with spinal column and back support for a wearer of the garment, in the form of a series of sewn supporting stitches or knitted tension at **400, 402, 404, 406, 408, 410, 412, 414, 416, 418** in the fabric, wherein the supporting knitted tension or stitches stiffen the fabric at the backside of the garment upper portion **102** to provide spinal and back support of the wearer of the garment **100**. For example, the series of supporting stitches are arranged along multiple stitch paths grouped in a hyperbolic pattern or other curved pattern along an axis extending substantially vertically along a spinal supporting section of the fabric. FIG. 5 discloses an alternative pattern of supporting stitches **500, 502, 504, 506, 508, 510, 512, 514** in the fabric, wherein the supporting stitches are arranged along multiple stitch paths. For example, the stitch paths are shown as being grouped in a truncated, v-shaped pattern.

FIG. 6 discloses the garment upper portion **102** comprising a fabric woven or knitted to form a tubular structure, wherein the fabric of the tubular structure is doubled back on itself downward from the top circumference **134** thereof to form a double-layer tubular structure **600** that extends downward at least for a portion of the garment upper portion **102**. The layers of the double-layer tubular structure **600** are sewn together with a tubular perimeter drop stitch **602**. The layers are further sewn with a top, tubular perimeter hem stitch **132** as described in FIG. 1. In an alternative embodiment disclosed by FIG. 6, the fabric is doubled back over an inner tubular layer of stretchable fabric **604**, shown in phantom outline by and between the stitches **132, 602**, that is flatly layered and sewn in between the two tubular layers of the double layer fabric. The three tubular layers are sewn together with the top, tubular perimeter drop stitch **602** and the top, tubular perimeter hem stitch **132** as described in FIG. 1. The inner layer **604** of stretchable fabric provides the belly panel **124** with the capability for resilient expansion. In another embodiment, the double layer fabric comprises a stretch fabric woven or knitted with elastically stretchable and contractible yarns, providing the belly panel with the capability for resilient expansion.

FIG. 7 discloses that the garment **100** of FIG. 6 is convertible to comprise a bottom garment without a top, the garment upper portion **102** is foldable toward the garment lower portion **104** to provide a folded band **700** on the garment lower portion **104**, which is to be worn solely as a garment bottom **104** having the folded band **700**, and having no top. Each of the other embodiments of the garment **100** is similarly convertible by adding the stretchable fabric **604** to the upper garment portion **102** of the other embodiment of the garment **100**, and folding the garment upper portion **102** toward the garment lower portion **104** to provide a folded band **700** on the garment lower portion **104** of the other embodiment of the garment **100**.

This description of the exemplary embodiments is intended to be read in connection with the accompanying drawings, which are to be considered part of the entire written description. In the description, relative terms such as "lower,"

“upper,” “horizontal,” “vertical,” “above,” “below,” “up,” “down,” “top” and “bottom” as well as derivatives thereof (e.g., “horizontally,” “downwardly,” “upwardly,” etc.) should be construed to refer to the orientation as then described or as shown in the drawing under discussion. These relative terms are for convenience of description and do not require that the apparatus be constructed or operated in a particular orientation. Terms concerning attachments, coupling and the like, such as “connected” and “interconnected,” refer to a relationship wherein structures are secured or attached to one another either directly or indirectly through intervening structures, as well as both movable or rigid attachments or relationships, unless expressly described otherwise.

Although the invention has been described in terms of exemplary embodiments, it is not limited thereto. Rather, the appended claims should be construed broadly, to include other variants and embodiments of the invention, which may be made by those skilled in the art without departing from the scope and range of equivalents of the invention.

What is claimed is:

1. A garment, comprising:

a garment upper portion having a belly panel that is expandable to cover and fit over a growing abdomen during different stages of pregnancy;

a garment lower portion having a first torso encircling circumference that recedes downward to make way for expansion of the belly panel; and

the garment upper portion having a second torso encircling circumference defining an upper edge of the belly panel that encircles a wearer’s torso just beneath the wearer’s breast area configured to hold the garment up and in place about the torso in a position of a location of maximum girth of the abdomen thereby substantially covering the wearer’s entire pregnant abdomen during all stages of pregnancy.

2. The garment of claim 1, wherein the second torso encircling circumference is adjustable in girth in conformance with different body types.

3. The garment of claim 1, wherein the garment upper portion comprises a seamless tubular structure that fits comfortably while being worn, and the belly panel comprises an expandable portion of the tubular structure.

4. The garment of claim 1, wherein the garment upper portion comprises a seamless tubular elastic fabric to stretch elastically.

5. The garment of claim 1, wherein the garment upper portion comprises an elastic fabric that is contractible elastically to cover an abdomen during different stages of postpartum body changes.

6. The garment of claim 1, wherein the garment lower portion has a partial waistband extending from side seams of the garment lower portion and extending across a back side of the garment lower portion where the partial waistband widens above a wearer’s pelvis.

7. The garment of claim 1, further comprising a series of belly cradling stitches or knitted tension in the belly panel, wherein the knitted tension or stitches extend along multiple paths arranged in an elliptical pattern that curves, so as to cradle a curved growing abdomen during various stages of pregnancy.

8. The garment of claim 1, further comprising a series of stitches or knitted tension in the backside of the garment upper portion to provide spinal and back support against the wearer of the garment.

9. The garment of claim 8, wherein the series of stitches or knitted tension in the backside of the garment upper portion extends along a pattern of multiple stitch paths.

10. The garment of claim 1, wherein the garment upper portion is foldable toward the garment lower portion to comprise a folded band on the garment lower portion.

11. The garment of claim 1, wherein the garment lower portion has a partial waistband extending from side seams of the garment lower portion wherein the partial waistband tapers toward the side seams and widens above a wearer’s pelvis across a back side of the garment lower portion.

12. The garment of claim 1, comprising:

knitted tension in the backside of the garment upper portion providing spinal column and back support for a wearer of the garment.

13. The garment of claim 1, comprising:

a series of sewn supporting stitches in the backside of the garment upper portion providing spinal column and back support for a wearer of the garment.

14. The garment of claim 1, comprising:

a series of sewn supporting stitches in the backside of the garment upper portion providing spinal column and back support for a wearer of the garment, wherein the stitches are arranged along multiple stitch paths grouped in a hyperbolic pattern, a curved pattern or a truncated, v-shaped pattern along an axis extending substantially vertically along a spinal supporting section of the fabric.

15. The garment of claim 1, wherein an edge margin of the garment upper portion is folded over and knitted to an inside of the fabric to provide a perimeter hem stitch.

16. The garment of claim 1, wherein an edge margin of the garment upper portion is folded over and sewn or knitted to an inside of the fabric to provide a perimeter hem stitch.

17. The garment of claim 1, wherein the second torso encircling circumference comprises stretchable fabric to adjust the girth in conformance with different body types.

18. The garment of claim 1, wherein the garment upper portion is a tubular structure, wherein the tubular structure is shaped and formed as a hyperboloid cylinder to fit a body type having a tapered torso.

19. The garment of claim 1, wherein the garment upper portion is a tubular structure, wherein the tubular structure is shaped and formed as a straight sided cylinder to fit a body type having a corresponding shaped torso.

20. The garment of claim 1, wherein the garment upper portion comprises a double layer tubular structure, and an inner layer of stretchable fabric between two layers of the double-layer tubular structure.

21. The garment of claim 1, wherein the garment upper portion comprises a fabric, and the fabric is doubled back on itself downward to form a double-layer tubular structure that extends downward for at least a portion of the garment upper portion, and the layers of the double-layer tubular structure are sewn together with a tubular perimeter drop stitch.

22. The garment of claim 1, wherein the garment upper portion comprises a fabric doubled back on itself downward to form a double-layer tubular structure that extends downward for at least a portion of the garment upper portion, the layer of the double-layer tubular structure are sewn together with a tubular perimeter drop stitch, and an edge margin of the garment upper portion is knitted to an inside of the fabric to provide a perimeter hem stitch.

23. The garment of claim 3, wherein the seamless tubular structure comprises a fabric doubled back on itself downward to form a double-layer tubular structure that extends downward for at least a portion of the garment upper portion, the layers of the double-layer tubular structure are sewn together with a tubular perimeter drop stitch, and an edge margin of the garment upper portion is folded over and sewn or knitted to an inside of the fabric to provide a perimeter hem stitch.

7

24. The garment of claim 1, wherein the garment upper portion is foldable toward the garment lower portion to provide a folded band on the garment lower portion to be worn as a garment bottom having no top.

25. The garment of claim 1, wherein the garment lower portion comprises one of a pair of trousers and a skirt.

26. *The garment of claim 1, wherein the garment lower portion comprises denim jeans.*

27. *The garment of claim 1, wherein the garment lower portion comprises a zipperless fly.*

8

28. *The garment of claim 1, wherein the first torso-encircling circumference recedes downward with a parabolic shape, said parabolic shape including a shallow curvature.*

29. *The garment of claim 28, wherein the belly panel extends at least partially under the abdomen of the wearer to meet the parabolic receding circumference of the garment lower portion.*

\* \* \* \* \*