



(22) Date de dépôt/Filing Date: 1994/02/21

(41) Mise à la disp. pub./Open to Public Insp.: 1994/08/20

(45) Date de délivrance/Issue Date: 2005/05/10

(30) Priorité/Priority: 1993/02/19 (G 93 02 423.1) DE

(51) Cl.Int.⁵/Int.Cl.⁵ C12M 1/34, C12M 1/24, C12Q 1/20


(72) Inventeur/Inventor:
MULLER, FRANK J., DE

(73) Propriétaire/Owner:
GIST-BROCADES B.V., NL

(74) Agent: OSLER, HOSKIN & HARCOURT LLP


(54) Titre : DISPOSITIF DE MICROTITRATION

(54) Title: MICROTITRATION UNIT



(57) Abrégé/Abstract:

A microtitration unit comprises at least one container of transparent material for accommodating biological test reaction mixtures. The container is subdivided into at least two chambers suitable for accommodating different test reaction mixtures by at least one partition which extends from the inside of the bottom of the container and which is of lower height than the internal height of the container.



2116094

ABSTRACT OF THE INVENTION

A microtitration unit comprises at least one container of transparent material for accommodating biological test reaction mixtures. The container is subdivided into at least two chambers suitable for accommodating different test reaction mixtures by at least one partition which extends from the inside of the bottom of the container and which is of lower height than the internal height of the container.

The invention concerns a microtitration unit for testing and analysing for example biological fluids.

One form of microtitration unit which is often in the form of a plate having a plurality of containers of transparent material with an opening for the introducing of biological test reaction mixture and arranged in juxtaposed relationship may be used for the routine investigation of biological fluids for medicament residues. The investigation essentially extends to the presence of antibiotics and sulfonamides. For that purpose the containers are partially filled with a biological test reaction mixture which is usually made up on the basis of agar-agar nutrient media and contains test micro-organisms and a color indicator. The biological fluid to be investigated, for example milk, is pipetted on to the biological test reaction mixture in the container. The container is then possibly closed and then incubated at the optimum temperature for the test micro-organisms in an incubation cabinet or in a water bath. During the incubation operation any medicament residues in the biological fluid to be investigated diffuse out of same into the test reaction mixture and impede metabolism of the test micro-organisms. If metabolism occurs, there is a change in color of the color indicator, for example from blue to yellow, whereas the presence of medicament residues is indicated by the absence of a change in color.

In order to be able to detect all possible medicament residues, tests are required, with at least two different test reaction mixtures, and that requires a plurality of test operations and is accordingly time-consuming and expensive.

In accordance with the invention there is provided a microtitration unit having at least one container of transparent material, the container including an opening for the introduction of biological test reaction mixture and at least one partition subdividing the container into at least two chambers for accommodating respective test reaction mixtures, the at least one partition

extending from the inside of the container bottom and being of lower height than the internal height of the container.

As will be seen in greater detail hereinafter in connection with preferred embodiments of the invention a plurality of different test
5 reaction mixtures can be introduced into the container of the microtitration unit or a plurality of containers when the unit has more than one container, more specifically preferably in such a way that the partition is allowed to project upwardly slightly above the respective filling level of the different test reaction mixtures
10 introduced into the container. When then the biological fluid to be tested is subsequently introduced for example by means of a pipette, the biological fluid floods over the different test chambers of the container if such an amount of biological test fluid is introduced by means of the pipette, that the test fluid also floods over the top
15 edge of the partition. In a subsequent incubation operation any medicament residues which are possibly present can then diffuse out of the sample which was jointly introduced by means of the pipette for the different test reaction mixtures, into the respective test reaction mixtures, and possibly impede metabolism of the respective
20 test micro-organism. The test reaction mixtures which are introduced into the individual chambers of a respective container are suitable for indicating different medicament residues so that as a result a test with a plurality of test reaction mixtures and accordingly optimum detection can be effected by one operation of introducing a
25 fluid to be investigated, as by means of a pipette.

If there are no medicament residues in the biological fluid to be investigated, a change in color occurs in all chambers of the container. If the biological fluid to be investigated contains medicaments in relatively small amounts, it is possible that only the
30 test reaction mixture in one chamber of the container reacts positively. That result can then give a clear indication of the nature of the medicament residue present.

Embodiments of the microtitration unit according to the invention will now be described by way of example with reference to the accompanying drawing in which:

Figure 1A is a side view in section of a microtitration unit
5 container according to the invention which has a screw closure, with two chambers and with test reaction mixtures disposed therein,

Figure 1B shows a container as shown in Figure 1A, but further including a biological test fluid introduced into same by a pipette, and

10 Figure 2 is a diagrammatic view of a plurality of containers according to the invention which are arranged in juxtaposed relationship.

Referring firstly to Figures 1A and 1B a microtitration unit according to the invention comprises at least one container which
15 comprises a transparent material. The container has an opening 1 which is disposed at the top and which can be closed by means of a cover (not shown) which can be screwed on to a screwthread 2. The container which is of a round configuration in plan view has a wall 3 and a bottom 4. Extending from the inside of the bottom 4 upwardly in the
20 container is a partition 5 whose height, as can be seen, is less than the internal height of the container. The partition 5 divides the container into two chambers in the illustrated embodiment. A test reaction mixture which is identified by reference 6 is introduced into the chamber shown on the left in Figures 1A and 1B while a test
25 reaction mixture identified by reference numeral 7 is introduced into the chamber shown on the right. The test reaction mixtures 6 and 7 are made up on the basis of agar-agar nutrient media and contain test micro-organisms as well as a color indicator. The test reaction mixtures 6 and 7 are of different compositions and are such that they
30 are each suitable for indicating different medicament residues in biological fluids to be tested. The test reaction mixtures are introduced into the container to such a level that the top edge 8 of

the partition 5 is allowed to project somewhat above the surface of the test reaction mixtures 6 and 7.

For carrying out the desired test, a biological fluid 9 to be investigated is introduced as by means of a pipette, more specifically in such an amount that the top edge 8 of the partition 5 is flooded over thereby. The filling level of the biological test fluid to be investigated (for example milk) is shown in Figure 1B at an exaggerated height, for demonstration purposes.

It will be seen therefore that with the illustrated embodiment of Figures 1A and 1B a test can be carried out with the two different test reaction mixtures 6 and 7 with a single operation of introducing by means of a pipette a fluid to be investigated.

Figure 2 shows a microtitration unit comprising an arrangement of a plurality of containers 10 which are each subdivided by an upwardly extending partition 11 into chambers which are suitable for accommodating different test reaction mixtures. Each partition 11 is lower in height than the internal height of the container 10.

It will be seen therefore that a microtitration unit according to the invention as described above means that a sample can be subjected to tests in one working operation, using a plurality of different test reaction mixtures. The unit affords simplicity of operation while giving reliable testing results.

It will be appreciated that it is also possible in accordance with the invention for partitions to be so disposed in the or each container that they provide more than two chambers which are suitable for accommodating different test reaction mixtures.

It will further be appreciated that the above-described embodiments of the invention have been set forth solely by way of example and illustration thereof and that various modifications and alterations may be made therein without thereby departing from the scope of the invention.

The embodiments of the invention in which an exclusive property or privilege is claimed, are defined as follows:

1. A microtitration unit having at least one
5 container which comprises transparent material and which has an opening for accommodating a biological test reaction mixture, characterised in that the container is subdivided into at least two chambers by at least one partition which extends from the inside of the bottom and
10 which is of lower height than the internal height of the container the at least two chambers accommodating different biological test reaction mixtures, the biological test reaction mixture being disposed in the chambers in such a way that the at least one partition
15 projects above the filling level of the different biological test reaction mixtures and the biological test reaction mixtures are made up on the basis of agar-agar nutrient media.

2. A microtitration unit according to claim 1
20 characterised in that a plurality of containers are arranged in juxtaposed relationship.

3. A method for testing a biological test fluid for medicament residues comprising

- 25 - introducing in a microtitration unit according to claim 1, such an amount of biological test fluid that the top edge of the at least one partition is flooded over by said biological test fluid and
- detecting the medicament residues.

Fig. 1A




Fig. 1B




Fig. 2

