

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
11 August 2005 (11.08.2005)


PCT

(10) International Publication Number
WO 2005/074268 A1

- (51) International Patent Classification⁷: H04N 5/76, 5/445
- (21) International Application Number: PCT/IB2005/050358
- (22) International Filing Date: 27 January 2005 (27.01.2005)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 60/540,902 29 January 2004 (29.01.2004) US
- (71) Applicant (for all designated States except US): KONINKLIJKE PHILIPS ELECTRONICS, N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).
- (71) Applicant (for AE only): U.S. PHILIPS CORPORATION [US/US]; 1251 Avenue of the Americas, New York, NY 10020 (US).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): SCHIPPER, Fons [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).
- (74) Common Representative: KONINKLIJKE PHILIPS ELECTRONICS, N.V.; c/o Edward W. Goodman, P.O. Box 3001, Briarcliff Manor, NY 10510-8001 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: ON-SCREEN CONTROL OF A VIDEO PLAYBACK DEVICE



(57) Abstract: A video playback device includes a controller and an on-screen display processor for displaying icons on a display representing all of the playback control functions of the video playback device. A cursor for selecting the desired playback control function is controlled by cursor movement keys on a remote control unit. The controller is also able to apply control signals selected by the remote control unit to an auxiliary video playback device connected to the video playback device.

WO 2005/074268 A1

**Declarations under Rule 4.17:**

— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT,

BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

— as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

ON-SCREEN CONTROL OF A VIDEO PLAYBACK DEVICE

Field Of The Invention

The subject invention relates to controlling a video playback device,
5 and more particularly, to controlling the video playback device via on-screen icons.

Description Of The Related Art

Typically, a video playback device is controlled through the use of a
wireless remote control unit. Dedicated keys are present on the remote control unit to
10 control the playback control modes, e.g., PLAY, STOP, PAUSE, SLOW FORWARD
PLAY, FAST FORWARD PLAY, SLOW REVERSE PLAY, FAST REVERSE
PLAY, FAST WIND, REWIND, etc. Examples of such a video playback device is a
VCR or a DVD-RW recorder. However, in order to reduce the number of keys on the
remote control unit, various function are often combined in a single key. For example,
15 slow forward, fast forward and fast wind may be combined in a single key in which,
when in the PLAY mode, if the single key is pressed instantaneously, the device goes
into the FAST FORWARD PLAY mode, while if the single key is pressed and held
down, the device goes into the SLOW FORWARD PLAY mode. Further, if the STOP
mode is in effect, by pressing the same single key, the device goes into the FAST
20 WIND mode. Furthermore, the combinations of these functions are not the same
between different video playback devices from different manufacturers, and even
among different models from the same manufacturer.

As such, the use of the remote control for video playback devices is not
always intuitive to the user and often the user needs to repeatedly look at the remote
25 control unit to figure out which key needs to be pressed, and, in many instances, the
user even needs to refer to the Owner's Manual to be able to fully utilize all of the
playback control options available in controlling the video playback device.

In an attempt to alleviate this condition, some video playback devices
offer limited on-screen icons for controlling the video playback device. However,
30 various menus need to be "called up" to display the various control options. Further,
there is often no provisions for controlling an auxiliary video playback device
connected to the video playback device, for example, a camcorder connected to a

DVD+RW recorder.

It is an object of the invention to provide a video playback device in which all of the playback control functions thereof are displayed as icons on a display screen, and a desired playback control function is effected by selecting the appropriate
5 screen icon.

The above object is achieved in a video playback device including means for on-screen control of playback control functions of said video playback device, said means for on-screen control comprising means for generating, for display, a plurality of icons representing all of the playback control functions of said
10 video playback device; means for moving a cursor among said plurality of icons in order to indicate a desired one of said plurality of icons; means for selecting said desired one of said plurality of icons; and means for enabling the playback control function represented by the selected one of said plurality of icons.

With the subject invention, a user is able to control all of the playback
15 control functions of a video playback device merely by viewing the playback control function options on the display screen and by operating cursor control keys on a remote control unit for selecting a desired playback control function.

With the above and additional objects and advantages in mind as will
20 hereinafter appear, the invention will be described with reference to the accompanying drawings, in which:

Fig. 1 shows a block schematic diagram of a video playback device incorporating the subject invention;

Fig. 2 shows a portion of a remote control device for use with the
25 video playback device of Fig. 1; and

Figs. 3A-3D show various embodiments of arrangement of icons as displayed by the video playback device of Fig. 1.

Fig. 1 shows a block schematic diagram of a video playback device.
30 The video playback devices receives television signals via an input shown as antenna
10. While an antenna is shown, it should be understood that the input may be a self-contained video signal source, e.g., a video tape or a DVD, or some other external

source, e.g., cable, satellite, etc. A tuner 12 is shown connected to the antenna 10 for selecting one of the television signals. A digital decoder 14 receives a digital television signal from the tuner 12, decodes this digital television signal, and applies corresponding video signals to video signal processor 16. In the event that the tuner
5 12 selects an analog television signal, the tuner 12 directly provides the corresponding video signals to the video signal processor 16.

The video signal processor 16 applies various processing to the video signals, including contrast, brightness and color adjustments. An output from the video signal processor 16 is applied through a video switch 18 to a display screen 20.

10 A controller 22 is included for controlling the tuner 12, the digital decoder 14 and the video signal processor 16. In order to provide on-screen messages to a user of the video playback device, the controller 22 applies message signals to an on-screen display processor 24 which, in turn, applies appropriate message video signals to the video switch 18. The controller 22 then controls the video switch 18 to
15 place the message video signals from the on-screen display processor 24 into the video signal stream from the video switch 18 applied to the display screen 20.

The controller 22 receives user control signals from an infrared receiver 26 which, in turn, receives infrared control signals from a remote control unit 28 operable by the user. In addition, the controller 22 is connected to an input/output
20 (I/O) interface 30 for receiving digital video signals from, for example, a digital camcorder 32. To that end, the controller further provides these digital video signals to the digital decoder 14. The I/O interface 30 may be in the form of an i.link™ which provides a high-speed, bi-directional digital link to/from the controller 22. As such, the controller 22 is able to send playback control signals to the camcorder 32.

25 The remote control unit 28 includes a keypad having various numeric keys (not shown) for directly inputting television channels, as well as keys (not shown) for scanning the television channels. Further, as shown in Fig. 2, the remote control unit 28 includes cursor control keys 40, 42, 44 and 46 for moving a cursor up, down, left and right on the display screen 20, as well as a SELECT key 48 for
30 selecting a function indicated by the position of the cursor.

Fig. 3A shows the icons of the playback control functions for the video playback device as displayed on the display screen 20 under control of the controller

22. These playback control functions include FAST REVERSE PLAY 60, REVERSE PLAY 62, SLOW REVERSE PLAY 64, PAUSE 66, SLOW FORWARD PLAY 68, FORWARD PLAY 70 FAST FORWARD PLAY 72, REWIND 74, STOP 76 and FAST WIND 78. A highlight 80 is shown around the currently active playback control mode, in this case FORWARD PLAY 70. A desired playback control mode is selected by a user by merely using his/her thumb to operate the cursor control keys 40-46 and the SELECT key 48 on the remote control unit 28. The movement of the cursor is indicated by a box 82 surrounding the desired playback control mode (in this case REVERSE PLAY 62). As such, the user need not look at the remote control unit 28, but rather at the display screen 20 which displays the relevant video program overlaid by the icons of the playback control functions for the video playback device.

It should be noted that due to external events, the highlight 80 indicating the current playback control mode may not instantaneously switch to the desired playback control mode (indicated by the box 82). For example, if the current playback control mode is FORWARD PLAY 70 (as shown by highlight 80) while the desired playback control mode is REVERSE PLAY (as shown by box 82), there will be a slight delay for the video playback device to stop PLAY in the forward direction and to initiate PLAY in the reverse direction.

As an alternative to pressing the SELECT key 48, the desired playback control mode may be selected by the user merely moving the cursor to the desired playback control mode. In this case, for the arrangement shown in Fig. 3A, from the FORWARD PLAY control mode, the user merely presses the left cursor key 4 times, thereby moving the box 82 to the icon 62.

The playback control icon layout shown in Fig. 3A does not support frame stepping, i.e., moving from one frame to a following or preceding frame while in the PAUSE playback control mode. Fig. 3B shows an alternate playback control icon layout in which the frame stepping function is supported and shown in a separate row. In particular, PAUSE is shown repeated at 84, along with REVERSE STEP 86 and FORWARD STEP 88. When the current playback control mode is PAUSE 84 (to be indicated by the highlight 80), and the user presses the right cursor key 46, the highlight 80 temporarily moves to the FORWARD STEP icon 88 and then shifts back to the PAUSE icon 84. This operation similarly occurs with respect to

REVERSE STEP 86. When the video playback device is in any of the playback control modes indicated by the icons in the middle row, by the user pressing the UP cursor control key 40, the video playback device goes into the PAUSE 84 mode. Conversely, by the user pressing the DOWN cursor control key 42, the video playback device goes into the STOP 76 mode.

Fig. 3C shows an alternate playback control icon layout to that shown in Fig. 3B in which the frame stepping functions are integrated into the top row as shown in Fig. 3A.

In a further alternate playback control icon layout, Fig. 3D shows the icon layout in four rows, in which the FORWARD/REVERSE PLAY icons (70/62) are directly adjacent to the PAUSE icon 66, enabling a fast change from PLAY to PAUSE.

Numerous alterations and modifications of the structure herein disclosed will present themselves to those skilled in the art. However, it is to be understood that the above described embodiment is for purposes of illustration only and not to be construed as a limitation of the invention. All such modifications which do not depart from the spirit of the invention are intended to be included within the scope of the appended claims.

CLAIMS:

1. A video playback device including means for on-screen control of playback control functions of said video playback device, said means for on-screen control comprising:
- 5 control comprising:
- means (24) for generating, for display, a plurality of icons (60-78) representing all of the playback control functions of said video playback device;
 - means (28, 40-46) for moving a cursor (82) among said plurality of icons (60-78) in order to indicate a desired one of said plurality of icons (60-78);
 - 10 means (48) for selecting said desired one of said plurality of icons (60-78); and
 - means (22) for enabling the playback control function represented by the selected one of said plurality of icons (60-78).
- 15 2. The video playback device as claimed in claim 1, wherein said moving means and said selecting means is a remote control unit (28) having cursor control keys (40-48).
3. The video playback device as claimed in claim 1, wherein said
- 20 generating means further comprises:
- means (80) for indicating which one of said playback control functions as represented by said plurality of icons (60-78), is currently active.
4. The video playback device as claimed in claim 2, wherein said
- 25 selecting means (48) further comprises:
- means (82) for indicating said desired selection on said selected icon.
5. The video playback device as claimed in claim 1, wherein said video playback device comprises:
- 30 a controller (22) for receiving video signals from an auxiliary video playback device (32) having playback control functions, said controller (22) further generating playback control signals for controlling all of the playback control functions of said auxiliary video playback device (32);

an input/output interface (30) for connecting to an auxiliary video playback device (32), said input/output interface (30) supplying said received video signals to said controller (22) and receiving said playback control signals from said controller (22); and

5 means (22) for switching said generating means (24) to generate, for display, a plurality of icons representing the playback control functions of said auxiliary video playback device (32).




FIG. 1




FIG. 2




FIG. 3A




FIG. 3B




FIG. 3C




FIG. 3D

INTERNATIONAL SEARCH REPORT

International Application No
PCT/IB2005/050358

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 H04N5/76 H04N5/445

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 1 315 369 A (SAMSUNG ELECTRONICS CO., LTD) 28 May 2003 (2003-05-28) abstract; figures 1,2,4-7 paragraphs '0021! - '0026! -----	1-5
Y	PATENT ABSTRACTS OF JAPAN vol. 017, no. 241 (E-1364), 14 May 1993 (1993-05-14) & JP 04 368081 A (FUJI PHOTO FILM CO LTD), 21 December 1992 (1992-12-21) abstract -----	1-5
Y	US 6 281 895 B1 (JEONG SEOK HWA) 28 August 2001 (2001-08-28) abstract; figure 7 -----	1-5
A	EP 0 907 098 A (SANYO ELECTRIC CO., LTD) 7 April 1999 (1999-04-07) abstract; figures 3-5 -----	1-5

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

° Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance
"E" earlier document but published on or after the international filing date
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
"O" document referring to an oral disclosure, use, exhibition or other means
"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
"&" document member of the same patent family

Date of the actual completion of the international search

4 May 2005

Date of mailing of the international search report

13/05/2005

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Brandenburg, J

INTERNATIONAL SEARCH REPORT
Information on patent family members

Inter Application No
PCT/IB2005/050358

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 1315369	A	28-05-2003	KR 2003034993 A	09-05-2003
			CN 1416265 A	07-05-2003
			EP 1315369 A1	28-05-2003
			JP 2003224757 A	08-08-2003
			US 2003081009 A1	01-05-2003
JP 04368081	A	21-12-1992	NONE	
US 6281895	B1	28-08-2001	AU 725237 B2	12-10-2000
			AU 1007299 A	24-02-2000
			BR 9900096 A	04-01-2000
			CA 2257736 A1	04-02-2000
			CN 1243990 A ,C	09-02-2000
			DE 19903745 A1	10-02-2000
			GB 2341300 A ,B	08-03-2000
			ID 23090 A	10-02-2000
			JP 3174556 B2	11-06-2001
			JP 2000056754 A	25-02-2000
			RU 2181230 C2	10-04-2002
EP 0907098	A	07-04-1999	JP 3599973 B2	08-12-2004
			JP 11112839 A	23-04-1999
			DE 69828129 D1	20-01-2005
			EP 0907098 A1	07-04-1999
			US 6683650 B1	27-01-2004