



US00D768217S

(12) **United States Design Patent**
Yamamoto et al.

(10) **Patent No.:** **US D768,217 S**

(45) **Date of Patent:** **** Oct. 4, 2016**

- (54) **CAGE OF THRUST ROLLER BEARING**
- (71) Applicants: **Kazuyuki Yamamoto**, Iwata (JP);
Hisataka Hasegawa, Iwata (JP)
- (72) Inventors: **Kazuyuki Yamamoto**, Iwata (JP);
Hisataka Hasegawa, Iwata (JP)
- (73) Assignee: **NTN CORPORATION**, Osaka-shi (JP)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/520,122**
- (22) Filed: **Mar. 11, 2015**
- (30) **Foreign Application Priority Data**
Sep. 16, 2014 (JP) 2014-020434
- (51) **LOC (10) Cl.** **15-09**
- (52) **U.S. Cl.**
USPC **D15/143**
- (58) **Field of Classification Search**
USPC D15/143, 199
See application file for complete search history.

7,722,257 B2 *	5/2010	Tabata et al.	384/571
7,896,558 B2 *	3/2011	Obayashi et al.	384/623
8,480,307 B2 *	7/2013	Hofmann et al.	384/568
8,596,873 B2 *	12/2013	Hofmann et al.	384/523
8,876,400 B2 *	11/2014	Kanou et al.	384/622

* cited by examiner

Primary Examiner — Patricia Palasik
(74) *Attorney, Agent, or Firm* — W. F. Fasse

(57) **CLAIM**
The ornamental design for a cage of thrust roller bearing, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a cage of thrust roller bearing showing our new design;
 FIG. 2 is a rear view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a right side view thereof;
 FIG. 6 is a left side view thereof;
 FIG. 7 is a perspective view thereof;
 FIG. 8 is an enlarged detail view of a portion thereof as indicated in FIG. 7, showing pocket holes and protrusions thereof; and,
 FIG. 9 is an enlarged detail view of a portion thereof as indicated in FIG. 2, showing pocket holes and protrusions thereof.

The short-dashed broken lines illustrate portions of the cage of thrust roller bearing that form no part of the claimed design. The dash-dotted broken lines in FIGS. 2 and 9 illustrate the boundary of the claimed design, and themselves form no part of the claimed design. The long-dashed broken lines in FIGS. 2, 7, 8 and 9 merely show the perimeters of the enlarged detail views and form no part of the claimed design.

1 Claim, 5 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- 3,256,585 A * 6/1966 Ripple 29/898.067
- 3,785,710 A * 1/1974 Alling 384/623
- 3,913,994 A * 10/1975 Alling et al. 384/623
- 3,994,546 A * 11/1976 Alling 384/623
- 4,042,285 A * 8/1977 Dorsch 384/621
- 4,122,589 A * 10/1978 Grimm et al. 29/898.067
- 5,255,985 A * 10/1993 Alling 384/575
- 5,626,426 A * 5/1997 Honda et al. 384/568
- 6,883,968 B2 * 4/2005 Fugel et al. 384/577
- 7,114,854 B2 * 10/2006 Hayashi et al. 384/623
- 7,488,114 B2 * 2/2009 Ince 384/572




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG. 6



FIG. 7




FIG. 8




FIG. 9

