US0D1028514S

(12) United States Design Patent

Austin et al.

(10) Patent No.: US D1,028,514 S
(45) Date of Patent: ** May 28, 2024

(54) **TOOL BIT CONTAINER**

(71) Applicant: **Black & Decker Inc.**, New Britain, CT (US)

(72) Inventors: **Lauren M. Austin**, Owings Mills, MD (US); **Marco Lourenco**, Baltimore, MD (US)

(73) Assignee: **BLACK & DECKER INC.**, New Britain, CT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/728,196**

(22) Filed: **Mar. 17, 2020**

Related U.S. Application Data

(63) Continuation of application No. 29/628,268, filed on Dec. 4, 2017, now Pat. No. Des. 882,951.

(51) **LOC (14) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/294**; D3/905

(58) **Field of Classification Search**
USPC D3/201, 203.1, 203.2, 203.3, 203.5, D3/203.6, 203.7, 203.8, 205, 215, 220, D3/221, 224–230, 232, 233, 239, D3/242–246, 254–258, 260, 267, 268, D3/269, 272, 273, 276, 279–286, D3/289–303, 317–319, 321, 322, D3/900–905; D6/663, 664, 664.1, 667, D6/671.3, 671.4, 552; D7/601, 602, 703, D7/629; D8/71; D9/702–708, 737, 756, D9/414; D13/133, 152; D14/348, 349, D14/353, 354; D19/104; D22/136; D27/172, 186
CPC B25H 3/00; B25H 3/003; B25H 3/006; B25H 3/02; B25H 3/021; B25H 3/022; B25H 3/023; B65D 67/00; B65D 67/02;
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

263,561 A 8/1882 Mower
4,619,363 A 10/1986 Wolfseder
(Continued)

FOREIGN PATENT DOCUMENTS

DE 3517308 A1 9/1985
DE 202014105326 U1 11/2014
(Continued)

OTHER PUBLICATIONS

Bosch Hex Shank Drill Set, available at grainger.com, date not available [online], site visited Sep. 5, 2023, available from the internet URL: https://www.grainger.com/product/481P94? (Year: 2023).*
(Continued)

Primary Examiner — April Rivas
Assistant Examiner — Jillian Mazzola
(74) *Attorney, Agent, or Firm* — Scott B. Markow

(57) **CLAIM**

The ornamental design for a tool bit container, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a tool bit container showing the new design.
FIG. **2** is a front view of the tool bit container of FIG. **1**.
FIG. **3** is a rear view of the tool bit container of FIG. **1**.
FIG. **4** is a left view of the tool bit container of FIG. **1**.
FIG. **5** is a right view of the tool bit container of FIG. **1**.
FIG. **6** is a top view of the tool bit container of FIG. **1**; and,
FIG. **7** is a bottom view of the tool bit container of FIG. **1**.

1 Claim, 6 Drawing Sheets



(58) **Field of Classification Search**
CPC B65D 69/00; B65D 81/00; B65D 81/02; B65D 81/022; B65D 88/00; B65D 88/005; B65D 88/02; B65D 88/022; B65G 1/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,643,494	A	2/1987	Marleau	
4,863,222	A	9/1989	Posso	
5,394,966	A *	3/1995	Chow	A45C 13/1084 190/119
5,570,784	A	11/1996	Sidabras et al.	
5,617,953	A	4/1997	Cope	
5,803,254	A	9/1998	Vasudeva	
5,887,715	A	3/1999	Vasudeva	
5,890,613	A	4/1999	Williams	
5,934,466	A	8/1999	Loeffler	
6,082,539	A	7/2000	Lee	
6,271,320	B1	8/2001	Keller et al.	
D448,167	S *	9/2001	Pangerc	D3/273
6,349,827	B1	2/2002	Feder	
6,371,320	B2	4/2002	Sagol	
6,543,613	B2	4/2003	Belanger	
D474,401	S *	5/2003	Chiang	D9/418
D477,714	S	7/2003	Cunningham	
D477,912	S *	8/2003	Cunningham	D3/273
D481,868	S	11/2003	Cunningham	
D502,316	S *	3/2005	Chen	D3/273
6,868,967	B2	3/2005	Lam	
D514,807	S *	2/2006	Concari	D3/273
D516,808	S	3/2006	Brunson	
D527,523	S	9/2006	Cornwell	
D528,793	S	9/2006	Cornwell et al.	
D530,092	S	10/2006	Roesler	
7,219,969	B2	5/2007	Bezzubov	
7,237,673	B2	7/2007	Wikle et al.	
D552,352	S	10/2007	Lin	
7,322,470	B2	1/2008	Brunson	
D563,102	S	3/2008	Cornwell et al.	
D563,669	S *	3/2008	Bosak	D3/905
D563,670	S	3/2008	Cornwell et al.	
D563,671	S	3/2008	Cornwell et al.	
D563,672	S	3/2008	Cornwell	
D569,616	S	5/2008	Lin	
D569,617	S	5/2008	Lin	
D572,479	S	7/2008	Buck	
D578,759	S	10/2008	Grenier	
D599,112	S	9/2009	Wenchel	
D600,015	S	9/2009	Wenchel	
7,690,856	B2	4/2010	Mortensen	
D645,663	S	9/2011	Henley et al.	
D648,531	S	11/2011	Finnigan et al.	
8,322,354	B2	12/2012	Parker	
8,459,495	B2	6/2013	Koenig et al.	
8,505,729	B2	8/2013	Sosnovsky	
8,561,679	B2	10/2013	Richardson et al.	
8,561,769	B2	10/2013	Andochick	
8,590,704	B2	11/2013	Koenig et al.	
8,602,217	B2	12/2013	Sosnovsky	
8,714,355	B2	5/2014	Huang	
8,875,888	B2	11/2014	Koenig et al.	
8,979,100	B2	3/2015	Bensman et al.	
D733,429	S	7/2015	Grenier	
D738,106	S	9/2015	Shitrit	
D753,394	S *	4/2016	Brunner	D3/276
D754,436	S *	4/2016	Ou	D3/905
9,469,024	B2	10/2016	Bensman et al.	
D773,184	S	12/2016	Ko	
D781,584	S	3/2017	Kinskey	
9,725,209	B1	8/2017	Ben-Gigi	
D805,775	S *	12/2017	Tsai	D3/905
RE47,022	E	9/2018	Sosnovsky	
D858,103	S	9/2019	Seibert	
D858,994	S *	9/2019	Chang	D3/273
D872,479	S	1/2020	Seibert	
D873,019	S	1/2020	Seibert	
D874,143	S	2/2020	Seibert	
D874,823	S	2/2020	Christen	
D882,951	S *	5/2020	Austin	D3/905
D897,675	S *	10/2020	Chen	D3/262
D914,432	S *	3/2021	Bennett	D7/337
D960,572	S *	8/2022	Chang	D3/276
D972,296	S *	12/2022	Li	A45C 5/00 D3/276
2002/0179473	A1	12/2002	Chao	
2003/0094392	A1	5/2003	Meier	
2004/0188322	A1	9/2004	Chen	
2011/0155613	A1	6/2011	Koenig	
2012/0152944	A1	6/2012	Vilkomirski et al.	
2015/0353231	A1	12/2015	Brunner	
2016/0075010	A1	3/2016	Gonzalez et al.	
2016/0194115	A1	7/2016	Stuart et al.	

FOREIGN PATENT DOCUMENTS

EM	005267481-0001	*	7/2018
EM	005267481-0003	*	7/2018
EP	1736416 A2		12/2006

OTHER PUBLICATIONS

Black+Decker A7233-XJ 31 Piece Drill Set, available at amazon.com, earliest date available Feb. 3, 2017 [online], site visited Sep. 5, 2023, available from the internet URL: https://www.amazon.com/BLACK-DECKER-A7233-XJ-Piece-Drill/dp/B01KZ0WP52 (Year: 2017).*

Amazon Basics 42-Piece Impact Screwdriver Bit Set, available at amazon.com, earliest date available Dec. 9, 2019 [online], site visited Sep. 5, 2023, available from the internet URL: https://www.amazon.com/AmazonBasics-42-Piece-Impact-Screwdriver-Bit/dp/B07V91S5XC/ (Year: 2019).*

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 5



FIG. 4



FIG. 6



FIG. 7