



US00D737201S

(12) **United States Design Patent**
Liu

(10) **Patent No.:** **US D737,201 S**

(45) **Date of Patent:** **** Aug. 25, 2015**

(54) **USB CHARGER**

(71) Applicant: **Qiuming Liu**, Shenzhen (CN)

(72) Inventor: **Qiuming Liu**, Shenzhen (CN)

(73) Assignee: **KIMREE HI-TECH INC.**, Road Town,
Tortola (VG)

(**) Term: **14 Years**

(21) Appl. No.: **29/464,491**

(22) Filed: **Aug. 16, 2013**

(30) **Foreign Application Priority Data**

Jul. 29, 2013 (CN) 2013 3 0360005

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**

USPC **D13/108**; D14/480.1

(58) **Field of Classification Search**

USPC D13/107-110, 118-119, 184, 199;
D14/251, 253, 432, 434, 434.1,
D14/480.1-480.7, 484.1; 320/107-115;
D27/137, 186, 193, 194; 131/328-329;
361/679.31, 679.33, 679.4, 752;
711/100, 115

CPC Y02E 60/12; Y02T 90/14; Y02T 90/122;
Y02T 90/128; Y02T 90/163; H02J 7/025;
H02J 7/0042; H02J 7/0044; H02J 7/0045;
H02J 7/0003; H01F 38/14; H01R 13/6675;
H01M 2/1022; H01M 2/1055; H01M 10/44;
H01M 10/46; H01M 10/425; B60L 11/182;
A24F 47/008; G06K 19/07732; H05K 5/0278

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,804,749 B2 * 10/2004 Chien et al. 711/115
D542,787 S * 5/2007 Siu D14/480.5
D576,619 S * 9/2008 Udagawa et al. D14/435.1
D577,019 S * 9/2008 Udagawa et al. D14/435.1

D579,934 S * 11/2008 Okamoto et al. D14/435.1
D595,223 S * 6/2009 Yamamoto et al. D13/108
D601,093 S * 9/2009 Wu et al. D13/147
D610,588 S * 2/2010 Chen D14/480.7
D624,012 S * 9/2010 de Medeiros et al. D13/103
D631,883 S * 2/2011 Maier D14/435.1
7,985,091 B1 * 7/2011 Fu et al. 439/345
D669,899 S * 10/2012 Cheng D14/435.1
D673,908 S * 1/2013 Koch D13/108

(Continued)

Primary Examiner — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Locke Lord LLP; Tim
Ting kang Xia, Esq.

(57) **CLAIM**

The ornamental design for a USB charger, as shown and
described.

DESCRIPTION

FIG. 1 is a front elevational view of a embodiment of a USB
charger;

FIG. 2 is a rear elevational view of the embodiment of the
USB charger;

FIG. 3 is a top plan view of the first embodiment of the USB
charger;

FIG. 4 is a bottom plan view of the first embodiment of the
USB charger;

FIG. 5 is a left side elevational view of the embodiment of the
USB charger, and the right side view is a mirror image of the
left side view;

FIG. 6 is a first perspective view of the embodiment of the
USB charger;


FIG. 7 is a second perspective view of the embodiment of the
USB charger;

FIG. 8 is a third perspective view of the embodiment of the
USB charger; and,

FIG. 9 is a fourth perspective view of the embodiment of the
USB charger.

The broken lines shown in the drawings are included for the
purpose of illustrating environmental structure and form no
part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D675,630	S	*	2/2013	Ni et al.	D14/480.1	2005/0029137	A1	*	2/2005	Wang	206/320
D678,187	S	*	3/2013	Huang	D13/103	2006/0248244	A1	*	11/2006	Hua	710/62
D682,841	S	*	5/2013	Suetake et al.	D14/480.1	2007/0229025	A1	*	10/2007	Tsai et al.	320/111
D685,382	S	*	7/2013	Anderson et al.	D14/480.5	2008/0144270	A1	*	6/2008	Dal Porto et al.	361/684
D692,390	S	*	10/2013	Smith et al.	D13/153	2008/0237237	A1	*	10/2008	Watson	220/375
D700,372	S	*	2/2014	Altman	D26/2	2009/0042433	A1	*	2/2009	Bushby	439/352
D706,787	S	*	6/2014	Emami et al.	D14/480.7	2009/0275224	A1	*	11/2009	Ni et al.	439/131
D709,032	S	*	7/2014	Akana et al.	D13/147	2010/0100658	A1	*	4/2010	Pignotti	710/303
D711,891	S	*	8/2014	Emami et al.	D14/480.5	2012/0268887	A1	*	10/2012	Pan et al.	361/679.32
							2013/0107442	A1	*	5/2013	Zhou	361/679.32
							2014/0210399	A1	*	7/2014	Urschel et al.	320/107

* cited by examiner




Fig.1




Fig.2



Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9