



US00D794433S

(12) **United States Design Patent** (10) **Patent No.:** **US D794,433 S**
McCoy (45) **Date of Patent:** **** Aug. 15, 2017**

(54) **DUCT SPACER**

(71) Applicant: **Underground Devices, Inc.,**
Northbrook, IL (US)

(72) Inventor: **Donald P McCoy**, Lake Forest, IL (US)

(73) Assignee: **Underground Devices, Inc.,**
Northbrook, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/555,342**

(22) Filed: **Feb. 20, 2016**

(51) **LOC (10) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/380; D8/354**

(58) **Field of Classification Search**
USPC D8/380, 354, 356, 63; 248/68.1, 73
CPC F16L 3/2235; F16L 3/23; F16L 5/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,801,451 A	4/1931	Parker
1,805,990 A	5/1931	Makowski
1,821,234 A	9/1931	Parker
2,462,399 A	2/1949	Hinchman
D165,901 S	2/1952	Bloom et al.
2,686,643 A	8/1954	Bloom et al.
2,849,027 A	8/1956	Tetyak
2,932,687 A	4/1960	Cook
2,937,833 A	5/1960	Sachs
3,310,906 A	3/1967	Glukes
3,464,661 A	9/1969	Alesi, Jr.
3,523,667 A	8/1970	Guerrero
3,531,071 A	9/1970	Kubli
3,643,005 A	2/1972	Mathews
3,765,629 A	10/1973	Voelker et al.
3,783,907 A	1/1974	Skinner
3,856,246 A	12/1974	Sinko
3,964,707 A	6/1976	Lewis

4,093,076 A	6/1978	Newton
4,099,626 A	7/1978	Magnussen, Jr.
4,114,241 A	9/1978	Bisping
4,183,484 A	1/1980	Mathews
4,244,542 A	1/1981	Mathews
4,306,697 A	12/1981	Mathews
D265,052 S	6/1982	Husted
4,601,447 A	7/1986	McFarland
4,618,114 A	10/1986	McFarland
D296,074 S	6/1988	Seyfarth
5,104,072 A	4/1992	Kuo et al.
5,605,419 A	2/1997	Reinert, Sr.
5,827,441 A	10/1998	Solbjorg
5,992,802 A	11/1999	Campbell
6,053,456 A	4/2000	Dispenza

(Continued)

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/555,343, filed Feb. 20, 2016, Donald P. McCoy.

(Continued)

Primary Examiner — Lakiya Rogers

Assistant Examiner — Harold E Blackwell, II

(74) *Attorney, Agent, or Firm* — David W. Okey LLC

(57) **CLAIM**

The ornamental design for a duct spacer, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a duct spacer showing my new design;

FIG. 2 is a front elevational view thereof

FIG. 3 is a top plan view thereof;


FIG. 4 is a right side elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a left side elevational view thereof.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,378,811	B1	4/2002	Potter
7,080,864	B2	7/2006	Casteran
7,223,052	B1	5/2007	Evans
7,806,629	B2	10/2010	McCoy
7,828,251	B2	11/2010	Tollefson
7,942,371	B1	5/2011	McCoy
8,020,811	B2	9/2011	Nelson
8,074,945	B2	12/2011	Schoenau
8,294,030	B2	10/2012	Pollard, Jr.
8,342,474	B2	1/2013	Gilbreath
8,783,631	B2	7/2014	McCoy
8,876,068	B2	11/2014	McCoy
8,985,529	B2	3/2015	Masters et al.
9,038,967	B2	5/2015	Stuck
2009/0224111	A1	9/2009	Gilbreath

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/555,344, filed Feb. 20, 2016, Donald P. McCoy.

Design U.S. Appl. No. 29/555,345, filed Feb. 20, 2016, Donald P. McCoy.

Design U.S. Appl. No. 29/555,347, filed Feb. 20, 2016, Donald P. McCoy.

Design U.S. Appl. No. 29/568,473, filed Jun. 18, 2016, Donald P. McCoy.

Design U.S. Appl. No. 29/568,474, filed Jun. 18, 2016, Donald P. McCoy.

Design U.S. Appl. No. 29/568,475, filed Jun. 18, 2016, Donald P. McCoy.

Design U.S. Appl. No. 29/568,476, filed Jun. 18, 2016, Donald P. McCoy.

Design U.S. Appl. No. 29/568,477, filed Jun. 18, 2016, Donald P. McCoy.

Design U.S. Appl. No. 29/568,479, filed Jun. 18, 2016, Donald P. McCoy.

Design U.S. Appl. No. 29/568,480, filed Jun. 18, 2016, Donald P. McCoy.

Design U.S. Appl. No. 29/568,481, filed Jun. 18, 2016, Donald P. McCoy.

Carlton snap-n-stac combo spacers, Apr. 2010, 6 pages.




FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 7




FIG. 5




FIG. 6