



US00D596087S

(12) **United States Design Patent**
Brown

(10) **Patent No.:** **US D596,087 S**

(45) **Date of Patent:** **** Jul. 14, 2009**

(54) **CONNECTION FOR A SIMULATED SHOCK
ABSORBER**

(76) Inventor: **Ron Brown**, P.O. Box 1157, Pinedale,
WY (US) 82941

(**) Term: **14 Years**

(21) Appl. No.: **29/330,336**

(22) Filed: **Jan. 5, 2009**

Related U.S. Application Data

(62) Division of application No. 29/275,621, filed on Jan. 2,
2007, now Pat. No. Des. 586,703.

(51) **LOC (9) Cl.** **12-16**

(52) **U.S. Cl.** **D12/159**

(58) **Field of Classification Search** D12/159,
D12/160, 161, 400, 188; 464/173; 267/64.15,
267/136, 195, 217; 188/286, 274, 316, 315,
188/297, 298, 281; 280/11.225, 86.752,
280/124.145, 124.147, 124.155; D21/763;
293/134

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D233,743	S *	11/1974	Hobbins		D12/159
D239,377	S *	3/1976	Castelli		D12/159
5,085,298	A *	2/1992	Sollami		188/314
6,142,268	A *	11/2000	Kuo-An		188/274
7,191,877	B2 *	3/2007	Norgaard et al.		188/274
D569,313	S *	5/2008	Korner et al.		D12/159
D586,703	S	2/2009	Brown		
2006/0289258	A1 *	12/2006	Fox		188/322.21
2007/0144844	A1 *	6/2007	Riley et al.		188/281
2007/0175718	A1 *	8/2007	Beck		188/315

2008/0018035 A1 * 1/2008 Porter et al. 267/218

OTHER PUBLICATIONS

Notice of Allowance dated Oct. 20, 2008 cited in related U.S. Appl.
No. 29/275,621.

* cited by examiner

Primary Examiner—Louis S Zarfes

Assistant Examiner—Michael A Pratt

(74) *Attorney, Agent, or Firm*—Workman Nydegger

(57) **CLAIM**

The ornamental design for a connection for a simulated shock
absorber, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the connection for a simulated shock
absorber, illustrating the simulated shock absorber body con-
nected to an exemplary vehicle;

FIG. 2 is an enlarged top view of the connection for a simu-
lated shock absorber, with the bottom view being a mirror
image thereof;

FIG. 3 is a left side view of the connection for a simulated
shock absorber shown in FIG. 2;


FIG. 4 is a right side view of the connection for a simulated
shock absorber shown in FIG. 2;

FIG. 5 is a front view of the connection for a simulated shock
absorber shown in FIG. 2; and,

FIG. 6 is a back view of the connection for a simulated shock
absorber shown in FIG. 2.

The broken line showing of a shock absorber body in FIGS.
2–5 and a vehicle in FIG. 1 are included for the purpose of
illustrating environment and forms no part of the claimed
designs.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 4




Fig. 3




Fig. 5




Fig. 6