



US00D577299S

(12) **United States Design Patent**  
**Hersey et al.**

(10) **Patent No.:** **US D577,299 S**

(45) **Date of Patent:** **\*\* Sep. 23, 2008**

(54) **LASER LEVEL DETECTOR**

(75) Inventors: **William Hersey**, Corte Madera, CA (US); **Juanito Cabasal Nocos, III**, Newark, CA (US); **Scott Wesley Summit**, San Francisco, CA (US)

(73) Assignee: **PLS-Pacific Laser Systems, LLC**, San Rafael, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/305,691**

(22) Filed: **Mar. 26, 2008**

**Related U.S. Application Data**

(63) Continuation of application No. 29/275,317, filed on Dec. 20, 2006.

(51) **LOC (8) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/69**

(58) **Field of Classification Search** ..... D10/69;  
33/276, 277, 281, 285, 286, 290, 291-299,  
33/DIG. 21; 340/573.1-573.4, 539, 825.36,  
340/825.46, 825.49, 357.02; 356/5.15, 4.01,  
356/5.01, 5.08, 4.05, 5.07, 5.09, 5.12, 28.5,  
356/345, 375, 3, 5.06, 128-155, 399, 400;  
385/83, 97, 98, 99, 134-139; 701/211-213;  
702/150, 158, 208; 364/1.24-1.25

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,771,876 A 11/1973 Ljungdahl et al.

**OTHER PUBLICATIONS**

LaserMark® Gizmo II & III Laser Cross Levels. Datasheet (2 pages) [online] CST Corp. [retrieved on May 28, 2002]. Retrieved on the Internet: <URL:www.cstsurvey.com/catalog/pdf/LMGIZ23\_0300.pdf>.

Compact Laser System with Beam Splitting Prism. Datasheet (2 pages) [online] Stabila [retrieved May 28, 2002]. Retrieved on the Internet: <URL:www.stabila.com/ProductDetails.asp?C=10&P=35>.

Laserjamb Q2. Datasheet (3 pages) [online] Laserjamb [retrieved May 29, 2002]. Retrieved on the Internet: <URL:www.laserjamb.com/q2.html>.

Laser Genius™ 3210. Datasheet (2 pages) [online] Quarton Inc., 2000 [retrieved May 29, 2002]. Retrieved on the Internet: <URL:www.quarton.com.tw/3210.htm>.

*Primary Examiner*—Antoine D Davis

(74) *Attorney, Agent, or Firm*—Fish & Richardson P.C.

(57) **CLAIM**

The ornamental design for a laser level detector, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an embodiment of a laser level detector according to the invention.

FIG. 2 is a front elevational view of the embodiment.

FIG. 3 is a rear elevational view of the embodiment.

FIG. 4 is a left elevational view of the embodiment.

FIG. 5 is a right elevational view of the embodiment.


FIG. 6 is a top elevational view of the embodiment; and,

FIG. 7 is a bottom elevational view of the embodiment.

The broken lines which define the bounds of the claimed design form no part thereof.

(Continued)

**1 Claim, 6 Drawing Sheets**



# US D577,299 S

Page 2

---

U.S. PATENT DOCUMENTS					
3,856,409	A	12/1974	Cindrich et al.	6,065,217	A 5/2000 Dong
4,221,483	A	9/1980	Rando	6,292,303	B1 9/2001 Hamar
4,781,457	A	11/1988	Hirano et al.	6,568,094	B2 5/2003 Wu
4,852,265	A	8/1989	Rando et al.	6,763,595	B1 7/2004 Hersey
4,854,703	A	8/1989	Ammann	6,763,596	B1 7/2004 Puri et al.
4,912,851	A	4/1990	Rando et al.	6,938,350	B1 9/2005 Hersey
4,993,161	A	2/1991	Borkovitz	7,134,211	B2 * 11/2006 Bascom et al. .... 33/286
5,144,487	A	9/1992	Hersey	D537,373	S * 2/2007 Lin ..... D10/69
5,307,368	A	4/1994	Hamar	7,178,250	B2 2/2007 Nash et al.
5,552,886	A	9/1996	Kitajima et al.	D538,688	S * 3/2007 Snider ..... D10/69
5,689,330	A	11/1997	Gerard et al.	D538,691	S * 3/2007 Munroe et al. .... D10/69
5,782,003	A	7/1998	Bozzo	7,204,027	B2 * 4/2007 Tacklind ..... 33/286
5,864,956	A	2/1999	Dong	2003/0101605	A1 6/2003 Tacklind et al.
5,992,029	A	11/1999	Dong		

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7