



US00D749523S

(12) **United States Design Patent**
Todo et al.

(10) **Patent No.:** **US D749,523 S**

(45) **Date of Patent:** **** Feb. 16, 2016**

(54) **GRIPPING SURFACE FOR CRIMPING
TERMINAL PART**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **JAPAN AVIATION ELECTRONICS
INDUSTRY, LIMITED**, Tokyo (JP)

EP 1536518 A1 * 6/2005 H01R 4/18

(72) Inventors: **Nobuhisa Todo**, Tokyo (JP); **Takaichi
Teramoto**, Tokyo (JP); **Hiroki
Yokohama**, Tokyo (JP); **Kazuomi Sato**,
Tokyo (JP); **Hiroshi Akimoto**, Tokyo
(JP); **Kiyohito Koide**, Tokyo (JP);
Takashi Ookawa, Tokyo (JP); **Akira
Ohno**, Tokyo (JP)

OTHER PUBLICATIONS

Delphi, 'Connection Systems: Delphi Terminals with L-Shaped
Crimp Wings', Jul. 2014, [site visited Nov. 2014] available on Internet:
<[http://www.delphi.com/manufacturers/auto/connection-systems/
terminal-systems/term-l-shaped-cw/](http://www.delphi.com/manufacturers/auto/connection-systems/terminal-systems/term-l-shaped-cw/)>.*

(73) Assignee: **JAPAN AVIATION ELECTRONICS
INDUSTRY, LIMITED**, Tokyo (JP)

Primary Examiner — Rosemary K Tarca

Assistant Examiner — Sanjeev Paul

(74) *Attorney, Agent, or Firm* — Westerman, Hattori,
Daniels & Adrian, LLP

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a gripping surface for crimping
terminal part, as shown and described.

(21) Appl. No.: **29/493,087**

DESCRIPTION

(22) Filed: **Jun. 5, 2014**

FIG. 1 is a perspective view of a gripping surface for crimping
terminal part, showing our new design;

(30) **Foreign Application Priority Data**

Dec. 12, 2013 (JP) 2013-029181

FIG. 2 is a top plan view thereof;

(51) **LOC (10) Cl.** **13-03**

FIG. 3 is an enlarged view thereof, showing the area marked
3a-3b in FIG. 2;

(52) **U.S. Cl.**

USPC **D13/154**

FIG. 4 is a cross-sectional view thereof, taken along line **4-4**
of FIG. 3;

(58) **Field of Classification Search**

USPC D13/133, 146, 147, 148, 153, 154, 184,
D13/199; D2/434, 456, 959

FIG. 5 is a cross-sectional view thereof, taken along line **5-5**
of FIG. 3;

CPC H01R 4/18; H01R 4/182; H01R 4/185;
H01R 4/188; H01R 13/11

FIG. 6 is an enlarged view thereof, showing the area marked
3a-3b in FIG. 2 in an open state;

See application file for complete search history.

FIG. 7 is an enlarged view thereof, showing the area marked
3a-3b in FIG. 2 in an open state, in an alternate configuration;
and,

(56) **References Cited**

References Cited


U.S. PATENT DOCUMENTS

D345,502 S * 3/1994 Clar D9/456
6,921,502 B1 * 7/2005 Nord et al. 264/46.4

FIG. 8 is an enlarged view thereof, showing the area marked
3a-3b in FIG. 2 in an open state, in an alternate configuration.
The broken line in the drawing is included to show unclaimed
subject matter only and forms no part of the claimed design.
The dot-dash lines represent the boundaries of the claimed
design and form no part of the claimed design.

(Continued)

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D626,816	S *	11/2010	Claxton	D8/303	2010/0087105	A1 *	4/2010	Gump et al.	439/879
D629,687	S *	12/2010	Baker	D9/456	2010/0203298	A1 *	8/2010	Waddell	428/178
D683,136	S *	5/2013	Wilson et al.	D3/218	2011/0027536	A1 *	2/2011	Malpass et al.	428/172
2005/0019531	A1 *	1/2005	Bazbaz	428/156	2011/0223799	A1 *	9/2011	Hasebe et al.	439/488
2005/0050619	A1 *	3/2005	Dunn	2/458	2013/0273787	A1 *	10/2013	Mitose et al.	439/878
						2014/0050895	A1 *	2/2014	Hsueh	428/172
						2014/0206244	A1 *	7/2014	Kato	439/878

* cited by examiner





FIG.1






FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG. 8